

# New Surrey Hospital & BC Cancer Centre

MINIMUM ROOM REQUIREMENTS

#### A. Ambulatory Care

Appendix 1B	B Minimum Room Require	ements		rogram 1. mber(s): 2.	A3.09	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room I	Name: Chair Bay - Observation			3.		9. 10.	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				5.		11.	17.	23.	29.	35.	41.	47.
				6.		12.	18.	24.	30.	36.	42.	48.
ARCHITECTUR	RAL REQUIREMENTS											
WALL AND CEILIF Wall Mate Ceiling Mate	terial: ARGB 1.2m AFF, GB above	WALL PROTECTION   Finish:   PT	Corner Guards Hand Rails Crash Rails Chair Rail	Bed Bumper	/ Locator	GLAZING Interior Glazi		Material: Base:  VSF FCB		CCESSORIES  Hooks Ceiling Lift  or Infant Cha	t ☐ M ange Table ✔ Pr	agnetic Whiteboard ivacy Curtain
LEGEND:		DOORS					I		Door	Remarks:		
WALL AND CEILIN		Types:										Security Grille
	nitectural Ceiling Sustic Ceiling Tile		45 4 46 M M									
	nroom se-Resistant Gypsum Board						NNN N	M44				Anti-barricade strategy
	sum Board act-Resistant Gypsum Board	A A2 B	B2 C C2 D D	)2 E	E2 F	F2 G	Н	J				
KLCT Kitche	nen Lay-in Ceiling Tile sture and Mould-Resistant Gypsum Board			gral Door & Fr		Ca	•					
	rity Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blin	ids: Protec	t.: Film:	Function: Rea	der: Lock: Ope	ner: Open: Hinge	es: Accessory	L: Accessory 2: Acc	cessory 3: Close	er:
WALL FINISHES L												
	ky Wall Coating I Performance Coating	MILLWORK AND SPECIALTY CASEWORK			C+c	yraga Daguiramanta				<del>`</del>	FINISHES	
PT Paint			UPPER UI	NITS	310	orage Requirements:				Full-height Cabi		
CEILING FINISHES  ECC Epoxy	ES LEGEND:  xy Ceiling Coating		U1 U2 U3 U4							Upper Millw		
HPC High F	Performance Coating		7 7 7	5 U6	U7 U8	CHELE				Counter		
PT Paint				7	7 7 8	SHELF				Lower Millw	ork: nelf:	
WALL PROTECTION	ON LEGEND:	-				S1				31	ien.	
	uded Semi-Rigid PVCu Panel e Reinforced Laminate	- " I I I I								Rem	arks:	
	eglass Reinforced Plastic ective Vinyl Wallcovering			- 1							rovide a fixed, modul livider between reclin	
RHIS Rigid I	d High Impact Sheet			7		i					ontrol.	iers for infection
	wall Solid Surface Panel room Vinyl Wallcovering			69 89	7	Wilderson State of the London State of the Lon	1					
FLOOR FINISHES	LEGEND:	C1 C2 C3 C4						-	<u> </u>			
	crete Floor Sealer xy Floor Coating		L2	=			K		16	America A		
	urethane Floor Coating ber Athletic Flooring	FULL-HEIGHT CABINETS		L6 L7	+ + 1			7	7			
RSF Rubbe	ber Sheet Flooring			L6 L7	L8 L9	L10 L11	1		1/ 11			
SDRF Static	nless Cushioned Flooring ic-Dissipative Rubber Sheet Flooring	Legend:	Motorized				L12 Å	TC1 TC2	V [ "	"		
	ic-Dissipative Vinyl Sheet Flooring I Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category	Min. Length Adjustable Standir ory (mm) Height Heigh			LOWER UNITS			UC1	~ II		
WSVF Wetro	room Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	ory (mm) Height Heigh	t Casewor	K			I/TRANSACTION / CARE TEAM	JTILITY SINK AND COL	JNTER UNIT		
FCB Flash	GEND: h Cove Base	Category 3 - High (10% or Greater)					STATION D	ESK				
RB Rubbe	ber Base											
SCF Seam	nless Cushioned Flooring											
MECHANICAL	REQUIREMENTS	L										
	Hand	Seamless Utility /	Other Fixtures:	Evewash Stati		MED / NON-ME	D GASES					
		K: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Eyewash/Shov		(Quantity)	<del></del>	Medical Nitrous			•	Utility oratory Compressed
				Emergency Sh		Oxygen:		Vacuum: Oxide:	CO2: A	GSS: Nitrogen:	Air: Va	cuum: Air:
Plumbing Remarks:			_	Flush Rim Sink		1	1	1				
Remarks.			_	Floor Drain	o Cil Ci a Ca	Gas Rema	rks: Provide (1) se	t of medical gases per chai	r bay to Patient's right			
			Hot Water	Water Bottle F	kerill Station							
			Oth	her								

Appendix 1B Minimum Room Requirements	Program Number(s):	1. A2.11 2.	7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Casting Room		3.	9. 15.	21.	27.	33.	39.	45.
			10. 16. 11. 17.	22. 23.	28. 29.	34. 35.	40. 41.	46. 47.
			12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS			•	·				
WALL AND CEILING WALL PROTECTION			GLAZING	FLOORING TYPE		OOM ACCESSORIES		
	ards Hand Rails Bed Bu	umper / Locator	☐ Interior Glazing	Material: B		Coat Hooks Ceiling		Magnetic Whiteboard
Ceiling Material: ACT Finish: PF Height: 1600 mm Crash Rails	Chair Rail			noi I	СВ		Change Table	✓ Privacy Curtain
LEGEND: DOORS					Note: for Type F doors,	Door Remarks:		
WALL AND CEILING LEGEND:  AC Architectural Ceiling  Types:					the door panels will be			Security Grille
ACT Acoustic Ceiling Tile					approximately 465/1065 unless			Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board					otherwise rquired by			strategy
GB Gypsum Board A A2 B B2 C	C2 D D2	E E2 F	F2 G		the Authority			2
IRGB Impact-Resistant Gypsum Board  KLCT Kitchen Lay-in Ceiling Tile	Integral Doo	or & Frame Privacy	Card	Mag Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board   Type: Oty: Size (mm): Material:		Protect.: Film:		Lock: Opener: Open:	Hinges: Ac	ccessory 1: Accessory 2:	Accessory 3:	Closer:
SACT Security Acoustic Ceiling Tile F2 1 1530 x 2135   Solid Core   FF		ligh Passa		П П В		tragal Flush Bolt		
WALL FINISHES LEGEND:								
EWC Epoxy Wall Coating HPC High Performance Coating  MILLWORK AND SPECIALTY CASEWORK					•			
PT Paint WILLWORK AND SPECIALLY CASEWORK	UPPER UNITS	Sto	orage Requirements:				FINISHES	
CEILING FINISHES LEGEND:						Full-height C		
ECC Epoxy Ceiling Coating	U3 U4 U5					Upper M		
HPC High Performance Coating PF Prefinished	7	U6 U7 U8	SHELF				ntertop: Stainless St	teel
PT Paint		77				Lower M	Shelf:	
WALL PROTECTION LEGEND:			1 S1				Jileii.	
ESRP Extruded Semi-Rigid PVCu Panel		1 11				1	Remarks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic			-					
PVW Protective Vinyl Wallcovering	1	_						
		111	1					
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering	11 2	The state of the s						
FLOOR FINISHES LEGEND: C1 C2		4-1/1	On the Party of th	-	7_			
CFS Concrete Floor Sealer C2 C3 C4 C5		- Francis	==     <i>V</i>		7		1	
EFC Epoxy Floor Coating	L3 L4 L5		- MM-	-	- Comment			
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring FULL-HEIGHT CABINETS		L7 18						
RSF Rubber Sheet Flooring		L7 L8 L9	L10 L11					
SCF Seamless Cushioned Flooring  SDRF Static-Dissipative Rubber Sheet Flooring Legend:	Matariand			, 101	TC2		į.	
SDVF Static-Dissipative Vinyl Sheet Flooring Category 0 - None Min. Leng	Motorized th Adjustable Standing Sp	ecialty				" UC1		
VSF Vinyl Sheet Flooring Category 1 - Low (1% - 4%) Category (mm)		sework	LOWER UNITS	RECEPTION/TRANSACTION		✓		
WSVF Wetroom Safety Vinyl Sheet Flooring Category 2 - Med (5% - 9%) FLOOR BASE LEGEND: 1 900				COUNTER / CARE TEAM	UTILITY SINK	AND COUNTER UNIT		
FLOOR BASE LEGEND:  FCB Flash Cove Base				STATION DESK				
RB Rubber Base								
SCF Seamless Cushioned Flooring								
MECHANICAL REQUIREMENTS								
PLUMBING Hand Seamless Utility / Other Fixt	ures: Eyewasł	h Station	MED / NON-MED GA	SES				r ratita
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		h/Shower Station	(Quantity)	Medical	Nitrous		Laboratory	Utility Laboratory Compressed
1 1 Tub	Emergei		Oxygen: M	Nedical Air: Vacuum:	Oxide: CO2:	AGSS: Nitroge	en: Air:	Vacuum: Air:
Plumbing Provide utility sink c/w plaster trap.			1	1 1				
Remarks:								
		Bottle Refill Station	Gas Remarks:	Provide a set of gases for each	Patient position.			
	Water —							
	Other							

Appendix	1B Minimum Room Requi	irements	Prograi Number(		8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Ro	oom Name: Consult Room - Small			3.		15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				5.		17.	23.	29.	35.	41.	47.
				6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECT	TURAL REQUIREMENTS				1						
WALL AND		WALL PROTECTION			GLAZING		FLOORING TYPES  Material: Base:		M ACCESSORIES		•
	Material: ARGB 1.2m AFF, GB above  Material: ARGB		Corner Guards ☐ Hand Rails ☐ Bed Crash Rails ✔ Chair Rail	Bumper / Locator	✓ Interior Glazii	ng	RSF FCB		Coat Hooks Ceiling Li Mirror Infant Ch		Magnetic Whiteboard Privacy Curtain
	Iviaterial. ANOB		Clasif Rails						Door Remarks:	alige lable	- Filvacy Curtain
LEGEND:	CEILING LEGEND:	DOORS							DOOL REITIALKS.		
AC	Architectural Ceiling	Types:									Security Grille
ACT	Acoustic Ceiling Tile										✓ Anti-barricade
ACT-C ARGB	Cleanroom Abuse-Resistant Gypsum Board				1 N/1 BN	MMM	<u> </u>				strategy
GB	Gypsum Board	A A2 B B	2 C C2 D D2	E E2 F	F2 G	н	J				
IRGB KLCT	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		Integral D	Door & Frame Privacy	Car	rd Mag A	uto Hold				
MMRGB	Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Ма	aterial: Finish: Side Lt: Blinds:	Protect.: Film:	Function: Read	•		inges: Access	ory 1: Accessory 2: A	ccessory 3:	Closer:
SACT	Security Acoustic Ceiling Tile	C 1 1065 x 2135 Solid	Core FRL1	L Low Stor	reroom		Cont. Do	ouble-Acting Safety S	top	Surfa	асе
	HES LEGEND:										
EWC HPC	Epoxy Wall Coating High Performance Coating	MILLWORK AND SPECIALTY CASEWORK			[						
PT	Paint	WILLWORK AND SI EGIALTI CASEWORK	UPPER UNITS	5	torage Requirements:					FINISHES	
CEILING FIN	ISHES LEGEND:	U1							Full-height Cab		
ECC	Epoxy Ceiling Coating	7	U2 U3 U4 U5	U6 U7 🗆					Upper Milly		
HPC PF	High Performance Coating Prefinished			U6 U7 U8	SHELF				Counte Lower Milly	-	
PT	Paint									Shelf:	
WALL PROT	ECTION LEGEND:				Si					nen.	
ESRP	Extruded Semi-Rigid PVCu Panel				1)				Rer	marks:	
FRL FRP	Fibre Reinforced Laminate Fibreglass Reinforced Plastic		-		-						
PVW	Protective Vinyl Wallcovering		1.6		1						
RHIS	Rigid High Impact Sheet			1	1						
WSSP WVW	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering		1 1	THE RESERVED TO SHARE THE PARTY OF THE PARTY		1	1				
FLOOR FINIS	SHES LEGEND:	C1 C2			ON THE PERSONAL PROPERTY.	/	Constitution of the last				
CFS	Concrete Floor Sealer	C2 C3 C4		7				7 /			
EFC	Epoxy Floor Coating		L2 L3 L4 L5		- 144		Karana Karana				
PFC RAF	Polyurethane Floor Coating Rubber Athletic Flooring	FULL-HEIGHT CABINETS	15	6 L7 L8		- /					
RSF	Rubber Sheet Flooring			L7 L8 L9	L10 L11	1		7/			
SCF SDRF	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:				L12	TC1 TC2		.   [     [		
SDVF	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized  Min. Length Adjustable Standing	Specialty				Ü	UC1		
VSF WSVF	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category	- ,	Casework	LOWER UNITS	RECEPTIO	N/TRANSACTION				
		Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)					R / CARE TEAM	UTILITY SINK AND	COUNTER UNIT		
FCB FCB	E <b>LEGEND:</b> Flash Cove Base	category 5 Thigh (1070 of Greater)				STATION	DESK				
RB	Rubber Base										
SCF	Seamless Cushioned Flooring										
MECHANIC	CAL REQUIREMENTS										
PLUMBING		Seamless Utility /	Other Fixtures:	ash Station	MED / NON-MEI	D GASES					
(Quantity)	Hygiene Sink: Lavatory: Kitchen Si	ink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Lycwi	ash/Shower Station	(Quantity)		Medical Nitro	us		Laboratory	Laboratory Compressed
. ,,				gency Shower	Oxygen:	Medical Air:	Vacuum: Oxid		AGSS: Nitrogen:	Air:	Vacuum: Air:
Plumbing	1		☐ Ice Maker ☐ Flush								
Remarks:											
			_	r Bottle Refill Station	Gas Remar	rks:					
			Instantaneous Wate	ו שטננופ הפוווו אנמנוטח							
			Other								
L					1						



# New Surrey Hospital & BC Cancer Centre

MINIMUM ROOM REQUIREMENTS

#### **B.** Inpatient Unit

					Number(s):	2. B2.24	8. 14	4.	20.	26.	32.	38	8.	44.	
	Alegana Dinty Food Trees					3. B3.24	9. 15	5.	21.	27.	33.	3:		45.	
Room Name	e: Alcove - Dirty Food Tray					4.	10.	6.	22.	28.	34.	4	٥.	46.	
						5.	11.	7.	23.	29.	35.	4:	1.	47.	
						6.	12.	8.	24.	30.	36.	4:	2.	48.	
ADCUITECTUDALD	DECLUDEMENTS														
ARCHITECTURAL R	REQUIREIVIENTS														
WALL AND CEILING			WALL PROTECTION				GLAZING		FLOORING TYPES Material: Base:	F	ROOM ACCESSOR				
		Finish: PT	Type: PVW	Corner Guards Hand Ra		mper / Locator	☐ Interior Glazing		VSF FCB	_	Coat Hooks			Magnetic Wh	
Ceiling Material:	ACI	Finish: PF	Height: 2185 mm	Crash Rails Chair Ra	)   				751			☐ Infant Change	Table	Privacy Curta	.in
LEGEND:		DOORS									Door Remarks	:			
WALL AND CEILING LEG	EGEND:	Types												☐ Sec	curity Grille
AC Architectural ACT Acoustic Ceili	=														Juney Grine
ACT-C Cleanroom	ing the								1077					☐ An	nti-barricade
	tant Gypsum Board													str	rategy
GB Gypsum Boar IRGB Impact-Resist	iru stant Gypsum Board		A A2 B	B2 C C2 D	D2	E E2 F	F2 G	н	J						
KLCT Kitchen Lay-ir					•	r & Frame Privacy	Card		uto Hold						
	d Mould-Resistant Gypsum Board ustic Ceiling Tile		Гуре:Qty: Size (mm):	Material: Finish: Side Lt	: Blinds: P	rotect.: Film:	Function: Reader	r: Lock: Op	ener: Open: Hir	nges: A	ccessory 1: Acce	ssory 2: Accesso	ry 3: Clo	oser:	
WALL FINISHES LEGEN  EWC Epoxy Wall Co															
	nance Coating	MILLWORK AND SP	ECIALTY CASEWORK			C	torage Requirements:						FINISHES		
PT Paint		9/4/29/3/4/2017		UP	PPER UNITS	3	torage Requirements:					í	FINISHES		
CEILING FINISHES LEGE	END:			U1 U2							Fu	ıll-height Cabinet:			
ECC Epoxy Ceiling		The state of the s	- X V 17 12	U2 U3 U4	U5							Upper Millwork:			
HPC High Perform PF Prefinished	nance Coating	Carrier and	1			U6 U7 U8	SHELF					Countertop: Lower Millwork:			
PT Paint		*******		-	T		+a 🗆					Shelf:			
WALL PROTECTION LEG	GEND:	Congresses					1 51					Sileii.			
	mi-Rigid PVCu Panel	- Company				1 11						Remarks:	:		
	rced Laminate						-								
	einforced Plastic inyl Wallcovering	-	-	-	-	1 1	1								
RHIS Rigid High Im		-		10			1								
	d Surface Panel nyl Wallcovering	Kennenger		" " " " " " " " " " " " " " " " " " " "	Con Con	an Transport									
FLOOR FINISHES LEGEN	-	C1 C2			1 =	= 7	ON HAS PERSONAL PROPERTY.	- 1/	-						
CFS Concrete Floo			C4 c-	1		- 7		1		7					
EFC Epoxy Floor C				12 10 100		-K-V)	W		K		F				
PFC Polyurethane RAF Rubber Athlet	e Floor Coating	FULL-HEIGHT CABI			L5 L6	17 10		/							
RSF Rubber Sheet		TOLE HEIGHT CADI	NEI3		□ L6	L7 L8 L9	L10 L11		7	-1/					
	shioned Flooring	Lancado						L12	TC1 TC2		l l				
-	ative Rubber Sheet Flooring ative Vinyl Sheet Flooring	Legend: Category 0 - None		Min Longth Adiabatic	Standing Spe	alale.					UC1				
VSF Vinyl Sheet Fl		Category 1 - Low (19		.,		cialty ework	LOWER UNITS	RECEPTIO	N/TRANSACTION						
WSVF Wetroom Safe	fety Vinyl Sheet Flooring	Category 2 - Med (5		, ,,					/ CARE TEAM	UTILITY SINK	AND COUNTER U	NIT			
FLOOR BASE LEGEND:		Category 3 - High (10	0% or Greater)					STATION I	DESK						
FCB Flash Cove Ba RB Rubber Base															
	shioned Flooring														
MECHANICAL REQ	DUIREMENTS														
		Coomloss Little. /		Other Fintures			MED / NON MED (	CACEC							
PLUMBING Hand (Quantity) Hygiene Si	ink: Lavatory: Kitchen Sink:	Seamless Utility / Kitchen Sink: Process Sink:	Scrub Sink: Floor Sink:	Other Fixtures:	Evewash		MED / NON-MED (	GASES	Medical Nitrous			1 -	horator: '	ahorator:	Utility
(Quantity)	,		22.2	Shower		/Shower Station	(Quantity)	Medical Air:	Medical Nitrous Vacuum: Oxide		AGSS:	Nitrogen:		aboratory Vacuum:	Compressed
				☐ Tub	Emergen		Oxygen:	ivicultal All:	540	CO2:	AGSS:	Mid ogeni.			Air:
Plumbing Remarks:				☐ Ice Maker	☐ Flush Rin										
Nemarks.				Water Closet	Floor Dra		Gas Remarks	s: [							٦
				Instantaneous	☐ Water Bo	ottle Refill Station	Cus nemarks								
				Hot Water	Other										

Program 1. B1.19

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B Minimum Room Requirem	ents	Program Number(s):	1. B4.05c 2.	7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Cleaning and Disinfection Room	om - Rehah Therany	7	3.	9. 15.	21.	27.	33.	39.	45.
Room Name: Cleaning and Disinfection Room	ini - Kenab merapy		4.	10. 16.	22.	28.	34.	40.	46.
			5. 6.	11. 17. 18.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.
			0.	12.	24.	50.	30.	42.	40.
ARCHITECTURAL REQUIREMENTS									
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES  Material: Base:		ACCESSORIES		
	nish: EWC Type: WVW Corner Guards ☐ Har nish: PF Height: 2185 mm Crash Rails ☐ Cha	d Rails 🔲 Bed Bu ir Rail	mper / Locator	☐ Interior Glazing	WSVF FCB		oat Hooks		lagnetic Whiteboard rivacy Curtain
LEGEND:	DOORS						oor Remarks:		
WALL AND CEILING LEGEND:					Note: fo	or Type F doors,			7_
AC Architectural Ceiling	Types:		न निनि (	71 GN 99 999		r panels will be			Security Grille
ACT Acoustic Ceiling Tile					approxi	mately 55 unless			☐ Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board						se rquired by			strategy
GB Gypsum Board	A A2 B B2 C C2	D D2	E E2	F F2 G H	j the Aut				50.00087
IRGB Impact-Resistant Gypsum Board		Later and Base	. 0. 5	Coul Man	A L. Hald				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board			r & Frame Privacy Protect.: Film:	Card Mag  Function: Reader: Lock:					
SACT Security Acoustic Ceiling Tile		JC Lt.						· · · · · · · · · · · · · · · · · · ·	er:
WALL FINISHES LEGEND:	F2 1 1530 x 2135 Solid Core FRL	2 Hi		Storeroom 🗸	☐ ☑ Butt Hinge		Flush Bolt	Surface	
EWC Epoxy Wall Coating	F2   1   1530 x 2135   Solid Core   FRL	2 H	gh	Passage	Butt Hinge	Astragal	Flush Bolt	Surface	
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK			Storage Requirements:				FINISHES	
PT Paint		UPPER UNITS		Storage Requirements.					
CEILING FINISHES LEGEND:	U1 U2 U2	П					Full-height Cal		
ECC Epoxy Ceiling Coating	U2 U3	U4					Upper Mill		
HPC High Performance Coating PF Prefinished		U5	U6 117				Counte	ertop: Solid Surfacing	
PT Paint		7	17-17-	U8 SHELF			Lower Mill	lwork: Plastic Laminate	5
								Shelf:	
WALL PROTECTION LEGEND:				S1					
ESRP Extruded Semi-Rigid PVCu Panel		- L					Re	emarks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic		1							
PVW Protective Vinyl Wallcovering	90 E222422222	16	_ 1 1						
RHIS Rigid High Impact Sheet	7		1						
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering		60	-						
, ,			-	the state of the s	76				
FLOOR FINISHES LEGEND:	C1 C2 C3 C4 C5	=							
CFS Concrete Floor Sealer  EFC Epoxy Floor Coating		-	-KN				Komerk		
PFC Polyurethane Floor Coating		L5		Service					
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	<b>✓</b> L6	L7 L8 L9						
RSF Rubber Sheet Flooring				L10 L11					
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend: Motorize			L12	TC1 TC2	V   "			
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None Min. Length Adjustable		ecialty			<sup>™</sup> uc	<u></u>		
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm) Height		sework	LOWER UNITS	EPTION/TRANSACTION	L			
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)				INTER / CARE TEAM	UTILITY SINK AND C	OUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater) 1800				TION DESK				
FCB Flash Cove Base									
RB Rubber Base SCF Seamless Cushioned Flooring									
Scanness cashioned riosing									
AACCHANICAL DECLUDEAACNEC									
MECHANICAL REQUIREMENTS									
	Seamless Utility / Other Fixtures:	☐ Eyewash	Station	MED / NON-MED GASES					Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: K	tchen Sink: Process Sink: Scrub Sink: Floor Sink: Shower	☐ Evewash	/Shower Station	(Quantity)	Medical Nitrous				poratory Compressed
	1	☐ Emerger		Oxygen: Medical	l Air: Vacuum: Oxide:	CO2:	AGSS: Nitrogen:	: Air: Va	acuum: Air:
Plumbing	☐ Ice Maker	Flush Rir							
Remarks:									
	Water Closet	☐ Floor Dra		Gas Remarks:					
	Instantaneous	☐ Water B	ottle Refill Station						
	Hot Water	Other							
		Other							

				Number(s):	2. B4.01	8.	14.	20.	26.	32.		38.	44.	
Room Name: Lounge - Family/Visitor					3.	9.	15.	21.	27.	33.		39.	45.	
Room Name. Lounge - Family/ Visitor					4.	10.	16.	22.	28.	34.		40.	46.	
					5.	11.	17.	23.	29.	35.		41.	47.	
					6.	12.	18.	24.	30.	36.		42.	48.	
ARCHITECTURAL REQUIREMENTS								1		-			-	
WALL AND CEILING	WA	LL PROTECTION				GLAZING		FLOORING TYPES		ROOM ACCESS	ORIFS			
	Finish: PT		✓ Corner Guards ☐ Hand Ra	ils 🔲 Bed Bu	mper / Locator	✓ Interior Gla	n-in-c	Material: Base:			S Ceiling Lift	t $\Box$	Magnetic Wh	niteboard
		. , , ,	☐ Crash Rails ✓ Chair Ra		,	■ Interior Gia	izirig	VSF FCB		Mirror	☐ Infant Cha		Privacy Curta	
		8								Door Rema	rks:			
LEGEND: WALL AND CEILING LEGEND:	DOORS									Jeer Hema				
AC Architectural Ceiling	Types:												☐ Se	curity Grille
ACT Acoustic Ceiling Tile														
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board				NE		4 N4 N		MMM						nti-barricade rategy
GB Gypsum Board	A	A2 B	B2 C C2 D	D2	E E2 F	F2 G	Н	J					30	иссву
IRGB Impact-Resistant Gypsum Board				Internal Dec	a C Farance Daisses		Saud Mass	Ata Hald						
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board		F Ot Cine ().	Material: Finish: Side Lt	•	r & Frame Privacy Protect.: Film:	_	Card Mag eader: Lock: (	Auto Hold Opener: Open: <sub>Hi</sub>		A 1. A-			Classin	
SACT Security Acoustic Ceiling Tile						Turicuon.			nges:	Accessory 1: Acces	ccessory 2: Acc		Closer:	
WALL FINISHES LEGEND:		B 1 1065 x 2135 Sc	lid Core FRL	1 Lo	ow Pas	ssage		Butt Hing	ge			Conc	ealed	
EWC Epoxy Wall Coating HPC High Performance Coating	MILLIMORY AND CDECIA	LTV CASEIMORY				1			l e					
PT Paint	MILLWORK AND SPECIA	LIY CASEWORK	UP	PER UNITS	•	Storage Requirements:						FINISHES		
CEILING FINISHES LEGEND:				_							Full-height Cabir	net:		
ECC Epoxy Ceiling Coating	( and the second	1777	U2 U3 U4								Upper Millwo	ork:		
HPC High Performance Coating PF Prefinished	-	T-K-V		U5	U6 U7 U8	a					Countert			
PT Paint	· · · · · · · · · · · · · · · · · · ·				7 7 7 7 8	SHELF					Lower Millwo			
WALL PROTECTION LECEND.	angeres .					7					Sh	nelf:		
WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel		I. 1-4 1-7		_11 7		S1					Dom	arks:		
FRL Fibre Reinforced Laminate	The same of the sa				-	1					Keiii	diks.		
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering	-			i	1 1									
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	-	-	THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER, THE OW	-		i								
WSSP Wetwall Solid Surface Panel	THE REAL PROPERTY.			CONTRACTOR OF THE PARTY OF THE	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TW		_							
WVW Wetroom Vinyl Wallcovering		1		11 =		CONTRACTOR DESCRIPTION	1	7/						
FLOOR FINISHES LEGEND:	C1 C2	C3 C4					7				-			
CFS Concrete Floor Sealer		□ C4 C5 11	L2	-		//	K_		/		(			
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating			L3 L4	L5		- SKK	4	F-12-22		The same of the sa				
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	3			L7 L8 19			1 15						
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring					L7 L8 L9	L10 L11			1/					
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:		Motorized		_		L12 M	TC1 TC2	$\nu$		u    II			
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None			Standing Spe	ecialty					UC1	Ш			
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%			Height Cas	sework	LOWER UNITS	RECEPT	TON/TRANSACTION						
	Category 2 - Med (5% - 99 Category 3 - High (10% or							ER / CARE TEAM	UTILITY SI	NK AND COUNTER	UNIT			
FLOOR BASE LEGEND:  FCB Flash Cove Base	category 5 mgm (10% of	Greatery					STATIO	N DESK						
RB Rubber Base														
SCF Seamless Cushioned Flooring														
MECHANICAL REQUIREMENTS														
PLUMBING Hand	Seamless Utility /		Other Fixtures:	☐ Eyewash	Station	MED / NON-M	ED GASES							
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink: Scru	ub Sink: Floor Sink:	Shower		/Shower Station	(Quantity)		Medical Nitrou	S			Laboratory	Laboratory	Utility
			☐ Tub	☐ Eyewasn		Oxygen	n: Medical Air			2: AGSS:	Nitrogen:	Air:	Vacuum:	Compressed Air:
Plumbing	<u> </u>					7,34								
Remarks:			Ice Maker	☐ Flush Rir										
			Water Closet	Floor Dra		Gas Rem	narks:							
			Instantaneous	<b>✓</b> Water B	ottle Refill Station									
			Hot Water	Other										
				J										

Program 1. B2.28

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B Min	nimum Room Requireme	ı	Program Number(s):	1. B4.05a 2.	7. 8.	13. 14.	19. 20.	25. 26.		31. 32.	37. 38.	43. 44.		
Poom Namo:	Rehabilitation Therapy Room					3.	9.	15.	21.	27.		33.	39.	45.
Noom Name.	Trondomation Therapy Room					4.	10.	16.	22.	28.		34.	40.	46.
						5. 6.	11. 12.	17. 18.	23. 24.	29. 30.		35. 36.	41. 42.	47. 48.
ARCHITECTURAL RI	REQUIREMENTS													
WALL AND CEILING		,	WALL PROTECTION				GLAZING		FLOORING TYPES		ROOM AC	CESSORIES	•	•
Wall Material:		ish: PT	Type: PVW Height: 1350 mm	Crash Rails  Crash Rails  Chair Rail	☐ Bed Bur	mper / Locator	☐ Interior Gla	izing	Material: Base:  RAF FCB		✓ Coat ✓ Mirro	Hooks Ceiling Lif or Infant Ch		gnetic Whiteboard vacy Curtain
LEGEND:		DOORS						I		1		Remarks:		
WALL AND CEILING LEG		Types:								or Type F do r panels will			Public Circulation and to Service Circulation	Security Grille
AC Architectural C ACT Acoustic Ceilin				44 4 4 4 4	MN :		V 20 V 20		approxi	mately	. 20			
ACT-C Cleanroom  ARGB Abuse-Resistar	ant Gypsum Board		$\Delta \Delta \Delta \Delta$		NE		4.184.38			55 unless se rquired b	oy			Anti-barricade strategy
GB Gypsum Board			A A2 B	B2 C C2 D	D2	E E2 F	F2 G	Н	J the Aut					
KLCT Kitchen Lay-in	n Ceiling Tile				•	r & Frame Privacy		Card Mag	Auto Hold					
	Mould-Resistant Gypsum Board ustic Ceiling Tile		Гуре:Qty: Size (mm):	iviateriai. Fillisti. Side Et.		rotect.: Film:	T directions			ges:		: Accessory 2: Ac		r:
WALL FINISHES LEGENE	D:		F 1 1530 x 2135 S		2 Hig				Butt Hinge		Astragal Astragal	Flush Bolt Flush Bolt	Surface Surface	
EWC Epoxy Wall Coa	1			your core The		3.00	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			-	715114641	Trasii Boit		
PT Paint	latice Coating	MILLWORK AND SPE	CIALTY CASEWORK	<b>✓</b> UPPER	R UNITS	:	Storage Requirements:						FINISHES	
CEILING FINISHES LEGE		1	7-7-	U1 U2 U2	<b>✓</b>							Full-height Cabi	inet: Plastic Laminate vork: Plastic Laminate	
ECC Epoxy Ceiling C HPC High Performa		Z	Y X X	U4	U5	U6 U7							rtop: Solid Surfacing	
PF Prefinished PT Paint					7-7	U8	SHELF					Lower Millw	vork: Plastic Laminate	
WALL PROTECTION LEG	GEND:						Si					SI	helf:	
ESRP Extruded Semi	ni-Rigid PVCu Panel	-			11		31					Ren	narks:	
FRL Fibre Reinforce FRP Fibreglass Rein	ced Laminate inforced Plastic	-											Provide (2) ceiling lifts,	
PVW Protective Viny RHIS Rigid High Imp	nyl Wallcovering	Angeles and the same	100	Fine Property lies and the last of the las	The same of	1 1	İ					ı	parallel bar, one over t	ne plinth.
WSSP Wetwall Solid	d Surface Panel	-			THE PERSON	-	1							
WVW Wetroom Viny					-	= 7	On the particulary	-	76					
FLOOR FINISHES LEGEN  CFS Concrete Floor		C1 C2	C3 C4 C5 L1	+ + + + + + + + + + + + + + + + + + + +		- 7				7	/-			
EFC Epoxy Floor Co PFC Polyurethane F	=	V		L3 14	-		- 1	4==	-	/	THE STREET	1		
RAF Rubber Athleti	tic Flooring	FULL-HEIGHT CABIN			¬ L6 ່	L7 L8 L9		+	1 15					
RSF Rubber Sheet I SCF Seamless Cush	t Flooring shioned Flooring						L10 L11	L12						
	ative Rubber Sheet Flooring ative Vinyl Sheet Flooring	Legend: Category 0 - None		Motorized					TC1 TC2		UC1			
VSF Vinyl Sheet Flo	looring	Category 1 - Low (1%		9 .,		cialty ework	LOWER UNITS	RECEPT	ION/TRANSACTION			2000		
	ety Vinyl Sheet Flooring	Category 2 - Med (5% Category 3 - High (10	·   -					COUNT	ER / CARE TEAM	UTILITY SI	NK AND COU	INTER UNIT		
FLOOR BASE LEGEND:  FCB Flash Cove Bas		category cg.: (20						STATIO	N DESK					
RB Rubber Base SCF Seamless Cush	shioned Flooring													
SCF Seamless Cush	snioned riooning													
MECHANICAL REQU	UIREMENTS													
PLUMBING Hand	Se	eamless Utility /		Other Fixtures:	Evewash	Station	MED / NON-M	ED GASES						
(Quantity) Hygiene Sin	nk: Lavatory: Kitchen Sink: Kitc	chen Sink: Process Sink:	Scrub Sink: Floor Sink:			/Shower Station	(Quantity)		Medical Nitrous					Utility Compressed
1					Emergen		Oxygen			СО	02: A	GSS: Nitrogen:	Air: Vac	cuum: Air:
Plumbing Remarks:					Flush Rim		3	3	3					
Nemalks.				_	Floor Dra		Gas Rem	arks: Provide (1	L) set of medical gases locate	ed at the plir	nth. Other tw	o sets distributed arou	and room	
				Instantaneous Hot Water		ottle Refill Station		,	<u> </u>	•				
				not react	Other									

Roc	om Name: Soiled Holding - Shielded				3. 4.		9. 15 0. 16		21. 22.	27. 28.	33. 34.		39. 40.	45. 46.	
					5.	1	1. 17	7.	23.	29.	35.		41.	47.	
					6.	1	2. 18	3.	24.	30.	36.		42.	48.	
ARCHITECTU	JRAL REQUIREMENTS														
	ILING Naterial: ARGB 1.2m AFF, GB above Naterial: ACT	Finish: PT Finish: PF	WALL PROTECTION  Type: ESRP	Corner Guards Hand I	Rails Bed Bumper / Locat		GLAZING  Interior Glazing		FLOORING TYPES Material: Base: WSVF FCB		ROOM ACCESSO  Coat Hooks  Mirror	ORIES  Ceiling Lif  Infant Cha		☐ Magnetic \	
	naterial. ACT		Height: 1600 mm	Clasif Rails Clidii i	Adii						Door Remai		alige lable	- Privacy Cu	Italii
LEGEND:	ILING LEGEND:	DOORS									DOOI KEIIIAI	кз.			
AC A ACT A ACT-C C ARGB A GB G IRGB Ir KLCT K	rchitectural Ceiling coustic Ceiling Tile leanroom buse-Resistant Gypsum Board iypsum Board mpact-Resistant Gypsum Board itchen Lay-in Ceiling Tile	Туре	A A2 B	B2 C C2 D	D2 E E2 Integral Door & Frame	-	F2 G	0	J Auto Hold						Security Grille Anti-barricade strategy
	Noisture and Mould-Resistant Gypsum Board ecurity Acoustic Ceiling Tile		Гуре:Qty: Size (mm):	Material: Finish: Side			Function: Reader:	: Lock: C		ges:	Accessory 1: Ac	cessory 2: Ac	cessory 3:	Closer:	
WALL FINISHE			A 1 1220 x 2135 H	Hollow Metal Paint	2 High	Storer	oom 🗸		■ Butt Hinge	2			Su	rface	
	poxy Wall Coating ligh Performance Coating	141111100011 1110 CD													
PT P  CEILING FINIS  ECC E HPC HP PF P PT P  WALL PROTEC  ESRP E FRL FI FRP FI FRV P WWW V  FLOOR FINISH  CFS C EFC E PFC P RAF R SSF R SCF SS SDNF SI SDVF SI WSVF V WSVF V  FLOOR BASE L FCB FC RB R	HES LEGEND: poxy Ceiling Coating igh Performance Coating refinished aint  CTION LEGEND: xtruded Semi-Rigid PVCu Panel ibre Reinforced Laminate ibreglass Reinforced Plastic rotective Vinyl Wallcovering igid High Impact Sheet Vetwall Solid Surface Panel vetroom Vinyl Wallcovering IES LEGEND: oncrete Floor Sealer poxy Floor Coating objurethane Floor Coating ubber Athletic Flooring ubber Athletic Flooring tatic-Dissipative Rubber Sheet Flooring tatic-Dissipative Vinyl Sheet Flooring inyl Sheet Flooring vetroom Safety Vinyl Sheet Flooring LEGEND: lash Cove Base ubber Base	FULL-HEIGHT CAB  Legend: Category 0 - None Category 1 - Low (1: Category 2 - Med (5 Category 3 - High (1	C4 C5 L1  INETS  (6 - 4%)  (7 - 4%)  (8 - 4%)  (9 - 9%)	U1 U2 U3 U4  L2 L3 L4  Motorized Adjustable	Standing Specialty Height Casework	US			ION/TRANSACTION ER / CARE TEAM N DESK	UTILITY SI	UC1 ONK AND COUNTER	Rem	ork: top:		
	eamless Cushioned Flooring  AL REQUIREMENTS														
	•	Coomless 1999 /		Other Firtures			MED / NON 1455 5	ACEC.							
Plumbing Plumbing Remarks:	Hand ygiene Sink: Lavatory: Kitchen Sink	Seamless Utility / : Kitchen Sink: Process Sink:	Scrub Sink: Floor Sink:	Other Fixtures:  Shower Tub Ice Maker	Eyewash Station  Eyewash/Shower Stat  Emergency Shower  Flush Rim Sink	ion	MED / NON-MED G (Quantity) Oxygen:	Medical Air	Medical Nitrous Vacuum: Oxide:		2: AGSS:	Nitrogen:	Laboratory Air:	Laboratory Vacuum:	Utility Compressed Air:
				Water Closet Instantaneous Hot Water	Floor Drain Water Bottle Refill Sta	ition	Gas Remarks:								

7. 8.

13.

14.

19.

20.

25.

26.

31.

32.

37.

38.

43.

44.

Program 1. B2.10

Number(s): 2.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B Minimu	ım Room Requirements		1	Program Number(s):	1. B4.05b 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Sto	orage - OT/PT Equipment				3.	9.	15.	21.	27.	33.	39.	45. 46.
					4. 5.	10. 11.	16. 17.	22. 23.	28. 29.	34. 35.	40. 41.	47.
					6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQU	IIREMENTS											
WALL AND CEILING		WALL PROTECTION				GLAZING		FLOORING TYPES		ACCESSORIES		
Wall Material: ARGB Ceiling Material: ACT	1.2m AFF, GB above Finish: PT Finish: PF	- "	✓ Corner Guards ☐ Hand Rails ✓ Crash Rails ☐ Chair Rail	☐ Bed Bur	nper / Locator	☐ Interior Gla	zing	Material: Base:  VSF FCB		Coat Hooks U Ceiling Li Mirror Infant Ch		Magnetic Whiteboard Privacy Curtain
_		Height: 2185 mm	Crasii Raiis   Criaii Raii							Door Remarks:	lange rable 🗀	Privacy Curtain
LEGEND: WALL AND CEILING LEGEND:	DOORS	_						Note: fo	r Type F doors,	DOOL REITIALKS.		
AC Architectural Ceiling		Types:	99 9 99 99 9	MD D	7 NO 2		722		r panels will be			Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom								approxi 465/10	55 unless			☐ Anti-barricade
ARGB Abuse-Resistant Gyps GB Gypsum Board	um Board	A A2 B	B2 C C2 D	D2 1		F2 G		otherwi	se rquired by			strategy
IRGB Impact-Resistant Gypt		A A2 B	22 6 22 2	D2	E E2 F		п		ionty			
KLCT Kitchen Lay-in Ceiling MMRGB Moisture and Mould-i	Tile Resistant Gypsum Board	Гуре:Qty: Size (mm):		•	& Frame Privacy rotect.: Film:		•	Auto Hold Opener: Open: Hin	ges: Accesso	ory 1: Accessory 2: A	ccessory 3: Clo	oser:
SACT Security Acoustic Ceili	ing Tile	F2 1 1650 x 2135 S		2 Hig	gh Sto			■ Butt Hinge			Surface	
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating												
HPC High Performance Coa	millwork Ai	ND SPECIALTY CASEWORK			S	torage Requirements:					FINISHES	
PT Paint  CEILING FINISHES LEGEND:			UPPER	RUNITS						Full-height Cab		
ECC Epoxy Ceiling Coating	6	1777	U2 U3 U4							Upper Milly	vork:	
HPC High Performance Coa PF Prefinished	ating	1 + + /	7 7	U5	U6 U7 U8	SHELF				Counte		
PT Paint	<del>-</del>	.		TH	77	3HELF				Lower Milly	work: Shelf:	
WALL PROTECTION LEGEND:	-			.l. K		S1				3	men.	
ESRP Extruded Semi-Rigid P FRL Fibre Reinforced Lami				11						Rer	marks:	
FRP Fibreglass Reinforced												
PVW Protective Vinyl Wallo RHIS Rigid High Impact She		-	The state of the s	· Australia		1						
WSSP Wetwall Solid Surface	Panel			COLUMN TOWN	-	1						
WVW Wetroom Vinyl Wallco				-	= 7	On the supplemental	-	7				
FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer	α □	C2 C3 C4 C5 L1	+ + + + + + + + + + + + + + + + + + + +		-				7/			
EFC Epoxy Floor Coating			L2 L3 L4 L5			1	1==	K	_/ -			
PFC Polyurethane Floor Co RAF Rubber Athletic Floori			L3 L4 L5		L7 L8 19		-					
RSF Rubber Sheet Flooring SCF Seamless Cushioned F					L/ L8 L9	L10 L11	112		7/ 1			
SDRF Static-Dissipative Rub	ber Sheet Flooring Legend:		Motorized				L12	TC1 TC2				
SDVF Static-Dissipative Viny VSF Vinyl Sheet Flooring	Sheet Flooring Category 0 - N Category 1 - L		- ,		cialty	LOWER UNITS	_					
WSVF Wetroom Safety Vinyl	Sheet Flooring Category 2 - N	/led (5% - 9%)			ework			ION/TRANSACTION ER / CARE TEAM	UTILITY SINK AND	COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - F	ligh (10% or Greater)		Ш			STATIO	=				
FCB Flash Cove Base RB Rubber Base												
SCF Seamless Cushioned F	looring											
1										L		
MECHANICAL REQUIRE	EMENTS											
PLUMBING Hand	Seamless Utility Lavatory: Kitchen Sink: Kitchen Sink: Process	// Sink: Scrub Sink: Floor Sink:		Evewash		MED / NON-M	ED GASES	Manding!			lah	Utility
(Quantity) Hygiene Sink:	Earderly, Recheff Silk, Recheff Silk, Process	JIIIK. JUI JIIK. 1 1001 JIIK.			Shower Station	(Quantity)	ı: Medical Air	Medical Nitrous Vacuum: Oxide:		AGSS: Nitrogen:	A*.	aboratory Compressed
Plumbing				Emergen		Oxygen	i. ivieuitai Alf		CO2:	AGSS: Nitrogen:		Air:
Plumbing Remarks:				Flush Rim								
				Floor Dra	in ttle Refill Station	Gas Rem	arks:					
			Hot Water		tue neiiii statioii							
				Other								

pp.		Number(s):	2. B2.15	8. 14.	20.	26.	32. 38	8.	44.
<u>-</u>			3. B3.14	9. 15.			33. 39		45.
Room Name: Workroom - Care Team	1		4.	10. 16.		28.	34. 40		46.
				11. 17.			35. 41		47.
			6.	12. 18.		30.	36. 42		48.
			0.	12.	24.	50.	30. 42	£.	40.
ARCHITECTURAL REQUIREMENTS									
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM ACC	ESSORIES		
Wall Material: ARGB 1.2m AFF, GB above	Finish: PT Type: PVW	Corner Guards Hand Rails Bed Bur	nper / Locator	✓ Interior Glazing	Material: Base:		ooks Ceiling Lift	<b>✓</b> Mag	netic Whiteboard
Ceiling Material: ACT	Finish: PF Height: 1350 mm	Crash Rails 🗹 Chair Rail		interior Glazing	VSF RB	☐ Mirror	☐ Infant Change		acy Curtain
						Door R			
LEGEND:	DOORS					2001 10	, marks.		
WALL AND CEILING LEGEND:	Types:								Security Grille
AC Architectural Ceiling  ACT Acoustic Ceiling Tile									
ACT-C Cleanroom		KIZI KI KIZI NI NIZI I							Anti-barricade
ARGB Abuse-Resistant Gypsum Board									strategy
GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	J				
KLCT Kitchen Lay-in Ceiling Tile		Integral Door	& Frame Privacy	Card Mag	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	•	rotect.: Film:		Opener: Open: Hinges:	Accessory 1:	Accessory 2: Accesso	ory 3: Closer:	
SACT Security Acoustic Ceiling Tile	B 1 915 x 2135	Solid Core FRL 2 High	th Duck	n/Pull	Butt Hinge	7.000000. y 2.	7.000330.7 2.7 7.000330	Surface	
WALL FINISHES LEGEND:	B 1 515 X 2135	Solid core Title		,, a				Surface	
EWC Epoxy Wall Coating									
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK		St	orage Requirements:				FINISHES	
		UPPER UNITS					Full-height Cabinet:		
CEILING FINISHES LEGEND:	4 17 17	U2					Upper Millwork:		
ECC Epoxy Ceiling Coating HPC High Performance Coating		U3 U4 U5	U6				Countertop:		
PF Prefinished	-		U7 U8	SHELF			Lower Millwork:		
PT Paint	ragazzaza		77	-t			F		
WALL PROTECTION LEGEND:	Fagurer			1 S1			Shelf:		
ESRP Extruded Semi-Rigid PVCu Panel				11 31			Domorko		
FRL Fibre Reinforced Laminate				1			Remarks:		
FRP Fibreglass Reinforced Plastic			1 1						
PVW Protective Vinyl Wallcovering		E TOTAL E	i	1					
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel		- Ta							
WVW Wetroom Vinyl Wallcovering	-	1 11 11 2	an The same of the						
FLOOR FINISHES LEGEND:	C1 C2	+++	/	On the Contraction of the Contra	/				
CFS Concrete Floor Sealer			77		7	7 /-			
EFC Epoxy Floor Coating		1 L2 L3 L4		WW		1 4	1		
PFC Polyurethane Floor Coating	FULL HEIGHT CADINETS		17			.			
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L7 L8 L9	110					
SCF Seamless Cushioned Flooring				L10 L11 L12					
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			TC1 TC2		- 1		
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring	Category 0 - None		cialty	LOWER UNITS		UC1	· II		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring		egory (mm) Height Height Cas	ework	RECI	EPTION/TRANSACTION				
	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)				•	LITY SINK AND COUN	TER UNIT		
FLOOR BASE LEGEND:	category 5 Thigh (25% of creater)			STA	TION DESK				
FCB Flash Cove Base  RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS	ı								
· · · · · · · · · · · · · · · · · · ·									
PLUMBING Hand	Seamless Utility / ink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures: Evewash		MED / NON-MED GASES					Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen S	THE RECIPITATION FLOCESS SHIR. SCHOOL SHIR. FLOOL SHIR.		Shower Station	(Quantity)	Medical Nitrous			boratory Labora	atory Compressed
		☐ Tub ☐ Emergen	cy Shower	Oxygen: Medical	Air: Vacuum: Oxide:	CO2: AGS	SS: Nitrogen:	Air: Vacu	ium: Air:
Plumbing		☐ Ice Maker ☐ Flush Rim							
Remarks:		☐ Water Closet ☐ Floor Dra							
				Gas Remarks:		<del></del>		·	
			ttle Refill Station						
		Hot Water Other							
		Guiei							

Program 1. B1.11

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 



# New Surrey Hospital & BC Cancer Centre

MINIMUM ROOM REQUIREMENTS

### C. Emergency

Appendix 1B Minimum Room Requi	rements	Program Number(s):	1. C3.09 2.		13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Alcove - Cardiac Diagno	ostics		3. 4.		15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
					17.	23.	29.	35.	41.	47.
			6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS				ı			1			
WALL AND CEILING	WALL PROTECTION			GLAZING		LOORING TYPES  Material: Base:		ACCESSORIES		
Wall Material: ARGB 1.2m AFF, GB above Ceiling Material: ACT	Finish: PT Type: PVW ✓ Corne Finish: PF Height: 2185 mm ✓ Crash		nper / Locator	Interior Glazin	ng e	VSF FCB		at Hooks U Ceiling Li irror Infant Ch		Magnetic Whiteboard Privacy Curtain
LEGEND:	DOORS							or Remarks:		
WALL AND CEILING LEGEND:	Types:									Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile				ANDA	744					
ACT-C Cleanroom										Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B2	C C2 D D2	E E2 F	F2 G	Н	J				strategy
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile		Integral Door	r & Frame Privacy	Card	d Mag Au	uto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): Material:	Finish: Side Lt: Blinds: P	rotect.: Film:	Function: Reade	er: Lock: Ope	ener: Open: Hing	es: Accessory	y 1: Accessory 2: A	ccessory 3: Clo	loser:
WALL FINISHES LEGEND:										
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		St	orage Requirements:					FINISHES	
PT Paint  CEILING FINISHES LEGEND:	U1 [	UPPER UNITS						Full-height Cab	pinet:	
ECC Epoxy Ceiling Coating	77777	2 U3 <u>U4</u>						Upper Millv	vork:	
HPC High Performance Coating PF Prefinished		U5	U6 U7 U8	SHELF				Counte		
PT Paint			77	†a 🗆				Lower Milly	work: Shelf:	
WALL PROTECTION LEGEND:				S1 S1						
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate		V		1				Rer	marks:	
FRP Fibreglass Reinforced Plastic										
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet		The same of the sa		i						
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering		1	-							
FLOOR FINISHES LEGEND:	ci C		= 7	OF THE PERSON NAMED IN	/	-				
CFS Concrete Floor Sealer	C2 C3 C4 1			==			7/	-		
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 L4 L5 L6		RMM				1		
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9							
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring				L10 L11	L12					
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None Min	Motorized				TC1 TC2	UC	, [ "   "		
VSF Vinyl Sheet Flooring	0-1		cialty ework	LOWER UNITS	DECEDITION	N/TRANSACTION		340		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)				COUNTER	/ CARE TEAM	UTILITY SINK AND CO	DUNTER UNIT		
FLOOR BASE LEGEND:  FCB Flash Cove Base	Category 3 - night (10% of dreater)				STATION D	DESK				
RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS	I									
PILIMBING Hand	Seamless Utility/ Othe	er Fixtures:	6:	MED / NON-MED	GASES					
(Quantity) Hygiene Sink: Lavatory: Kitchen Si	nky Kitahan Cinky Dragges Cinky Coruh Cinky Eloar Cinky	Lyewasii	Station /Shower Station	(Quantity)	JAJES	Medical Nitrous			Laboratory La	Laboratory Compressed
				1 ' ' ' '	Medical Air:	Vacuum: Oxide:	CO2:	AGSS: Nitrogen:	A *	Vacuum: Air:
Plumbing		Ice Maker			1					
Remarks:		Water Closet		Can Dame d	lea.	I		I		
		Instantaneous	ottle Refill Station	Gas Remark	KS:					
		Hot Water Other								

Appendix 1B Minimum Room Req	uirements	Program Number(s):	1. C4.07 2.	7. 13 8. 14			25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Alcove - Clean Suppli	ies - Pediatric		3.	9. 15 10. 16	5.	21.	27.	33. 34.	39. 40.	45.
			4. 5.	11.			28. 29.	35.	41.	46. 47.
			6.	12. 18	8.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS				_						
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB above	WALL PROTECTION  Type: PVW ✓ Col	rner Guards	mner / Locator	GLAZING		ORING TYPES Material: Base:	ROOM ACC	ESSORIES	+	Magnetic Whiteboard
Ceiling Material: ACT		sh Rails Chair Rail	Tipel / Locator	☐ Interior Glazing		VSF FCB	Mirror			Privacy Curtain
LEGEND:	DOORS				·		Door R	emarks:		
WALL AND CEILING LEGEND:	Types:									☐ Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile										
ACT-C Cleanroom	NAJAWA M	LNAMA NAMALI				77				Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B2	C C2 D D2	E E2 F	F2 G	Н					strategy
IRGB Impact-Resistant Gypsum Board	7 72 5		- <del></del> .		_					
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	5 0 5 ( )		r & Frame Privacy rotect.: Film:	Card Reader	Mag Auto r: Lock: Opener	Hold				
SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): Materi	al: Finish: Side Lt: Blinds: Pi	rotect Fillii.	Function: Reader	T. LOCK. Opener	: Open: Hinges:	Accessory 1:	Accessory 2: Ac	cessory 3: C	Closer:
WALL FINISHES LEGEND:										
EWC Epoxy Wall Coating										
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		St	orage Requirements:					FINISHES	
PT Paint		UPPER UNITS						Full-height Cabi	net:	
CEILING FINISHES LEGEND:	U1	U2						Upper Millw		
ECC Epoxy Ceiling Coating HPC High Performance Coating	Z Z Z Z	04	U6					Counter		
PF Prefinished			U7 U8	SHELF				Lower Millw		
PT Paint			7	72 🗆					nelf:	
WALL PROTECTION LEGEND:			-	S1						
ESRP Extruded Semi-Rigid PVCu Panel				V				Rem	narks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic		i								
PVW Protective Vinyl Wallcovering	-	F	i }							
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel										
WVW Wetroom Vinyl Wallcovering	-		an The State of the last of th	SO.						
FLOOR FINISHES LEGEND:	C1 C2		-7	On the Party of th		THE PERSON NAMED IN				
CFS Concrete Floor Sealer		-		= - 111			7 /			
EFC Epoxy Floor Coating		L3 14		- 1944	-		/ Grapes	1		
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	15	L7 18		/					
RSF Rubber Sheet Flooring			L7 L8 L9	L10 L11						
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:				L12	TC1 TC2	V   "			
SDVF Static-Dissipative Vinyl Sheet Flooring	Cotonomia Nome	Motorized in. Length Adjustable Standing Spe	cialty				UC1	u [		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category	- ,	ework	LOWER UNITS	RECEPTION/TI	RANSACTION				
	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)				COUNTER / CA		ILITY SINK AND COUN	TER UNIT		
FLOOR BASE LEGEND:	Category 5 - High (10% of Greater)				STATION DESK	(				
FCB Flash Cove Base RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS	<u>.                                      </u>									
PLUMBING Hand	Seamless Utility / O	ther Fixtures:		MED / NON-MED (	GASES					
(Quantity) Hygiene Sink: Lavatory: Kitchen	Cink: Kitahan Cink: Dragges Cink: Coruh Cink: Eloar Cink:	Lycwasii		(Quantity)		1edical Nitrous			Laboratory	Utility Laboratory Compressed
(Quantity)			/Shower Station			acuum: Oxide:	CO2: AG	SS: Nitrogen:	Air:	Vacuum: Compressed
Dlumbing		Tub Emergence		Олуден.	. ricultui riii .		552. Ad.	Juliogen.		Air:
Plumbing Remarks:		Ice Maker Flush Rim								
		Water Closet Floor Dra		Gas Remarks:	:					
	L		ettle Refill Station							
		Hot Water Other								
					I					

				Number(s):	2.	8.	14.	20.	26.	32.		38.	44.	
Room Name: Alcove - Lab					3.	9.	15.	21.	27.	33.		39.	45.	
ROOM Name: Alcove - Lab					4.	10.	16.	22.	28.	34.		40.	46.	
					5.	11.	17.	23.	29.	35.		41.	47.	
					6.	12.	18.	24.	30.	36.		42.	48.	
ARCHITECTURAL REQUIREMENTS										1			1	
WALL AND CEILING		WALL PROTECTION				GLAZING		FLOORING TYPES		ROOM ACCESSO	RIES			
	Finish: PT	Type: PVW	✓ Corner Guards ☐ Hand Ra	ails 🔲 Bed Bu	mper / Locator	☐ Interior Glaz	zina	Material: Base:		Coat Hooks			Magnetic Whiteboa	rd
	Finish: PF	Height: 2185 mm	✓ Crash Rails ☐ Chair Ra		•	interior diaz	ziiig	VSF FCB			☐ Infant Chang		Privacy Curtain	
LEGEND:	DOORS									Door Remark	(S:			
WALL AND CEILING LEGEND:														
AC Architectural Ceiling	Туре	es:					7332						Security G	irille
ACT Acoustic Ceiling Tile													☐ Anti-barri	
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board		A AMA					NNN						strategy	cade
GB Gypsum Board		A A2 B	B2 C C2 D	D2	E E2 F	F2 G	н	J					Strategy	
IRGB Impact-Resistant Gypsum Board				Integral Dec	or & Frame Privacy	C	ard Mag	Auto Hold						
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board		Гуре:Qty: Size (mm):	Material: Finish: Side L	•	Protect.: Film:		ard Mag ader: Lock: (	0	nges:	Accessory 1: Acc	occony 2: Accor	conv3: Cl	oser:	
SACT Security Acoustic Ceiling Tile		Type Qty. Size (IIIII).	Iviateriai. Tillisii. Side L			runction.			iiges.	Accessory 1. Acc	essory 2. Acces	301 y 3. CI	oser.	
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating														
HPC High Performance Coating	MILLWORK AND S	PECIALTY CASEWORK			S	torage Requirements:						FINISHES		
PT Paint				PPER UNITS							ull-height Cabine			
CEILING FINISHES LEGEND:	4 17	7	U2 112 U							'	Upper Millwork			
ECC Epoxy Ceiling Coating HPC High Performance Coating	7	THU	U4	U5	U6						Counterton			
PF Prefinished	-			7	U7 U8	SHELF					Lower Millwork			
PT Paint	Carpenson .		<b>—</b>			72					Shel			
WALL PROTECTION LEGEND:	CHECKER			I .I. K		S1								
ESRP Extruded Semi-Rigid PVCu Panel	Sugarana.			L		V					Remar	ks:		
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic	Carpenne .			1										
PVW Protective Vinyl Wallcovering	-	100		Francis	i									
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel				-										
WVW Wetroom Vinyl Wallcovering	CONTRACTOR OF THE PARTY OF THE		1 1 1	111	-		1	7						
FLOOR FINISHES LEGEND:	C1 C	22 (3	4-1-1		-7	San Parket		/ Comment	NAME OF THE PARTY					
CFS Concrete Floor Sealer		¬		-					7	/				
EFC Epoxy Floor Coating			L2 L3 L4			- 1944	4==	E-Table	/	The state of the s				
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CAE	BINETS		L5 L6	L7 18		1							
RSF Rubber Sheet Flooring				□ L6	L7 L8 L9	L10 L11	1		7/					
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:		******				L12	TC1 TC2	$\nu$	u   L				
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		Motorized Min. Length Adjustable	Standing Spe	ecialty					UC1	Ш			
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1				sework	LOWER UNITS	RECEPT	TION/TRANSACTION						
	Category 2 - Med (9 Category 3 - High (2							TER / CARE TEAM	UTILITY SII	NK AND COUNTER U	INIT			
FLOOR BASE LEGEND:  FCB Flash Cove Base	category 5 mgm (	10% of Greatery					STATIO	ON DESK						
RB Rubber Base														
SCF Seamless Cushioned Flooring														
MECHANICAL REQUIREMENTS														
PLUMBING Hand	Seamless Utility /		Other Fixtures:	☐ Evewash	Station	MED / NON-MI	ED GASES							
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink:	Scrub Sink: Floor Sink:	Shower		/Shower Station	(Quantity)		Medical Nitrou	IS			Laboratory L	Utili aboratory Compre	
			Tub	Emerger		Oxygen	: Medical Ai	ir: Vacuum: Oxide	: co	2: AGSS:	Nitrogen:		Vacuum: Compre	
Plumbing	•	·	lce Maker	Flush Rir										
Remarks:			Water Closet	Floor Dra										
					ottle Refill Station	Gas Rema	arks:							
			Instantaneous Hot Water		ottie keiiii Station									
				Other										
			J											

Program 1. C3.08

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

- p p			Number(s	): 2.	8. 14.	20.	26. 3	2.	38.	44.
_	Antonom Fata			3.	9. 15.			3.	39.	45.
К	Room Name: Anteroom - Entry			4.	10. 16.	22.	28. 3	4.	40.	46.
				5.	11. 17.	23.	29.	5.	41.	47.
				6.	12. 18.	24.	30.	6.	42.	48.
<b>ARCHITEC</b>	TURAL REQUIREMENTS				I					
		DDOTECTION			0.47.00	EL GODINIO TIVOSO	20014 4005	CORIEC		
WALL AND	Il Material: ARGB 1.2m AFF, GB above	WALL PROTECTION	✓ Corner Guards ☐ Hand Rails ☐ Bed E	/ / /	GLAZING	FLOORING TYPES  Material: Base:	ROOM ACCES	oks		Magnetic Whiteboard
	Material: ACT AFF, GB above	Finish:         PT         Type:         ESRP           Finish:         PF         Height:         2185 mm	Crash Rails Chair Rail	sumper / Locator	✓ Interior Glazing	VSF FCB	Mirror	Infant Cha		Privacy Curtain
Cennig	3 Waterial. ACT	Finish: PF Height: 2185 mm	Crasii Raiis Criaii Raii						ilge lable —	
LEGEND:		DOORS					Door Ren	narks:		
	CEILING LEGEND:	Types:								Security Grille
AC ACT	Architectural Ceiling Acoustic Ceiling Tile									
ACT-C	Cleanroom	MINIM	NZ NENZ NENZ			MMZZ				Anti-barricade
ARGB GB	Abuse-Resistant Gypsum Board Gypsum Board	A A2 B	B2 C C2 D D2		F2 G H					strategy
IRGB	Impact-Resistant Gypsum Board	A A2 B		E E2 F	F2 G H	J				
KLCT	Kitchen Lay-in Ceiling Tile  Moisture and Mould-Resistant Gypsum Board			oor & Frame Privacy	Card Mag	Auto Hold				
MMRGB SACT	Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material. Tillish. Side Et.		Tunction:	· · · · · · · · · · · · · · · · · · ·	Accessory 1:	Accessory 2: Acc		loser:
WALL FINIS	SHES LEGEND:			High Push/		Butt Hinge			Surfac	
EWC	Epoxy Wall Coating	B 1 915 x 2135	Solid Core FRL 2	High Store	room 🗸 🗸	Butt Hinge			Surfac	e
HPC	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Sto	rage Requirements:				FINISHES	
PT	Paint		UPPER UNITS	310	ruge nequirements.			Full-height Cabir		
	NISHES LEGEND:		U1 U2 U3					Upper Millwo		
ECC HPC	Epoxy Ceiling Coating High Performance Coating		U3 U4 U5	U6 U7				Countert		
PF	Prefinished			U7 U8	SHELF			Lower Millwo	-	
PT	Paint			77	ta 🗆				elf:	
WALL PROT	TECTION LEGEND:				S1					
ESRP	Extruded Semi-Rigid PVCu Panel	Fragerican III I						Rem	arks:	
FRL FRP	Fibre Reinforced Laminate Fibreglass Reinforced Plastic									
PVW	Protective Vinyl Wallcovering		-	_	· ·					
RHIS	Rigid High Impact Sheet Wetwall Solid Surface Panel		-	111						
WSSP WVW	Wetroom Vinyl Wallcovering		" "   11   1   1   1   1   1   1   1   1	an Parket and Parket a						
FLOOR FINI	ISHES LEGEND:	C1 C2	<del></del>		CO BE CONTRACTOR OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN THE PERSON NAMED IN THE PERSON	/ warmen				
CFS	Concrete Floor Sealer	C2 C3 C4 C5					7 /	-		
EFC	Epoxy Floor Coating		L3		- 144	Contraction of the Contraction o	/ Harterson			
PFC RAF	Polyurethane Floor Coating Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 18						
RSF	Rubber Sheet Flooring			L7 L8 L9	L10 L11					
SCF SDRF	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:			L12	TC1 TC2		u		
SDVF	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized Min. Length Adjustable Standing S	pecialty			UC1			
VSF WSVF	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categ	- ,	asework	LOWER UNITS RECE	PTION/TRANSACTION				
	· · ·	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)			cour	ITER / CARE TEAM UT	ILITY SINK AND COUNTE	R UNIT		
FLOOR BAS		Category 3 - riigii (10% of Greater)			STAT	ON DESK				
FCB RB	Flash Cove Base Rubber Base									
SCF	Seamless Cushioned Flooring									
MECHANI	CAL REQUIREMENTS									
PLUMBING		Seamless Utility /	Other Fixtures:	1.6	MED / NON-MED GASES					
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sink	: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Lycwa.		(Quantity)	Medical Nitrous			Laboratory	Utility Laboratory Compressed
(Sauricity)	1			sh/Shower Station	Oxygen: Medical		CO2: AGSS	: Nitrogen:	Air:	Vacuum: Compressed Air:
Plumbing				ency Shower	2,geediedi7		7,033			
Remarks:			☐ Ice Maker ☐ Flush F							
			Water Closet Floor D		Gas Remarks:					
				Bottle Refill Station						
			Hot Water Other							

Program 1. C2.10

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

.pp=					Number(s):	2.	8.	14.	20.	26.	32.		38.	44.	
D 1	Antoroom Evit					3.	9.	15.	21.	27.	33.		39.	45.	
Room I	Name: Anteroom - Exit					4.	10.	16.	22.	28.	34.		40.	46.	
						5.	11.	17.	23.	29.	35.		41.	47.	
						6.	12.	18.	24.	30.	36.		42.	48.	
ARCHITECTI IR	AL REQUIREMENTS				L		I								
			ALL DROTECTION				CL ATINIC		FLOODING TYPES		DOOM 4 COESS	ODUEC			
WALL AND CEILIN	erial: ARGB 1.2m AFF, GB above		VALL PROTECTION	✓ Corner Guards ☐ Hand Ra	ila 🗆 nad nii	/!	GLAZING		FLOORING TYPES Material: Base	:	ROOM ACCESS	Ceiling Lif		Magnetic W	(h:+-hd
Ceiling Mate		Finish: PF	. /	Crash Rails Chair Ra		inper / Locator	✓ Interior Glazir	ng	VSF FCB		Mirror	Infant Cha		Privacy Curt	
Celling Mate	eriai. ACI		Height: 2185 mm	Crasii kalis — Cilali ka									alige lable	Fillvacy Curt	airi
LEGEND:		DOORS									Door Rema	rks:			
WALL AND CEILIN		Types:												☐ Se	ecurity Grille
	tectural Ceiling stic Ceiling Tile														
ACT-C Cleann	room			al Na Alba	libid i			TANKIN D	MAA						nti-barricade
	e-Resistant Gypsum Board um Board	2	A A2 B	B2 C C2 D	D2 E	E2 F	F2 G	Н						st	rategy
- 71	ct-Resistant Gypsum Board		A AZ B	B2 C C2 D			F2 G	"	,						
	en Lay-in Ceiling Tile eure and Mould-Resistant Gypsum Board					& Frame Privacy	Car	0	uto Hold						
	ure and Mould-Resistant Gypsum Board ity Acoustic Ceiling Tile						Function: Read		pener: Open:	Hinges:	Accessory 1: A	ccessory 2: Ac		Closer:	
WALL FINISHES LE				olid Core FRL	2 Hig				Butt				Surfa		
	Wall Coating		B 1 915 x 2135 Sc	olid Core FRL	2 Hig	gh Store	room 🗸		Butt	Hinge			Surfa	ice	
	Performance Coating	MILLWORK AND SPEC	CIALTY CASEWORK			C+o	rage Requirements:						FINISHES		
PT Paint			[		PER UNITS	310	rage nequirements.					E II berek Gebr			
CEILING FINISHES	S LEGEND:	/ 1/	7	J1 U2								Full-height Cabi			
	Ceiling Coating Performance Coating	7	-VVIII	U2 U3 U4	U5							Upper Millw			
PF Prefini		- Taranta	1 7		7	U6 U7 U8	SHELF					Counter	-		
PT Paint					-	77	5/12L1					Lower Millw	nelf:		
WALL PROTECTIO	ON LEGEND:	Cogenesia					S1					51	ieir:		
	ded Semi-Rigid PVCu Panel		1. 1-4 1-7				31					Rem	narks:		
	Reinforced Laminate	7				1						Kell	iai ks.		
_	glass Reinforced Plastic	-				1 1									
	ctive Vinyl Wallcovering High Impact Sheet	Angeres			- American		;								
WSSP Wetwa	vall Solid Surface Panel					-									
WVW Wetro	oom Vinyl Wallcovering				11 -	-	Con Contraction of the Contracti	1	7/						
FLOOR FINISHES I	LEGEND:	<u>C1</u> C2	0		-	=		-	Constitution of the last						
	ete Floor Sealer		C3 C4 C5 L1	L2	-			$\vee$		7		-			
	r Floor Coating rethane Floor Coating			L3 14	L5		SKKK		] [	annead	Handle and the				
•	er Athletic Flooring	FULL-HEIGHT CABINE	ETS			L7 L8 L0 1		-							
	er Sheet Flooring				□ L6	L7 L8 L9	L10 L11	1	/						
	less Cushioned Flooring -Dissipative Rubber Sheet Flooring	Legend:						L12 W	TC1 T	C2	0				
	-Dissipative Vinyl Sheet Flooring	Category 0 - None		Motorized Min. Length Adjustable	Standing Spec	cialty					UC1	Ш			
	Sheet Flooring	Category 1 - Low (1% -		- ,		ework	LOWER UNITS	RECEPTIO	N/TRANSACTION						
WSVF Wetro	oom Safety Vinyl Sheet Flooring	Category 2 - Med (5% -							R / CARE TEAM	UTILITY S	INK AND COUNTER	UNIT			
FLOOR BASE LEGE		Category 3 - High (10%	or Greater)					STATION	DESK						
	Cove Base er Base														
	less Cushioned Flooring														
ΜΕΓΗΛΝΙΓΛΙ	REQUIREMENTS														
							_								
	land ene Sink: Lavatory: Kitchen Sink:	Seamless Utility /	Scrub Sink: Floor Sink:	Other Fixtures:	Evewash S		MED / NON-MED	D GASES							Utility
( =====================================		MICHELL SHIK. PLOCESS SHIK. 3	CIGO SIIIK. I IOOI SIIIK.	Shower	☐ Eyewash/	Shower Station	(Quantity)			rous xide: 🕜	_			Laboratory	Compressed
	1			☐ Tub	☐ Emergend	cy Shower	Oxygen:	Medical Air:	Vacuum: O	vine. Co	D2: AGSS:	Nitrogen:	Air:	Vacuum:	Air:
Plumbing				☐ Ice Maker	☐ Flush Rim	Sink									
Remarks:				☐ Water Closet	☐ Floor Drai	in			1 1		I	1	1 1		<u> </u>
				☐ Instantaneous		ttle Refill Station	Gas Remar	rks:							
				Hot Water											
					Other										
							1								

Program 1. C2.12

7.

13.

19.

25.

31.

37.

43.

Appendix 1B Mini	imum Room Requirements	Program Number(s):		7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name:	Anteroom - Secure Room			9. 15. 0. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
			5. 1	.1. 17.	23.	29.	35.	41.	47.
			6. 1	2. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL RE									
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES Material: Base:		ACCESSORIES		
Wall Material: II Ceiling Material: A		ner Guards	nper / Locator	✓ Interior Glazing	RSF FCB		Coat Hooks U Ceiling Lift Mirror Infant Cha		lagnetic Whiteboard rivacy Curtain
		III Ralis   Citair Rali						inge rable	ivacy curtain
LEGEND:	DOORS						Door Remarks: Door to outswing 180 degree	es. Ligature resistant	
AC Architectural Ce	Types.						ardware	23. Eigature resistant	Security Grille
ACT Acoustic Ceiling									✓ Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant	at Gypsum Board				M DN44				strategy
GB Gypsum Board	A A2 B B2	C C2 D D2	E2 F	F2 G H	l j				Strategy
IRGB Impact-Resistar KLCT Kitchen Lay-in C	nt Gypsum Board Ceiling Tile	Integral Door	& Frame Privacy	Card	Mag Auto Hold				
MMRGB Moisture and M	Nould-Resistant Gypsum Board	nli . I. n	eries eries		Lock: Opener: Open:	Hinges: Accesso	ory 1: Accessory 2: Acc	cessory 3: Close	er:
SACT Security Acoust	tic Ceiling Tile  C				Contir				
WALL FINISHES LEGEND									
EWC Epoxy Wall Coa HPC High Performan									
PT Paint	WILLWORK AND SPECIALLY CASEWORK	UPPER UNITS	Stor	rage Requirements:				FINISHES	
CEILING FINISHES LEGEN	ND:						Full-height Cabir		
ECC Epoxy Ceiling Co	oating	U4	U6 117 🗆				Upper Millwo		
HPC High Performan PF Prefinished	rice Coating	777	U6 U7 U8	SHELF			Countert Lower Millwo	•	
PT Paint	Fargueras		77	ba 🗆				helf:	
WALL PROTECTION LEGI	END:			S1					
	Rigid PVCu Panel						Rem	narks:	
FRL Fibre Reinforced FRP Fibreglass Reinf							F	Refer to Schedule 1 fo	or additional Secure
PVW Protective Vinyl	Wallcovering	F		80			F	Room requirements	
RHIS Rigid High Impa WSSP Wetwall Solid S	Purface Danel								
WVW Wetroom Vinyl				The state of the s					
FLOOR FINISHES LEGENI		"   <del>   </del>	-7	-	and and				
CFS Concrete Floor						7/	F		
EFC Epoxy Floor Coa PFC Polyurethane Fl	ating U     T	L3 L4 L5		- RANT-		and an			
RAF Rubber Athletic	Flooring FULL-HEIGHT CABINETS	∐	L7 L8 L9		-// 15				
RSF Rubber Sheet Fl SCF Seamless Cushio				L10 L11 L12			4		
SDRF Static-Dissipativ	ve Rubber Sheet Flooring Legend:	Motorized			τ <b>c</b> 1   τ <b>c</b>	- V.			
SDVF Static-Dissipativ VSF Vinyl Sheet Floo		•	cialty	LOWER LINITS			UC1 U		
•	Category 1 - Low (1% - 4%) Cy Vinyl Sheet Flooring Category 2 - Med (5% - 9%)		ework		RECEPTION/TRANSACTION	UTILITY SINK AND	COUNTED LINIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				COUNTER / CARE TEAM STATION DESK	OTILITY SINK AND	COUNTER UNIT		
FCB Flash Cove Base	e								
RB Rubber Base SCF Seamless Cushio	ioned Flooring								
MECHANICAL REQU	IIDEMENTS								
				,					
PLUMBING Hand	ky Lavatory. Kitchen Sinky Kitchen Sinky Brocoss Sinky Scrub Sinky Floor Sinky —	ner Fixtures: Evewash		MED / NON-MED GAS				lahasakan. lah	Utility
(Quantity) Hygiene Sini			Shower Station	(Quantity)	.,	rous ide: CO2:	AGCC: Nitrogon:		ooratory Compressed acuum:
		Tub Emergend		Oxygen: Me	edical Air: Vacuum: Ox	ide: CO2:	AGSS: Nitrogen:	T	Air:
Plumbing Emergency Nemarks:		Ice Maker Flush Rim							
nemarks.		Water Closet Floor Dra		Gas Remarks:					
			ttle Refill Station						
		Hot Water Other							

• •	•		Number(s):	2.	8. 14.	20.	26.	32.	38.	44.
				3.	9. 15.	21.	27.	33.	39.	45.
Ro	oom Name: Anteroom - Trauma				10. 16.	22.	28.	34.	40.	46.
					11. 17.	23.	29.	35.	41.	47.
				6.	12. 18.	24.	30.	36.	42.	48.
<b>ARCHITECT</b>	TURAL REQUIREMENTS									
	•				4					
WALL AND C		WALL PROTECTION			GLAZING	FLOORING TYPES Material: Base:		1 ACCESSORIES		
	Material: ARGB 1.2m AFF, GB above	1 1,750 1500	Corner Guards Hand Rails Bed Bu	mper / Locator	✓ Interior Glazing	VSF FCB		Coat Hooks 🔲 Ceiling Lif	t 📙	Magnetic Whiteboard
Ceiling	Material: GB	Finish: PT Height: 2185 mm	Crash Rails Chair Rail			V3F FCB		Mirror Infant Ch	ange Table 🔲	Privacy Curtain
LEGEND:		DOORS						Ooor Remarks:		
	CEILING LEGEND:						P	rovide wave opener to doc	r	
	Architectural Ceiling	Types:		a 66 67						Security Grille
ACT	Acoustic Ceiling Tile									
	Cleanroom		LELNIN DE LA			NUNNIAA.				Anti-barricade
	Abuse-Resistant Gypsum Board Gypsum Board	A A2 B	32 C C2 D D2		F2 G H					strategy
	Impact-Resistant Gypsum Board	A AZ D	52 C C2 D D2	E E2 F	F2 G H	,				
	Kitchen Lay-in Ceiling Tile		Integral Doo	r & Frame Privacy	Card M	1ag Auto Hold				
	Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): N	1aterial: Finish: Side Lt: Blinds: P	rotect.: Film:	Function: Reader: Lo	ock: Opener: Open:	linges: Accesso	ory 1: Accessory 2: Ac	ccessory 3: Cl	Closer:
SACT	Security Acoustic Ceiling Tile	H 2 1340 x 2135 Alu	minum Prefinished				Elec. Stri	ike		
WALL FINISH	HES LEGEND:									
EWC	Epoxy Wall Coating									
	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK	_	Sto	orage Requirements:				FINISHES	
	Paint	<i></i>	UPPER UNITS		•			Full-height Cabi		
CEILING FINI	ISHES LEGEND:	/ 1/ UI								
	Epoxy Ceiling Coating	7	U2 U3 U4 U5					Upper Millw		
	High Performance Coating Prefinished	Capetana Capetana		U6 U7 U8	SHELF			Counter		
	Paint	ragazza		777	SHELF			Lower Millw		
					77			SI	helf:	
	ECTION LEGEND:				S1					
	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate							Rem	narks:	
	Fibreglass Reinforced Plastic									
	Protective Vinyl Wallcovering		-	i						
	Rigid High Impact Sheet		The state of the s	1						
	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering	THE PERSON NO.		on Property	1					
					CO DESCRIPERATE OF THE PERSON NAMED IN COLUMN	1/				
	HES LEGEND:	C1 C2 C3 C4	-							
	Concrete Floor Sealer Epoxy Floor Coating		12		1		//	F7		
	Polyurethane Floor Coating		L3 L4 L5		- AKKA		The same			
	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9						
	Rubber Sheet Flooring			L7 L8 L9	L10 L11		7/ 1			
	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:			L12	TC1 TC2		,		
	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized  Min Longth Adjustable Standing Spe	ocialty				JC1		
	Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category	•	ecialty ework	LOWER UNITS	RECEPTION/TRANSACTION				
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	, ,			COUNTER / CARE TEAM	UTILITY SINK AND	COLINTER LINIT		
FLOOR BASE	LEGEND:	Category 3 - High (10% or Greater)				STATION DESK	O HELL I SHAK MAD	COOLLIER OILL		
FCB	Flash Cove Base				•					
	Rubber Base									
SCF	Seamless Cushioned Flooring									
MECHANIC	CAL REQUIREMENTS									
		Coomless Hailian /	Other Fintures:		MED / NON ASER OFFE	·c				
PLUMBING	Hand Hygiene Sink: Lavatory: Kitchen Sinl	Seamless Utility / k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures: Evewash		MED / NON-MED GASE					Utility
(Quantity)	Trypicine Silik. Lavatory. Kitchell Silii	M. Michigh Shin. 1100e33 Shin. Schub Shin. 11001 Shin.		/Shower Station	(Quantity)	Medical Nitro				Laboratory Compressed
			☐ Tub ☐ Emergen	cy Shower	Oxygen: Med	dical Air: Vacuum: Oxio	le: CO2:	AGSS: Nitrogen:	Air:	Vacuum: Air:
Plumbing			☐ Ice Maker ☐ Flush Rin							
Remarks:			☐ Water Closet ☐ Floor Dra							
			_		Gas Remarks:					] ]
				ottle Refill Station						
			Hot Water Other							
			Circi							

Program 1. C3.02

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B Minimum Room Requirements	Program Number(s):		7. 13. 8. 14.	19. 20.	25. 31. 26. 32.	37. 38.	43. 44.
Room Name: Chair Bay - Diagnostic Testing			9. 15.	21.	27. 33.	39.	45.
		4. 1 5. 1		22.	28. 34. 29. 35.	40. 41.	46. 47.
		6. 1	2. 18.	24.	30. 36.	42.	48.
ARCHITECTURAL REQUIREMENTS							
WALL AND CEILING WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM ACCESSOR		
Wall Material: ARGB 1.2m AFF, GB above Finish: PT Type: PVW Corn Ceiling Material: ACT Finish: PF Height: 1600 mm Crash	er Guards Hand Rails Bed Bu h Rails Chair Rail	imper / Locator	☐ Interior Glazing	Material: Base:  VSF FCB	Coat Hooks  Mirror		✓ Magnetic Whiteboard ✓ Privacy Curtain
LEGEND: DOORS					Door Remarks		,
WALL AND CEILING LEGEND:  Types:							
AC Architectural Ceiling							Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom	KI KIZI MI MIZI I						☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board  A A2 B B2							strategy
GB Gypsum Board A A2 B B2  IRGB Impact-Resistant Gypsum Board		E E2 F	F2 G H	J			
KLCT Kitchen Lay-in Ceiling Tile		or & Frame Privacy	Card Ma				
MMRGB Moisture and Mould-Resistant Gypsum Board  SACT Security Acoustic Ceiling Tile  Material:	: Finish: Side Lt: Blinds: P	Protect.: Film:	Function: Reader: Loc	k: Opener: Open: Hinges	: Accessory 1: Acce	ssory 2: Accessory 3:	Closer:
WALL FINISHES LEGEND:							
EWC Epoxy Wall Coating							
HPC High Performance Coating MILLWORK AND SPECIALTY CASEWORK PT Paint		Stor	age Requirements:			FINISHES	
	UPPER UNITS				Fu	III-height Cabinet:	
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	U2 U3 U4					Upper Millwork:	
HPC High Performance Coating	U5	U6 U7				Countertop:	
PF Prefinished PT Paint		U8	SHELF			Lower Millwork:	
			7 🗆			Shelf:	
WALL PROTECTION LEGEND:			S1				
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate						Remarks:	
FRP Fibreglass Reinforced Plastic							
PVW Protective Vinyl Wallcovering  RHIS Rigid High Impact Sheet	Property.						
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel	No. 100 100 100 100 100 100 100 100 100 10						
WVW Wetroom Vinyl Wallcovering			- Constitution of the Cons				
FLOOR FINISHES LEGEND: C1 C2 C3		1-12			3		
CFS Concrete Floor Sealer C4 C5	-				7 / 6		
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating	L3 L4 L5		- KKN				
RAF Rubber Athletic Flooring FULL-HEIGHT CABINETS		L7 L8 L9			] ]		
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring		L7 L8 L9	L10 L11				
SDRF Static-Dissipative Rubber Sheet Flooring Legend:	Motorized			TC1 TC2		l U	
		ecialty	LOWER UNITS		UC1	II.	
VSF Vinyl Sheet Flooring Category 1 - Low (1% - 4%) Category (WSVF Wetroom Safety Vinyl Sheet Flooring Category 2 - Med (5% - 9%)	(mm) Height Height Cas	sework	RE	CEPTION/TRANSACTION			
FLOOR BASE LEGEND: Category 3 - High (10% or Greater)				OUNTER / CARE TEAM U ATION DESK	TILITY SINK AND COUNTER UN	NIT	
FCB Flash Cove Base			31.	ATION DESK			
RB Rubber Base							
SCF Seamless Cushioned Flooring							
MECHANICAL REQUIREMENTS							
PLUMBING Hand Seamless Utility / Other	er Fixtures: Evewash	Station	MED / NON-MED GASES				Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		/Shower Station	(Quantity)	Medical Nitrous		Laboratory	Laboratory Compressed
	Tub Emergen		Oxygen: Medic	cal Air: Vacuum: Oxide:	CO2: AGSS:	Nitrogen: Air:	Vacuum: Air:
Plumbing	Ice Maker Flush Rin		1   1	1 1			
Pomarks	Water Closet Floor Dra			1 1 1			
		ottle Refill Station	Gas Remarks: Provi	ide (1) set of medical gasses per bay	to Patient's right.		
	Hot Water						
	Other						

· · · · · · · · · · · · · · · · · · ·				Number(s):	2.	8.	14.	20.	26.	32	2.	38.	44.	
Consult Doom ED					3.	9.	15.	21.	27.	33	3.	39.	45.	
Room Name: Consult Room - ED					4.	10.	16.	22.	28.	34	١.	40.	46.	
					5.	11.	17.	23.	29.	35	5.	41.	47.	
					6.	12.	18.	24.	30.	36	5.	42.	48.	
ARCHITECTURAL REQUIREMENTS														
WALL AND CEILING		WALL PROTECTION				GLAZING		FLOORING TYPES		ROOM ACCESS	SORIES			
	Finish: PT	Type: PVW	✓ Corner Guards ☐ Hand Ra	ails Red Ru	mner / Locator			Material: Base:			ks Ceiling Lit	ft 🗸	Magnetic White	hoard
	Finish: PT	Height: 1350 mm	☐ Crash Rails ✓ Chair Ra		imper / Locator	✓ Interior Gla	azing	RSF FCB		Mirror	Infant Ch		Privacy Curtain	Jouru
LEGEND:	DOORS					-			1	Door Rema	arks:			
WALL AND CEILING LEGEND:														
AC Architectural Ceiling	Types		mini in inili m				702						Securi	ty Grille
ACT Acoustic Ceiling Tile			실범 (예정 (예정 ()										<b>✓</b> Anti-b	varricado
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board													strate	
GB Gypsum Board		A A2 B	B2 C C2 D	D2	E E2 F	F2 G	Н	J					50.000	51
IRGB Impact-Resistant Gypsum Board				Later and Dec	.0.5	,	Card Man	A 1						
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board				•	or & Frame Privacy Protect.: Film:	_	Card Mag eader: Lock: (	Auto Hold Opener: Open: <sub>Hir</sub>						
SACT Security Acoustic Ceiling Tile		Гуре:Qty: Size (mm):	Material: Finish: Side L			ranction.				Accessory 1: A	Accessory 2: Ac		Closer:	
		C 1 1220 x 2135		1 Lo	ow Sto	reroom		Butt Hing	е			Surfa	ce	
WALL FINISHES LEGEND:		C 1 915 x 2135	Solid Core FRL	1 Lo	ow Sto	reroom		Butt Hing	е			Surfa	ce	
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND CD	ECIALTY CASEWORK			_									-
PT Paint	WILLWORK AND SP	ECIALIT CASEWORK	U	PPER UNITS	S	torage Requirements:	:					FINISHES		
CEILING FINISHES LEGEND:	/										Full-height Cabi	inet:		
ECC Epoxy Ceiling Coating	fragrand .	17.77	U2 U3 U4								Upper Millw	ork:		
HPC High Performance Coating	-	THE KILL		U5	U6 U7						Counter	top:		
PF Prefinished				7	U8	SHELF					Lower Millw	ork:		
PT Paint					7	72					S	helf:		
WALL PROTECTION LEGEND:	Congramaco			l .l. K	-	S1								
ESRP Extruded Semi-Rigid PVCu Panel	Same and				- 1	11					Ren	narks:		
FRL Fibre Reinforced Laminate						1					Г			
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering	*******	- K		i	1 1									
RHIS Rigid High Impact Sheet	Farguerez	100	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAM	hammed		i								
WSSP Wetwall Solid Surface Panel	CONTRACTOR OF THE PARTY OF THE	-		********	toraco i									
WVW Wetroom Vinyl Wallcovering				11 -	-	CONTRACTOR OF THE PERSON	1	7/						
FLOOR FINISHES LEGEND:	<u>cı</u>		<del></del>	700	-7	S	The state of the s	Consessed -						
CFS Concrete Floor Sealer		C4 C5				-			7		-			
EFC Epoxy Floor Coating			L2 L3 L4			- 144	1==	Congress of	_/	Transport of the last of the l				
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CAB	INFTS		L5 L6	17									
RSF Rubber Sheet Flooring	TOLE HEIGHT CAD	INCIS		□ L6	L7 L8 L9	L10 L11		/ - 7	$\dashv$ $\land$					
SCF Seamless Cushioned Flooring							L12	TCI		II U	U II II			
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:		Motorized					TC1   TC2	557.55	U U	l u			
SDVF Static-Dissipative Vinyl Sheet Flooring  VSF Vinyl Sheet Flooring	Category 0 - None	/ A0/\	.,		ecialty	LOWER UNITS	_			UC1	Ш			
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (19 Category 2 - Med (5		gory (mm) Height	Height Cas	sework	LOWER OILIS		TION/TRANSACTION		_				
FLOOD BASE LECEND.	Category 3 - High (1							ER / CARE TEAM	UTILITY SIN	IK AND COUNTER	R UNIT			
FLOOR BASE LEGEND:  FCB Flash Cove Base							STATIO	N DESK						
RB Rubber Base														
SCF Seamless Cushioned Flooring														
MECHANICAL REQUIREMENTS	ı													
														-
PLUMBING Hand	Seamless Utility /		Other Fixtures:	☐ Eyewash	Station	MED / NON-M	1ED GASES							Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink:	Scrub Sink: Floor Sink:	Shower		/Shower Station	(Quantity)		Medical Nitrous					Laboratory Con	mpressed
			☐ Tub	☐ Emerger		Oxyger	n: Medical Ai	r: Vacuum: Oxide	CO2	2: AGSS:	Nitrogen:	Air:	Vacuum:	Air:
Plumbing	· · · · · · · · · · · · · · · · · · ·	'		Flush Rir										
Remarks:			☐ Ice Maker											
			Water Closet	Floor Dra		Gas Rem	narks:							
			Instantaneous	☐ Water B	ottle Refill Station	- Cus nen								
			Hot Water	Other										
				Other										

Program 1. C4.01

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Room Name: Decision Room			3.	9. 15.	21. 27	. 33.	39.	45.
Room Name. Decision Room			4.	10. 16.	22. 28	. 34.	40.	46.
		,	5.	11. 17.	23. 29	. 35.	41.	47.
			6.	12. 18.	24. 30	. 36.	42.	48.
ARCHITECTURAL REQUIREMENTS								
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM ACCESSORIES		
	Finish: PT Type: PVW	✓ Corner Guards ☐ Hand R	Rails Bed Bumper / Locator		Material: Base:	Coat Hooks Cei	iling Lift N	lagnetic Whiteboard
	1,700	☐ Crash Rails ✓ Chair R		☐ Interior Glazing	VSF FCB			rivacy Curtain
Colling Muterial. SACT	Finish: PT Height: 2185 mm	Crush Nans E Chair N	tuii					
LEGEND:	DOORS					Door Remarks:		$\neg$
WALL AND CEILING LEGEND:	Types:							Security Grille
AC Architectural Ceiling								Security Grine
ACT Acoustic Ceiling Tile ACT-C Cleanroom								✓ Anti-barricade
ARGB Abuse-Resistant Gypsum Board		فالملاط للبالملا						strategy
GB Gypsum Board	A A2 B	B2 C C2 D	D2 E E2 F	F2 G H	J			
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile			Integral Door & Frame Privacy	Card Mag	Auto Hold			
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side I			Opener: Open: Hinges:	Accessory 1: Accessory 2	: Accessory 3: Clos	er:
SACT Security Acoustic Ceiling Tile	B 1 1065 x 2135		1 Low Pass		Cont. Double-Act		Surface	<del></del>
WALL FINISHES LEGEND:	5 1 1005 x 2155	I III				Surety Stop	Surface	
EWC Epoxy Wall Coating								
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK		St	corage Requirements:			FINISHES	
			JPPER UNITS			Full hoigh	ht Cabinet:	
CEILING FINISHES LEGEND:	4 17 17	U2					r Millwork:	
ECC Epoxy Ceiling Coating HPC High Performance Coating		U4	U5 U6 U7				ountertop:	
PF Prefinished			U7 U8	SHELF			r Millwork:	
PT Paint	Fergusian	-				Lower	Shelf:	
WALL PROTECTION LEGEND:				T 51			Jileii.	
ESRP Extruded Semi-Rigid PVCu Panel				1]_ "			Remarks:	
FRL Fibre Reinforced Laminate				1				
FRP Fibreglass Reinforced Plastic  PVW Protective Vinyl Wallcovering	7						Provide powder coate bench fastened to the	
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet		THE RESERVE OF THE PARTY OF THE		i			such that a Patient in	_
WSSP Wetwall Solid Surface Panel	-		COLUMN TO SERVICE DE LA COLUMN				secured to it.	ianacans can se
WVW Wetroom Vinyl Wallcovering		1 1 1 1 1		THE PERSON NAMED OF THE PE	7/			
FLOOR FINISHES LEGEND:	C1 C2 C3 C4				-			
CFS Concrete Floor Sealer	C4 C5		= 7/	= =		7	-	
EFC Epoxy Floor Coating  PFC Polyurethane Floor Coating		L2 L3 L4		SAN-	-		1	
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L5				1	
RSF Rubber Sheet Flooring		_		L10 L11		/		
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:			L12	TC1 TC2		U	
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized Min. Length Adjustable	Standing Specialty			UC1 UC1		
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categ	- ,	Height Casework	LOWER UNITS	PTION/TRANSACTION			
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	, , , ,				TY SINK AND COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				ON DESK			
FCB Flash Cove Base								
RB Rubber Base  SCF Seamless Cushioned Flooring								
• • •								
MECHANICAL DECLUDEMENTS								
MECHANICAL REQUIREMENTS								
	Seamless Utility /	Other Fixtures:	Eyewash Station	MED / NON-MED GASES				Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: k	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower	Eyewash/Shower Station	(Quantity)	Medical Nitrous			poratory Compressed
		☐ Tub	Emergency Shower	Oxygen: Medical A	Air: Vacuum: Oxide:	CO2: AGSS: Nitro	ogen: Air: Va	acuum: Air:
Plumbing		☐ Ice Maker	Flush Rim Sink					
Remarks:		Water Closet	Floor Drain					
			Water Bottle Refill Station	Gas Remarks:				
		Instantaneous Hot Water	water bottle Reilli Station					
		not water	Other					

Program 1. C2.02

Number(s): 2.

7.

8.

13.

14.

19.

20.

25.

26.

31.

32.

37.

38.

43.

44.

**Appendix 1B Minimum Room Requirements** 

Appendix 1	LB Minimum Room Requir	rements		Program Number(s):	1. C2.08 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.		37. 38.	43. 44.	
Roc	om Name: Decontamination Room				3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.		39. 40.	45. 46.	
					5.	11.	17.	23.	29.	35.		41.	47.	
					6.	12.	18.	24.	30.	36.		42.	48.	
ARCHITECTU	URAL REQUIREMENTS					I								
WALL AND CE	_	WALL PROTECTION	,			GLAZING		FLOORING TYP Material:		ROOM ACCESS		_	<b>.</b>	
	Anterial: ARGB 1.2m AFF, GB above	1 1,750	Corner Guards Hand Rails Crash Rails Chair Rail		mper / Locator	☐ Interior Gla	izing		FCB	☐ Coat Hook	s U Ceiling Lif Infant Cha		Magnetic W Privacy Curt	
Celling N	Material: ACT		Crash Rails Chair Rail					[]		☐ Mirror		ange lable L	□ Privacy Curt	ain
LEGEND:		DOORS							Note: for Type F dod	Door Rema	rks: : lock on exterior	door (type A2 do	oor)	
	EILING LEGEND: Architectural Ceiling	Types:							the door panels will		side hardware, d			ecurity Grille
	coustic Ceiling Tile								approximately		or. Door release t	o be from		
	leanroom .buse-Resistant Gypsum Board		MANAN.	NE					465/1065 unless otherwise rquired b	observation Refer to Ap	i alcove. pendix 1A [Clinic	al Specifications		nti-barricade rategy
GB G	Sypsum Board	A A2 B	B2 C C2 D	D2	E E2 F	F2 G	н	J	the Authority	Functional S	Space Requireme	ents] Section 2.3		irutegy
	mpact-Resistant Gypsum Board itchen Lay-in Ceiling Tile			Integral Doo	r & Frame Privacy	(	Card Mag	Auto Hold		Emergency	for door release	information.		
	Noisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt:	U	rotect.: Film:			Opener: Open:	Hinges:	Accessory 1: A	ccessory 2: Ac	cessory 3:	Closer:	
SACT S	ecurity Acoustic Ceiling Tile	F2 1 1530 x 2135   Sol		2 Hi	gh Stor		<b>✓</b>				ish Bolt	Surfa	-	
WALL FINISHE		A2 1 1830 x 2135 Ho	llow Metal Paint	2 Hi					Butt Hinge	Astragal Flu	ish Bolt	Surfa	ace	
	poxy Wall Coating ligh Performance Coating	MILLWORK AND SPECIALTY CASEWORK		•	-						•			
	aint	WILLWORK AND SPECIALLY CASEWORK		ER UNITS	S	torage Requirements:						FINISHES		
CEILING FINIS	HES LEGEND:	V			_						Full-height Cabi			
	poxy Ceiling Coating ligh Performance Coating	7	U2 U3 U4	U5	U6 U7						Upper Millw			
	refinished				U6 U7 U8	SHELF					Countern Lower Millw	-		
PT P	aint	-		1	77	-ta 🗆						nelf:		
WALL PROTEC	CTION LEGEND:	Engange		.l. K		S1								
	xtruded Semi-Rigid PVCu Panel ibre Reinforced Laminate			11		V					Rem	narks:		
	ibreglass Reinforced Plastic													
	rotective Vinyl Wallcovering	-	Paragraphic P	The same of										
	ligid High Impact Sheet Vetwall Solid Surface Panel	1	1	12.12.12.12.12.12.12.12.12.12.12.12.12.1						_				
wvw v	Vetroom Vinyl Wallcovering			11 =	-	THE PERSON NAMED IN CO.	1	7/-	<u></u>					
FLOOR FINISH	IES LEGEND:	C1 C2 C3 C4		-10		-	7	CHEST CONTRACTOR	/	000 <u></u>				
	Concrete Floor Sealer		12			//	K				(			
	poxy Floor Coating olyurethane Floor Coating		☐ L3 L4	L5		ZEE	4		and the same of	The state of the s	-			
	subber Athletic Flooring	FULL-HEIGHT CABINETS		L6	L7 L8 L9			2 L						
	tubber Sheet Flooring earnless Cushioned Flooring					L10 L11	L12							
	tatic-Dissipative Rubber Sheet Flooring	Legend:	Motorized					TC1	TC2	l usa	_			
	tatic-Dissipative Vinyl Sheet Flooring 'inyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category	- ,		cialty	LOWER UNITS		_		UC1	, II			
WSVF W	Vetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	. ,		ework			TION/TRANSACTIO ER / CARE TEAM		NK AND COUNTER	UNIT			
FLOOR BASE I	LEGEND:	Category 3 - High (10% or Greater)					STATIO	-	0112111 011					
	lash Cove Base ubber Base													
	eamless Cushioned Flooring													
MECHANICA	AL REQUIREMENTS													
PLUMBING	Hand	Seamless Utility /	Other Fixtures:	Пе		MED / NON-M	ED GV6E6							
(Quantity) H		k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Evewash		(Quantity)	ED GASES	Medical	Nitrous			Laboratory	Laboratory	Utility
(Qualitity)			Shower  Tub		/Shower Station	Oxygen	n: Medical Air		Oxide: CO:	2: AGSS:	Nitrogen:	Air:	Vacuum:	Compressed Air:
Plumbing				☐ Emergen		1	1	1		7.000.	380111			All.
Remarks:			☐ Ice Maker	Flush Rim										
				Floor Dra		Gas Rem	arks:							
			Instantaneous Hot Water		ottle Refill Station									
			HOL WALEI	Other										

Room Name: Decontamination Shower				3.	9. 15.	21.	27.	33.	39.	45.
				4.	10. 16.	22.	28.	34.	40.	46.
				5. 6.	11. 17. 18.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.
				0.	10.	27.	30.	30.	72.	40.
ARCHITECTURAL REQUIREMENTS		T								
WALL AND CEILING		WALL PROTECTION			GLAZING	FLOORING TYPES		ROOM ACCESSORIES		
Wall Material:	Finish:	Туре:		Rails Bed Bumper / Locator	☐ Interior Glazing	Material: Base:	<u> </u>	Coat Hooks		Magnetic Whiteboard
Ceiling Material:	Finish:	Height:	Crash Rails Chair F	Rail				☐ Mirror ☐ I	Infant Change Table	Privacy Curtain
LEGEND:	DOORS							Door Remarks:		
WALL AND CEILING LEGEND:	Тур	oes:								Security Grille
AC Architectural Ceiling										Jecuity Gille
ACT Acoustic Ceiling Tile ACT-C Cleanroom										☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board										strategy
GB Gypsum Board  IRGB Impact-Resistant Gypsum Board		A A2 B	B2 C C2 D	D2 E E2 F	F2 G H	J				
KLCT Kitchen Lay-in Ceiling Tile				Integral Door & Frame Privacy		Mag Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile		Type:Qty: Size (mm):	Material: Finish: Side	Lt: Blinds: Protect.: Film:	Function: Reader: I	Lock: Opener: Open:	linges:	Accessory 1: Accessory	y 2: Accessory 3:	Closer:
WALL FINISHES LEGEND:										
EWC Epoxy Wall Coating										
HPC High Performance Coating	MILLWORK AND S	SPECIALTY CASEWORK		<u> </u>	torage Requirements:	<del>-</del>			FINISHE	
PT Paint				JPPER UNITS	torage requirements.			Full bo	eight Cabinet:	
CEILING FINISHES LEGEND:	4 1/	7	U2 112 L						per Millwork:	
ECC Epoxy Ceiling Coating HPC High Performance Coating	7	TKKVI	7 7 17 03 04	U5 116				Opi	Countertop:	
PF Prefinished	7			U7 U8	SHELF			Lov	ver Millwork:	
PT Paint	Tana and Address of the Parket				72 🗆				Shelf:	
WALL PROTECTION LEGEND:	THE PROPERTY.				S1					
ESRP Extruded Semi-Rigid PVCu Panel	DESIGNATION.								Remarks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic									Refer to Sched	lule 1, Section 5.10 External
PVW Protective Vinyl Wallcovering			THE REAL PROPERTY AND PERSONS ASSESSMENT	Francis						nopy/Vehicle Bay for
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel	$\nu$ 7			1					Decontaminat	ion Shower information
WVW Wetroom Vinyl Wallcovering	CHARACTE		1 1 1		Secretary and Se					
FLOOR FINISHES LEGEND:	C1	C2 C2			ON THE PERSON NAMED IN	- Commence	200			
CFS Concrete Floor Sealer			11 12				7			
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating			L1 L2 L3 L4		- KMM-		-	The same of the sa	<b>7</b> /	
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CA	ABINETS		L5 L6 L7 L8 L9					PII	
RSF Rubber Sheet Flooring			_		L10 L11		7/			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:		A d a b a si a a d		L12	TC1 TC2	$\nu$	"   L		
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	<b>!</b>	Motorized Min. Length Adjustable	Standing Specialty				UC1		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (		tegory (mm) Height	Height Casework	LOWER UNITS	RECEPTION/TRANSACTION				
	Category 2 - Med Category 3 - High					COUNTER / CARE TEAM	UTILITY SIN	IK AND COUNTER UNIT		
FLOOR BASE LEGEND:  FCB Flash Cove Base	Category 3 - mgm	(				STATION DESK				
RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS										
PLUMBING Hand	Seamless Utility /		Other Fixtures:	Evewash Station	MED / NON-MED GAS	ES				
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink	: Kitchen Sink: Process Sink	c: Scrub Sink: Floor Sink		Eyewash/Shower Station	(Quantity)	Medical Nitro	ous		Laboratory	/ Laboratory Compressed
·     -   -   -			Snower Tub	✓ Emergency Shower		edical Air: Vacuum: Oxio		2: AGSS: N	itrogen: Air:	Vacuum: Air:
Plumbing Provide (2) shower heads with privacy pan	iels (shower heads must be ab	hle to withstand outdoor	Ice Maker	Flush Rim Sink						
Remarks: conditions and be tamper/vandal proof)	.c.s (snower nedds must be di	o.c to ministana oataooi	☐ Water Closet	Floor Drain						
				Water Bottle Refill Station	Gas Remarks:					
			Instantaneous Hot Water	water bottle Kerili Station						
			1100 110001	Other						

Program 1. C2.07

Number(s): 2.

7.

8.

13.

14.

19.

20.

25.

26.

31.

32.

37.

38.

43.

44.

**Appendix 1B Minimum Room Requirements** 

	_		Number(s): 2.	8. 14.	20. 26.	32. 38.	
R	toom Name: Exam/Treatment Room -	Pediatric	3.	9. 15.	21. 27.	33. 39.	
			4.	10. 16.	22. 28.	34. 40.	
			5.	11. 17.	23. 29.	35. 41.	
			6.	12. 18.	24. 30.	36. 42.	. 48.
ARCHITEC	TURAL REQUIREMENTS						
WALL AND	CEILING	WALL PROTECTION		GLAZING	FLOORING TYPES	ROOM ACCESSORIES	
Wal	ll Material: ARGB 1.2m AFF, GB above	1/100-1-1-1-1	☐ Hand Rails ☐ Bed Bumper / Locator	☐ Interior Glazing	Material: Base:	Coat Hooks Ceiling Lift	✓ Magnetic Whiteboard
Ceiling	Material: ACT	Finish: PF Height: 2185 mm Crash Rails	Chair Rail		VSF FCB	☐ Mirror ☐ Infant Change T	able Privacy Curtain
LEGEND:		DOORS				Door Remarks:	
	CEILING LEGEND:	Types:					Security Grille
AC	Architectural Ceiling		NG 191 1919 191 1919 17				Security Grille
ACT ACT-C	Acoustic Ceiling Tile Cleanroom						Anti-barricade
ARGB	Abuse-Resistant Gypsum Board						strategy
GB	Gypsum Board	A A2 B B2 C	C2 D D2 E E2 F	F2 G H	J		
IRGB KLCT	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		Integral Door & Frame Privacy	Card Mag	Auto Hold		
MMRGB	Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Material: Fini			Opener: Open: Hinges:	Accessory 1: Accessory 2: Accessor	y 3: Closer:
SACT	Security Acoustic Ceiling Tile	H 1 1340 X 2135 Aluminum Prefini					<del>,</del>
WALL FINIS	HES LEGEND:						
EWC	Epoxy Wall Coating						
HPC PT	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Storage Requirements:		F	INISHES
CEILING FIN	IISHES LEGEND:	U1 U				Full-height Cabinet:	
ECC	Epoxy Ceiling Coating	U2	U3 U4			Upper Millwork:	
HPC	High Performance Coating		U5 U6 U7			Countertop:	
PF PT	Prefinished Paint		U8	SHELF		Lower Millwork:	
	rant					Shelf:	
WALL PROT	TECTION LEGEND:			S1		_	
ESRP FRL	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate	Page 2000				Remarks:	
FRP	Fibreglass Reinforced Plastic					Refer to	o Schedule 1, Section 5.14 Interior
PVW	Protective Vinyl Wallcovering	20 200	<i>F</i>				nment for Pediatric Design
RHIS WSSP	Rigid High Impact Sheet Wetwall Solid Surface Panel		100			informa	ation
WVW	Wetroom Vinyl Wallcovering		-	NE CHECKER CONTRACTOR			
FLOOR FINI	SHES LEGEND:	cı cı		ON THE PERSONNELS OF THE PERSO	/		
CFS	Concrete Floor Sealer	C3 C4					
EFC	Epoxy Floor Coating			M	-		
PFC RAF	Polyurethane Floor Coating Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L6 L7				
RSF	Rubber Sheet Flooring	TOLE-HEIGHT CADINETS		110			
SCF	Seamless Cushioned Flooring			L10 L11 L12	TC1 TC2		
SDRF SDVF	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None Min Length	Motorized		τc2	UC1 UC1	
VSF	Vinyl Sheet Flooring	Category 0 - None Min. Length Category 1 - Low (1% - 4%) Category (mm)	Adjustable Standing Specialty Height Height Casework	LOWER UNITS			
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)			PTION/TRANSACTION NTER / CARE TEAM UTILITY S	INK AND COUNTER UNIT	
FLOOR BAS	E LEGEND:	Category 3 - High (10% or Greater)			ION DESK	man yang coonten onn	
FCB	Flash Cove Base						
RB SCF	Rubber Base Seamless Cushioned Flooring						
3CF	Seattless Custilotied Flooring						
MECHANI	CAL REQUIREMENTS						
PLUMBING	Hand	Seamless Utility / Other Fixtures	Evewash Station	MED / NON-MED GASES			i iailia.
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sinl	k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:  Shower	Eyewash/Shower Station	(Quantity)	Medical Nitrous		oratory Laboratory Compressed
	1	□ Tub	Emergency Shower	Oxygen: Medical	Air: Vacuum: Oxide: Co	D2: AGSS: Nitrogen:	Air: Vacuum: Air:
Plumbing		☐ Ice Make		4 2	4		
Remarks:							
		Water Clo		Gas Remarks: Provide	(2) O2, (1) Medical Air and (2) Medical V	acuum on each side of bed.	
		☐ Instantar Hot Wate		_			
		not wate	Other	]			

Program 1. C4.06

13.

19.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

25.

		Number(s):	2. 8.	. 14.	20.	26.	32.	38.	44.
D ( 10 11 ED			3. 9.	. 15.	21.	27.	33.	39.	45.
Room Name: Patient Check-In - ED			4. 10.		22.	28.	34.	40.	46.
			5. 11.		23.	29.	35.	41.	47.
			6. 12.		24.	30.	36.	42.	48.
			0. 12.	. 10.	24.	30.	30.	42.	46.
ARCHITECTURAL REQUIREMENTS									
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM AC	CECCUDIEC		
		✓ Corner Guards ☐ Hand Rails ☐ Bed Bum			Material: Base:		Hooks Ceiling Lift		gnetic Whiteboard
	Finish: PT Type: FRL		per / Locator	✓ Interior Glazing	VSF FCB				
Ceiling Material: ACT	Finish: PF Height: 1350 mm	☐ Crash Rails ✔ Chair Rail			(3)	_	or Infant Char	nge lable 🗀 Priv	vacy Curtain
LEGEND:	DOORS					Door	Remarks:		_
WALL AND CEILING LEGEND:									
AC Architectural Ceiling	Types:	(C)   C    C    C    C    C    C    C							Security Grille
ACT Acoustic Ceiling Tile									<b>│</b>
ACT-C Cleanroom									Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B	B2 C C2 D D2 E	E2 F	F2 G H					strategy
IRGB Impact-Resistant Gypsum Board	A 72 B	D2 C C2 D D2 E	LZ F	72 0 11	•				
KLCT Kitchen Lay-in Ceiling Tile		Integral Door	& Frame Privacy	Card Mag	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds: Pro	otect.: Film: Fu	unction: Reader: Lock:	Opener: Open: Hinge	es: Accessory 1:	: Accessory 2: Acce	essory 3: Close	r:
SACT Security Acoustic Ceiling Tile	C 2 915 x 2135	Solid Core FRL 1 Low	Storeroo	om 🗸 🗆	Butt Hinge			Surface	
WALL FINISHES LEGEND:									
EWC Epoxy Wall Coating									
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK		Storag	ge Requirements:				FINISHES	
		UPPER UNITS					Full-height Cabin	ot:	
CEILING FINISHES LEGEND:	1	01 II2 U U					ū	rk: Plastic Laminate	
ECC Epoxy Ceiling Coating HPC High Performance Coating	7	7-17- U4 U	J6						
PF Prefinished	-		J6 U7 U8	SHELF				op: Solid Surfacing	
PT Paint	ragazzan		77	51121				rk: Plastic Laminate	
WALL PROTECTION LEGEND				1 📙			She	elf:	
WALL PROTECTION LEGEND:				S1			_		
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate							Rema	arks:	
FRP Fibreglass Reinforced Plastic							Pr	ovide clear, physical l	parrier between
PVW Protective Vinyl Wallcovering		- Francisco	_ ! ! !					aff and Patients in ac	
RHIS Rigid High Impact Sheet								ealth Standard: Emer	
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering	Contraction of the Contraction o		en Paris de la company	1			Pa	tient Check-in Station	1.
, ,		T	0	and the state of t	1				
FLOOR FINISHES LEGEND:	C1 C2 C3 C4 C5								
CFS Concrete Floor Sealer  EFC Epoxy Floor Coating				- 1		/ /	1		
PFC Polyurethane Floor Coating		L3 L4 L5		Serri			To the same of		
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	J L6 °I	7 L8 19		1 15				
RSF Rubber Sheet Flooring				10 L11		7/			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Address and		<b>/</b> □ L12	TC1 TC2	V   "	U     U		
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized Min. Length Adjustable Standing Spec	altv		TC1 TC2	UC1	u [		
VSF Vinyl Sheet Flooring	4 1 (40)	egory (mm) Height Height Case		LOWER UNITS	PTION/TRANSACTION				
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)					UTILITY SINK AND COU	NTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)	3 3600			TION DESK				
FCB Flash Cove Base									
RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS									
	Soamloss Htility /	Other Fixtures:		MED / NON BACK CACES					•
PLUMBING Hand (Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Seamless Utility / Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures: Evewash S	1011011	MED / NON-MED GASES	Managerial Arts			Laborate 1. 1	Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	TIOU SIIR. TIOU SIIR.	Shower Eyewash/S		(Quantity)	Medical Nitrous  Air: Vacuum: Oxide:				cuum: Compressed
		☐ Tub ☐ Emergence	Shower	Oxygen: Medical	Air: Vacuum: Oxide:	CO2: AG	GSS: Nitrogen:	AII. VdC	Air:
Plumbing		☐ Ice Maker ☐ Flush Rim	I						
Remarks:		☐ Water Closet ☐ Floor Drain							
			tle Refill Station	Gas Remarks:					
			lie Keriii Station						
		Hot Water Other							
		Galer							

Program 1. C1.08

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix	1B Minin	num Room Requirer	nents		Program Number(s):	1. C3.05 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.		37. 38.	43. 44.	
Ro	oom Name:	Quiet Room				3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.		39. 40.	45. 46.	
						5.	11.	17.	23.	29.	35.		41.	47.	
						6.	12.	18.	24.	30.	36.		42.	48.	
		QUIREMENTS	T												
WALL AND C		GB 1.2m AFF, GB above	Finish: PT WALL PROTECTION  Type: FRL	✓ Corner Guards ☐ Hand Rai	ils Dod Do	mnor / Locator	GLAZING		FLOORING TYPES  Material: Base		OOM ACCESSO Coat Hooks		. [	☐ Magnetic W	Mhitabaard
	Material: AC		Finish:         PT         Type:         FRL           Finish:         PF         Height:         1350 mm	☐ Crash Rails		imper / Locator	☐ Interior Gla	zing	VSF FCB		Mirror	Infant Cha		Privacy Cur	
	7.0			_ 0.00							Door Remark				
LEGEND:	EILING LEGEN	ND.	DOORS								Door Heman	11.			
	Architectural Ceili		Types:												Security Grille
	Acoustic Ceiling Ti	ile													Anti-barricade
	Cleanroom Abuse-Resistant G	Gypsum Board													trategy
GB	Gypsum Board		A A2 B	B2 C C2 D	D2	E E2 F	F2 G	н	J						0,
	Impact-Resistant ( Kitchen Lay-in Ceil				Integral Doo	r & Frame Privacy	C	ard Mag	Auto Hold						
MMRGB	Moisture and Mou	uld-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt:		rotect.: Film:		•	pener: Open:	Hinges: Ac	cessory 1: Acc	cessory 2: Acc	cessory 3:	Closer:	
SACT	Security Acoustic	Ceiling Tile	C 1 1065 x 2135		<b>✓</b> 1 Lo	w Clas	sroom		Butt	Hinge			Surf	ace	
WALL FINISH															
	Epoxy Wall Coatin High Performance	=	MILLWORK AND SPECIALTY CASEWORK	·								<u>'</u>			
	Paint		WILLWORK AND SPECIALTY CASEWORK	☐ _ UPI	PER UNITS	S	corage Requirements:						FINISHES		
CEILING FINI	SHES LEGEND	):		U1							1	Full-height Cabii	net:		
	Epoxy Ceiling Coat		7	U2 U3 U4								Upper Millw			
	High Performance Prefinished	Coating			U5	U6 U7 U8	SHELF					Counter	· -		
	Paint				7	77	JHELF					Lower Millw			
WALL PROTE	ECTION LEGEN	ND.			l k		S1					Sr	nelf:		
	Extruded Semi-Rig						1]					Rem	narks:		
	Fibre Reinforced L			<u> </u>			1								
	Fibreglass Reinford Protective Vinyl W			-											
RHIS	Rigid High Impact	Sheet		100			1								
	Wetwall Solid Surf Wetroom Vinyl Wa			" " " " " " " " " " " " " " " " " " " "	On Con	an Transport									
	HES LEGEND:		cı cı	4-1	-	= 7	ON NO STATES		1						
	Concrete Floor Sea		C2 C3 C4 1			- 5				7	/				
EFC	Epoxy Floor Coatin			L2 L3 L4			- 444	1==	K		The state of the s	7/			
	Polyurethane Floo Rubber Athletic Flo		FULL-HEIGHT CABINETS		L5 L6	L7 18		1_/							
RSF	Rubber Sheet Floo	oring				L7 L8 L9	L10 L11	+ 1							
	Seamless Cushion Static-Dissipative	ed Flooring Rubber Sheet Flooring	Legend:	** * * *		— Ц		L12	TC1		0				
		Vinyl Sheet Flooring	Category 0 - None	Motorized  Min. Length Adjustable S	Standing Spe	ecialty					UC1				
	Vinyl Sheet Floorin	ng /inyl Sheet Flooring	Category 1 - Low (1% - 4%) Cate	- ,		ework	LOWER UNITS	RECEPTI	ON/TRANSACTION						
		,	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)						R / CARE TEAM	UTILITY SINK	AND COUNTER L	JNIT			
FLOOR BASE	Flash Cove Base							STATION	I DESK						
	Rubber Base														
SCF	Seamless Cushion	ed Flooring													
MECHANIC	AL REQUI	REMENTS													
PLUMBING	Hand		Seamless Utility /	Other Fixtures:	☐ Evewash	Station	MED / NON-M	ED GASES							
(Quantity)	Hygiene Sink:	Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower		/Shower Station	(Quantity)			trous			Laboratory	Laboratory	Utility Compressed
				Tub	Emergen		Oxygen	: Medical Air:	Vacuum: C	xide: CO2:	AGSS:	Nitrogen:	Air:	Vacuum:	Air:
Plumbing				lce Maker	Flush Rin										
Remarks:				Water Closet	☐ Floor Dra										<u> </u>
				Instantaneous		ottle Refill Station	Gas Rem	arks:							
				Hot Water											
					Other										

Ro	oom Name: Secure Room				3.		15.	21.	27.	33.	39.	45.
					4. 5.		l6. l7.	22. 23.	28. 29.	34. 35.	40. 41.	46. 47.
					6.		18.	24.	30.	36.	42.	48.
ARCHITECT	TURAL REQUIREMENTS											
WALL AND (	·		WALL PROTECTION			GLAZING	F	LOORING TYPES	R	OOM ACCESSORIES		
	l Material: IRGB	Finish: PT	Type:		Rails Bed Bumper / Locator	✓ Interior Glazing		Material: Base:	_	☐ Coat Hooks ☐ Ceiling		agnetic Whiteboard
Ceiling	Material: MMRGB	Finish: PT	Height:	Crash Rails Chair	Rail		<b>'</b>	SCF SCF		☐ Mirror ☐ Infant	Change Table Pr	ivacy Curtain
LEGEND:		DOORS								Door Remarks:		
WALL AND	CEILING LEGEND:	Ту	pes:							Refer to Schedule 1 for Schardware requirements.	cure Room door	Security Grille
AC ACT	Architectural Ceiling Acoustic Ceiling Tile				alian alian 2		44412			Door to outswing 180 de	grees with lock and key	
ACT-C	Cleanroom							Nizizi		hardware.		✓ Anti-barricade
ARGB GB	Abuse-Resistant Gypsum Board Gypsum Board		A A2 B	B2 C C2 D	D D2 E E2 F	F2 G	н			Door to have half windov		strategy
IRGB	Impact-Resistant Gypsum Board		A A2 D	D2 C C2 L								
KLCT MMRGB	Kitchen Lay-in Ceiling Tile  Moisture and Mould-Resistant Gypsum Board		Гуре:Qty: Size (mm):	Material: Finish: Side	Integral Door & Frame Privacy  Blinds: Protect.: Film:	Card Function: Reade	•	ito Hold ener: Open:	۸۵ ۸۵		Accessory 3: Close	
SACT	Security Acoustic Ceiling Tile		C 1 1220 x 2135			Function: Reade	<b>✓</b>	ener: Open: Hing		cessory 1: Accessory 2: ety Stop	Accessory 3: Close	er:
WALL FINISI	HES LEGEND:		C 1 1220 x 2133	Tionow Wietai Taint		33100111		Continuous	3410	ety Stop		
EWC	Epoxy Wall Coating											
HPC PT	High Performance Coating Paint	MILLWORK AND	SPECIALTY CASEWORK		UPPER UNITS	torage Requirements:					FINISHES	
CEILING FIN	IISHES LEGEND:		7		]					Full-height C	abinet:	
ECC	Epoxy Ceiling Coating	(magazzan)	1777	U2 U3 U	4 📙 🗌					Upper Mi		
HPC PF	High Performance Coating Prefinished	Sugar and	X-1	7	U5 U6 U7 U8	SHELF					tertop:	
PT	Paint	*********			7	SHELF				Lower Mi		
WALL PROT	ECTION LEGEND:					S1					Shelf:	
ESRP	Extruded Semi-Rigid PVCu Panel									R	emarks:	
FRL	Fibre Reinforced Laminate			- 1		-					Refer to Schedule 1 fo	r additional Socuro
FRP PVW	Fibreglass Reinforced Plastic Protective Vinyl Wallcovering	7	-	Target State of the Land of th							Room requirements	additional Secure
RHIS	Rigid High Impact Sheet	7		en mar		1						
WSSP WVW	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering	-	-	" "	11							
FLOOR FINIS	SHES LEGEND:	C1		+	" == 7	00 00		Consession of the Consession o				
CFS	Concrete Floor Sealer		C2						7	/		
EFC PFC	Epoxy Floor Coating			L2 L3 L4		- 1	===	E-PARTE	_/			
RAF	Polyurethane Floor Coating Rubber Athletic Flooring	FULL-HEIGHT CA			L5 L6 L7 L8 L0		/					
RSF	Rubber Sheet Flooring					L10 L11	-		7/			
SCF SDRF	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:		Motorized			L12 M	TC1 TC2	$\nu$	. I 1		
SDVF	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		Min. Length Adjustable	Standing Specialty	LOWERLING				UC1		
VSF WSVF	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low Category 2 - Med		gory (mm) Height	Height Casework	LOWER UNITS		N/TRANSACTION				
FLOOR BASE	E LEGEND:		(10% or Greater)				COUNTER STATION D	•	UTILITY SINK	AND COUNTER UNIT		
FCB	Flash Cove Base						JIAHONL	/Lyn				
RB SCF	Rubber Base											
SCF	Seamless Cushioned Flooring											
MECHANIC	CAL REQUIREMENTS											
PLUMBING		Seamless Utility /		Other Fixtures:	Π	MED / NON-MED	CVSEC					
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sin	nk: Kitchen Sink: Process Sin	k: Scrub Sink: Floor Sink:		Evewash Station	(Quantity)	GMJEJ	Medical Nitrous			Laboratory Lab	Utility oratory Compressed
(-3. 2	1			Shower  Tub	Eyewash/Shower Station Emergency Shower	Oxygen:	Medical Air:	Vacuum: Oxide:	CO2:	AGSS: Nitroge	A*	cuum: Compressed Air:
Plumbing	Provide white stainless steel toilet with a	in integral seat and a water for	untain.	lce Maker	Flush Rim Sink							
Remarks:	The state of the s			✓ Water Closet	Floor Drain							
				Instantaneous	Water Bottle Refill Station	Gas Remarks	s:					
				Hot Water								
					Other							

Program 1. C2.15

Number(s): 2.

7.

8.

13.

14.

19.

20.

25.

26.

31.

32.

37.

38.

43.

44.

**Appendix 1B Minimum Room Requirements** 

Room Name: Security Station		3. 4. 5.	9. 15. 10. 16. 11. 17.	21.     27.       22.     28.       23.     29.	33. 34. 35.	39. 45. 40. 46. 41. 47.
ARCHITECTURAL REQUIREMENTS		6.	12. 18.	24. 30.	36.	42. 48.
WALL AND CEILING  Wall Material: GB  Ceiling Material: ACT  LEGEND:  WALL AND CEILING LEGEND:		ner Guards	GLAZING  ✓ Interior Glazing	FLOORING TYPES Material: Base: VSF FCB	ROOM ACCESSORIES  Coat Hooks Ceiling Infant Coat Remarks:	Change Table Privacy Curtain
AC Architectural Ceiling ACT Acoustic Ceiling Tile ACT-C Cleanroom ARGB Abuse-Resistant Gypsum Board GB Gypsum Board IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile  WALL FINISHES LEGEND: EWC Epoxy Wall Coating	A A2 B B2  Fype:Qty: Size (mm): Materi  B 1 915 x 2135 Solid Cor			Auto Hold Opener: Open: Hinges: Butt Hinge	Accessory 1: Accessory 2:	Accessory 3: Closer:  Security Grille  Anti-barricade strategy  Accessory 3: Closer:
HPC High Performance Coating PT Paint  CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering  FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Coating PFC Polyurethane Floor Coating RAF Rubber Athletic Flooring SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring FLOOR BASE LEGEND:  FCB Flash Cove Base Rubber Base SCF Seamless Cushioned Flooring	FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  MU1  L2  FULL-HEIGHT CABINETS  M Category  Category  A  Category  Category  A  Category	LOWER UNITS RECU	EPTION/TRANSACTION UTILITY TION DESK	Count Lower Mill	FINISHES abinet:	
PLUMBING (Quantity)  Plumbing Remarks:  Hand Hygiene Sink: Lavatory: Kitchen Sin	nk: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	her Fixtures:  Shower  Eyewash/Shower Station  Eyewash/Shower Station  Eyewash/Shower Station  Eyewash/Shower Station  Eyewash/Shower Station  Eyewash/Shower Station  Eyewash Shower Station  Other	Oxygen: Medical	Medical Nitrous I Air: Vacuum: Oxide:	CO2: AGSS: Nitrogen	Laboratory Laboratory Compressed n: Air: Vacuum: Air:

Program 1. C1.03

Number(s): 2.

7.

8.

13.

14.

19.

20.

25.

26.

31.

32.

37.

38.

43.

44.

Appendix	1B Minimum Room Requirement	nts		Program	1. C2.06	7.	13.	19.	25.	31.	37.	43.	
				Number(s):	2. 3.	8. 9.	14. 15.	20. 21.	26. 27.	32. 33.	38. 39.	44. 45.	
Ro	oom Name: Soiled Utility Room - Ambulance	9			4.	10.	16.	22.	28.	34.	40.	46.	
	·				5.	11.	17.	23.	29.	35.	41.	47.	
					6.	12.	18.	24.	30.	36.	42.	48.	
ARCHITECT	TURAL REQUIREMENTS					T			ı				
WALL AND C		WALL PROTECTION	✓ Corner Guards ☐ Hand Ra			GLAZING		FLOORING TYPES Material: Base:		OOM ACCESSORIES	0-11		Add to a local and
		Sh:         PT         Type:         WVW           sh:         ECC         Height:         2185 mm	Crash Rails Chair Ra		imper / Locator	☐ Interior Gla	zing	WSVF FCB		☐ Coat Hooks ☐ (☐ Mirror ☐ )		☐ Magnetic V☐ Privacy Cur	
		DOORS Height. 2183 Hill						,		Door Remarks:	a.re onange rabie		
LEGEND: WALL AND	CEILING LEGEND:	Types:								Provide PIN/Prox C	ard reader for door		
AC	Architectural Ceiling	Types.				V MV MA	722						Security Grille
ACT ACT-C	Acoustic Ceiling Tile Cleanroom												Anti-barricade
ARGB GB	Abuse-Resistant Gypsum Board Gypsum Board	A A2 B	B2 C C2 D	D2	E E2 F	F2 G						S	strategy
IRGB	Impact-Resistant Gypsum Board	n 72 5	D2 C C2 D				Sand Man	, A 1- 11-14					
KLCT MMRGB	Kitchen Lay-in Ceiling Tile  Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt		or & Frame Privacy Protect.: Film:		Card Mag eader: Lock: C	Auto Hold Opener: Open:	Hinges: Acc	cessory 1: Accessor	v 2: Accessory 3:	Closer:	
SACT	Security Acoustic Ceiling Tile	C 1 1220 x 2135 S		П 2 Н				Butt H		. Strike		ırface	
	HES LEGEND:												
EWC HPC	Epoxy Wall Coating High Performance Coating	MILLWORK AND SPECIALTY CASEWORK				Storage Requirements:					FINISHES		
PT	Paint			PER UNITS	3	storage Requirements:				Full bo	ight Cabinet:		
CEILING FIN ECC	IISHES LEGEND: Epoxy Ceiling Coating	6 7 7	U1 U2 U3								per Millwork:		
HPC	High Performance Coating		U4	U5	U6 U7						Countertop: Stainless	Steel	
PF PT	Prefinished Paint			7	U8	SHELF				Lov	ver Millwork:		
						7					Shelf:		
ESRP	ECTION LEGEND:  Extruded Semi-Rigid PVCu Panel					S1					Remarks:		
FRL	Fibre Reinforced Laminate					1					nemarks.		
FRP PVW	Fibreglass Reinforced Plastic Protective Vinyl Wallcovering		dense agrana		_								
RHIS WSSP	Rigid High Impact Sheet  Wetwall Solid Surface Panel			-			L						
WVW	Wetroom Vinyl Wallcovering	_		11 =	- V	THE REAL PROPERTY.	1	7/					
FLOOR FINIS	SHES LEGEND:	C1 C2 C3 C4		-		-	-	Comment -					
CFS EFC	Concrete Floor Sealer Epoxy Floor Coating		L2				K			-	<b>37</b>		
PFC	Polyurethane Floor Coating		□ L3 L4 □	L5		2	4		THE PERSON NAMED IN	The same of the sa	<b>8</b> 1		
RAF RSF	Rubber Athletic Flooring Rubber Sheet Flooring	FULL-HEIGHT CABINETS			L7 L8 L9	L10 111			-1				
SCF SDRF	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:					L12	TC1 TC	, <i>V</i>	11			
SDVF	Static-Dissipative Number Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized  Min. Length Adjustable	Standing Spe	ecialty					" UC1			
VSF WSVF	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)	.,		sework	LOWER UNITS	RECEPTI	ON/TRANSACTION		✓			
FLOOR BASE		Category 2 - Med (5% - 5%)  Category 3 - High (10% or Greater)	900				COUNTE	ER / CARE TEAM	UTILITY SINK A	AND COUNTER UNIT			
FCB	Flash Cove Base			'			JIAIIOI	V DLSK					
RB SCF	Rubber Base Seamless Cushioned Flooring												
MECHANIC	CAL REQUIREMENTS												
PLUMBING		amless Utility /	Other Fixtures:		C	MED / NON-M	ED GASES						
(Quantity)		hen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower	Evewash	i Station i/Shower Station	(Quantity)	LD GASLS	Medical Nitr	ous		Laboratory	Laboratory	Utility Compressed
.,	1	1	☐ Tub	Emerger		Oxygen	: Medical Air			AGSS: N	itrogen: Air:	Vacuum:	Air:
Plumbing	Provide utility sink c/w backflow preventer.		☐ Ice Maker	✓ Flush Rir									
Remarks:			Water Closet	✓ Floor Dra			- 1 -	1		<u> </u>			
			Instantaneous		ottle Refill Station	Gas Rem	arks:						
			Hot Water	Other									

Appendix 1B Minimum Room Requiren	nents	Program Number(s):	1. C2.11 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Storage - Decontamination			3.	9.	15.	21.	27.	33.	39.	45.
				10. 11.	16. 17.	22. 23.	28. 29.	34. 35.	40. 41.	46. 47.
				12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS		L				1		l		
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES	F	ROOM ACCESSORIES	•	
	.,,	Corner Guards Hand Rails Bed Bur	nper / Locator	☐ Interior Glazi	ing	Material: Base:	<b>–</b>	Coat Hooks Ce		Magnetic Whiteboard
Ceiling Material: ACT	Finish: PF Height: 1600 mm	Crash Rails Chair Rail				VSF FCB			fant Change Table	Privacy Curtain
LEGEND:	DOORS							Door Remarks:	A [Clinical Specifications	and
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:								quirements], Section 2.3	
ACT Acoustic Ceiling Tile									age - Decontamination	Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board					MMM.			requirements.		strategy
GB Gypsum Board	A A2 B E	32 C C2 D D2 I	E2 F	F2 G	Н	J				<i>.</i>
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile		Integral Door	& Frame Privacy	Ca	ard Mag	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): М	laterial: Finish: Side Lt: Blinds: Pr	otect.: Film:	Function: Rea	ader: Lock: (	Opener: Open: Hin	ges: A	accessory 1: Accessory 2	2: Accessory 3:	Closer:
, ,	C 1 1220 x 2135 Solid	d Core FRL 2 Hig	h Store	eroom		Cont. Swir	g Clear		Surfa	ice
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating										
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		St	orage Requirements:					FINISHES	
PT Paint		UPPER UNITS						Full-heig	ght Cabinet:	
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	UI	U2 U3 U4							er Millwork:	
HPC High Performance Coating		i /	U6 U7 U8					C	Countertop:	
PF Prefinished PT Paint			U8	SHELF				Lowe	er Millwork:	
WALL PROTECTION LEGEND:				S1					Shelf:	
ESRP Extruded Semi-Rigid PVCu Panel				31					Remarks:	
FRL Fibre Reinforced Laminate				1						
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering		116	. ! !							
RHIS Rigid High Impact Sheet			11	1						
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering		"	-		1	7				
FLOOR FINISHES LEGEND:	C1 C2 C3		-7	-	- Constitution	-	250			
CFS Concrete Floor Sealer	_ C C4 '	L2					7		-	
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating				RM	1==	-			11	
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9		1	2 15				
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring				L10 L11	L12					
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized				TC1 TC2		lici l	U	
SDVF Static-Dissipative Vinyl Sheet Flooring  VSF Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category		cialty ework	LOWER UNITS				UC1 "	1	
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)					TION/TRANSACTION TER / CARE TEAM	UTILITY SINK	AND COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				STATIO	=				
FCB Flash Cove Base RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS										
PLUMBING Hand	Seamless Utility /	Other Fixtures: Evewash	Station	MED / NON-ME	D GASES					I Intilia.
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Shower Station	(Quantity)		Medical Nitrous				Laboratory Compressed
		☐ Tub ☐ Emergence		Oxygen:	Medical Air	r: Vacuum: Oxide:	CO2:	AGSS: Nitr	rogen: Air:	Vacuum: Air:
Plumbing		☐ Ice Maker ☐ Flush Rim								
Remarks:		☐ Water Closet ☐ Floor Dra	n	C D-	velen.		1			
		☐ Instantaneous ☐ Water Bo	ttle Refill Station	Gas Rema	ii KS.					
		Hot Water Other								
		Other								

Appendix 1B Minimum Room Requirements	Program	1. C3.03	7.	13.	19.	25.	31.	37.	43.
	Number(s):	2.	8.	14.	20.	26.	32.	38.	44.
Room Name: Trauma Room		3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
		5.	11.	17.	23.	29.	35.	41.	47.
		6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS					1		1		
WALL AND CEILING WALL PROTECTION			GLAZING	FI	OORING TYPES	ROO	M ACCESSORIES		
Wall Material: ARGB 1.2m AFF, GB above Finish: PT Type: RHIS ✓ Corner Guards	Hand Rails Bed Bu	mper / Locator	✓ Interior GI		Material: Base:	_	Coat Hooks Ceiling L	ift 🗸	Magnetic Whiteboard
Ceiling Material: GB Finish: PT Height: 2185 mm Crash Rails	Chair Rail		_ interior of	iuziiig	VSF FCB		Mirror Infant Cl	hange Table	Privacy Curtain
LEGEND: DOORS			1	1			Door Remarks:		
WALL AND CEILING LEGEND: Types:									Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile			AT MINIZE						Security Grille
ACT-C Cleanroom					777				☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board  GB Gypsum Board  A A2 B B2 C	C2 D D2	E E2 F	F2 G						strategy
IRGB Impact-Resistant Gypsum Board				Cool Man A	e neta				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board  Fype:Qty: Size (mm): Material: Fir	<u> </u>	or & Frame Privacy Protect.: Film:		Card Mag Aut Reader: Lock: Oper	to Hold ner: Open: <sub>Hing</sub>	المدد المدد	sory 1: Accessory 2: A	ccessory 3: Clo	oser:
SACT Security Acoustic Ceiling Tile			Tunction.		· · · · · · · · · · · · · · · · · · ·	ges. Acces	301 y 1. Accessory 2. A	eccssory 5.	3301.
WALL FINISHES LEGEND:									
EWC Epoxy Wall Coating HPC High Performance Coating  MILLWORK AND SPECIALTY CASEWORK									
PT Paint	UPPER UNITS		Storage Requirements	S:				FINISHES	
CEILING FINISHES LEGEND:	U3 114 🗆						Full-height Cab Upper Mill		
ECC Epoxy Ceiling Coating HPC High Performance Coating	U4 U5	U6 U7 [	7				Counte		
PF Prefinished	777	U7 U8					Lower Mills		
								Shelf:	
WALL PROTECTION LEGEND:  From Friended Comit Rigid DVC: Page			S1						
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate							Re	marks:	
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering		1 1							
RHIS Rigid High Impact Sheet			i						
WSSP Wetwall Solid Surface Panel  WVW Wetroom Vinyl Wallcovering		an Property			~ 1				
FLOOR FINISHES LEGEND:		= 7	On the Party of th	/	-				
CFS Concrete Floor Sealer C2 C3 C4 C5 11	=					7	F		
EFC Epoxy Floor Coating			KA	4== /		/ 1			
RAF Rubber Athletic Flooring FULL-HEIGHT CABINETS		L7 L8 L9			1 15	_			
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring			L10 L11	L12			J		
SDRF Static-Dissipative Rubber Sheet Flooring Legend:  SDVF Static-Dissipative Vinyl Sheet Flooring Category 0 - None Min Longth	Motorized				TC1 TC2	U	UC1		
VSF Vinyl Sheet Flooring Category 1 - Low (1% - 4%) Category (mm)	•	ecialty sework	LOWER UNITS	DECEDITION	I/TRANSACTION				
WSVF Wetroom Safety Vinyl Sheet Flooring Category 2 - Med (5% - 9%)					CARE TEAM	UTILITY SINK AN	D COUNTER UNIT		
FLOOR BASE LEGEND: Category 3 - High (10% or Greater)				STATION D	ESK				
FCB Flash Cove Base  RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS									
PLUMBING Hand Seamless Utility / Other Fixture	s: Eyewash	Station	MED / NON-N	MED GASES					. Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:  2 Shower		/Shower Station	(Quantity)		Medical Nitrous Vacuum: Oxide:		4.000	•	aboratory Compressed
	Emergen		Oxyge			CO2:	AGSS: Nitrogen:	All.	Vacuum. Air:
Plumbing Remarks:   Ice Make			10	8	10				
□ Water C			Gas Rer	marks: Provide (1) se	t of medical gas on wall p	per bay (1 set bein	g (1) O2/(1) Medical Air/(1)	Medical Vacuum).	
☐ Instanta Hot Wat		ottle Refill Station	_				O2, (1) Medical Air, (2) Med		
THE WAL	Other		_						

				Number(s):	2.	8.	14.	20.	26.	32.		38.	44.	
Room Name: Vestibule - Ambulance En	trv				3.	9.	15.	21.	27.	33.		39.	45.	
Noom Name.	·· ,				4.	10.	16.	22.	28.	34.		40.	46.	
					5.	11.	17.	23.	29.	35.		41.	47.	
					6.	12.	18.	24.	30.	36.		42.	48.	
ARCHITECTURAL REQUIREMENTS														•
WALL AND CEILING		WALL PROTECTION				GLAZING		FLOORING TYPES		ROOM ACCESS	ORIES			
Wall Material: GB	Finish: PT	Type: ESRP	✓ Corner Guards ☐ Hand Ra	ails 🗌 Bed Bu	mper / Locator	✓ Interior Gla	nzina	Material: Base:			S Ceiling Lift		Magnetic Whi	teboard
Ceiling Material: ACT	Finish: PF	Height: 2185 mm	☐ Crash Rails ☐ Chair Ra	ail		interior dia	121116	VSF FCB		Mirror	☐ Infant Cha		Privacy Curtain	
LEGEND:	DOORS									Door Rema	rks:			
WALL AND CEILING LEGEND:														
AC Architectural Ceiling	Туре				7 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6								☐ Seci	urity Grille
ACT Constitution of the ACT Co													□ Anti	i-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board														tegy
GB Gypsum Board		A A2 B	B2 C C2 D	D2	E E2 F	F2 G	н	J						07
IRGB Impact-Resistant Gypsum Board  KLCT Kitchen Lay-in Ceiling Tile				Integral Doo	r & Frame Privacy	(	Card Mag	Auto Hold						
MMRGB Moisture and Mould-Resistant Gypsum Board		Гуре:Qty: Size (mm):	Material: Finish: Side L		Protect.: Film:		eader: Lock:	0	nges:	Accessory 1: Acces	rcessory 2. Acc	essory 3· I	Closer:	
SACT Security Acoustic Ceiling Tile		J 2 1830 x 2135					<b>✓</b>		,,	7.000000.71. 7.0	7.00		0.000.1	
WALL FINISHES LEGEND:		5 2 2550 X 2255 /												
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND S	PECIALTY CASEWORK									•			
PT Paint	WILLWORK AND 3	FECIALITI CASEWORK	U	PPER UNITS	S	torage Requirements:						FINISHES		
CEILING FINISHES LEGEND:		7	U1								Full-height Cabin			
ECC Epoxy Ceiling Coating	The same of the sa	-VVVI	U2 U3 U4	U5							Upper Millwo			
HPC High Performance Coating PF Prefinished	Sangarana.	1 X-1		J	U6 U7 U8	SHELF					Countert			
PT Paint	· · · · · · · · · · · · · · · · · · ·			T-K	77						Lower Millwo Sh			
WALL PROTECTION LEGEND:	CASPERSON					1 L					Sn	ен:		
ESRP Extruded Semi-Rigid PVCu Panel											Rema	arks:		
FRL Fibre Reinforced Laminate	-		<u> </u>			1								
FRP Fibreglass Reinforced Plastic  PVW Protective Vinyl Wallcovering	******	-			1 1									
RHIS Rigid High Impact Sheet	The same of the sa		THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER, THE OW			i								
WSSP Wetwall Solid Surface Panel	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COL	-	1 11 1	CONTRACTOR OF THE PERSON OF TH	torumpequa-									
WVW Wetroom Vinyl Wallcovering				11		CONTRACTOR DESCRIPTION	1 7	75						
FLOOR FINISHES LEGEND:	C1 (	C2 C3 C4		700			7	-						
CFS Concrete Floor Sealer  EFC Epoxy Floor Coating		□ C4 C5 11	LZ .		- KV		K			/				
PFC Polyurethane Floor Coating			□ L3 L4	L5		ZEE	4		2020	The state of the s				
RAF Rubber Athletic Flooring	FULL-HEIGHT CAI	BINETS			L7 L8 L9			/ 1 1 >						
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring						L10 L11	142							
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:		Motorized				L12	TC1 TC2			. I II			
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None			Standing Spe	ecialty	LOWED LINUTS				UC1	II.			
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1 Category 2 - Med (		gory (mm) Height	Height Cas	sework	LOWER UNITS		TION/TRANSACTION		_				
FLOOR BASE LEGEND:	Category 3 - High (							TER / CARE TEAM	UTILITY SI	NK AND COUNTER	UNIT			
FLOOR BASE LEGEND:  FCB Flash Cove Base	, , ,	,	1				SIATIC	ON DESK						
RB Rubber Base														
SCF Seamless Cushioned Flooring														
MECHANICAL REQUIREMENTS														
PLUMBING Hand	Seamless Utility /		Other Fixtures:	☐ Eyewash	Station	MED / NON-M	ED GASES							I IAIIIA
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink	: Kitchen Sink: Process Sink:	Scrub Sink: Floor Sink:	Shower		/Shower Station	(Quantity)		Medical Nitrou				Laboratory	Laboratory C	Utility Compressed
			☐ Tub	☐ Emerger		Oxygen	n: Medical Ai	<sub>ir:</sub> Vacuum: Oxide	:: co	2: AGSS:	Nitrogen:	Air:	Vacuum:	Air:
Plumbing	•	·	☐ Ice Maker	Flush Rir										
Remarks:				Floor Dra										
			Water Closet			Gas Rem	narks:							
			Instantaneous Hot Water		ottle Refill Station									
			HOL WALE	Other										
														_

Program 1. C2.01

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

				Number(s):	2.	8.	14.	20.	26.	3	32.	38.	44.	
Room Name: Vestibule - Walk-In Entry					3.	9.	15.	21.	27.	3	33.	39.	45.	
Room Name: Vestibule - Walk-III Entry					4.	10.	16.	22.	28.	3	34.	40.	46.	
					5.	11.	17.	23.	29.	3	15.	41.	47.	
					6.	12.	18.	24.	30.	3	16.	42.	48.	
ARCHITECTURAL REQUIREMENTS							1	1		<u>'</u>		1	-	
WALL AND CEILING	V	VALL PROTECTION				GLAZING		FLOORING TYPES		ROOM ACCES	SSORIES			
Wall Material: GB	Finish: PT	Type: PVW	✓ Corner Guards ✓ Hand Ra	ails 🔲 Bed Bu	mper / Locator	✓ Interior Gla	azina	Material: Base:			oks   Ceiling Li	ft 🗆	Magnetic Whit	eboard
Ceiling Material: ACT	Finish: PF	Height: 2185 mm	☐ Crash Rails ☐ Chair Ra		,	■ Interior Gia	azırıg	VSF FCB		Mirror	☐ Infant Ch		Privacy Curtain	
LEGEND:	DOORS	<u> </u>								Door Rer	narks:			
WALL AND CEILING LEGEND:														
AC Architectural Ceiling	Types:				7 F								☐ Secu	ırity Grille
ACT Acoustic Ceiling Tile													│	-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board						4.18/4.88							strat	
GB Gypsum Board		A A2 B	B2 C C2 D	D2	E E2 F	F2 G	н	J						-87
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile				Integral Dog	or & Frame Privacy	,	Card Mag	Auto Hold						
MMRGB Moisture and Mould-Resistant Gypsum Board		Гуре:Qty: Size (mm):	Material: Finish: Side L		Protect.: Film:			0	nges:	Accessory 1:	Accessory 2: Ac	ccessony 3:	Closer:	
SACT Security Acoustic Ceiling Tile		E2 1 1830 x 2135 /				ssroom		<b>✓</b> Butt Hing		Elec. Strike	Accessory 2. Ac	Surfa		
WALL FINISHES LEGEND:		E2 1 1830 x 2135 A				sh/Pull		Butt Hing		Elec. Strike		Surfa		
EWC Epoxy Wall Coating			duminum Premisired		_   i u.	sil/Tuli		▼   ▼   Buttimi	,,,	Liec. Strike		Julie	ce	
HPC High Performance Coating PT Paint	MILLWORK AND SPEC	CIALTY CASEWORK				Storage Requirements	:					FINISHES		
				PPER UNITS							Full-height Cab	inet:		
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	(many	17.7	U1 U2 U3 U4								Upper Millw			
HPC High Performance Coating		-K-K-V-V	17 17	U5	116						Counter	rtop:		
PF Prefinished	7			7	U7 U8	SHELF					Lower Millw			
PT Paint	********				7	-ta -						helf:		
WALL PROTECTION LEGEND:	- angenerate			l .l. K	-	S1								
ESRP Extruded Semi-Rigid PVCu Panel	Ongones II			-11		1					Ren	marks:		
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic		/	-			-								
PVW Protective Vinyl Wallcovering		-	-	_	1 1	1								
RHIS Rigid High Impact Sheet	-		100											
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering	CONTRACTOR	-		Con	an Paragraphic	1								
			T	-	-	ON THE PERSONS ASSESSED.		76						
FLOOR FINISHES LEGEND:	C1 C2	C3 C4 C5 L1					1				2000			
CFS Concrete Floor Sealer  EFC Epoxy Floor Coating			12			1/	K			4	Ames 1			
PFC Polyurethane Floor Coating			L3L4	L5			4			Transaction of the second	-			
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT CABIN	ETS		□ L6	L7 L8 L9			/ - 15						
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring					F8 F8	L10 L11	L12							
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:		Motorized					TC1 TC2		U	_			
SDVF Static-Dissipative Vinyl Sheet Flooring  VSF Vinyl Sheet Flooring	Category 0 - None	40/1	Min. Length Adjustable		ecialty	LOWER UNITS	J			UC1	П			
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - Category 2 - Med (5%		gory (mm) Height	Height Cas	sework	LOWER OILITS		TION/TRANSACTION		_				
FLOOR BASE LEGEND:	Category 3 - High (10%							TER / CARE TEAM ON DESK	UTILITY SI	NK AND COUNT	ER UNIT			
FCB Flash Cove Base							SIAIIC	JN DESK						
RB Rubber Base														
SCF Seamless Cushioned Flooring														
MECHANICAL REQUIREMENTS														
PLUMBING Hand	Seamless Utility /		Other Fixtures:	☐ Eyewash	Station	MED / NON-M	MED GASES							
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink:	Scrub Sink: Floor Sink:	Shower		/Shower Station	(Quantity)		Medical Nitrou	S			Laboratory		Utility
. "			☐ Tub			Oxyger	n: Medical Ai			2: AGSS	: Nitrogen:	Air:	Vacuum:	ompressed Air:
Plumbing				Emerger							1			7
Remarks:			Ice Maker	Flush Rir										
			Water Closet	Floor Dra		Gas Ren	narks:							I
			Instantaneous	☐ Water B	ottle Refill Station		-							İ
			Hot Water	Other										l
				Other										l

Program 1. C1.01

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

pp.		Number(s):	2. C4.02.01	8. 14.	20.	26.	32.	38.	44.
			3. C5.01	9. 15.	21.	27.	33.	39.	45.
Room Name: Waiting Area - Intake				10. 16.	22.	28.	34.	40.	46.
				11. 17.	23.	29.	35.	41.	47.
				12.			36.		48.
			0.	12. 18.	24.	30.	30.	42.	46.
ARCHITECTURAL REQUIREMENTS									
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM A	CCESSORIES		
Wall Material: ARGB 1.2m AFF, GB above	Finish: PT Type: FRL	✓ Corner Guards ☐ Hand Rails ☐ Bed Bur	nper / Locator	✓ Interior Glazing	Material: Base:		Hooks Ceiling Lift	☐ Ma	gnetic Whiteboard
Ceiling Material: ACT	Finish: PF Height: 1350 mm	☐ Crash Rails ✓ Chair Rail	.,	■ Interior Glazing	VSF FCB	☐ Miri			acy Curtain
									,
LEGEND:	DOORS					D00	Remarks:		7
WALL AND CEILING LEGEND:	Types:								Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile									
ACT ACOUSTIC CEILING THE  ACT-C Cleanroom					1 6667				☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board				علقاها لحافا الأهاء					strategy
GB Gypsum Board	A A2 B	B2 C C2 D D2 I	E2 F	F2 G H	J				
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile		Integral Door	& Frame Privacy	Card Mag	g Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	9	otect.: Film:		c: Opener: Open: Hing	oc: Accessory:	l: Accessory 2: Acc	essory 3: Closer	
SACT Security Acoustic Ceiling Tile	Type.Qty. Size (IIIII).	iviateriai. Tillisii. Side Et.		Turicuon.		es. Accessory	1. Accessory 2. Acc		
WALL FINISHES LEGEND:			Push	/Puii	Butt Hinge			Surface	
EWC Epoxy Wall Coating									
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		C+/	orage Requirements:			]	FINISHES	
PT Paint	W-827-0-207-0	UPPER UNITS	310	orage Requirements.					
CEILING FINISHES LEGEND:		U1					Full-height Cabin		
ECC Epoxy Ceiling Coating	11/1/	U2 U3 U4					Upper Millwo	rk:	
HPC High Performance Coating	The state of the s	US	U6 U7				Counterto	p:	
PF Prefinished PT Paint			U8	SHELF			Lower Millwo	rk:	
				לב □			She	elf:	
WALL PROTECTION LEGEND:	20720200			S1					
ESRP Extruded Semi-Rigid PVCu Panel							Rema	ırks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic									
PVW Protective Vinyl Wallcovering		1	1 1	1					
RHIS Rigid High Impact Sheet			1 .	1					
WSSP Wetwall Solid Surface Panel	CO. CO.		an Property						
WVW Wetroom Vinyl Wallcovering			-	On the statement of the	76				
FLOOR FINISHES LEGEND:	C1 C2 C3 C4		-				-D-18160-U		
CFS Concrete Floor Sealer		L2		- = 1/1/4		//	E-2		
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 L4 15		- KKKH	-				
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L0 1						
RSF Rubber Sheet Flooring			L7 L8 L9	L10 L11	7	7/			
SCF Seamless Cushioned Flooring  SDRF Static-Dissipative Rubber Sheet Flooring	Legend:				TC1 TC2	V   "			
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized	nio ltv.			UC1	U		
VSF Vinyl Sheet Flooring	4 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	· ·	cialty ework	LOWER UNITS	CERTION /TRANSPORTED		5.400		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	- · · · · · · · · · · · · · · · · · · ·			CEPTION/TRANSACTION UNTER / CARE TEAM	UTILITY SINK AND CO	INTERLINIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				ATION DESK	OTILITY SHAK AND CO.	JIVIER OIVII		
FCB Flash Cove Base									
RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS									
· · · · · · · · · · · · · · · · · · ·	Seamless Utility /	Other Fixtures:		MED / NON MED CACEC					
	Seamless Utility / C: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	□ Eyewasii		MED / NON-MED GASES	Manadian I Alli			Laborata : L. I	Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink			Shower Station	(Quantity)	Medical Nitrous  al Air Vacuum: Oxide:	600		Laboratory Labor Air: Vac	uum:
		☐ Tub ☐ Emergend	cy Shower	Oxygen: Medica	ar Air: Vacaum. Oxide.	CO2:	AGSS: Nitrogen:	All. VdC	Air:
Plumbing		☐ Ice Maker ☐ Flush Rim	Sink						
Remarks:		☐ Water Closet ☐ Floor Dra					l		
			ttle Refill Station	Gas Remarks:					
		☐ Instantaneous ☐ Water Bo	ננוכ חבוווו אנטנוטוו						
		Other							

Program 1. C3.06.01

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B Minimum Room Requi	rements	Program Number(s):	1. C4.05 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Waiting Area - Pediatric	;		3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				11.	17.	23.	29.	35.	41.	47.
			6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS										
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES		ACCESSORIES		
Wall Material: ARGB 1.2m AFF, GB above Ceiling Material: ACT		✓ Corner Guards ☐ Hand Rails ☐ Bed Bur ☐ Crash Rails ✓ Chair Rail	nper / Locator	✓ Interior Glaz	zing	Material: Base:  VSF FCB		Coat Hooks U Ceiling Li Mirror Infant Ch	_	Magnetic Whiteboard Privacy Curtain
		— Crash Rails   ■ Chair Rail  ■ Chair Rail				[10]		Mirror	iange rabie L	□ Privacy Curtain
LEGEND: WALL AND CEILING LEGEND:	DOORS							DOOL REITIALKS.		
AC Architectural Ceiling	Types:	an a an an a an	7 66 67		722					Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom										☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B	B2 C C2 D D2 I	E E2 F	F2 G						strategy
IRGB Impact-Resistant Gypsum Board	A A2 0		& Frame Privacy		ard Mag	Auto Hold				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	•	rotect.: Film:		0	Auto Hold Opener: Open: <sub>Hing</sub>	es: Accesso	ory 1: Accessory 2: A	ccessory 3:	Closer:
SACT Security Acoustic Ceiling Tile								,,	, ,	
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating										
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK		St	orage Requirements:					FINISHES	
CEILING FINISHES LEGEND:		UPPER UNITS						Full-height Cab	oinet:	
ECC Epoxy Ceiling Coating	7777	U2 U3 U4						Upper Milly		
HPC High Performance Coating PF Prefinished		U5	U6 U7 U8	SHELF				Counte Lower Milly		
PT Paint			77	ta 🗆					Shelf:	
WALL PROTECTION LEGEND:				S1						
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate				1				Rei	marks:	
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering			1 1							
RHIS Rigid High Impact Sheet				i						
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering			-		-					
FLOOR FINISHES LEGEND:	C1 C2 C3		= 2	San Parket	The same of	1				
CFS Concrete Floor Sealer	_ C3 C4 '			==			7/	1		
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 L4 L5 L6		SKA	4	-	-/ =			
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L7 L8 L9		1	1 - 15	-			
SCF Seamless Cushioned Flooring				L10 L11	L12	TC1 TC2				
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized				TC2	Ų	UC1		
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category	•	cialty ework	LOWER UNITS	RECEPT	ION/TRANSACTION				
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)				COUNT	ER / CARE TEAM	UTILITY SINK AND	COUNTER UNIT		
FLOOR BASE LEGEND:  FCB Flash Cove Base	catagory of ringin (1978 or executer)				STATIO	N DESK				
RB Rubber Base  SCF Seamless Cushioned Flooring										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS										
PLUMBING Hand	Seamless Utility /	Other Fixtures:	_	MED / NON-ME	ED GASES					
(Quantity) Hygiene Sink: Lavatory: Kitchen S	ink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Lyewasii.	Station 'Shower Station	(Quantity)	LD GAJLJ	Medical Nitrous			Laboratory	Laboratory Utility Compressed
		☐ Tub ☐ Emergence		Oxygen:	: Medical Air		CO2:	AGSS: Nitrogen:		Vacuum: Air:
Plumbing		☐ Ice Maker ☐ Flush Rim					T			
Remarks:		☐ Water Closet ☐ Floor Drai								
			ttle Refill Station	Gas Rema	arks:					
		Hot Water Other								

Appendix 1B Minimum Room Requirements				1. C3.06.02 2. C4.02.02	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Danie Na	me: Waiting Area - Results Pend	lina		3.	9.	15.	21.	27.	33.	39.	45.
Room Nai	ime: Waiting Area - Results Pend	aing		4.	10.	16.	22.	28.	34.	40.	46.
				5.	11.	17.	23.	29.	35.	41.	47.
				6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL	L REQUIREMENTS										
WALL AND CEILING		WALL PROTECTION			GLAZING		FLOORING TYPES	_	OM ACCESSORIES		
		Finish: PT Type: FRL	Corner Guards Hand Rails Bed Bun	nper / Locator	✓ Interior Glazi	ng	Material: Base:  VSF FCB		Coat Hooks Ceiling		Magnetic Whiteboard
Ceiling Materia	ial: ACT	Finish: PF Height: 1350 mm	☐ Crash Rails ✔ Chair Rail				A2L LCB		☐ Mirror ☐ Infant	Change Table 🔲 F	rivacy Curtain
LEGEND:		DOORS							Door Remarks:		_
WALL AND CEILING		Types:									Security Grille
	tural Ceiling Ceiling Tile										
ACT-C Cleanroon			NALNINA NUNULI								☐ Anti-barricade
ARGB Abuse-Re GB Gypsum E	esistant Gypsum Board Board	A A2 B	B2 C C2 D D2	E2 F	F2 G	Н	J				strategy
	Resistant Gypsum Board		Integral Deer	& Frame Privacy	Ca	rd Mag	Auto Hold				
	Lay-in Ceiling Tile e and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	5	otect.: Film:				linges: Acce	ssory 1: Accessory 2:	Accessory 3: Clo	ser:
SACT Security A	Acoustic Ceiling Tile	17pc.qqy. 512c (11111).	Nucerial: 1 mish: Side Et.		Tunction:			miges. Acce	3301 y 1. Accessory 2.	Accessory 5.	301.
WALL FINISHES LEG	GEND:										
	all Coating formance Coating	ANULYOPY AND SPECIALTY CASEMORY								-	
PT Paint	ormanice counting	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS		Storage Requirements:					FINISHES	
CEILING FINISHES LE	EGEND:		U1 U1						Full-height C		
	eiling Coating	7 177			7				Upper M		
HPC High Performance PF Prefinishe	formance Coating ed			U6 U7 U8	_ B SHELF					tertop:	
PT Paint				77					Lower M	Shelf:	
WALL PROTECTION	I LEGEND:	Carganage			S1					Silen.	
	d Semi-Rigid PVCu Panel				1				F	emarks:	
	inforced Laminate ss Reinforced Plastic									Provide a fixed, mod	ular partition room
PVW Protective	ve Vinyl Wallcovering		Francisco Francisco							divider between recl	
	h Impact Sheet Solid Surface Panel			- 1						control.	
WVW Wetroom	n Vinyl Wallcovering				CONTRACTOR OF THE PERSON	1	7/				
FLOOR FINISHES LEG	GEND:	C1 C2 C3 C4		=	~ ~	-	-				
	e Floor Sealer oor Coating		12			K		7 /	A TOPA		
	hane Floor Coating		L3 L5		Zekk						
	Athletic Flooring Sheet Flooring	FULL-HEIGHT CABINETS	□	L7 L8 L9		1	/ - 17				
	s Cushioned Flooring				L10 L11	L12	TC1 TC2				
	ssipative Rubber Sheet Flooring ssipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized				TC2	- U	UC1		
VSF Vinyl Shee	eet Flooring	Category 1 - Low (1% - 4%) Categ	Min. Length Adjustable Standing Spectory (mm) Height Height Case	cialty work	LOWER UNITS	DECEDI	FION /TRANSACTION				
WSVF Wetroom	n Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	, , , , , , , , , , , , , , , , , , , ,				TION/TRANSACTION TER / CARE TEAM	UTILITY SINK AN	ID COUNTER UNIT		
FLOOR BASE LEGEN		Category 3 - High (10% or Greater)					N DESK				
FCB Flash Cov RB Rubber Ba											
	s Cushioned Flooring										
MECHANICAL RE	EQUIREMENTS										
PLUMBING Han		Seamless Utility /	Other Fixtures: Evewash	Station	MED / NON-ME	D GASES					
(Quantity) Hygiene	e Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Shower Station	(Quantity)		Medical Nitro			Laboratory La	Utility boratory Compressed
			☐ Tub ☐ Emergence		Oxygen:	Medical Ai	r: Vacuum: Oxid	e: CO2:	AGSS: Nitroge	n: Air: \	acuum: Air:
Plumbing			☐ Ice Maker ☐ Flush Rim		1	1	1				
Remarks:			☐ Water Closet ☐ Floor Drai			. [- :	1 1		<u> </u>		
			_	ttle Refill Station	Gas Rema		ne set of (1) O2/(1) Medica - Provide (3) sets	aı Air/(1) Medical Va	cuum for each recliner cha	air to Patient's right.	
			Hot Water		7		- Provide (4) sets				
			Other		_						

- <b>P P O</b> · · · · · · · · ·				Number(s): 2.	8.	14.	20.	26.	32.	38.	44.
_	Washington Deticat F	Na antamination		3.	9.	15.	21.	27.	33.	39.	45.
R	oom Name: Washroom - Patient - D	Decontamination		4.	10.	16.	22.	28.	34.	40.	46.
				5.	11.	17.	23.	29.	35.	41.	47.
				6.	12.	18.	24.	30.	36.	42.	48.
A D C HITE C	TURAL REQUIREMENTS										
		l				T					
WALL AND		WALL PROTECTI		🗆	GLAZING		LOORING TYPES  Material: Base:		ACCESSORIES		
	MMRGB	Finish: EWC Type: FRP			☐ Interior Glaz	ring	WSVF FCB		oat Hooks U Ceiling Lift Iirror Infant Cha		Magnetic Whiteboard Privacy Curtain
Cening	Material: MMRGB	Finish: ECC Height: 135	mm Crash Rails Chair R	dII						inge rable $\Box$	Privacy Curtain
LEGEND:		DOORS						Do	oor Remarks:		
	CEILING LEGEND:	Types:									Security Grille
AC ACT	Architectural Ceiling Acoustic Ceiling Tile										
ACT-C	Cleanroom	NANZ.	al Nama al Maria				MZZ				✓ Anti-barricade
ARGB GB	Abuse-Resistant Gypsum Board Gypsum Board	A A2	B B2 C C2 D	D2 E E2	F F2 G	H					strategy
IRGB	Impact-Resistant Gypsum Board	A AZ	5 52 C C2 5				,				
KLCT MMRGB	Kitchen Lay-in Ceiling Tile  Moisture and Mould-Resistant Gypsum Board			Integral Door & Frame Privacy	_	ard Mag Aut					
SACT	Security Acoustic Ceiling Tile	Гуре:Qty: Size			Turiction.	ader: Lock: Ope	· imge		·		oser:
WALL EINIS	HES LEGEND:	A 1 106.	5 x 2135 Solid Core FRL	1 Low	Privacy		Cont. Double	-Acting Safety Sto	pp	Surface	2
EWC	Epoxy Wall Coating										
HPC	High Performance Coating	MILLWORK AND SPECIALTY CASEWO	DRK		Storage Requirements:					FINISHES	
PT	Paint			PPER UNITS	Storage Requirements.				Full-height Cabir		
	ISHES LEGEND:	4 7	U1 U2 U3						Upper Millwo		
ECC HPC	Epoxy Ceiling Coating High Performance Coating		U4	U5 116 🗀					Countert		
PF	Prefinished	7			U8 SHELF				Lower Millwo	-	
PT	Paint	The same of the sa		77						elf: Solid Surfacin	σ
WALL PROT	ECTION LEGEND:				S1						
ESRP	Extruded Semi-Rigid PVCu Panel	II							Rem	arks:	
FRL FRP	Fibre Reinforced Laminate Fibreglass Reinforced Plastic										
PVW	Protective Vinyl Wallcovering		100	6							
RHIS WSSP	Rigid High Impact Sheet Wetwall Solid Surface Panel										
WVW	Wetroom Vinyl Wallcovering		-		Service and Servic	1					
FLOOR FINIS	SHES LEGEND:	C1 C2 C3			00 100	-	Consessant				
CFS	Concrete Floor Sealer		C5 L1 12					7/	Property		
EFC	Epoxy Floor Coating				L - 1944	1==	Constant of the last of the la	/ 1			
PFC RAF	Polyurethane Floor Coating Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L5 L6 L7 L8 L9		1					
RSF	Rubber Sheet Flooring				L10 L11	1		1/			
SCF SDRF	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:	AA. La dinad			L12 W	TC1 TC2	V   "			
SDVF	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized Min. Length Adjustable	Standing Specialty				<u>uc</u>	C1 U		
VSF WSVF	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%)	Category (mm) Height	Height Casework	LOWER UNITS	RECEPTION	N/TRANSACTION	L			
	· · ·	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	2 600					TILITY SINK AND CO	OUNTER UNIT		
FLOOR BASE		Category 3 - High (10% of dreater)				STATION D	DESK				
FCB RB	Flash Cove Base Rubber Base										
SCF	Seamless Cushioned Flooring										
MECHANIC	CAL REQUIREMENTS										
PLUMBING		Seamless Utility /	Other Fixtures:	- Francisch Station	MED / NON-ME	D GASES					
(Quantity)	Hygiene Sink: Lavatory: Kitchen S	ink: Kitchen Sink: Process Sink: Scrub Sink: Flo	or Sink: Shower	Evewash Station	(Quantity)	0,1010	Medical Nitrous			Laboratory L	Utility aboratory Compressed
(	1		Shower Tub	Eyewash/Shower Station	Oxygen:	Medical Air:	Vacuum: Oxide:	CO2:	AGSS: Nitrogen:		Vacuum: Compressed Air:
Plumbing				Emergency Shower							7311.
Remarks:			lce Maker	Flush Rim Sink							
			<b>✓</b> Water Closet	Floor Drain	Gas Rema	arks:					
			Instantaneous	Water Bottle Refill Station							
			Hot Water	Other							

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 



## New Surrey Hospital & BC Cancer Centre

MINIMUM ROOM REQUIREMENTS

## D. Perioperative

Appendix 1	B Minimum Room Requir	ements	Program Number(s)			13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Roor	m Name: Alcove - Clean Cart Stagi	ing		3.		15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
						17.	23.	29.	35.	41.	47.
				6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTU	IRAL REQUIREMENTS										
WALL AND CEI		WALL PROTECTION			GLAZING		OORING TYPES		ACCESSORIES		
	laterial: ARGB 1.2m AFF, GB above laterial: ACT		✓ Corner Guards ☐ Hand Rails ☐ Bed B ✓ Crash Rails ☐ Chair Rail	umper / Locator	☐ Interior Glazin	ng	Material: Base:  VSF FCB	_	oat Hooks Ceiling Lif irror Infant Ch		lagnetic Whiteboard rivacy Curtain
LEGEND:	interior.	DOORS	_ crasi rais						or Remarks:		Trucy curtum
WALL AND CEI	LING LEGEND:	Types:									
	chitectural Ceiling coustic Ceiling Tile	Турез.									Security Grille
ACT-C Cle	eanroom						3/4/2				Anti-barricade
GB Gy	ouse-Resistant Gypsum Board /psum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	Н	J				strategy
	pact-Resistant Gypsum Board tchen Lay-in Ceiling Tile		Integral Do	or & Frame Privacy	Card	d Mag Aut	to Hold				
	oisture and Mould-Resistant Gypsum Board curity Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds:	Protect.: Film:	Function: Read	der: Lock: Oper	ner: Open: Hinge	es: Accessory	y 1: Accessory 2: Ac	ccessory 3: Close	er:
WALL FINISHES	-										
EWC Ep	oxy Wall Coating										
HPC Hig PT Pa	gh Performance Coating int	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	St	orage Requirements:					FINISHES	
CEILING FINISH	HES LEGEND:		1 U2 U2						Full-height Cabi		
	oxy Ceiling Coating gh Performance Coating	Z X X X	U2 U3 U4 U5	U6 U7					Upper Millw Counter		
PF Pre	efinished int		7 7 2	U7 U8	SHELF				Lower Millw		
WALL PROTECT		203722222			¬ □				SI	helf:	
	truded Semi-Rigid PVCu Panel				31				Ren	narks:	
	ore Reinforced Laminate preglass Reinforced Plastic										
	otective Vinyl Wallcovering gid High Impact Sheet	-	E		i						
WSSP We	etwall Solid Surface Panel	- 1									
FLOOR FINISHE	etroom Vinyl Wallcovering	ci ci		1-17	on an article and and	1	-				
	oncrete Floor Sealer	C2 C3 C4	12		==			7/	F		
	oxy Floor Coating Dyurethane Floor Coating		L2 L3 L4 L5		RM	==		<b>-/</b>   fit			
	ubber Athletic Flooring ubber Sheet Flooring	FULL-HEIGHT CABINETS		L7 L8 L9	110		- 1>	4 / 11 11			
SCF Sea	amless Cushioned Flooring atic-Dissipative Rubber Sheet Flooring	Legend:				L12	TC1 TC2				
SDVF Sta	atic-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized Min. Length Adjustable Standing Sp	pecialty				υ <u>υ</u>	1		
	nyl Sheet Flooring etroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)		asework	LOWER UNITS		/TRANSACTION				
FLOOR BASE LE	EGEND:	Category 3 - High (10% or Greater)				STATION DI		JTILITY SINK AND CO	JUNIER UNII		
	ash Cove Base ubber Base										
	amless Cushioned Flooring										
<u>MECHANICA</u>	L REQUIREMENTS										
	Hand giene Sink: Lavatory: Kitchen Sin	Seamless Utility / k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures: Evewas		MED / NON-MED (Quantity)	D GASES	Medical Nitrous			Laboratory Lab	Utility poratory Compressed
(Quantity)	,			h/Shower Station ency Shower	Oxygen:	Medical Air:	Vacuum: Oxide:	CO2:	AGSS: Nitrogen:		acuum: Compressed Air:
Plumbing	<u> </u>	, , ,	☐ Ice Maker ☐ Flush Ri								
Remarks:			☐ Water Closet ☐ Floor D			4 -			1		
			☐ Instantaneous ☐ Water I	Bottle Refill Station	Gas Remark	KS:					
			Hot Water Other								
1					1	1					I

Appendix 1B Minimum Room Req	uirements	Program Number(s):	1. D4.01.01 2.		13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Alcove - Receiving -S	oiled		3.		15.	21.	27.	33.	39.	45.
Noon Name.	0100		4.		16.	22.	28.	34.	40.	46.
			5. 6.		17. 18.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.
ARCHITECTURAL REQUIREMENTS		L								
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES	POOM	ACCESSORIES		
Wall Material: ARGB 1.2m AFF, GB above	Finish: EWC Type: PVW Cor	ner Guards 🔲 Hand Rails 🔲 Bed Bur	mper / Locator	Interior Glazin		Material: Base:	_	Coat Hooks 🔲 Ceiling Lif		Magnetic Whiteboard
Ceiling Material: GB	Finish: ECC Height: 2185 mm Cra	sh Rails Chair Rail				WSVF FCB			ange Table	Privacy Curtain
LEGEND:	DOORS						D	oor Remarks:		
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:									Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile		44 1405 VI VIN R								
ACT-C Cleanroom	NAMANA	ILINIA NUNDE								Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B2	C C2 D D2 I	E E2 F	F2 G	H					strategy
IRGB Impact-Resistant Gypsum Board	A A2 0 02		· ·	72 G		,				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board			& Frame Privacy	Card		Auto Hold				
SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): Materia	ıl: Finish: Side Lt: Blinds: Pr	rotect.: Film:	Function: Read	ler: Lock: Op	pener: Open: Hin	ges: Accesso	ry 1: Accessory 2: Ac	ccessory 3: Clo	oser:
WALL FINISHES LEGEND:										
EWC Epoxy Wall Coating										
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		St.	orage Requirements:					FINISHES	
PT Paint		UPPER UNITS	30	orage nequirements.				Full baiabt Cabi		
CEILING FINISHES LEGEND:	U1	U2 U3 U4						Full-height Cabi Upper Millw		
ECC Epoxy Ceiling Coating HPC High Performance Coating		U4	U6 U7					Counter		
PF Prefinished		77	U7 U8	SHELF				Lower Millw		
PT Paint		- T	77	-t-a					helf:	
WALL PROTECTION LEGEND:	Cargonard			1 51 I				31	ieii.	
ESRP Extruded Semi-Rigid PVCu Panel								Rem	narks:	
FRL Fibre Reinforced Laminate				1						
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering	7		1 1							
RHIS Rigid High Impact Sheet				i						
WSSP Wetwall Solid Surface Panel		1	Company of the last of the las							
WVW Wetroom Vinyl Wallcovering			-	CO DESCRIPTIONS	1	7 6				
FLOOR FINISHES LEGEND:	C1 C2 C3 C4	-	-	_	7					
CFS Concrete Floor Sealer EFC Epoxy Floor Coating		-	-KN		<u></u>		/ /	K-1		
PFC Polyurethane Floor Coating		L3 L4 L5		Zekk		-				
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9			/ L   \-				
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring				L10 L11	L12					
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized				TC1 TC2				
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring			cialty	LOWER UNITS			Ū	JC1 U		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category Category 2 - Med (5% - 9%)	(mm) Height Height Case	ework	LOWER OILIS		ON/TRANSACTION	L			
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				COUNTE	R / CARE TEAM	UTILITY SINK AND O	COUNTER UNIT		
FCB Flash Cove Base					STATION	DESK				
RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS										
PLUMBING Hand	Seamless Utility / Ot	her Fixtures:	Station	MED / NON-MED	GASES					
(Quantity) Hygiene Sink: Lavatory: Kitchen	Sink: Vitaban Sink: Dragges Sink: Scrub Sink: Floor Sink:	LyCwasii		(Quantity)		Medical Nitrous			Laboratory La	Utility aboratory Compressed
			Shower Station	Oxygen:	Medical Air:	Vacuum: Oxide:	CO2:	AGSS: Nitrogen:		Vacuum: Compressed  Varie
Diumhina		Tub Emergence		OA/Bell.				THE OBEIN	$\top$	All.
Plumbing Remarks:		Ice Maker Flush Rim								
		Water Closet Floor Drai		Gas Remark	ks:					
			ttle Refill Station	230						
		Hot Water Other								
		Other								

				Number(s):	2. D3.05	8.	14.	20.	26.	32.		38.	44.	
Room Name: Alcove - Stretcher Storage					3.	9.	15.	21.	27.	33.		39.	45.	
Room Name. Alcove - Stretcher Storage					4.	10.	16.	22.	28.	34.		40.	46.	
					5.	11.	17.	23.	29.	35.		41.	47.	
					6.	12.	18.	24.	30.	36.		42.	48.	
ARCHITECTURAL REQUIREMENTS				<u>'</u>	,	,		1	1	1			1	
WALL AND CEILING		WALL PROTECTION				GLAZING		FLOORING TYPES		ROOM ACCESS	ORIES			
	nish: PT	Type: PVW	✓ Corner Guards ☐ Hand Ra	ails 🔲 Bed Bu	mper / Locator	☐ Interior Glaz	ring.	Material: Base:			s   Ceiling Lift		Magnetic Whi	iteboard
	nish: PF	Height: 1600 mm	✓ Crash Rails ☐ Chair Ra			Interior Glaz	iiig	VSF FCB		Mirror	☐ Infant Cha		Privacy Curtain	
LECEND.	DOORS	<u> </u>								Door Rema				-
LEGEND: WALL AND CEILING LEGEND:														
AC Architectural Ceiling	Types				a aa a		734						☐ Seci	urity Grille
ACT Acoustic Ceiling Tile														i-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board		$\Delta \Delta $						NM44						ii-barricade ategy
GB Gypsum Board		A A2 B	B2 C C2 D	D2	E E2 F	F2 G	н	J					56.4	61
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile				Integral Doo	r & Frame Privacy	Ca	ard Mag	Auto Hold						
MMRGB Moisture and Mould-Resistant Gypsum Board		Гуре:Qty: Size (mm):	Material: Finish: Side Lt		rotect.: Film:		ader: Lock: (	0	nges:	Accessory 1: Acces	cossony 2: Acc	eccon/3·	Closer:	
SACT Security Acoustic Ceiling Tile		Type.Qty. Size (IIIII).	iviateriai. Filiisii. Side Li			Tulletion.			ilges.	Accessory 1. At	ccessory 2. Acc	essory 3.	Closer.	
WALL FINISHES LEGEND:														
EWC Epoxy Wall Coating HPC High Performance Coating PT Paint	MILLWORK AND SP	ECIALTY CASEWORK			S	torage Requirements:						FINISHES		
				PPER UNITS							Full-height Cabir	et:		
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	formal /	17.7	U1 U2 U3 U4								Upper Millwo			
HPC High Performance Coating		TYXX	7	U5	U6 U7						Countert	op:		
PF Prefinished PT Paint				7	U8	SHELF					Lower Millwo	ork:		
TT Tunk											Sh	elf:		
WALL PROTECTION LEGEND:	THE PERSON NAMED IN			III II		S1								
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate	Serger ser					15					Rem	arks:		
FRP Fibreglass Reinforced Plastic	*******			1										
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	Vargania and American	100	A CHARLES CONTRACTOR OF THE PARTY OF THE PAR	france of		1								
WSSP Wetwall Solid Surface Panel				1212 12 12 12 12 12 12 12 12 12 12 12 12	-									
WVW Wetroom Vinyl Wallcovering				11 -	-	CONTRACTOR DESCRIPTION	1	7/						
FLOOR FINISHES LEGEND:	<u>C1</u>	C3 C4				~ -	7	Consessant						
CFS Concrete Floor Sealer		C4 C5 11	L2				$\mathbf{Z}$		7		-			
EFC Epoxy Floor Coating  PFC Polyurethane Floor Coating			☐ L3 L4	L5		- SKK	4	Francis		The state of the s				
RAF Rubber Athletic Flooring	FULL-HEIGHT CABI	INETS			L7 L8 L9		1	1 15						
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring					L7 L8 L9	L10 L11	142		1/					
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:		Motorized				L12 M	TC1 TC2			- II II			
SDVF Static-Dissipative Vinyl Sheet Flooring  VSF Vinyl Sheet Flooring	Category 0 - None		Min. Length Adjustable		ecialty	LOWER UNITS				UC1	Ш			
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (19 Category 2 - Med (5		gory (mm) Height	Height Cas	ework	LOWER OWITS		TION/TRANSACTION		_				
FLOOR BASE LEGEND:	Category 3 - High (1							ER / CARE TEAM IN DESK	UTILITY SII	NK AND COUNTER	UNIT			
FCB Flash Cove Base				•			JIAIIO	N DESK						
RB Rubber Base														
SCF Seamless Cushioned Flooring														
MECHANICAL REQUIREMENTS														
	eamless Utility /		Other Fixtures:	☐ Eyewash	Station	MED / NON-ME	ED GASES							Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Kit	cnen Sink: Process Sink:	Scrub Sink: Floor Sink:	Shower		/Shower Station	(Quantity)		Medical Nitrou					Laboratory C	Compressed
			☐ Tub	☐ Emergen	cy Shower	Oxygen:	Medical Air	r: Vacuum: Oxide	: со	2: AGSS:	Nitrogen:	Air:	Vacuum:	Air:
Plumbing			☐ Ice Maker	☐ Flush Rin										
Remarks:			☐ Water Closet	☐ Floor Dra				1	1	I	1			
			Instantaneous		ottle Refill Station	Gas Rema	arks:							
			Hot Water											
				Other										

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B Minimum Room Requiren	nents		Program Number(s):	1. D2.13 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Anesthesia Block Room				3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				5.	11.	17.	23.	29.	35.	41.	47.
				6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS				1	1					1	
WALL AND CEILING	WALL PROTECTION				GLAZING		FLOORING TYPES		CCESSORIES	_	
		✓ Corner Guards ☐ Hand Rails ✓ Crash Rails ☐ Chair Rail	☐ Bed Bur	nper / Locator	☐ Interior Glaz	ring	Material: Base:  VSF FCB	Coa ☐ Mir	t Hooks U Ceiling or Infant (		Magnetic Whiteboard Privacy Curtain
LEGEND:	DOORS							Doo	Remarks:		
WALL AND CEILING LEGEND:	Types:										Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile				7 PO 1							Security Grille
ACT-C Cleanroom		77 KI KIZI NI.	NIA F	5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6		for the last					☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B	B2 C C2 D	D2 I	E2 F	F2 G	H					strategy
IRGB Impact-Resistant Gypsum Board	A 02										
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):		•	& Frame Privacy rotect.: Film:			Auto Hold Opener: Open: <sub>Hing</sub>	os: Accossory	1: Accessory 2:	Accessory 3:	Closer:
SACT Security Acoustic Ceiling Tile	H 1 1340 X 2135 A	Waterial. Tillisti. Side Et.			Function:		D D HINE	es: Accessory	1: Accessory 2:	Accessory 3:	closer:
WALL FINISHES LEGEND:	11 13 10 X2133 /	Tremsiled				7 1 1					
EWC Epoxy Wall Coating HPC High Performance Coating	ANULYMORY AND SPECIALTY CASSIMORY							<u>'</u>	1	1	
PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPE	R UNITS	9	torage Requirements:					FINISHES	
CEILING FINISHES LEGEND:		U1							Full-height Ca		
ECC Epoxy Ceiling Coating HPC High Performance Coating	7	U2 U3 U4	U5	U6					Upper Mil		
PF Prefinished				U6 U7 U8	SHELF				Count Lower Mil		
PT Paint				77	72 🗆					Shelf:	
WALL PROTECTION LEGEND:	-		1 K		S1					L	
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate			111		1				Re	emarks:	
FRP Fibreglass Reinforced Plastic	- ' ' ' /										
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	100	For the second second	- Vertices		i						
WSSP Wetwall Solid Surface Panel			20222	1							
WVW Wetroom Vinyl Wallcovering		"		- 7	CO CONTRACTOR OF THE PERSON	1	7/				
FLOOR FINISHES LEGEND:	C1 C2 C3 C4					7	-		-2-7-7-7		
CFS Concrete Floor Sealer EFC Epoxy Floor Coating		12	-			K		1 4	Karred &		
PFC Polyurethane Floor Coating			.5 L6					7			
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT CABINETS			L7 L8 L9	L10 111			-1 /			
SCF Seamless Cushioned Flooring	I are and a					L12	TC1 TC2				
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized Min. Length Adjustable Sta	nding Spe	cialty				UC1	u   -		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categ			ework	LOWER UNITS	RECEPT	ION/TRANSACTION				
FLOOR BASE LEGEND:	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)						ER / CARE TEAM	UTILITY SINK AND CO	JNTER UNIT		
FCB Flash Cove Base						SIAIIU	IN DESK				
RB Rubber Base											
SCF Seamless Cushioned Flooring											
MECHANICAL REQUIREMENTS											
·	Convolute Library /	Other Fishers			14FD / 11011	D 04050					
PLUMBING Hand (Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Seamless Utility / Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Evewash:		MED / NON-ME (Quantity)	U GASES	Medical Nitrous			Laboratory	Utility Laboratory Compressed
(Quantity)				Shower Station	(Quantity) Oxygen:	Medical Air		CO2:	AGSS: Nitrogen	A * .	Vacuum: Compressed Air:
Plumbing		_	Emergen		4	2	2		.cos.		AII:
Plumbing Remarks:			Flush Rim								
			Floor Dra		Gas Rema	arks: Provide (2	2) O2, (1) Medical Air, (1) Med	lical Vacuum on each s	de of bed.		
		Instantaneous Hot Water		ttle Refill Station							
			Other								
					1						

- фронин =				Number(s):	2. D2.03	8.	14.	20.	26.		32.	38.	44.	,
Room Name: Anteroom - Isolation OR					3.	9.	15.	21.	27.		33.	39.	45.	
Room Name. Anteroom - Isolation OK					4.	10.	16.	22.	28.		34.	40.	46.	
			<u>.</u>		5.	11.	17.	23.	29.		35.	41.	47.	
					6.	12.	18.	24.	30.		36.	42.	48.	
ARCHITECTURAL REQUIREMENTS						1		1	1	1			-	
WALL AND CEILING		WALL PROTECTION				GLAZING		FLOORING TYPES		ROOM ACCE	SSORIES			•
Wall Material: ARGB 1.2m AFF, GB above	Finish: HPC	Type: ESRP	✓ Corner Guards ☐ Hand Ra	ails 🗌 Bed Bu	mper / Locator	☐ Interior Glaz	zina	Material: Base:			ooks $\square$ Ceiling	Lift	☐ Magnetic \	Whiteboard
Ceiling Material: GB	Finish: HPC	Height: 2185 mm	✓ Crash Rails ☐ Chair Ra	ail		Interior Glaz	LIIIS	VSF FCB		☐ Mirror	☐ Infant (	Change Table	Privacy Cu	rtain
LEGEND:	DOORS							1		Door Re	marks:			
WALL AND CEILING LEGEND:												inical Specification	ns and	
AC Architectural Ceiling	Турея		alal (al (ala) la				733					ments], section 2	4 for       :	Security Grille
ACT Acoustic Ceiling Tile											om information.	vith full door wrap	around .	Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board		$\Delta \Delta \Delta \Delta \Delta$				4.384.88	NAN				and latch side.	ntii iuii uooi wiup		strategy
GB Gypsum Board		A A2 B	B2 C C2 D	D2	E E2 F	F2 G	н	J		Provide	D2.02 with (2) H			7,770
IRGB Impact-Resistant Gypsum Board  KLCT Kitchen Lay-in Ceiling Tile				Integral Doo	r & Frame Privacy	C	ard Mag	Auto Hold		Provide	D2.03 with (2) C o	doors.		
MMRGB Moisture and Mould-Resistant Gypsum Board		Γγρε:Qty: Size (mm):	Material: Finish: Side Lt		Protect.: Film:			0	nges:	Accessory 1:	Accessory 2:	Vccessour 3.	Closer:	
SACT Security Acoustic Ceiling Tile		C 2 1220 x 2135		L. 2 Hi		ssage		Butt Hing		Accessory 1.	Accessory 2.		rface	
WALL FINISHES LEGEND:		H 2 1340 X 2135						✓ Buttimig		Elec. Strike		30	itace	
EWC Epoxy Wall Coating			Tremisine			L		•   _		Lice. Strike				
HPC High Performance Coating PT Paint	MILLWORK AND SP	PECIALTY CASEWORK		DED LINUTE	9	Storage Requirements:						FINISHES		
CEILING FINISHES LEGEND:				PPER UNITS							Full-height Ca	abinet:		
ECC Epoxy Ceiling Coating	frame V	17.7	U2 U3 U4								Upper Mil	llwork:		
HPC High Performance Coating	4	TYV	- V - V - V - V - V - V - V - V - V - V	U5	U6 U7						Count	tertop:		
PF Prefinished	-			7	U7 U8	SHELF					Lower Mil	llwork:		
PT Paint	-				7	72						Shelf:		
WALL PROTECTION LEGEND:	Congramma			l de Fr	-	S1								
ESRP Extruded Semi-Rigid PVCu Panel	Sugarana			- II		V					Re	emarks:		
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic	-													
PVW Protective Vinyl Wallcovering		-	- I	-	i i									
RHIS Rigid High Impact Sheet	-		1		1 1									
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering	CONTRACTOR		1 11 11 1	69	an Party and Persons		-							
FLOOR FINISHES LEGEND:	C1 C		<del></del>	" =	= 7	ON AN ASSESSED		1 -						
CFS Concrete Floor Sealer		¬ C3 C4 c-	-	-	- 1				7	/-				
EFC Epoxy Floor Coating			12 10 100			144	1	4		Grand	1			
PFC Polyurethane Floor Coating	FULL-HEIGHT CAB			L5 16	17		1 -							
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	TOLE-HEIGHT CAD	INCIS		□ L6	L7 L8 L9	L10 L11			$\dashv$ $/$					
SCF Seamless Cushioned Flooring							L12	TC1 TC2		l u				
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None		Motorized	Ci d'				TC2	2817.5	UC1				
VSF Vinyl Sheet Flooring	Category 1 - Low (19	% - <b>4%)</b> Cate	.,	-	ecialty sework	LOWER UNITS	8-4	TION /TD AND A OTION			200-2			
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5	% - 9%)	, initial initia initial initial initial initial initial initial initial initi					TION/TRANSACTION TER / CARE TEAM	UTILITY SI	NK AND COUNT	ER UNIT			
FLOOR BASE LEGEND:	Category 3 - High (1	0% or Greater)						ON DESK						
FCB Flash Cove Base														
RB Rubber Base SCF Seamless Cushioned Flooring														
· ·														
MECHANICAL REQUIREMENTS														
						T								-
PLUMBING Hand (Ouantity) Hygiene Sink: Lavatory: Kitchen Sink:	Seamless Utility / Kitchen Sink: Process Sink:	Scrub Sink: Floor Sink:	Other Fixtures:	Eyewash		MED / NON-ME	ED GASES							Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	KILCHEH JIHK. FIUCESS JIHK.	SCI GO SIIIK. I TOOL SIIIK.	Shower	L Eyewash	/Shower Station	(Quantity)		Medical Nitrou ir: Vacuum: Oxide				Laboratory Air:	Laboratory Vacuum:	Compressed
			☐ Tub	☐ Emerger	ncy Shower	Oxygen:	: Medical Ai	ir: vacuum. Oxide	: со	2: AGS	S: Nitroger	n: All.	vacuuiii.	Air:
Plumbing			☐ Ice Maker	Flush Rin	n Sink									
Remarks:			☐ Water Closet	☐ Floor Dra	ain			1		I	I	1		
			Instantaneous	_	ottle Refill Station	Gas Rema	arks:							
			Hot Water											
				Other										
						1								<u> </u>

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

			Number(s): 2.	8. 14.	20. 26.	32. 38.	44.
Ro	oom Name: Automatic Endoscope Re	processor (AER)	3.	9. 15.	21. 27.	33. 39. 34. 40.	45.
			5.	10. 16. 17.	22. 28. 23. 29.	34. 40. 35. 41.	46. 47.
			6.	12. 18.	24. 30.	36. 42.	48.
ARCHITECT	TURAL REQUIREMENTS		L				
WALL AND C	•	WALL PROTECTION		GLAZING	FLOORING TYPES	ROOM ACCESSORIES	
	Material: ARGB 1.2m AFF, GB above		☐ Hand Rails ☐ Bed Bumper / Locator		Material: Base:	Coat Hooks Ceiling Lift	✓ Magnetic Whiteboard
	Material: ACT		Chair Rail	☐ Interior Glazing	WSVF FCB	☐ Mirror ☐ Infant Change Table	
LEGEND:		DOORS				Door Remarks:	
WALL AND	CEILING LEGEND:	Types:					Security Grille
ACT	Architectural Ceiling		N 1919 1919 1919 1919 1919				Security drine
ACT ACT-C	Acoustic Ceiling Tile Cleanroom						☐ Anti-barricade
ARGB	Abuse-Resistant Gypsum Board						strategy
GB IRGB	Gypsum Board Impact-Resistant Gypsum Board	A A2 B B2 C C	2 D D2 E E2 F	F2 G H	J		
KLCT	Kitchen Lay-in Ceiling Tile		Integral Door & Frame Privacy	Card Mag	Auto Hold		
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Type:Qty: Size (mm): Material: Finis	n: Side Lt: Blinds: Protect.: Film:	Function: Reader: Lock:	Opener: Open: Hinges:	Accessory 1: Accessory 2: Accessory 3:	Closer:
WALL FINISH	HES LEGEND:						
EWC	Epoxy Wall Coating						
HPC PT	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Storage Requirements:		FINIS	HES
	Paint		UPPER UNITS	-		Full-height Cabinet:	
ECC ECC	ISHES LEGEND: Epoxy Ceiling Coating	/	U3 U4			Upper Millwork:	
HPC	High Performance Coating		U5 U6 U7			Countertop:	
PF PT	Prefinished Paint		U8	SHELF		Lower Millwork:	
						Shelf:	
ESRP	ECTION LEGEND:  Extruded Semi-Rigid PVCu Panel			S1		Demonto	
FRL	Fibre Reinforced Laminate					Remarks:	
FRP PVW	Fibreglass Reinforced Plastic Protective Vinyl Wallcovering						pendix 1H [Equipment and for requirements
RHIS	Rigid High Impact Sheet		The state of the s			Turniture	bi requirements
WSSP WVW	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering		50 50 7	1			
		C1 C2	1 = -	on the statement of the	7		
CFS CFS	SHES LEGEND: Concrete Floor Sealer	C3 C4					
EFC	Epoxy Floor Coating			W	-		
	Polyurethane Floor Coating Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L4 L5 L6 L7 L8 L9				
RSF	Rubber Sheet Flooring			L10 L11			
SCF SDRF	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:		L12	TC1 TC2	"	
SDVF	Static-Dissipative Vinyl Sheet Flooring	Colores O Nove	Notorized djustable Standing Specialty			UC1 U	
VSF WSVF	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm)	Height Height Casework	LOWER UNITS RECE	PTION/TRANSACTION		
FLOOR BASE		Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)				NK AND COUNTER UNIT	
FCB	Flash Cove Base			SIAII	ION DESK		
	Rubber Base						
SCF	Seamless Cushioned Flooring						
MECHANIC	CAL REQUIREMENTS						
PLUMBING	Hand	Seamless Utility / Other Fixtures:	Eyewash Station	MED / NON-MED GASES			Utility
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sink	K: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:  Shower	Eyewash/Shower Station	(Quantity)	Medical Nitrous	Laborat	tory Laboratory Compressed
		Tub	Emergency Shower	Oxygen: Medical A	Air: Vacuum: Oxide: CO	2: AGSS: Nitrogen: Air:	All.
Plumbing		☐ Ice Maker	Flush Rim Sink				3
Remarks:		☐ Water Clo		Gas Remarks: Drovida	(1) utility compressed air per device.		
		☐ Instantane		Gas hemaiks. Flovide	. (2) dunity compressed an per device.		
		Hot Water	Other	]			
				<b>-</b>			

Program 1. D4.01.07

13.

19.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

25.

Appendix 1	B Minimum Room Require	ements		ımber(s): 2.	D3.04	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.		37. 38.	43. 44.	
Roon	n Name: Clean Supply Core			3. 4.		9. 10.	15. 16.	21. 22.	27. 28.	33. 34.		39. 40.	45. 46.	
				5.		11.	17.	23.	29.	35.		41.	47.	
ADCUITECTU	DAL DEGLUDENAENTS			6.		12.	18.	24.	30.	36.		42.	48.	
	RAL REQUIREMENTS													
WALL AND CEIL	LING aterial: ARGB 1.2m AFF, GB above	Finish: EWC Type: PVW	Corner Guards Hand Rails	Pod Pumpor /	Locator	GLAZING		FLOORING TYPES Material: Bas	_	OM ACCESSOF  Coat Hooks	RIES  Ceiling Lift		Magnetic W	/hitchcord
	aterial: GB		Crash Rails Chair Rail	□ beu builipei /	Locatoi	☐ Interior Glaz	zing	VSF FCI			Infant Cha		Privacy Curt	
	accitai.		- Crasi Kan							Door Remarks		inge rable =		
LEGEND:	UNIC LECEND.	DOORS								Door Remarks	o.			
AC Arc	chitectural Ceiling	Types:	Tel fal falo fel fe										☐ Se	ecurity Grille
ACT Aco	oustic Ceiling Tile													
	anroom use-Resistant Gypsum Board							<u> </u>						nti-barricade rategy
GB Gyp	psum Board	A A2 B E	32 C C2 D	D2 E	E2 F	F2 G	Н	J						
	pact-Resistant Gypsum Board Chen Lay-in Ceiling Tile		Inte	egral Door & Fra	me Privacy	Ca	ard Mag A	Auto Hold						
MMRGB Mo	isture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm): N		nds: Protect.	•		•	pener: Open:	Hinges: Acc	essory 1: Acce	essory 2: Acc	essory 3:	Closer:	
SACT Sec	curity Acoustic Ceiling Tile	C 2 1065 x 2135 Soli		2 High	Store			<b>✓</b> Butt		Strike		Surf		
WALL FINISHES														
	oxy Wall Coating h Performance Coating	MILLWORK AND SPECIALTY CASEWORK												
PT Pair		WILLWORK AND SPECIALTY CASEWORK	UPPER U	JNITS	Sto	orage Requirements:						FINISHES		
CEILING FINISH	ES LEGEND:	UI		¬ _						Fu	ull-height Cabin			
	oxy Ceiling Coating	THE	t U4								Upper Millwo			
	h Performance Coating finished			15 U6	U7 U8	SHELF					Counterto Lower Millwo	· _		
PT Pair	nt	-		-	77	†a 🗆					She			
WALL PROTECT	TION LEGEND:	Engrava				S1 S1					511	c		
	ruded Semi-Rigid PVCu Panel				1 11						Rema	arks:		
	re Reinforced Laminate reglass Reinforced Plastic													
PVW Pro	tective Vinyl Wallcovering		- Francisco		1 }									
	id High Impact Sheet etwall Solid Surface Panel		100		1									
	troom Vinyl Wallcovering	500	. 11		7	***************************************	1	3/						
FLOOR FINISHE	S LEGEND:	C1 C2 C3			7	~ -	-	Consession of						
CFS Con	ncrete Floor Sealer	_ C3 C4 1		= -	71/	==			7	/ E				
	oxy Floor Coating yurethane Floor Coating		L2				4==	]	annual 6	The state of the s				
	ober Athletic Flooring	FULL-HEIGHT CABINETS		L6 L7	<u>цв</u> го		1		- I	╽║╶║┕╥╌	7			
	ober Sheet Flooring				L8 L9	L10 L11			/ 7/					
	Imless Cushioned Flooring tic-Dissipative Rubber Sheet Flooring	Legend:	Motorized				L12 *	TC1	TC2	]				
	tic-Dissipative Vinyl Sheet Flooring	Category 0 - None	Min. Length Adjustable Standi	ing Specialty		LOWER UNITS				UC1	1			
	yl Sheet Flooring troom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category Category 2 - Med (5% - 9%)	(mm) Height Heigh	ht Casework	_	LOWER UNITS		ON/TRANSACTION						
FLOOR BASE LE	GEND:	Category 3 - High (10% or Greater)					COUNTE	R / CARE TEAM	UTILITY SINK A	ND COUNTER UI	NIT			
	sh Cove Base				_		SIATION	IDLSK						
	ober Base													
SCF Sea	amless Cushioned Flooring													
WECHANICAL	L REQUIREMENTS													
	Hand	Seamless Utility /	Other Fixtures:	Evewash Station		MED / NON-ME	ED GASES							Utility
(Quantity) Hyg	giene Sink: Lavatory: Kitchen Sink	:: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Eyewash/Showe	er Station	(Quantity)			itrous			Laboratory Air:	Laboratory	Compressed
			☐ Tub ☐	Emergency Show	ver	Oxygen:	: Medical Air:	Vacuum:	Oxide: CO2:	AGSS:	Nitrogen:	Air:	Vacuum:	Air:
Plumbing			☐ Ice Maker ☐	Flush Rim Sink										
Remarks:				Floor Drain		G = 5			l	1				
				Water Bottle Re	fill Station	Gas Rema	arks:							
			Hot Water	thor										
			Ot	ther										

PP		Number(s):	2. D3.01	8. 14.	20.	26.	32.	38.	44.
Room Name: Control Desk			3.	9. 15.	21.	27.	33.	39.	45.
ROUTH Name. Control Desk			4.	10. 16.	22.	28.	34.	40.	46.
			5.	11. 17.	23.	29.	35.	41.	47.
			6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS				·		·			
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM AC	CESSORIES		
	Finish: PT Type: FRP	✓ Corner Guards ☐ Hand Rails ☐ Bed Bu	mper / Locator	✓ Interior Glazing	Material: Base:		Hooks Ceiling Lift	<b>✓</b> Ma	gnetic Whiteboard
	Finish: PF Height: 1600 mm	Crash Rails Chair Rail		Interior Glazing	VSF FCB	☐ Mirro			acy Curtain
LEGEND:	DOORS					Door F	Remarks:		
WALL AND CEILING LEGEND:									
AC Architectural Ceiling	Types:		7 FIN 12						Security Grille
ACT Acoustic Ceiling Tile	K   K   K   K   K								☐ Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board					<u> </u>				strategy
GB Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	J				0,
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile		Integral Doo	r & Frame Privacy	Card Mag	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	•	rotect.: Film:	8	Opener: Open: Hinge	s· Accessory 1·	Accessory 2: Acce	essory 3: Closer	••
SACT Security Acoustic Ceiling Tile	B 1 915 x 2135	Material. Tillion. Side Et.		T direction:	Butt Hinge	3. Accessory 1.	Accessory 2. Acces	Surface	<u>.                                      </u>
WALL FINISHES LEGEND:	5 1 515 x 2155						+ +	Juliace	
EWC Epoxy Wall Coating									
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK		St	torage Requirements:				FINISHES	
		UPPER UNITS					Full-height Cabin	et: Plastic Laminate	
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating		U1 U2 U3 U4						rk: Plastic Laminate	
HPC High Performance Coating	Z Z Z Z	U4 U5	IIE					pp: Plastic Laminate	
PF Prefinished			U7 U8	SHELF			Lower Millwo	rk: Plastic Laminate	
PT Paint	7		7	†a □			She	elf:	
WALL PROTECTION LEGEND:	Carpenson		-	S1					
ESRP Extruded Semi-Rigid PVCu Panel							Rema	ırks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic									
PVW Protective Vinyl Wallcovering		Carage Contract	_	!					
RHIS Rigid High Impact Sheet			1						
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering			an Transport		<u> </u>				
, ,	cı c		- 7	On the party of the Party of th	1				
FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer	C2 C3 C4 C5					7			
EFC Epoxy Floor Coating	□ □ □ □ □		( Karl			/ 6-	Karal K		
PFC Polyurethane Floor Coating		□ L3 L4 L5 L6				7       -	The state of the s		
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L7 L8 L9	110		4 / 11 11			
SCF Seamless Cushioned Flooring		<u>.                                    </u>		L10 L11 L12	TO				
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			TC1 TC2	UC1			
SDVF Static-Dissipative Vinyl Sheet Flooring  VSF Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%)	•	ecialty	LOWER UNITS			u u		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)		ework	REC	EPTION/TRANSACTION	ITILITY CINIK AND COLU	NTED LINIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)	3 4500			JNTER / CARE TEAM TION DESK	ITILITY SINK AND COU	IIER UNII		
FCB Flash Cove Base				5.7.	11011 2231				
RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS									
PLUMBING Hand	Seamless Utility /	Other Fixtures: Evewash	Station	MED / NON-MED GASES					
	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink	,	/Shower Station	(Quantity)	Medical Nitrous			Laboratory Labor	Utility ratory Compressed
		Tub Emergen		Oxygen: Medica		CO2: AG	GSS: Nitrogen:		uum: Air:
Plumbing	1 1			.5					
Remarks:		☐ Ice Maker ☐ Flush Rin							
		Water Closet Floor Dra		Gas Remarks:					
			ottle Refill Station						
		Hot Water Other							

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix	1B Minimum Room R	equirements		Program Number(s):	1. D2.07 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.		37. 38.	43. 44.	
R	oom Name: Control Room - Hi	DR .			3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.		39. 40.	45. 46.	
						11.	17.	23.	29.	35.		41.	47.	
					6.	12.	18.	24.	30.	36.		42.	48.	
ARCHITEC	TURAL REQUIREMENTS					1								
WALL AND		WALL PROTECTION				GLAZING		FLOORING TYPES  Material: Ba		ROOM ACCESSO			ā	
	Material: ARGB 1.2m AFF, GB at Material: ACT		✓ Corner Guards ☐ Hand Rails ☐ Crash Rails ✓ Chair Rail	☐ Bed Bur	mper / Locator	☐ Interior Gla	zing	SDVF FC		Coat Hooks Mirror	☐ Ceiling Lift☐ Infant Cha		Magnetic W Privacy Curt	
	iviateriai. Aci		Crasii Kaii							Door Rema		inge rable =		alli
LEGEND:	CEILING LEGEND:	DOORS								Door Nema	NJ.			
AC AND	Architectural Ceiling	Types:			न निर्माति रिर्म									ecurity Grille
ACT C	Acoustic Ceiling Tile													nti-barricade
ACT-C ARGB	Cleanroom Abuse-Resistant Gypsum Board							MMM						rategy
GB	Gypsum Board	A A2 B	B2 C C2 D	D2	E E2 F	F2 G	н	J						
IRGB KLCT	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		ı	ntegral Door	r & Frame Privacy	С	ard Mag	Auto Hold						
MMRGB	Moisture and Mould-Resistant Gypsum Boa	Type:Qty: Size (mm):	Material: Finish: Side Lt:	Blinds: P	rotect.: Film:	Function: Re	ader: Lock: O	pener: Open:	Hinges:	Accessory 1: Ac	cessory 2: Acc	cessory 3:	Closer:	
SACT	Security Acoustic Ceiling Tile	C 2 1065 x 2135	Solid Core FRL	1 Lo	w Stor	eroom [	<b>✓</b>	But	t Hinge			Surfa	ace	
EWC	HES LEGEND:  Epoxy Wall Coating					[								
HPC	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK			C+	orage Requirements:						FINISHES		
PT	Paint	_		R UNITS	30	orage nequirements.					Full boight Cabir			
	IISHES LEGEND:		U1 U2 U3 U4								Full-height Cabir	ork: Plastic Lam	inato	
ECC HPC	Epoxy Ceiling Coating High Performance Coating		U4		U6						Countert		illate	
PF	Prefinished		77	7	U7 U8	SHELF					Lower Millwo	-		
PT	Paint					<b>7</b> a 🗆					Sh	elf:		
	ECTION LEGEND:	Carresson .				S1								
ESRP FRL	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate	Sugarana II II II		-11-		1/2					Rem	arks:		
FRP	Fibreglass Reinforced Plastic													
PVW RHIS	Protective Vinyl Wallcovering Rigid High Impact Sheet	100	For the second	Townson of the last	1 1	1								
WSSP	Wetwall Solid Surface Panel			20000 -0000	-									
WVW	Wetroom Vinyl Wallcovering		"	1	-	CO CO	1 7	7/						
FLOOR FINIS	SHES LEGEND:	C1 C2 C3 C4					1	The same of the same of		-				
CFS EFC	Concrete Floor Sealer Epoxy Floor Coating		L2	-			K	11 1		1	1			
PFC	Polyurethane Floor Coating			.5			4		The same of the sa	Total				
RAF RSF	Rubber Athletic Flooring Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L6	L7 L8 L9	140		/ _	>-1					
SCF	Seamless Cushioned Flooring					L10 L11	L12	TC1						
SDRF SDVF	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized						TC2	UC1	a li			
VSF	Vinyl Sheet Flooring	Category 0 - None  Category 1 - Low (1% - 4%)  Category 1 - Low (1% - 4%)	_ ,	-	cialty ework	LOWER UNITS								
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	. ,					ON/TRANSACTION R / CARE TEAM	UTILITY SIN	AND COUNTER	UNIT			
FLOOR BASI	E LEGEND:	Category 3 - High (10% or Greater)	450				STATION							
FCB RB	Flash Cove Base Rubber Base													
SCF	Seamless Cushioned Flooring													
MECHANIC	CAL REQUIREMENTS													
PLUMBING		Seamless Utility /	Other Fixtures:		Chatian	MED / NON-M	FD GASES							
(Quantity)		hen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	•	Evewash	Station /Shower Station	(Quantity)	LJ GAULJ	Medical I	Nitrous			Laboratory	Laboratory	Utility
(				<ul><li>Eyewash,</li><li>Emergen</li></ul>		Oxygen	: Medical Air:	.,	Oxide: CO2	AGSS:	Nitrogen:	Air:	Vacuum:	Compressed Air:
Plumbing			i .	Emergen Flush Rim		,,,,,								
Remarks:				☐ Flush Rim										
					in ottle Refill Station	Gas Rem	arks:							
			Instantaneous Hot Water	∟ vvaterBC	THE REIII STATION									
				Other										
L						1	L.							

		Number(s): 2.	8. 14.	20. 26.	32. 38.	44.
France Ocation Boom		3.	9. 15.	21. 27.	33. 39.	45.
Room Name: Frozen Section Room		4.	10. 16.	22. 28.	34. 40.	46.
		5.	11. 17.	23. 29.	35. 41.	47.
		6.	12. 18.	24. 30.	36. 42.	48.
ARCHITECTURAL REQUIREMENTS						
· · · · · · · · · · · · · · · · · · ·						
WALL AND CEILING	WALL PROTECTION		GLAZING	FLOORING TYPES  Material: Base:	ROOM ACCESSORIES	
Wall Material: ARGB 1.2m AFF, GB above	1,100	ds Hand Rails Bed Bumper / Locator	☐ Interior Glazing			lagnetic Whiteboard
Ceiling Material: ACT	Finish: PF Height: 2185 mm Crash Rails	Chair Rail		WSVF FCB	☐ Mirror ☐ Infant Change Table ☐ P	rivacy Curtain
LEGEND:	DOORS				Door Remarks:	
WALL AND CEILING LEGEND:						
AC Architectural Ceiling	Types:	rain led felel fel felel f				Security Grille
ACT Acoustic Ceiling Tile		14HG VI VIN 121 (21B) V				
ACT-C Cleanroom						☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board						strategy
GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	A A2 B B2 C	C2 D D2 E E2 F	F2 G H	J		
KLCT Kitchen Lay-in Ceiling Tile		Integral Door & Frame Privacy	Card Mag	Auto Hold		
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Material: I	inish: Side Lt: Blinds: Protect.: Film:		Opener: Open: Hinges:	Accessory 1: Accessory 2: Accessory 3: Clos	ser:
SACT Security Acoustic Ceiling Tile	C 1 1220 x 2135 Solid Core FRL		itoreroom 🗸	Butt Hinge	Surface	
WALL FINISHES LEGEND:	C 1 1220 x 2135 Solid Core FRL		Passage	Butt Hinge	Surface	
EWC Epoxy Wall Coating	C I IZZO X ZISS SONG COTC THE		assage	buttimge	Surface	
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Storage Requirements:		FINISHES	
PT Paint		UPPER UNITS			Full-height Cabinet: Stainless Steel	
CEILING FINISHES LEGEND:	U1 U2					
ECC Epoxy Ceiling Coating	7	U3 U4	,		Upper Millwork:	
HPC High Performance Coating PF Prefinished	Sagrana A A A A A A A A A A A A A A A A A A	U5 U6 U7 U8	SHELF		Countertop: Stainless Steel	
PT Paint		7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	SHELF		Lower Millwork: Stainless Steel	
					Shelf:	
WALL PROTECTION LEGEND:			S1			
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate	Segregate				Remarks:	
FRP Fibreglass Reinforced Plastic						
PVW Protective Vinyl Wallcovering	10 000000000000000000000000000000000000	1.6				
RHIS Rigid High Impact Sheet						
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering	Contraction of the Contraction o					
· -		===	On the state of th	7		
FLOOR FINISHES LEGEND:	C1 C2 C3 C4 C5		7222			
CFS Concrete Floor Sealer EFC Epoxy Floor Coating	▼		///		( F	
PFC Polyurethane Floor Coating		L3 L4 L5	Seek		The state of the s	
RAF Rubber Athletic Flooring	T	L6 L7				
RSF Rubber Sheet Flooring			L10 L11			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	<u> </u>	L12	TC1 TC2		
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None Min. Length	Motorized Adjustable Standing Specialty			UC1	
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm)	Height Height Casework	LOWER UNITS	PTION/TRANSACTION		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)				IK AND COUNTER UNIT	
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater) 3 2700			ON DESK		
FCB Flash Cove Base						
RB Rubber Base						
SCF Seamless Cushioned Flooring						
MECHANICAL REQUIREMENTS						
PLUMBING Hand	Seamless Utility / Other Fixtu	PS:	MED / NON-MED GASES			
	w Kitcher Cirl Brown Cirl Camb Cialu Flaga Cialu	Lyewasii Statioii	(Quantity)	Medical Nitrous	Laboratory Lal	Utility
(Quantity)	Showe					ooratory Compressed acuum:
		Emergency Shower	Oxygen: Medical A	Air: Vacuum: Oxide: CO2	l: AGSS: Nitrogen: Air: V	Air:
Plumbing	☐ Ice Ma	ker				
Remarks:	☐ Water				1	
	☐ Instan	_	Gas Remarks:			
	Hot W		_			
	TIOL W	Other	]			

13.

19.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

25.

Appendix 1B Minimum Room Requirements		Program Number(s):	1. D2.15	7. 13.	19.	25.	31.	37.	43.
Let Occasional Data Data		rumber(3).	2. 3.	8. 14. 9. 15.	20. 21.	26. 27.	32. 33.	38. 39.	44. 45.
Room Name: Lab Specimen Prep Room			4.	10. 16.	22.	28.	34.	40.	46.
			5. 6.	11. 17. 18.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.
			0.	12.	24.	30.	30.	42.	40.
ARCHITECTURAL REQUIREMENTS									
	PROTECTION  Frype: FRP  ✓ Corner Guards  ☐ Hand R	ails 🗌 Bed Bur		GLAZING	FLOORING TYPES  Material: Base:		ACCESSORIES  Dat Hooks Ceiling Lift		gnetic Whiteboard
	Type: FRP		mper / Locator	☐ Interior Glazing	WSVF FCB				acy Curtain
	2103 111111						oor Remarks:	8e 1021e	ac, carca
LEGEND: DOORS WALL AND CEILING LEGEND:									]_
AC Architectural Ceiling			a an te						Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom									☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board									strategy
GB Gypsum Board A IRGB Impact-Resistant Gypsum Board	A2 B B2 C C2 D	D2	E E2 F	F2 G F	н ј				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board		0	r & Frame Privacy	D l	Mag Auto Hold				
SACT Security Acoustic Ceiling Tile	e:Qty: Size (mm): Material: Finish: Side L		rotect.: Film:	Turicuon.	Lock: Opener: Open:		y 1: Accessory 2: Acc	-	:
	1 1220 x 2135 Solid Core FRL	2 Hig		oreroom 🗸	Butt F			Surface Surface	
EWC Epoxy Wall Coating			511   110			iiige		Juliace	
HPC High Performance Coating MILLWORK AND SPECIALTY PT Paint		PPER UNITS		Storage Requirements:				FINISHES	
CEILING FINISHES LEGEND:	U1						Full-height Cabir	net: Stainless Steel	
ECC Epoxy Ceiling Coating	U2 U3 U4	U5					Upper Millwo		
HPC High Performance Coating PF Prefinished		J	U6 U7 U8	SHELF				op: Stainless Steel	
PT Paint		TH	77				Lower Milliwo	ork: Stainless Steel	
WALL PROTECTION LEGEND:		. . K		S1			311	CII.	
ESRP Extruded Semi-Rigid PVCu Panel							Rem	arks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic		1							
PVW Protective Vinyl Wallcovering	400	Francis							
RHIS Rigid High Impact Sheet  WSSP Wetwall Solid Surface Panel		-		-					
WVW Wetroom Vinyl Wallcovering		11 -		San San San San San San San San San San	7/				
FLOOR FINISHES LEGEND:	3 (4	-			The state of the s		<u></u>		
	C4 CE	-				1 /	(mar)		
PFC Polyurethane Floor Coating		L5		Zer-		The state of the s			
RAF Rubber Athletic Flooring FULL-HEIGHT CABINETS RSF Rubber Sheet Flooring			L7 L8 L9	L10 111		<del></del>			
SCF Seamless Cushioned Flooring				L12					
SDRF Static-Dissipative Rubber Sheet Flooring Legend: SDVF Static-Dissipative Vinyl Sheet Flooring Category 0 - None	Motorized Min. Length Adjustable	Standing Spe	cialty			C2			
VSF Vinyl Sheet Flooring Category 1 - Low (1% - 4%)	Min. Length Adjustable Category (mm) Height		cialty ework	LOWER UNITS	RECEPTION/TRANSACTION				
Catagory 2 - Nich (376 - 376)	reater) 3 3000 🗌				COUNTER / CARE TEAM	UTILITY SINK AND C	OUNTER UNIT		
FLOOR BASE LEGEND: Category 3 - High (10% of Gr					STATION DESK				
RB Rubber Base									
SCF Seamless Cushioned Flooring									
A4501/A41/041 D501/ID51451/F0									
MECHANICAL REQUIREMENTS									
PLUMBING Hand Seamless Utility / (Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Kitchen Sink: Process Sink: Scrub S	Other Fixtures: Sink: Floor Sink:	Evewash	Station	MED / NON-MED GAS					Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Kitchen Sink: Process Sink: Scrub S	□ Shower		Shower Station	(Quantity)	.,	rous xide: CO2	ACCC. Alliance	•	ratory Compressed
	Tub	Emergen		Oxygen: M	ledical Air: Vacuum: O	Kide: CO2:	AGSS: Nitrogen:	7 Vac	Air:
Plumbing Locate eyewash/shower station outside of room, in internal corridor Remarks:	☐ Ice Maker	☐ Flush Rim							
	☐ Water Closet	☐ Floor Dra		Gas Remarks:					
	☐ Instantaneous Hot Water	☐ Water Bo	ttle Refill Station						
	not water	Other							

## ACCHITECTURAL REQUIREMENTS    A	Appendix	1B Minimum Room Rec	quirements		Program Number(s):	1. D2.05 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Column   C	Ro	oom Name: Operating Room				3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
MAIN PROPERTY   MAIN PROPERT							11.	17.	23.	29.	35.	41.	47.
MAIL MODIFICATION   Property   MAIL MODIFICATION   Property   MAIL MODIFICATION   Property   Mail Modification   Mail Modifi						6.	12.	18.	24.	30.	36.	42.	48.
March   Marc	ARCHITECT	URAL REQUIREMENTS					1						
Column   C					П								
AND THE PROPERTY OF THE PROPER			7,50			mper / Locator	☐ Interior Gla	zing					
TOCK TO A MET TO A ME	Celling	iviateriai: GB		Crasii Raiis   Criaii Raii								inge rable	ivacy curtain
A A P N C C D BL C T P C D BL C	LEGEND:		DOORS									full door wranaroun	d
And A Section 1 And A Section			Types:									Tuli door wraparoun	
A													
Section   Sect				MENINA N	NE								
SCALE AND AND AND AND AND AND AND AND AND AND			A A2 B	B2 C C2 D	D2	E E2 F	F2 G	Н	J				Strategy
Maintenant Search Sea					Integral Dee	r & Framo - Drivacy	_	ard Mag	Auto Hold				
Mail Residence   Feed			Type Oty: Size (mm)		U	,		•		es. Accessory	1· Δccessory 2· Δcc	cessory 3: Clos	er:
WALF POWER LOGGED  I I 1000 A SPECIALTY CASKWORK  WILL POWER LOGGED  CE Government Conference The Power Conference	SACT	Security Acoustic Ceiling Tile					T direction:				1. Accessory 2. Acc		
THE PROPERTY OF THE PROPERTY O	WALL FINISH	HES LEGEND:			2 Hi								
CTINE FINANCES (SECRET)  AND A POST PROSESSES (SECRET)  AND A						B	.,			,			
COUNTERNOSE SECURION WALL PROTECTION LIGHTS W			MILLWORK AND SPECIALTY CASEWORK	□ IIPPE	FR LINITS	Si	torage Requirements:					FINISHES	
ECC Flow refers from the first parties of the first	CFILING FINI	SHES LEGEND:			LIK OIVIII						Full-height Cabi	net:	
If this finite number forming to the property of the property			1777	U2							Upper Millwe	ork:	
WALL PROTICTION LICEON:  WALL PROTICTION LICEON:  The Company of The Protection of Section Protection of Section Protection of Section Protection of Section Protection of Section Protection Protection of Section Protection of Section Protection Protecti				1 7 7	U5	U6					Countert	top:	
MALE PROTECTION ECENDS  The Contract Contract of Service of Servic					7	U8	SHELF						
Early Service	WALL DOOT	CCTION LECEND.					7				Sh	ielf:	
File A Processing Sections							51				Pom	aarke:	
Provided the following the property of the pro	FRL	Fibre Reinforced Laminate					1				Kelli	arks.	
NECHANICAL REQUIREMENTS  PLUMBIND  For Basic Eurored Foreng  Seements  FULL HEIGHT CABINETS  FULL HEIGHT CABIN		-	7			1 1							
## Work work on Preprint Statements  ## Contract Note of Preprint Statements	RHIS	Rigid High Impact Sheet	-	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			1						
CC CC CC CC CC CC CC CC CC CC CC CC CC			The state of the s		Con Con	20 72 20 20 20 20 20 20 20 20 20 20 20 20 20							
GS C Governer Revis Selets For Essays Prot Casting PVC Polyworkshare Revis Casting PVC Polyworkshare Revis Casting PVC Polyworkshare Revis Casting PVC Polyworkshare Revis Casting PVC Polyworkshare Revis Casting PVC Polyworkshare Revis Casting PVC Polyworkshare Revis Casting PVC Polyworkshare Revis Casting PVC Casting PVC Polyworkshare Revis Casting PVC Casting PVC PVC PVC PVC PVC PVC PVC PVC PVC PVC			CI.		-	= 7	ON NO PERSONAL PROPERTY.	-	7				
LIC Category Colling FOC Physical Profession Colling FOC Physical Profession Colling FOC Physical Profession Colling FOC Physical Profession Colling FOC Physical Profession Colling FOC Physical Profession Colling FOC Physical Profession Colling FOC Physical Profession Colling FOC Physical Profession Colling FOC Physical Profession Colling FOC Physical Profession Colling FOC Physical Profession Colling FOC Physical Profession Colling FOC Physical Profession Colling FOC Physical Profession Colling FOC Physical Profession Colling FOC Physical Profession Colling FOC Physical Profession Colling FOC Physical Physical Profession Colling FOC Physical Physical Profession Colling FOC Physical Phys			C2 C3 C4 1		-			1		7 /			
Marker Abheirt Absonite Nooring SF Published Reporting SF Seamless Cultiveder Reporting SF Some Statis-Chaissaster Rebased Steer Reporting SF Some Statis-Chaissaster Rebased Statis-Report Report  EFC	Epoxy Floor Coating		13			44	/=-	-	/ Grage	1			
Sof   Static Cospative Number State Placering   Sof   Static Cospative Number State Placering   Sof   Static Cospative Number State Placering   Sof   Static Cospative Number State Placering   Sof   Static Cospative Number State Placering   Sof   Static Cospative Number State Placering   Sof   Static Cospative Number State Placering   Sof   Static Cospative Number State Placering   Sof   Static Cospative Number State Placering   Standing   Specialty   Height   Standing   Specialty   State Placering   Standing   Specialty   Standing   Standing   Specialty   Standing   Specialty   Standing   Specialty   Standing   Specialty   Standing   Specialty   Standing   Specialty   Standing   Standing   Specialty   Standing   Specialty   Standing   Standing   Standing   Specialty   Standing   Standing   Specialty   Standing   Standing   Specialty   Standing   Standing   Specialty   Standing   Standing   Standing   Specialty   Standing						L7 10		1 /		7			
Soft Static Station St	RSF	Rubber Sheet Flooring	102112000000000000000000000000000000000				L10 L11	1		7 / 11			
Sour Static Displayer Very Sheer Flooring VSF Viving Sheer Flooring VS			Logand						TC1 TC2	V   "			
Visy Way Sheet Rooring Way Way Way Sheet Rooring Way Floor Rooring Way Way Way Sheet Rooring Way Way Way Sheet Rooring Way Way Sheet Rooring Way Way Sheet Rooring Way Way Sheet Rooring Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  WECHANICAL REQUIREMENTS  WILLITY SINK AND COUNTER UNIT  RECEPTION/TRANSACTION  COUNTER / CARE TEAM  STATION DESK  WILLITY SINK AND COUNTER UNIT  RECEPTION/TRANSACTION  COUNTER / CARE TEAM  STATION DESK  WILLITY SINK AND COUNTER UNIT  RECEPTION/TRANSACTION  COUNTER / CARE TEAM  STATION DESK  WILLITY SINK AND COUNTER UNIT  RECEPTION/TRANSACTION  COUNTER / CARE TEAM  STATION DESK  WILLITY SINK AND COUNTER UNIT  RECEPTION/TRANSACTION  COUNTER / CARE TEAM  STATION DESK  WILLITY SINK AND COUNTER UNIT  RECEPTION/TRANSACTION  COUNTER / CARE TEAM  STATION DESK  WILLITY SINK AND COUNTER / UTILITY SINK AND COUNTER UNIT  RECEPTION/TRANSACTION  COUNTER / CARE TEAM  STATION DESK  WILLITY SINK AND COUNTER UNIT  RECEPTION/TRANSACTION  COUNTER / CARE TEAM  STATION DESK  WILLITY SINK AND COUNTER UNIT  RECEPTION/TRANSACTION  COUNTER / CARE TEAM  STATION DESK  WILLITY SINK AND COUNTER UNIT  RECEPTION/TRANSACTION  CAREGORY  STATION DESK  WILLITY SINK AND COUNTER UNIT  RECHANGE OF THE WASHINGTON OF THE WASHINGTON OF THE WASHINGTON O			=		anding Sno	ocialty				UC1	u I		
FLOOR BASE LEGEND: FLOOR BASE LE				- ,			LOWER UNITS	RECEPTION	ON/TRANSACTION				
### Fluctor Base Eastern   Flush Cover Base RB RB Rubber Rase SCF Seamless Cushioned Flooring   Flush Cover Base RB RB Rubber Rase SCF Seamless Cushioned Flooring   Flush Cover Base RB Rubber Rase SCF Seamless Cushioned Flooring   Flush Rim Sink   Floor Sink:   Floor									•	UTILITY SINK AND CO	UNTER UNIT		
RB Rubber Base SCF Seamless Cuthloned Flooring  MECHANICAL REQUIREMENTS  PLUMBING (Quantity) Hand Hygiene Sink: Lavatory: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink: Shower   Evewash Station   Guantity   Shower   Evewash/Shower Station   Guantity   Shower   Flush Rim Sink   Floor Drain   Gas Remarks: Provide (1) set of medical gas on wall, (3) sets for the boom. Carbon dioxide outlet at each set.			Category 3 - High (10% of Greater)					STATION	I DESK				
MECHANICAL REQUIREMENTS  PLUMBING (Quantity) Hand: Lavatory: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink: Shower   Evewash Station   Countity   Medical Air: Vacuum: Oxide: CO2: AGSS: Nitrogen: Air: Vacuum: Oxide: CO2: AGSS: Nitrogen: Air: Vacuum: Oxide: CO3: AGS													
PLUMBING   Hand   Seamless   Utility / Wigner Sink:   Lavatory:   Kitchen Sink:   Kitchen Sink:   Process Sink:   Scrub Sink:   Floor Sink:   Shower   Eyewash/Shower Station   Shower   Eyewash/Shower Station   Tub   Emergency Shower   Flush Rim Sink   Floor Drain   Instantaneous   Hot Water   Medical Air:   Vacuum:   Oxide:   CO2:   AGSS:   Nitrogen:   Air:   Vacuum:   Oxide:   CO2:   AGSS:   Nitrogen:   Air:   Vacuum:   Oxide:   CO2:   AGSS:   Nitrogen:   Air:   Vacuum:   Oxide:   CO2:   AGSS:   Nitrogen:   Air:   Vacuum:   Oxide:   CO2:   AGSS:   Nitrogen:   Air:   Compressed   Air:   Air:   Air:   Air:   Compressed   Air:   SCF	Seamless Cushioned Flooring												
PLUMBING   Hand   Seamless   Utility / Wigner Sink:   Lavatory:   Kitchen Sink:   Kitchen Sink:   Process Sink:   Scrub Sink:   Floor Sink:   Shower   Eyewash/Shower Station   Shower   Eyewash/Shower Station   Tub   Emergency Shower   Flush Rim Sink   Floor Drain   Instantaneous   Hot Water   Medical Air:   Vacuum:   Oxide:   CO2:   AGSS:   Nitrogen:   Air:   Vacuum:   Oxide:   CO2:   AGSS:   Nitrogen:   Air:   Vacuum:   Oxide:   CO2:   AGSS:   Nitrogen:   Air:   Vacuum:   Oxide:   CO2:   AGSS:   Nitrogen:   Air:   Vacuum:   Oxide:   CO2:   AGSS:   Nitrogen:   Air:   Compressed   Air:   Air:   Air:   Air:   Compressed   Air:													
Hygiene Sink: Lavatory: Kitchen Sink: Kitc	MECHANIC	CAL REQUIREMENTS											
Hygiene Sink: Lavatory: Kitchen Sink: Kitc	PLUMBING	Hand	Seamless Utility /	Other Fixtures:	Evo:ack	Station	MED / NON-M	ED GASES					
Plumbing Remarks:    Tub		Hygiene Sink: Lavatory: Kitche	n Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:				-		Medical Nitrous			Laboratory Lab	
Plumbing Remarks:    Comparison	. ,							: Medical Air:		CO2:	AGSS: Nitrogen:	-	Compressed
Remarks:  Water Closet Instantaneous Hot Water  Water Bottle Refill Station Hot Water	Plumbing						_	_					
Instantaneous  Water Bottle Refill Station  Hot Water	-										<u> </u>	<u> </u>	
Hot Water							Gas Rem	arks: Provide (1)	set of medical gas on wall, (	3) sets for the boom. (	Carbon dioxide outlet at	each set.	
Other						ottie keiiii station							
					Other								

Room Name: Operating Room	n - HDR	Number(s):	2.       8.         3.       9.         4.       10.         5.       11.         6.       12.	14. 15. 16. 17. 18.	21. 22. 23.	26.       32.         27.       33.         28.       34.         29.       35.         30.       36.	38. 39. 40. 41. 42.	44. 45. 46. 47. 48.
ARCHITECTURAL REQUIREMENTS	S							
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB  Ceiling Material: GB	WALL PROTECTION  Type: ESRP  Finish: HPC Height: 2185 mm	✓ Corner Guards ☐ Hand Rails ☐ Bed Bu☐ Crash Rails ☐ Chair Rail	gLA GLA	ZING Interior Glazing	FLOORING TYPES Material: Base: SDRF FCB	ROOM ACCESSORIES  ☐ Coat Hooks ✓ Ceil ☐ Mirror ☐ Infa		gnetic Whiteboard acy Curtain
WALL AND CEILING LEGEND:  AC Architectural Ceiling ACT Acoustic Ceiling Tile ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board GB Gypsum Board IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile MMRGB Moisture and Mould-Resistant Gypsum! SACT Security Acoustic Ceiling Tile  WALL FINISHES LEGEND: EWC Epoxy Wall Coating HPC High Performance Coating PT Paint  CEILING FINISHES LEGEND: ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  WALL PROTECTION LEGEND: ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Coating PFC Polyurethane Floor Coating RAF Rubber Athletic Flooring SCF Seamless Cushioned Flooring SDVF Static-Dissipative Rubber Sheet Flooring VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring FLOOR BASE LEGEND: FCB RB Rubber Base RB Rubber Base SCF Seamless Cushioned Flooring	Types:    A   A   1   1220 x 2135   Sh	Material: Finish: Side Lt: Blinds: elded Prefinished UPPER UNITS  UPPER UNITS  UU  US  Wotorized Min. Length Adjustable Standing Sp	Storage F	Card Mag Reader: Lock:  Page 1	Auto Hold Opener: Open: Hinges:  Cont. Swing Cla Cont. Swing C	HDR unit. Door hardw. Authority. Tyl door switch interlocke stop the machine if so during a procedure.  Accessory 1: Accessory 2: ear  Full-heigh Upper Co	atch side. 2135 for storage closet for are as required by the pe A2 door will include a d with the HDR machine to meone opens the door  Accessory 3: Closer Concealed FINISHES	
MECHANICAL REQUIREMENTS								
PLUMBING Hand	Seamless Utility / Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	☐ Tub ☐ Emerger ☐ Ice Maker ☐ Flush Ri ☐ Water Closet ☐ Floor Dr	n/Shower Station (Concrete Shower This sink	D / NON-MED GASES  Quantity) Oxygen: Medical A  4  Gas Remarks: Provide	4 0	CO2: AGSS: Nitro 4 1 1 ets for the boom. Carbon dioxide out	gen: Air: Vac	ratory Compressed uum: Air:

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

	<u></u>		Number(s): 2.	8. 14.	20. 26.		38. 44.
F	Room Name: Operating Room - Isolat	ion	3.	9. 15.	21. 27.		39. 45.
			4. 5.	10. 16. 17.	22. 28. 23. 29.		40. 46. 41. 47.
			6.	12. 18.	24. 30.		42. 48.
A D C HITE C	TURAL REQUIREMENTS						
		WALL PROTECTION		CLATING	FLOODING TYPES	DOOM ACCECCODIEC	
WALL AND	Il Material: ARGB 1.2m AFF, GB above	WALL PROTECTION  Finish: HPC  Type: ESRP  ✓ Corner Guards	☐ Hand Rails ☐ Bed Bumper / Locator	GLAZING	FLOORING TYPES  Material: Base:	ROOM ACCESSORIES  ☐ Coat Hooks ✓ Ceiling Lift	✓ Magnetic Whiteboard
	g Material: GB		Chair Rail	☐ Interior Glazing	SDRF FCB	Mirror Infant Chang	
LEGEND:		DOORS				Door Remarks:	
	CEILING LEGEND:	Types:					Security Grille
AC	Architectural Ceiling						Security Grille
ACT ACT-C	Acoustic Ceiling Tile Cleanroom						☐ Anti-barricade
ARGB	Abuse-Resistant Gypsum Board						strategy
GB IRGB	Gypsum Board Impact-Resistant Gypsum Board	A A2 B B2 C C	D D2 E E2 F	F2 G H	J		
KLCT	Kitchen Lay-in Ceiling Tile		Integral Door & Frame Privacy	Card Mag	Auto Hold		
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Type:Qty: Size (mm): Material: Finish	: Side Lt: Blinds: Protect.: Film:	Function: Reader: Lock:	Opener: Open: Hinges:	Accessory 1: Accessory 2: Access	ssory 3: Closer:
EWC	SHES LEGEND:  Epoxy Wall Coating						
HPC	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Storage Requirements:			FINISHES
PT	Paint		UPPER UNITS	storage nequirements.		Full-height Cabinet	
	NISHES LEGEND:	/ /				Upper Millwork	
ECC HPC	Epoxy Ceiling Coating High Performance Coating		U5 IIC -			Countertop	
PF	Prefinished		U7 U8	SHELF		Lower Millwork	
PT	Paint			<b>=</b> a □		Shelf	
WALL PRO	TECTION LEGEND:			S1			
ESRP FRL	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate					Remark	cs:
FRP	Fibreglass Reinforced Plastic						
PVW RHIS	Protective Vinyl Wallcovering Rigid High Impact Sheet	10 100000	Francis .	i			
WSSP	Wetwall Solid Surface Panel		No. of Concession, Name of Street, or other transferred	1			
WVW	Wetroom Vinyl Wallcovering			CO CO CO CO CO CO CO CO CO CO CO CO CO C			
FLOOR FINI	ISHES LEGEND:	C1 C2 C3				0.00	
CFS EFC	Concrete Floor Sealer Epoxy Floor Coating			1			
PFC	Polyurethane Floor Coating	□ □ □ □ □ L3	L4 L5	PERK			
RAF RSF	Rubber Athletic Flooring Rubber Sheet Flooring	FULL-HEIGHT CABINETS	☐ ☐ L6 L7 L8 L9				
SCF	Seamless Cushioned Flooring			L10 L11 L12			
SDRF	Static-Dissipative Rubber Sheet Flooring	Legend:	otorized		TC1   TC2	UC1	
SDVF VSF	Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring		djustable Standing Specialty	LOWER UNITS			
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	Height Height Casework		PTION/TRANSACTION NTER / CARE TEAM UTILITY S	NK AND COUNTER UNIT	
FLOOR BAS	SE LEGEND:	Category 3 - High (10% or Greater)			ION DESK		
FCB RB	Flash Cove Base Rubber Base						
SCF	Seamless Cushioned Flooring						
MECHANI	CAL REQUIREMENTS						
		Seamless Utility / Other Fixtures:		MED / NON MED CASES			<del></del>
PLUMBING (Quantity)		ole Vitaban Cinlo Ducasa Cinlo Corob Cinlo Floor Cinlo	Evewash Station	MED / NON-MED GASES (Quantity)	Medical Nitrous	ı	Laboratory Laboratory Compressed
(Qualitity)		Shower	Eyewash/Shower Station	Oxygen: Medical			Air: Vacuum: Compressed Air: Air:
Plumbing			Emergency Shower	4 4	4 0		All.
Remarks:		☐ Ice Maker	Flush Rim Sink				
		Water Clos		Gas Remarks: Provide	(1) set of medical gas on wall, (3) sets for	the boom. Carbon dioxide outlet at each	ch set.
		Instantane Hot Water	Dus Water Bottle Refill Station				
		not water	Other				

13.

19.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

25.

Appendix	x 1B Minimum Room Require	ements	Program Number(s):	1. D3.02	7.	13.	19.	25.	31.	37.	43.	
			Number(s).	2.	8.	14.	20.	26.	32.	38.	44.	
F	Room Name: Procedure Room - Endos	copic		3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.	
				5.	11.	17.	23.	29.	35.	41.	47.	
				6.	12.	18.	24.	30.	36.	42.	48.	
ARCHITEC	CTURAL REQUIREMENTS		<u> </u>		<u> </u>		<u> </u>					
WALL AND		WALL PROTECTION			GLAZING		FLOORING TYPES	RC	OOM ACCESSORIES			
	all Material: ARGB 1.2m AFF, GB above		✓ Corner Guards ☐ Hand Rails ☐ Bed Bur	mper / Locator	☐ Interior	Glazing	Material: Base:		✓ Coat Hooks ✓ Ceili	ng Lift	Magnetic W	/hiteboard
Ceiling	g Material: GB		Crash Rails Chair Rail		interior	Gluzilig	SDRF FCB		☐ Mirror ☐ Infa	nt Change Table	Privacy Curt	tain
LEGEND:		DOORS			1				Door Remarks:			
WALL AND	CEILING LEGEND:	Types:						Type F doors, panels will be				ecurity Grille
AC ACT	Architectural Ceiling Acoustic Ceiling Tile					4 744	approxir					ccurry Grine
ACT-C	Cleanroom						465/106				□ A	nti-barricade
ARGB GB	Abuse-Resistant Gypsum Board							e rquired by			st	trategy
IRGB	Gypsum Board Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2	F F2 G	н	J the Auth	ority				
KLCT	Kitchen Lay-in Ceiling Tile			r & Frame Priva	,	Card Mag	Auto Hold					
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile		material. Timon. Side Et.	rotect.: Filn	Tanction.	Reader: Lock:	Opener: Open: Hing		cessory 1: Accessory 2:	Accessory 3:	Closer:	
	SHES LEGEND:	F 1 1530 x 2135 So			Passage		☐ ☑ Butt Hinge		agal Flush Bolt		cealed	
EWC	Epoxy Wall Coating	C 1 1220 x 2135 So	olid Core FRL	gh	Push/Pull		Cont. Swin	g Clear		Con	cealed	
HPC	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK			Storage Requireme	ents:				FINISHES		
PT	Paint		UPPER UNITS		Storage nequireme				Full-height			
	NISHES LEGEND:	4 17 17	J1 U2 U3 U4 🗆							Millwork:		
ECC HPC	Epoxy Ceiling Coating High Performance Coating		US U4 U5	U6					1	untertop:		
PF	Prefinished		7 7 7	U7	U8 SHELF					Millwork:		
PT	Paint									Shelf:		
WALL PRO	TECTION LEGEND:	Engravana III III			S1							
ESRP	Extruded Semi-Rigid PVCu Panel				11					Remarks:		
FRL FRP	Fibre Reinforced Laminate Fibreglass Reinforced Plastic				-							
PVW	Protective Vinyl Wallcovering	-	Francisco III									
RHIS WSSP	Rigid High Impact Sheet  Wetwall Solid Surface Panel			1 :	-							
wvw	Wetroom Vinyl Wallcovering				*************	1	7					
FLOOR FIN	IISHES LEGEND:	C1 C2 C3		-7	00 00	-	-	253				
CFS	Concrete Floor Sealer	C4 C5	12					7	F-1			
EFC PFC	Epoxy Floor Coating Polyurethane Floor Coating				F KK	M	Grand and Address of the London Control of t			8		
RAF	Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L6	L7 L8 L								
RSF SCF	Rubber Sheet Flooring Seamless Cushioned Flooring				L10 L11			1/				
SDRF	Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			] [12 /	TC1 TC2			lš.		
SDVF VSF	Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring	Category 0 - None	Min. Length Adjustable Standing Spe	cialty	LOWER UNITS	<u> </u>			UC1 U			
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)	ry (mm) Height Height Cas	ework	LOWER OILI	RECEP	TION/TRANSACTION					
FLOOR BAS	SE LEGEND:	Category 3 - High (10% or Greater)					TER / CARE TEAM ON DESK	UTILITY SINK A	AND COUNTER UNIT			
FCB	Flash Cove Base											
RB SCF	Rubber Base Seamless Cushioned Flooring											
MECHANI	ICAL REQUIREMENTS											
		Coordon 11879 /	Other Fintures		/	LAFR CACE						
PLUMBING		Seamless Utility / k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures: Evewash			I-MED GASES	Modical Nitre			laborete:	Laborat- ···	Utility
(Quantity)	1	1.50.5		Shower Station		ran: Madical A	Medical Nitrous ir: Vacuum: Oxide:	cos.	VCCC- VI:+===	Laboratory Air:	Laboratory Vacuum:	Compressed
	_		☐ Tub ☐ Emergen			ygen: Medical A		CO2:	AGSS: Nitro	3c11.		Air:
Plumbing Remarks:			☐ Ice Maker ☐ Flush Rim			3 3	3	2				
nemarks:			Water Closet Floor Dra		Gast	Remarks: Provide (	1) set of O2/Medical Air/ Med	lical Vacuum of	medical gas on wall. (2) se	ets of O2/Medical Air/	'Medical	
				ttle Refill Station	n   Sust		for the boom.		, , , , , , , , , , , , , , , , , , ,			
			Hot Water Other			Provide (	1) CO2 to wall, (1) CO2 to boo	m.				
1												

Appendix 1B Minimum Room Requ	irements	Program Number(s):		7. 13. 8. 14.		19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Procedure Room - Ge	neral			9. 15.		21.	27.	33. 34.	39.	45. 46.
				10. 16. 11. 17.		22. 23.	28. 29.	35.	40. 41.	47.
			6. 1	12. 18.		24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS										•
WALL AND CEILING	WALL PROTECTION			GLAZING	F	FLOORING TYPES  Material: Base:		M ACCESSORIES		
Wall Material: ARGB 1.2m AFF, GB above GB	Finish: PT Type: ESRP Finish: ECC Height: 2185 mm	Crash Rails Chair Rail Bed Bur	nper / Locator	☐ Interior Glazing		SDRF FCB		Coat Hooks Ceiling Mirror Infant		lagnetic Whiteboard rivacy Curtain
LEGEND:	DOORS					Note: for	Гуре F doors,	Door Remarks:		$\neg$
WALL AND CEILING LEGEND:  AC Architectural Ceiling  ACT Acoustic Ceiling Tile  ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board  GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	Types:  A A2 B	B2 C C2 D D2	E E2 F	F2 G	н	the door p approxima 465/1065 otherwise J the Autho	vanels will be ately unless rquired by			Security Grille Anti-barricade strategy
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):		r & Frame Privacy rotect.: Film:	Card Function: Reader:	0	uto Hold ener: Open: <sub>Hinge</sub>	c. \\\	sory 1: Accessory 2:	Accessory 3: Clos	er:
SACT Security Acoustic Ceiling Tile	F 1 1530 x 2135			Turiction.		Butt Hinge	Access		Conceale	
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating	C 1 1220 x 2135	Solid Core FRL 2 Hig	gh Push/	Pull		Cont. Swing	Clear		Conceale	:d
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	rage Requirements:					FINISHES	
CEILING FINISHES LEGEND:		U1 U						Full-height Ca		
ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  WALL PROTECTION LEGEND: ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering  FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Coating PFC Polyurethane Floor Coating RAF Rubber Athletic Flooring SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring FLOOR BASE LEGEND: FCB Flash Cove Base RB Rubber Base SCF Seamless Cushioned Flooring	FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	Motorized Min. Length Adjustable Standing Speregory (mm) Height Height Case	L7 L8 L9	SHELF S1  L10 L11 L12 LOWER UNITS	RECEPTION	, -	JTILITY SINK AND	Lower Mil	tertop:	
MECHANICAL REQUIREMENTS	Seamless I Hillian /	Other Eightures:		MED / NON MED CO	CFC					
PLUMBING Hand (Quantity) Hygiene Sink: Lavatory: Kitchen  1  Plumbing Remarks:	Seamless Utility / Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Tub Emergence  Ice Maker Flush Rim  Water Closet Floor Dra	/Shower Station cy Shower n Sink	Gas Remarks:	Medical Air:  3  Provide (1) service (1) s	Medical Nitrous Oxide:  3  et of O2/Medical Air/ Medicate boom. all, (1) CO2 to boom.	CO2: 2 cal Vacuum of me	AGSS: Nitroger	n: Air: Va	oratory Compressed Air:

Appendix 1B Minimum Room Requir	ements		Program 1. D4.02.04 umber(s): 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Scope Assembly - Satelli	te MDR		3. 4. 5. 6.	9. 10. 11. 12.	15. 16. 17. 18.	21. 22. 23. 24.	27. 28. 29. 30.	<ul><li>33.</li><li>34.</li><li>35.</li><li>36.</li></ul>	39. 40. 41. 42.	45. 46. 47. 48.
ARCHITECTURAL REQUIREMENTS			-							
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES	ROOM AC	CESSORIES		
Wall Material: ARGB 1.2m AFF, GB above	Finish: EWC Type: ESRP	✓ Corner Guards ☐ Hand Rails ☐	Bed Bumper / Locator	☐ Interior Glaz	ing	Material: Base:	_ Coat			agnetic Whiteboard
Ceiling Material: MMRGB	Finish: ECC Height: 2185 mm	Crash Rails Chair Rail				VSF FCB	_	or 🗌 Infant Ch	ange Table	ivacy Curtain
LEGEND:	DOORS						Door	Remarks:		
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:									Security Grille
ACT Acoustic Ceiling Tile										
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board				MANA BN		<u> </u>				Anti-barricade strategy
GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D	D2 E E2 I	F2 G	Н	J				
KLCT Kitchen Lay-in Ceiling Tile		Inte	egral Door & Frame Privacy	Ca	rd Mag A	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile	Type:Qty: Size (mm):	Material: Finish: Side Lt: Bli	inds: Protect.: Film:	Function: Rea	der: Lock: Op	pener: Open: Hingo	es: Accessory 1	: Accessory 2: Ac	ccessory 3: Close	er:
WALL FINISHES LEGEND:										
EWC Epoxy Wall Coating										
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER U	UNITS	Storage Requirements:					FINISHES	
CEILING FINISHES LEGEND:								Full-height Cabi		
ECC Epoxy Ceiling Coating HPC High Performance Coating	7 177	-+ U3 U4						Upper Millw		
PF Prefinished		T Z Z	U5 U6 U7 U					Counter Lower Millw	•	
PT Paint			Z						helf:	
WALL PROTECTION LEGEND:				S1						
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate	"							Ren	narks:	
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering										
RHIS Rigid High Impact Sheet		The state of the s	7	i						
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering			on on the second							
FLOOR FINISHES LEGEND:	C1 C2 C3		===	ON THE PERSONAL PROPERTY.	-	-				
CFS Concrete Floor Sealer	C2 C3 C4	12	= 7	= =			7/	1		
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating				KW	1==	-				
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L6 L7 L8 L9		1		4 /			
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring				L10 L11	L12	TC1 TC2				
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized	l'acceptation de la late			TC2	UC1			
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category	Min. Length Adjustable Stand ry (mm) Height Heig		LOWER UNITS	RECEPTIO	ON/TRANSACTION				
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)				COUNTE	R / CARE TEAM	UTILITY SINK AND COU	NTER UNIT		
FLOOR BASE LEGEND: FCB Flash Cove Base	category of mgm (20% of creation)				STATION	DESK				
RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS										
	Soamlors   Hillity /	Other Fivtures:	1 .	MED / NON BEE	D CASES					
PLUMBING Hand (Quantity) Hygiene Sink: Lavatory: Kitchen Sin	Seamless Utility / k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Evewash Station	MED / NON-ME (Quantity)	D GASES	Medical Nitrous			Laboratory Labo	Utility oratory Compressed
(Samuel)			Eyewash/Shower Station	Oxygen:	Medical Air:	Vacuum: Oxide:	CO2: A	GSS: Nitrogen:		oratory Compressed Icuum: Air:
Plumbing			Emergency Shower Flush Rim Sink	7,000						1
Remarks:			Floor Drain							
			Water Bottle Refill Station	Gas Rema	rks:					
		Hot Water		¬						
		O	ther	_						

Appendix 1	1B Minimum Room Requi	rements		rogram 1. D4.01.06 mber(s): 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Roo	om Name: Scope Check Station			3.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				5.	11.	17.	23.	29.	35.	41.	47.
				6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECT	URAL REQUIREMENTS							T.			
WALL AND CE		WALL PROTECTION	✓ Corner Guards ☐ Hand Rails ☐	l a . a	GLAZING		FLOORING TYPES Material: Base:		OM ACCESSORIES		
	Material: ARGB 1.2m AFF, GB above  ACT		Crash Rails Chair Rail	Bed Bumper / Locator	☐ Interior Gla	zing	VSF FCB	_	Coat Hooks		Magnetic Whiteboard Privacy Curtain
	victorial. Net								Door Remarks:	and change rable	
LEGEND: WALL AND CE	EILING LEGEND:	DOORS									
	Architectural Ceiling	Types:	ान हिं। जिल्ला नि	निनिनिनिनि	N DN DA		/ <b>/ / U</b>				Security Grille
	Acoustic Ceiling Tile Cleanroom										☐ Anti-barricade
ARGB A	Abuse-Resistant Gypsum Board										strategy
	Gypsum Board mpact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	2 E E2 F	F2 G	н	1				
KLCT K	Kitchen Lay-in Ceiling Tile			gral Door & Frame Privacy			Auto Hold				
	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blind	ds: Protect.: Film:	Function: Re	ader: Lock: O	pener: Open:	Hinges: Acces	ssory 1: Accessory 2	: Accessory 3:	Closer:
WALL FINISH	ES LEGEND:										
EWC E	Epoxy Wall Coating										
	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UN	NITS	Storage Requirements:					FINISHES	
	SHES LEGEND:			WII 3					Full-heigh	nt Cabinet:	
	Epoxy Ceiling Coating	7777	U2 U3 U4 U							Millwork:	
	High Performance Coating Prefinished		U5	U6 U7 U8						ountertop: Stainless S	teel
	Paint			7	SHELF				Lower	Millwork:	
WALL PROTE	CTION LEGEND:				S1					Shelf:	
	Extruded Semi-Rigid PVCu Panel									Remarks:	
	Fibre Reinforced Laminate Fibreglass Reinforced Plastic										
PVW F	Protective Vinyl Wallcovering	-	- Francisco								
	Rigid High Impact Sheet Wetwall Solid Surface Panel				-						
	Wetroom Vinyl Wallcovering		"   "			1	7				
FLOOR FINISH	HES LEGEND:	C1 C2 C3 C4		===	~ -	1	Comment -				
	Concrete Floor Sealer	C3 C4	L2	= 7/				7		,	
	Epoxy Floor Coating Polyurethane Floor Coating				SER	4				1	
	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L6 L7 L8 L9			2 4 15				
	Rubber Sheet Flooring Seamless Cushioned Flooring				L10 L11	L12			1     1		
	Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized				TC1   TC	2	UC1	U	
	Static-Dissipative Vinyl Sheet Flooring /inyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category	Min. Length Adjustable Standing (y (mm) Height Height		LOWER UNITS			_			
WSVF \	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	, , , , ,				ON/TRANSACTION R / CARE TEAM	UTILITY SINK AN	D COUNTER UNIT		
FLOOR BASE		Category 3 - High (10% or Greater)	1800			STATION					
	Flash Cove Base Rubber Base										
	Seamless Cushioned Flooring										
MECHANICA	AL REQUIREMENTS										
PLUMBING	Hand	Seamless Utility /	Other Fixtures:	Eyewash Station	MED / NON-M	ED GASES					
(Quantity) F	lygiene Sink: Lavatory: Kitchen Sir	nk: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Eyewash/Shower Station	(Quantity)			ous		Laboratory	Laboratory Compressed
				Emergency Shower	Oxygen	: Medical Air:	Vacuum: Ox	ide: CO2:	AGSS: Nitro	ogen: Air:	Vacuum: Air:
Plumbing				Flush Rim Sink							1
Remarks:				Floor Drain			1 1	1	<u> </u>	1	
			_	Water Bottle Refill Station	Gas Rem	arKS:					
			Hot Water Othe	ner	1						
			Oth	ICI _	1						

Appendix 1B Minimum Room Requireme	ents	Program Number(s):	1. D4.01.05 2.	7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Scope Washing - Satellite MD	D		3.	9. 15.	21.	27.	33.	39.	45.
Room Name: Scope Washing - Satellite MD	X .		4.	10. 16.	22.	28.	34.	40.	46.
			5.	11. 17.	23.	29.	35.	41.	47.
			6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS									
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES		ACCESSORIES		
	nish: EWC Type: ESRP ✓ Corne nish: ECC Height: 2185 mm		imper / Locator	☐ Interior Glazing	Material: Base:  VSF FCB		at Hooks		netic Whiteboard cy Curtain
		Rails — Chair Rail				Mi		ige rable $\square$ Priva	icy Curtain
LEGEND:	DOORS					D00	or Remarks:		
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:								Security Grille
ACT Acoustic Ceiling Tile									□ Authorities
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board					M MM44				Anti-barricade strategy
GB Gypsum Board	A A2 B B2	C C2 D D2	E E2 F	F2 G H	J				51.41567
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile		Integral Doc	or & Frame Privacy	Card N	Mag Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Material:	<u> </u>	Protect.: Film:			Hinges: Accessory	/ 1: Accessory 2: Acc	essory 3: Closer:	
SACT Security Acoustic Ceiling Tile							, =:, =:		
WALL FINISHES LEGEND:									
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK						7		
PT Paint	WILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	9	Storage Requirements:				FINISHES	
CEILING FINISHES LEGEND:	U1 U						Full-height Cabin		
ECC Epoxy Ceiling Coating	7 1777	2 U3 U4 U5					Upper Millwo		
HPC High Performance Coating PF Prefinished			U6 U7 U8	SHELF			Counterto	-	
PT Paint			77	SILLI			Lower Millwo She		
WALL PROTECTION LEGEND:				Si			3110	žII.	
ESRP Extruded Semi-Rigid PVCu Panel			1 11				Rema	arks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic							Re	efer to Appendix 1H [Ec	nuinment and
PVW Protective Vinyl Wallcovering			_ 1 1	1				urniture] for requireme	
RHIS Rigid High Impact Sheet			1 1						
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering			-						
FLOOR FINISHES LEGEND:	CI C2	<del> </del>		On the Contract of the Contrac	-	224.000			
CFS Concrete Floor Sealer	C3 C4 C5	-				7 /			
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 14		_ KM-		The same of the sa			
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L0						
RSF Rubber Sheet Flooring			L7 L8 L9	L10 L11		7/ 11			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			TC1 TC2		l n l l		
SDVF Static-Dissipative Vinyl Sheet Flooring			ecialty	_		] <u>uc</u>	1 4		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (n Category 2 - Med (5% - 9%)	nm) Height Height Ca	sework		RECEPTION/TRANSACTION		1		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				COUNTER / CARE TEAM STATION DESK	UTILITY SINK AND CO	DUNTER UNIT		
FCB Flash Cove Base					SITTION DESIG				
RB Rubber Base SCF Seamless Cushioned Flooring									
Seattless Cushioned Flooring									
MECHANICAL REQUIREMENTS									
the first test of the first of	schon Sinky Dracocc Sinky Scrub Sinky Floor Sinky	r Fixtures: Evewash		MED / NON-MED GASI		Nuc.		Laboratori Labara	Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Ki	2		n/Shower Station	(Quantity) Oxygen: Me	Medical Nitro dical Air: Vacuum: Oxi		AGSS: Nitrogen:	Laboratory Labora Air: Vacu	um. Compressed
Diversing To Control of the Control		_		Oxygen. Ivie	3		AGGG. MILIOSEII.	3	All.
Plumbing Refer to Appendix 1H [Equipment and Furnitur Remarks:	_	Ice Maker			<u> </u>				
		Water Closet Floor Dr		Gas Remarks: Re	efer to Schedule 1, Section 7.5.11	- Ventilation, for Exhaust	Systems Requirements.		
			ottle Refill Station		ovide (1) medical air and (1) vacu				
		Hot Water Other							

		Number(s)	2.	8. 14	1.	20.	26.	32.	38.	44.
Room Name: Sealed Source Room			3.	9. 15	5.	21.	27.	33.	39.	45.
Room Name. Sealed Source Room			4.	10. 16	5.	22.	28.	34.	40.	46.
			5.	11. 17.	7.	23.	29.	35.	41.	47.
			6.	12. 18	3.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS				'		1	1		<u>'</u>	
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES	RO	OOM ACCESSORIES		
	Finish: PT Type: FRP	✓ Corner Guards ☐ Hand Rails ☐ Bed B	umper / Locator	☐ Interior Glazing		Material: Base:		Coat Hooks Cei	ling Lift	Magnetic Whiteboard
	Finish: PF Height: 1600 mm	Crash Rails Chair Rail	•	Interior diazing		VSF FCB				Privacy Curtain
LEGEND:	DOORS							Door Remarks:		
WALL AND CEILING LEGEND:								Provide keypad card r	eader	
AC Architectural Ceiling	Types:				700					Security Grille
ACT Acoustic Ceiling Tile										☐ Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board						12144				strategy
GB Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	Н	J				St. atcg/
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile		Integral Do	or & Frame Privacy	Card	Mag A	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	9	Protect.: Film:	Function: Reader:		pener: Open: Hing	τος· Λ <i>ι</i>	cessory 1: Accessory 2	: Accessory 3:	Closer:
SACT Security Acoustic Ceiling Tile	A 1 1065 x 2135	Waterian Fillion: Side Et.		reroom 🗸		Butt Hinge		cessory 1. Accessory 2	Surf	
WALL FINISHES LEGEND:	A 1 1003 x 2133	Silielded Freimished 21	IIgii Stoi	eroom 🗸		Dutt Hinge			3411	ace
EWC Epoxy Wall Coating										
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK		S	torage Requirements:					FINISHES	
CEILING FINISHES LEGEND:		UPPER UNITS						Full-heigh	nt Cabinet:	
ECC Epoxy Ceiling Coating	(m) 17.77	U2 U3 U4						Upper	Millwork: Stainless St	teel
HPC High Performance Coating		U5	U6 U7					C	ountertop: Stainless St	teel
PF Prefinished PT Paint			U8	SHELF				Lower	Millwork: Stainless St	teel
rı ranıt									Shelf:	
WALL PROTECTION LEGEND:				S1						
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate				1					Remarks:	
FRP Fibreglass Reinforced Plastic										ix 1H [Equipment and
PVW Protective Vinyl Wallcovering	-	Promoted in the last of the la		1					Furniture] for red	
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel									Design counter to	o accommodate f materials and Equipment
WVW Wetroom Vinyl Wallcovering			-	THE PERSON NAMED IN CO.		7			as required by th	
FLOOR FINISHES LEGEND:	<u>cı</u> cz cz		+=-71		-	Consession	253			
CFS Concrete Floor Sealer		12					7		-	
EFC Epoxy Floor Coating  PFC Polyurethane Floor Coating		L2 L3 L4		- KANA:	~ ~	STATE OF THE PERSON NAMED IN	-/	The same of the sa	1	
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9		/				1	
RSF Rubber Sheet Flooring			L7 L8 L9	L10 L11			1/			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			L12 M	TC1 TC2			U	
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Min. Length Adjustable Standing Sp	pecialty		$\sqcup$			UC1		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%)  Category 2 - Med (5% - 9%)	gory (mm) Height Height Ca	asework	LOWER UNITS		ON/TRANSACTION				
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)	2 1800				R / CARE TEAM	UTILITY SINK A	AND COUNTER UNIT		
FCB Flash Cove Base					STATION	DESK				
RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS										
PLUMBING Hand	Seamless Utility /	Other Fixtures: Evewas	h Station	MED / NON-MED G	GASES					
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Lyewas	h/Shower Station	(Quantity)		Medical Nitrous			Laboratory	Laboratory Compressed
	1	☐ Tub ☐ Emerge		Oxygen:	Medical Air:	Vacuum: Oxide:	CO2:	AGSS: Nitro	ogen: Air:	Vacuum: Air:
Plumbing		lce Maker Flush Ri								
Remarks:		Water Closet Floor D				<u> </u>				
			rain Bottle Refill Station	Gas Remarks:	:					
		Instantaneous Water I Hot Water	oottie keiiii station							
		Other								
		]								

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B Minimum Room Requ	irements	Program Number(s):	1. D2.30 2.	7. 1: 8. 1:				31. 32.	37. 38.	43. 44.
Room Name: Server Room - OR Inte	gration System		3.	9. 11. 10. 10	5.	21.	27.	33. 34.	39. 40.	45.
			4. 5.	11.				35.	41.	46. 47.
			6.	12. 1	8.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS									,	
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB above	WALL PROTECTION  Finish: PT Type: RHIS ✓ Corner	Guards   Hand Rails   Bed Bui	mner / Locator	GLAZING		RING TYPES Material: Base:	ROOM ACCE	SSORIES  ooks Ceiling Lift	·	Magnetic Whiteboard
Ceiling Material: ACT	Finish: PT Type: RHIS Corner Height: 1350 mm Crash R		imper y Locator	☐ Interior Glazing		SDVF FCB	☐ Mirror	Infant Cha		Privacy Curtain
LEGEND:	DOORS						Door Re	marks:		
WALL AND CEILING LEGEND:	Types:									Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile										
ACT-C Cleanroom						20				Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B2 (	. C2 D D2	E E2 F	F2 G	Н					strategy
IRGB Impact-Resistant Gypsum Board					_	0.14				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	Fire Ohn Circ (see ). Material	<u> </u>	r & Frame Privacy rotect.: Film:	Card Function: Reader	•	Hold	A 1 -			
SACT Security Acoustic Ceiling Tile	Type:Qty: Size (mm): Material:			Turiculori.	T. LOCK. OPERET.		Accessory 1:	Accessory 2: Acc	, , , , , , , , , , , , , , , , , , ,	loser:
WALL FINISHES LEGEND:	A 1 1220 x 2135 Solid Core	FRL 1 Lo	w Stor	eroom 🗸		Butt Hinge			Surfac	<u>e</u>
EWC Epoxy Wall Coating										
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK		St	orage Requirements:					FINISHES	
		UPPER UNITS						Full-height Cabi	net:	
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	U1 U2							Upper Millw		
HPC High Performance Coating		U4 U5	U6 U7					Countert		
PF Prefinished			U7 U8	SHELF				Lower Millw	ork:	
PT Paint				†a □				Sł	nelf:	
WALL PROTECTION LEGEND:			-	S1						
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate	Sugarana III II			1				Rem	narks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic										
PVW Protective Vinyl Wallcovering	-	Emmy								
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel		-								
WVW Wetroom Vinyl Wallcovering	50		-	Section and section 1						
FLOOR FINISHES LEGEND:	C1 C2 C3		-7	~ ~	-	- Vanners				
CFS Concrete Floor Sealer	C4 C5 14	-		==			7 /	-		
EFC Epoxy Floor Coating		L3 L4 L5		KMM	-	CONTRACTOR OF THE PARTY OF	Targeres de	1		
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8					4		
RSF Rubber Sheet Flooring			L7 L8 L9	L10 L11	- Y	/_	/			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	8.6.e.e.e.e.e.e.e.e.e.e.e.e.e.e.e.e.e.e.			L12 N	TC1 TC2	/   "	и		
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None Min. Le	Motorized ength Adjustable Standing Spe	ecialty				UC1	L		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mi		ework	LOWER UNITS	RECEPTION/TR	ANSACTION				
• • • •	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)				COUNTER / CA		LITY SINK AND COUNT	ER UNIT		
FLOOR BASE LEGEND: FCB Flash Cove Base	category of ringin (20% of circutery				STATION DESK					
RB Rubber Base										
SCF Seamless Cushioned Flooring										
								L		
MECHANICAL REQUIREMENTS										
PLUMBING Hand	Seamless Utility / Other	Fixtures: Fyewash	Ctation	MED / NON-MED	GASES					
(Quantity) Hygiene Sink: Lavatory: Kitchen S	ink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:			(Quantity)		edical Nitrous			Laboratory L	Utility Laboratory Compressed
	□ SI		/Shower Station			cuum: Oxide:	CO2: AGSS	S: Nitrogen:		Vacuum: Compressed Air:
Plumbing							1.00			All.
Remarks:		e Maker Flush Rim								
		/ater Closet Floor Dra		Gas Remarks	s: [					
			ottle Refill Station							
	"	ot Water Other								
				I	I					

Roc	om Name: Soiled Holding - Periopera	tive		Number(s): 2. 3.	8. 14. 9. 15.		26. 27.	32. 33.	38. 39.	44. 45.
Noc	oned Holding Tonopola			4.	10. 16.		28.	34.	40.	46.
				5. 6.	11.     17.       12.     18.		29. 30.	35. 36.	41. 42.	47. 48.
ARCHITECTU	URAL REQUIREMENTS				•		·	·	•	
WALL AND CE		WALL PROTECTION			GLAZING	FLOORING TY	_	OM ACCESSORIES		
	Material: ARGB 1.2m AFF, GB above ACT	Finish:         EWC         Type:         FRP           Finish:         ECC         Height:         1600 mm	✓ Corner Guards ☐ Hand Rails ✓ Crash Rails ☐ Chair Rail		☐ Interior Glazing	Material: WSVF		Coat Hooks Mirror		Magnetic Whiteboard Privacy Curtain
LEGEND:		DOORS					·	Door Remarks:		
	EILING LEGEND: Architectural Ceiling	Types:						of the departmen	ler to door leading to the out	Security Grille
ACT A	Acoustic Ceiling Tile									☐ Anti-barricade
	Cleanroom Nobuse-Resistant Gypsum Board	NAMA								strategy
	Gypsum Board mpact-Resistant Gypsum Board	A A2 B	B2 C C2 D	D2 E E2 F	F2 G	H J				
KLCT K	Citchen Lay-in Ceiling Tile			Integral Door & Frame Privacy	Card	Mag Auto Hold				
	Moisture and Mould-Resistant Gypsum Board ecurity Acoustic Ceiling Tile	Type:Qty: Size (mm):   C2	Material: Finish: Side Lt:		Function: Reader:			cessory 1: Accesso		Closer:
WALL FINISHE	ES LEGEND:	C2 1 1220 x 2135 S			oreroom 🗸		Butt Hinge Astr Butt Hinge Astr	agal Flush Bo		rface rface
	poxy Wall Coating ligh Performance Coating				,		7.50		ic production of	
	Paint	MILLWORK AND SPECIALTY CASEWORK	UPP	PER UNITS	Storage Requirements:				FINISHES	
CEILING FINIS	HES LEGEND:		U1						neight Cabinet:	
	poxy Ceiling Coating High Performance Coating	7 1/1/1/	U2 U3 U4	U5 U6 U7				U	pper Millwork: Countertop:	
PF P	refinished		7	U7 U8	SHELF			Lo	ower Millwork:	
PT P	raint			The state of the s					Shelf:	
	CTION LEGEND:				S1					
	xtruded Semi-Rigid PVCu Panel ibre Reinforced Laminate				1				Remarks:	
	ibreglass Reinforced Plastic Protective Vinyl Wallcovering									
RHIS R	tigid High Impact Sheet		THE REAL PROPERTY AND ADDRESS OF THE PARTY AND		i					
	Vetwall Solid Surface Panel Vetroom Vinyl Wallcovering			On the Party of th	1		1			
FLOOR FINISH	IES LEGEND:	<u>cı</u> c2 c3			O THE PROPERTY OF		7			
	Concrete Floor Sealer	C4 C5	12					/		
	poxy Floor Coating olyurethane Floor Coating		L3 L4	L5	RAM.			-	7/	
	tubber Athletic Flooring	FULL-HEIGHT CABINETS		L6 L7						
	tubber Sheet Flooring leamless Cushioned Flooring				L10 L11 L	12 TC1	*/ //			
	tatic-Dissipative Rubber Sheet Flooring tatic-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized			TC1	TC2 **	UC1	l u	
VSF V	inyl Sheet Flooring	Category 1 - Low (1% - 4%) Categ	- ,	tanding Specialty Height Casework	LOWER UNITS	RECEPTION/TRANSACTION	 NNI		u	
WSVF V	Vetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	, (mm) Height			COUNTER / CARE TEAM		AND COUNTER UNIT		
FLOOR BASE I	LEGEND: lash Cove Base	Category 3 - High (10% or Greater)				STATION DESK				
	tubber Base									
SCF S	eamless Cushioned Flooring									
MECHANICA	AL REQUIREMENTS									
PLUMBING	Hand  Ivgiene Sink: Lavatory: Kitchen Sink	Seamless Utility / Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures:	Evewash Station	MED / NON-MED G		NP			Utility
(Quantity)	1	RECEIVED SHIRE. 1 TOCCS SHIRE. SCIUD SHIRE. 1 TOUT SHIRE.	Shower	Eyewash/Shower Station	(Quantity)	Medical Medical Vacuum:	Nitrous Oxide: CO2:	AGSS:	Laboratory Nitrogen: Air:	Laboratory Compressed
Dlumbing	_		Tub	Emergency Shower	Oxygen:	ivicuitai Ail.	CO2:	AGSS.	ivid Ogen.	Air:
Plumbing P Remarks:	rovide docking station for the fluid mana	gement system		Flush Rim Sink Floor Drain						
			☐ Water Closet ☐ Instantaneous	Water Bottle Refill Station	Gas Remarks:					
			Hot Water							
				Other						

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

• •	•		Number(s): 2.	8. 14.	20. 26.	32. 38.	44.
			3.	9. 15.	21. 27.	33. 39.	45.
Ro	oom Name: Sterile Supply Core		4.	10.	22. 28.	34. 40.	46.
			5.	11. 17.	23. 29.	35. 41.	47.
			6.	12. 18.	24. 30.	36. 42.	48.
<b>ARCHITECT</b>	TURAL REQUIREMENTS						
	·						
WALL AND C		WALL PROTECTION		GLAZING	FLOORING TYPES  Material: Base:	ROOM ACCESSORIES	
	Material: ARGB 1.2m AFF, GB above		Guards Hand Rails Bed Bumper / Locator	☐ Interior Glazing	VSF FCB	Coat Hooks Ceiling Lift	✓ Magnetic Whiteboard
Ceiling	Material: ACT-C	Finish: ECC Height: 2185 mm Crash Ra	ils Chair Rail		V3F FCB	☐ Mirror ☐ Infant Change Tab	le Privacy Curtain
LEGEND:		DOORS				Door Remarks:	
	CEILING LEGEND:						
	Architectural Ceiling	Types:	a (ala) (ala) (ala) (ala)				Security Grille
	Acoustic Ceiling Tile						
	Cleanroom						Anti-barricade
	Abuse-Resistant Gypsum Board Gypsum Board	A A2 B B2 C	C2 D D2 E E2	F F2 G H			strategy
	Impact-Resistant Gypsum Board	A A2 D D2			•		
	Kitchen Lay-in Ceiling Tile		Integral Door & Frame Privac	•	-		
	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): Material:	Finish: Side Lt: Blinds: Protect.: Film	Function: Reader: Loc	k: Opener: Open: Hinges:	Accessory 1: Accessory 2: Accessory 3	3: Closer:
SACI	Security Acoustic Celling Tile	C 2 1220 x 2135 Solid Core	FRL 2 High	Passage	<b>✓</b> Butt Hinge	Elec. Strike	Surface
WALL FINISH	HES LEGEND:						
	Epoxy Wall Coating						
	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	LIDDED LIMITS	Storage Requirements:		FIN	ISHES
			UPPER UNITS			Full-height Cabinet:	
	ISHES LEGEND:	U1 U2	U3			Upper Millwork:	
	Epoxy Ceiling Coating High Performance Coating		U4 U5 U6			Countertop: Stai	inless Steel
	Prefinished		U7	U8 SHELF		Lower Millwork:	illess steel
PT	Paint	Carpennes					
WALL DROTE	ECTION LEGEND:			T-1 :		Shelf:	
	Extruded Semi-Rigid PVCu Panel			S1		Da manda.	
	Fibre Reinforced Laminate	1				Remarks:	
	Fibreglass Reinforced Plastic	-					
	Protective Vinyl Wallcovering	and the second s	Francis Control	1			
	Rigid High Impact Sheet Wetwall Solid Surface Panel		THE RESERVE TO SERVE THE PARTY OF THE PARTY				
	Wetroom Vinyl Wallcovering	20	-	arana I			
ELOOR EINIS	SHES LEGEND:	cı cı		ON MAN PERSONAL PROPERTY.	1		
	Concrete Floor Sealer						
	Epoxy Floor Coating					La America	
PFC	Polyurethane Floor Coating		L3 L4 L5 L6 L7 L8				
	Rubber Athletic Flooring	FULL-HEIGHT CABINETS			-1/ $-1/$		
	Rubber Sheet Flooring Seamless Cushioned Flooring			L10 L11			
	Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized		TC1 TC2		
	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None Min. Le				UC1 U	
	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mr	n) Height Height Casework	LOWER UNITS RE	CEPTION/TRANSACTION		
		Category 2 - Med (5% - 9%)  Category 3 - High (10% or Greater)  1 150	0 🗸	cc	OUNTER / CARE TEAM UTILITY S	SINK AND COUNTER UNIT	
FLOOR BASE		Category 3 - High (10% or Greater)		ST	ATION DESK		
	Flash Cove Base Rubber Base						
	Seamless Cushioned Flooring						
	, and the second						
MECHANIC	CAL REQUIREMENTS						
PLUMBING	Hand	Seamless Utility / Other F	ixtures: Evewash Station	MED / NON-MED GASES			
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sin	k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		(Quantity)	Medical Nitrous	Labor	Utility atory Laboratory Compressed
. "		Sr		Oxygen: Medic		O2: AGSS: Nitrogen: Ai	
DI				5,85			7
Plumbing Remarks:			Maker Flush Rim Sink				
nematks.			ater Closet Floor Drain	Gas Remarks:			
			stantaneous	Gas Neillaiks.			
			ot Water				
			Other				

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

-pp-on-on-			Number(s):	2.	8. 14.	20.	26.	32.	38.	44.
	Storage Implente			3.	9. 15.	21.	27.	33.	39.	45.
Ko	om Name: Storage - Implants			4. 1	16.	22.	28.	34.	40.	46.
				5. 1	17.	23.	29.	35.	41.	47.
				6. 1	12. 18.	24.	30.	36.	42.	48.
A D C L I T E C T	URAL REQUIREMENTS									
WALL AND CE		WALL PROTECTION	✓ Corner Guards ☐ Hand Rails ☐ Bed Bu		GLAZING	FLOORING TYPES  Material: Base:		M ACCESSORIES		
	Material: ARGB 1.2m AFF, GB above	Finish: PT Type: FRP	Crash Rails Chair Rail	umper / Locator	☐ Interior Glazing	VSF FCB		Coat Hooks Ceiling Lift Mirror Infant Cha		Magnetic Whiteboard Privacy Curtain
Ceiling	Material: ACT	Finish: PF Height: 1350 mm	☐ Crash Rails ☐ Chair Rail			[10. [102			nge lable 🗀	Privacy Curtain
LEGEND:		DOORS					]	Door Remarks:		
	EILING LEGEND:	Types:								☐ Security Grille
	Architectural Ceiling Acoustic Ceiling Tile				AN 24 444					_ = ===================================
	Cleanroom									Anti-barricade
	Abuse-Resistant Gypsum Board Gypsum Board									strategy
	Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	J				
	Kitchen Lay-in Ceiling Tile		Integral Doc	or & Frame Privacy	Card Mag	Auto Hold				
	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Widterial: Tillion: Side Etc.	Protect.: Film:	Function: Reader: Lock:		ges: Accesso	ory 1: Accessory 2: Acc	cessory 3: C	loser:
		C 1 1220 x 2135 S	olid Core FRL 2 H	ligh Storer	room 🗸 🗌	Cont. Swir	ng Clear		Surfac	e
WALL FINISH EWC	ES LEGEND: Epoxy Wall Coating									
	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		C+o.	rage Requirements:				FINISHES	
PT I	Paint	1940 (1940)	UPPER UNITS	310	rage nequirements.			5 111		
CEILING FINIS	SHES LEGEND:		U1					Full-height Cabir		
	Epoxy Ceiling Coating High Performance Coating	7	U2 U3 U4 U5	U6 117 🗆				Upper Millwo Countert		
	Prefinished		777	U7 U8	SHELF			Lower Millwo	-	
PT I	Paint	forgonia		77	<b>13</b> □				elf:	
WALL PROTE	CTION LEGEND:	Congression		-	S1			311	c	
	Extruded Semi-Rigid PVCu Panel							Rem	arks:	
	Fibre Reinforced Laminate Fibreglass Reinforced Plastic									
	Protective Vinyl Wallcovering		-	_	8					
	Rigid High Impact Sheet			1 1						
	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering	CONTRACTOR CONTRACTOR	" " " " " " " " " " " " " " " " " " " "	an Parket State of the last of						
FLOOR FINISI	HES LEGEND:	C1 C2	<del>_</del>           "   <del>-</del>	4-1/1	to an experience	1				
	Concrete Floor Sealer	C2 C3 C4 C5	-	1 771 1		1   1	7/	/		
	Epoxy Floor Coating		L2 L3 L4 L5		- 444	- Karana	/ 4			
	Polyurethane Floor Coating Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L5	L7 10						
	Rubber Sheet Flooring			L7 L8 L9	L10 L11	1/	7/ 1			
	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:			L12	TC1 TC2				
	Static-Dissipative Rubber Sneet Flooring  Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized  Min. Length Adjustable Standing Sp	ecialty			U	UC1		
	Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categ	- ,	sework	LOWER UNITS	PTION/TRANSACTION				
	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)				NTER / CARE TEAM	UTILITY SINK AND	COUNTER UNIT		
FLOOR BASE		Category 3 - High (10% or Greater)			STAT	ION DESK				
	Flash Cove Base Rubber Base									
SCF S	Seamless Cushioned Flooring									
MECHANIC	AL REQUIREMENTS									
PLUMBING	Hand	Seamless Utility /	Other Fixtures: Evewast		MED / NON-MED GASES					
(Quantity)		: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Lycwasi		(Quantity)	Medical Nitrous			Laboratory L	Utility Laboratory Compressed
(Quartity)				h/Shower Station	Oxygen: Medical			AGSS: Nitrogen:	Air:	Vacuum: Compressed Air:
Dlumbina	l l		☐ Tub ☐ Emerger		- Theuleur	· ····		THE OBEIN		All.
Plumbing Remarks:			☐ Ice Maker ☐ Flush Rin							
			Water Closet Floor Dr		Gas Remarks:					
				Bottle Refill Station						
			Hot Water Other							

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B Minimum Room Requirem	ents	Program 1. D6.01 Number(s): 2.	7. 13. 8. 14.	19. 25 20. 26		37. 38.	43. 44.
Room Name: Stretcher Bay - ACU		3.	9. 15.	21. 27		39.	45.
		4. 5.	10. 16. 17.	22. 28 23. 29		40. 41.	46. 47.
		6.	12. 18.	24. 30		42.	48.
ARCHITECTURAL REQUIREMENTS							
WALL AND CEILING	WALL PROTECTION		GLAZING	FLOORING TYPES	ROOM ACCESSORIES		
		nd Rails Bed Bumper / Locator	☐ Interior Glazing	Material: Base:  VSF FCB	Coat Hooks Ceilin		Magnetic Whiteboard
Ceiling Material: ACT	inish: PF Height: 1600 mm Crash Rails Ch	air Rail		V3I I CD		t Change Table	Privacy Curtain
LEGEND:	DOORS				Door Remarks:		
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:	(a) (a) (a) (a) (b) (a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c					Security Grille
ACT Acoustic Ceiling Tile							
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board							Anti-barricade strategy
GB Gypsum Board	A A2 B B2 C C2	D D2 E E2	F F2 G H	J			Strategy
IRGB Impact-Resistant Gypsum Board		Internal Dans & France Driver	. Cond Man	Ato Hold			
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	Fire Ohn Cira (man). Material. Finish. C	Integral Door & Frame Privacy	Decile de la de		A	A	21
SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): Material: Finish: S	ide Lt: Blinds: Protect.: Film:	Function: Reader: Lock:	: Opener: Open: Hinges:	Accessory 1: Accessory 2:	Accessory 3: C	Closer:
WALL FINISHES LEGEND:							
EWC Epoxy Wall Coating							
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK		Storage Requirements:			FINISHES	
		UPPER UNITS			Full-height	Cabinet:	
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	U2 U2				Upper N		
HPC High Performance Coating		U4 U5 U6				ntertop:	
PF Prefinished		7 V V V V V V V V V V V V V V V V V V V	U8 SHELF		Lower N	1illwork:	
PT Paint		7				Shelf:	
WALL PROTECTION LEGEND:			S1			<u> </u>	
ESRP Extruded Semi-Rigid PVCu Panel						Remarks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic			The same of the sa			Refer to Appendix	1H [Equipment and
PVW Protective Vinyl Wallcovering	to Constitution	1				Furniture] for ceilin	
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel		-					
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering			-				
FLOOR FINISHES LEGEND:	CI CI		On the particular part	1			
CFS Concrete Floor Sealer	C2 C3 C4 C5	1 7		7	7	_	
EFC Epoxy Floor Coating						Å.	
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS						
RSF Rubber Sheet Flooring	TOLE-HEIGHT CADINETS		L10 111				
SCF Seamless Cushioned Flooring			L112	TC1 TC2	/    "    U	Į.	
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Motorize Category 0 - None Min Length Adjustsh			TC2   TC2	UC1		
VSF Vinyl Sheet Flooring	Category 1 - None Min. Length Adjustab Category 1 - Low (1% - 4%) Category (mm) Height		LOWER UNITS	EDTION/TDANSACTION			
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)			EPTION/TRANSACTION  JNTER / CARE TEAM UTILI	ITY SINK AND COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)			TION DESK			
FCB Flash Cove Base							
RB Rubber Base  SCF Seamless Cushioned Flooring							
Scanness cashioned ricorning							
AAFCHANICAL DECLUDENAENTS							
MECHANICAL REQUIREMENTS			1				
PLUMBING Hand	Seamless Utility / Other Fixtures:	Eyewash Station	MED / NON-MED GASES				Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: I	(itchen Sink: Process Sink: Scrub Sink: Floor Sink: Shower	☐ Eyewash/Shower Station	(Quantity)	Medical Nitrous		A * .	Laboratory Compressed
	Tub	☐ Emergency Shower	Oxygen: Medical		CO2: AGSS: Nitrog	en: Air:	Vacuum: Air:
Plumbing	☐ Ice Maker	Flush Rim Sink	4 2	4			
Remarks:	☐ Water Closet	☐ Floor Drain		(0) 00 (4) 15 (1) 15 (1)	, , , , , , ,		
	☐ Instantaneous	☐ Water Bottle Refill Station	Gas Remarks:   Provide	le (2) O2, (1) Medical Air, (2) Medical V	racuum each side of bed per stretche	r pay.	
	Hot Water						
		Other					

Appendix	x 1B Minimum Room Requir	rements		Program Number(s):	1. D6.02 2.	7. 13. 8. 14.	19. 20.		31. 37. 38.	43. 44.
ı	Room Name: Stretcher Bay - ACU - Ba	ariatric			3.	9. 15.	21.		33. 39.	45.
'	outener Day 7100 De				4.	10. 16.	22.		34. 40.	46.
					5. 6.	11. 17. 18.	23. 24.		35. 41. 36. 42.	47. 48.
					0.	10.	24.	30.	70. 42.	40.
ARCHITEC	CTURAL REQUIREMENTS									
WALL AND		WALL PROTECTION				GLAZING	FLOORING TYPES Material: Base:	ROOM ACCE		
	ARGB 1.2m AFF, GB above	Finish: PT Type: ESRP	✓ Corner Guards ☐ Hand R ✓ Crash Rails ☐ Chair R	Rails 🗹 Bed Bu	ımper / Locator	Interior Glazing	VSF FCB	Coat Ho	ooks Ceiling Lift Infant Change Table	Magnetic Whiteboard e Privacy Curtain
Ceilin	g Material: ACT	Finish: PF Height: 1600 mm	▼ Crash Rails	all			10. 1.05			3
LEGEND:		DOORS						Door Rei	narks:	
AC WALL AND	O CEILING LEGEND:  Architectural Ceiling	Types:								Security Grille
ACT	Acoustic Ceiling Tile									
ACT-C	Cleanroom		MELNINAIN	LIMMLI			MMLMNIZIZI:			☐ Anti-barricade
ARGB GB	Abuse-Resistant Gypsum Board Gypsum Board	A A2 B	B2 C C2 D	D2	E E2 F	F2 G	H I			strategy
IRGB	Impact-Resistant Gypsum Board		•							
KLCT MMRGB	Kitchen Lay-in Ceiling Tile Moisture and Mould-Resistant Gypsum Board	5 Ot - 5' - (mm)	Maria del Color Color		or & Frame Privacy Protect.: Film:	Card Function: Reader:	Mag Auto Hold Lock: Opener: Open: <sub>H</sub>			Classic
SACT	Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side L	Lt: Dillius. 1	Totect Tilli.	Function: Keader:	D D D	linges: Accessory 1:	Accessory 2: Accessory 3:	: Closer:
WALL FINIS	SHES LEGEND:									
EWC	Epoxy Wall Coating									
HPC PT	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK				Storage Requirements:			FINIS	SHES
				IPPER UNITS					Full-height Cabinet:	
ECC ECC	NISHES LEGEND:  Epoxy Ceiling Coating		U1 U2 U3 U4						Upper Millwork:	
HPC	High Performance Coating		04	U5	U6 U7				Countertop:	
PF PT	Prefinished			7	U7 U8				Lower Millwork:	
PI	Paint								Shelf:	
WALL PRO	TECTION LEGEND:			ıl ılı Fr	-	S1				
ESRP FRL	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate			- V					Remarks:	
FRP	Fibreglass Reinforced Plastic			1						
PVW	Protective Vinyl Wallcovering	100	-	Francis						
RHIS WSSP	Rigid High Impact Sheet Wetwall Solid Surface Panel		1 1	THE REAL PROPERTY.						
wvw	Wetroom Vinyl Wallcovering		1 11 1	11 -	1	AND DESCRIPTION OF THE PERSON				
FLOOR FIN	IISHES LEGEND:	C1 C2 C3	1		+-7	on an analysis of the last				
CFS	Concrete Floor Sealer	☐ ☐ C4 C5 1.1						7		
EFC PFC	Epoxy Floor Coating Polyurethane Floor Coating		L3 L4	-		- KMM-		Tanana Parana		
RAF	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L5 L6	L7 L8 L0					
RSF	Rubber Sheet Flooring				L7 L8 L9	L10 L11		7/ 11 1		
SCF SDRF	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized				_ IC1 ITC2		u III	
SDVF	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		Standing Sp	ecialty			UC1	l l	
VSF WSVF	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Cate			sework	LOWER UNITS	RECEPTION/TRANSACTION			
	SE LEGEND:	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)					COUNTER / CARE TEAM	UTILITY SINK AND COUNT	ER UNIT	
FCB	Flash Cove Base	,		I			STATION DESK			
RB	Rubber Base									
SCF	Seamless Cushioned Flooring									
MECHANI	ICAL REQUIREMENTS									
PLUMBING	i Hand	Seamless Utility /	Other Fixtures:	☐ Evewash	n Station	MED / NON-MED GA	SES			11020
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sin	k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower		n/Shower Station	(Quantity)	Medical Nitro		Labora	
			Tub	Emerger		Oxygen: N	Medical Air: Vacuum: Oxid	le: CO2: AGSS	S: Nitrogen: Air	r: Vacuum: Air:
Plumbing		·	lce Maker	Flush Rir		4	2 4			
Remarks:			Water Closet	Floor Dr						
			Instantaneous		ottle Refill Station	Gas Remarks:	Provide (2) O2, (1) Air, (2) Medical \	acuum each side of bed per st	retcher bay.	
			Hot Water		ottic neilii Station	,				
				Other						

		Number(s):	2. 8	3. 14.	20.	26.	32. 3	8.	44.
			3. 9	9. 15.	21.	27.	33. 3		45.
Room Name: Workroom - Anesthesia			4. 10		22.	28.	34. 4		46.
			5. 11		23.	29.	35. 4		47.
			6. 12		24.	30.	36. 4		48.
			0. 12	16.	24.	30.	30. 4	2.	46.
ARCHITECTURAL REQUIREMENTS									
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM AC	CECCODIEC		
		Corner Guards Hand Rails Bed Bum			Material: Base:		Hooks Ceiling Lift	•	etic Whiteboard
	Finish: PT Type: FRP		per / Locator	☐ Interior Glazing	VSF RB				
Ceiling Material: ACT	Finish: PF Height: 2440 mm	☐ Crash Rails ☑ Chair Rail			73.	☐ ☐ Mirro	r Infant Change	Table Privac	y Curtain
LEGEND:	DOORS					Door I	Remarks:		
WALL AND CEILING LEGEND:									
AC Architectural Ceiling	Types:	alal fil film fall falla fi							Security Grille
ACT Acoustic Ceiling Tile		FOR THE LAND R. P. R. H. J. F.							
ACT-C Cleanroom									Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B	B2 C C2 D D2 E	E2 F	F2 G H	1				strategy
IRGB Impact-Resistant Gypsum Board	A A2 0	D2 C C2 D D2 E	L2 F	F2 G 11	,				
KLCT Kitchen Lay-in Ceiling Tile		Integral Door	& Frame Privacy	Card Mag	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds: Pro	otect.: Film: F	unction: Reader: Lock:	Opener: Open: Hinge	s: Accessory 1:	Accessory 2: Accesso	ory 3: Closer:	
SACT Security Acoustic Ceiling Tile	C 1 1220 x 2135	Hollow Metal Paint	Storero	oom 🗸 🗆	Butt Hinge			Surface	
WALL FINISHES LEGEND:			T I						
EWC Epoxy Wall Coating									
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK		Stora	age Requirements:				FINISHES	
		UPPER UNITS					Full-height Cabinet:		
CEILING FINISHES LEGEND:	1						Upper Millwork:		
ECC Epoxy Ceiling Coating HPC High Performance Coating	7	7-1	□ □ □ □ □				* *		
PF Prefinished	The same of the sa		J6 U7 U8	SHELF			Countertop:		
PT Paint	especial		77	STILL!			Lower Millwork:		
WALL PROTECTION LEGEND				1			Shelf:		
WALL PROTECTION LEGEND:				S1					
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate	Segrence						Remarks		
FRP Fibreglass Reinforced Plastic									
PVW Protective Vinyl Wallcovering		Topos and the second	_ ! ! !	200					
RHIS Rigid High Impact Sheet									
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering	CONTRACTOR CO.		an Transport	1					
, ,			-	o me	1				
FLOOR FINISHES LEGEND:	C1 C2 C3 C4 C5 .		-				2059845		
CFS Concrete Floor Sealer EFC Epoxy Floor Coating			-KN -	1		/ /	F		
PFC Polyurethane Floor Coating		L3 L4 L5				4	To Take Salary		
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		.7 L8 L9 L			J			
RSF Rubber Sheet Flooring			.7 L8 L9 L	L10 L11					
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Advisor and	□ [		TC1 TC2	V   "			
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized Min. Length Adjustable Standing Spec	altv			UC1	U [		
VSF Vinyl Sheet Flooring	4 1 (44)	egory (mm) Height Height Case	-	LOWER UNITS	PTION/TRANSACTION				
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)					JTILITY SINK AND COU	NTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				TION DESK				
FCB Flash Cove Base									
RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS									
	Scamlers Litility /	Other Fivtures:		MED / NON MED CACES					•
PLUMBING Hand (Ouantity) Hygiene Sink: Lavatory: Kitchen Sink:	Seamless Utility / Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures: Evewash S		MED / NON-MED GASES	Advantage Area			handa et e	Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	TIOU SIIK. TIOUS SIIK. SUUD SIIK. TIOU SIIK.	Shower Eyewash/S		(Quantity)	Medical Nitrous  Air. Vacuum: Oxide:	<b>.</b>		boratory Laborat Air: Vacuu	im.
		☐ Tub ☐ Emergence	Shower	Oxygen: Medical	Air: Vacuum: Oxide:	CO2: AC	GSS: Nitrogen:	AII. Vacuu	Air: Air:
Plumbing		☐ Ice Maker ☐ Flush Rim							
Remarks:		☐ Water Closet ☐ Floor Drain							
			tle Refill Station	Gas Remarks:					
			tie Ketili Station						
		Hot Water Other							
		Guiei							

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 



## New Surrey Hospital & BC Cancer Centre

MINIMUM ROOM REQUIREMENTS

## E. Laboratory Services

Appendix 1	1B Minimum Room Requir	ements	Program Number(s		8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Roc	om Name: Alcove - Phlebotomy			3.		15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				5.	11.	17.	23.	29.	35.	41.	47.
				6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECT	URAL REQUIREMENTS										
	Material: ARGB 1.2m AFF, GB above  ACT-C		✓ Corner Guards ☐ Hand Rails ☐ Bed ✓ Crash Rails ☐ Chair Rail	Bumper / Locator	GLAZING  Interior Glazin		Material: Base:  VSF FCB		ACCESSORIES at Hooks		agnetic Whiteboard ivacy Curtain
LEGEND:		DOORS			1	I		Doo	or Remarks:		
	EILING LEGEND:	Types:									Security Grille
	Architectural Ceiling Acoustic Ceiling Tile					444 14					
	Cleanroom Abuse-Resistant Gypsum Board	NAM					N/4/2				Anti-barricade strategy
GB G	Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	Н	J				Strategy
KLCT K	mpact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile			oor & Frame Privacy	Car	d Mag Au	to Hold				
	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds:	Protect.: Film:	Function: Read	der: Lock: Ope	ener: Open: Hinge	es: Accessory	1: Accessory 2: Ac	cessory 3: Close	er:
WALL FINISH	ES LEGEND:										
	Epoxy Wall Coating										
	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	St	orage Requirements:					FINISHES	
CEILING FINIS	SHES LEGEND:			_					Full-height Cabi		
	Epoxy Ceiling Coating High Performance Coating	7 1 1 1	U2 U3 U4 U5	U6 U7					Upper Millw	top: Solid Surfacing	
PF P	Prefinished			U7 U8	SHELF					ork: Plastic Laminate	
	Paint				<b>⊅</b> □				SI	helf:	
	CTION LEGEND:  Extruded Semi-Rigid PVCu Panel				S1				Dom	a a rike.	
FRL F	Fibre Reinforced Laminate				1				Keli	narks:	
	Fibreglass Reinforced Plastic Protective Vinyl Wallcovering			_							
	Rigid High Impact Sheet Wetwall Solid Surface Panel			111	1						
	Wetroom Vinyl Wallcovering		"   "		202000000000000000000000000000000000000	1					
FLOOR FINISH	HES LEGEND:	C1			On the last of the	-	-	3	A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1		
	Concrete Floor Sealer Epoxy Floor Coating	_ 65 64	L2		==			7/	1		
PFC P	Polyurethane Floor Coating		L3 L4 L5 L6		- Sekk		CONTRACTOR OF THE PARTY OF THE	7   11			
	Rubber Athletic Flooring Rubber Sheet Flooring	FULL-HEIGHT CABINETS		5 L7 L8 L9	110		- 5	4 / 11 11			
	Seamless Cushioned Flooring	Lancard.	_		L10 L11	L12	TC1 TC2				
	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized  Min. Length Adjustable Standing S	Specialty				u <u>uc</u>	1 U U		
	/inyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Mad (75% - 0%)	- ,	Casework	LOWER UNITS	RECEPTION	N/TRANSACTION				
FLOOR BASE I		Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	3600			COUNTER , STATION D	,	JTILITY SINK AND CO	DUNTER UNIT		
FCB F	Flash Cove Base					SIAHORE	, LJR				
	Rubber Base Seamless Cushioned Flooring										
	Ü										
MECHANICA	AL REQUIREMENTS	-									
PLUMBING	Hand	Seamless Utility /	Other Fixtures:	ash Station	MED / NON-MED	O GASES					
(Quantity) H	lygiene Sink: Lavatory: Kitchen Sinl	k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Lycwc	ash/Shower Station	(Quantity)		Medical Nitrous			Laboratory Labo	Utility oratory Compressed
				gency Shower	Oxygen:	Medical Air:	Vacuum: Oxide:	CO2:	AGSS: Nitrogen:	Air: Va	cuum: Air:
Plumbing			☐ Ice Maker ☐ Flush								
Remarks:			☐ Water Closet ☐ Floor	Drain	Gas Barran	ks.	I .	1	I		
			☐ Instantaneous ☐ Water	r Bottle Refill Station	Gas Remar	v2.					
			Hot Water Other								
					1						1

Room Name: Automated Cell Counter		Number(s): 2. 3. 4. 5. 6.	8. 14. 9. 15. 10. 16. 11. 17. 12. 18.	20. 26. 27. 22. 28. 23. 29. 24. 30.	32. 33. 34. 35. 36.	38.       44.         39.       45.         40.       46.         41.       47.         42.       48.
ARCHITECTURAL REQUIREMENTS						
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB above  Ceiling Material: ACT-C		☐ Hand Rails ☐ Bed Bumper / Locator ☐ Chair Rail	GLAZING  Interior Glazing	FLOORING TYPES  Material: Base:  VSF FCB	ROOM ACCESSORIES  Coat Hooks Ceiling Lift  Mirror Infant Ch	
LEGEND: WALL AND CEILING LEGEND: AC Architectural Ceiling	DOORS Types:	in la lala la lala l			Door Remarks:	☐ Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B2 C C	2 D D2 E E2	F F2 G H			Anti-barricade strategy
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): Material: Finis	Integral Door & Frame Privacy h: Side Lt: Blinds: Protect.: Film:	Card Mag Function: Reader: Lock:	Auto Hold Opener: Open: Hinges:	Accessory 1: Accessory 2: Ac	ccessory 3: Closer:
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating  HPC High Performance Coating  PT Paint	MILLWORK AND SPECIALTY CASEWORK	LIPPER LINITS	Storage Requirements:			FINISHES
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering  FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Coating PFC Polyurethane Floor Coating RAF Rubber Athletic Flooring SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring FLOOR BASE LEGEND: FCB Flash Cove Base RB Rubber Base SCF Seamless Cushioned Flooring	C1 C2 C3 C4 C5 L1 L2 L3  FULL-HEIGHT CABINETS		LOWER UNITS  RECE COU	EPTION/TRANSACTION NTER / CARE TEAM UTILITY TION DESK	Rem	inet: vork: crtop:
MECHANICAL REQUIREMENTS  PLUMBING Hand (Quantity) Hygiene Sink: Lavatory: Kitchen Sin	Seamless Utility / Other Fixtures: nk: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Evewash Station	MED / NON-MED GASES (Quantity)	Medical Nitrous		Utility Laboratory Laboratory Compressed
Plumbing Remarks:	Shower  Tub  Ice Maker  Water Clo  Instantane  Hot Water	set Floor Drain ous Water Bottle Refill Station	Oxygen: Medical Gas Remarks:		CO2: AGSS: Nitrogen:	Air: Vacuum: Compressed Air: Air:

Program 1. E3.01.02

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B Mi	linimum Room Requirer	ments			Program Number(s):	1. E3.01.05 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.	
Room Nam	me: Automated Coagulation Are	ea				3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.	
						5.	11.	17.	23.	29.	35.	41.	47.	
						6.	12.	18.	24.	30.	36.	42.	48.	_
ARCHITECTURAL	. REQUIREMENTS													_
WALL AND CEILING		5:	WALL PROTECTION		🗆		GLAZING		FLOORING TYPES  Material: Base:		OM ACCESSORIES			
Wall Material Ceiling Material	-	Finish: PF	Type: FRP Height: 2185 mm	☐ Corner Guards ☐ Hand R☐ Crash Rails ☐ Chair R	ails 🗌 Bed Bu	mper / Locator	☐ Interior Gla	azing	VSF FCB		│ Coat Hooks │ Ceiling │ Mirror │ Infant		Magnetic Whiteboard Privacy Curtain	
LEGEND:		DOORS	Tieight. 2103 iiiii								Door Remarks:			_
WALL AND CEILING L	LEGEND:	Туре	25:										☐ Security Grille	
AC Architectura ACT Acoustic Ce	=	,,,,,				al laid (4	V MIN MA							
ACT-C Cleanroom	n												Anti-barricade	
ARGB Abuse-Resis GB Gypsum Bo	sistant Gypsum Board Joard		A A2 B	B2 C C2 D	D2	E E2 F	F2 G	Н	J				strategy	
	esistant Gypsum Board ay-in Ceiling Tile				Integral Doo	r & Frame Privacy	(	Card Mag	Auto Hold					
MMRGB Moisture ar	and Mould-Resistant Gypsum Board		Гуре:Qty: Size (mm):	Material: Finish: Side L		rotect.: Film:				nges: Acces	ssory 1: Accessory 2:	Accessory 3:	Closer:	
WALL FINISHES LEGE														
	Il Coating ormance Coating	MILLWORK AND S	PECIALTY CASEWORK				Storage Requirements:					FINISHES		
PT Paint  CEILING FINISHES LEG	CCEND.			U1 U	PPER UNITS						Full-height C			
ECC Epoxy Ceilir		(mark)	17:7:7	U2 U3 U4							Upper M	illwork:		
HPC High Perform PF Prefinished	ormance Coating	angere and	THE Y	1	U5	U6 U7 U8	SHELF					ntertop:		
PT Paint		anguage.			Th	77	3nllr				Lower M	Shelf:		
WALL PROTECTION L	LEGEND:	angerene.			l II K		S1							
	Semi-Rigid PVCu Panel forced Laminate	angerese.	11 1 1		K		1				F	Remarks:		
FRP Fibreglass R	Reinforced Plastic				<u> </u>								le 1, Section 6.12 (Division	
	e Vinyl Wallcovering Impact Sheet	-		***			i						Casework. Items indicated ic, provide specialty	
	olid Surface Panel Vinyl Wallcovering	-		" " "	Grand Con	-	1						priate for the specific and	
FLOOR FINISHES LEGI	-	C1 C		411111	-	= 7	San Parket		1				tions to be performed in accommodate Equipment.	
CFS Concrete Flo		✓ [	C2 C3 C4 C5 L1				==			7			ory casework, quantity (2)	
EFC Epoxy Floor PFC Polyurethar	or Coating ane Floor Coating			L L2 L3 L4	L5		RM	4==	/ F-	/   #		reporting areas.	ude receiving bench and (2)	
RAF Rubber Ath	hletic Flooring	FULL-HEIGHT CAE		☐ L3 L4 ☐ ✓		L7 L8 L9			7   15					
	neet Flooring Cushioned Flooring						L10 L11	L12	TC1					
	sipative Rubber Sheet Flooring sipative Vinyl Sheet Flooring	Legend: Category 0 - None		Motorized	Classifica C				TC2	J U	UC1			
VSF Vinyl Sheet	et Flooring	Category 1 - Low (1		Min. Length Adjustable gory (mm) Height	-	cialty ework	LOWER UNITS	RECEPTI	ION/TRANSACTION					
WSVF Wetroom St	Safety Vinyl Sheet Flooring	Category 2 - Med (! Category 3 - High (!				<b>✓</b>			ER / CARE TEAM	UTILITY SINK AN	ID COUNTER UNIT			
FCB Flash Cove					I			STATIO	N DESK					
RB Rubber Base SCF Seamless Co	ase Cushioned Flooring													
MECHANICAL REC	QUIREMENTS													
PLUMBING Hand		Seamless Utility /		Other Fixtures:	☐ Eyewash	Station	MED / NON-M	IED GASES					r sailta.	
(Quantity) Hygiene S	e Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink:	Scrub Sink: Floor Sink:	Shower		/Shower Station	(Quantity)		Medical Nitrou			A * ·	Laboratory Compressed	t
				☐ Tub	☐ Emergen		Oxyger	n: Medical Air	· Vacuum: Oxide	: CO2:	AGSS: Nitroge	en: Air:	Vacuum: Air:	_
Plumbing Remarks:				Ice Maker	Flush Rin									
Nemaiks.				Water Closet	Floor Dra		Gas Rem	narks:						
				Instantaneous Hot Water	☐ Water Bo	ttle Refill Station								
				Hot water	Other									

Ri	pom Name: Automated High-Volume	Analyzer Area	Number(s): 2.	8. 14. 9. 15.	20. 26. 21. 27.	32. 38. 33. 39.	44. 45.
	Transfer ing. Telamor	,	4. 5.	10. 16. 11. 17.	22. 28. 23. 29.	34. 40. 35. 41.	46. 47.
			6.	12. 18.	24. 30.	36. 42.	48.
ARCHITECT	TURAL REQUIREMENTS			·			
WALL AND (	EILING	WALL PROTECTION		GLAZING	FLOORING TYPES	ROOM ACCESSORIES	
Wall	Material: ARGB 1.2m AFF, GB above	1,1,54, 1	Hand Rails	☐ Interior Glazing	Material: Base:		✓ Magnetic Whiteboard
Ceiling	Material: ACT-C	Finish: PF Height: 2185 mm Crash Rails	Chair Rail		VSF FCB	☐ Mirror ☐ Infant Change Table ☐	Privacy Curtain
LEGEND:		DOORS				Door Remarks:	
	CEILING LEGEND:	Types:					Security Grille
AC ACT	Architectural Ceiling Acoustic Ceiling Tile			V AN 44 444			-
ACT-C	Cleanroom	ALANAKAN					Anti-barricade
ARGB GB	Abuse-Resistant Gypsum Board Gypsum Board	A A2 B B2 C C2	D D2 E E2 F	F2 G H			strategy
IRGB	Impact-Resistant Gypsum Board		Integral Door & Frame Privacy		Auto Hold		
KLCT MMRGB	Kitchen Lay-in Ceiling Tile Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Material: Finish:	Side Lt: Blinds: Protect.: Film:	Card Mag Function: Reader: Lock:	Opener: Open: Hinges:	Accessory 1: Accessory 2: Accessory 3:	Closer:
SACT	Security Acoustic Ceiling Tile	Type eet Siee (min). Waterial. Tillish				Accessory 1. Accessory 2. Accessory 5.	
WALL FINISI	HES LEGEND:						
EWC HPC	Epoxy Wall Coating High Performance Coating	MILLWORK AND SPECIALTY CASEWORK					
PT	Paint	<b>✓</b>	UPPER UNITS	Storage Requirements:		FINISHES	
CEILING FIN	ISHES LEGEND:	U1 U1				Full-height Cabinet:	
ECC HPC	Epoxy Ceiling Coating High Performance Coating	U2 U3	U4 U5 U6 U7			Upper Millwork:	
PF	Prefinished		U7 U8	SHELF		Lower Millwork:	
PT	Paint			<b>-</b> ta □		Shelf:	
	ECTION LEGEND:			S1			
ESRP FRL	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate					Remarks:	
FRP	Fibreglass Reinforced Plastic						e 1, Section 6.12 (Division
PVW RHIS	Protective Vinyl Wallcovering Rigid High Impact Sheet	any and any any and any any and any and any and any and any and any and any and any and any and any and any and any and any and any and any any and any any and any any any any any any any any any any	E	1			Casework. Items indicated c, provide specialty
WSSP	Wetwall Solid Surface Panel		55 55 77 77 77 77 77 77 77 77 77 77 77 7			casework approp	riate for the specific and
wvw	Wetroom Vinyl Wallcovering			On the Contraction of the Contra	1		ions to be performed in accommodate Equipment.
CFS	SHES LEGEND:  Concrete Floor Sealer					Provide receiving	bench, reporting area,
EFC	Epoxy Floor Coating				-		aluation and staging, and
PFC RAF	Polyurethane Floor Coating Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L4 L5 L6 L7 L8 L9			LIS workstations.	
RSF	Rubber Sheet Flooring		L6 L7 L8 L9	L10 L11			
SCF SDRF	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:	orized	L12	TC1 TC2	"   "	
SDVF VSF	Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring	Category 0 - None Min. Length Adju	stable Standing Specialty	LOWER UNITS		UC1	
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%)  Category 2 - Med (5% - 9%)	ight Height Casework	RECEP	PTION/TRANSACTION		
FLOOR BASE	E LEGEND:	Category 3 - High (10% or Greater) 1 2700			ITER / CARE TEAM UTILITY SI ON DESK	NK AND COUNTER UNIT	
FCB	Flash Cove Base						
RB SCF	Rubber Base Seamless Cushioned Flooring						
MECHANIC	CAL REQUIREMENTS						
PLUMBING	•	Seamless Utility / Other Fixtures:	Evewash Station	MED / NON-MED GASES			
(Quantity)		c: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:  Shower	Eyewash/Shower Station	(Quantity)	Medical Nitrous	Laboratory	Utility Laboratory Compressed
		1 Tub	Emergency Shower	Oxygen: Medical A	0:1		Vacuum: Air:
Plumbing		☐ Ice Maker	Flush Rim Sink				
Remarks:		☐ Water Closet	Floor Drain				
		☐ Instantaneou		Gas Remarks:			
		Hot Water	Other				
			Outel				

Program 1. E2.01.01

13.

19.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

25.

Appendix 1B Minimum Room Requirement	ents	Program 1. E2.01.02 Number(s): 2.	7. 13. 8. 14.	19. 20.	25. 31. 26. 32.	37. 38.	43. 44.
Room Name: Blood Gas/Whole Blood Analy	vsis Area	3.	9. 15. 10. 16.	21. 22.	27. 33. 28. 34.	39. 40.	45. 46.
		5.	11.	23.	29. 35.	41.	47.
		6.	12. 18.	24.	30. 36.	42.	48.
ARCHITECTURAL REQUIREMENTS							
WALL AND CEILING	WALL PROTECTION		GLAZING	FLOORING TYPES	ROOM ACCESSORIES		
		nd Rails Bed Bumper / Locator	☐ Interior Glazing	Material: Base:  VSF FCB	Coat Hooks Ceil		Magnetic Whiteboard
Ceiling Material: ACT-C Fi	nish: PF Height: 2185 mm Crash Rails Cha	ir Rail		V3I ICB		ant Change Table	Privacy Curtain
LEGEND:	DOORS				Door Remarks:		
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6					Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom							☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board							strategy
GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	A A2 B B2 C C2	D D2 E E2	F F2 G H	J			
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board		Integral Door & Frame Priv					
SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): Material: Finish: Si	de Lt: Blinds: Protect.: Fil	m: Function: Reader: Lock	k: Opener: Open: Hinge	es: Accessory 1: Accessory 2:	: Accessory 3: C	Closer:
WALL FINISHES LEGEND:							
EWC Epoxy Wall Coating							
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Storage Requirements:			FINISHES	
CEILING FINISHES LEGEND:	U1 U2 U2				Full-heigh	-	
ECC Epoxy Ceiling Coating HPC High Performance Coating	02 U3	U4 U5 U6				r Millwork: ountertop:	
PF Prefinished		U7	U8 SHELF			r Millwork:	
PT Paint					2011	Shelf:	
WALL PROTECTION LEGEND:			S1				
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate						Remarks:	
FRP Fibreglass Reinforced Plastic							1, Section 6.12 (Division
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet						are diagrammatic,	asework. Items indicated
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering		on on				casework appropri	iate for the specific and
, ,	ci ci	" == 7	On the state of th	1			ons to be performed in accommodate Equipment.
FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer	C3 C4	1 - 7			7		ssommouate Equipment
EFC Epoxy Floor Coating				- Karanana		7	
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L5 L6 L7 L8					
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring			L10 L11 L12		1/		
SDRF Static-Dissipative Rubber Sheet Flooring	Legend: Motorize			TC1 TC2		U	
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring	Category 0 - None Min. Length Adjustabl Category 1 - Low (1% - 4%) Category (mm) Height		LOWER LINITS		UC1 U		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	Height Casework	REC	CEPTION/TRANSACTION UNTER / CARE TEAM	UTILITY SINK AND COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater) 3 2400			ATION DESK	THE TOTAL PROPERTY OF THE PROP		
FCB Flash Cove Base RB Rubber Base							
SCF Seamless Cushioned Flooring							
MECHANICAL REQUIREMENTS							
	Seamless Utility / Other Fixtures:	Eyewash Station	MED / NON-MED GASES				Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Ki	tchen Sink: Process Sink: Scrub Sink: Floor Sink: Shower	Eyewash/Shower Station		Medical Nitrous		A * .	Laboratory Compressed
	1 Tub	☐ Emergency Shower	Oxygen: Medica	al Air: Vacuum: Oxide:	CO2: AGSS: Nitro	ogen: Air:	Vacuum: Air:
Plumbing	☐ Ice Maker	Flush Rim Sink					
Remarks:	Water Closet	Floor Drain	Gas Remarks:				
	Instantaneous	Water Bottle Refill Statio	n Gas Kelluks.				
	Hot Water	Other					

Appendix	1B Minimum Room Requirement	nts		Program	1. E3.01.09	7.	13.	19.	25.	31.	37.	43.	
				Number(s):	2. 3.	8. 9.	14. 15.	20. 21.	26. 27.	32. 33.	38. 39.	44. 45.	
R	oom Name: Bone Marrow Work Area				4.	10.	16.	22.	28.	34.	40.	46.	
					5.	11.	17.	23.	29.	35.	41.	47.	
					6.	12.	18.	24.	30.	36.	42.	48.	
ARCHITEC	TURAL REQUIREMENTS												
WALL AND		WALL PROTECTION				GLAZING		FLOORING TYPES		OM ACCESSORIES	_		
		sh: PT Type: FRP	☐ Corner Guards ☐ Hand Rai ☐ Crash Rails ☐ Chair Rai		mper / Locator	☐ Interior Gla	zing	Material: Base:  VSF FCB		Coat Hooks Ceiling Mirror Infant		Magnetic Whitel	board
Ceiling	Material: ACT-C Fini	sh: PF Height: 2185 mm	Crash Rails Chair Rai	I				V31   1 CD			Change Table	Privacy Curtain	
LEGEND:	CELLING LECEND.	DOORS								Door Remarks:			
AC AC	CEILING LEGEND: Architectural Ceiling	Types:			न निर्वाचित्र		709	71 71 C N				Securit	ty Grille
ACT ACT-C	Acoustic Ceiling Tile Cleanroom											☐ Anti-ba	arricade
ARGB	Abuse-Resistant Gypsum Board											strateg	
GB IRGB	Gypsum Board Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D	D2	E E2 F	F2 G	н	J					
KLCT MMRGB	Kitchen Lay-in Ceiling Tile Moisture and Mould-Resistant Gypsum Board			. •.	r & Frame Privacy	_	•	Auto Hold					
SACT	Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt:	Blinds: P	Protect.: Film:	Function: Re	ader: Lock: Op	pener: Open: H	inges: Acces	ssory 1: Accessory 2:	Accessory 3:	Closer:	
WALL FINIS	HES LEGEND:												
EWC HPC	Epoxy Wall Coating High Performance Coating												
PT	Paint	MILLWORK AND SPECIALTY CASEWORK	<b>✓</b> UP	PER UNITS	S	Storage Requirements:					FINISHES		
CEILING FIN	IISHES LEGEND:		U1 🔽 🗆 🗆							Full-height (			
ECC HPC	Epoxy Ceiling Coating High Performance Coating		U2 U3 U4	U5	U6 U7					Upper M Cour	ntertop:		
PF PT	Prefinished			7	U7 U8	SHELF				Lower M			
	Paint					<b>→</b>					Shelf:		
WALL PROT ESRP	ECTION LEGEND:  Extruded Semi-Rigid PVCu Panel					S1					Remarks:		
FRL	Fibre Reinforced Laminate			-		1				'		- 1	tutata a
FRP PVW	Fibreglass Reinforced Plastic Protective Vinyl Wallcovering			i .	_							e 1, Section 6.12 (D Casework. Items inc	
RHIS WSSP	Rigid High Impact Sheet  Wetwall Solid Surface Panel		***									c, provide specialty	
WVW	Wetroom Vinyl Wallcovering	-	'	11 =	-7		1	7				riate for the specific ons to be performe	
FLOOR FINIS	SHES LEGEND:	C1 C2 C3 C4		-	-7	~ -	1	Constant -	51255		the space and to	accommodate Equi	ipment.
CFS EFC	Concrete Floor Sealer Epoxy Floor Coating	C4 C5	L2			= =	K		7 /	A TOTAL		ry casework, quantion nde receiving bench	
PFC	Polyurethane Floor Coating		□ L3 L4	L5		C Zee	4				reporting area.	J	
RAF RSF	Rubber Athletic Flooring Rubber Sheet Flooring	FULL-HEIGHT CABINETS		<b>✓</b> L6	L7 L8 L9	L10 111		/	$\dashv$ $\downarrow$ $\parallel$				
SCF SDRF	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:		_			L12	TC1 TC2		n   [     [	4		
SDVF	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized Min. Length Adjustable S	Standing Spe	ecialty				U	UC1			
VSF WSVF	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categ  Category 2 - Med (5% - 9%)	.,		sework	LOWER UNITS	RECEPTION	ON/TRANSACTION					
FLOOR BASI	E LEGEND:	Category 2 - High (10% or Greater)	2100	<b>✓</b>	•		COUNTEI STATION	R / CARE TEAM	UTILITY SINK AN	ID COUNTER UNIT			
FCB	Flash Cove Base			•			SIATION	DESIC					
RB SCF	Rubber Base Seamless Cushioned Flooring												
	-												
MECHANIC	CAL REQUIREMENTS												
PLUMBING	Hand Se	amless Utility /	Other Fixtures:	☐ Eyewash	Station	MED / NON-M	ED GASES				,		
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sink: Kitch	hen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower		/Shower Station	(Quantity)	-	Medical Nitro			Laboratory	Laboratory Com	Utility npressed
	1	1	☐ Tub	☐ Emergen		Oxygen	: Medical Air:	Vacuum: Oxid	e: co2:	AGSS: Nitroge	en: Air:	\/aciiiim·	Air:
Plumbing			☐ Ice Maker	☐ Flush Rin									
Remarks:			Water Closet	Floor Dra		Gas Rem	arks.		1				
			Instantaneous	☐ Water Bo	ottle Refill Station	Gas Nelli	ui NJ.						
			Hot Water	Other									

Appendix 1B I	Minimum Room Require	ments		Program Number(s):	1. E1.01.04 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room N	lame: Central Processing - Acces	ssioning			3.	9.	15.	21.	27.	33.	39.	45.
					4. 5.	10. 11.	16. 17.	22. 23.	28. 29.	34. 35.	40. 41.	46. 47.
					6.	12.	18.	24.	30.	36.	42.	48.
ΔRCHITFCTUR <i>L</i>	AL REQUIREMENTS			L	<u> </u>			l	I			
WALL AND CEILIN		WALL PROTECTION				GLAZING		LOORING TYPES	POOM /	ACCESSORIES		
	rial: ARGB 1.2m AFF, GB above	Finish: PT Type: FRP	☐ Corner Guards ☐ Hand Rai	ls 🔲 Bed Bur	mper / Locator	Interior Glazi		Material: Base:		at Hooks	.ift □ M	agnetic Whiteboard
Ceiling Mate		Finish: PF Height: 2185 mm	☐ Crash Rails ☐ Chair Rai		,	interior Glazi	rig	WSVF FCB	Mi			ivacy Curtain
LEGEND:		DOORS							Do	or Remarks:		
WALL AND CEILIN	G LEGEND:	Types:		Trailine House								
	ectural Ceiling	турса.		TAN I								Security Grille
ACT Acousti ACT-C Cleanro	ic Ceiling Tile oom				51 151 151 151			<del>1</del>				Anti-barricade
ARGB Abuse-	Resistant Gypsum Board		스타크 그리스 1월									strategy
**	m Board :-Resistant Gypsum Board	A A2 B	B2 C C2 D	D2 I	E E2 F	F2 G	н	J				
· · · · · · · · · · · · · · · · · · ·	n Lay-in Ceiling Tile			Integral Door	& Frame Privacy	Cai	rd Mag Aı	uto Hold				
	re and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt:		rotect.: Film:	Function: Read	der: Lock: Op	ener: Open: Hins	ges: Accessory	y 1: Accessory 2: A	Accessory 3: Close	er:
SACT Security	y Acoustic Ceiling Tile											
WALL FINISHES LE												
	Wall Coating erformance Coating				1 1	,	, ,	1 1	1			
PT Paint	enormance coating	MILLWORK AND SPECIALTY CASEWORK	<b>✓</b> UPI	PER UNITS	S	torage Requirements:					FINISHES	
CEILING FINISHES	LEGEND:		III 💆     🗆							Full-height Cal	oinet:	
	Ceiling Coating	17.77	U2 U3 U4							Upper Mills	work:	
	erformance Coating		1 7	U5	U6 <sub>117</sub> $\square$					Counte	ertop:	
PF Prefinis PT Paint	shed			7	U8	SHELF				Lower Mills	work:	
· · · · · · · · · · · · · · · · · · ·										9	Shelf:	
WALL PROTECTION	N LEGEND:	-		ılı Fr		S1						
	ed Semi-Rigid PVCu Panel einforced Laminate			-1		1				Re	marks:	
	ass Reinforced Plastic										Refer to Schedule 1, S	Section 6.12 (Division
	tive Vinyl Wallcovering	Z       -  -	dense de la constante de la co	6	i						12) for Specialty Casew	
	ligh Impact Sheet all Solid Surface Panel		-	-		-					are diagrammatic, pro	
	om Vinyl Wallcovering	CO.			an Parketon						casework appropriate specialized functions to	
FLOOR FINISHES L	ECEND.	ci ci	<del></del>	' -	- 7	co no participantes		George T			the space and to accor	
	ete Floor Sealer	C2 C3 C4 C7			- K		1		7		Provide 4 wkstns @ 5.5	.5 nsm, manual
	Floor Coating		L2 L3 L4				K	4	/ 6-	1	processing area @ 16.5	5 nsm (3 centrifuges,
	ethane Floor Coating			L5 16	17		1 - /				2 aliquoting stns, small	I water bath).
	r Athletic Flooring r Sheet Flooring	FULL-HEIGHT CABINETS		<b>∠</b> 16	L7 L8 L9 □	L10 L11		- 17			I	
	ess Cushioned Flooring						L12	TCI			I	
	Dissipative Rubber Sheet Flooring	Legend:	Motorized					TC1 TC2	UC		I	
	Dissipative Vinyl Sheet Flooring heet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category 1 - Low (1% - 4%)	- ,		cialty	LOWER UNITS					I	
	om Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categ	. ,		ework			N/TRANSACTION	UTILITY SINK AND CO	NINTED LINIT	I	
FLOOR BASE LEGE	END:	Category 3 - High (10% or Greater)	5100	✓	✓		STATION	/ CARE TEAM	UTILITY SINK AND CO	DONTER UNIT		
FCB Flash C	Cove Base			·			57711611	J.LON			I	
RB Rubber											I	
SCF Seamle	ess Cushioned Flooring										I	
										'		
MECHANICAL F	REQUIREMENTS											
	and	Seamless Utility /	Other Fixtures:	☐ Evewash	Station	MED / NON-MEI	D GASES					
(Quantity) Hygie	ne Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower		Shower Station	(Quantity)		Medical Nitrous			Laboratory Labo	Utility poratory Compressed
	1	1	☐ Tub	Emergen		Oxygen:	Medical Air:	Vacuum: Oxide:	CO2:	AGSS: Nitrogen:	Air. \/a	acuum: Air:
Plumbing Utility	/ sink to include localized acid neutral	izer		Flush Rim								
Remarks:	, sink to include localized acid neutral	1461.	☐ Ice Maker									
			Water Closet	Floor Dra		Gas Remar	rks:					
			Instantaneous	☐ Water Bo	ttle Refill Station							
			Hot Water	Other								
						1						

Room Name: Chair Bay - Phlebo	tomy	Number(s): 2. 3. 4. 5. 6.	8. 14. 9. 15. 10. 16. 11. 17. 12. 18.	20.       26.         21.       27.         22.       28.         23.       29.         24.       30.	32. 33. 34. 35. 36.	38.       44.         39.       45.         40.       46.         41.       47.         42.       48.
ARCHITECTURAL REQUIREMENTS					·	
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB abo Ceiling Material: ACT-C	WALL PROTECTION  Type: PVW Crash Rai  Finish: PF Height: 2185 mm Crash Rai	ards	GLAZING  ✓ Interior Glazing	FLOORING TYPES Material: Base: VSF FCB	ROOM ACCESSORIES  Coat Hooks Ceiling Lift  Mirror Infant Cha	
LEGEND:  WALL AND CEILING LEGEND:  AC Architectural Ceiling  ACT Acoustic Ceiling Tile  ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board  GB Gypsum Board	Types:  A A2 B B2 C	C2 D D2 E E2	F F2 G H		Door Remarks:	☐ Security Grille ☐ Anti-barricade strategy
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile  WALL FINISHES LEGEND: EWC Epoxy Wall Coating	Type:Qty: Size (mm): Material:	Finish: Side Lt: Blinds: Protect.: Film:	_	Auto Hold Opener: Open: Hinges:	Accessory 1: Accessory 2: Acc	cessory 3: Closer:
HPC High Performance Coating PT Paint  CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel FIDER PROFITE FIDER	FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  Min. Ler Category 3 - 900	13 L4 L5 L6 L7 L8 L9 Motorized	cou	EPTION/TRANSACTION NTER / CARE TEAM UTILITY S TION DESK	Rem R 1 a c s	ork:
PLUMBING Hand (Quantity) Hygiene Sink: Lavatory: Kitch	Seamless Utility / Other Fi.  nen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:  Sho  Tut	wer Eyewash/Shower Station	MED / NON-MED GASES (Quantity) Oxygen: Medical	Medical Nitrous Air: Vacuum: Oxide: CO	O2: AGSS: Nitrogen:	Laboratory Laboratory Compressed Air: Vacuum: Air:
Plumbing Remarks: Provide (1) HHS per (2) stations.	☐ Ice ☐ Wa		Gas Remarks:			

Program 1. E8.05

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

PP		Number(s):	2.	8. 14.	20.	26.	32. 38.	. 44.
Room Name: Not Used			3.	9. 15.	21.	27.	33. 39.	. 45.
Room Name. Not Osed			4.	10. 16.	22.	28.	34. 40.	. 46.
			5.	11. 17.	23.	29.	35. 41.	. 47.
			6.	12. 18.	24.	30.	36. 42.	. 48.
ARCHITECTURAL REQUIREMENTS			1	1	1		-	
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM ACC	`FSSORIFS	
	Finish: Type:	Corner Guards Hand Rails Bed Bu	mner / Locator		Material: Base:		Hooks Ceiling Lift	☐ Magnetic Whiteboard
	Finish: Height:	Crash Rails Chair Rail	.,,,	☐ Interior Glazing		☐ Mirro		
LEGEND:	DOORS					Door F	Remarks:	
WALL AND CEILING LEGEND:								
AC Architectural Ceiling	Types:	1 66 6 66 66 66 66 66 66 66 66 66 66 66	7 MM 120					Security Grille
ACT Acoustic Ceiling Tile	61668							☐ Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board					<u> </u>			strategy
GB Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	J			51.41387
IRGB Impact-Resistant Gypsum Board		Later and Dec	. O. F	Cont. Mar.	A to Hold			
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	5 0 0 1		r & Frame Privacy rotect.: Film:	Card Mag	Auto Hold Opener: Open: Hing			
SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	: Material: Finish: Side Lt: Blinds: P		Function: Keader: Lock:	Opener: Open: Hing	es: Accessory 1:	Accessory 2: Accessor	y 3: Closer:
WALL FINISHES LEGEND:								
EWC Epoxy Wall Coating								
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	_	Sto	orage Requirements:			F	INISHES
		UPPER UNITS					Full-height Cabinet:	
CEILING FINISHES LEGEND:		U2 U2					Upper Millwork:	
ECC Epoxy Ceiling Coating HPC High Performance Coating		U3 U4 U5	U6 U7				Countertop:	
PF Prefinished	7		U7 U8	SHELF			Lower Millwork:	
PT Paint	Angeres			+-a			Shelf:	
WALL PROTECTION LEGEND:	Congression			T S1			Silcii.	
ESRP Extruded Semi-Rigid PVCu Panel	11		1 11	IJ_			Remarks:	
FRL Fibre Reinforced Laminate								
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering	7		1 1					
RHIS Rigid High Impact Sheet	-	The state of the s		i				
WSSP Wetwall Solid Surface Panel			DESCRIPTION OF THE PROPERTY OF					
WVW Wetroom Vinyl Wallcovering			-	(a)	7/			
FLOOR FINISHES LEGEND:	C1 C2 C3 C4						A 127 NO. 17.1	
CFS Concrete Floor Sealer		11 12		1111		7 /	F 7	
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 14		KKKN	- F			
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 10 1					
RSF Rubber Sheet Flooring			L7 L8 L9	L10 L11	1	7/		
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:			L12	TC1 TC2	V   "		
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized  Min. Length Adjustable Standing Spe	cialty			UC1	u	
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%)		ework	LOWER UNITS	EPTION/TRANSACTION			
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)				•	UTILITY SINK AND COUN	ITER UNIT	
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)			STA	TION DESK			
FCB Flash Cove Base								
RB Rubber Base  SCF Seamless Cushioned Flooring								
, and the second								
MECHANICAL REQUIREMENTS	1							
				· .				
	Seamless Utility /	Other Fixtures: Eyewash		MED / NON-MED GASES				Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: k	Kitchen Sink: Process Sink: Scrub Sink: Floor Sinl	□ Snower □ Eyewasn	Shower Station	(Quantity)	Medical Nitrous			oratory Laboratory Compressed
		Tub Emergen		Oxygen: Medica	Air: Vacuum: Oxide:	CO2: AG	SS: Nitrogen:	Air: Vacuum: Air:
Plumbing		☐ Ice Maker ☐ Flush Rin						
Remarks:		☐ Water Closet ☐ Floor Dra						
			ttle Refill Station	Gas Remarks:				
		Hot Water	rue nemi station					
		Other						

Program 1. E4.03

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

			Number(s): 2.	8. 14. 9. 15.	20. 26. 21. 27.	32. 38. 39.	44. 45.
R	oom Name: Manual Coagulation Area		4.	10. 16.	22. 28.	34. 40.	46.
			5.	11. 17.	23. 29.	35. 41.	47.
			6.	12. 18.	24. 30.	36. 42.	48.
ARCHITEC	TURAL REQUIREMENTS						
WALL AND	CEILING	WALL PROTECTION		GLAZING	FLOORING TYPES	ROOM ACCESSORIES	
	Material: ARGB 1.2m AFF, GB above	1,700 1.11	Hand Rails  Bed Bumper / Locator	☐ Interior Glazing	Material: Base:  VSF FCB	✓ Coat Hooks ☐ Ceiling Lift	✓ Magnetic Whiteboard
Ceiling	Material: ACT-C	Finish: PF Height: 2185 mm Crash Rails	Chair Rail		VSF FCB	☐ Mirror ☐ Infant Change Table	Privacy Curtain
LEGEND:		DOORS				Door Remarks:	
	CEILING LEGEND:	Types:					Security Grille
AC ACT	Architectural Ceiling Acoustic Ceiling Tile			N 24 24 24 24 24 24 24 24 24 24 24 24 24			-
ACT-C	Cleanroom						Anti-barricade
ARGB GB	Abuse-Resistant Gypsum Board Gypsum Board	A A2 B B2 C C2	D D2 E E2 F	F2 G H	J		strategy
IRGB KLCT	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		Integral Door & Frame Privacy	Card Mag	Auto Hold		
MMRGB	Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Material: Finish:	Side Lt: Blinds: Protect.: Film:		Opener: Open: Hinges:	Accessory 1: Accessory 2: Accessory 3:	Closer:
SACT	Security Acoustic Ceiling Tile	Type CCT - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -			,	7.656556.7 2. 7.656556.7 2. 7.656556.7 5.	
	HES LEGEND:						
EWC HPC	Epoxy Wall Coating High Performance Coating	MILLWORK AND SPECIALTY CASEWORK					
PT	Paint		UPPER UNITS	Storage Requirements:		FINISHES	<u>,                                      </u>
	ISHES LEGEND:	U1 U2 U				Full-height Cabinet:  Upper Millwork:	
ECC HPC	Epoxy Ceiling Coating High Performance Coating		U5 LIE -			Countertop:	
PF	Prefinished		U7 U8	SHELF		Lower Millwork:	
PT	Paint					Shelf:	
	ECTION LEGEND:			51			
ESRP FRL	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate					Remarks:	
FRP	Fibreglass Reinforced Plastic						lule 1, Section 6.12 (Division ty Casework. Items indicated
PVW RHIS	Protective Vinyl Wallcovering Rigid High Impact Sheet			_i			atic, provide specialty
WSSP WVW	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering			1			ropriate for the specific and
	SHES LEGEND:	CI CI		CO MIS TOTAL PROPERTY.	1		nctions to be performed in to accommodate Equipment.
CFS	Concrete Floor Sealer	C3 C4					bench, centrifuge, and
EFC	Epoxy Floor Coating		14 15			waterbath.	
PFC RAF	Polyurethane Floor Coating Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L6 L7				
RSF SCF	Rubber Sheet Flooring Seamless Cushioned Flooring			L10 L11 L12			
SDRF	Static-Dissipative Rubber Sheet Flooring	Legend:	torized		τα † <sub>τα2</sub>		
SDVF VSF	Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring		ustable Standing Specialty	LOWER UNITS		UC1 U	
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	eight Height Casework	RECEP	PTION/TRANSACTION TER / CARE TEAM UTILITY S	INK AND COUNTER UNIT	
FLOOR BAS	E LEGEND:	Category 3 - High (10% or Greater) 3 2400			ON DESK		
FCB RB	Flash Cove Base Rubber Base						
SCF	Seamless Cushioned Flooring						
MECHANIC	CAL REQUIREMENTS						
PLUMBING	Hand	Seamless Utility / Other Fixtures:	Evewash Station	MED / NON-MED GASES			* ** *11**
(Quantity)		: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink: Shower	Eyewash/Shower Station	(Quantity)	Medical Nitrous	Laboratory	Compressed
		1 Tub	Emergency Shower	Oxygen: Medical A	<sub>vir:</sub> Vacuum: Oxide: CC	D2: AGSS: Nitrogen: Air:	Vacuum: Air:
Plumbing		☐ Ice Maker	Flush Rim Sink				
Remarks:		☐ Water Close		Gas Remarks:			
		☐ Instantaneo	Water Bottle Refill Station	Gas Actillates.			
		Hot Water	Other				
				1			

Program 1. E3.01.06

13.

19.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

25.

Appendix 1	B Minimum Room Requir	ements	Program Number(s):	1. E3.01.08 2.		13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Roo	m Name: Microscopy Area			3.		15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
						17.	23.	29.	35.	41.	47.
				6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTU	IRAL REQUIREMENTS										
WALL AND CEI		WALL PROTECTION			GLAZING		LOORING TYPES  Material: Base:		ACCESSORIES		
	laterial: ARGB 1.2m AFF, GB above laterial: ACT-C	Finish:         PT         Type:         FRP           Finish:         PF         Height:         2185 mm	☐ Corner Guards ☐ Hand Rails ☐ Bed Bu☐ Crash Rails ☐ Chair Rail	umper / Locator	☐ Interior Glazin	ng	VSF FCB		oat Hooks Ceiling Lif irror Infant Ch		agnetic Whiteboard vacy Curtain
LEGEND:	, rev e	DOORS							or Remarks:	ge	rac, carcam
WALL AND CEI	ILING LEGEND:	Types:									Security Grille
	chitectural Ceiling coustic Ceiling Tile	, per			MINIZA						
ACT-C Cle	eanroom										Anti-barricade
GB Gy	ouse-Resistant Gypsum Board ypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	Н	J				strategy
	npact-Resistant Gypsum Board tchen Lay-in Ceiling Tile		Integral Doc	or & Frame Privacy	Care	d Mag Aut	to Hold				
	oisture and Mould-Resistant Gypsum Board curity Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds:	Protect.: Film:	Function: Read	der: Lock: Oper	ner: Open: Hinge	s: Accessor	y 1: Accessory 2: Ac	cessory 3: Close	er:
WALL FINISHE											
	poxy Wall Coating gh Performance Coating										
	nint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	orage Requirements:					FINISHES	
CEILING FINISH			U1 U2 U3 U4 D						Full-height Cabi Upper Millw		
	poxy Ceiling Coating gh Performance Coating		US U4 U5	U6 U7					Counter		
	efinished nint			U8	SHELF				Lower Millw		
WALL PROTEC	TION LEGEND:				F				SI	nelf:	
ESRP Ex	truded Semi-Rigid PVCu Panel			7 1 11					Ren	narks:	
	bre Reinforced Laminate breglass Reinforced Plastic									Refer to Schedule 1, S	
	otective Vinyl Wallcovering gid High Impact Sheet	-			1					<ol> <li>for Specialty Casevere diagrammatic, pro</li> </ol>	
	etwall Solid Surface Panel etroom Vinyl Wallcovering				1					asework appropriate	for the specific and
FLOOR FINISHI		ci ci		1-7-	San Parket	/	-			pecialized functions to he space and to accor	
CFS Co	oncrete Floor Sealer	C2 C3 C4 1			==			7/	And the second second	Provide laboratory cas per room.	ework, quantity (4)
	poxy Floor Coating Olyurethane Floor Coating		L3 L4 L5 L6		- KKKK			<b>-/</b>   TT		er room.	
	ubber Athletic Flooring ubber Sheet Flooring	FULL-HEIGHT CABINETS		L7 L8 L9	L10 111			4 / 11 11			
	ramless Cushioned Flooring atic-Dissipative Rubber Sheet Flooring	Legend:				L12	TC1 TC2	V   "			
SDVF Sta	atic-Dissipative Vinyl Sheet Flooring nyl Sheet Flooring	Category 0 - None		ecialty	LOWER UNITS			o uc	1 4		
	etroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)	, ,	sework	LOWER ONTS		I/TRANSACTION / CARE TEAM \	UTILITY SINK AND CO	OLINTER LINIT		
FLOOR BASE L		Category 3 - High (10% or Greater)	1500	✓		STATION D		TIETT SHOK AND CO	SOIVIER SINII		
	ash Cove Base ubber Base										
SCF Se	amless Cushioned Flooring										
NATCHANICA	U DECUUDEMENTS										
	L REQUIREMENTS	Convolute /	Other Fintures		MED / NON MED	0.0000					
PLUMBING (Quantity) Hy	Hand ygiene Sink: Lavatory: Kitchen Sinl	Seamless Utility / k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures: Evewasl	h Station h/Shower Station	MED / NON-MED (Quantity)	J GASES	Medical Nitrous			Laboratory Lab	Utility oratory Compressed
				n/Shower Station ncy Shower	Oxygen:	Medical Air:	Vacuum: Oxide:	CO2:	AGSS: Nitrogen:		cuum: Compressed
Plumbing			☐ Ice Maker ☐ Flush Ri								
Remarks:			☐ Water Closet ☐ Floor Dr		Gas Remark	·ks·	I	1 1	I	1	
				Bottle Refill Station	Gus Neman						
			Hot Water Other								

PP		Number(s):	2.	8. 14.	20.	26.	32. 38.	. 44.
Room Name: Not Used			3.	9. 15.	21.	27.	33. 39.	. 45.
Room Name. Not Osed			4.	10. 16.	22.	28.	34. 40.	. 46.
			5.	11. 17.	23.	29.	35. 41.	. 47.
			6.	12. 18.	24.	30.	36. 42.	. 48.
ARCHITECTURAL REQUIREMENTS			1	1	1		-	
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM ACC	`FSSORIFS	
	Finish: Type:	Corner Guards Hand Rails Bed Bu	mner / Locator		Material: Base:		Hooks Ceiling Lift	☐ Magnetic Whiteboard
	Finish: Height:	Crash Rails Chair Rail	.,,,	☐ Interior Glazing		☐ Mirro		
LEGEND:	DOORS					Door F	Remarks:	
WALL AND CEILING LEGEND:								
AC Architectural Ceiling	Types:	1 66 6 66 66 66 66 66 66 66 66 66 66 66	7 MM 120					Security Grille
ACT Acoustic Ceiling Tile	61668							☐ Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board					<u> </u>			strategy
GB Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	J			51.41387
IRGB Impact-Resistant Gypsum Board		Later and Dec	. O. F	Cont. Mar.	A to Hold			
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	5 0 0 1		r & Frame Privacy rotect.: Film:	Card Mag	Auto Hold Opener: Open: Hing			
SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	: Material: Finish: Side Lt: Blinds: P		Function: Keader: Lock:	Opener: Open: Hing	es: Accessory 1:	Accessory 2: Accessor	y 3: Closer:
WALL FINISHES LEGEND:								
EWC Epoxy Wall Coating								
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	_	Sto	orage Requirements:			F	INISHES
		UPPER UNITS					Full-height Cabinet:	
CEILING FINISHES LEGEND:		U2 U2					Upper Millwork:	
ECC Epoxy Ceiling Coating HPC High Performance Coating		U3 U4 U5	U6 U7				Countertop:	
PF Prefinished	7		U7 U8	SHELF			Lower Millwork:	
PT Paint	Angeres			+-a			Shelf:	
WALL PROTECTION LEGEND:	Congression			T S1			Silcii.	
ESRP Extruded Semi-Rigid PVCu Panel	11		1 11	IJ_			Remarks:	
FRL Fibre Reinforced Laminate								
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering	7		1 1					
RHIS Rigid High Impact Sheet	-	The state of the s		i				
WSSP Wetwall Solid Surface Panel			DESCRIPTION OF THE PROPERTY OF					
WVW Wetroom Vinyl Wallcovering			-	(a)	7/			
FLOOR FINISHES LEGEND:	C1 C2 C3 C4						A 127 NO. 17.1	
CFS Concrete Floor Sealer		11 12		1111		7 /	F 7	
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 14		KKKN				
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 10 1					
RSF Rubber Sheet Flooring			L7 L8 L9	L10 L11	1	7/		
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:			L12	TC1 TC2	V   "		
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized  Min. Length Adjustable Standing Spe	cialty			UC1	u	
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%)		ework	LOWER UNITS	EPTION/TRANSACTION			
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)				•	UTILITY SINK AND COUN	ITER UNIT	
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)			STA	TION DESK			
FCB Flash Cove Base								
RB Rubber Base  SCF Seamless Cushioned Flooring								
, and the second								
MECHANICAL REQUIREMENTS	1							
				· .				
	Seamless Utility /	Other Fixtures: Eyewash		MED / NON-MED GASES				Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: k	Kitchen Sink: Process Sink: Scrub Sink: Floor Sinl	□ Snower □ Eyewasn	Shower Station	(Quantity)	Medical Nitrous			oratory Laboratory Compressed
		Tub Emergen		Oxygen: Medica	Air: Vacuum: Oxide:	CO2: AG	SS: Nitrogen:	Air: Vacuum: Air:
Plumbing		☐ Ice Maker ☐ Flush Rin						
Remarks:		☐ Water Closet ☐ Floor Dra						
			ttle Refill Station	Gas Remarks:				
		Hot Water	rue nemi station					
		Other						

Program 1. E5.01.04

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Room Name: Package Holding/Staging Are	ea	Number(s):	2.       8.         3.       9.         4.       10.         5.       11.         6.       12.	14. 15. 16. 17. 18.	20. 21. 22. 23. 24.	26. 27. 28. 29. 30.	32.       38.         33.       39.         34.       40.         35.       41.         36.       42.	44. 45. 46. 47. 48.
		✓ Corner Guards ☐ Hand Rails ☐ Bed Bur ✓ Crash Rails ☐ Chair Rail	nper / Locator	I <b>G</b> nterior Glazing	FLOORING TYPES Material: Base: VSF FCB	ROOM ACC  ✓ Coat H  ☐ Mirror	looks Ceiling Lift	☐ Magnetic Whiteboard le ☐ Privacy Curtain
LEGEND:  WALL AND CEILING LEGEND:  AC Architectural Ceiling  ACT Acoustic Ceiling Tile  ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board  GB Gypsum Board  IRGB Impact-Resistant Gypsum Board  KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board  SACT Security Acoustic Ceiling Tile  WALL FINISHES LEGEND:  EWC Epoxy Wall Coating	DOORS  Types:  A A2 B	B2 C C2 D D2 I	E E2 F F2 & Frame Privacy rotect.: Film: Function	G H  Card Mag Reader: Lock:	J Auto Hold Opener: Open: Hinge	Door Re		Security Grille  Anti-barricade strategy
HPC High Performance Coating PT Paint  CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering  FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Coating PFC Polyurethane Floor Coating RAF Rubber Sheet Flooring SCF Seamless Cushioned Flooring SDRF Static-Dissipative Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring FLOOR BASE LEGEND:  FCB Flash Cove Base RB Rubber Base SCF Seamless Cushioned Flooring	FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)	1 U2 U3 U4 U5  L2 L3 L4 L5 L6  Motorized  Min. Length Adjustable Standing Specy  (mm) Height Height Case	L7 L8 L9 L10	HELF L L L L L L L L L L L L L L L L L L	TC1 TC2  EPTION/TRANSACTION NTER / CARE TEAM TION DESK	UTILITY SINK AND COUN	Full-height Cabinet: Upper Millwork: Countertop: Lower Millwork: Shelf:  Remarks:  Refer to Sc 12) for Spe are diagral casework a specialized the space a Provide pa hazardous multifunct barcode pi Refer to A Laboratory	chedule 1, Section 6.12 (Division ecialty Casework. Items indicated immatic, provide specialty appropriate for the specific and d functions to be performed in and to accommodate Equipment. acking supplies storage, s materials storage, mail in/out, tion copy/ptr, 2 computers, and wrinter.  sppendix 1A, Section 2.5 y for lab requirements
	Seamless Utility / Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Shower Station (Qu	/ NON-MED GASES ntity) Oxygen: Medical	Medical Nitrous	CO2: AG	Labora	r: Vacuum:
Plumbing Remarks:		Tub	Sink	Oxygen: Medical  Gas Remarks:	All.	COZ. AG	SS: Nitrogen: Air	Air:

Program 1. E1.01.06

13.

19.

25.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

PP		Number(s):	2.	8. 14.	20.	26.	32. 38.	. 44.
Room Name: Not Used			3.	9. 15.	21.	27.	33. 39.	. 45.
Room Name. Not Osed			4.	10. 16.	22.	28.	34. 40.	. 46.
			5.	11. 17.	23.	29.	35. 41.	. 47.
			6.	12. 18.	24.	30.	36. 42.	. 48.
ARCHITECTURAL REQUIREMENTS			1	1	1		-	
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM ACC	`FSSORIFS	
	Finish: Type:	Corner Guards Hand Rails Bed Bu	mner / Locator		Material: Base:		Hooks Ceiling Lift	☐ Magnetic Whiteboard
	Finish: Height:	Crash Rails Chair Rail	.,,,	☐ Interior Glazing		☐ Mirro		
LEGEND:	DOORS					Door F	Remarks:	
WALL AND CEILING LEGEND:								
AC Architectural Ceiling	Types:	1 66 6 66 66 66 66 66 66 66 66 66 66 66	7 MM 120					Security Grille
ACT Acoustic Ceiling Tile	61668							☐ Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board					<u> </u>			strategy
GB Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	J			51.41387
IRGB Impact-Resistant Gypsum Board		Later and Dec	. O. F	Cont. Mar.	A to Hold			
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	5 0 0 1		r & Frame Privacy rotect.: Film:	Card Mag	Auto Hold Opener: Open: Hing			
SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	: Material: Finish: Side Lt: Blinds: P		Function: Keader: Lock:	Opener: Open: Hing	es: Accessory 1:	Accessory 2: Accessor	y 3: Closer:
WALL FINISHES LEGEND:								
EWC Epoxy Wall Coating								
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	_	Sto	orage Requirements:			F	INISHES
		UPPER UNITS					Full-height Cabinet:	
CEILING FINISHES LEGEND:		U2 U2					Upper Millwork:	
ECC Epoxy Ceiling Coating HPC High Performance Coating		U3 U4 U5	U6 U7				Countertop:	
PF Prefinished	7		U7 U8	SHELF			Lower Millwork:	
PT Paint	Angeres			4-a 🗆			Shelf:	
WALL PROTECTION LEGEND:	Congression			T S1			Silcii.	
ESRP Extruded Semi-Rigid PVCu Panel	11		1 11	IJ_			Remarks:	
FRL Fibre Reinforced Laminate								
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering	7		1 1					
RHIS Rigid High Impact Sheet	-	The state of the s		i				
WSSP Wetwall Solid Surface Panel			DESCRIPTION OF THE PROPERTY OF					
WVW Wetroom Vinyl Wallcovering			-	(a)	7/			
FLOOR FINISHES LEGEND:	C1 C2 C3 C4						A 127 NO. 17.1	
CFS Concrete Floor Sealer		11 12		1111		7 /	F 7	
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 14		KKKN				
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L0 1					
RSF Rubber Sheet Flooring			L7 L8 L9	L10 L11	1	7/		
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:			L12	TC1 TC2	V   "		
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized  Min. Length Adjustable Standing Spe	cialty			UC1	u	
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%)		ework	LOWER UNITS	EPTION/TRANSACTION			
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)				•	UTILITY SINK AND COUN	ITER UNIT	
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)			STA	TION DESK			
FCB Flash Cove Base								
RB Rubber Base  SCF Seamless Cushioned Flooring								
, and the second								
MECHANICAL REQUIREMENTS	1							
				· .				
	Seamless Utility /	Other Fixtures: Eyewash		MED / NON-MED GASES				Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: k	Kitchen Sink: Process Sink: Scrub Sink: Floor Sinl	□ Snower □ Eyewasn	Shower Station	(Quantity)	Medical Nitrous			oratory Laboratory Compressed
		Tub Emergen		Oxygen: Medica	Air: Vacuum: Oxide:	CO2: AG	SS: Nitrogen:	Air: Vacuum: Air:
Plumbing		☐ Ice Maker ☐ Flush Rin						
Remarks:		☐ Water Closet ☐ Floor Dra						
			ttle Refill Station	Gas Remarks:				
		Hot Water	rue nemi station					
		Other						

Program 1. E5.02

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

R	Room Name: Receiving Bench - Chemi	stry	Number(s):	2. 3. 4. 10 5. 1	0. 16.	20. 21. 22. 23.	26. 27. 28. 29.	32. 33. 34. 35.	38. 39. 40. 41.	44. 45. 46. 47.
				6. 1	2. 18.	24.	30.	36.	42.	48.
ARCHITEC	TURAL REQUIREMENTS									
	CEILING  Il Material: ARGB 1.2m AFF, GB above  Material: ACT-C	Finish: PT Type: FRP Cornel Finish: PF Height: 2185 mm Cra:	ner Guards		GLAZING  Interior Glazing	FLOORING TYPES Material: Base: VSF FCB		ACCESSORIES oat Hooks Ceiling Lit firror Infant Ch		Magnetic Whiteboard Privacy Curtain
LEGEND:		DOORS					Do	oor Remarks:		
AC AC	CEILING LEGEND: Architectural Ceiling	Types:								Security Grille
ACT ACT-C ARGB GB	Acoustic Ceiling Tile Cleanroom Abuse-Resistant Gypsum Board Gypsum Board	A A2 B B2	C C2 D D2		F2 G H					Anti-barricade strategy
IRGB KLCT	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile			& Frame Privacy	Card Mag	Auto Hold				
MMRGB	Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Materia	Director D				inges: Accessor	ry 1: Accessory 2: Ac	cessory 3:	Closer:
SACT	Security Acoustic Ceiling Tile									
EWC	SHES LEGEND:  Epoxy Wall Coating									
HPC PT	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Stor	age Requirements:				FINISHES	
ECC HPC PF PT	Epoxy Ceiling Coating High Performance Coating Prefinished Paint  TECTION LEGEND: Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate Fibreglass Reinforced Plastic Protective Vinyl Wallcovering Rigid High Impact Sheet Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering		U2 U3 U4 U5	U6 U7 U8	SHELF S1			Ren	ork: ttop: rork: helf:  Refer to Schedule 12) for Specialty Care diagrammatic, casework appropr	1, Section 6.12 (Division Casework. Items indicated provide specialty riate for the specific and cons to be performed in
CFS EFC PFC RAF RSF SCF SDRF SDVF VSF WSVF  FLOOR BAS FCB RB SCF	Concrete Floor Sealer Epoxy Floor Coating Polyurethane Floor Coating Rubber Athletic Flooring Rubber Sheet Flooring Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring SE LEGEND: Flash Cove Base Rubber Base Seamless Cushioned Flooring	Catagoria 1 1 ann (40/ 40/)	Motorized n. Length Adjustable Standing Spe (mm) Height Height Cas	L7 L8 L9	LOWER UNITS  RECCICOU	EPTION/TRANSACTION UNTER / CARE TEAM TION DESK	UTILITY SINK AND C		Provide receiving	accommodate Equipment. bench, reporting area, and benchtop equip.
MECHANI	CAL REQUIREMENTS									
(2001101)		:: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Tub Emergen	Shower Station cy Shower	MED / NON-MED GASES (Quantity) Oxygen: Medical	Medical Nitroi   Air: Vacuum: Oxid		AGSS: Nitrogen:	Laboratory Air:	Laboratory Compressed Vacuum: Air:
Plumbing Remarks:			Ice Maker Flush Rim Water Closet Floor Dra Instantaneous Water Bo Hot Water Other		Gas Remarks:					

Program 1. E2.01.04

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

			Number(s): 2.	8. 14.	20. 26.	32. 38.	44.
R	oom Name: Receiving Bench - Hemai	tology	3.	9. 15. 10. 16.	21. 27. 22. 28.	33. 39. 34. 40.	45. 46.
			<del></del>	11.	23. 29.	35. 41.	40. 47.
			6.	12. 18.	24. 30.	36. 42.	48.
ARCHITEC	TURAL REQUIREMENTS						
WALL AND	·	WALL PROTECTION		GLAZING	FLOORING TYPES	ROOM ACCESSORIES	
	I Material: ARGB 1.2m AFF, GB above		☐ Hand Rails ☐ Bed Bumper / Locator	Interior Glazing	Material: Base:	Coat Hooks Ceiling Lift	✓ Magnetic Whiteboard
	Material: ACT-C		Chair Rail	interior Glazing	VSF FCB	☐ Mirror ☐ Infant Change Table	
LEGEND:		DOORS				Door Remarks:	
	CEILING LEGEND:	Types:					Security Grille
AC	Architectural Ceiling		N 19 19 19 19 19 19 19 19 19 19 19 19 19	N MN 24 244			Security Grille
ACT ACT-C	Acoustic Ceiling Tile Cleanroom						☐ Anti-barricade
ARGB	Abuse-Resistant Gypsum Board						strategy
GB IRGB	Gypsum Board Impact-Resistant Gypsum Board	A A2 B B2 C C	2 D D2 E E2 F	F2 G H	J		
KLCT	Kitchen Lay-in Ceiling Tile		Integral Door & Frame Privacy	Card Mag	Auto Hold		
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): Material: Finish	: Side Lt: Blinds: Protect.: Film:	Function: Reader: Lock:	Opener: Open: Hinges:	Accessory 1: Accessory 2: Accessory 3:	Closer:
WALL FINIS	HES LEGEND:						
EWC	Epoxy Wall Coating						
HPC PT	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK		Storage Requirements:		FINIS	HES
			UPPER UNITS			Full-height Cabinet:	
ECC ECC	IISHES LEGEND:  Epoxy Ceiling Coating	01	J3 U4			Upper Millwork:	
HPC	High Performance Coating		U5 U6 U7			Countertop:	
PF PT	Prefinished Paint		US US	SHELF		Lower Millwork:	
				<b>→</b> 1 □		Shelf:	
ESRP	ECTION LEGEND:  Extruded Semi-Rigid PVCu Panel			S1		Down and the control of the control	
FRL	Fibre Reinforced Laminate					Remarks:	
FRP PVW	Fibreglass Reinforced Plastic Protective Vinyl Wallcovering						nedule 1, Section 6.12 (Division cialty Casework. Items indicated
RHIS	Rigid High Impact Sheet						nmatic, provide specialty
WSSP WVW	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering		-	1			ppropriate for the specific and
	-	cı cı	===	On the supplemental and the su	1		functions to be performed in nd to accommodate Equipment.
CFS	SHES LEGEND:  Concrete Floor Sealer	C3 C4					I rate area and 1 computer.
EFC	Epoxy Floor Coating						
PFC RAF	Polyurethane Floor Coating Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L4 L5 L6 L7 L8 L9				
RSF	Rubber Sheet Flooring		☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	L10 L11			
SCF SDRF	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:		L12	TC1 TC2		
SDVF	Static-Dissipative Vinyl Sheet Flooring	Colores O Nove	lotorized djustable Standing Specialty			UC1 U	
VSF WSVF	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring		Height Height Casework	LOWER UNITS RECEI	PTION/TRANSACTION		
FLOOR BAS		Category 3 - High (10% or Greater) 3 1800			•	INK AND COUNTER UNIT	
FCB	Flash Cove Base			SIAII	ION DESK		
RB	Rubber Base						
SCF	Seamless Cushioned Flooring						
8456118811	CAL DECLUDEA AFAITS						
WECHANI	CAL REQUIREMENTS						
PLUMBING	Hand	Seamless Utility / Other Fixtures: k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Eyewash Station	MED / NON-MED GASES			Utility
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sinl	Shower	Eyewash/Shower Station	(Quantity)	Medical Nitrous Air: Vacuum: Oxide: Co	Laborat D2: AGSS: Nitrogen: Air:	cory Laboratory Compressed
		Tub	Emergency Shower	Oxygen: Medical A	AIF: Vacadiii. Oxide. CC	O2: AGSS: Nitrogen: Air:	Vacuum. Air:
Plumbing Remarks:		☐ Ice Maker	Flush Rim Sink				
MEIIIdIKS.		Water Clos		Gas Remarks:			
		Instantane	ous Water Bottle Refill Station				
		Hot Water	Other	]			
	İ						

Program 1. E3.01.01

13.

19.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

25.

Appendix 1B Minimum Room Requirem	ents	Program 1. E4.01.01 Number(s): 2.	7. 13. 8. 14.	19. 25. 20. 26.	31. 37. 38.	43. 44.
Room Name: Receiving/Dispensing Area		3.	9. 15.	21. 27.	33. 39.	45.
		4. 5.	10. 16. 11. 17.	22. 28. 23. 29.	34. 40. 35. 41.	46. 47.
		6.	12. 18.	24. 30.	36. 42.	48.
ARCHITECTURAL REQUIREMENTS				1		
WALL AND CEILING	WALL PROTECTION	_	GLAZING	FLOORING TYPES	ROOM ACCESSORIES	_
		d Rails Bed Bumper / Locator	☐ Interior Glazing	Material: Base:  VSF FCB	Coat Hooks Ceiling Lift	Magnetic Whiteboard
Ceiling Material: ACT-C	nish: PF Height: 2185 mm Crash Rails Cha	ir Rail		V31 TCD	Mirror Infant Change Table	Privacy Curtain
LEGEND:	DOORS				Door Remarks:	
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:	<b>a a a a a</b>				☐ Security Grille
ACT Acoustic Ceiling Tile						
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board						Anti-barricade strategy
GB Gypsum Board	A A2 B B2 C C2	D D2 E E2	F F2 G H	J		Strategy
IRGB Impact-Resistant Gypsum Board  KLCT Kitchen Lay-in Ceiling Tile		Integral Door & Frame Privacy	Card Mag	Auto Hold		
MMRGB Moisture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm): Material: Finish: Si	de Lt: Blinds: Protect.: Film:	9	Opener: Open: Hinges:	Accessory 1: Accessory 2: Accessory 3:	Closer:
SACT Security Acoustic Ceiling Tile	Type.dgy. Size (IIIII). Waterial. Tillisti. Si		Tunction.	Tilliges.	Accessory 1. Accessory 2. Accessory 3.	Closer.
WALL FINISHES LEGEND:						
EWC Epoxy Wall Coating						
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Storage Requirements:		FINIS	HES
CEILING FINISHES LEGEND:	U1				Full-height Cabinet:	
ECC Epoxy Ceiling Coating	V2 1/2	U4			Upper Millwork:	
HPC High Performance Coating		U6 U7			Countertop:	
PF Prefinished PT Paint		7 7	J8 SHELF		Lower Millwork:	
					Shelf:	
WALL PROTECTION LEGEND:			S1			
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate					Remarks:	
FRP Fibreglass Reinforced Plastic						hedule 1, Section 6.12 (Division
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	No. of the last of	Francis	i			cialty Casework. Items indicated nmatic, provide specialty
WSSP Wetwall Solid Surface Panel			1			ppropriate for the specific and
WVW Wetroom Vinyl Wallcovering			September 1	7/-		functions to be performed in
FLOOR FINISHES LEGEND:						and to accommodate Equipment.
CFS Concrete Floor Sealer EFC Epoxy Floor Coating			1/1/			ea for up to 14 CBS boxes, 2 computers/scanners/label
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating	□ □ □ <del>□</del> □ 13 □ 14	15	BEEK		ptrs, work a	area, multifunction copy/ptr,
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L6 L7			and 2 file ca	abinets.
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring			L10 L11 L12			
SDRF Static-Dissipative Rubber Sheet Flooring	Legend: Motorized	d		TC1 TC2	U    ~    U	
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring	Category 0 - None Min. Length Adjustabl Category 1 - Low (1% - 4%) Category (mm) Height		LOWER UNITS		UC1 U	
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	Height Casework	RECE	PTION/TRANSACTION	SINK AND COUNTER UNIT	
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater) 2 1800			NTER / CARE TEAM UTILITY S ION DESK	AND COUNTER UNIT	
FCB Flash Cove Base						
RB Rubber Base SCF Seamless Cushioned Flooring						
Seamess cusmoned rooting						
MECHANICAL REQUIREMENTS						
the contract of the contract o	Seamless Utility / Other Fixtures: itchen Sink: Process Sink: Scrub Sink: Floor Sink:	Evewash Station	MED / NON-MED GASES			Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: K	□ Shower	Eyewash/Shower Station	(Quantity)	Medical Nitrous <sub>Air</sub> . Vacuum: Oxide: C	Laborati	Vacuum
	Tub	Emergency Shower	Oxygen: Medical A	AIT: C	O2: AGSS: Nitrogen: Air:	Vacuum. Air:
Plumbing	☐ Ice Maker	Flush Rim Sink				
Remarks:	☐ Water Closet	☐ Floor Drain	Gas Remarks:			
	☐ Instantaneous	☐ Water Bottle Refill Station	Gas neillaiks.			
	Hot Water	Other	¬			
		Otilei	_			

Appendix 1B Minimum Room Rec	quirements	Program Number(s):	1. E4.04 2.		.3. .4.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Refrigerated Storage	e - Reagents		3.	9. 1	.5.	21.	27.	33.	39.	45.
					.6. .7.	22. 23.	28. 29.	34. 35.	40. 41.	46. 47.
			6.	12. 1	.8.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS										
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB above	WALL PROTECTION  ve Finish: PT Type: FRP ✓ Co	rner Guards 🔲 Hand Rails 🔲 Bed Bur	mnor / Locator	GLAZING		OORING TYPES  Material: Base:		CCESSORIES  t Hooks	. $\Box$	Magnetic Whiteboard
Ceiling Material: ACT-C		ish Rails Chair Rail	imper / Locator	☐ Interior Glazing	3	WSVF FCB	]			Privacy Curtain
LEGEND:	DOORS						Door	Remarks:		
WALL AND CEILING LEGEND:	Types:									Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile					4-14					
ACT-C Cleanroom			同 同同 18.1/							☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board										strategy
IRGB Impact-Resistant Gypsum Board	A A2 B B2		E E2 F	F2 G	Н	J				
KLCT Kitchen Lay-in Ceiling Tile			r & Frame Privacy	Card						
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): Materi	al: Finish: Side Lt: Blinds: P	rotect.: Film:	Function: Reade	er: Lock: Open	er: Open: Hinge	s: Accessory	l: Accessory 2: Ac	cessory 3: C	oser:
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating										
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		C+	orage Requirements:				]	FINISHES	
PT Paint		UPPER UNITS	31	orage Requirements.				5 111 . 1 . 6 . 1		
CEILING FINISHES LEGEND:	U1							Full-height Cabi		
ECC Epoxy Ceiling Coating	7 1/1/2	U4						Upper Millw		
HPC High Performance Coating PF Prefinished			U6 U7 U8	SHELF				Counter		
PT Paint	ragazza		7	-4				Lower Millw	nelf:	
WALL PROTECTION LEGEND:				51				31	ieii.	
ESRP Extruded Semi-Rigid PVCu Panel								Rem	arks:	
FRL Fibre Reinforced Laminate				1						
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering			1 1							
RHIS Rigid High Impact Sheet				i						
WSSP Wetwall Solid Surface Panel		1			-					
WVW Wetroom Vinyl Wallcovering		1 1 1	-	On manufacturers	. 7	6				
FLOOR FINISHES LEGEND:	C1				1	-				
CFS Concrete Floor Sealer EFC Epoxy Floor Coating		-	-KN				/ /	1		
PFC Polyurethane Floor Coating		L3 L4 L5		Zekk		THE PERSONS IN	7 1	THE REAL PROPERTY.		
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9		/	L 15-	4 1 11			
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring				L10 L11	L12					
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized				TC1 TC2				
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring			ecialty	LOWER UNITS			UC1	· II		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category Category 2 - Med (5% - 9%)	(mm) Height Height Cas	ework	LOWER ONLY	-	/TRANSACTION				
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				COUNTER / STATION DE		ITILITY SINK AND COL	JNTER UNIT		
FCB Flash Cove Base					STATION DE	:31				
RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS										
PLUMBING Hand	Seamless Utility / O	ther Fixtures:	Station	MED / NON-MED	GASES					
(Quantity) Hygiene Sink: Lavatory: Kitche	on Ciple - Kitchen Ciple - Drococc Ciple - Corub Ciple - Elgar Ciple	Lycwasii		(Quantity)		Medical Nitrous			Laboratory I	Utility aboratory Compressed
(3.2.2.7)			/Shower Station			Vacuum: Oxide:	CO2: A	AGSS: Nitrogen:		Vacuum: Compressed Air:
Plumbing		Tub Emergen		0.750						All .
Plumbing Remarks:		Ice Maker Flush Rim								
		☐ Water Closet		Gas Remarks	s:					
			ottle Refill Station							
		Hot Water Other								
		Other								

Room Name: Refrigerator/Fre	ezer Room	Number(s): 2. 3. 4. 5. 6.	8. 14. 9. 15. 10. 16. 11. 17. 12. 18.	20. 26. 27. 27. 22. 28. 23. 29. 24. 30.	33. 34. 35.	38.       44.         39.       45.         40.       46.         41.       47.         42.       48.
ARCHITECTURAL REQUIREMENTS	S					
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB  Ceiling Material: ACT-C		Corner Guards Hand Rails Bed Bumper / Locato	GLAZING  Interior Glazing	FLOORING TYPES Material: Base: WSVF FCB	ROOM ACCESSORIES  Coat Hooks Ceiling Lift Mirror Infant Chang	☐ Magnetic Whiteboard ge Table ☐ Privacy Curtain
LEGEND: WALL AND CEILING LEGEND: AC Architectural Ceiling ACT Acoustic Ceiling Tile ACT-C Cleanroom	Types:				Door Remarks:	☐ Security Grille
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile MMRGB Moisture and Mould-Resistant Gypsum I SACT Security Acoustic Ceiling Tile	A A2 B B;  Board Fype:Qty: Size (mm): Ma	Integral Door & Frame Pr		J Auto Hold Opener: Open: Hinges:	Accessory 1: Accessory 2: Acces	strategy ssory 3: Closer:
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating  HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK					
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering  FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Coating PFC Polyurethane Floor Coating RAF Rubber Athletic Flooring SCF Seamless Cushioned Flooring SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring FLOOR BASE LEGEND: FCB Flash Cove Base RB Rubber Base SCF Seamless Cushioned Flooring	FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	U2 U3 U4 U5 U6 U7  L2 L3 L4 L5 L6 L7 L8  Motorized  Min. Length Adjustable Standing Specialty	COUN	PTION/TRANSACTION ITER / CARE TEAM ON DESK	Full-height Cabinet Upper Millwork Countertop Lower Millwork Shelf Remark	
MECHANICAL REQUIREMENTS  PLUMBING Hand (Quantity) Hygiene Sink: Lavatory: H	Seamless Utility / Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures: Evewash Station  Shower Eyewash/Shower Static	MED / NON-MED GASES (Quantity)	Medical Nitrous		Laboratory Laboratory Compressed
Plumbing Remarks:		☐ Tub ☐ Emergency Shower ☐ Ice Maker ☐ Flush Rim Sink ☐ Water Closet ☐ Floor Drain ☐ Instantaneous ☐ Hot Water ☐ Other  Oxygen: Medical A	Air: Vacuum: Oxide: CO	2: AGSS: Nitrogen:	Air: Vacuum: Air:	

Program 1. E3.02

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

• •	•		Number(s):	2.	8. 14.	20.	26.	32.	38.	44.
_				3.	9. 15.	21.	27.	33.	39.	45.
Roc	om Name: Research Area				10. 16.		28.	34.	40.	46.
					11. 17.	23.	29.	35.	41.	47.
					12. 18.		30.	36.	42.	48.
				0.	10.	24.	30.	50.	42.	40.
ARCHITECT	URAL REQUIREMENTS									
WALL AND CE	HING	WALL PROTECTION			GLAZING	FLOORING TYP	EC D	OOM ACCESSORIES		
	Material: ARGB 1.2m AFF, GB above		☐ Corner Guards ☐ Hand Rails ☐ Bed Bur	mnor / Locator		Material: E		Coat Hooks Ceiling I	ift 🗸 N	Magnetic Whiteboard
	Material: ACT-C		Crash Rails Chair Rail	ilpei / Locatoi	☐ Interior Glazing	VSF				Privacy Curtain
Cenning in	viateriai. ACT-C	Finish: PF Height: 2185 mm	Crasii Naiis Criaii Naii						lange rable	
LEGEND:		DOORS						Door Remarks:		
	EILING LEGEND:	Types:								Security Grille
	Architectural Ceiling Acoustic Ceiling Tile									
	Cleanroom									Anti-barricade
	Abuse-Resistant Gypsum Board									strategy
	Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	H J				
	mpact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		Integral Door	& Frame Privacy	Card	Mag Auto Hold				
	Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds: P	rotect.: Film:	Function: Reader:	_	Hinges: A	ccessory 1: Accessory 2:	Accessory 3: Clos	ser:
SACT S	Security Acoustic Ceiling Tile	, participation ()								
WALL FINISHE	ES LEGEND:									
	Epoxy Wall Coating									
	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK		Sto	rage Requirements:				FINISHES	
			UPPER UNITS					Full-height Ca	hinet:	
	SHES LEGEND:	6 17 17	U1					Upper Mill		
	Epoxy Ceiling Coating High Performance Coating		7	U6				Count		
	Prefinished			U7 U8	SHELF			Lower Mill	-	
PT P	Paint	Congression		77	5 D				Shelf:	
WALL PROTEC	CTION LEGEND:				S1				,	
	Extruded Semi-Rigid PVCu Panel							Re	emarks:	
	Fibre Reinforced Laminate				-					0 11 640 (8111
	Fibreglass Reinforced Plastic Protective Vinyl Wallcovering			1 1						Section 6.12 (Division ework. Items indicated
	Rigid High Impact Sheet		The state of the s		i				are diagrammatic, pro	
WSSP V	Wetwall Solid Surface Panel	-		Taraca and Taraca					casework appropriate	
WVW V	Wetroom Vinyl Wallcovering			-	KERESENERS STATE OF THE SECOND STATE OF THE SE	7/	-		specialized functions	
FLOOR FINISH	HES LEGEND:	C1 C2 C3 C4			-	THE PERSON NAMED IN COLUMN NAM	-	540.22 A SATA (SATA (SATA )		ommodate Equipment.
	Concrete Floor Sealer		L2		<del></del>		7	/ F	Provide 2 wkstns.	
	Epoxy Floor Coating Polyurethane Floor Coating		□ L3 14		- KANA-		and the same of		1	
	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L0					1	
	Rubber Sheet Flooring			L7 L8 L9	L10 L11		/ / /		1	
	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:		•			TC2		1	
	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized  Min. Length Adjustable Standing Spe	cialty				UC1	1	
	Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categ	•	ework	LOWER UNITS	RECEPTION/TRANSACTION	N			
WSVF V	Wetroom Safety Vinyl Sheet Flooring	Category 3 - High (10% or Greater)		•		COUNTER / CARE TEAM		AND COUNTER UNIT		
FLOOR BASE I	LEGEND:	Category 3 - High (10% or Greater)	1200	<b>V</b>		STATION DESK				
	Flash Cove Base Rubber Base								1	
	Rubber Base Seamless Cushioned Flooring									
	2									
MECHANIC	AL DECLUDERATATE									
WECHANICA	AL REQUIREMENTS									
PLUMBING	Hand	Seamless Utility /	Other Fixtures: Evewash	Station	MED / NON-MED GA	ASES				Utility
(Quantity) H	lygiene Sink: Lavatory: Kitchen Sink	: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	☐ Shower ☐ Eyewash,	Shower Station	(Quantity)	Medical	Nitrous		•	boratory Compressed
			☐ Tub ☐ Emergen		Oxygen: N	Medical Air: Vacuum:	Oxide: CO2:	AGSS: Nitrogen	. Air: V	/acuum: Air:
Plumbing			☐ Ice Maker ☐ Flush Rim		T					
Remarks:			☐ Water Closet ☐ Floor Dra							
					Gas Remarks:					
			Instantaneous Water Bo	ttle Refill Station						
			Other							

Program 1. E1.01.05

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Room Name: Storage - Blood Compone	ents		3. 4.	9. 15. 10. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
			5.	11. 17.	23.	29.	35.	41.	47.
			6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS				·		·		·	
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	R	OOM ACCESSORIES		
Wall Material: ARGB 1.2m AFF, GB above	Finish: EWC Type: FRP	Corner Guards Hand Rails	Bed Bumper / Locator	☐ Interior Glazing	Material: Base:		✓ Coat Hooks ☐ Ceili	ng Lift	☐ Magnetic Whiteboard
Ceiling Material: ACT-C	Finish: PF Height: 2185 mm	Crash Rails Chair Rail		Interior Glazing	VSF FCB			nt Change Table	Privacy Curtain
LEGEND:	DOORS						Door Remarks:		
WALL AND CEILING LEGEND:									
AC Architectural Ceiling	Types:								Security Grille
ACT Acoustic Ceiling Tile	61618181								☐ Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board									strategy
GB Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	J				Strategy
IRGB Impact-Resistant Gypsum Board		Litera	-l D 0 F D		and the Held				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	5 0 0 0		al Door & Frame Privacy s: Protect.: Film:	Card Mi					
SACT Security Acoustic Ceiling Tile	Type:Qty: Size (mm):	Widterial. Tillish. Side Et.		Tunetion.			ccessory 1: Accessory 2:		Closer:
WALL FINISHES LEGEND:	C2 1 1830 x 2135	Solid Core FRL	2 High Sto	oreroom 🗸	Cont. Sw	ng Clear Ast	ragal Flush Bolt	Elec. Strike	Surface
EWC Epoxy Wall Coating									
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK			Storage Requirements:				FINISHE	·s
PT Paint	1922	UPPER UNI	TS	storage negatienterits.			E 11 h 25 h		
CEILING FINISHES LEGEND:		U1 U2 U2					Full-height		
ECC Epoxy Ceiling Coating HPC High Performance Coating		U2 U3 U4 U5						Millwork:	
HPC High Performance Coating PF Prefinished	-		U6 U7 U8	SHELF				untertop:	
PT Paint			7	SILLI			Lower	Millwork:	
WALL PROTECTION LEGEND:				S1				Shelf:	
ESRP Extruded Semi-Rigid PVCu Panel				51				Remarks:	
FRL Fibre Reinforced Laminate			1	-				Remarks.	
FRP Fibreglass Reinforced Plastic	-								
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	***	Emma		1					
WSSP Wetwall Solid Surface Panel			20202						
WVW Wetroom Vinyl Wallcovering			-						
FLOOR FINISHES LEGEND:	C1 C2 C3			On the Party of th	Carrest -				
CFS Concrete Floor Sealer			E 71			7			
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 14		L KAN-					
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L6 L7 L8 L9						
RSF Rubber Sheet Flooring			L6 L7 L8 L9	L10 L11	7	7/			
SCF Seamless Cushioned Flooring  SDRF Static-Dissipative Rubber Sheet Flooring	Legend:			☐ ☐ L12	TC1 TC2	$\nu$		8	
SDVF Static-Dissipative Number Sheet Flooring  SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized  Min. Length Adjustable Standing	Specialty				UC1		
VSF Vinyl Sheet Flooring	4 1 (40)	egory (mm) Height Height	Casework	LOWER UNITS	ECEPTION/TRANSACTION				
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)				OUNTER / CARE TEAM	UTILITY SINK	AND COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				TATION DESK				
FCB Flash Cove Base RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS									
WECHANICAL REQUIREMENTS									
PLUMBING Hand	Seamless Utility /		vewash Station	MED / NON-MED GASES					Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink	c: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower Ey	ewash/Shower Station	(Quantity)	Medical Nitrou			Laborator	y Laboratory Compressed
			nergency Shower	Oxygen: Medi	cal Air: Vacuum: Oxide	: CO2:	AGSS: Nitro	gen: Air:	Vacuum: Air:
Plumbing		¬	ush Rim Sink						
Remarks:			oor Drain						
			ater Bottle Refill Station	Gas Remarks:					
		Instantaneous W Hot Water	ater buttle kerill Station						
		Othe	r						

7. 8.

13.

14.

19.

20.

25.

26.

31.

32.

37.

38.

43.

44.

Program 1. E4.02

Number(s): 2.

**Appendix 1B Minimum Room Requirements** 

Room Name: Storage - Chemistry			3.	9. 15.	21.	27.	39.	45.
Noom Name.			4.	10. 16.	22.	28.	34. 40.	46.
			5.	11. 17.	23.		35. 41.	47.
			6.	12. 18.	24.	30.	36. 42.	48.
ARCHITECTURAL REQUIREMENTS								
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM ACCES	SSORIES	
	Finish: EWC Type: FRP	☐ Corner Guards ☐ Hand R	tails   Bed Bumper / Locator	☐ Interior Glazing	Material: Base:		oks Ceiling Lift	☐ Magnetic Whiteboard
	Finish: PF Height: 2185 mm	☐ Crash Rails ☐ Chair R		interior Glazing	VSF FCB	☐ Mirror	Infant Change Table	Privacy Curtain
						Door Rer		
LEGEND:	DOORS					Door Ker	iidiks.	
WALL AND CEILING LEGEND:	Types:							☐ Security Grille
AC Architectural Ceiling  ACT Acoustic Ceiling Tile			I MIN M MIN I					
ACT-C Cleanroom								Anti-barricade
ARGB Abuse-Resistant Gypsum Board								strategy
GB Gypsum Board IRGB Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D	D2 E E2 F	F2 G H	J			
KLCT Kitchen Lay-in Ceiling Tile			Integral Door & Frame Privacy	Card Mag	Auto Hold			
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side I		Function: Reader: Lock:	Opener: Open: Hinges	: Accessory 1:	Accessory 2: Accessory 3:	Closer:
SACT Security Acoustic Ceiling Tile	C2 1 1830 x 2135 S			eroom 🗸	Cont. Swing C			Surface
WALL FINISHES LEGEND:								
EWC Epoxy Wall Coating								
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		St	orage Requirements:			FINISH	IES
PT Paint			PPER UNITS				Full-height Cabinet:	
CEILING FINISHES LEGEND:	1	U1 U2 U3 U4					Upper Millwork:	
ECC Epoxy Ceiling Coating HPC High Performance Coating	7	U3 U4						
HPC High Performance Coating PF Prefinished	Sayana Y		U5 U6 U7 U8	SHELF			Countertop:	
PT Paint	rapasasa		7				Lower Millwork:	
WALL PROTECTION LEGEND:				-PI			Shelf:	
ESRP Extruded Semi-Rigid PVCu Panel				S1			D l .	
FRL Fibre Reinforced Laminate				1			Remarks:	
FRP Fibreglass Reinforced Plastic			1					
PVW Protective Vinyl Wallcovering	-	NAME AND POST OFFICE ASSESSMENT	Francis					
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel		1 1	The state of the s					
WVW Wetroom Vinyl Wallcovering	C-2012020	. , , , , , ,	on 100					
FLOOR FINISHES LEGEND:	C1 C2	+-1		on the statement of the	1			
CFS Concrete Floor Sealer		-				7 /		
EFC Epoxy Floor Coating		12 1750 10			1   2	16	K-1	
PFC Polyurethane Floor Coating			15				THE REAL PROPERTY.	
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L6 L7 L8 L9			4 / 11 11 11		
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring				L10 L11 L12				
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			TC1 TC2		"   U	
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Min. Length Adjustable	Standing Specialty			UC1	Ш	
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categ		Height Casework	LOWER UNITS RECE	PTION/TRANSACTION			
· · · · -	Category 2 - Med (5% - 9%)			coul	NTER / CARE TEAM U	TILITY SINK AND COUNT	ER UNIT	
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)			STAT	ION DESK			
FCB Flash Cove Base RB Rubber Base								
SCF Seamless Cushioned Flooring								
NACCUANICAL DECUMPERACEITS								
MECHANICAL REQUIREMENTS								
PLUMBING Hand	Seamless Utility /	Other Fixtures:	Evewash Station	MED / NON-MED GASES				Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: I	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower	Eyewash/Shower Station	(Quantity)	Medical Nitrous		Laborato	ry Laboratory Compressed
		☐ Tub	Emergency Shower	Oxygen: Medical	Air: Vacuum: Oxide:	CO2: AGSS	: Nitrogen: Air:	Vacuum: Air:
Plumbing			Flush Rim Sink					
Remarks:		lce Maker						
		Water Closet	Floor Drain	Gas Remarks:				
		Instantaneous	Water Bottle Refill Station					
		Hot Water	Other					
			Culei					

Program 1. E2.02

Number(s): 2.

7.

8.

13.

14.

19.

20.

25.

26.

31.

32.

37.

38.

43.

44.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B Minimum Room Requi	rements	Program Number(s)		7. 13. 8. 14.	19. 20.	25.	31. 32.	37. 38.	43. 44.
Starrana Class Surrah	Distance Conta		3.	9. 15.	20.	26. 27.	33.	39.	45.
Room Name: Storage - Clean Supply	- Phiebotomy Carts		4.	10. 16.	22.	28.	34.	40.	46.
			5. 6.	11. 17. 18.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.
			0.	12. 18.	24.	30.	30.	42.	46.
ARCHITECTURAL REQUIREMENTS									
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB above	WALL PROTECTION  Finish: EWC Type: PyW Corner Guards	☐ Hand Rails ☐ Bed B		GLAZING	FLOORING TYPES  Material: Base:		ROOM ACCESSORIES  Coat Hooks		☐ Magnetic Whiteboard
Wall Material: ARGB 1.2m AFF, GB above Ceiling Material: ACT-C		Chair Rail	umper / Locator	☐ Interior Glazing	VSF FCB				Privacy Curtain
LEGEND:	DOORS						Door Remarks:		,
WALL AND CEILING LEGEND:	Types:								
AC Architectural Ceiling									☐ Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom		"21 NH NH Z							☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board									strategy
GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	A A2 B B2 C C2	D D2	E E2 F	F2 G H	J				
KLCT Kitchen Lay-in Ceiling Tile			or & Frame Privacy	Card Mag					
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile	Type:Qty: Size (mm): Material: Finish	Side Et.	Protect.: Film:	Tanction.	: Opener: Open: Hin		Accessory 1: Accessor	ry 2: Accessory 3:	Closer:
WALL FINISHES LEGEND:	C 2 1220 x 2135 Solid Core FRL		High 🗸 (	Classroom	Cont. Swir	g Clear			
EWC Epoxy Wall Coating									
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS		Storage Requirements:				FINISHES	
CEILING FINISHES LEGEND:							Full-h	eight Cabinet:	
ECC Epoxy Ceiling Coating	U2 U2	3 <u>U4</u> $\Box$		_			Ur	per Millwork:	
HPC High Performance Coating PF Prefinished		U5	U6 U7 U8					Countertop:	
PT Paint			7 7	SHELF			Lo	wer Millwork:	
WALL PROTECTION LEGEND:				S1 S1				Shelf:	
ESRP Extruded Semi-Rigid PVCu Panel				1 1/_"				Remarks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic									lle 1, Section 6.12 (Division
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering		1 6	_	1					Casework. Items indicated
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel		-	1 1 1						tic, provide specialty
WVW Wetroom Vinyl Wallcovering			1	On the last of the					opriate for the specific and etions to be performed in
FLOOR FINISHES LEGEND:	C1 C2 C3		-1-1/1	00	- Comment	225		the space and t	o accommodate Equipment.
CFS Concrete Floor Sealer		-		==		7	[ F		nelving at 1.1 m above vel for supplies and space
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L4 L5		KAN-	-				otomy cart storage.
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	_ L6	L7 L8 L9					$\mathbb{R}$	
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring				L10 L11 L12					
SDRF Static-Dissipative Rubber Sheet Flooring	Legend: M	otorized			TC1 TC2		lica L	U	
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring	0-1 4 1- (40/ 40/)	•	pecialty	LOWER LINITS			UC1	u.	
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)		asework	REC	EPTION/TRANSACTION JNTER / CARE TEAM	UTILITY SIN	IK AND COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)		✓		TION DESK				
FCB Flash Cove Base RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS									
PLUMBING Hand	Seamless Utility / Other Fixtures:	☐ Evewas	h Station	MED / NON-MED GASES		_			
	nk: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		h/Shower Station	(Quantity)	Medical Nitrous			Laboratory	Laboratory Compressed
	Tub	_	ency Shower	Oxygen: Medica			2: AGSS: N	Nitrogen: Air:	Vacuum: Air:
Plumbing	☐ Ice Maker	☐ Flush Ri							
Remarks:	☐ Water Close	_							
	☐ Instantaneo		Bottle Refill Station	Gas Remarks:					
	Hot Water			7					
		Other							

ŗ	Room Name: Storage - Primary - STAT	- Backup	Number(s	3. 4. 5.	8.     14.       9.     15.       10.     16.       11.     17.       12.     18.	20. 21. 22. 23. 24.	26. 27. 28. 29. 30.	32. 33. 34. 35. 36.	38. 39. 40. 41. 42.	44. 45. 46. 47. 48.
ARCHITEC	CTURAL REQUIREMENTS									
	CEILING all Material: ARGB 1.2m AFF, GB above g Material: ACT-C	WALL PROTECTION           Finish: EWC         Type: FRP           Finish: PF         Height: 2185 mm	☐ Corner Guards ☐ Hand Rails ☐ Bed B☐ Crash Rails ☐ Chair Rail	umper / Locator	GLAZING  Interior Glazing	FLOORING TYPES Material: Base: VSF FCB	ROOM ACC	Hooks 🔲 Ceiling Lift		Magnetic Whiteboard Privacy Curtain
LEGEND:		DOORS					Door F	Remarks:		
WALL AND AC	O CEILING LEGEND:  Architectural Ceiling	Types:		<b>a a a a</b>						Security Grille
ACT ACT-C ARGB GB IRGB	Acoustic Ceiling Tile Cleanroom Abuse-Resistant Gypsum Board Gypsum Board Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H					Anti-barricade strategy
KLCT	Kitchen Lay-in Ceiling Tile			or & Frame Privacy	Card Mag	Auto Hold				
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds:	Protect.: Film:	Function: Reader: Lock:	Opener: Open: Hing	ges: Accessory 1:	Accessory 2: Acce	essory 3: Cl	loser:
WALL FINIS	SHES LEGEND:									
EWC HPC PT	Epoxy Wall Coating High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	rage Requirements:				FINISHES	
ECC HPC PF PT  WALL PRO ESRP FRL FRP PVW RHIS WSSP WVW  FLOOR FIN  CFS EFC PFC RAF RSF SCF SDRF SDVF VSF WSVF	NISHES LEGEND:  Epoxy Ceiling Coating High Performance Coating Prefinished Paint  PIECTION LEGEND:  Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate Fibreglass Reinforced Plastic Protective Vinyl Wallcovering Rigid High Impact Sheet Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering  IISHES LEGEND:  Concrete Floor Sealer Epoxy Floor Coating Polyurethane Floor Coating Rubber Athletic Flooring Rubber Sheet Flooring Seamless Cushioned Flooring Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring SE LEGEND: Flash Cove Base Rubber Base Seamless Cushioned Flooring	FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)	1 U2 U3 U4 U5  L2 L3 L4 L5 L6  Motorized  Min. Length Adjustable Standing S	17 18	cou	EPTION/TRANSACTION INTER / CARE TEAM TION DESK	UTILITY SINK AND COUN	12 arr ca sp th Pr	rk:  pp: rk: elf:  2 for Schedule 1 2) for Specialty Cae diagrammatic, psework appropriaecialized function	I., Section 6.12 (Division sework. Items indicated provide specialty ate for the specific and as to be performed in ecommodate Equipment.
MECHANI	ICAL REQUIREMENTS									
PLUMBING (Quantity)		Seamless Utility / k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		sh Station sh/Shower Station ency Shower	MED / NON-MED GASES (Quantity) Oxygen: Medical	Medical Nitrous Air: Vacuum: Oxide:	CO2: AG	SSS: Nitrogen:		Utility Laboratory Compressed Vacuum: Air:
Plumbing Remarks:			☐ Ice Maker ☐ Flush F☐ Water Closet ☐ Floor ☐ Water Hot Water ☐ Other ☐		Gas Remarks:					

Program 1. E3.01.12

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

			Number(s):		8. 14. 9. 15.	20. 21.	26. 27.	32. 33.	38. 39.	44. 45.
Roo	om Name: Storage - Reagents/Equip	ment			10.	22.	28.	34.	40.	46.
					11. 17.	23.	29.	35.	41.	47.
				6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTU	URAL REQUIREMENTS									
WALL AND CE		WALL PROTECTION			GLAZING	FLOORING TYPES	_	M ACCESSORIES	Г	
	Artarial: ARGB 1.2m AFF, GB above		Corner Guards Hand Rails Bed Bu Crash Rails Chair Rail	imper / Locator	☐ Interior Glazing	Material: Base: VSF FCB		Coat Hooks Ceiling Mirror Infant		Magnetic Whiteboard Privacy Curtain
	Material: ACT-C		Crash Rails   Criair Rail					Door Remarks:	Change rable L	- Privacy Curtain
LEGEND:	EILING LEGEND:	DOORS						DOOL REITIALKS.		
	rchitectural Ceiling	Types:		7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7						Security Grille
	coustic Ceiling Tile cleanroom									☐ Anti-barricade
ARGB A	buse-Resistant Gypsum Board									strategy
	ypsum Board mpact-Resistant Gypsum Board	A A2 B B2	•	E E2 F	F2 G H	J				
	itchen Lay-in Ceiling Tile Noisture and Mould-Resistant Gypsum Board			or & Frame Privacy Protect.: Film:	Card Mag Reader: Lock:	0				
	ecurity Acoustic Ceiling Tile	Гуре:Qty: Size (mm): Ма С 1 1220 x 2135 Solid	eriai. Tillisti. Side Et.		Tanction:		Hinges: Acces Swing Clear Astrag		Accessory 3:	Closer: face
WALL FINISHE	ES LEGEND:	C 1 1220 x 2133 30110	Lore FRL Z H	igii Storei			Swilig Clear Astrag	di Fiusii Boit	Sui	ace
	poxy Wall Coating ligh Performance Coating						l l		I	
	aint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	rage Requirements:				FINISHES	
CEILING FINIS	HES LEGEND:	UI	U2	_				_	abinet: Stainless S	teel
	poxy Ceiling Coating ligh Performance Coating		U2 U3 U4 U5	U6				Upper M	llwork: tertop:	
PF P	refinished		7 7 7	U7 U8	SHELF			Lower M		
PT P	aint			77	ta 🗆			201101 111	Shelf:	
	CTION LEGEND:	-			S1					
	xtruded Semi-Rigid PVCu Panel ibre Reinforced Laminate							F	Remarks:	
	ibreglass Reinforced Plastic	7								e 1, Section 6.12 (Division
	rotective Vinyl Wallcovering igid High Impact Sheet									Casework. Items indicated ic, provide specialty
	Vetwall Solid Surface Panel Vetroom Vinyl Wallcovering	-								oriate for the specific and
FLOOR FINISH		C1 C2	T		Con me transportation of the contract of the c	1				ions to be performed in accommodate Equipment.
	Concrete Floor Sealer	C2 C3 C4 C5		1 771		7     7	7	/	Provide LIS wkst	
	poxy Floor Coating olyurethane Floor Coating		L3 L4 L5		- KM	-     -				
	subber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 19						
	tubber Sheet Flooring eamless Cushioned Flooring			L7 L8 L9	L10 L11 L12		7/			
SDRF St	tatic-Dissipative Rubber Sheet Flooring	Legend:	Motorized			τc1   τc	2	"		
	tatic-Dissipative Vinyl Sheet Flooring 'inyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category		ecialty	LOWER LINITS			UC1 U		
WSVF W	Vetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)		sework	REC	CEPTION/TRANSACTION UNTER / CARE TEAM	UTILITY SINK AN	D COUNTER UNIT		
FLOOR BASE L	LEGEND:	Category 3 - High (10% or Greater)	2400	✓		TION DESK				
	lash Cove Base tubber Base									
SCF Se	eamless Cushioned Flooring									
MECHANICA	AL REQUIREMENTS				_					
PLUMBING	Hand	Seamless Utility /	Other Fixtures: Evewasl	n Station	MED / NON-MED GASES					Utility
(Quantity) H	ygiene Sink: Lavatory: Kitchen Sink	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		n/Shower Station	(Quantity)	.,	ous		Laboratory	Laboratory Compressed
			☐ Tub ☐ Emerge	ncy Shower	Oxygen: Medica	al Air: Vacuum: Ox	ide: CO2:	AGSS: Nitroge	n: Air:	Vacuum: Air:
Plumbing			☐ Ice Maker ☐ Flush Ri							
Remarks:			Water Closet Floor Dr		Gas Remarks:					
				ottle Refill Station						
			Hot Water Other							
1										

Program 1. E2.06

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

PP		Number(s):	2.	8. 14.	20.	26.	32. 38.	. 44.
Room Name: Not Used			3.	9. 15.	21.	27.	33. 39.	. 45.
Room Name. Not Osed			4.	10. 16.	22.	28.	34. 40.	. 46.
			5.	11. 17.	23.	29.	35. 41.	. 47.
			6.	12. 18.	24.	30.	36. 42.	. 48.
ARCHITECTURAL REQUIREMENTS			1	1	1		-	
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM ACC	`FSSORIFS	
	Finish: Type:	Corner Guards Hand Rails Bed Bu	mner / Locator		Material: Base:		Hooks Ceiling Lift	☐ Magnetic Whiteboard
	Finish: Height:	Crash Rails Chair Rail	.,,,	☐ Interior Glazing		☐ Mirro		
LEGEND:	DOORS					Door F	Remarks:	
WALL AND CEILING LEGEND:								
AC Architectural Ceiling	Types:	1 66 6 66 66 66 66 66 66 66 66 66 66 66	7 MM 120					Security Grille
ACT Acoustic Ceiling Tile	61668							☐ Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board					<u> </u>			strategy
GB Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	J			51.41387
IRGB Impact-Resistant Gypsum Board		Later and Dec	. O. F	Cont. Mar.	A to Hold			
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	5 0 0 1		r & Frame Privacy rotect.: Film:	Card Mag	Auto Hold Opener: Open: Hing			
SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	: Material: Finish: Side Lt: Blinds: P		Function: Keader: Lock:	Opener: Open: Hing	es: Accessory 1:	Accessory 2: Accessor	y 3: Closer:
WALL FINISHES LEGEND:								
EWC Epoxy Wall Coating								
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	_	Sto	orage Requirements:			F	INISHES
		UPPER UNITS					Full-height Cabinet:	
CEILING FINISHES LEGEND:		U2 U2					Upper Millwork:	
ECC Epoxy Ceiling Coating HPC High Performance Coating		U3 U4 U5	U6 U7				Countertop:	
PF Prefinished			U7 U8	SHELF			Lower Millwork:	
PT Paint	Angeres			+-a			Shelf:	
WALL PROTECTION LEGEND:	Congression			T S1			Silcii.	
ESRP Extruded Semi-Rigid PVCu Panel	11		1 11	IJ_			Remarks:	
FRL Fibre Reinforced Laminate								
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering	7		1 1					
RHIS Rigid High Impact Sheet	-	The state of the s		i				
WSSP Wetwall Solid Surface Panel			DESCRIPTION OF THE PROPERTY OF					
WVW Wetroom Vinyl Wallcovering			-	(a)	7/			
FLOOR FINISHES LEGEND:	C1 C2 C3 C4						A 127 NO. 17.1	
CFS Concrete Floor Sealer		11 12		1111		7 /	F 7	
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 14		KKKN				
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 10 1					
RSF Rubber Sheet Flooring			L7 L8 L9	L10 L11	1	7/		
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:			L12	TC1 TC2	V   "		
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized  Min. Length Adjustable Standing Spe	cialty			UC1	u	
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%)		ework	LOWER UNITS	EPTION/TRANSACTION			
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)				•	UTILITY SINK AND COUN	ITER UNIT	
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)			STA	TION DESK			
FCB Flash Cove Base								
RB Rubber Base  SCF Seamless Cushioned Flooring								
, and the second								
MECHANICAL REQUIREMENTS	1							
				· .				
	Seamless Utility /	Other Fixtures: Eyewash		MED / NON-MED GASES				Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: k	Kitchen Sink: Process Sink: Scrub Sink: Floor Sinl	□ Snower □ Eyewasn	Shower Station	(Quantity)	Medical Nitrous			oratory Laboratory Compressed
		Tub Emergen		Oxygen: Medica	Air: Vacuum: Oxide:	CO2: AG	SS: Nitrogen:	Air: Vacuum: Air:
Plumbing		☐ Ice Maker ☐ Flush Rin						
Remarks:		☐ Water Closet ☐ Floor Dra						
			ttle Refill Station	Gas Remarks:				
		Hot Water	rue nemi station					
		Other						

Program 1. E5.03

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

• •	•		Number(s):	2.	8. 14.	20.	26.	32.	38.	44.
					9. 15.	21.	27.	33.	39.	45.
Ro	oom Name: Storage - Specimen									
					10. 16.	22.	28.	34.	40.	46.
				5. 1	11. 17.	23.	29.	35.	41.	47.
				6.	12. 18.	24.	30.	36.	42.	48.
A D C UITE C T	TURAL REQUIREMENTS		L							
	·									
WALL AND C		WALL PROTECTION			GLAZING	FLOORING TYPES		CCESSORIES		
	Material: ARGB 1.2m AFF, GB above		Corner Guards 🔲 Hand Rails 🔲 Bed Bun	nper / Locator	☐ Interior Glazing	Material: Base:		t Hooks 📙 Ceiling Lift		Magnetic Whiteboard
Ceiling	Material: ACT-C	Finish: PF Height: 2185 mm	Crash Rails Chair Rail			WSVF FCB		ror 🗌 Infant Cha	nge Table 🔲 F	Privacy Curtain
LEGEND:		DOORS					Doo	r Remarks:		
	CEILING LEGEND:									
	Architectural Ceiling	Types:								Security Grille
	Acoustic Ceiling Tile									
	Cleanroom		4 NENEZ NENEZ							Anti-barricade
	Abuse-Resistant Gypsum Board Gypsum Board									strategy
	Impact-Resistant Gypsum Board	A A2 B B2	C C2 D D2 E	E2 F	F2 G H	J				
	Kitchen Lay-in Ceiling Tile		Integral Door	& Frame Privacy	Card Ma	g Auto Hold				
	Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Маte	erial: Finish: Side Lt: Blinds: Pr	otect.: Film:	Function: Reader: Loc	k: Opener: Open: Hin	ges: Accessory	1: Accessory 2: Acc	cessory 3: Clo	oser:
SACT	Security Acoustic Ceiling Tile									
WALL FINISH	HES LEGEND:									
EWC	Epoxy Wall Coating									
	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Sto	rage Requirements:			1	FINISHES	
PT	Paint		UPPER UNITS					Full haisht Cabin		
CEILING FINI	ISHES LEGEND:	U1	U2					Full-height Cabir		
	Epoxy Ceiling Coating	7	U4					Upper Millwo		
	High Performance Coating Prefinished	Suprana 1	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	U6 U7 U8	SHELF			Countert		
	Paint				SHELF			Lower Millwo		
					a ⊔			Sh	elf:	
	ECTION LEGEND:	7			S1					
	Extruded Semi-Rigid PVCu Panel							Rema	arks:	
	Fibre Reinforced Laminate Fibreglass Reinforced Plastic									
	Protective Vinyl Wallcovering	1	1 6	1 1						
	Rigid High Impact Sheet			1				_		
	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering	CONTRACT CO.	1	an of the second	1	_				
					CO MA	1/				
	SHES LEGEND:	C1 C2 C3 C4 C5								
	Concrete Floor Sealer		12		1		//	Francis /		
	Epoxy Floor Coating Polyurethane Floor Coating		L3 L4 L5		SKKH					
	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9						
	Rubber Sheet Flooring			L7 L8 L9	L10 L11		7/			
	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:			L12	TC1 TC2	V   "			
	Static-Dissipative Number Sheet Flooring	Cotocom O. None	Motorized  Min. Length Adjustable Standing Spec	cialty			UC1	U		
VSF	Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category		cialty ework	LOWER UNITS	CEPTION/TRANSACTION				
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)				OUNTER / CARE TEAM	UTILITY SINK AND CO	UNTER UNIT		
FLOOR BASE	ELEGEND:	Category 3 - High (10% or Greater)				ATION DESK	OTIZITI SIMKYMID CO.	SICILIA SILII		
FCB	Flash Cove Base									
	Rubber Base									
SCF	Seamless Cushioned Flooring									
MECHANIC	CAL REQUIREMENTS									
	•	Seamless Utility /	Other Fixtures:		MED / NON MED CASES					
PLUMBING	Hand Hygiene Sink: Lavatory: Kitchen Sin	Seamless Utility / ik: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Lyewasii.		MED / NON-MED GASES				labanat - ·	Utility
(Quantity)		Macron Sinki 110003 Sinki Solda Sinki 11001 Sinki		Shower Station	(Quantity)	Medical Nitrous Pal Air: Vacuum: Oxide:				aboratory Compressed
			☐ Tub ☐ Emergence	cy Shower	Oxygen: Medic	al Air: vacuum. Oxide:	CO2: /	AGSS: Nitrogen:	Αιι. \	vacuum: Air:
Plumbing			☐ Ice Maker ☐ Flush Rim	Sink						
Remarks:			☐ Water Closet ☐ Floor Drai					<u> </u>		
			_	ttle Refill Station	Gas Remarks:					
			Instantaneous Water Bo	ננוב תפוווו אנמנוטוו						
			Other							

Program 1. E3.01.11

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

PP		Number(s):	2.	8. 14.	20.	26.	32. 38.	. 44.
Room Name: Not Used			3.	9. 15.	21.	27.	33. 39.	. 45.
Room Name. Not Osed			4.	10. 16.	22.	28.	34. 40.	. 46.
			5.	11. 17.	23.	29.	35. 41.	. 47.
			6.	12. 18.	24.	30.	36. 42.	. 48.
ARCHITECTURAL REQUIREMENTS			1	1	1		-	
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM ACC	`FSSORIFS	
	Finish: Type:	Corner Guards Hand Rails Bed Bu	mner / Locator		Material: Base:		Hooks Ceiling Lift	☐ Magnetic Whiteboard
	Finish: Height:	Crash Rails Chair Rail	.,,,	☐ Interior Glazing		☐ Mirro		
LEGEND:	DOORS					Door F	Remarks:	
WALL AND CEILING LEGEND:								
AC Architectural Ceiling	Types:	1 66 6 66 66 66 66 66 66 66 66 66 66 66	7 MM 120					Security Grille
ACT Acoustic Ceiling Tile	61668							☐ Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board					<u> </u>			strategy
GB Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	J			51.41387
IRGB Impact-Resistant Gypsum Board		Later and Dec	. O. F	Cont. Mar.	A to Hold			
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	5 0 0 1		r & Frame Privacy rotect.: Film:	Card Mag	Auto Hold Opener: Open: Hing			
SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	: Material: Finish: Side Lt: Blinds: P		Function: Keader: Lock:	Opener: Open: Hing	es: Accessory 1:	Accessory 2: Accessor	y 3: Closer:
WALL FINISHES LEGEND:								
EWC Epoxy Wall Coating								
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	_	Sto	orage Requirements:			F	INISHES
		UPPER UNITS					Full-height Cabinet:	
CEILING FINISHES LEGEND:		U2 U2 U					Upper Millwork:	
ECC Epoxy Ceiling Coating HPC High Performance Coating		U3 U4 U5	U6 U7				Countertop:	
PF Prefinished	7		U7 U8	SHELF			Lower Millwork:	
PT Paint	Angeres			+-a			Shelf:	
WALL PROTECTION LEGEND:	Congression			T S1			Silcii.	
ESRP Extruded Semi-Rigid PVCu Panel	11		1 11	IJ_			Remarks:	
FRL Fibre Reinforced Laminate								
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering	7		1 1					
RHIS Rigid High Impact Sheet	-	The state of the s		i				
WSSP Wetwall Solid Surface Panel			DESCRIPTION OF THE PROPERTY OF					
WVW Wetroom Vinyl Wallcovering			-	(a)	7/			
FLOOR FINISHES LEGEND:	C1 C2 C3 C4						A 127 NO. 17.1	
CFS Concrete Floor Sealer		11 12		1111		7 /	F 7	
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 14		KKKN	- F			
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 10 1					
RSF Rubber Sheet Flooring			L7 L8 L9	L10 L11	1	7/		
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:			L12	TC1 TC2	V   "		
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized  Min. Length Adjustable Standing Spe	cialty			UC1	u	
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%)		ework	LOWER UNITS	EPTION/TRANSACTION			
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)				•	UTILITY SINK AND COUN	ITER UNIT	
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)			STA	TION DESK			
FCB Flash Cove Base								
RB Rubber Base  SCF Seamless Cushioned Flooring								
, and the second								
MECHANICAL REQUIREMENTS	1							
				· .				
	Seamless Utility /	Other Fixtures: Eyewash		MED / NON-MED GASES				Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: k	Kitchen Sink: Process Sink: Scrub Sink: Floor Sinl	□ Snower □ Eyewasn	Shower Station	(Quantity)	Medical Nitrous			oratory Laboratory Compressed
		Tub Emergen		Oxygen: Medica	Air: Vacuum: Oxide:	CO2: AG	SS: Nitrogen:	Air: Vacuum: Air:
Plumbing		☐ Ice Maker ☐ Flush Rin						
Remarks:		☐ Water Closet ☐ Floor Dra						
			ttle Refill Station	Gas Remarks:				
		Hot Water	rue nemi station					
		Other						

Program 1. E5.01.02

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B Minimum Room Requiren	nents	Program Number(s):	1. E2.01.03 2.		13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.	
Room Name: Urinalysis Area			3.		15.	21.	27.	33.	39.	45.	
Room Name: Officialysis Area			4.		16.	22.	28.	34.	40.	46.	
			5. 6.		17. 18.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.	
ADQUITECTUDAL DEQUIDERATAITS			0.	12.	10.	2	30.	30.	12.	10.	
ARCHITECTURAL REQUIREMENTS											
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB above	Finish: EWC Type: FRP	☐ Corner Guards ☐ Hand Rails ☐ Bed Bur	mnor / Locator	GLAZING		FLOORING TYPES  Material: Base:		<b>1 ACCESSORIES</b> Coat Hooks ☐ Ceiling L	:f+ [•	✓ Magnetic Wh	hitoboard
	71:-	Crash Rails Chair Rail	ipei / Locatoi	☐ Interior Glazin	ng	VSF FCB		Mirror Infant Cl		Privacy Curta	
LEGEND:	DOORS							Door Remarks:			
WALL AND CEILING LEGEND:	Types:										curity Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile				V MV MA						Sec	Jurity Grille
ACT-C Cleanroom					NON!						nti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	H					stra	rategy
IRGB Impact-Resistant Gypsum Board	A /2					Aa. Hald					
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	<u> </u>	r & Frame Privacy rotect.: Film:	Card Function: Read	•	Auto Hold Opener: Open: <sub>Hin</sub>	πος: Λιτοςςι 	ory 1: Accessory 2: A	accessory 3:	Closer:	
SACT Security Acoustic Ceiling Tile	Type.Qty. Size (IIIII).	Waterial. Tillisii. Side Et.		Tunction.	1		ges. Accesso	ory 1. Accessory 2. A	2003301 y 3.	Closer.	
WALL FINISHES LEGEND:											
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK			'			1				-
PT Paint	WILLWORK AND SPECIALITY CASEWORK	UPPER UNITS		Storage Requirements:					FINISHES		
CEILING FINISHES LEGEND:		U1						Full-height Cab			
ECC Epoxy Ceiling Coating HPC High Performance Coating		U3 U4 U5	U6					Upper Milly Counte			
PF Prefinished		777	U7 U8	SHELF				Lower Mills	-		
PT Paint			7						Shelf:		
WALL PROTECTION LEGEND:				S1							
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate				1					marks:		
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering									Refer to Schedule 12) for Specialty (		
RHIS Rigid High Impact Sheet				i					are diagrammatic		
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering	-		200	1					casework approp		
FLOOR FINISHES LEGEND:	C1 C2		= 7	OD BH CALCULATION		1			specialized function the space and to		
CFS Concrete Floor Sealer			- 5				7 /		Provide laborator		
EFC Epoxy Floor Coating  PFC Polyurethane Floor Coating		L2 L3 L4 L5		- 1		-	_/ =		I		
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	□    □ L6 '	L7 L8 19		<u></u>	1 15			I		
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring		<b>∠</b>	□ L8 L9 <b>✓</b>	L10 L11	L12				I		
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized				TC1 TC2			I		
SDVF Static-Dissipative Vinyl Sheet Flooring  VSF Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category 1 - Low (1% - 4%)	•	cialty ework	LOWER UNITS					I		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)					TION/TRANSACTION TER / CARE TEAM	UTILITY SINK AND	COUNTER UNIT	I		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)	3300	✓			ON DESK			I		
FCB Flash Cove Base RB Rubber Base									I		
SCF Seamless Cushioned Flooring									I		
								Į			
MECHANICAL REQUIREMENTS											
PLUMBING Hand	Seamless Utility /	Other Fixtures:	Station	MED / NON-MED	GASES						Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	☐ Shower ☐ Eyewash,	/Shower Station	(Quantity)		Medical Nitrous			A * ·	Laboratory	Compressed
	1	☐ Tub ☐ Emergen	cy Shower	Oxygen:	Medical Air	r: Vacuum: Oxide:	CO2:	AGSS: Nitrogen:	Air:	Vacuum:	Air:
Plumbing		☐ Ice Maker ☐ Flush Rim								1	
Remarks:		Water Closet Floor Dra		Gas Remark	ks: Each sink	to be equipped with faucet	complete with vacuu	m breaker to avoid any si	phonage and note	ential	7
			ottle Refill Station	Gus neman		ation on water network	p.c.c with vacuu	s. canci to avoid any si	oapc and pote		
		Hot Water Other									
	I			1	1						1

Appendix 1B	Minimum Room Require	ements		Program umber(s):	1. E1.03 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room N	Name: Vestibule - Shipping/Rece	siving			3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
					5.	11.	17.	23.	29.	35.	41.	47.
4.0.0	41.050111051451150				6.	12.	18.	24.	30.	36.	42.	48.
	AL REQUIREMENTS											
WALL AND CEILIN Wall Mate Ceiling Mate	erial: ARGB 1.2m AFF, GB above	WALL PROTECTION   Finish:   PT	Crash Rails Hand Rails Chair Rail	Bed Bum	nper / Locator	GLAZING  Interior Glaz	I	FLOORING TYPES Material: Base: VSF FCB	,   <u> </u>	M ACCESSORIES  Coat Hooks ☐ Ceiling Li  Mirror ☐ Infant Ch		agnetic Whiteboard vacy Curtain
LEGEND:		DOORS								Door Remarks:		
WALL AND CEILIN	NG LEGEND:	Types:								Provide remote door openi		
	ectural Ceiling	турсз.			a (ala) (ala				1	rom corridor at the transac	ction window.	Security Grille
ACT Acoust	tic Ceiling Tile room				5		tokala k	HHA .				Anti-barricade
	-Resistant Gypsum Board Im Board											strategy
**	t-Resistant Gypsum Board	A A2 B		D2 E	· ·	F2 G	н	J				
	en Lay-in Ceiling Tile ure and Mould-Resistant Gypsum Board			-	& Frame Privacy otect.: Film:	_	•	uto Hold ener: Open: <sub>Hing</sub>	L			
	ity Acoustic Ceiling Tile		Material. Tillisti. Side Et.			Tunction.			es: Access	ory 1: Accessory 2: A	ccessory 3: Close	er:
WALL FINISHES LI	EGEND:	B 2 1065 x 2135 Sc	lid Core FRL	2 Hig	n Store	eroom [		■ Butt Hinge			Surface	
	Wall Coating											
HPC High P PT Paint	Performance Coating	MILLWORK AND SPECIALTY CASEWORK	UPPER U	LINITS	Sto	orage Requirements:					FINISHES	
CEILING FINISHES	STEGEND:			UNITS						Full-height Cab	inet:	
	Ceiling Coating	( T. T. T. T.	U2 U3 U4							Upper Millv	vork:	
	Performance Coating	The state of the s	1 7 7 7	U5	U6 LIZ					Counte	rtop:	
PF Prefini PT Paint	isnea			7	U8	SHELF				Lower Milly		
WALL BROTECTIO	ON LECEND.					7				S	helf:	
WALL PROTECTION  ESRP Extrud	ded Semi-Rigid PVCu Panel					S1				Ror	narks:	
FRL Fibre F	Reinforced Laminate					-				I I I	iidiks.	
	lass Reinforced Plastic ctive Vinyl Wallcovering				1 1							
	High Impact Sheet		-	7	1	i						
	all Solid Surface Panel oom Vinyl Wallcovering			Col.	an Property							
		ci ci		-	= 7	on my desired	1	-				
CFS Concre	ete Floor Sealer	C2 C3 C4		-					7			
EFC Epoxy	Floor Coating		L2 L3 L4				4==	K	/ 4	1		
	rethane Floor Coating er Athletic Flooring	FULL-HEIGHT CABINETS		L6	L7 L8 19		1 /		7			
RSF Rubbe	er Sheet Flooring			L6		L10 L11	1		7 / 1			
	less Cushioned Flooring -Dissipative Rubber Sheet Flooring	Legend:					L12	TC1 TC2				
	-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized Min. Length Adjustable Stand	ding Spec	cialty				Ü	UC1		
	Sheet Flooring oom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category			ework	LOWER UNITS	RECEPTIO	N/TRANSACTION				
FLOOR BASE LEGI		Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	1800				COUNTER	/ CARE TEAM	UTILITY SINK AND	COUNTER UNIT		
	Cove Base	, , ,					STATION	DESK				
	er Base											
SCF Seamle	less Cushioned Flooring											
										L		
MECHANICAL I	REQUIREMENTS					1						
	land	Seamless Utility /	Other Fixtures:	Evewash S	Station	MED / NON-MI	ED GASES					Utility
(Quantity) Hygie	ene Sink: Lavatory: Kitchen Sink	K: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:			Shower Station	(Quantity)		Medical Nitrous				Dratory Compressed
				Emergenc		Oxygen	: Medical Air:	Vacuum: Oxide:	CO2:	AGSS: Nitrogen:	Air: Va	cuum: Air:
Plumbing				Flush Rim								
Remarks:				Floor Drai				1	1	<u> </u>		
				_	ttle Refill Station	Gas Rema	arks:					
			Hot Water									
			0	Other								

F	Room Name: Walk-In Refrigerator - La	b	Num	3. 4.	8. 14. 9. 15. 10. 16.	21.	26.       32.         27.       33.         28.       34.	38. 39. 40.	44. 45. 46.
				5. 6.	11.     17.       12.     18.		<ul><li>29. 35.</li><li>30. 36.</li></ul>	41. 42.	47. 48.
ARCHITEC	TURAL REQUIREMENTS								
<b>WALL AND</b> Wa		WALL PROTECTION   Type: FRP   Height: 2185 mm	✓ Corner Guards ☐ Hand Rails ☐ Crash Rails ☐ Chair Rail	Bed Bumper / Locator	GLAZING  Interior Glazing	FLOORING TYPES Material: Base:	ROOM ACCESSO  Coat Hooks Mirror	☐ Ceiling Lift	Magnetic Whiteboard Privacy Curtain
LEGEND:	CEILING LEGEND:	DOORS					Door Remark	s:	
AC ACT ACT-C ARGB GB IRGB KLCT MMRGB SACT	Architectural Ceiling Acoustic Ceiling Tile Cleanroom Abuse-Resistant Gypsum Board Gypsum Board Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Types:  A A2 B  Fype:Qty: Size (mm):	B2 C C2 D D2  Integr Material: Finish: Side Lt: Blind	ral Door & Frame Privacy		Auto Hold Opener: Open: Hinges:	Accessory 1: Acc	essory 2: Accessory 3:	Security Grille  Anti-barricade strategy  Closer:
EWC HPC	EDES LEGEND:  Epoxy Wall Coating  High Performance Coating	MILLWORK AND SPECIALTY CASEWORK			orage Requirements:			FINISHES	
ECC HPC PF PT  WALL PRO ESRP FRL FRP PVW RHIS WSSP WVW  FLOOR FIN CFS EFC PFC RAF SSF SCF SDRF SDVF VSF WSVF  FLOOR BAS FCB RB SCF	Flash Cove Base Rubber Base Seamless Cushioned Flooring	FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	Motorized Min. Length Adjustable Standing	U6 U7 U8 U9 U9 U9 U9 U9 U9 U9 U9 U9 U9 U9 U9 U9	SHELF S1  LI0  LI1  LI12  LOWER UNITS  RECE COU	EPTION/TRANSACTION INTER / CARE TEAM UT	UC1 UC1	13) for Walk-in Rooms	ale 1, Section 6.13 (Division Refrigerators and Cold
MECHANI PLUMBING	CAL REQUIREMENTS Hand	Seamless Utility /	Other Fixtures:		MED / NON-MED GASES				
(Quantity)		k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower E	eyewash Station eyewash/Shower Station emergency Shower	(Quantity) Oxygen: Medical	Medical Nitrous Air: Vacuum: Oxide:	CO2: AGSS:	Laboratory Nitrogen: Air:	Utility Laboratory Compressed Vacuum: Air:
	Provide indirect drain to funnel floor sink door path of travel or cart movement	located outside of the walk in. Placement not to impede	☐ Ice Maker ☐ F ☐ Water Closet ✔ F	lush Rim Sink loor Drain Water Bottle Refill Station	Gas Remarks:				

Program 1. E2.03

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Room Name   Wash-Up/Glassware Soaking Room   3, 9, 15, 21, 27, 33, 38, 41, 46, 46, 10, 16, 22, 28, 34, 40, 46, 46, 11, 17, 23, 29, 35, 41, 47, 46, 11, 17, 23, 29, 35, 41, 47, 46, 11, 17, 23, 29, 35, 41, 47, 46, 11, 17, 23, 29, 35, 41, 47, 46, 11, 17, 23, 29, 35, 41, 47, 46, 11, 17, 12, 18, 24, 30, 36, 42, 48, 46, 46, 46, 47, 48, 48, 48, 48, 48, 48, 48, 48, 48, 48	Appendix 1B Minimum Room Requiremen	nts	Program Number(s):	1. E6.01	7. 13.	19.	25.	31.	37.	43.
A	[		Number(s).		8. 14. 9. 15.	20. 21.	26. 27.	32. 33.	38. 39.	44. 45.
## ARCHITECTURAL REQUIREMENTS    MALL AND CEILURG   Wall Materials;   ARGB 1.2m AFF, 6B above   Finish:   EWC   Price   Hand Rails   Bed Bumper / Locator   Butterior Gluzing   FLOORING TYPES   Materials;   Buf68 1.2m AFF, 6B above   Finish:   EWC   Price   Hand Rails   Bed Bumper / Locator   Butterior Gluzing   FLOORING TYPES   Materials;   Buf68 1.2m AFF, 6B above   Cost Hooks   Ceiling fulfs   Materials;   Buf68 1.2m AFF, 6B above   Cost Hooks   Ceiling fulfs   Materials;   Buf68 1.2m AFF, 6B above   Cost Hooks   Ceiling fulfs   Materials;   Buf68 1.2m AFF, 6B above   Cost Hooks   Ceiling fulfs   Materials;   Buf68 1.2m AFF, 6B above   Cost Hooks   Ceiling fulfs   Materials;   Buf68 1.2m AFF, 6B above   Cost Hooks   Ceiling fulfs   Materials;   Buf68 1.2m AFF, 6B above   Cost Hooks   Ceiling fulfs   Materials;   Buf68 1.2m AFF, 6B above   Cost Hooks   Ceiling fulfs   Materials;   Buf68 1.2m AFF, 6B above   Cost Hooks   Ceiling fulfs   Materials;   Buf68 1.2m AFF, 6B above   Cost Hooks   Ceiling fulfs   Materials;   Buf68 1.2m AFF, 6B above   Cost Hooks   Ceiling fulfs   Materials;   Buf68 1.2m AFF, 6B above   Cost Hooks   Ceiling fulfs   Materials;   Buf68 1.2m AFF, 6B above   Cost Hooks   Ceiling fulfs   Materials;   Buf68 1.2m AFF, 6B above   Cost Hooks   Ceiling fulfs   Materials;   Buf68 1.2m AFF, 6B above   Cost Hooks   Ceiling fulfs   Materials;   Buf68 1.2m AFF, 6B above   Cost Hooks   Ceiling fulfs   Materials;   Buf68 1.2m AFF, 6B above   Cost Hooks   Ceiling fulfs   Materials;   Buf68 1.2m AFF, 6B above   Cost Hooks   Ceiling fulfs   Ceiling fulfs   Cost Hooks   Ceiling fulfs   Ceiling fulfs   Cost Hooks   Ceiling fulfs   Ceiling fulfs   Ceiling fulfs   Ceil	Room Name:   Wash-Up/Glassware Soaking Ro	oom		4.						
WALL AND CELLING  Wall Material:   ARGB 1.2m AFF, GB above   Finish:   EWC   F										
WALL AND CEILING Wall Material: [ARGB 1.2m AFF, GB above   Frish: [WC			6.	12.	24.	30.	30.	42.	46.	
Wall Material: IAGB 1.2 m AFF, GB above   Finish:   FWC   Type:   FRP   Magnetic Whiteboard   Interior Glazing   Material: Base:   Caat Hooks   Caling Life   Magnetic Whiteboard   Crash Ralls   Bed Bumper / Locator   Interior Glazing   Material: Base:   Caat Hooks   Caat Hooks   Caling Life   Magnetic Whiteboard   Privacy Curtain   Material: Finish:   Fi										
WALL AND CELLING LEGEND:  AC Architectural celling ACT Acousts Celling Tile ACT C. Clearnoon ARGB Above Resistant Gypsum Board RGB Impack Resistant Gypsum Board RGC Internation Celling Tile ACT Acoustic Celling Tile ACT C. Clearnoon RGB Impack Resistant Gypsum Board RGC Internation Celling Tile Securif Novitive and Mudicide Resistant Gypsum Board SCT Securif Novitive Celling Tile WALL FINISHES LEGEND:  UNC Epony Wall Coating RGC Impact Resistant Resist	Wall Material: ARGB 1.2m AFF, GB above Finis	sh: EWC Type: FRP Corner Guards Ha		umper / Locator		Material: Base:	_ Coa	t Hooks 🗌 Ceiling Li		
AC Architectural Geining ACT Acoustic Celling Tile ACT Cansordor ACT Cansordor ACT Acoustic Celling Tile ACT Cansordor ACT Acoustic Celling Tile ACT Cansordor ACT Acoustic Celling Tile ACT Cansordor ACT Acoustic Celling Tile ACT Cansordor ACT Acoustic Celling Tile ACT Cansordor ACT Acoustic Celling Tile ACT Cansordor ACT Acoustic Celling Tile ACT Cansordor ACT Acoustic Celling Tile ACT Cansordor ACT Acoustic Celling Tile ACT Cansordor ACT Acoustic Celling Tile ACT Cansordor ACT Acoustic Celling Tile ACT Cansordor ACT Acoustic Celling Tile ACT Cansordor ACT Acoustic Celling Tile ACT Cansordor ACT Acoustic Celling Tile ACT Cansordor ACT Acoustic Celling Tile ACT Cansordor ACT Acoustic Celling Tile ACT Cansordor ACT Acoustic Celling Tile ACT Cansordor ACT Acoustic Celling Tile Act Cansordor ACT Acoustic Celling Tile Act Cansordor ACT Acoustic Celling Tile Act Cansordor ACT Acoustic Celling Tile Act Cansordor ACT Acoustic Celling Tile Act Cansordor ACT Acoustic Celling Tile Act Cansordor ACT Acoustic Celling Tile Act Cansordor ACT Acoustic Celling Tile Act Cansordor ACT Acoustic Celling Tile Act Cansordor ACT Acoustic Celling Tile Act Cansordor ACT Acoustic Celling Tile Act Cansordor ACT Acoustic Celling Tile Act Cansordor ACT Acoustic Celling Tile Act Cansordor ACT Aco	LEGEND:	DOORS								
ACT Clearroom ARGB Abuse-Resistant Gypsum Board G G Gypsum Board RGG Impact-Resistant Gypsum Board RGC T Kitchen Layin Celling Tile RGM Impact-Resistant Gypsum Board RGC T Security Acoustic Celling Tile RGM Impact-Resistant Gypsum Board RGC T Security Acoustic Celling Tile RGG Impact-Resistant Gypsum Board RGC T Security Acoustic Celling Tile RGG Impact-Resistant Gypsum Board SACT Security Acoustic Celling Tile RGG Impact-Resistant Gypsum Board SACT Security Acoustic Celling Tile RGG Impact-Resistant Gypsum Board SACT Security Acoustic Celling Tile RGG Impact-Resistant Gypsum Board SACT Security Acoustic Celling Tile RGG Impact-Resistant Gypsum Board SACT Security Acoustic Celling Tile RGG Impact-Resistant Gypsum Board SACT Security Acoustic Celling Tile RGG Impact-Resistant Gypsum Board SACT Security Acoustic Celling Tile RGG Impact-Resistant Gypsum Board SACT Security Acoustic Celling Tile RGG Impact-Resistant Gypsum Board SACT Security Acoustic Celling Tile RGG Impact-Resistant Gypsum Board SACT Security Acoustic Celling Tile RGG Impact-Resistant Gypsum Board SACT Security Acoustic Celling Tile RGG Impact-Resistant Gypsum Board SACT Security Acoustic Celling Tile RGG Impact-Resistant Gypsum Board SACT Security Acoustic Celling Tile RGG Impact-Resistant Gypsum Board SACT Security Acoustic Celling Tile RGG Impact-Resistant Gypsum Board SACT Security Acoustic Celling Tile RGG Impact-Resistant Gypsum Board SACT Security Acoustic Celling Tile RGG Impact-Resistant Gypsum Board SACT Security Acoustic Celling Tile RGG Impact-Resistant Gypsum Board SACT Security Acoustic Celling Tile RGG Impact-Resistant Gypsum Board SACT Security Acoustic Celling Tile RGG Impact-Resistant Gypsum Board SACT Security Resistant Gypsum Board SACT Security Acoustic Celling Tile RGG Impact-Resistant Gypsum Board SACT Security Acoustic Celling Tile RGG Impact-Resistant Gypsum Board SACT Security Acoustic Celling Tile RGG Impact-Resistant Gypsum Board SACT Security Acoustic Celling Tile RGG Impact-Resistant Gypsum Board SACT Security Acoust		Types:					Prov	de wave opener to do	or	Security Grille
ARGB Abuse Resistant Gypsum Board GB Gypsum Board RCCT Kitchen Lay-in Celling Tile  WALL FINISHES LEGEND: EWC Epony Wall Coating PT Paint  CELIUNG FINISHES LEGEND: ECC Epony Celling Coating PF Prefinished PF Prefinished PF Prefinished PF Prefinished PF Paint  MILLWORK AND SPECIALTY CASEWORK  UPPER UNITS  Storage Requirements:  UPPER UNITS  Storage Requirements:  FINISHES  FINISHES  FUI-height Cabinet: Upper Willington: Upp	ACT Acoustic Ceiling Tile		MI MIN							
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Celling Tile Molester and Moles Resistant Gypsum Board Resistant Gypsum Board Resistant										
KICT Kitchen Lay-in Ceiling Tile MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile  WALL FINISHES LEGEND:  EVC Epoxy Wall Coating PT Paint  CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished HPC High Performance Coating PF Prefinished HPC High Performance Coating PF Prefinished HPC High Performance Coating PF Prefinished HPC High Performance Coating PF Prefinished HPC High Performance Coating PF Prefinished HPC High Performance Coating HPC High Performanc		A A2 B B2 C C2	D D2	E E2 F	F2 G H	J				
SACT Security Acoustic Celling Tile  WALL FINISHES LEGEND:  EWC Epoxy Wall Coating HPC High Performance Coating PT Paint  CELLING FINISHES LEGEND:  EVC Epoxy Celling Coating HPC High Performance Coating PF Prefinished HPC High Performance Coating PF Prefinished FINISHES LEGEND:  EVC Epoxy Celling Coating HPC High Performance Coating FF Prefinished FINISHES LEGEND:  EVC Epoxy Celling Coating HPC High Performance Coating FF Prefinished FINISHES LEGEND:  EVC Epoxy Celling Coating HPC High Performance Coating FF Prefinished FINISHES Storage Requirements:  Full-height Cabinet: Upper Millwork: Upper Millwork: Upper Millwork: Shelf:  Shelf:  Shelf:  FURCTION:   KLCT Kitchen Lay-in Ceiling Tile	Fire Original Advantage Fields		•		0		4		Classic	
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating HPC High Performance Coating PT Paint  CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PF Prefinished PF Paint  MILLWORK AND SPECIALTY CASEWORK  UPPER UNITS  FINISHES  Full-height Cabinet: Upper Millwork: Upper Millwork: Countertop: Countertop: Shelf: Shelf:			ide Et.		T direction:			1: Accessory 2: Ac	· · · · · · · · · · · · · · · · · · ·	
HPC High Performance Coating PT Paint  CEILING FINISHES LEGEND: ECC Epoxy Ceiling Coating HIPC High Performance Coating PF Prefinished PT Paint  PT Paint  MILLWORK AND SPECIALTY CASEWORK  UPPER UNITS  Storage Requirements:  Full-height Cabinet: Upper Millwork: Upper Millwork: Countertop: Countertop: Shelf: Shelf:										
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  Upper Millwork: Nu Us Us Us Us Us Us Us Us Us Us Us Us Us	HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		S	torage Requirements:			 1	FINISHES	
ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  U2 U3 U4 U5 U6 U7 U8 SHELF  Countertop: Lower Millwork: Shelf:			UPPER UNITS	Š	torage nequirements.			Full-height Cat		
PF Prefinished PT Paint SHELF  Shelf:			U4					_		
PT Paint Cower Will Work. Shelf:	ū ū		Z 17 15		SHELE				·	
WALL PROTECTION LEGEND:	PT Paint			77	†a 🗆					
	WALL PROTECTION LEGEND:				S1 S1					
ESRP Extruded Semi-Rigid PVCu Panel  FRL Fibre Reinforced Laminate  Pefer to Schoolulo 1. Section 6.12 (Division										
Refer to Schedule 1, Section 6.12 (Division PVW Protective Vinyl Wallcovering  12) for Specialty Casework. Items indicated				_						
RHIS Rigid High Impact Sheet  are diagrammatic, provide specialty  WEST Western State Conference of th										
www Wetroom Vinyl Wallcovering specialized functions to be performed in			1 1	1	CR2424242424	7/			specialized functi	ions to be performed in
FLOOR FINISHES LEGEND:  C1 C2 C3  The space and to accommodate Equipment.										
EFC Epoxy Floor Coating cleaner, pipette cleaner, and drying oven.	EFC Epoxy Floor Coating				444	-	1 4-7-			
PAS Public Floring FILL-HFIGHT CARINFTS	_	FULL-HEIGHT CABINETS	L5 L6	L7 L8 L0			J			
RSF Rubber Sheet Flooring SCF Seamlers Cushioned Flooring	9					7	7/			
SDRF Static-Dissipative Rubber Sheet Flooring Legena: Motorized	·	Wiotonia				TC1 TC2	UC1			
VSF Vinyl Sheet Flooring  Category 1 - Low (1% - 4%)  Category (mm) Height Height Casework  Category (mm) Height Height Casework  RECEPTION/TRANSACTION	VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm) Heigh		•	LOWER UNITS	CEPTION/TRANSACTION	<b>✓</b>			
Category 2 - High (10% or Greater)  3 2700  3 2700  COUNTER / CARE TEAM  UTILITY SINK AND COUNTER UNIT			<b>V</b>	•			UTILITY SINK AND CO	JNTER UNIT		
FCB Flash Cove Base	FCB Flash Cove Base				317	ATION DESK				
RB Rubber Base  SCF Seamless Cushioned Flooring										
								L		
MECHANICAL REQUIREMENTS	MECHANICAL REQUIREMENTS									
PLUMBING Hand Seamless Utility / Other Fixtures: Evewash Station  WED / NON-MED GASES  Utility  Utility			☐ Evewas	h Station						Utilitv
(Quantity) Nygerie Sink. Lavatory. Nitchen Sink. Process Sink. Scrub Sink. Process Sink. Scrub Sink. Process Sink. Scrub Sink. Process Sink. Scrub Sink. Process Sink. Scrub Sink. Process Sink. Scrub Sink. Process Sink. Scrub Sink. Process Sink. Scrub Sink. Process Sink. Scrub Sink. Process Sink. Scrub Sink. Process Sink. Scrub Sink. Process Sink. Scrub Sink. Process Sink. Scrub Sink. Scrub Sink. Process Sink. Scrub Sink. Process Sink. Scrub Sink. Process Sink. Scrub Sink. Process Sink. Scrub Sink. Process Sink. Scrub Sink. Process Sink. Scrub Sink. Process Sink. Scrub Sink. Process Sink. Scrub Sink. Scrub Sink. Process Sink. Scrub Sin	(Quantity)	1 Shower	_				(03-	AGSS: Nitrogon:		Laboratory Compressed
Tub Emergency Shower Oxygen: Medicar All.					Oxygen: iviedica	ai nii.		introgen:	<del>-</del>	Air:
Remarks: Floor Drain										
Instantaneous Water Closet Gas Remarks:  Gas Remarks:  Gas Remarks:					Gas Remarks:					
Hot Water Other			Other							

PP		Number(s):	2.	8. 14.	20.	26.	32.	38.	44.
Room Name: Not Used			3.	9. 15.	21.	27.	33.	39.	45.
Room Name. Not Osed			4.	10. 16.	22.	28.	34.	40.	46.
			5.	11. 17.	23.	29.	35.	41.	47.
			6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS		L		1			l		
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM AC	CCESSORIES		
	Finish: Type:	Corner Guards Hand Rails Bed Bur	nner / Locator		Material: Base:		Hooks Ceiling Lift	Magr	netic Whiteboard
	Finish: Height:	Crash Rails Chair Rail	, 200000	☐ Interior Glazing		☐ Mirr			cy Curtain
LEGEND:	DOORS					Door	Remarks:		
WALL AND CEILING LEGEND:									
AC Architectural Ceiling	Types:		7 17 17 17 17 17 17 17 17 17 17 17 17 17						Security Grille
ACT Acoustic Ceiling Tile	61668								Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board									strategy
GB Gypsum Board	A A2 B	B2 C C2 D D2	E2 F	F2 G H	J				31.41287
IRGB Impact-Resistant Gypsum Board		Literal Book	0.5	Cool Mar	A to Hold				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	5 0, 0, ( )		& Frame Privacy otect.: Film:	Card Mag					
SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds: Pi		Function: Keader: Lock:	Opener: Open: Hin	ges: Accessory 1	: Accessory 2: Acces	sory 3: Closer:	
WALL FINISHES LEGEND:									
EWC Epoxy Wall Coating									
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	_	Sto	orage Requirements:				FINISHES	
		UPPER UNITS					Full-height Cabinet		
CEILING FINISHES LEGEND:		U2 U2					Upper Millwork		
ECC Epoxy Ceiling Coating HPC High Performance Coating		/ 17 04	U6 U7 🗆				Countertop		
PF Prefinished			U7 U8	SHELF			Lower Millwork		
PT Paint	Kangarananan	The state of the s	77	+a 🗆			Shelf		
WALL PROTECTION LEGEND:	Cargonara I			T S1			Shen		
ESRP Extruded Semi-Rigid PVCu Panel							Remark	cs:	
FRL Fibre Reinforced Laminate									
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering	7		1 1						
RHIS Rigid High Impact Sheet	-	The state of the s		i					
WSSP Wetwall Solid Surface Panel			SERENCE						
WVW Wetroom Vinyl Wallcovering				OD THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TW	7/				
FLOOR FINISHES LEGEND:	C1 C2 C3 C4				- Constitution -				
CFS Concrete Floor Sealer	□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	L1 L2		1111		7 /	F		
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 L4 L5		- KKKN	and the same of th				
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L0 1						
RSF Rubber Sheet Flooring			L7 L8 L9	L10 L11	7				
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:				TC1 TC2	V I "			
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized  Min. Length Adjustable Standing Spe	cialty			UC1	u [		
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%)		ework	LOWER UNITS	EPTION/TRANSACTION				
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)				INTER / CARE TEAM	UTILITY SINK AND COU	INTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)			STA	TION DESK				
FCB Flash Cove Base									
RB Rubber Base  SCF Seamless Cushioned Flooring									
MECHANICAL DECLUBERATATE									
MECHANICAL REQUIREMENTS									
	Seamless Utility /	Other Fixtures:	Station	MED / NON-MED GASES					Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: k	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink	,,	Shower Station	(Quantity)	Medical Nitrous		I	Laboratory Labora	atory Compressed
		Tub Emergence		Oxygen: Medical	l Air: Vacuum: Oxide:	CO2: A	GSS: Nitrogen:	Air: Vacuu	um: Air:
Plumbing	<del>_</del>	☐ Ice Maker ☐ Flush Rim							
Remarks:		Water Closet Floor Dra							
			ri ttle Refill Station	Gas Remarks:					
		☐ Instantaneous ☐ Water Bo	tue Keriii Station						
		Other							

Program 1. E3.01.10

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Room Name: Workbench - Lab Tech		Number(s):	2.       8.         3.       9.         4.       10.         5.       11.         6.       12.	14. 15. 16. 17. 18.	20. 21. 22. 23. 24.	27.       3         28.       3         29.       3	32. 38. 39. 39. 40. 355. 41. 42.	44. 45. 46. 47. 48.
	WALL PROTECTION           Finish:         HPC         Type:         FRP           Finish:         PF         Height:         2185 mm	☐ Corner Guards ☐ Hand Rails ☐ Bed Bur☐ Crash Rails ☑ Chair Rail	GLAZIN  nper / Locator	<b>G</b> terior Glazing	FLOORING TYPES Material: Base: VSF FCB	ROOM ACCE Coat Ho Mirror	SSORIES oks Ceiling Lift Infant Change Table	<ul><li>✓ Magnetic Whiteboard</li><li>☐ Privacy Curtain</li></ul>
LEGEND:  WALL AND CEILING LEGEND:  AC Architectural Ceiling  ACT Acoustic Ceiling Tile  ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board  GB Gypsum Board  IRGB Impact-Resistant Gypsum Board  KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board  SACT Security Acoustic Ceiling Tile  WALL FINISHES LEGEND:  EWC Epoxy Wall Coating	DOORS  Types:  A A2 B  Fype:Qty: Size (mm):	B2 C C2 D D2 I	E E2 F F2  & Frame Privacy otect.: Film: Function:	G H  Card Mag Reader: Lock:	Auto Hold Opener: Open: Hinge	Door Rei	marks:	Security Grille  Anti-barricade strategy  Closer:
HPC High Performance Coating PT Paint  CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel FIRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering  FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Coating PFC Polyurethane Floor Coating RAF Rubber Athletic Flooring SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring FLOOR BASE LEGEND:  FCB Flash Cove Base RB Rubber Base SCF Seamless Cushioned Flooring	MILLWORK AND SPECIALTY CASEWORK  C1  C2  C3  C4  C5  L1  FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  3	Motorized  Min. Length Adjustable Standing Specory (mm) Height Height Case	Storage Requirements of the st	ELF  L11 L12 UNITS RECEP COUN	TIC1 TC2 TION/TRANSACTION TER / CARE TEAM ON DESK	JTILITY SINK AND COUNT	12) for Speciare diagrams casework ap specialized for the space an Provide analy	edule 1, Section 6.12 (Division ialty Casework. Items indicated matic, provide specialty propriate for the specific and unctions to be performed in the document of the saccommodate Equipment. Ityzers and osmometer analyzer.
PLUMBING Hand (Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Seamless Utility / Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Shower Station (Quai	**	Medical Nitrous	CO2: AGSS	Laborato S: Nitrogen: Air:	Vacuum
Plumbing Remarks:		Tub Emergence  Ice Maker Flush Rim  Water Closet Floor Drai  Instantaneous Water Bo  Hot Water  Other	Sink	Oxygen: Medical A  Gas Remarks:		COZ. AGS:	z. Muugen.	Air:

Program 1. E2.01.08

13.

19.

25.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

Appendix	1B Minimum Room Requirem	ents	Program Number(s):		7. 13.	19.	25.	31.	37.	43.
			ivuilibei(s).		8. 14. 9. 15.	20. 21.	26. 27.	32. 33.	38. 39.	44. 45.
R	oom Name: Workbench - Manual Hematol	logy & Fluids			10.	22.	28.	34.	40.	46.
					11. 17.	23.	29.	35.	41.	47.
				6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECT	TURAL REQUIREMENTS									
WALL AND		WALL PROTECTION			GLAZING	FLOORING TYPES		CCESSORIES		
		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Corner Guards Hand Rails Bed Bur Crash Rails Chair Rail	mper / Locator	☐ Interior Glazing	Material: Base:  VSF FCB	Coat	t Hooks U Ceiling Lir for Infant Ch		✓ Magnetic Whiteboard  Privacy Curtain
	Material: ACT-C		Crash Rails			101   100		Remarks:	ange rable	Privacy Curtain
LEGEND:	CEILING LEGEND:	DOORS					D001	Reillaiks.		
AC	Architectural Ceiling	Types:	lei (al Calo) fei feilei (	7 NO 120						Security Grille
ACT ACT-C	Acoustic Ceiling Tile Cleanroom									☐ Anti-barricade
ACT-C ARGB	Abuse-Resistant Gypsum Board									strategy
GB IRGB	Gypsum Board Impact-Resistant Gypsum Board	A A2 B B	2 C C2 D D2	E E2 F	F2 G H	J				
KLCT	Kitchen Lay-in Ceiling Tile		Integral Door	r & Frame Privacy	Card Mag					
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): М	aterial: Finish: Side Lt: Blinds: P	rotect.: Film:	Function: Reader: Lock	Opener: Open: Hing	es: Accessory	l: Accessory 2: Ac	ccessory 3:	Closer:
	HES LEGEND:									
EWC	Epoxy Wall Coating									
HPC PT	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	LIDDED LIMITS	Sto	prage Requirements:				FINISHES	
	IISHES LEGEND:	U1	UPPER UNITS					Full-height Cab	inet:	
ECC	Epoxy Ceiling Coating	1777	U2 U3 U4					Upper Millw	/ork:	
HPC PF	High Performance Coating Prefinished		U5	U6	CUELE			Counter	-	
PT	Paint			U8	SHELF			Lower Millw		
WALL PROT	ECTION LEGEND:				S1			5	helf:	
ESRP	Extruded Semi-Rigid PVCu Panel			1 11				Ren	marks:	-
FRL FRP	Fibre Reinforced Laminate Fibreglass Reinforced Plastic								Refer to Schedu	le 1, Section 6.12 (Division
PVW	Protective Vinyl Wallcovering		- Francisco						12) for Specialty	Casework. Items indicated
RHIS WSSP	Rigid High Impact Sheet Wetwall Solid Surface Panel									ic, provide specialty priate for the specific and
WVW	Wetroom Vinyl Wallcovering		"   "   -		Water Street	7/-				tions to be performed in
FLOOR FINIS	SHES LEGEND:	C1 C2 C3 C4			-	-				accommodate Equipment.
CFS EFC	Concrete Floor Sealer		L2				7/	K-1	Provide sed rate	e area and 1 computer.
PFC	Epoxy Floor Coating Polyurethane Floor Coating		L3 L4 L5		AKKI					
RAF RSF	Rubber Athletic Flooring Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L8 L9			-			
SCF	Seamless Cushioned Flooring				L10 L11 L12	TC1 TC2				
SDRF SDVF	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized				UC1			
VSF	Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category	•	cialty ework	LOWER UNITS	EPTION/TRANSACTION				
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)		<b>✓</b>	cou	INTER / CARE TEAM	UTILITY SINK AND COL	JNTER UNIT		
FLOOR BASI	E LEGEND: Flash Cove Base	Category 3 - High (10% of Greater)			STA	TION DESK				
RB	Rubber Base									
SCF	Seamless Cushioned Flooring									
								L		
	CAL REQUIREMENTS									
PLUMBING	Hand Hygiene Sink: Lavatory: Kitchen Sink: K	Seamless Utility / itchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures: Evewash		MED / NON-MED GASES	Admiliant Att			lahat.	Utility
(Quantity)	Triplette Stime 22 22 23 17 Kitchen Stime K	1		/Shower Station	(Quantity) Oxygen: Medica	Medical Nitrous  LAir Vacuum: Oxide:	CO2:	AGSS: Nitrogen:	Laboratory Air:	Laboratory Compressed Vacuum:
Dlumbing			Tub Emergen		Oxygen: Medica	TOIL.	502. F	introgen:		Air:
Plumbing Remarks:			Ice Maker Flush Rim							
			☐ Water Closet ☐ Floor Dra		Gas Remarks:					
			Instantaneous Water Bo	ottle Refill Station						
			Other							

Room Name: Workbench - Microscopy		Number(s):	2.       8.         3.       9.         4.       10.         5.       11.         6.       12.	14. 15. 16. 17. 18.	20. 21. 22. 23. 24.	26. 27. 28. 29. 30.	32.       38.         33.       39.         34.       40.         35.       41.         36.       42.	44. 45. 46. 47. 48.
ARCHITECTURAL REQUIREMENTS WALL AND CEILING	WALL PROTECTION		GLAZ	ING	FLOORING TYPES	ROOM ACC	CESSORIES	
Wall Material: ARGB 1.2m AFF, GB above	Finish:         EWC         Type:         FRP           Finish:         PF         Height:         2185 mm	☐ Corner Guards ☐ Hand Rails ☐ Bed Bu☐ Crash Rails ☑ Chair Rail		Interior Glazing	Material: Base:  VSF FCB		Hooks Ceiling Lift	✓ Magnetic Whiteboard able Privacy Curtain
LEGEND:  WALL AND CEILING LEGEND:  AC Architectural Ceiling  ACT Acoustic Ceiling Tile  ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board  GB Gypsum Board  IRGB Impact-Resistant Gypsum Board  KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board  SACT Security Acoustic Ceiling Tile	Types:  A A2 B  Type:Qty: Size (mm):	_	E E2 F F2 r & Frame Privacy rotect.: Film: Function	G H  Card Mag ne: Reader: Lock:	Auto Hold Opener: Open: Hins		Accessory 2: Accessory	Security Grille  Anti-barricade strategy   3: Closer:
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating  HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Storage Ri	quirements:				INISHES
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering  FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Coating PFC Polyurethane Floor Coating RAF Rubber Sheet Flooring RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring SDVF Static-Dissipative Rubber Sheet Flooring VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring FLOOR BASE LEGEND: FCB Flash Cove Base RB Rubber Base SCF Seamless Cushioned Flooring	FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)	Motorized  Min. Length Adjustable Standing Specory (mm) Height Height Cas	U6 U7 U8  L7 L8 L9 L10  Printly	SHELF S1 L11 L12 ER UNITS RECCCOU	EPTION/TRANSACTION DINTER / CARE TEAM TION DESK	UTILITY SINK AND COUN	12) for S are diagonal casework specialize the space Provide end of A	o Schedule 1, Section 6.12 (Division Specialty Casework. Items indicated grammatic, provide specialty rk appropriate for the specific and zed functions to be performed in ce and to accommodate Equipment. 2 microscopes, and 2 computers at Auto Cell Counter.
PLUMBING Hand (Ouantity) Hygiene Sink: Lavatory: Kitchen Sink:	Seamless Utility / Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures: Evewash	Station	D / NON-MED GASES				Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:  Plumbing Remarks:	NICHOLI JIIR. 1100E33 JIIR. JOHN JIIR. 1100E JIIR.	☐ Tub ☐ Emergen☐ Ice Maker ☐ Flush Rin☐ Water Closet ☐ Floor Dra	cy Shower	Oxygen: Medical Gas Remarks:	Medical Nitrous Vacuum: Oxide:	CO2: AG		oratory Laboratory Compressed Air: Vacuum: Air:

Program 1. E3.01.03

13.

19.

25.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

Appendix 1B Minimum Room Requirem	ents	Program Number(s):	1. E3.01.04 2.	7. 13. 8. 14.	19. 20.	25.	31. 32.	37.	43. 44.
Room Name: Workbench - Slide Stainer			2. 3.	8. 14. 9. 15.	20.	26. 27.	33.	38. 39.	44. 45.
Room Name: Workbench - Slide Stainer			4.	10. 16.	22.	28.	34.	40.	46.
			5. 6.	11. 17. 18.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.
ADCUITECTUDAL DEQUUDEAMENTS			·.	10.	2	30.	30.	12.	10.
ARCHITECTURAL REQUIREMENTS				0.47.00	FI CODING TYPES	2001	4.00F500 DUFG		
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB above F	inish: EWC Type: FRP Corner Guards Han	d Rails  Bed Bui	mper / Locator	GLAZING  Interior Glazing	FLOORING TYPES Material: Base:		ACCESSORIES  Coat Hooks	ft 🗸 N	Magnetic Whiteboard
	inish: PF Height: 2185 mm ☐ Crash Rails ✔ Cha		,,	interior Glazing	VSF FCB		Airror Infant Cha		rivacy Curtain
LEGEND:	DOORS					Dr	oor Remarks:		
WALL AND CEILING LEGEND:	Types:								Security Grille
AC Architectural Ceiling  ACT Acoustic Ceiling Tile				91 MN 44 444					
ACT-C Cleanroom	NAMANAMA.	M NEEL							☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B2 C C2	D D2	E E2 F	F F2 G H	J				strategy
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile		Integral Doo	r & Frame Privacy	Card Mag	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Material: Finish: Si	•	rotect.: Film:	9		nges: Accessor	ry 1: Accessory 2: Ac	ccessory 3: Clos	ser:
SACT Security Acoustic Ceiling Tile							, , , , ,		
WALL FINISHES LEGEND:									
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK			Storage Requirements:			$\overline{}$	FINISHES	
PT Paint		UPPER UNITS		Storage Requirements.			Full-height Cabi		
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	U2 U2						Upper Millw		
HPC High Performance Coating		U4 U5	U6 U7				Counter	-	
PF Prefinished PT Paint		7 7					Lower Millw	/ork:	
							SI	helf:	
WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel				S1			Por	marks:	
FRL Fibre Reinforced Laminate									Carlina C 42 /D: :::
FRP Fibreglass Reinforced Plastic  PVW Protective Vinyl Wallcovering		-	1						Section 6.12 (Division ework. Items indicated
RHIS Rigid High Impact Sheet	The same of the sa			1			a	are diagrammatic, pro	ovide specialty
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering		- 11	-					casework appropriate specialized functions t	
FLOOR FINISHES LEGEND:	C1 C2 C3	"  =	-7	ON BY	1	2000	t	the space and to acco	ommodate Equipment.
CFS Concrete Floor Sealer	C3 C4 C5 11	=				7/		Provide setup bench, stainer.	u/c storage, and STAT
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L5		KAN		/		taillei.	
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	✓ L6	L7 L8 L9		4/ L 15				
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring			✓	L10 L11 L12					
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Motorize				TC1 TC2	, I	IC1		
SDVF Static-Dissipative Vinyl Sheet Flooring  VSF Vinyl Sheet Flooring	Category 0 - None Min. Length Adjustabl Category 1 - Low (1% - 4%) Category (mm) Height		ecialty ework	LOWER UNITS					
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)				EPTION/TRANSACTION JNTER / CARE TEAM	UTILITY SINK AND C	OUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater) 3 4200	✓	✓		TION DESK				
FCB Flash Cove Base RB Rubber Base									
SCF Seamless Cushioned Flooring									
							L		
MECHANICAL REQUIREMENTS									
	Seamless Utility / Other Fixtures:	☐ Eyewash	Station	MED / NON-MED GASES					Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: K	(itchen Sink: Process Sink: Scrub Sink: Floor Sink: Shower		/Shower Station	(Quantity)	Medical Nitrou				poratory Compressed
	1 Tub	☐ Emergen	cy Shower	Oxygen: Medical	I Air: Vacuum: Oxide	cO2:	AGSS: Nitrogen:	Air: Va	acuum: Air:
Plumbing	☐ Ice Maker	☐ Flush Rim	n Sink						
Remarks:	☐ Water Closet	Floor Dra	iin	Gas Remarks:			- <del></del>		
	☐ Instantaneous	☐ Water Bo	ottle Refill Station	das neillatks:					
	Hot Water	Other		7					
									I

PP		Number(s):	2.	8. 14.	20.	26.	32.	38.	44.
Room Name: Not Used			3.	9. 15.	21.	27.	33.	39.	45.
Room Name. Not Osed			4.	10. 16.	22.	28.	34.	40.	46.
			5.	11. 17.	23.	29.	35.	41.	47.
			6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS		L		1			l		
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM AC	CCESSORIES		
	Finish: Type:	Corner Guards Hand Rails Bed Bur	nner / Locator		Material: Base:		Hooks Ceiling Lift	Magr	netic Whiteboard
	Finish: Height:	Crash Rails Chair Rail	, 200000	☐ Interior Glazing		☐ Mirr			cy Curtain
LEGEND:	DOORS					Door	Remarks:		
WALL AND CEILING LEGEND:									
AC Architectural Ceiling	Types:		7 17 17 17 17 17						Security Grille
ACT Acoustic Ceiling Tile	61668								Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board									strategy
GB Gypsum Board	A A2 B	B2 C C2 D D2	E2 F	F2 G H	J				31.41287
IRGB Impact-Resistant Gypsum Board		Literal Book	0.5	Cool Mar	A to Hold				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	5 0, 0, ( )		& Frame Privacy otect.: Film:	Card Mag					
SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds: Pi		Function: Keader: Lock:	Opener: Open: Hin	ges: Accessory 1	: Accessory 2: Acces	sory 3: Closer:	
WALL FINISHES LEGEND:									
EWC Epoxy Wall Coating									
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	_	Sto	orage Requirements:				FINISHES	
		UPPER UNITS					Full-height Cabinet		
CEILING FINISHES LEGEND:		U2 U2					Upper Millwork		
ECC Epoxy Ceiling Coating HPC High Performance Coating		/ 17 04	U6 U7 🗆				Countertop		
PF Prefinished			U7 U8	SHELF			Lower Millwork		
PT Paint	Kangarananan	The state of the s	77	+a 🗆			Shelf		
WALL PROTECTION LEGEND:	Cargonara I			T S1			Shen		
ESRP Extruded Semi-Rigid PVCu Panel							Remark	cs:	
FRL Fibre Reinforced Laminate									
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering	7		1 1						
RHIS Rigid High Impact Sheet	-	The state of the s		i					
WSSP Wetwall Solid Surface Panel			SERENCE						
WVW Wetroom Vinyl Wallcovering				OD THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TW	7/				
FLOOR FINISHES LEGEND:	C1 C2 C3 C4				- Constitution -				
CFS Concrete Floor Sealer	□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	L1 L2		1111		7 /	F		
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 L4 L5		- KKKN	and the same of th				
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L0 1						
RSF Rubber Sheet Flooring			L7 L8 L9	L10 L11	7				
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:				TC1 TC2	V I "			
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized  Min. Length Adjustable Standing Spe	cialty			UC1	u [		
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%)		ework	LOWER UNITS	EPTION/TRANSACTION				
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)				INTER / CARE TEAM	UTILITY SINK AND COU	INTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)			STA	TION DESK				
FCB Flash Cove Base									
RB Rubber Base  SCF Seamless Cushioned Flooring									
MECHANICAL DECLUBERATATE									
MECHANICAL REQUIREMENTS									
	Seamless Utility /	Other Fixtures:	Station	MED / NON-MED GASES					Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: k	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink	,,	Shower Station	(Quantity)	Medical Nitrous		I	Laboratory Labora	atory Compressed
		Tub Emergence		Oxygen: Medical	l Air: Vacuum: Oxide:	CO2: A	GSS: Nitrogen:	Air: Vacuu	um: Air:
Plumbing	<del>_</del>	☐ Ice Maker ☐ Flush Rim							
Remarks:		Water Closet Floor Dra							
			ri ttle Refill Station	Gas Remarks:					
		☐ Instantaneous ☐ Water Bo	tue Keriii Station						
		Other							

Program 1. E5.01.01

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendi	x 1B Minimum Room Require	ements	Program Number(s):	1. E4.01.05 2.	7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
	Room Name: Workroom - Transfusion I	Medicine		3.	9. 15.	21.	27.	33.	39.	45.
ı	Workfoom - Transiusion i	vieutine			10. 16.	22.	28.	34.	40.	46.
					11. 17. 18.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.
<u> </u>				0.	10.	27.	30.	30.	72.	40.
	CTURAL REQUIREMENTS									
WALL AND	CEILING all Material: ARGB 1.2m AFF, GB above	WALL PROTECTION  Finish: EWC Type: FRP ✓	Corner Guards Hand Rails Bed Bur	mpor / Locator	GLAZING	FLOORING TYPES  Material: Base:		CCESSORIES : Hooks	f. 🗸	Magnetic Whiteboard
	g Material: ACT	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Crash Rails	riper / Locator	☐ Interior Glazing	VSF FCB	Mirr			Privacy Curtain
LEGEND:		DOORS					Door	Remarks:		
	CEILING LEGEND:	Types:								Security Grille
AC ACT	Architectural Ceiling Acoustic Ceiling Tile				MINIMA MAR					
ACT-C	Cleanroom	A DINNE								Anti-barricade
ARGB GB	Abuse-Resistant Gypsum Board Gypsum Board	A A2 B B	2 C C2 D D2	E E2 F	F2 G H	J				strategy
IRGB KLCT	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		Integral Door	· & Frame Privacy	Card Mag	Auto Hold				
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): Ма	aterial: Finish: Side Lt: Blinds: P	rotect.: Film:	Function: Reader: Lock	Opener: Open: Hing	es: Accessory 1	: Accessory 2: Ac	ccessory 3: Clo	oser:
	SHES LEGEND:									
EWC	Epoxy Wall Coating									
HPC PT	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	St	orage Requirements:				FINISHES	
CEILING FI	NISHES LEGEND:	U1	U2					Full-height Cab		
ECC HPC	Epoxy Ceiling Coating High Performance Coating		U4 U	U6				Upper Millw Counter		
PF PT	Prefinished Paint			U7 U8	SHELF			Lower Millw	· _	
					7			S	helf:	
ESRP	TECTION LEGEND:  Extruded Semi-Rigid PVCu Panel				S1			Rer	narks:	
FRL FRP	Fibre Reinforced Laminate Fibreglass Reinforced Plastic							Г	Refer to Schedule 1,	Section 6.12 (Division
PVW	Protective Vinyl Wallcovering		Emmy		1				12) for Specialty Case	ework. Items indicated
RHIS WSSP	Rigid High Impact Sheet Wetwall Solid Surface Panel		No. 100 100 100 100 100 100 100 100 100 10						are diagrammatic, pi casework appropriat	rovide specialty te for the specific and
WVW	Wetroom Vinyl Wallcovering				OD THE	76			specialized functions	
FLOOR FIN	IISHES LEGEND:  Concrete Floor Sealer	C1 C2 C3 C4 C5 11					7 /		Provide inventory an	nd issuing area,
EFC	Epoxy Floor Coating		L2		MM	- Karana			workbench for routii Quality Assurance, b	l l
PFC RAF	Polyurethane Floor Coating Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9					area, and automated	
RSF SCF	Rubber Sheet Flooring Seamless Cushioned Flooring			✓ [19]	L10 L11 L12	7 = 1				
SDRF SDVF	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized			TC1 TC2	UC1			
VSF WSVF	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category		cialty ework	LOWER UNITS REC	EPTION/TRANSACTION				
	SE LEGEND:	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	4200	•		INTER / CARE TEAM	UTILITY SINK AND COL	INTER UNIT		
FCB	Flash Cove Base				SIA	TION DESK				
RB SCF	Rubber Base Seamless Cushioned Flooring									
	Ü									
MECHANI	ICAL REQUIREMENTS									
PLUMBING	<b>H</b> and	Seamless Utility /	Other Fixtures: Evewash	Station	MED / NON-MED GASES					partia.
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sink	: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Shower Station	(Quantity)	Medical Nitrous				Utility Compressed
			☐ Tub ☐ Emergen		Oxygen: Medica	I Air: Vacuum: Oxide:	CO2: A	.GSS: Nitrogen:	Air: \	Vacuum: Air:
Plumbing Remarks:			☐ Ice Maker ☐ Flush Rim							
			☐ Water Closet ☐ Floor Dra ☐ Instantaneous ☐ Water Bo	in ttle Refill Station	Gas Remarks:					
			Hot Water	THE NEITH STATION						
1			Other							



## New Surrey Hospital & BC Cancer Centre

MINIMUM ROOM REQUIREMENTS

## F. Medical Imaging

		Number(s):	2.	8. 14	1.	20.	26.	32.	38.	44.
Room Name: Alcove - Ice Machine			3.	9. 15	5.	21.	27.	33.	39.	45.
Room Name:   Alcove - Ice Machine			4.	10. 16	5.	22.	28.	34.	40.	46.
			5.	11. 17	7.	23.	29.	35.	41.	47.
			6.	12. 18	3.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS									I	
·										
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES  Material: Base:		CCESSORIES		
	Finish: PT Type: PVW	✓ Corner Guards ☐ Hand Rails ☐ Bed Burr	per / Locator	☐ Interior Glazing		VSF FCB		Hooks Ceiling Lif		Magnetic Whiteboard
Ceiling Material: ACT	Finish: PF Height: 2185 mm	Crash Rails Chair Rail				V3F FCB	_	or 🗌 Infant Cha	ange Table 🗀	Privacy Curtain
LEGEND:	DOORS						Door	Remarks:		
WALL AND CEILING LEGEND:	Types:									Security Grille
AC Architectural Ceiling			a lan izak		10217					Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom										☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board	NAMA.									strategy
GB Gypsum Board	A A2 B	B2 C C2 D D2 E	E2 F	F2 G	н	J				
IRGB Impact-Resistant Gypsum Board  KLCT Kitchen Lay-in Ceiling Tile		Integral Door	& Frame Privacy	Card	Mag Au	uto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm):	9	otect.: Film:		: Lock: Ope		Accessory 1	: Accessory 2: Acc	ressony 3· C	loser:
SACT Security Acoustic Ceiling Tile	Type.Qty. Size (IIIII).	Waterial. Tillisti. Side Et.		Tunction.		- IIIIg	.s. Accessory	Accessory 2. Acc	cessory 5. C	10361.
WALL FINISHES LEGEND:										
EWC Epoxy Wall Coating										
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK	_	Sto	orage Requirements:					FINISHES	
PT Paint		UPPER UNITS						Full-height Cabi		
CEILING FINISHES LEGEND:	1	01 II2						Upper Millw		
ECC Epoxy Ceiling Coating HPC High Performance Coating		04	U6						top: Solid Surfacir	οσ.
PF Prefinished			U7 U8	SHELF					ork: Plastic Lamin	
PT Paint	Forgonia		77	45					nelf:	ate
WALL PROTECTION LEGEND:				T 51				31	ieii.	
ESRP Extruded Semi-Rigid PVCu Panel								Rem	arks:	
FRL Fibre Reinforced Laminate				-						
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering	7		1 1							
RHIS Rigid High Impact Sheet	-	The state of the s		i						
WSSP Wetwall Solid Surface Panel	-		essage							
WVW Wetroom Vinyl Wallcovering				GO CO CO CO CO CO CO CO CO CO CO CO CO CO	. /	7				
FLOOR FINISHES LEGEND:	C1 C2 C3 C4	1			-	Consessant and				
CFS Concrete Floor Sealer	C5	L2		= =			7 /	6		
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 L4 L5		- KKKN.		Tarana and American				
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7		//					
RSF Rubber Sheet Flooring			L7 L8 L9	L10 L11	-		7/			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motoriand	ш		L12	TC1 TC2	V   "			
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized Min. Length Adjustable Standing Spec	ialtv	L			UC1	u II		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Cate		work	LOWER UNITS	RECEPTIO	N/TRANSACTION				
	Category 3 - High (10% or Greater)	1800					UTILITY SINK AND COL	INTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				STATION I	DESK				
FCB Flash Cove Base RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS										
·										
PLUMBING Hand	Seamless Utility / Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures: Evewash S		MED / NON-MED G	GASES					. Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	MICCIELL SHIK. PLOCESS SHIK: SCLUD SHIK: FLOOL SHIK:	☐ Shower ☐ Eyewash/S	Shower Station	(Quantity)		Medical Nitrous				-aboratory Compressed
		☐ Tub ☐ Emergenc	y Shower	Oxygen:	Medical Air:	Vacuum: Oxide:	CO2: A	.GSS: Nitrogen:	Air:	Vacuum: Air:
Plumbing		✓ Ice Maker ☐ Flush Rim								
Remarks:		☐ Water Closet ☐ Floor Drai					1	I .		
			tle Refill Station	Gas Remarks:	:					
		Hot Water Water Bott	c neim station							
		Other								

Program 1. F7.01

7.

13.

19.

25.

31.

37.

43.

				Number(s):	2. F5.13	8.	14.	20.	26.	32.	3	8.	44.	
Room Name: Alcove - Lead Aprons					3.	9.	15.	21.	27.	33.	3	9.	45.	
Room Name: Alcove - Lead Aprons					4.	10.	16.	22.	28.	34.	4	0.	46.	
					5.	11.	17.	23.	29.	35.	4	1.	47.	
					6.	12.	18.	24.	30.	36.	4	2.	48.	
ARCHITECTURAL REQUIREMENTS						,		1		-	-			
WALL AND CEILING		WALL PROTECTION				GLAZING		FLOORING TYPES		ROOM ACCESSO	RIFS			
	Finish: PT	Type: PVW	✓ Corner Guards ☐ Hand Ra	ails	mper / Locator	☐ Interior Gla	•	Material: Base:		Coat Hooks			Aagnetic Whiteboard	
	Finish: PF	Height: 2185 mm	☐ Crash Rails ☐ Chair Ra			interior Gia	azing	VSF FCB			☐ Infant Change		rivacy Curtain	
		Tielgitti 2105 iiiii						_		Door Remark			•	
LEGEND: WALL AND CEILING LEGEND:	DOORS									Door Remain				
AC Architectural Ceiling	Туре	es:											Security Grill	e
ACT Acoustic Ceiling Tile														
ACCT-C Cleanroom			MEDALAM	INMA									Anti-barricad	ie
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board		A A2 B	B2 C C2 D	D2	E E2 F	F2 G	Н	1					strategy	
IRGB Impact-Resistant Gypsum Board														
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board		5 O: 5: / \			or & Frame Privacy Protect.: Film:	_	Card Mag eader: Lock:	Auto Hold			•	2 0		
SACT Security Acoustic Ceiling Tile		Гуре:Qty: Size (mm):	Material: Finish: Side L	t: Dillius. I	Totect Tillii.	Function: Re	ader. Lock.	Opener. Open. Hi	nges:	Accessory 1: Acc	essory 2: Accesso	ory 3: Clo	ser:	
WALL FINISHES LEGEND:														
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SI	PECIALTY CASEWORK	1		1	Storage Requirements:	. [	1 1	1			FINISHES		
PT Paint	9/42/9/3/9/201			PPER UNITS	•	storage Requirements.	`			_		FINISHES		
CEILING FINISHES LEGEND:	/ 17	7	U1 U2		_					F	ull-height Cabinet:			
ECC Epoxy Ceiling Coating	and and	- X V 17 12	U2 U3 U4	U5							Upper Millwork:			
HPC High Performance Coating PF Prefinished	Congression.	1			U6 U7 U8	SHELF					Countertop: Lower Millwork:			
PT Paint	enganana.			T-K	77	5/12L					Shelf:			
WALL PROTECTION LEGEND:	Congresses					S1					Sileii.			
ESRP Extruded Semi-Rigid PVCu Panel	angeres.				1 11						Remarks	:		
FRL Fibre Reinforced Laminate						-								$\neg$
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering	7		1		1 1									
RHIS Rigid High Impact Sheet			THE PERSON NAMED IN COLUMN TWO			i								
WSSP Wetwall Solid Surface Panel	CONTRACTOR	-		Con Con		1								
WVW Wetroom Vinyl Wallcovering				-	-	CO STATE OF THE PERSON NAMED IN	1 7	76						
FLOOR FINISHES LEGEND:	C1 C	C2 C3 C4		-			1	-						
CFS Concrete Floor Sealer EFC Epoxy Floor Coating			LZ .		+KV		K			1	1			
PFC Polyurethane Floor Coating			L3L4	L5		Zer	4			Total				
RAF Rubber Athletic Flooring	FULL-HEIGHT CAE	BINETS			L7 L8 L9			/ L 15						
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring						L10 L11	L12							
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:		Motorized					TC1 TC2		U II u	Ш			
SDVF Static-Dissipative Vinyl Sheet Flooring  VSF Vinyl Sheet Flooring	Category 0 - None	***	Min. Length Adjustable		ecialty	LOWER UNITS				UC1	Ш			
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1 Category 2 - Med (		gory (mm) Height	Height Cas	sework	LOWER UNITS		TION/TRANSACTION		_				
FLOOR BASE LEGEND:	Category 3 - High (1							TER / CARE TEAM	UTILITY SI	NK AND COUNTER U	NIT			
FCB Flash Cove Base		-		I			SIAIIC	ON DESK						
RB Rubber Base														
SCF Seamless Cushioned Flooring														
MECHANICAL REQUIREMENTS														
PLUMBING Hand	Seamless Utility /		Other Fixtures:	☐ Evewash	Station	MED / NON-M	ED GASES							
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink:	Scrub Sink: Floor Sink:	Shower		/Shower Station	(Quantity)		Medical Nitrou	IS		La	boratory La	Utility boratory Compress	
			Tub	Emerger		Oxygen	n: Medical Ai	ir: Vacuum: Oxide	:: co	2: AGSS:	Nitrogen:		acuum: Air:	_u
Plumbing	1		1	Flush Rir										
Remarks:			Ice Maker											
			Water Closet	Floor Dra		Gas Rem	narks:							
			Instantaneous	☐ Water B	ottle Refill Station									
			Hot Water	Other										

Program 1. F4.13

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B Minimum Room Requirement	ents	Program 1. F4.14 Number(s): 2.	7. 13. 8. 14.	19. 20.	25. 31. 26. 32.		43. 44.
Room Name: Alcove - Medication Storage/F	Prep	3.	9. 15.	21.	27. 33.	39.	45.
		4. 5.	10. 16. 17.	22. 23.	28. 34. 29. 35.		46. 47.
		6.	12. 18.	24.	30. 36.		48.
ARCHITECTURAL REQUIREMENTS							
WALL AND CEILING	WALL PROTECTION		GLAZING	FLOORING TYPES	ROOM ACCESS	ORIES	
	inish: PT Type: PVW ✓ Corner Guards ☐ Ha inish: PF Height: 2185 mm ✓ Crash Rails ☐ Ch	nd Rails	☐ Interior Glazing	Material: Base:  VSF FCB	Coat Hooks  Mirror	s Ceiling Lift Infant Change Table	☐ Magnetic Whiteboard ☐ Privacy Curtain
LEGEND:	DOORS				Door Rema		
WALL AND CEILING LEGEND:	Types:						Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile			ZN ZN 144 144				Security of the
ACT-C Cleanroom							☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B2 C C2	D D2 E E2	F F2 G H	J			strategy
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile		Integral Door & Frame Privac	y Card Mag	Auto Hold			
MMRGB Moisture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm): Material: Finish: S	ide Lt: Blinds: Protect.: Film:		Opener: Open: Hing	es: Accessory 1: Ac	ccessory 2: Accessory 3:	Closer:
SACT Security Acoustic Ceiling Tile	Type CQT See (IIIII)				7.000000.7 27 7.0	7.00000.70.	
WALL FINISHES LEGEND:							
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK						
PT Paint		UPPER UNITS	Storage Requirements:			FINISHES	<u> </u>
CEILING FINISHES LEGEND:	V1 U2 U3					Full-height Cabinet:  Upper Millwork: Stainless	c Stool
ECC Epoxy Ceiling Coating  HPC High Performance Coating		U4 U5 U6				Countertop: Stainless	
PF Prefinished		Z Z V U7	U8 SHELF			Lower Millwork: Stainless	
						Shelf:	
WALL PROTECTION LEGEND:			S1				
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate						Remarks:	
FRP Fibreglass Reinforced Plastic							
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	The state of the s		i				
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering		on on on					
, ,			ON NO TO PERSONS	1			
FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer	C1 C2 C3 C4 C5 L1	1			7 /		
EFC Epoxy Floor Coating				- Kanada	1 4		
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L5 L6 L7 L8 L9			7		
RSF Rubber Sheet Flooring		L6 L7 L8 L9  ✓ □ □ ✓ □ □ ✓	L10 L11	7	7/		
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend: Motorize			TC1 TC2	V   '   '	<u> П</u>	
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None Min. Length Adjustab				UC1	1	
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm) Height Category 2 - Med (5% - 9%)	Height Casework		EPTION/TRANSACTION			
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater) 3 1800			INTER / CARE TEAM TION DESK	UTILITY SINK AND COUNTER	UNIT	
FCB Flash Cove Base			5	NON BESK			
RB Rubber Base SCF Seamless Cushioned Flooring							
MECHANICAL REQUIREMENTS							
	Seamless Utility / Other Fixtures:		MED / NON BATE CACTO				
	itahan Cinka Dragges Cinka Corab Cinka Elgar Cinka	Eyewash Station	MED / NON-MED GASES (Quantity)	Medical Nitrous		Laboratory	Utility y Laboratory Compressed
1	Shower	Eyewash/Shower Station	Oxygen: Medical		CO2: AGSS:	Nitrogen: Air:	Vacuum: Compressed  Varie
Plumbing		Emergency Shower	OAJSCII. INCUICUI		7.000.		All.
Remarks:	☐ Ice Maker	Flush Rim Sink					
	Water Closet	☐ Floor Drain ☐ Water Bottle Refill Station	Gas Remarks:				
	☐ Instantaneous Hot Water	water bottle Ketili Station					
		Other					

Room Name: Chair Bay -	Patient Prep	Number(s): 2. 3. 4. 5. 6.	8. 14. 15. 16. 16. 17. 12. 18.	20.       26.         21.       27.         22.       28.         23.       29.         24.       30.	32. 38. 39. 39. 34. 40. 35. 41. 36. 42.	45. 46. 47.
ARCHITECTURAL REQUIREME	NTS					
WALL AND CEILING  Wall Material: ARGB 1.2m AFF  Ceiling Material: ACT		orner Guards Hand Rails Bed Bumper / Locator rash Rails Chair Rail	GLAZING  ✓ Interior Glazing	FLOORING TYPES Material: Base:  VSF FCB	ROOM ACCESSORIES  ✓ Coat Hooks ✓ Ceiling Lift  ☐ Mirror ☐ Infant Change To	☐ Magnetic Whiteboard able ✓ Privacy Curtain
LEGEND:  WALL AND CEILING LEGEND:  AC Architectural Ceiling  ACT Acoustic Ceiling Tile  ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board  GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	Types:  A A2 B B2	C C2 D D2 E E2	F F2 G H		Door Remarks:	☐ Security Grille ☐ Anti-barricade strategy
KLCT Kitchen Lay-in Ceiling Tile MMRGB Moisture and Mould-Resistant Gyg SACT Security Acoustic Ceiling Tile  WALL FINISHES LEGEND: EWC Epoxy Wall Coating	Type:Qty. Size (IIIII). Wate	Integral Door & Frame Privacy rial: Finish: Side Lt: Blinds: Protect.: Film:	Function: Card Mag Reader: Lock:	Auto Hold Opener: Open: Hinges:	Accessory 1: Accessory 2: Accessor	y 3: Closer:
HPC High Performance Coating PT Paint  CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel FIDER Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Coating PFC Polyurethane Floor Coating RAF Rubber Athletic Flooring SCF Seamless Cushioned Flooring SDF Static-Dissipative Rubber Sheet Floor VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring SCF Seamless Cushioned Flooring SCF Seamless Cushioned Flooring WSVF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring SCF Seamless Cushioned Flooring SCF Sea	FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)		COUN	PTION/TRANSACTION UTILITY SI	Full-height Cabinet:  Upper Millwork:  Countertop:  Lower Millwork:  Shelf:  Remarks:  Provide	e a fixed, modular partition room between recliners for infection
PLUMBING Hand (Quantity) Hand Hygiene Sink: Lavatory:	Seamless Utility / Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures: Eyewash Station  Shower Eyewash/Shower Station  Tub Emergency Shower	MED / NON-MED GASES (Quantity) Oxygen: Medical A	Medical Nitrous <sub>Air:</sub> Vacuum: Oxide: CO		oratory Laboratory Compressed Air: Vacuum: Air:
Plumbing Remarks: Provide (2) HHS to serve (5	5) bays	Ice Maker Flush Rim Sink Water Closet Floor Drain Unstantaneous Hot Water Other  Emergency Snower Flush Rim Sink Water Sonk Sink Floor Drain Water Bottle Refill Station	Gas Remarks: Provide	1 (1) set of medical gases per chair bay to P	atient's right.	

Program 1. F5.05

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

				Number(s):	2.	8.	14.	20.	26.	32.		38.	44.	
Room Name: Computer Room - MRI					3.	9.	15.	21.	27.	33.		39.	45.	
Room Name:   Computer Room - MRI					4.	10.	16.	22.	28.	34.		40.	46.	
					5.	11.	17.	23.	29.	35.		41.	47.	
					6.	12.	18.	24.	30.	36.		42.	48.	
ARCHITECTURAL REQUIREMENTS						1		1				1		
WALL AND CEILING	WAI	L PROTECTION				GLAZING		FLOORING TYPES		ROOM ACCESS	ORIES			
	Finish: PT		Corner Guards Hand Ra	ails Red Bu	mper / Locator	Interior Gla		Material: Base:			s Ceiling Lif	it	Magnetic White	eboard
		. /	Crash Rails Chair Ra			interior Gia	izing	SDVF FCB		Mirror	Infant Cha		Privacy Curtain	
	DOORS									Door Rema			·	
LEGEND: WALL AND CEILING LEGEND:														
AC Architectural Ceiling	Types:						739						Secu	rity Grille
ACT Acoustic Ceiling Tile	16													barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board													strate	
GB Gypsum Board	A	A2 B B	2 C C2 D	D2	E E2 F	F2 G	н	J					30.40	-61
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile				Integral Doo	or & Frame Privacy	_	Card Mag	Auto Hold						
MMRGB Moisture and Mould-Resistant Gypsum Board		/pe:Qty: Size (mm): M	aterial: Finish: Side Lt	•	Protect.: Film:			0	nges:	Accessory 1: A	ccessory 2: Ac	cessony 3· (	Closer:	
SACT Security Acoustic Ceiling Tile	_	A 1 1220 x 2135 Solid		1 Lo		Tanetion.		☐ Butt Hing		Accessory 1. A	ccessory 2. Act	Surfa		
WALL FINISHES LEGEND:		A 1 1220 X 2133 30110	TCOTE THE			eroom			C			Julia	-	
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIAL	TY CASEWORK				torage Requirements:						FINISHES		
PT Paint	202			PPER UNITS	3	torage kequirements.					5 W.L L. 6 L.			
CEILING FINISHES LEGEND:	/ 1/	U1	U2 U3								Full-height Cabi			
ECC Epoxy Ceiling Coating HPC High Performance Coating	7	LVVII	U3 U4	U5	U6						Upper Millw Counter			
PF Prefinished	-		7	7	U7 U8	SHELF					Lower Millw			-
PT Paint	-			1	77	-ta 🗆						nelf:		
WALL PROTECTION LEGEND:	Congression			.l. K		S1					31			
ESRP Extruded Semi-Rigid PVCu Panel	Sequence					1					Rem	narks:		
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic						-								
PVW Protective Vinyl Wallcovering		100	Seren I		_ 1 1									
RHIS Rigid High Impact Sheet	-		10		1 1	1								
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering	Constant of the last of the la	- '		600	an Transportation									
FLOOR FINISHES LEGEND:	C1 C2		$\perp$	" =	= 7	On the statement of the least o		1						
CFS Concrete Floor Sealer		C3 C4 C5 L1			- 1				7	/				
EFC Epoxy Floor Coating			L2 L3 L4			144	1	K	_/	4	-1/			
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS			L5 L6	17									
RSF Rubber Sheet Flooring	1022 11216111 615111213			□ L6	L7 L8 L9	L10 L11	1		$\dashv$ $/$					
SCF Seamless Cushioned Flooring	Lancard.						L12	TC1 TC2		U U	U			
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None		Motorized	Ctandina C	a cialta.			TC1 TC2		UC1				
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%)	Category	.,	-	ecialty sework	LOWER UNITS	DECEDT	TION/TRANSACTION			2.40			
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%	)	(······) Treight					ER / CARE TEAM	UTILITY SIN	IK AND COUNTER	UNIT			
FLOOR BASE LEGEND:	Category 3 - High (10% or	Greater)					STATIO							
FCB Flash Cove Base RB Rubber Base														
SCF Seamless Cushioned Flooring														
MECHANICAL REQUIREMENTS	•													
PLUMBING Hand	Seamless Utility /		Other Fixtures:	☐ Eyewash	Station	MED / NON-M	ED GASES							
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink: Scrul	Sink: Floor Sink:	Shower		/Shower Station	(Quantity)	<del></del>	Medical Nitrou	S			Laboratory		Utility Impressed
			☐ Tub	Emerger		Oxygen	n: Medical Air			2: AGSS:	Nitrogen:	Air:	Vacuum:	Air:
Plumbing	1 1		☐ Ice Maker	Flush Rin										
Remarks:			☐ Water Closet	Floor Dra							<u> </u>			
					ottle Refill Station	Gas Rem	arks:							
			Instantaneous Hot Water		ottie keiiii Station									
				Other										

Program 1. F6.10

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1	B Minimum Room Require	ments		Program Number(s):	1. F4.11 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.		37. 38.	43. 44.	
Roo	om Name: Control Room - Fluoro				3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.		39. 40.	45. 46.	
					5.	11.	17.	23.	29.	35.		41.	47.	
					6.	12.	18.	24.	30.	36.		42.	48.	
ARCHITECTU	JRAL REQUIREMENTS													
WALL AND CE		WALL PROTECTION		П		GLAZING		FLOORING TYPES  Material: Base:	F	ROOM ACCESSO			·	
	Material: ARGB 1.2m AFF, GB above Material: ACT	1,7,50	✓ Corner Guards ☐ Hand Rail ☐ Crash Rails ✓ Chair Rail		mper / Locator	✓ Interior Gla	zing	SDVF FCB		☐ Coat Hooks	Ceiling Lif		Magnetic W Privacy Curt	
Celling iv	naterial. ACI		Crash Ralis									ange rable		.dlf1
LEGEND:		DOORS								Door Remai		ot require doors	from	
	ILING LEGEND: rchitectural Ceiling	Types:										om. If internal do		ecurity Grille
	coustic Ceiling Tile									are required	, doors need to	be shielded.		
	leanroom buse-Resistant Gypsum Board			NZ				MM44						nti-barricade rrategy
	ypsum Board	A A2 B	B2 C C2 D	D2	E E2 F	F2 G	н	J						.rucegy
	npact-Resistant Gypsum Board itchen Lay-in Ceiling Tile			Integral Doo	r & Frame Privacy		ard Mag	Auto Hold						
	loisture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm):	Material: Finish: Side Lt:	U	rotect.: Film:				Hinges: A	Accessory 1: Ac	cessorv 2: Ac	cessory 3:	Closer:	
SACT Se	ecurity Acoustic Ceiling Tile	B 2 1065 x 2135 Sc		☐ 1 Lo	w Pas			☐ Butt H		, .		Surfa		
WALL FINISHE		C 1 1065 x 2135 Sc	lid Core FRL	☐ 1 Lo				Butt H	inge			Surfa	ice	
	poxy Wall Coating igh Performance Coating	MILLWORK AND SPECIALTY CASEWORK												
	aint	WILLWORK AND SPECIALITY CASEWORK		ER UNITS	S	torage Requirements:						FINISHES		
CEILING FINIS	HES LEGEND:		U1 U2 U2								Full-height Cabi			
	poxy Ceiling Coating	7	U2 U3 U4	U5								ork: Plastic Lam		
	igh Performance Coating refinished				U6 U7 U8	SHELF						top: Solid Surfactork: Plastic Lam		
PT Pa	aint			TH	77	- <del>-</del>						nelf:	mate	
WALL PROTEC	CTION LEGEND:			.l. K	-	S1					5.			
	ktruded Semi-Rigid PVCu Panel										Rem	narks:		
	bre Reinforced Laminate breglass Reinforced Plastic													
	rotective Vinyl Wallcovering	100	THE PROPERTY AND ADDRESS OF THE PARTY AND ADDR											
	igid High Impact Sheet /etwall Solid Surface Panel		-	-										
wvw w	etroom Vinyl Wallcovering			11 -	- V	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWI	1	7/						
FLOOR FINISH	ES LEGEND:	C1 C2 C3 C4		70	-2	~ -	1	Consessant -						
	oncrete Floor Sealer		L2				K_							
	poxy Floor Coating olyurethane Floor Coating		L3 L4	L5		SKK	4		annear (					
	ubber Athletic Flooring	FULL-HEIGHT CABINETS		L6	L7 L8 L9			2 L 15						
	ubber Sheet Flooring eamless Cushioned Flooring					L10 L11	L12							
SDRF St	tatic-Dissipative Rubber Sheet Flooring	Legend:	Motorized					тс1 тс	2	U   '	.   1			
	tatic-Dissipative Vinyl Sheet Flooring inyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category	- ,		ecialty	LOWER UNITS				UC1	u			
	Vetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	. ,		sework			ON/TRANSACTION R / CARE TEAM	LITILITY SINK	AND COUNTER	LINIT			
FLOOR BASE L	EGEND:	Category 3 - High (10% or Greater)	2700				STATION	•	OTILITY SHAN	CAND COOKIEK	Olvii			
	ash Cove Base													
	ubber Base eamless Cushioned Flooring													
MECHANICA	AL REQUIREMENTS													
	•	Coomless Hailite.	Other Firtures			MED / NON	ED CACEC							
PLUMBING	Hand vgiene Sink: Lavatory: Kitchen Sink:	Seamless Utility / Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures:	Evewash		MED / NON-M	ED GASES	Medical Nitr	· Our			Laboratory	Laboratory	Utility
(Quantity)	1		Shower		/Shower Station	(Quantity) Oxygen	: Medical Air:	.,		AGSS:	Nitrogen:	Laboratory Air:	Laboratory Vacuum:	Compressed
Dl la inc			Tub	Emergen		Oxygen	. Wieukai All.		(02.	7033.	ivitiogen.			Air:
Plumbing Remarks:			Ice Maker	Flush Rim										
			Water Closet	Floor Dra		Gas Rem	arks:							
			Instantaneous	☐ Water Bo	ottle Refill Station									
			Hot Water	Other										

Appendix 1	LB Minimum Room Requir	ements		ogram 1. F6.09 bber(s): 2.	8. 1	13.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Roo	om Name: Control Room - MRI			3. 4.		.15. .16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				5. 6.		17. 18.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.
ARCHITECTU	JRAL REQUIREMENTS			1			1			1	
WALL AND CE	ILING	WALL PROTECTION			GLAZING	FLO	ORING TYPES	ROOM	ACCESSORIES		
	Material: ARGB 1.2m AFF, GB above		Corner Guards Hand Rails	Bed Bumper / Locator	✓ Interior Glazing	3	Material: Base:		oat Hooks 🔲 Ceiling Lit		Magnetic Whiteboard
Ceiling N	Naterial: ACT	Finish: PF Height: 1600 mm	Crash Rails Chair Rail				SDVF FCB	N		ange Table	Privacy Curtain
LEGEND:		DOORS						Do	oor Remarks:		
	ILING LEGEND:	Types:									Security Grille
	rchitectural Ceiling coustic Ceiling Tile										
	leanroom buse-Resistant Gypsum Board		MUMUNAJAJAJA								Anti-barricade strategy
	ypsum Board	A A2 B E	32 C C2 D D2	. E E2 F	F2 G	Н	J				Strategy
	npact-Resistant Gypsum Board itchen Lay-in Ceiling Tile		Intogr	ral Door & Frame Privacy	Card	Mag Auto	Hold				
	Noisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): М	aterial: Finish: Side Lt: Blinds	•	Function: Reade	•	er: Open: Hinge	s. Accessor	ry 1: Accessory 2: Ac	cessory 3:	Closer:
SACT Se	ecurity Acoustic Ceiling Tile		d Core FRL	1 Low Pass	Turiculori.		Butt Hinge	3. Accessor	y 1. Accessory 2. Ac	Surfa	
WALL FINISHE	ES LEGEND:	5 1 525 X 2255 55			,					00.10	
	poxy Wall Coating ligh Performance Coating							- I		l l	
	aint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNI	ITS S	torage Requirements:					FINISHES	
CEILING FINIS	HES LEGEND:	U1							Full-height Cabi		
	poxy Ceiling Coating	7 177	U2 U3 U4 U5							ork: Plastic Lami	
	ligh Performance Coating refinished		3	U6 U7 U8	SHELF					top: Solid Surfac	-
PT P	aint			7	SILE.					ork: Plastic Lami	nate
WALL PROTEC	CTION LEGEND:				S1				31	ieii.	
ESRP Ex	xtruded Semi-Rigid PVCu Panel								Ren	narks:	
	ibre Reinforced Laminate ibreglass Reinforced Plastic										
	rotective Vinyl Wallcovering	Z ====================================									
	igid High Impact Sheet Vetwall Solid Surface Panel		-	7							
	Vetroom Vinyl Wallcovering		"   "   "   "   "   "   "   "   "   "	on an order	1						
FLOOR FINISH	IES LEGEND:	<u> </u>			Contraction of the last of the		-				
	oncrete Floor Sealer	C3 C4 '		= 7				7/	F		
	poxy Floor Coating olyurethane Floor Coating		L2 L3 L4 L5		- KMM	-	anamanana ana	/ 1			
	ubber Athletic Flooring	FULL-HEIGHT CABINETS		L6 L7 L8 L9							
	ubber Sheet Flooring eamless Cushioned Flooring			L6 L7 L8 L9	L10 L11			1/			
	tatic-Dissipative Rubber Sheet Flooring	Legend:	Motorized			L12 N	TC1 TC2		"		
	tatic-Dissipative Vinyl Sheet Flooring	Category 0 - None	Min. Length Adjustable Standing	g Specialty	LOWER UNITS			o U	C1 "		
	inyl Sheet Flooring Vetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category Category 2 - Med (5% - 9%)	(mm) Height Height	Casework	LOWER UNITS	RECEPTION/1					
FLOOR BASE L	EGEND:	Category 3 - High (10% or Greater)	2700			COUNTER / C STATION DES		JTILITY SINK AND C	OUNTER UNIT		
	lash Cove Base					STATION DES					
	ubber Base										
SCF Se	eamless Cushioned Flooring										
MECHANICA	AL REQUIREMENTS										
PLUMBING	Hand	Seamless Utility /	Other Fixtures:	vewash Station	MED / NON-MED						Utility
(Quantity) H		k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		yewash/Shower Station	(Quantity)		Medical Nitrous				Laboratory Compressed
	0		☐ Tub ☐ Er	mergency Shower	Oxygen:	Medical Air:	Vacuum: Oxide:	CO2:	AGSS: Nitrogen:	Air:	Vacuum: Air:
Plumbing			☐ Ice Maker ☐ FI	lush Rim Sink							
Remarks:			☐ Water Closet ☐ FI	loor Drain	Can Damester	· '	1		· · · · · · · · · · · · · · · · · · ·		
				Vater Bottle Refill Station	Gas Remarks	s.					
			Hot Water Othe	or _							
			Othe	EI							

Appendix	1B Minimum Room Requi	rements		Program 1. F1.06 Number(s): 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
R	Room Name: Data Image Centre - Me	edical Imaging		3. 4. 5. 6.	9. 10. 11. 12.	15. 16. 17. 18.	21. 22. 23. 24.	27. 28. 29. 30.	33. 34. 35. 36.	39. 40. 41. 42.	45. 46. 47. 48.
ARCHITEC	TURAL REQUIREMENTS										
WALL AND	·	WALL PROTECTION			GLAZING		FLOORING TYPES	ROOM	1 ACCESSORIES		
Wal	ll Material: GB	Finish: PT Type:	✓ Corner Guards ☐ Hand Rai				Material: Base:	_   🗆 (	Coat Hooks 🔲 Ceiling Lif		Magnetic Whiteboard
Ceiling	Material: ACT	Finish: PF Height:	Crash Rails Chair Rail	1		_	VSF FCB		Mirror Infant Ch	ange Table	Privacy Curtain
LEGEND:		DOORS						[	Door Remarks:		
AC	CEILING LEGEND: Architectural Ceiling	Types:		falal fal fala							Security Grille
ACT	Acoustic Ceiling Tile	K1 K19 F4	선택 선택 선생								☐ Anti-barricade
ACT-C ARGB	Cleanroom Abuse-Resistant Gypsum Board	MAMA					<u> </u>				strategy
GB IRGB	Gypsum Board Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D	D2 E E2	F F2 G	Н	J				
KLCT MMRGB	Kitchen Lay-in Ceiling Tile  Moisture and Mould-Resistant Gypsum Board			Integral Door & Frame Pr Blinds: Protect.:		•	Auto Hold pener: Open: <sub>Hing</sub>				
SACT	Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):  С 1 915 x 2135	Material: Finish: Side Lt: Solid Core FRL ✓	1 Low	Function: Storeroom	Reader: Lock: Op	pener: Open: Hing  Butt Hinge	es: Accesso	ory 1: Accessory 2: Ac	cessory 3: Surfa	Closer:
WALL FINIS	HES LEGEND:	C 1 313 × 2133	John Core The		Storeroom					Julia	ice
EWC HPC	Epoxy Wall Coating High Performance Coating	MILLWORK AND SPECIALTY CASEWORK	<u> </u>					1			
PT	Paint	WILLEWORK AND SI ECIALITY CASEWORK		PER UNITS	Storage Requireme	nts:			Full-height Cabi	FINISHES	
CEILING FIN	NISHES LEGEND:  Epoxy Ceiling Coating		U1 U2 U3 U4							ork: Plastic Lami	nate
HPC	High Performance Coating		V 17	U5 U6 U7						top: Solid Surfac	
PF PT	Prefinished Paint				U8 SHELF					ork: Plastic Lami	nate
WALL PROT	FECTION LEGEND:				Sı				SI	nelf:	
ESRP	Extruded Semi-Rigid PVCu Panel								Rem	arks:	
FRL FRP	Fibre Reinforced Laminate Fibreglass Reinforced Plastic								l l	Refer to Appendix	1A, Section 2.6 F.
PVW	Protective Vinyl Wallcovering		The state of the s		1						or room requirements
RHIS WSSP	Rigid High Impact Sheet Wetwall Solid Surface Panel		-	CONTRACTOR OF THE PARTY OF THE		-23					
WVW	Wetroom Vinyl Wallcovering				THE CONTRACTOR OF THE PERSON NAMED IN COLUMN N	1	7/				
	SHES LEGEND:	C1 C2 C3 C4		==			-				
CFS EFC	Concrete Floor Sealer Epoxy Floor Coating		12		1 == 1			16	Ames A		
PFC	Polyurethane Floor Coating			L5 L6 L7 L8		4		7			
RAF RSF	Rubber Athletic Flooring Rubber Sheet Flooring	FULL-HEIGHT CABINETS		□ L6 L7 L8 □	L9 L10 L11			4 / III			
SCF SDRF	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:			L110 L111	L12 🛝	TC1 TC2		n   [     [		
SDVF	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized Min. Length Adjustable S	Standing Specialty			TC1 TC2	u (	JC1		
VSF WSVF	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)		Height Casework	LOWER UNITS	RECEPTIO	ON/TRANSACTION				
FLOOR BAS	E LEGEND:	Category 3 - High (10% or Greater)	3 5100			COUNTEI STATION	,	UTILITY SINK AND	COUNTER UNIT		
FCB	Flash Cove Base										
RB SCF	Rubber Base Seamless Cushioned Flooring										
MECHANIC	CAL REQUIREMENTS										
PLUMBING	Hand	Seamless Utility /	Other Fixtures:	Evewash Station	MED / NON	N-MED GASES					114:114.
(Quantity)	Hygiene Sink: Lavatory: Kitchen Si	nk: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower	Eyewash/Shower Stati			Medical Nitrous				Laboratory Compressed
			☐ Tub	☐ Emergency Shower	Oxy	ygen: Medical Air:	Vacuum: Oxide:	CO2:	AGSS: Nitrogen:	Air:	Vacuum: Air:
Plumbing			☐ Ice Maker	Flush Rim Sink							
Remarks:			Water Closet	Floor Drain	Gas	Remarks:					
			Instantaneous	Water Bottle Refill Stat	ion						
			Hot Water	Other							

R	Room Name: Diagnostic Mammograph	ny Room	Number(s)	3. 4.	8. 14. 9. 15. 10. 16.	20. 21. 22. 23.	26. 27. 28. 29.	32. 33. 34. 35.	38. 39. 40. 41.	44. 45. 46. 47.
					12. 18.	24.	30.	36.	42.	48.
ARCHITEC	TURAL REQUIREMENTS									
	CEILING  Il Material: ARGB 1.2m AFF, GB above  3 Material: ACT		Corner Guards Hand Rails Bed B	umper / Locator	GLAZING  Interior Glazing	FLOORING TYPES Material: Base:  VSF FCB		CESSORIES Hooks Ceiling Lifer  Infant Cha		agnetic Whiteboard vacy Curtain
LEGEND:	CEILING LEGEND:	DOORS Types:					or Type F doors,	Remarks:		
AC ACT ACT-C ARGB GB IRGB	Architectural Ceiling Acoustic Ceiling Tile Cleanroom Abuse-Resistant Gypsum Board Gypsum Board Impact-Resistant Gypsum Board	A A2 B B2	C C2 D D2	E E2 F	F2 G H	approx 465/10	or panels will be cimately 065 unless vise rquired by thority			Security Grille  Anti-barricade strategy
KLCT MMRGB SACT	Kitchen Lay-in Ceiling Tile  Moisture and Mould-Resistant Gypsum Board  Security Acoustic Ceiling Tile		terial: Finish: Side Lt: Blinds:		Tanction.	: Opener: Open: Hi		: Accessory 2: Acc	-	
WALL FINIS	SHES LEGEND: Epoxy Wall Coating	F 1 1530 x 2135 Solid	Core   FRL	ligh Passa	ge	Butt Hing	ge Astragal	Flush Bolt	Conceale	d
HPC PT	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	rage Requirements:			E III bereke Geler	FINISHES	
ECC HPC PF PT  WALL PROT ESRP FRL FRP PVW RHIS WSSP WVW  FLOOR FINIS CFS EFC PFC RAF RSF SCF SDRF SDVF VSF WSVF  FLOOR BASI FCB RB SCF	Epoxy Ceiling Coating High Performance Coating Prefinished Paint  FECTION LEGEND:  Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate Fibreglass Reinforced Plastic Protective Vinyl Wallcovering Rigid High Impact Sheet Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering ISHES LEGEND:  Concrete Floor Sealer Epoxy Floor Coating Rubber Athletic Flooring Rubber Sheet Flooring Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring Vinyl Sheet Flooring Vinyl Sheet Flooring Vinyl Sheet Flooring Vinyl Sheet Flooring	FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  Category 2	U2 U3 U4 U5  L2 L3 L4 L5 L6  Motorized  Min. Length Adjustable Standing Sp	U6 U7 U8	SHELF S1  L10  L11  L12  LOWER UNITS  RECCCOL	TC1 TC2 TC2 TC2 TC2 TC2 TC2 TC2 TC2 TC2 TC2	UC1 UTILITY SINK AND COU	Counteri Lower Millw Sh Rem	net: Plastic Laminate Solid Surfacing Plastic Laminate nelf: narks:	
PLUMBING	Hand	Seamless Utility /	Other Fixtures: Evewas	h Station	MED / NON-MED GASES					+;  ;+, /
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sin	nk: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower Eyewas	h/Shower Station ncy Shower	(Quantity) Oxygen: Medica			GSS: Nitrogen:		Utility pratory Compressed cuum: Air:
Plumbing Remarks:			☐ Ice Maker ☐ Flush R ☐ Water Closet ☐ Floor D ☐ Instantaneous Hot Water ☐ Other ☐		Gas Remarks:	1				

Program 1. F2.11

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B Minimu	m Room Requirements	Program Number(s):	2.	7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Ec	no Room		4.	9. 15. 10. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				11.     17.       12.     18.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.
ARCHITECTURAL REQU	IREMENTS								
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES		ACCESSORIES		
Wall Material: ARGB		orner Guards Hand Rails Bed Bu	mper / Locator	☐ Interior Glazing	Material: Base: VSF FCB		Coat Hooks Ceiling Lif		gnetic Whiteboard
Ceiling Material: ACT	110.6.11.	rash Rails Chair Rail			V31 1 CB		Airror Infant Cha	inge Table Priv	vacy Curtain
LEGEND: WALL AND CEILING LEGEND:	DOORS				Not	e: for Type F doors,	oor Remarks:		7
AC Architectural Ceiling	Types:				the	door panels will be			Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom						roximately /1065 unless			☐ Anti-barricade
ARGB Abuse-Resistant Gyps					other other	erwise rquired by			strategy
GB Gypsum Board IRGB Impact-Resistant Gyp:	um Board A A2 B B2	C C2 D D2	E E2 F	F2 G H	j the	Authority			
KLCT Kitchen Lay-in Ceiling MMRGB Moisture and Mould-I		<u> </u>	r & Frame Privacy Protect.: Film:	Decide .	Mag Auto Hold Lock: Opener: Open:				
SACT Security Acoustic Ceili	Type:Qty: Size (min): Wate	nai. Tinishi. Side Et.		T directions.	Butt H	Hinges: Accesso inge Astragal	ry 1: Accessory 2: Ac	cessory 3: Closer	
WALL FINISHES LEGEND:	A 1 1065 x 2135 Solid Co				Butt H		Tiusii boit	Concealed	
EWC Epoxy Wall Coating HPC High Performance Coa									
PT Paint	IVIILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	rage Requirements:				FINISHES	
CEILING FINISHES LEGEND:	U1	U2 U3 II4					Full-height Cabi	net: Plastic Laminate	
ECC Epoxy Ceiling Coating HPC High Performance Coa	ting	U4 U5	U6 U7					top: Solid Surfacing	
PF Prefinished PT Paint		7 7 2	U8	SHELF			Lower Millw	ork: Plastic Laminate	
				ħ □			Sh	helf:	
WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid P	/Cu Panel			S1			Rem	narks:	
FRL Fibre Reinforced Lami FRP Fibreglass Reinforced							Г		
PVW Protective Vinyl Wallo	overing	-							
RHIS Rigid High Impact She WSSP Wetwall Solid Surface	Panel								
WVW Wetroom Vinyl Wallco		.		RESERVED THE PROPERTY OF					
FLOOR FINISHES LEGEND:	C1 C2 C3 C4				-				
CFS Concrete Floor Sealer EFC Epoxy Floor Coating		2		W		16	Karrel A		
PFC Polyurethane Floor Co		Z L3 L4 L5 L6	L7 18		-				
RAF Rubber Athletic Floori RSF Rubber Sheet Flooring				L10 L11	= 1	$\sim$ $\sim$ $\sim$ $\sim$ $\sim$			
SCF Seamless Cushioned F SDRF Static-Dissipative Rub		Add of the		✓ L12	TC1 TC	, V   '	'		
SDVF Static-Dissipative Viny	Sheet Flooring Category 0 - None	Motorized Min. Length Adjustable Standing Spe	ecialty			]	IC1		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl	Category 1 - Low (1% - 4%) Category  Category 2 - Med (5% - 9%)	(mm) Height Height Cas	sework		RECEPTION/TRANSACTION				
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)	3300			COUNTER / CARE TEAM STATION DESK	UTILITY SINK AND	COUNTER UNIT		
FCB Flash Cove Base RB Rubber Base									
RB Rubber Base SCF Seamless Cushioned F	ooring								
MECHANICAL REQUIRE	MENTS								
PLUMBING Hand		Other Fixtures: Evewash	Station	MED / NON-MED GAS	ES				114334
( 4.0	Lavatory: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		/Shower Station	(Quantity)	.,	ous		·	Utility cratory Compressed
1		☐ Tub ☐ Emergen			.dicar, iii.	ide: CO2:	AGSS: Nitrogen:	Air: Vac	cuum: Air:
Plumbing		☐ Ice Maker ☐ Flush Rin		1	1 1				
Remarks:		Water Closet Floor Dra		Gas Remarks:					
			ottle Refill Station						
		Hot Water Other							

Appendix 1	1B Minimum Room Requir	rements	Program Number(s):	1. F7.09 2.	7. 13. 8. 14.		19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Roo	om Name: Equipment Testing - Bion	ned			9. 15. 10. 16.		21. 22.	<ul><li>27.</li><li>28.</li></ul>	33. 34.	39. 40.	45. 46.
					11. 17. 12. 18.		23. 24.	29. 30.	35. 36.	41. 42.	47. 48.
ARCHITECTI	URAL REQUIREMENTS			0.	10.		24.		30.	72.	40.
WALL AND CE		WALL PROTECTION			GLAZING	FLOOR	RING TYPES	POOM /	ACCESSORIES		
Wall N	Material: ARGB 1.2m AFF, GB above Material: ACT	Finish: PT Type: FRP	Corner Guards	imper / Locator	Interior Glazing	N	Material: Base: /SF FCB		at Hooks 🔲 Ceiling Lif		gnetic Whiteboard racy Curtain
LEGEND:		DOORS						Doo	or Remarks:		
	EILING LEGEND:	Types:							er to Schedule 1, Section	6.13 (Division 13) for	
	Architectural Ceiling	турез.					the door pa approxima		ead sheet requirements		Security Grille
	Acoustic Ceiling Tile Cleanroom						465/1065 u				Anti-barricade
	Abuse-Resistant Gypsum Board						otherwise i				strategy
	Gypsum Board mpact-Resistant Gypsum Board	A A2 B B		E E2 F	F2 G	н ј	the Author	ity			
	Kitchen Lay-in Ceiling Tile Moisture and Mould-Resistant Gypsum Board			or & Frame Privacy	Card		Hold				
	Security Acoustic Ceiling Tile		diction. Tillion. Side Et.		Function: Reader:	Lock: Opener:	· Illiges			cessory 3: Close	·:
WALL FINISHI	ES LEGEND:	F2 1 1530 x 2135 Holld	ow Metal Paint	Store	room 🗸		<b>✓</b> Butt Hinge	Astragal	Flush Bolt	Surface	
	Epoxy Wall Coating										
	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	rage Requirements:					FINISHES	
	SHES LEGEND:	U1							Full-height Cabi	net:	
	Epoxy Ceiling Coating	777	U2 U3 U4 U						Upper Millw	ork: Plastic Laminate	
	High Performance Coating Prefinished		US US	U6 U7 U8						top: Hardwood	
	Paint			7 7 7 8	SHELF					ork: Plastic Laminate	
WALL PROTE	CTION LEGEND:				S1				Sr	nelf:	
	Extruded Semi-Rigid PVCu Panel			1 11					Rem	arks:	
	Fibre Reinforced Laminate Fibreglass Reinforced Plastic										
	Protective Vinyl Wallcovering	7	-	1 1	8						
	Rigid High Impact Sheet Wetwall Solid Surface Panel										
	Wetroom Vinyl Wallcovering		"   "   "   =		Carana and Carana						
FLOOR FINISH	HES LEGEND:	C1 C2 C3		-7	~ -	72220	-	2			
	Concrete Floor Sealer	_ G C/	12		<del></del>	(0.3.23)		7/	F7		
	Epoxy Floor Coating Polyurethane Floor Coating		✓ L3 L4 L5		PERM -		COLUMN TO SERVICE				
	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9			15-				
	Rubber Sheet Flooring Seamless Cushioned Flooring				L10 L11 L12	, ,					
	Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			_ '	гс1 тс2	UC	,		
	Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category		ecialty sework	LOWER UNITS				l u		
WSVF V	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	. ,	Sework		RECEPTION/TRA COUNTER / CAR		TILITY SINK AND CO	OUNTER UNIT		
FLOOR BASE	LEGEND:	Category 3 - High (10% or Greater)	2400			STATION DESK					
	Flash Cove Base Rubber Base										
	Seamless Cushioned Flooring										
MECHANICA	AL REQUIREMENTS										
PLUMBING	Hand	Seamless Utility /	Other Fixtures: Fyewash	Chatian	MED / NON-MED GA	SES					
(Quantity) H		k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	LyCWu3i	i Station i/Shower Station	(Quantity)		dical Nitrous			Laboratory Labo	Utility ratory Compressed
			☐ Tub ☐ Emerger		1		cuum: Oxide:	CO2:	AGSS: Nitrogen:		uum: Compressed  Air:
Plumbing			☐ Ice Maker ☐ Flush Rin								
Remarks:			☐ Water Closet ☐ Floor Dr								
				ottle Refill Station	Gas Remarks:						
			Hot Water	ottie neiiii Statioii							
			Other								

Appendix 1B Minimum Room Requirem	nents	Program Number(s):	1. F5.10 2.	7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Guided Interventional Room	CT	7	3.	9. 15.	21.	27.	33.	39.	45.
Room Name. Guided interventional Room	-01		4.	10. 16.	22.	28.	34.	40.	46.
			5.	11. 17.	23.	29.	35.	41.	47.
			6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS									
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES		OM ACCESSORIES		
		d Rails Bed Bun	nper / Locator	✓ Interior Glazing	Material: Ba		Coat Hooks Ceiling		lagnetic Whiteboard
Ceiling Material: ACT	Finish: PF Height: 1600 mm Crash Rails Cha	ir Rail			V31 11C			t Change Table P	rivacy Curtain
LEGEND:	DOORS				,	Note: for Type F doors,	Door Remarks:  Provide wave opener to	door	
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:					the door panels will be	Trovide wave opener to	0001	Security Grille
AC Architectural Ceiling  ACT Acoustic Ceiling Tile			4   12   13   12			approximately			
ACT-C Cleanroom	NAMED AND A STATE OF THE STATE	NI NIZI B				165/1065 unless			☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board						otherwise rquired by			strategy
GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	A A2 B B2 C C2	D D2 E	E2	F F2 G H	j t	he Authority			
KLCT Kitchen Lay-in Ceiling Tile		Integral Door	& Frame Privacy	Card Ma	ag Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm): Material: Finish: Si	de Lt: Blinds: Pr	otect.: Film:	Function: Reader: Lo	ck: Opener: Open:	Hinges: Acce	ssory 1: Accessory 2:	Accessory 3: Clos	ser:
SACT Security Acoustic Ceiling Tile	F 1 1530 x 2135   Solid Core   FRL	2 Hig	h 🗆	Storeroom 🗸 🔽	<b>✓</b> But	tt Hinge Astrag	gal Flush Bolt	Elec. Strike Conceale	ed
WALL FINISHES LEGEND:									
EWC Epoxy Wall Coating						I			
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	LIDDED LIMITS		Storage Requirements:				FINISHES	
		UPPER UNITS					Full-height (	Cabinet: Plastic Laminate	e
CEILING FINISHES LEGEND:	U2 U2							fillwork: Plastic Laminate	
ECC Epoxy Ceiling Coating HPC High Performance Coating		U4	U6 [					ntertop: Solid Surfacing	
PF Prefinished		7	U7 U					Millwork: Plastic Laminate	0
PT Paint		1	7				Lower iv	Shelf:	е
WALL PROTECTION LEGEND:				S <sub>1</sub>				Jileii.	
ESRP Extruded Semi-Rigid PVCu Panel				1 11 "				Remarks:	
FRL Fibre Reinforced Laminate								Acmarks.	
FRP Fibreglass Reinforced Plastic			1 1						
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	AND THE PROPERTY OF THE PROPER	promoted .		i					
WSSP Wetwall Solid Surface Panel									
WVW Wetroom Vinyl Wallcovering		111 =	= 7	CARLES CARLES CARLES CONTRACTOR C	7				
FLOOR FINISHES LEGEND:	C1 C2 C3		-7	-	The state of the s				
CFS Concrete Floor Sealer	C4 C5	-				7		į.	
EFC Epoxy Floor Coating				- 1444-	<u></u>			<i>f</i>	
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L5 L6	L7 18						
RSF Rubber Sheet Flooring	TOTAL MEMORIAL STATE OF THE STA		L/ L8 L9	L10 111		7 / /			
SCF Seamless Cushioned Flooring					TC1		U   [		
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Motorize					TC2	UC1	1	
VSF Vinyl Sheet Flooring	Category 0 - None Min. Length Adjustabl Category 1 - Low (1% - 4%) Category (mm) Height		cialty	LOWER UNITS	_				
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)		ework		ECEPTION/TRANSACTION	LITH ITV CINIV AN	ID COUNTED UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater) 3 6000				OUNTER / CARE TEAM TATION DESK	UTILITY SINK AN	ID COUNTER UNIT		
FCB Flash Cove Base		·			THION DESIG				
RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS									
PLUMBING Hand	Seamless Utility / Other Fixtures:	☐ Eyewash :	Station	MED / NON-MED GASES					
	Kitchen Cinky Drococc Cinky Coruh Cinky Floor Cinky			(Quantity)		Nitrous		Laboratory Lab	Utility poratory Compressed
1	Shower		Shower Station			Oxide: CO2:	AGSS: Nitroge		compressed
	Tub	☐ Emergend	y Shower		icai Aii .	CO2.		<u></u>	Air:
Plumbing	☐ Ice Maker	Flush Rim	Sink	2	1 2				
Remarks:	☐ Water Closet	☐ Floor Drai	n	6 81	.ida (4)		h		
	☐ Instantaneous	☐ Water Bo	ttle Refill Station	Gas Kemarks: Prov	vide (1) movable boom. Ga	ses and injector to be on	DOOM.		
	Hot Water			_					
		Other		_					

Appendix 1B Minimum Room Requirements		Program Number(s):	1. F2.09 2.	7. 13. 8. 14.	19. 20.	25. 26.		37. 38.	43. 44.
Room Name: Imaging Room - Bone Density			3.	9. 15.	21.	27.	33.	39.	45.
ggg			4.	10. 16.	22.	28.		40.	46.
			5. 6.	11. 17. 18.	23. 24.	29. 30.		41. 42.	47. 48.
ARCHITECTURAL REQUIREMENTS		L							
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	POOM A	CESSORIES		
Wall Material: ARGB 1.2m AFF, GB above Finish: PT		ails   Bed Bur	nper / Locator	Interior Glazing	Material: Base:		Hooks Ceiling Lift	<b>✓</b> Mag	netic Whiteboard
Ceiling Material: ACT Finish: PF	Height: 1350 mm Crash Rails Chair R		. ,	interior Glazing	SDVF FCB	Mirr			acy Curtain
LEGEND: DOC	DRS			,			Remarks:		1
WALL AND CEILING LEGEND:	Types:					Type F doors, panels will be			Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile				N MN 144 1444	approxin				
ACT-C Cleanroom					465/106				Anti-barricade
ARGB Abuse-Resistant Gypsum Board						e rquired by			strategy
GB Gypsum Board IRGB Impact-Resistant Gypsum Board	A A2 B B2 C C2 D	D2	E E2 F	F2 G H	J the Auth	ority			ı
KLCT Kitchen Lay-in Ceiling Tile		Integral Door	& Frame Privacy	Card Mag	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm): Material: Finish: Side L	t: Blinds: P	rotect.: Film:	Function: Reader: Lock:	Opener: Open: Hing	es: Accessory 1	: Accessory 2: Access	sory 3: Closer:	
SACT Security Acoustic Ceiling Tile	F 1 1530 x 2135 Solid Core FRL	2 Hig	th S	itoreroom 🗸	☐ ■ Butt Hinge	Astragal	Flush Bolt	Concealed	
WALL FINISHES LEGEND:			,						
EWC Epoxy Wall Coating									
HPC High Performance Coating MILI PT Paint	LWORK AND SPECIALTY CASEWORK	DDED LINUTS		Storage Requirements:				FINISHES	
	7 A A A A A A A A A A A A A A A A A A A	PPER UNITS					Full-height Cabinet:	:	
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	U2 U2							Plastic Laminate	
HPC High Performance Coating	04	U5	U6	۱ ا				Solid Surfacing	
PF Prefinished		Z	U7 U8					Plastic Laminate	
PT Paint	-		77				Shelf:		
WALL PROTECTION LEGEND:				S1 S1			Silen.		
ESRP Extruded Semi-Rigid PVCu Panel				1 11			Remarks	۲.	
FRL Fibre Reinforced Laminate								<del></del>	
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering	7	<u> </u>	1 1						
RHIS Rigid High Impact Sheet	STATE TO THE PROPERTY OF THE P	- American		i					
WSSP Wetwall Solid Surface Panel		SERESES ENGINE	acasa and	1					
WVW Wetroom Vinyl Wallcovering		11 -	-	On on	7				
FLOOR FINISHES LEGEND:	<u>ci</u>	70	-7	On the second se	/				
CFS Concrete Floor Sealer	C4 C5	-				7/	F		
EFC Epoxy Floor Coating				- 1444-	-	_/ H-17-2			
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring F	ULL-HEIGHT CABINETS	L5 L6	L7 10			7			
RSF Rubber Sheet Flooring			L7 L8 L9	L10 L11		4 / 11			
SCF Seamless Cushioned Flooring				L12	TC1 TC2				
	gend: Motorized tegory 0 - None Min Length Adjustable				TC2	UC1			
	Will. Length Aujustable		cialty	LOWER UNITS			, un		
14/01/E 14/1 0 6 1 1/2 101 1 El 1	tegory 2 - Med (5% - 9%)		ework		PTION/TRANSACTION	UTILITY SINK AND COL	INITED LIMIT		
FLOOR BASE LEGEND: Cat	tegory 3 - High (10% or Greater) 2 1500				NTER / CARE TEAM ION DESK	OTILITY SINK AND COC	INTER CIVIT		
FCB Flash Cove Base		•		3141	ION DESK				
RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS									
PLUMBING Hand Seamless	Utility / Other Fixtures:		a	MED / NON-MED GASES					
	ky Dracocc Cinky Scrub Cinky Elaar Cinky	L Evewash		(Quantity)	Medical Nitrous		1	_aboratory Labora	Utility
1	□ Shower		Shower Station			CO2. *		Air: Vacu	um.
		Emergen	cy Shower	Oxygen: Medical	AII .	CO2: A	GSS: Nitrogen:		Air:
Plumbing	☐ Ice Maker	☐ Flush Rim	Sink		1				
Remarks:	☐ Water Closet	☐ Floor Dra	in			, ,	, ,		
	Instantaneous		ttle Refill Station	Gas Remarks:					
	Hot Water			_					
		Other		_					

Appendix 1B Minir	num Room Requirements	Program Number(s):	1. F6.12 2.	7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name:	Imaging Room - MRI		3. 4.	9. 15. 10. 16.	21. 22.	27.	33. 34.	39. 40.	45. 46.
L				11.	23.	28. 29.	35.	41.	47.
			6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL RE	QUIREMENTS								
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TY		ROOM ACCESSORIES	г	
Wall Material: All Ceiling Material: All	RGB 1.2m AFF, GB above Finish: PT Type: PVW Corner Guards Hand Finish: PF Height: 1350 mm Crash Rails Chair		imper / Locator	☐ Interior Glazing	Material: SDVF	FCB	Coat Hooks Ce		✓ Magnetic Whiteboard  Privacy Curtain
LEGEND:	DOORS PROBLEM TO THE	itan					Door Remarks:	Tante change rable	
WALL AND CEILING LEGE	ND.						RF shielded MRI doo	r, refer to Section 6.13	Special
AC Architectural Cei	Types.	1 [10]						n 13), Section 13 49 23	_ Security Grille
ACT Acoustic Ceiling T ACT-C Cleanroom							Radio Frequency Shi	eiding Systems	☐ Anti-barricade
ARGB Abuse-Resistant	Gypsum Board								strategy
GB Gypsum Board	A A2 B B2 C C2 D	D2	E E2 F	F2 G	н ј				
IRGB Impact-Resistant KLCT Kitchen Lay-in Ce	·	Integral Doo	or & Frame Privacy	Card	Mag Auto Hold				
MMRGB Moisture and Mo	ould-Resistant Gypsum Board  Type: Qtv: Size (mm): Material: Finish: Side		Protect.: Film:		Lock: Opener: Open:	Hinges: A	Accessory 1: Accessory 2	2: Accessory 3:	Closer:
SACT Security Acoustic	Ceiling Tile  A 1 1220 x 2135   Shielded   Prefinished	2 H	igh Store			Butt Hinge	, , ,		ncealed
WALL FINISHES LEGEND:						0			
EWC Epoxy Wall Coati									
HPC High Performanc PT Paint	WILLIAM ST ECIALLY CASEWORK	UPPER UNITS	Sto	orage Requirements:				FINISHES	
CEILING FINISHES LEGENI	D. U1 🗀 🗎	_					Full-heig	ht Cabinet: Plastic Lan	ninate
ECC Epoxy Ceiling Coa	U2 u2	1 1					Uppe	er Millwork: Plastic Lan	ninate
HPC High Performanc		U5	U6					Countertop: Solid Surfa	cing
PF Prefinished PT Paint		7	U8	SHELF			Lowe	er Millwork: Plastic Lan	ninate
T T UITE				ם מ				Shelf:	
WALL PROTECTION LEGE	ND:	al ala Fr	-	S1					
ESRP Extruded Semi-Ri FRL Fibre Reinforced		- I		1				Remarks:	
FRP Fibreglass Reinfo		1							
PVW Protective Vinyl V	Esterna Processing	Francis							
RHIS Rigid High Impac WSSP Wetwall Solid Su	for David	-							
WVW Wetroom Vinyl V	The state of the s	111	an Parketter			1			
FLOOR FINISHES LEGEND	CI CI	" =	- 7	too me	- Commen	7			
CFS Concrete Floor Se	C2 C3 C4 C5		- 1			7			
EFC Epoxy Floor Coat				WW	-	/	(m)	7	
PFC Polyurethane Flo	or Coating	L5 L6	17					7	
RAF Rubber Athletic F RSF Rubber Sheet Flo			L7 L8 L9	110		17			
SCF Seamless Cushion	ned Flooring	_		L10 L11 L12	2 TC1	$\forall V$			
•	Rubber Sheet Flooring  Legend:  Motorized					□ TC2	UC1		
VSF Vinyl Sheet Floor	Vinyl Sheet Flooring Category 0 - None Min. Length Adjustable Category 1 - Low (1% - 4%) Category (mm) Height		ecialty	LOWER UNITS	_				
WSVF Wetroom Safety	Vinyl Sheet Flooring Category 2 - Med (5% - 9%)		sework		RECEPTION/TRANSACTION COUNTER / CARE TEAM		AND COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				STATION DESK	OTILITY SIN	AND COUNTER ONL		
FCB Flash Cove Base									
RB Rubber Base	and Planting								
SCF Seamless Cushion	ned Flooring								
MECHANICAL REQU	IREMENTS								
PLUMBING Hand	Seamless Utility / Other Fixtures:	☐ Evewash	Station	MED / NON-MED GA	SES				,
(Quantity) Hygiene Sink	Lavatory: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	_	/Shower Station	(Quantity)	Medical	Nitrous		Laboratory	Utility Laboratory Compressed
1		Emerger			Medical Air: Vacuum:	Oxide: CO2:	AGSS: Niti	ogen: Air:	Vacuum: Air:
Plumbing	☐ Ice Maker	Flush Rir		2	1 2				
Remarks:		Floor Dr							
	☐ Water Closet	_		Gas Remarks:					
	Instantaneous	□ Water B	ottle Refill Station						
	Hot Water	Other							

Appendix 1B Minimum Room Requirem	ents	Program 1. F3 Number(s): 2.		13. 19. 14. 20.	25.	31. 32.	37.	43. 44.
Room Name: Probe Reprocessing Room		3.		14.     20.       15.     21.	26. 27.	33.	38. 39.	44. 45.
Room Name: Probe Reprocessing Room		4.		16. 22.	28.	34.	40.	46.
		5.		17. 23. 18. 24.	29. 30.	35. 36.	41. 42.	47. 48.
		0.	12.	.0. 24.	30.	30.	72.	40.
ARCHITECTURAL REQUIREMENTS								
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB above F	inish: PT WALL PROTECTION  Type: FRP ✓ Corner Guards ☐ Hai	nd Rails	GLAZING  Cator	FLOORING T Material		ROOM ACCESSORIES  Coat Hooks Ceilir	ng Lift	Magnetic Whiteboard
	inish: PF Height: 2185 mm Crash Rails Cha	-	cator Interior Glazing	WSVF	FCB			Privacy Curtain
LEGEND:	DOORS					Door Remarks:		
WALL AND CEILING LEGEND:	Types:							Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile								
ACT-C Cleanroom	NALANAKAN M							☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B2 C C2	D D2 E	E2 F F2 G	Н Ј				strategy
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile		Integral Door & Fram	Privacy Card	d Mag Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Material: Finish: Si	de Lt: Blinds: Protect.:	Film: Function: Reade	•		Accessory 1: Accessory 2:	Accessory 3: Cl	loser:
SACT Security Acoustic Ceiling Tile	C 1 1220 x 2135   Solid Core   FRL	2 High	<b>✓</b> Storeroom <b>✓</b>			Elec. Strike	Surface	
WALL FINISHES LEGEND:								
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Storage Requirements:				FINISHES	
PT Paint		UPPER UNITS	Storage Requirements:			Full baight		
CEILING FINISHES LEGEND:	U1 U2 U3					Full-height	Aillwork: Stainless Stee	l
ECC Epoxy Ceiling Coating HPC High Performance Coating		U4 U5 U6					intertop: Stainless Stee	
PF Prefinished PT Paint		7	U7 U8 SHELF			Lower N	Millwork: Stainless Stee	اد
1							Shelf:	
WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel			S1				D I .	
FRL Fibre Reinforced Laminate							Remarks:	
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering								
RHIS Rigid High Impact Sheet	100		<u> </u>					
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering		on an						
FLOOR FINISHES LEGEND:	ci ci	===	See an experience	1	7			
CFS Concrete Floor Sealer		+			7		2	
EFC Epoxy Floor Coating								
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS							
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring								
SDRF Static-Dissipative Rubber Sheet Flooring	Legend: Motorize	d		L12 TC1	TC2		Š.	
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring	Category 0 - None Min. Length Adjustab Category 1 - Low (1% - 4%) Category (mm) Height		LOWER UNITS			UC1 U		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	Height Casework	2011211011111	RECEPTION/TRANSACT COUNTER / CARE TEAM		NK AND COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater) 3 2400			STATION DESK	VI OTILITI SII	NK AND COOKIEK ON		
FCB Flash Cove Base RB Rubber Base								
SCF Seamless Cushioned Flooring								
MECHANICAL REQUIREMENTS								
	Seamless Utility / Other Fixtures:	Eyewash Station	MED / NON-MED	GASES				
	itchen Sink: Process Sink: Scrub Sink: Floor Sink: Shower	Eyewash/Shower		Medical	Nitrous		Laboratory L	Utility Laboratory Compressed
1	1	Emergency Shower	Oursen	Medical Air: Vacuum:	Oxide: CO	2: AGSS: Nitrog	A * ·	Vacuum: Air:
Plumbing Provide double utility sink.	☐ Ice Maker	Flush Rim Sink						
Remarks:	☐ Water Closet	Floor Drain						
	☐ Instantaneous	☐ Water Bottle Refi	Station Gas Remarks	S:				
	Hot Water							
		Other						

		Number(s):	2.	8. 14.	20.	26.	32.	38.	44.
Davidous David Elemen			3.	9. 15.	21.	27.	33.	39.	45.
Room Name: Procedure Room - Fluoro			4. 1	16.	22.	28.	34.	40.	46.
				11. 17.	23.	29.		41.	47.
			6. 1	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS									
·									
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES		CCESSORIES		
Wall Material: ARGB 1.2m AFF, GB above	Finish: PT Type: ESRP	✓ Corner Guards ☐ Hand Rails ☐ Bed Bun	nper / Locator	✓ Interior Glazing	Material: Base:		t Hooks 🗹 Ceiling Lift		netic Whiteboard
Ceiling Material: GB	Finish: ECC Height: 2185 mm	Crash Rails Chair Rail			SDRF FCB		ror 🗌 Infant Chang	ge Table 🗹 Priva	acy Curtain
LECEND.	DOORS					Doo	r Remarks:		
LEGEND:	DOORS				Note: f	or Type F doors,			
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:					or panels will be			Security Grille
ACT Acoustic Ceiling Tile					approx				
ACT-C Cleanroom		N A N A N A N MIA M				65 unless			Anti-barricade
ARGB Abuse-Resistant Gypsum Board						ise rquired by			strategy
GB Gypsum Board IRGB Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2 E	E2 F	F2 G H	j the Au	hority			1
KLCT Kitchen Lay-in Ceiling Tile		Integral Door	& Frame Privacy	Card Mag	Auto Hold				j
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	9	eries eries	_	0	iges: Accessory	1: Accessory 2: Acces	ssory 3: Closer:	:
SACT Security Acoustic Ceiling Tile	F 1 1530 x 2135				■ Butt Hing		Flush Bolt	Concealed	
WALL FINISHES LEGEND:	1 1 1330 X 2133	Solid Core TRE Z Tile	Jii Jiorei		Dutt Time	Astragar	Tiusii boit	Concealed	
EWC Epoxy Wall Coating									
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Stor	rage Requirements:			7	FINISHES	
PT Paint	9350 4000	UPPER UNITS	3101	rage Requirements.					
CEILING FINISHES LEGEND:		U1					Full-height Cabine		
ECC Epoxy Ceiling Coating	177	~ U3 U4 U					Upper Millworl		
HPC High Performance Coating		US	U6 U7 🗌				Counterton	o: Solid Surfacing	
PF Prefinished PT Paint			U8	SHELF			Lower Millworl	k: Plastic Laminate	
···				b □			Shel	f:	
WALL PROTECTION LEGEND:	Congression			S1					
ESRP Extruded Semi-Rigid PVCu Panel	Sugarana III III						Remar	ks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic				-					
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering				8					
RHIS Rigid High Impact Sheet	-			<u> </u>			]		
WSSP Wetwall Solid Surface Panel	THE PERSON SERVICES		SERENCE STATE OF THE PERSON SERVICE STATE STATE STATE STATE OF THE PERSON SERVICE STATE STATE STATE STATE STATE STATE STATE STATE STATE STATE STATE STATE STATE STATE STATE STATE STATE STATE STATE ST						
WVW Wetroom Vinyl Wallcovering			-	tararararararararara	17/				
FLOOR FINISHES LEGEND:	C1 C2 C3			-					
CFS Concrete Floor Sealer				==	1   I   J	7	E		
EFC Epoxy Floor Coating		L2 L3 L4 L5		KMV-					
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 IO						
RSF Rubber Sheet Flooring			L7 L8 L9	L10		7/			
SCF Seamless Cushioned Flooring				L10 L11 L12	TC1 TC2				
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			TC2	UC1			
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category 1		cialty	LOWER UNITS			II.		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Cate	gory (mm) Height Height Case	ework	REC	CEPTION/TRANSACTION				
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)	L 900			JNTER / CARE TEAM	UTILITY SINK AND CO	UNTER UNIT		
FCB Flash Cove Base				SIA	TION DESK				
RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS									
WECHANICAL REQUIREWENTS				T					
PLUMBING Hand	Seamless Utility /	Other Fixtures: Evewash	Station	MED / NON-MED GASES					Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink	: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Shower Station	(Quantity)	Medical Nitrous			Laboratory Labor	ratory Compressed
1	1	☐ Tub ☐ Emergence		Oxygen: Medica	al Air: Vacuum: Oxide	CO2:	AGSS: Nitrogen:	Air: Vacu	Jum: Air:
Plumbing Utility sink to have a trap for the barium		·		2 1	2				
Plumbing Utility sink to have a trap for the barium Remarks:		☐ Ice Maker ☐ Flush Rim							
		Water Closet Floor Drai		Gas Remarks:					
		☐ Instantaneous ☐ Water Bo	ttle Refill Station	Jus nemarks.					
		Hot Water							
		Other							

Program 1. F4.10

13.

19.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

25.

Appendix 1B Minimum Room Requirem	ents	Program Number(s):	1. F4.23 2.	7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Imaging Room - Multipurpose	IR		3.	9. 15.	21. 22.	27.	33. 34.	39. 40.	45.
			4. 5.	10. 16. 17.	23.	28. 29.	35.	41.	46. 47.
			6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS					·				
WALL AND CEILING	WALL PROTECTION	_		GLAZING	FLOORING TYPES		ACCESSORIES	_	
		Rails Bed Bum	per / Locator	✓ Interior Glazing	Material: Base:  SDRF FCB		at Hooks Ceiling Lif		gnetic Whiteboard
Ceiling Material: GB F	nish: ECC Height: 2185 mm Crash Rails Chair	Rail			JUNI 1 CD			ange Table	acy Curtain
LEGEND:	DOORS				Note: fo	or Type F doors,	or Remarks:		]
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:	1 [10]	न निनि		the doo	r panels will be			Security Grille
ACT Acoustic Ceiling Tile					approxii 465/106	mately 55 unless			Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board						se rquired by			strategy
GB Gypsum Board	A A2 B B2 C C2 D	D2 E	E2 F	F2 G H	J the Auth	nority			
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile		Integral Door	& Frame Privacy	Card Mag	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm): Material: Finish: Side	Lt: Blinds: Pro	otect.: Film:	Function: Reader: Lock:	: Opener: Open: Hin	ges: Accessory	1: Accessory 2: Ac	ccessory 3: Close	r:
SACT Security Acoustic Ceiling Tile	F 1 1530 x 2135 Solid Core FRL	2 High	n S	itoreroom 🗸 🗌	☐ Butt Hinge	Astragal	Flush Bolt	Concealed	
WALL FINISHES LEGEND:									
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK			Sterre Bee de la marte				FINICIPE	
PT Paint		UPPER UNITS		Storage Requirements:				FINISHES	
CEILING FINISHES LEGEND:	U1 U2 U2						Full-height Cabi		
ECC Epoxy Ceiling Coating HPC High Performance Coating	U2 U3 U4		∐	۱			Upper Millw	rtop: Solid Surfacing	
PF Prefinished		7	U7 U8					vork: Plastic Laminate	
PT Paint			77	- <del>!</del> a				helf:	
WALL PROTECTION LEGEND:		1 1 6		S1					
ESRP Extruded Semi-Rigid PVCu Panel		111					Ren	narks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic		1							
PVW Protective Vinyl Wallcovering	50 500	6	i ;						
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel		-	1 1						
WVW Wetroom Vinyl Wallcovering			-	On the Contract of the Contrac					
FLOOR FINISHES LEGEND:	C1 C2 C3	-	-7	On the second	1				
CFS Concrete Floor Sealer		=		==	1	7/	( )		
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L5		KKN ===	Tarana	/			
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	✓ L6	L7 L8 19						
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring			.7 L8 L9	L10 L11 L12	7				
SDRF Static-Dissipative Rubber Sheet Flooring	Legend: Motorized				TC1 TC2		L		
SDVF Static-Dissipative Vinyl Sheet Flooring  VSF Vinyl Sheet Flooring	Category 0 - None Min. Length Adjustable	Standing Spec	ialty	LOWER UNITS		UC	1 4		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm) Height Category 2 - Med (5% - 9%)	Height Case	work	RECI	EPTION/TRANSACTION		J		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				JNTER / CARE TEAM TION DESK	UTILITY SINK AND CO	DUNTER UNIT		
FCB Flash Cove Base RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS									
	Seamless Utility / Other Fixtures:			MED / NON-MED GASES					
	itchen Sinky Drococc Sinky Scrub Sinky Elear Sinky	☐ Evewash S		(Quantity)	Medical Nitrous			Laboratory Labo	Utility ratory Compressed
1	Shower	Eyewash/S		Oxygen: Medical			AGSS: Nitrogen:		cuum: Compressed Air:
Discribing Transport	L Tub	Emergence		2 1	-		, 1000. NILLOGEII.		AIT:
Plumbing Utility sink to have a trap for the barium Remarks:	☐ Ice Maker	☐ Flush Rim							
	Water Closet	Floor Drain		Gas Remarks:					
	Instantaneous	☐ Water Bot	tle Refill Station						
	Hot Water	Other		7					
				_					

Boom Name   Reading Ricon - Caudidagist   3, 9, 15, 21, 27, 33, 39, 45, 41, 47, 47, 48, 41, 47, 47, 48, 48, 48, 48, 48, 48, 48, 48, 48, 48
S
ARCHITECTURAL REQUIREMENTS  WALL AND CELLING  WALL PROTECTION  You Maked with ACT  Finish PT  Height   Clark Rails   Bed Bumper / Locator   Interior Glazing    WALL AND CELLING  ACT  ACT  Clark Rail   Clark Rails   Bed Bumper / Locator    WALL AND CELLING  ACT  ACT  Clark Rail   Clark Rails    Mill WORK AND SPECIALTY CASEWORK    Mill WORK AND SPECIALTY CASEWORK    WALL WINNESS LEGGING:  SEC. (Boy Celling Cities and Constructions)  Mill WORK AND SPECIALTY CASEWORK    WALL WINNESS LEGGING:  SEC. (Boy Celling Cities and Constructions)  Mill WORK AND SPECIALTY CASEWORK    MILL WORK AND SPECIALTY CASEWORK    MILL WORK AND SPECIALTY CASEWORK    MILL WORK AND SPECIALTY CASEWORK    MILL WORK AND SPECIALTY CASEWOR
WALL PROTECTION  Wall Protection  Wall Protection  Wall Protection  Type:  Wall Protection  Type:  Wall Protection  Type:  Wall Protection  Type:  Wall Protection  Type:  Wall Protection  Type:  Wall Protection  Type:  Wall Protection  Type:  Wall Protection  Type:  Wall Protection  Type:  Wall Protection  Type:  Wall Protection  Type:  Wall Protection  Type:  Wall Protection  Type:  Wall Protection  Type:  Wall Protection  Wal
Wall Material: ARG J. 2m AFF, GR above Celling Uity Material: Sasse: Celling Material: Sasse: Ce
Value   Valu
ACT Acous Crising Tile  ACT Control Crising Tile  ACT Control Crising Tile  ACT Control Crising Tile  ACT Control Crising Tile  ACT Control Tile Crising Tile  ACT Control Tile Crising Tile  From Control Tile Crising Tile
ACTC Clearwoon AGE Allow Place May be Placed Report Month ACTC Reprovem ACTC Reprovem AGE Allow Place May be Celling The MINISHES LEGEND:  CELLING FINISHES LEGEND:  CEC Cover Clear Cooling HIP C High Performance Coating HIP C High Reprovation Coating HIP C Hip Reprovation Coating HIP C High Reprovation Coating HIP C Hip Reprovation Coating HIP C Hip Reprovation Coating HIP C Hip Reprovation Coating HIP C Hip Reprovation Coating HIP C Hip Reprovation Coating HIP C Hip Reprovation Coating HIP C Hip Reprovation Coating HIP C Hip Reprovation Coating HIP C HIP Reprovation Coating HIP C Hip Reprovation Coating HIP C HIP Reprovation Coating HIP C HIP Reprovation Coating HIP C HIP Reprovation Coating HIP C HIP Reprovation Coating HIP C HIP Reprovation Coating HIP C HIP Reprovation Coating HIP C HIP Reprovation Coating HIP C HIP Reprovation Coating HIP C HIP Reprovation Coating HIP C HIP Reprovation Coating HIP C HIP Reprovat
And the Answer Representation promoting and growing from the Control of the Contr
INDER SECRET COUNTY ACCURATE CARRIED TO SECURITY ACCURATE ACCESSORY 3: ACCESSORY
Milliwork and Milliwork (artified in the first and Milliwork Calling Tile   Marked (artified in the first and Milliwork and Milliwork (artified in the first and Milliwork and Milliwork (artified in the first and Milliwork and Milliwork (artified in the first and Milliwork and Milliwork (artified in the first and Milliwork and Milliwork (artified in the first and Milliwork and Milliwork (artified in the first and Milliwork and Milliwork (artified in the first and Milliwork and Milliwork (artified in the first and Milliwork and Milliwork (artified in the first and Milliwork and Milliwork (artified in the first and Milliwork and Milliwork (artified in the first and Milliwork (artified in the first and Milliwork (artified in the first and Milliwork (artified in the first and Milliwork (artified in the first and Milliwork (artified in the first and Milliwork (artified in the first and Milliwork) (artified in the first and Milliwork (artified in the first and Mil
Security Acoustic Celling Tile  WALL FINISHES LEGERD:  EVC Epopy Wall Causing High Performance Coating Part  ECC Epopy Celling Coating HPC High Performance Casting PP Performance PP Perf
WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVLD Panel File File File File File File File File
High Performance Coating Prior Paint  CEILING FINISHES  CEILING FINISHES LEGEND:  ECC Epoxy Celling Coating High Reinformance Coating Prior Paint  WALL PROTECTION LEGEND:  ESRP Estruded Semi-Rigid PVLU panel FIRE FIRE Fibre Reinforced Laminate FIRE Fibre Reinforced Plastic PVV Protective Vinyl Wallcovering RHIS Rigid High Impacts Sheet Water Welvall Solid Surface Panel
PF Paint  CEILING FINISHES LEGEND:  ECC Expry Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel FRR Fibre Reinforced Laminate FRR Fibre Reinforced Laminate FRR Fibre Reinforced Laminate PP Protection Regide Information Regide Information Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Images Sheet Westell Solid Surface Panel WORSP Wetwall Solid Surface Panel
ECC Epoxy Celling Coating HPC High Performance Coating PF Prefinished PT Paint  WALL PROTECTION LEGEND: ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Haminate PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet Wall impact Sheet Wall solid Surface Panel Wishel Methods of Wall Control of Wall
HPC High Performance Coating PF Perfinished PT Paint  WALL PROTECTION LEGEND: ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate PVW Protective Viny Wallcovering RHIS Rigid High Impact Sheet West West West West Wall Solid Surface Panel West West West West West West West West
WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel  FIL Fibre Reinforced Laminate  FRP Fibreglass Reinforced Plastic  PVW Protective Vinyl Walkovering  RHIS Rigid High Impact Sheet  WSSP Wetwall Solid Surface Plastic  WSSP Wetwall Solid Surface Plastic  WSSP Wetwall Solid Surface Plastic
WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel  FRL Fibre Reinforced Laminate  FRP Fibreglass Reinforced Plastic  PVW Protective Vinyl Wallcovering  RHIS Rigid High Impact Sheet  WSSP Wetwall Solid Surface Panel
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Soil disylface Panel
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WSTP Workson Vigor Wetwall Solid Surface Panel
WSGF Welkinson Van Ultra W
FLOOR FINISHES LEGEND: C1 C2
CFS Concrete Floor Sealer  FFC From Floor Coating
RSF Rubber Sheet Flooring
Sur Seamles Usinioned Flooring  TC1  TC2  TC1  TC2
Sure static-dispertioning Category U - None Min. Length Adjustable Standing Specialty  VSF Viny Beet Flooring Category U - None Min. Length Adjustable Standing Specialty  LOWER LINITS
WSVF Wetroom Safety Vinyl Sheet Flooring Category 2 - Med (5% - 9%)  Category 2 - Med (5% - 9%)  COUNTER / CARE TEAM UTILITY SINK AND COUNTER UNIT
FLOOR BASE LEGEND: Category 3 - High (10% or Greater) STATION DESK
FCB Flash Cove Base  RB Rubber Base
SCF Seamless Cushioned Flooring
AFCUANICAL DECLUDEACATE
MECHANICAL REQUIREMENTS
PLUMBING Hand Seamless Utility / Other Fixtures: Eyewash Station  (Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink: Scrub Sink: Floor Sink: Shower Station  (Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink: Shower Station  (Quantity) Shower Station (Quantity) Medical Nitrous Laboratory Compress
(Quantity) Hygierie Silik. Lavatory. Kitchen Silik. Process Silik. Schub Silik. Hoof Silik. Process Silik. Schub Silik. Hoof Silik. Shower    Shower
Plumbing   lice Maker   Flush Rim Sink   lice Maker   Flush Rim Sink   lice Maker   Flush Rim Sink   lice Maker   lice Maker   Flush Rim Sink   lice Maker   lice
Remarks: Floor Drain
Instantaneous Water Bottle Refill Station Gas Refilars:
Hot Water Other

Appendix 1E	B Minimum Room Requir	ements	Program Number(s):	1. F2.15 2. F3.10	7. 13. 8. 14.			25. 26.	31. 32.	37. 38.	43. 44.
Room	n Name: Reading Room - Radiolog	gist			9. 15.			27.	33.	39.	45.
					10. 16. 11. 17.			28. 29.	34. 35.	40. 41.	46. 47.
					12. 18.			30.	36.	42.	48.
ARCHITECTU	RAL REQUIREMENTS		ı.		1						
WALL AND CEIL	LING	WALL PROTECTION			GLAZING	FLOO	RING TYPES	ROOM A	CCESSORIES		
	aterial: ARGB 1.2m AFF, GB above	Finish: PT Type:	Corner Guards Hand Rails Bed But	mper / Locator	☐ Interior Glazing		Material: Base:		t Hooks 🔲 Ceiling Lif		agnetic Whiteboard
Ceiling Ma	aterial: ACT	Finish: PF Height:	☐ Crash Rails				VSF FCB	☐ Mirr		ange Table	ivacy Curtain
LEGEND:		DOORS						Door	Remarks:		
AC Arcl	LING LEGEND: hitectural Ceiling	Types:	aa a aa a aa a	al 666 (20)							Security Grille
ACT Aco	oustic Ceiling Tile		선명 선명시에 시민이를								Anti-barricade
ARGB Abu	anroom use-Resistant Gypsum Board	DALA.					44				strategy
	psum Board pact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	H J					
	chen Lay-in Ceiling Tile iisture and Mould-Resistant Gypsum Board		~ .	r & Frame Privacy	Card	Mag Auto	Hold				
	curity Acoustic Ceiling Tile		Widterial. Fillisti. Side Et.		Function: Reader:	Lock: Opener:	· imges	Accessory 1	1: Accessory 2: Ac	cessory 3: Close	er:
WALL FINISHES	LEGEND:	C 1 913 X 2133 3	Solid Core FRL 1 Lo	W Classi	oom		Butt Hinge				
	oxy Wall Coating h Performance Coating	AND LIVERY AND SPECIALTY CASEMORY						l .	1	I	
PT Pair		MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	rage Requirements:					FINISHES	
CEILING FINISH			U1 U2 U3 II4						Full-height Cabi Upper Millw		
	oxy Ceiling Coating h Performance Coating		U4 U5	U6					Counter		
PF Prei	finished			U7 U8	SHELF				Lower Millw		
									Sł	nelf:	
WALL PROTECT  ESRP Extr	ruded Semi-Rigid PVCu Panel				S1				Rem	arks:	
	re Reinforced Laminate									arito.	
	reglass Reinforced Plastic stective Vinyl Wallcovering		- Commence of the Commence of	_	8						
	id High Impact Sheet etwall Solid Surface Panel								]		
WVW We	troom Vinyl Wallcovering				Caracana and Carac	7/					
FLOOR FINISHE		C1 C2 C3 C4 C5 11				7					
	ncrete Floor Sealer oxy Floor Coating		L2		W		2	/ 4	1-11		
	yurethane Floor Coating ober Athletic Flooring	FULL-HEIGHT CABINETS	L3 L4 L5 L6	L7 18		-					
RSF Rub	ober Sheet Flooring	1022112011 01211210		L7 L8 L9	L10 L11						
	amless Cushioned Flooring tic-Dissipative Rubber Sheet Flooring	Legend:	Motorized			12	TC1 TC2	V ["	П П П		
	tic-Dissipative Vinyl Sheet Flooring yl Sheet Flooring	Category 0 - None	Min. Length Adjustable Standing Spe	ecialty	LOWER UNITS			UC1	u II		
	etroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)	gory (mm) Height Height Cas	ework	LOWER ONITS	RECEPTION/TR		LILITY SINK AND COU	INITED LINIT		
FLOOR BASE LE	GEND:	Category 3 - High (10% or Greater)				COUNTER / CAI STATION DESK		TILITY SHAK AND COL	SINTER OINT		
	sh Cove Base ober Base										
	amless Cushioned Flooring										
									L		
MECHANICAL	L REQUIREMENTS										
	Hand	Seamless Utility /	Other Fixtures: Evewash	Station	MED / NON-MED GA						Utility
(Quantity) Hyg	giene Sink: Lavatory: Kitchen Sinl	K: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		/Shower Station	(Quantity)		edical Nitrous cuum: Oxide:	0.5.5			oratory Compressed
			Tub Emergen		Oxygen: I	Medical Air: Va	oxide:	CO2: A	AGSS: Nitrogen:	AII. Vā	cuum: Air:
Plumbing Remarks:			Ice Maker Flush Rim								
c.marks.			Water Closet Floor Dra		Gas Remarks:						
			Instantaneous Water Bo	ottle Refill Station							
			Other								

		Number(s):		3. 14.	20.	26.	32.	38.	44.
Room Name: Screening Mammography	Room		3. 9 4. 10		21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
			5.		23.	29.	35.	41.	47.
			6. 1		24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS					<u> </u>				
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM	ACCESSORIES		
Wall Material: ARGB 1.2m AFF, GB above		Corner Guards	mper / Locator	☐ Interior Glazing	Material: Bas		oat Hooks 🗹 Ceiling	Lift 🗹 Mag	netic Whiteboard
Ceiling Material: ACT		Crash Rails Chair Rail		Interior Glazing	VSF FC				acy Curtain
LEGEND:	DOORS						oor Remarks:		
WALL AND CEILING LEGEND:	Types:					ote: for Type F doors, ne door panels will be			Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile				AN 144 14		pproximately			Security of the
ACT-C Cleanroom					1	65/1065 unless			Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H		therwise rquired by ne Authority			strategy
IRGB Impact-Resistant Gypsum Board	A AZ B					ic Additiontly			
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board			r & Frame Privacy Protect.: Film: F	D	Mag Auto Hold Lock: Opener: Open:				
SACT Security Acoustic Ceiling Tile		naterial. Tillion. Side Et.	'	unction.			y 1: Accessory 2:		
WALL FINISHES LEGEND:	F 1 1530 x 2135 Sol	id Core FRL 2 Hi	gh Storero	oom 🗸	But	t Hinge Astragal	Flush Bolt	Concealed	
EWC Epoxy Wall Coating									
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Stor	age Requirements:				FINISHES	
CEILING FINISHES LEGEND:	₩ U:						Full-height Ca	binet:	
ECC Epoxy Ceiling Coating	17.7.7	U2 U3 U4 U					Upper Mil	lwork: Plastic Laminate	
HPC High Performance Coating PF Prefinished	The state of the s	US US	U6					ertop: Solid Surfacing	
PT Paint			U8	SHELF				lwork: Plastic Laminate	
WALL PROTECTION LEGEND:				1				Shelf:	
ESRP Extruded Semi-Rigid PVCu Panel				S1			R	emarks:	
FRL Fibre Reinforced Laminate							"	indiks.	
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering									
RHIS Rigid High Impact Sheet									
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering			an Transport						
FLOOR FINISHES LEGEND:	C1 C2		- 7	-	/				
CFS Concrete Floor Sealer	C2 C3 C4 1	-				7/			
EFC Epoxy Floor Coating		L2 L3 L4 L5		- MM=	<u></u>	The state of the s			
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	<b>✓</b>	L7 L8 L0						
RSF Rubber Sheet Flooring			L7 L8 L9	L10 L11		/ 7/ 11			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			161	TC2	u   [		
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring	Category 0 - None	Min. Length Adjustable Standing Spe	ecialty				1 "		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categor Category 2 - Med (5% - 9%)	y (mm) Height Height Cas	sework		RECEPTION/TRANSACTION				
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)	1500			COUNTER / CARE TEAM STATION DESK	UTILITY SINK AND C	OUNTER UNIT		
FCB Flash Cove Base									
RB Rubber Base SCF Seamless Cushioned Flooring									
Ç									
MECHANICAL REQUIREMENTS	ı								
PLUMBING Hand	Seamless Utility /	Other Fixtures: Fyewash	Station	MED / NON-MED GAS	SES				
	:: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Station /Shower Station	(Quantity)		litrous		Laboratory Labor	Utility atory Compressed
1		☐ Tub ☐ Eyewash				Oxide: CO2:	AGSS: Nitrogen	Air. \/o.o.	Compressed
Plumbing		☐ Ice Maker ☐ Flush Rin	•	1	1 1				
Remarks:		☐ Water Closet ☐ Floor Dra					I		
		_	ottle Refill Station	Gas Remarks:					
		Hot Water							
		Other							

Program 1. F2.10

7.

13.

19.

25.

31.

37.

43.

Appendix	1B Minir	mum Room Require	ements		Program Number(s):	1. F6.06 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.		37. 38.	43. 44.	
R	oom Name:	Storage - Cryogen - Biome	ed			3.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.		39. 40.	45. 46.	
	L					5.	11.	17.	23.	29.	35.		41.	47.	
						6.	12.	18.	24.	30.	36.		42.	48.	
ARCHITEC	TURAL RE	QUIREMENTS					_	1							
WALL AND			WALL PROTECTION				GLAZING		FLOORING TYP		ROOM ACCESSO			_	
		RGB 1.2m AFF, GB above	Finish:         PT         Type:         ESRP           Finish:         PF         Height:         1600 mm	Corner Guards Hand Rai  Crash Rails Chair Rai		mper / Locator	☐ Interior Gla	zing	Material: E	FCB	Coat Hooks	☐ Ceiling Lif☐ Infant Cha		Magnetic V Privacy Cur	
	Material: A	CI		☐ Crash Rails ☐ Chair Rai	I				101	. 65	☐ Mirror		ange lable L	→ Privacy Cur	tain
LEGEND:	CELLING LEGE	'AID.	DOORS							Note: for Type F doo	Door Remar	KS:			
AC AC	CEILING LEGE Architectural Cei		Types:							the door panels will b					Security Grille
ACT	Acoustic Ceiling	=	K1 K13 PI		KIIN I					approximately					
ACT-C ARGB	Cleanroom Abuse-Resistant	Gypsum Board			NZ		4NABN			465/1065 unless otherwise rquired by					Anti-barricade trategy
GB	Gypsum Board		A A2 B	B2 C C2 D	D2	E E2 F	F2 G	н	J	the Authority					er acc <sub>B</sub> y
IRGB KLCT	Impact-Resistant Kitchen Lay-in Ce				Integral Doo	or & Frame Privacy		ard Mag	Auto Hold						
MMRGB		ould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt:		Protect.: Film:		•	Opener: Open:	Hinges:	Accessory 1: Acc	cessory 2: Ac	cessory 3:	Closer:	
SACT	Security Acoustic	c Ceiling Tile	F2 1 1830 x 2135		2 Hi	igh 🗸 Sto							. Strike Surf		
WALL FINIS	HES LEGEND:														
EWC HPC	Epoxy Wall Coati High Performanc	_	MILLWORK AND SPECIALTY CASEWORK									<u>'</u>		<u>'</u>	
PT	Paint	<b>0</b>	WILLWORK AND SPECIALITY CASEWORK		PER UNITS	9	Storage Requirements:						FINISHES		
CEILING FIN	ISHES LEGENI	D:		U1 U2							1	Full-height Cabi			
ECC	Epoxy Ceiling Coa			U2 U3 U4	U5							Upper Millw			
HPC PF	High Performanc Prefinished	ce Coating			7	U6 U7 U8	SHELF					Counter	-		
PT	Paint		Congression		7	7	3HLLF					Lower Millw	ork: nelf:		
WALL PROT	ECTION LEGE	:ND:					Sı					31	ieii:		
ESRP	Extruded Semi-Ri					1 11						Rem	arks:		
FRL	Fibre Reinforced			<b>-</b>			1					Г			
FRP PVW	Fibreglass Reinfo Protective Vinyl V					1 1	1								
RHIS	Rigid High Impac			200			1								
WSSP WVW	Wetwall Solid Su Wetroom Vinyl V		ea ea	" "	691	an Transporter									
ELOOR EINIG	SHES LEGEND		cı cı	41111	" =	- 7	ON NA CTANGES		/ Commence	7					
CFS	Concrete Floor Se		C2 C3 C4							7	/				
EFC	Epoxy Floor Coat			L L2 L3 L4			- 44	4==		-	Trans.	7/			
PFC RAF	Polyurethane Flo Rubber Athletic F		FULL-HEIGHT CABINETS		L5 L6	L7 18		1							
RSF	Rubber Sheet Flo	ooring				L/ L8 L9	L10 L11	+	/						
SCF SDRF	Seamless Cushion	oned Flooring e Rubber Sheet Flooring	Legend:					L12	TC1	TC2	"   [				
SDVF		e Vinyl Sheet Flooring	Category 0 - None	Motorized  Min. Length Adjustable S	standing Spe	ecialty					UC1	Ш			
VSF WSVF	Vinyl Sheet Floor	ring r Vinyl Sheet Flooring				sework	LOWER UNITS	RECEPT	TION/TRANSACTIO	N					
		VillyFallect Hoofing	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)						TER / CARE TEAM	UTILITY SIN	K AND COUNTER I	JNIT			
FLOOR BASI	Flash Cove Base		category 5 mgm (10% of dicater)					STATIO	ON DESK						
RB	Rubber Base														
SCF	Seamless Cushio	oned Flooring													
MECHANIC	CAL REQU	IIREMENTS													
PLUMBING	Hand		Seamless Utility /	Other Fixtures:	☐ Evewash	Station	MED / NON-M	ED GASES							
(Quantity)	Hygiene Sink	: Lavatory: Kitchen Sink	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower		/Shower Station	(Quantity)		Medical	Nitrous			Laboratory	Laboratory	Utility Compressed
••				Tub	Emerger		Oxygen	: Medical Air	r: Vacuum:	Oxide: CO2	AGSS:	Nitrogen:	Air:	Vacuum:	Air:
Plumbing		· ·		lce Maker	Flush Rin										
Remarks:				Water Closet	Floor Dra										<u></u>
				Instantaneous		ottle Refill Station	Gas Rem	arks:			_				
				Hot Water		ottic nemi station									
					Other										

Appendix 1B	Minimum Room Require	ements		Program umber(s):	1. F4.19 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.		37. 38.	43. 44.
Room N	Name: Storage - Sterile Supply				3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.		39. 40.	45. 46.
						11.	17.	23.	29.	35. 36.		41. 42.	47.
A D C UITE CTI ID /	AL REQUIREMENTS				6.	12.	18.	24.	30.	36.		42.	48.
	erial: ARGB 1.2m AFF, GB above		Corner Guards Hand Rails Carash Rails Chair Rail	Bed Bum	nper / Locator	GLAZING  Interior Glaz		FLOORING TYPES  Material: Base:  VSF FCB	_   <b>'</b>		ORIES  Ceiling Lift  Infant Cha		agnetic Whiteboard
Ceiling Mate	eriai: ACI-C	Finish: ECC Height: 1600 mm	☐ Crash Rails ☐ Chair Rail					100		☐ Mirror		ange lable 🗀 P	rivacy Curtain
LEGEND:		DOORS								Door Rema	rks:		
WALL AND CEILIN  AC Archite	G LEGEND: ectural Ceiling	Types:											Security Grille
ACT Acoust	ic Ceiling Tile												
ACT-C Cleanro ARGB Abuse-	oom Resistant Gypsum Board												Anti-barricade strategy
GB Gypsur	m Board	A A2 B	B2 C C2 D	D2 E	E2 F	F2 G	н	J					50.00087
•	:-Resistant Gypsum Board n Lay-in Ceiling Tile		Int	egral Door	& Frame Privacy	C	ard Mag A	uto Hold					
MMRGB Moistu	ire and Mould-Resistant Gypsum Board	Type:Qty: Size (mm):			otect.: Film:		•		ges: A	ccessory 1: Ac	ccessory 2: Acc	cessory 3: Clos	er:
SACT Securit	y Acoustic Ceiling Tile	C 1 1220 x 2135 S		2 High	h Store			✓ Cont. Swi			,	Surface	
WALL FINISHES LE						[							
	Wall Coating erformance Coating	MILLWORK AND SPECIALTY CASEWORK											
PT Paint	• • • • • • • • • • • • • • • • • • •	WILLWORK AND SPECIALITY CASEWORK	UPPER	UNITS	St	orage Requirements:						FINISHES	
CEILING FINISHES	LEGEND:		U1 U2								Full-height Cabir		
	Ceiling Coating	7	-+- U3 U4								Upper Millwo		
HPC High Pe PF Prefinis	erformance Coating shed				U6 U7 U8	SHELF					Countert		
PT Paint				T	77	+a 🗆					Lower Millwo	nelf:	
WALL PROTECTIO	N LEGEND:					sı 🗆					311	ieii.	
	ed Semi-Rigid PVCu Panel										Rem	arks:	
	einforced Laminate ass Reinforced Plastic		-			-							
	tive Vinyl Wallcovering	Z       -			_ ! }	1							
	ligh Impact Sheet all Solid Surface Panel		*** **********************************	7	11								
	om Vinyl Wallcovering	CONTRACTOR OF THE PARTY OF THE	1 1 1		an Parketter		1	-					
FLOOR FINISHES L	.EGEND:	C1 C2	<del>,           '</del>	-	-7	OR THE PERSON NAMED IN COLUMN TWO	/	Consession of the last of the					
	ete Floor Sealer			-		==			7	/			
	Floor Coating		L2 L3 L4 L5	-		1944	4==	-	/	The state of the s			
•	ethane Floor Coating r Athletic Flooring	FULL-HEIGHT CABINETS		L6   	L7 L8 L9		1			11 15			
	r Sheet Flooring				L/ L8 L9	L10 L11	1		7/				
	ess Cushioned Flooring Dissipative Rubber Sheet Flooring	Legend:	Motorized				L12 M	TC1 TC2	$\nu$		,   II		
SDVF Static-I	Dissipative Vinyl Sheet Flooring	Category 0 - None	Min. Length Adjustable Stand	ding Spec	cialty					UC1	II.		
	heet Flooring om Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categ Category 2 - Med (5% - 9%)		ght Case	ework	LOWER UNITS	RECEPTIO	ON/TRANSACTION					
FLOOR BASE LEGE		Category 3 - High (10% or Greater)					COUNTER STATION	R / CARE TEAM	UTILITY SINK	AND COUNTER	UNIT		
	Cove Base			I			STATION	DESK					
RB Rubber													
SCF Seamle	ess Cushioned Flooring												
MECHANICAL I	REQUIREMENTS					T							
	and	Seamless Utility /	Other Fixtures:	Evewash S	Station	MED / NON-MI	ED GASES						Utility
(Quantity) Hygie	ne Sink: Lavatory: Kitchen Sink	K: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Eyewash/S	Shower Station	(Quantity)		Medical Nitrous					oratory Compressed
			☐ Tub	Emergence	cy Shower	Oxygen:	: Medical Air:	Vacuum: Oxide	CO2:	AGSS:	Nitrogen:	Air: V	acuum: Air:
Plumbing			☐ Ice Maker	Flush Rim	Sink								
Remarks:			Water Closet	Floor Drain	n	6 5-	arker .	1	1	L	1	1	<u> </u>
				Water Bot	ttle Refill Station	Gas Rema	arks:						
			Hot Water	Othor									
			O	Other									

		Number(s):	2. F3.07	8. 14.	20.	26.	32.	38.	44.
I III I I I I I I I I I I I I I I I I			3.	9. 15.	21.	27.	33.	39.	45.
Room Name: Ultrasound Procedure Ro	om		4.	10. 16.	22.	28.	34.	40.	46.
			5.	11. 17.	23.	29.	35.	41.	47.
			6.	12. 18.	24.	30.	36.	42.	48.
			0.	12.	24.	30.	30.	42.	46.
ARCHITECTURAL REQUIREMENTS									
·	WALL PROTECTION			CLATING	FLOODING TYPES	DO014 4	CCECCODIEC		
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES  Material: Base:		CCESSORIES		
Wall Material: ARGB 1.2m AFF, GB above	1,750	Corner Guards Hand Rails Bed Bu	mper / Locator	☐ Interior Glazing	SDRF FCB		t Hooks 🗹 Ceiling Lif		etic Whiteboard
Ceiling Material: GB	Finish: ECC Height: 2185 mm	Crash Rails Chair Rail			SUNF FCB		ror 🗌 Infant Cha	ange Table 🗹 Privac	y Curtain
LEGEND:	DOORS					Doo	r Remarks:		
WALL AND CEILING LEGEND:					Note: fo	or Type F doors,			
AC Architectural Ceiling	Types:					r panels will be			Security Grille
ACT Acoustic Ceiling Tile					approxi	•			
ACT-C Cleanroom		MALNENIA NENIALI				65 unless			Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	1 1 1 1	B2 C C2 D D2			the Aut	ise rquired by			strategy
IRGB Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	j tile Aut	Hority			
KLCT Kitchen Lay-in Ceiling Tile		<del>-</del>	r & Frame Privacy	Card Mag	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds: F	rotect.: Film:	Function: Reader: Lock:	Opener: Open: Hin	ges: Accessory	1: Accessory 2: Ac	ccessory 3: Closer:	
SACT Security Acoustic Ceiling Tile	F 1 1530 x 2135 S	olid Core FRL 2 Hi	gh Sto	reroom 🗸	■ Butt Hinge	Astragal	Flush Bolt	Concealed	
WALL FINISHES LEGEND:									
EWC Epoxy Wall Coating									
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK		S	torage Requirements:			1	FINISHES	
		UPPER UNITS					Full-height Cabi	net·	
CEILING FINISHES LEGEND:	4 7	U2 📅 🗆 🗆						vork: Stainless Steel	
ECC Epoxy Ceiling Coating HPC High Performance Coating		U3 U4 U5	U6					top: Stainless Steel	
PF Prefinished	-		U7 U8	SHELF				vork: Stainless Steel	
PT Paint	ragazzaza		77					helf:	
WALL PROTECTION LEGEND:				S1 L			31	ieir:	
ESRP Extruded Semi-Rigid PVCu Panel				31			Daw.		
FRL Fibre Reinforced Laminate				1			_	narks:	
FRP Fibreglass Reinforced Plastic								Refer to Appendix 1H [Equ	
PVW Protective Vinyl Wallcovering	10	Francis	i	1			F	Furniture] for ceiling lift q	uantities
RHIS Rigid High Impact Sheet  WSSP Wetwall Solid Surface Panel									
WVW Wetroom Vinyl Wallcovering		"   "   "   "	an Property	TREE TREE TREE TREE TREE TREE TREE TREE					
FLOOR FINISHES LEGEND:	C1 C2	<del></del>	- 7	OD NO PERSONAL PROPERTY.	1				
CFS Concrete Floor Sealer	C2 C3 C4 C5		~ 15-			7			
EFC Epoxy Floor Coating		L2	( K-V)			/ 6	1		
PFC Polyurethane Floor Coating	_ <b>v</b>	☐ L3 L4 L5 L6					The state of the s		
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9		1/ 1/				
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring				L10 L11 L12					
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			TC1 TC2				
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		ecialty			UC1	" II		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Mad (5% - 0%)		ework	LOWER UNITS RECE	PTION/TRANSACTION				
	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	2100			NTER / CARE TEAM	UTILITY SINK AND CO	UNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - mgm (10/6 or dreater)			STAT	ION DESK				
FCB Flash Cove Base RB Rubber Base									
SCF Seamless Cushioned Flooring									
Ç									
AAEGUANUGAL DEGUUSELAELES									
MECHANICAL REQUIREMENTS									
PLUMBING Hand	Seamless Utility /	Other Fixtures: Evewash	Station	MED / NON-MED GASES					1,1.22
	c: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		/Shower Station	(Quantity)	Medical Nitrous	i		Laboratory Laborat	Utility tory Compressed
1				Oxygen: Medical			AGSS: Nitrogen:	Air: Vacuu	Compressed
Dlumbing				1 1 1	1				7
Plumbing Remarks:		☐ Ice Maker ☐ Flush Rin			-				
		Water Closet Floor Dra		Gas Remarks:					
		☐ Instantaneous ☐ Water Bo	ottle Refill Station	Gus Nelliaiks.					
		Hot Water							
		Other							

Program 1. F2.12

13.

19.

**Appendix 1B Minimum Room Requirements** 

31.

37.

43.

25.

Appendix	x 1B Minimum Room Requir	rements	Program Number(s):	1. F7.08 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
1	Room Name: Workroom - Biomed			3.	9.	15.	21.	27.	33.	39.	45.
•	Tremeen Ziemee			4.	10.	16.	22.	28.	34.	40.	46.
				5. 6.	11. 12.	17. 18.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.
				0.	12.	16.	24.	30.	30.	42.	40.
ARCHITEC	CTURAL REQUIREMENTS				1			1			
WALL AND		WALL PROTECTION			GLAZING		FLOORING TYPES  Material: Base:		OM ACCESSORIES	<u> </u>	
	all Material: ARGB 1.2m AFF, GB above  g Material: ACT	1 17,55 1	rds Hand Rails Bed Bu  Chair Rail	mper / Locator	✓ Interior G	lazing	VSF FCB		<ul><li>Coat Hooks</li><li>✓ Ceilin</li><li>Mirror</li><li>Infan</li></ul>		Magnetic Whiteboard Privacy Curtain
	g Material. ACT		Clidii Kdii							t Change Table	Privacy Curtain
LEGEND:	05111110 1505110	DOORS					Note:	or Type F doors,	Door Remarks:		
AC AC	O CEILING LEGEND:  Architectural Ceiling	Types:					the do	or panels will be			Security Grille
ACT	Acoustic Ceiling Tile							rimately 165 unless			Anti-barricade
ACT-C ARGB	Cleanroom Abuse-Resistant Gypsum Board				N/1 N/1 N			vise rquired by			strategy
GB	Gypsum Board	A A2 B B2 C	C2 D D2	E E2	F F2 G	н	j the Au	thority			
IRGB KLCT	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		Integral Doo	or & Frame Privacy	V	Card Mag	Auto Hold				
MMRGB	Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Material:	Finish: Side Lt: Blinds: F	Protect.: Film:	Function: F	Reader: Lock: (	Opener: Open: Hi	nges: Acce	essory 1: Accessory 2:	Accessory 3:	Closer:
SACT	Security Acoustic Ceiling Tile	F2 1 1530 x 2135 Hollow Metal Pai	nt 🔲		Storeroom	<b>✓</b>	<b>✓</b> Butt Hing	ge Astra	gal Flush Bolt	Surfa	ce
EWC	SHES LEGEND:  Epoxy Wall Coating										
HPC	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK			Storage Requirement	c·				FINISHES	
PT	Paint		UPPER UNITS		Storage Requirement	J.			Full-height		
CEILING FII	NISHES LEGEND:  Epoxy Ceiling Coating	U1 U2	U3 114							fillwork: Plastic Lamin	nate
HPC	High Performance Coating		U4 U5	U6 LIZ						ntertop: Solid Surfaci	
PF PT	Prefinished Paint			U7	U8 SHELF				Lower N	1illwork: Plastic Lamii	nate
										Shelf:	
ESRP	TECTION LEGEND:  Extruded Semi-Rigid PVCu Panel				S1					Da condic	
FRL	Fibre Reinforced Laminate									Remarks:	
FRP PVW	Fibreglass Reinforced Plastic Protective Vinyl Wallcovering			1 1							ride (2) workbenches and parts storage, ceiling
RHIS	Rigid High Impact Sheet	-	The same of the sa		i					mounted chain ho	
WSSP WVW	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering		11 100	-						equipment	
	ISHES LEGEND:	cı cı	E	= 7	ON NO PERSONAL PROPERTY.	Taraca I	7				
CFS	Concrete Floor Sealer	C2 C3 C4 C5		-1				7	/	-	
EFC	Epoxy Floor Coating		L3 L4 L5		- 144	1/==	Karana Karana	/			
PFC RAF	Polyurethane Floor Coating Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 19		1					
RSF	Rubber Sheet Flooring				L10 L11			7/			
SCF SDRF	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized		·	L12 M	TC1 TC2		.		
SDVF VSF	Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring	Category 0 - None Min. Lengt	h Adjustable Standing Spe	ecialty	LOWER UNITS				UC1 U		
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm)  Category 2 - Med (5% - 9%)	Height Height Cas	sework	LOWER ONITS		TION/TRANSACTION	LITH ITV CINIV AN			
FLOOR BAS	SE LEGEND:	Category 3 - High (10% or Greater) 3 4800					ER / CARE TEAM ON DESK	UTILITY SINK AP	ND COUNTER UNIT		
FCB	Flash Cove Base										
RB SCF	Rubber Base Seamless Cushioned Flooring										
MECHANI	ICAL REQUIREMENTS										
PLUMBING		Seamless Utility / Other Fixtu	ires.	C	MED / NON-N	MED GASES					
(Quantity)		k: Kitchan Sink: Brocoss Sink: Scrub Sink: Floor Sink:	Lyewasii		(Quantity)	AIED GHOES	Medical Nitrou	S		Laboratory	Utility Laboratory Compressed
(\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1	Show  Tub	er $\square$ Eyewash $\square$ Emerger	/Shower Station	1 ' ' ' '	en: Medical Air			AGSS: Nitrog	A * .	Vacuum: Compressed  Air:
Plumhing	Provide hose bibb								1.08		2
Remarks:	. Tovide Hose blob	☐ Ice M☐ Wate									
		□ Wate		ottle Refill Station	Gas Re	marks:					
		□ Instar	/ater	ottie Neiiii Statioii							
			Other								



# New Surrey Hospital & BC Cancer Centre

MINIMUM ROOM REQUIREMENTS

#### G. Oncology Ambulatory Care Unit

- p p c · · · · · · ·			Number(s): 2.	8.	14.	20.	16. 32.		38.	44.
n -	Conquit Doom Lorge		3.	9.	15.		27. 33.		39.	45.
Ro	oom Name: Consult Room - Large		4.	10.	16.	22.	18. 34.		40.	46.
			5.	11.	17.	23.	9. 35.		41.	47.
			6.	12.	18.	24.	36.		42.	48.
A D C WITE CT	TURAL REQUIREMENTS									
WALL AND C		WALL PROTECTION	uards  Hand Rails  Bed Bumper / Lo	GLAZING		FLOORING TYPES  Material: Base:	ROOM ACCESS			
	Material: ARGB 1.2m AFF, GB above	17,500		ator Interi	or Glazing	RSF FCB	☐ Coat Hook	Ceiling Lift Infant Chang		Magnetic Whiteboard Privacy Curtain
Celling	Material: ARGB	Finish: ECC Height: 1350 mm Crash Rai	S Chair Rail						ge lable L F	Tivacy Curtain
LEGEND:		DOORS					Door Rema	rks:		
	CEILING LEGEND:	Types:	ran e ee e							Security Grille
	Architectural Ceiling Acoustic Ceiling Tile									
ACT-C	Cleanroom									✓ Anti-barricade
	Abuse-Resistant Gypsum Board Gypsum Board	A A2 B B2 C	C2 D D2 E	2 F F2	G H					strategy
	Impact-Resistant Gypsum Board	A A2 B B2 C				,				
	Kitchen Lay-in Ceiling Tile  Moisture and Mould-Resistant Gypsum Board		Integral Door & Frame		•	Auto Hold				
	Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): Material:	Finish: Side Lt: Blinds: Protect.:	Film: Function:		pener: Open: Hinges:	Accessory 1: A	ccessory 2: Acces		
	HES LEGEND:	C 1 1220 x 2135 Solid Core	RL 1 Low	Storeroom		Butt Hinge			Surface	
	Epoxy Wall Coating									
HPC	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Storage Requiren	nents:				FINISHES	
PT	Paint		UPPER UNITS	Storage Nequiren	ients.			E II bedekt Gebier		
	ISHES LEGEND:	U1 U2	U3					Full-height Cabine Upper Millworl		
	Epoxy Ceiling Coating High Performance Coating	7	U3 U4 U5 U6					Countertor		
	Prefinished		1 1 1 0°	U7 U8 SHELF				Lower Millworl		
PT	Paint			7				Shel		
WALL PROTE	ECTION LEGEND:			S1				31101		
	Extruded Semi-Rigid PVCu Panel							Remar	·ks:	
	Fibre Reinforced Laminate Fibreglass Reinforced Plastic			- Comment	3					
	Protective Vinyl Wallcovering	100	1.16							
	Rigid High Impact Sheet			-						
	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering	CONTRACTOR OF THE PROPERTY OF	11 - 7	a prespansor						
	SHES LEGEND:	ci ci		DO NO NO	Transmitted /	-				
	Concrete Floor Sealer	G C3 C4					7 /			
	Epoxy Floor Coating			4		K	1			
	Polyurethane Floor Coating Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L5	7	/					
	Rubber Sheet Flooring	TOLE HEIGHT CADINETS		L9 L10 L			/	, ess		
	Seamless Cushioned Flooring	Lancard.			11 L12	TC1 TC2	/	1		
	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None Min. Ler	Motorized gth Adjustable Standing Specialty	L		ПСТ ТСС	UC1			
	Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm		LOWER UNI	TS PECEDTIC	ON/TRANSACTION		,		
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)					LITY SINK AND COUNTER	UNIT		
FLOOR BASE	LEGEND:	Category 3 - High (10% or Greater)			STATION					
	Flash Cove Base Rubber Base									
	Seamless Cushioned Flooring									
MFCHANIC	CAL REQUIREMENTS									
		Consider the control of the control			AL MED CACES					
PLUMBING	Hand Hygiene Sink: Lavatory: Kitchen Sink:	Seamless Utility / Other Fi  Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Lycwash Station		N-MED GASES	Modical			Lohorston :	Utility
(Quantity)	1	L Sno				Medical Nitrous Vacuum: Oxide:	CO3- ACCC-			boratory Compressed
_,					xygen: Medical Air:		CO2: AGSS:	Nitrogen:		Air:
Plumbing Remarks:		_ lce	_							
nemarks:			ter Closet Floor Drain	63	s Remarks:					
			antaneous	Station						
		Но	Water Other							
			Other							

Program 1. G1.06

7.

13.

19.

25.

31.

37.

43.

Room	Name: Exam/Treatment Bay		Numbe	3. 4.	8. 14. 9. 15. 10. 16. 11. 17. 12. 18.	20. 21. 22. 23. 24.	27. 28. 29.	32. 38. 39. 39. 34. 40. 35. 41. 36. 42.	44. 45. 46. 47.	
ARCHITECTUI	RAL REQUIREMENTS									
WALL AND CEIL Wall Ma		WALL PROTECTION  Finish: PT Type: PVW Finish: PF Height: 1600 mm	Corner Guards Hand Rails Be	d Bumper / Locator	GLAZING  Interior Glazing	FLOORING TYPES Material: Base: VSF FCB	ROOM ACCE Coat Ho Mirror	SSORIES  ooks Ceiling Lift  Infant Change Ta	Magnetic V	
ACT ACOI ACT-C Clea ARGB Abu GB Gyp IRGB Imp. KLCT KITCL MMRGB Moi SACT Sect  WALL FINISHES EWC Epoor HPC High PT Pain  CEILING FINISHE ECC HPC High PF Pref PT Pain  WALL PROTECTI ESRP Extr FRL Fibrr FRP Fibrr PVW Prot RHIS Rigic WSSP Wet WVW Wet  FLOOR FINISHES  CFS Con EFC Epoor PFC Poly RAF Rubi SCF Sear SDRF Stat SDVF Stat VSF Winy WSVF Wet	sitectural Ceiling sustic Ceiling Tile surroom se-Resistant Gypsum Board sum Board act-Resistant Gypsum Board hen Lay-in Ceiling Tile sture and Mould-Resistant Gypsum Board urity Acoustic Ceiling Tile  LEGEND: xxy Wall Coating Performance Coating tt  ES LEGEND: xxy Ceiling Coating Performance Coating inished it  ION LEGEND: uded Semi-Rigid PVCu Panel e Reinforced Laminate eglass Reinforced Plastic vective Vinyl Wallcovering d High Impact Sheet wall Solid Surface Panel room Vinyl Wallcovering S LEGEND: crete Floor Sealer xy Floor Coating ber Athletic Flooring ber Sheet Flooring mless Cushioned Flooring ic-Dissipative Rubber Sheet Flooring of Sheet Flooring less Cushioned Flooring ic-Dissipative Rubber Sheet Flooring room Safety Vinyl Sheet Flooring room Safety Vinyl Sheet Flooring	Types:    Type:Qty: Size (mm):	Material: Finish: Side Lt: Blinds:  UPPER UNITS  U1  U2  U3  U4  U5  Motorized  Min. Length Adjustable Standing	St U6 U7 U8	SHELF S1  LOWER UNITS  RE CO	k: Opener: Open: Hin	ges: Accessory 1:  UC1  UTILITY SINK AND COUNT	Accessory 2: Accessory  Fill Full-height Cabinet: Upper Millwork: Countertop: Lower Millwork: Shelf:  Remarks:		Security Grille Anti-barricade strategy
	nless Cushioned Flooring  REQUIREMENTS									
PLUMBING (Quantity) Hyg	Hand	Seamless Utility / Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower Eyer  Tub Eme	wash Station wash/Shower Station ergency Shower	MED / NON-MED GASES (Quantity) Oxygen: Medic	Medical Nitrous al Air: Vacuum: Oxide:	CO2: AGS		ratory Laboratory Air: Vacuum:	Utility Compressed Air:
Plumbing Remarks:			☐ Water Closet ☐ Floor	h Rim Sink or Drain ter Bottle Refill Station		ide one set of (1) O2/(1) Medical $\mu$	Air per bay to Patient's right	t.		

Program 1. G2.01

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B Minimum Roo	m Requirements		Program Number(s):	1. G3.05 2.		13. 19 14. 20		31. 32.	37. 38.	43. 44.
Room Name: Workroom -	Volunteer - CC			3.		15. 2:		33.	39.	45.
				4.		16.		34.	40.	46.
				5. 6.		17. 23 18. 24		35. 36.	41. 42.	47. 48.
ARCHITECTURAL REQUIREMEN	NTS			-						
WALL AND CEILING	WALL PROTECTION				GLAZING	ELOOPII	NG TYPES	ROOM ACCESSORIES		
Wall Material: ARGB 1.2m AFF		Corner Guards Hand	Rails Bed Bu	mper / Locator	✓ Interior Glazin		erial: Base:	Coat Hooks C	eiling Lift	Magnetic Whiteboard
Ceiling Material: ACT	Finish: PF Height: 1350 mm	Crash Rails Chair I		• •	Interior Glazin	VSF	FCB			Privacy Curtain
LEGEND:	DOORS							Door Remarks:		
WALL AND CEILING LEGEND:	Types:									Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile		28 4 Ab		41 414 7			<u> </u>			
ACT-C Cleanroom	MINIM	ALMUNUNUM.	al (Nizi i				74			☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B	B2 C C2 D	D2	E E2 F	F2 G	H I				strategy
IRGB Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D			F2 G	п ј				
KLCT Kitchen Lay-in Ceiling Tile				or & Frame Privacy	Caro	•	Iold			
MMRGB Moisture and Mould-Resistant Gyps SACT Security Acoustic Ceiling Tile	Sum Board Type:Qty: Size (mm):	Material: Finish: Side	Lt: Blinds: F	Protect.: Film:	Function: Read	ler: Lock: Opener: O	pen: Hinges:	Accessory 1: Accessory	2: Accessory 3:	Closer:
	B 1 1650 x 2135	Solid Core FRL		ow St	toreroom		<b>✓</b> Butt Hinge		Surfa	ace
WALL FINISHES LEGEND:										
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK								-	
PT Paint	WILLWORK AND SPECIALLY CASEWORK		UPPER UNITS		Storage Requirements:				FINISHES	
CEILING FINISHES LEGEND:			7					Full-heig	ght Cabinet:	
ECC Epoxy Ceiling Coating	- 17.7.7.	U2 U3 U4		<b>✓</b> □ □ □				Uppe	er Millwork: Plastic Lam	inate
HPC High Performance Coating			U5						Countertop: Solid Surfac	cing
PF Prefinished PT Paint			1	U8	SHELF			Lowe	er Millwork: Plastic Lam	inate
ri									Shelf:	
WALL PROTECTION LEGEND:	CHECKER		al ala Fr		S1					
ESRP Extruded Semi-Rigid PVCu Panel	Sagrana III II II II		+-11-K		- V				Remarks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic			1							
PVW Protective Vinyl Wallcovering		Transportation	-	i ;						
RHIS Rigid High Impact Sheet		400		1 1 .						
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering	CONTRACTOR OF THE PARTY OF THE	" " " " " " " " " " " " " " " " " " " "	Gen	an Tonger						
, ,	C1 C2		11 =	- 7	ON MA PERSONAL PROPERTY.	1/4	7			
FLOOR FINISHES LEGEND:						7				
CFS Concrete Floor Sealer EFC Epoxy Floor Coating		L1 L2				K	2 /	( F	2	
PFC Polyurethane Floor Coating			L5		Z	1	The state of the s	The state of the s	SII I	
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		✓ L6	L7 L8 L9						
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring				<b>1</b>	L10 L11	113	=/ /			
SDRF Static-Dissipative Rubber Sheet Floor	oring Legend:	Motorized				L12 TC1			U	
SDVF Static-Dissipative Vinyl Sheet Flooring		Min. Length Adjustable	Standing Spe	ecialty				UC1 U	j.	
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Floorin		tegory (mm) Height	Height Cas	sework	LOWER UNITS	RECEPTION/TRAN	SACTION			
	Category 2 - Wed (3/6 - 3/6)	3 2700	<b>✓</b>			COUNTER / CARE	TEAM UTILITY	SINK AND COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% of Greater)					STATION DESK				
FCB Flash Cove Base RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS	•									
PLUMBING Hand	Seamless Utility /	Other Fixtures:	☐ Evewash	Station	MED / NON-MED					Utility
( - (	Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower	Eyewash	/Shower Station	(Quantity)	Medi	0 11		Laboratory	Laboratory Compressed
1	1	Tub	Emerger		Oxygen:	Medical Air: Vacuu	ım: Oxide: C	O2: AGSS: Nit	rogen: Air:	Vacuum: Air:
Plumbing		lce Maker	Flush Rir							
Remarks:		☐ Water Closet	☐ Floor Dra							
					Gas Remark	ks:				
		Instantaneous	☐ Water B	ottle Refill Station						
		Hot Water	Other		]					
					-					



# New Surrey Hospital & BC Cancer Centre

MINIMUM ROOM REQUIREMENTS

#### H. Clinical Trials Unit



# New Surrey Hospital & BC Cancer Centre

MINIMUM ROOM REQUIREMENTS

#### I. Systemic Therapy

F	Room Name: Chair Bay - Infusion		Numb	3. 4. 5.	8.     14.       9.     15.       10.     16.       11.     17.       12.     18.	20. 21. 22. 23. 24.	27.       28.       29.	33. 34. 35.	38. 39. 40. 41. 42.	44. 45. 46. 47. 48.
ARCHITEC	TURAL REQUIREMENTS									
	CEILING  III Material: ARGB 1.2m AFF, GB above ACT	Finish:   PT	☐ Corner Guards ☐ Hand Rails ☐ B☐ Crash Rails ☐ Chair Rail	ed Bumper / Locator	GLAZING  Interior Glazing	FLOORING TYPES Material: Base:  VSF FCB	ROOM ACCE	oks Ceiling Lift Infant Chang		Magnetic Whiteboard Privacy Curtain
LEGEND:		DOORS					Door Rer	marks:		
WALL AND AC	CEILING LEGEND:  Architectural Ceiling	Types:								Security Grille
ACT ACT-C ARGB GB IRGB	Acoustic Ceiling Tile Cleanroom Abuse-Resistant Gypsum Board Gypsum Board Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H					Anti-barricade strategy
KLCT	Kitchen Lay-in Ceiling Tile			Door & Frame Privacy	Card Mag	Auto Hold				
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds:	Protect.: Film:	Function: Reader: Lock:	Opener: Open: Hinge	s: Accessory 1:	Accessory 2: Acces	sory 3: Clo	oser:
WALL FINIS	SHES LEGEND:									
EWC HPC PT	Epoxy Wall Coating High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNIT	Sto	prage Requirements:				FINISHES	
ECC HPC PF PT  WALL PROT ESRP FRL FRP PVW RHIS WSSP WVW	Epoxy Ceiling Coating High Performance Coating Prefinished Paint  TECTION LEGEND: Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate Fibreglass Reinforced Plastic Protective Vinyl Wallcovering Rigid High Impact Sheet Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering  ISHES LEGEND: Concrete Floor Sealer Epoxy Floor Coating Polyurethane Floor Coating Rubber Athletic Flooring Rubber Sheet Flooring Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring Flash Cove Base Rubber Base Seamless Cushioned Flooring	FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	U1 U2 U3 U4 U5  L2 L3 L4 L5  Motorized  Min. Length Adjustable Standing	U6 U7 U8	cou	EPTION/TRANSACTION INTER / CARE TEAM TION DESK	JTILITY SINK AND COUNT	Full-height Cabinet Upper Millwork Countertop Lower Millwork Shelf Remark		
MECHANI	CAL REQUIREMENTS				T					
PLUMBING (Quantity)	Hand Hygiene Sink: Lavatory: Kitchen Sin	Seamless Utility / k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	☐ Shower ☐ Eye	ewash Station ewash/Shower Station ergency Shower	MED / NON-MED GASES (Quantity) Oxygen: Medical	Medical Nitrous Air: Vacuum: Oxide:	CO2: AGSS			Utility boratory Compressed /acuum: Air:
Plumbing Remarks:	,	r	☐ Ice Maker ☐ Flu ☐ Water Closet ☐ Flo	sh Rim Sink or Drain ater Bottle Refill Station	Gas Remarks:					

Program 1. I2.04

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1	1B Minimum Room Requir	rements	Pro Numb	pgram 1. I2.24 ber(s): 2.		.3. .4.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Roc	om Name: Alcove - Medication Pass	s-Through		3. 4.		.5. .6.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				5.	11.	.7.	23.	29.	35.	41.	47.
				6.	12.	.8.	24.	30.	36.	42.	48.
	URAL REQUIREMENTS										
	Waterial: ARGB 1.2m AFF, GB above  ACT	WALL PROTECTION           Finish:         PT         Type:         PVW         Prinish:         PF         Height:         2185 mm         Prinish:         Prinis	Crash Rails Hand Rails E	Bed Bumper / Locator	GLAZING  Interior Glazing		Material: Base:  VSF FCB		ACCESSORIES at Hooks Ceiling Lif		agnetic Whiteboard ivacy Curtain
LEGEND:		DOORS				,		Do	or Remarks:		
	EILING LEGEND:	Types:									Security Grille
	Architectural Ceiling Acoustic Ceiling Tile										
	Cleanroom Abuse-Resistant Gypsum Board						144				Anti-barricade strategy
GB G	Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	Н	J				2
KLCT K	mpact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile			al Door & Frame Privacy	Card	•					
	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Type:Qty: Size (mm):	Material: Finish: Side Lt: Blinds	s: Protect.: Film:	Function: Reader	er: Lock: Open	er: Open: Hinge	s: Accessory	1: Accessory 2: Ac	cessory 3: Close	er:
WALL FINISHE	ES LEGEND:										
	Epoxy Wall Coating										
	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNI	T <b>S</b>	orage Requirements:					FINISHES	
CEILING FINIS	SHES LEGEND:		1 U2 U2						Full-height Cabi		
	Epoxy Ceiling Coating High Performance Coating	7 1/1/	U2 U3 U4 U5	U6					Upper Millw	ork: Solid Surfacing	
PF P	Prefinished			U7 U8	SHELF				Lower Millw		
	Paint				ם ול				SI	nelf:	
	CTION LEGEND:  Extruded Semi-Rigid PVCu Panel				S1				Dom	andre.	
FRL F	Fibre Reinforced Laminate				1				Kell	narks:	
	Fibreglass Reinforced Plastic Protective Vinyl Wallcovering		1								
	Rigid High Impact Sheet Wetwall Solid Surface Panel		100 mg 10	7	1						
	Wetroom Vinyl Wallcovering	-	" 11 1	-	CALLES CONTRACTOR OF THE PARTY						
FLOOR FINISH	HES LEGEND:	C1 C2 C3 C4				-	-				
	Concrete Floor Sealer Epoxy Floor Coating	_ 65 64	L2			_		7/	1		
PFC P	Polyurethane Floor Coating				ZEE		CONTRACTOR OF THE PARTY OF THE	7   11			
	Rubber Athletic Flooring Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L6 L7 L8 L9	L10 111		1	4 / 11 11			
	Seamless Cushioned Flooring	Laranda				L12	TC1 TC2				
	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized  Min. Length Adjustable Standing	Specialty				U UC	1		
	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categor		Casework	LOWER UNITS	RECEPTION/	TRANSACTION	L			
FLOOR BASE I		Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	1200			COUNTER / C		ITILITY SINK AND CO	DUNTER UNIT		
FCB F	Flash Cove Base					STATION	J.				
	Rubber Base Seamless Cushioned Flooring										
	, and the second										
MECHANICA	AL REQUIREMENTS										
PLUMBING	Hand	Seamless Utility /	Other Fixtures:	vewash Station	MED / NON-MED	GASES					
(Quantity) H	Hygiene Sink: Lavatory: Kitchen Sin	k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	LY	yewash/Shower Station	(Quantity)		Medical Nitrous				Utility oratory Compressed
				mergency Shower	Oxygen:	Medical Air:	Vacuum: Oxide:	CO2:	AGSS: Nitrogen:	Air: Va	cuum: Air:
Plumbing				ush Rim Sink							
Remarks:				oor Drain	Cas Dama-li-	·	I		I		
			☐ Instantaneous ☐ W	ater Bottle Refill Station	Gas Remarks	o.					
			Hot Water Other	er							
											1

Appendix 1B Minimum Room Requirem	ents	Program 1. I2.01 Number(s): 2.	7. 13. 8. 14.	19. 25. 20. 26.	31. 37. 32. 38.	43. 44.
Room Name: Workroom - Medication		3.	9. 15.	21. 27.	33. 39.	45.
Noom Name:		4.	10. 16.	22. 28.	34. 40.	46.
		5. 6.	11. 17. 18.	23. 29. 24. 30.	35. 41. 36. 42.	47. 48.
ARCHITECTURAL REQUIREMENTS						
WALL AND CEILING	WALL PROTECTION		GLAZING	FLOORING TYPES	ROOM ACCESSORIES	
Wall Material: ARGB 1.2m AFF, GB above	nish: PT Type: ESRP 🗹 Corner Guards 🗌 Har	d Rails Bed Bumper / Locator	☐ Interior Glazing	Material: Base:	✓ Coat Hooks ☐ Ceiling Lift	✓ Magnetic Whiteboard
Ceiling Material: ACT Fi	nish: PF Height: 1350 mm Crash Rails	ir Rail		VSF FCB	☐ Mirror ☐ Infant Change Table	Privacy Curtain
LEGEND:	DOORS				Door Remarks:	
WALL AND CEILING LEGEND:	Types:	(a) (a) (a) (a) (a) (a)				Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile						
ACT-C Cleanroom	NINKINKINKA					Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B2 C C2	D D2 E E2	F F2 G H			strategy
IRGB Impact-Resistant Gypsum Board	A A2 B B2 C C2	D D2 E E2	F F2 G H	J		
KLCT Kitchen Lay-in Ceiling Tile		Integral Door & Frame Privacy	Card Mag	Auto Hold		
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): Material: Finish: Si	de Lt: Blinds: Protect.: Film:	Function: Reader: Lock:	Opener: Open: Hinges:	Accessory 1: Accessory 2: Accessory 3:	Closer:
	B 1 1065 x 2135 Solid Core FRL	2 High	Storeroom 🗸	Butt Hinge		Surface
WALL FINISHES LEGEND:						
EWC Epoxy Wall Coating HPC High Performance Coating	MILLIMORY AND CDECIALTY CASEMORY					
PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Storage Requirements:		FINIS	HES
CEILING FINISHES LEGEND:	uı V				Full-height Cabinet: Stainl	ess Steel
ECC Epoxy Ceiling Coating	U2 1/2	U4			Upper Millwork: Stainl	ess Steel
HPC High Performance Coating		U6 II7			Countertop: StainI	ess Steel
PF Prefinished PT Paint			U8 SHELF		Lower Millwork: Stainl	ess Steel
ri raiit					Shelf:	
WALL PROTECTION LEGEND:			S1			
ESRP Extruded Semi-Rigid PVCu Panel	Page 2000				Remarks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic			-			
PVW Protective Vinyl Wallcovering	90 FEDERAL PROPERTY.	1				
RHIS Rigid High Impact Sheet		-				
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering		5 5 7				
FLOOR FINISHES LEGEND:	ci ci	==7	on the property of	1		
CFS Concrete Floor Sealer	G G G	1			7	
EFC Epoxy Floor Coating					6 A	
PFC Polyurethane Floor Coating	FULL-HEIGHT CABINETS	L5 17				
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT CABINETS	L6 L7 L8 L9				
SCF Seamless Cushioned Flooring			L10 L11 L12			
SDRF Static-Dissipative Rubber Sheet Flooring	Legend: Motorize	d		TC1 TC2		
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring	Category 0 - None Min. Length Adjustabl		LOWER UNITS		UC1 U	
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm) Height Category 2 - Med (5% - 9%)	Height Casework	RECE	PTION/TRANSACTION		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater) 2 3900 ✓			NTER / CARE TEAM UTILITY TION DESK	SINK AND COUNTER UNIT	
FCB Flash Cove Base			SIAI	ION DESK		
RB Rubber Base						
SCF Seamless Cushioned Flooring						
MECHANICAL REQUIREMENTS						
PLUMBING Hand	Seamless Utility / Other Fixtures:	Evewash Station	MED / NON-MED GASES			
	itchen Sink: Process Sink: Scrub Sink: Floor Sink: Shower	Eyewash/Shower Station	(Quantity)	Medical Nitrous	Laborat	Utility ory Laboratory Compressed
1			Oxygen: Medical		CO2: AGSS: Nitrogen: Air:	
Plumbing	Tub	☐ Emergency Shower	5,65			
Plumbing Remarks:	lce Maker	Flush Rim Sink				
nemarks.	☐ Water Closet	Floor Drain	Gas Remarks:			
	☐ Instantaneous	☐ Water Bottle Refill Station	Gas Neillaiks.			
	Hot Water	Other	<u> </u>			
		Other				



# New Surrey Hospital & BC Cancer Centre

MINIMUM ROOM REQUIREMENTS

#### J. Oncology Pharmacy

Room Name: ADC Replenishing		Number(s): 2. 3. 4. 5. 6.	8. 14. 9. 15. 10. 16. 11. 17. 12. 18.	20. 26. 27. 28. 29. 24. 30.	32. 33. 34. 35. 36.	38. 44. 39. 45. 40. 46. 41. 47. 42. 48.
ARCHITECTURAL REQUIREMENTS						
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB above Finish: EWC  Ceiling Material: ACT Finish: ECC	WALL PROTECTION  Type: ESRP	nd Rails	GLAZING  ✓ Interior Glazing	FLOORING TYPES  Material: Base:  VSF FCB	ROOM ACCESSORIES  Coat Hooks Ceiling Li Mirror Infant Ch	
LEGEND:  WALL AND CEILING LEGEND:  AC Architectural Ceiling  ACT Acoustic Ceiling Tile  ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board  GB Gypsum Board  IRGB Impact-Resistant Gypsum Board  KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board		D D2 E E2 F  Integral Door & Frame Privacy de It: Blinds: Protect.: Film:	F2 G H  Card Mag  Function: Reader: Lock:	J Auto Hold Opener: Open: Hinges:	Door Remarks:	Security Grille Anti-barricade strategy
SACT Security Acoustic Ceiling Tile  WALL FINISHES LEGEND:  EWC Epoxy Wall Coating	Type:Qty: Size (mm): Material: Finish: Sid		Function: Reader: Lock:	Opener: Open: Hinges:	Accessory 1: Accessory 2: Ac	CCESSORY 3: Closer: FINISHES
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering  FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Coating PFC Polyurethane Floor Coating RAF Rubber Athletic Flooring SCF Seamless Cushioned Flooring SDF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring Catego	C1 C2 C3 C4 C5 L1 L2 L3 L4  HEIGHT CABINETS	U4 U5 U6 U7 U8  L5 L6 L7 L8 L9  d	SHELF S1  LI0 LI1 LI2 LOWER UNITS  RECEPTOONN	TION/TRANSACTION TER / CARE TEAM UTILITY S ON DESK	Lower Millw S	inet:
PLUMBING Hand Seamless	Utility / Other Fixtures:	Evewash Station	MED / NON-MED GASES	Modical Nitrous		Laboratory Laboratory Utility
Plumbing Remarks:	Shower  Tub  Ice Maker  Water Closet  Instantaneous Hot Water	Eyewash/Shower Station  Emergency Shower  Flush Rim Sink  Floor Drain  Water Bottle Refill Station  Other	(Quantity) Oxygen: Medical Ai Gas Remarks:	Medical Nitrous ir: Vacuum: Oxide: C	O2: AGSS: Nitrogen:	Laboratory Laboratory Compressed Air: Vacuum: Air:

Program 1. J4.02

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

, pp		Number(s): 2.	8. 14.	20. 26.	32.	38. 44.
		3.	9. 15.	21. 27.		39. 45.
Room Name: Anteroom - Gowning		4.	10.	22. 28.		40. 46.
		5.	11. 17.	23. 29.		41. 47.
		6.	12. 18.	24. 30.		42. 48.
		0.	12.	24. 50.	36.	42. 46.
ARCHITECTURAL REQUIREMENTS						
WALL AND CEILING	WALL PROTECTION		GLAZING	FLOORING TYPES	ROOM ACCESSORIES	
Wall Material: ARGB 1.2m AFF, GB above		Hand Rails  Bed Bumper / Locator	☐ Interior Glazing	Material: Base:	✓ Coat Hooks ☐ Ceiling Lift	☐ Magnetic Whiteboard
Ceiling Material: ACT-C		Chair Rail	interior diazing	VSF FCB	✓ Mirror ☐ Infant Chang	ge Table Privacy Curtain
LEGEND:	DOORS				Door Remarks:	
WALL AND CEILING LEGEND:				Note: for Type F do	pors, Provide handsfree opener on de	
AC Architectural Ceiling	Types:			the door panels wil	1	interlocking Security Grille
ACT Acoustic Ceiling Tile				approximately	requirements	
ACT-C Cleanroom				465/1065 unless	<b>L</b>	Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A2 D D2 C	D D2		otherwise rquired I the Authority	ЭУ	strategy
IRGB Impact-Resistant Gypsum Board	A A2 B B2 C C2	D D2 E E2 F	F2 G H	j the Authority		
KLCT Kitchen Lay-in Ceiling Tile		Integral Door & Frame Privacy	Card Mag	Auto Hold		
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Material: Finish:	Side Lt: Blinds: Protect.: Film:	Function: Reader: Lock:	Opener: Open: Hinges:	Accessory 1: Accessory 2: Acces	ssory 3: Closer:
SACT Security Acoustic Ceiling Tile	F2 2 1530 x 2135   Solid Core   FRL		ush/Pull		Astragal Flush Bolt	Concealed
WALL FINISHES LEGEND:	12 2 1350 X 2155 3010 CO.C. THE			J Jaccomige	/ stragar	Concedicu
EWC Epoxy Wall Coating HPC High Performance Coating						
PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Storage Requirements:			FINISHES
CEILING FINISHES LEGEND:	U1				Full-height Cabinet	t: Stainless Steel
ECC Epoxy Ceiling Coating	U2 U3	U4			Upper Millwork	k:
HPC High Performance Coating		U5 116 <u> </u>			Countertop	
PF Prefinished		U7 U8			Lower Millwork	
PT Paint						
WALL PROTECTION LECEND.			-1		Shelf	f:
WALL PROTECTION LEGEND:			S1			
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate			1		Remark	KS:
FRP Fibreglass Reinforced Plastic						
PVW Protective Vinyl Wallcovering	10 100000000000000000000000000000000000		i			
RHIS Rigid High Impact Sheet	70	1				
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering	50					
		1 = =	OO STATES	76		
FLOOR FINISHES LEGEND:	C1 C2 C3 C4					
CFS Concrete Floor Sealer	C C 11		1		F-2	
EFC Epoxy Floor Coating  PFC Polyurethane Floor Coating		L4 L5	KKKN	- Comment		
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS					
RSF Rubber Sheet Flooring			L10   111			
SCF Seamless Cushioned Flooring				TC1 TC2		
SDRF Static-Dissipative Rubber Sheet Flooring	Legend: Moto			Π 1 τc2 Γ	UC1	
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring	Category 0 - None Min. Length Adjus Category 1 - Low (1% - 4%) Category (mm) Hoi		LOWER UNITS			
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm) Heig Category 2 - Med (5% - 9%)	ght Height Casework	RECEF	PTION/TRANSACTION		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater) 2 600			•	INK AND COUNTER UNIT	
FCB Flash Cove Base			SIAII	ON DESK		
RB Rubber Base						
SCF Seamless Cushioned Flooring						
MECHANICAL REQUIREMENTS						
·						
PLUMBING Hand	Seamless Utility / Other Fixtures:	Eyewash Station	MED / NON-MED GASES			Utility
(Zaarraa))	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink: Shower	Eyewash/Shower Station	(Quantity)	Medical Nitrous	r	Laboratory Laboratory Compressed
1	Tub	Emergency Shower	Oxygen: Medical A	<sub>Air:</sub> Vacuum: Oxide: CC	O2: AGSS: Nitrogen:	Air: Vacuum: Air:
Plumbing						
Remarks:	☐ Ice Maker	Flush Rim Sink				
	Water Closet	Floor Drain	Gas Remarks:			
	☐ Instantaneous	☐ Water Bottle Refill Station				
	Hot Water	Others				
		Other	1			
	-					-

Program 1. J2.01

7.

13.

19.

25.

31.

37.

43.

Appendix 1B Minimum Room	Requirements	Program Number(s):		7. 13. 8. 14.			31. 32.	37. 38.	43. 44.
Room Name: Anteroom - IS	O 7 - Sterile Compoundina		3.	9. 15.			33.	39.	45.
				10. 16.			34.	40.	46.
				11.			35. 36.	41. 42.	47. 48.
ARCHITECTURAL REQUIREMENT	<b></b>								
·				GLAZING	FLOORING TYPES	ROOM ACCE	CCODICC		
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, G	B above Finish: EWC WALL PROTECTION  Type: ESRP ✓ Corner C	iuards	umper / Locator	Interior Glazing	Material: Base:		oks Ceiling Lift	t 🗆	Magnetic Whiteboard
Ceiling Material: GB	Finish: ECC Height: 2185 mm Crash Ra			☐ Interior Glazing	VSF FCB	<b>✓</b> Mirror	☐ Infant Cha		Privacy Curtain
LEGEND:	DOORS		1			Door Re			
WALL AND CEILING LEGEND:	Types:					Refer to requirem	Appendix 10 for do	or interlocking	Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile						requireit	ents.		Security Grine
ACT-C Cleanroom			同 同同 人儿		9977				☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board									strategy
IRGB Impact-Resistant Gypsum Board	A A2 B B2 C	C2 D D2	E E2 F	F2 G H	J				
KLCT Kitchen Lay-in Ceiling Tile			or & Frame Privacy	Card Mag	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsun SACT Security Acoustic Ceiling Tile	Type.Qty. Size (IIIII). Waterial.	Tillisti. Side Et.		Tunetion:	Opener: Open: Hinges:	Accessory 1:	Accessory 2: Acc	cessory 3:	Closer:
	B 1 1220 x 2135 Solid Core	FRL 2 h	ligh Passa	ge 🔲 🗸	<b>✓</b> Butt Hinge	Elec. Strike		Conc	ealed
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating									
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Sto	rage Requirements:				FINISHES	
PT Paint		UPPER UNITS	310	rage requirements.			E II berek Geler		1
CEILING FINISHES LEGEND:	U1 U2	U3   IIA						net: Stainless Ste	201
ECC Epoxy Ceiling Coating HPC High Performance Coating		U3 U4 U5	U6				Upper Millwo Countert		
PF Prefinished		777	U7 U8	SHELF			Lower Millwo	· ·	
PT Paint	Congression		77	±a □				nelf:	
WALL PROTECTION LEGEND:			-	S1			311		
ESRP Extruded Semi-Rigid PVCu Panel							Rem	narks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic				-			[F	Provide ceiling hat	tches with gaskets.
PVW Protective Vinyl Wallcovering	100			8				Tovide ceiling nat	terres with gaskets.
RHIS Rigid High Impact Sheet			111						
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering	CO CO	11 1	an Parketter						
FLOOR FINISHES LEGEND:	C1 C2 C3		t 1 / 1	55	1				
CFS Concrete Floor Sealer		-	1 771 1			7 /	-		
EFC Epoxy Floor Coating		L3 L4 L5		- 844	CONTRACTOR OF THE PARTY OF THE	Tarifferent de	1		
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8						
RSF Rubber Sheet Flooring			L7 L8 L9	L10 L11		/			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Floorin	g Legend:			L12 **	TC1 TC2	/   "	u		
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None Min. Le	Motorized ngth Adjustable Standing Sp	ecialty			UC1			
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mn	- ,	sework	LOWER UNITS RECEPT	TION/TRANSACTION				
	Category 2 - Med (5% - 9%)  Category 3 - High (10% or Greater)  2 120	0			,	LITY SINK AND COUNT	ER UNIT		
FLOOR BASE LEGEND:  FCB Flash Cove Base	Category 3 - High (10% of Greater)			STATIO	ON DESK				
FCB Flash Cove Base RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS									
PLUMBING Hand	Seamless Utility / Other F	ixtures:	l. Challan	MED / NON-MED GASES					
	Vitchen Cinky Vitchen Cinky Droppes Cinky Corub Cinky Elear Cinky	Lyewas		(Quantity)	Medical Nitrous			Laboratory	Laboratory Compressed
	L Sh		h/Shower Station	Oxygen: Medical Ai		CO2: AGSS	S: Nitrogen:	Air:	Vacuum: Compressed Air:
Diumbing			ncy Shower	JAYBEII. IVICUICAI AI		- Add.	. INCOSCII.		AII:
Plumbing Remarks:		Maker Flush Ri							
		ater Closet Floor Di		Gas Remarks:			-		
			Bottle Refill Station						
	Ho	ot Water Other							

Appendix 1	B Minimum Room Requir	ements	Proj Numb	9 1	7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Roon	n Name: Clean Room - Sterile HD	Compounding			9. 15. 10. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				5.	11.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.
<b>ARCHITECTII</b>	RAL REQUIREMENTS			0.	10.	24.	30.	30.	42.	46.
					0.45.00	EL CORUNO TIVOES	200144	225022150		
	aterial: ARGB 1.2m AFF, GB above aterial: GB	WALL PROTECTION	Corner Guards Hand Rails E Crash Rails Chair Rail	Bed Bumper / Locator	GLAZING  Interior Glazing	FLOORING TYPES Material: Base: VSF FCB		CCESSORIES t Hooks		gnetic Whiteboard vacy Curtain
LEGEND:		DOORS					Doo	r Remarks:		
WALL AND CEIL	LING LEGEND:	Types:						r to Appendix 10 for do	or interlocking	
	hitectural Ceiling	турез.	16 M ML 17 17	9 0 00 00 00			requ	irements.		Security Grille
	oustic Ceiling Tile anroom					1 6577				Anti-barricade
	use-Resistant Gypsum Board									strategy
	psum Board pact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	J				
	chen Lay-in Ceiling Tile			al Door & Frame Privacy	Card Ma	•				
	isture and Mould-Resistant Gypsum Board curity Acoustic Ceiling Tile		Material: Finish: Side Lt: Blinds		Function: Reader: Lo			1: Accessory 2: Ac	cessory 3: Close	
WALL FINISHES	LEGEND:	B 1 1220 x 2135 So	lid Core FRL	2 High Push/	'Pull	▶ Butt Hing	9		Concealed	
	oxy Wall Coating									
HPC Hig PT Pair	h Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Sto	rage Requirements:				FINISHES	
CEILING FINISH			UPPER UNIT	ITS				Full-height Cabi	net:	
	pxy Ceiling Coating	Comment 1717	1 U2 U3 U4					Upper Millw	ork:	
HPC Hig	h Performance Coating		U5	U6				Counter	top:	
PF Pre PT Pair	finished nt			7 U8	SHELF			Lower Millw	ork:	
					<b>⊅</b> □			Sł	nelf:	
WALL PROTECT  ESRP Ext	TION LEGEND: ruded Semi-Rigid PVCu Panel				S1					
	re Reinforced Laminate							_	narks:	
	reglass Reinforced Plastic							F	Provide ceiling hatches	with gaskets.
	tective Vinyl Wallcovering id High Impact Sheet	-		7	i					
	etwall Solid Surface Panel			on on the party of the last of		200				
	etroom Vinyl Wallcovering		1 1 1		Con man property of the contract of the contra	7				
FLOOR FINISHE  CFS Cor		C1 C2 C3 C4 C5 11		= -						
	ncrete Floor Sealer oxy Floor Coating		12		W		/ 6	1		
	yurethane Floor Coating	FULL-HEIGHT CABINETS		L6 L7 L8						
	ober Athletic Flooring ober Sheet Flooring	FOLL-REIGHT CABINETS		L9	L10 L11	1				
	amless Cushioned Flooring	I and the second			L12	TC1 TC2				
	tic-Dissipative Rubber Sheet Flooring tic-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized  Min. Length Adjustable Standing	Cassisla		TC2	UC1			
VSF Vin	yl Sheet Flooring	Category 1 - Low (1% - 4%) Catego		Specialty Casework	LOWER UNITS	ECEPTION/TRANSACTION				
	troom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)				DUNTER / CARE TEAM	UTILITY SINK AND CO	UNTER UNIT		
FLOOR BASE LE		Category 3 - High (10% or Greater)			S	ATION DESK				
	sh Cove Base ober Base									
SCF Sea	amless Cushioned Flooring									
								L		
MECHANICAL	L REQUIREMENTS									
PLUMBING	Hand	Seamless Utility /	Other Fixtures:	vewash Station	MED / NON-MED GASES					
		k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		yewash/Shower Station	(Quantity)	Medical Nitrous			Laboratory Labo	Utility ratory Compressed
.				mergency Shower		cal Air: Vacuum: Oxide:		AGSS: Nitrogen:		uum: Air:
Plumbing	· · · · · · · · · · · · · · · · · · ·			lush Rim Sink						
Remarks:				loor Drain						
			_	Vater Bottle Refill Station	Gas Remarks:					
			Instantaneous W Hot Water	vater bottle Nellii Station						
			Other	er						

• •		•	Numbe	er(s): 2.	8. 14	4.	20. 26.	32	. 38.		44.
	0 1 0 1			3.	9. 15	5.	21. 27.	33	. 39.		45.
Ro	oom Name: Courier Reception a	and Packaging		4.	10. 16		22. 28.	34			46.
				5.	11. 17		23. 29.	35			47.
				6.	12. 18	8.	24. 30.	36	. 42.		48.
ARCHITECT	TURAL REQUIREMENTS										
WALL AND C	CELLING	WALL PROTECTION			GLAZING	FLOO	RING TYPES	ROOM ACCESS	ORIES		
	l Material: MMRGB	Finish: PT Type: RHIS	Corner Guards Hand Rails Be	ad Rumner / Locator			Material: Base:		s Ceiling Lift	<b>✓</b> Magnet	ic Whiteboard
	Material: ACT		Crash Rails Chair Rail	a bumper / Locator	✓ Interior Glazing		VSF FCB	Mirror	☐ Infant Change T		
	Waterial. Act		Crash Nais Crash Nais					Door Rema		able — Tilvacy	Curtum
LEGEND:		DOORS						Door Rema	IIKS:		
	CEILING LEGEND:	Types:									Security Grille
AC ACT	Architectural Ceiling Acoustic Ceiling Tile		MIN MEMBERS OF THE								
	Cleanroom	M KIN M	NZ N NZ M MZ				77				Anti-barricade
ARGB	Abuse-Resistant Gypsum Board										strategy
GB IRGB	Gypsum Board Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	Н ј					
KLCT	Kitchen Lay-in Ceiling Tile		Integral	Door & Frame Privacy	Card	Mag Auto	Hold				
MMRGB	Moisture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm):	Material: Finish: Side Lt: Blinds:	Protect.: Film:	Function: Reader	r: Lock: Opener:	Open: Hinges:	Accessory 1: A	ccessory 2: Accessor	y 3: Closer:	
SACT	Security Acoustic Ceiling Tile								,	,	
WALL FINISH	HES LEGEND:										
EWC	Epoxy Wall Coating								<u> </u>	I	
HPC PT	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK		S	torage Requirements:				F	INISHES	
			UPPER UNITS	<b>S</b>					Full-height Cabinet:		
ECC ECC	IISHES LEGEND:		02 112 -						Upper Millwork:		
HPC	Epoxy Ceiling Coating High Performance Coating		US U4 U5	U6					Countertop:		
PF	Prefinished			U7 U8	SHELF				Lower Millwork:		
PT	Paint	Congression		7	45 D				Shelf:		
WALL PROT	ECTION LEGEND:	Engresses			T S1				Jileii.		
ESRP	Extruded Semi-Rigid PVCu Panel								Remarks:		
FRL	Fibre Reinforced Laminate				1				nemarks.		
FRP	Fibreglass Reinforced Plastic										
PVW RHIS	Protective Vinyl Wallcovering Rigid High Impact Sheet	***	Promise Promis	7	i						
WSSP	Wetwall Solid Surface Panel			THE PARTY NAMED IN COLUMN TWO IS NOT THE PARTY N							
wvw	Wetroom Vinyl Wallcovering				TREESENSON .	7/					
FLOOR FINIS	SHES LEGEND:	<u>cı</u> <u>c</u> <u>c</u> <u>c</u> <u>c</u>		===	~ ~	-					
CFS	Concrete Floor Sealer		1 12	= 71				7	-		
	Epoxy Floor Coating		] L3 L4		KAM	~ ~	Consessant .	Town or the second			
PFC RAF	Polyurethane Floor Coating Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L6 L7 L8		_ /					
RSF	Rubber Sheet Flooring			L6 L7 L8 L9	L10 L11			2 II II II			
SCF	Seamless Cushioned Flooring					L12	TC1 TC2		U		
SDRF SDVF	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized					UC1			
VSF	Vinyl Sheet Flooring		Min. Length Adjustable Standing egory (mm) Height Height	Specialty	LOWER UNITS	_			2,44.0		
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	, , ,	Casework		RECEPTION/TR		Y SINK AND COUNTER	LINIT		
FLOOR BASE	E LEGEND:	Category 3 - High (10% or Greater)				COUNTER / CA STATION DESK		1 SINK AND COUNTER	ONT		
FCB	Flash Cove Base			·		317111011 32311					
RB	Rubber Base										
SCF	Seamless Cushioned Flooring										
MECHANIC	CAL REQUIREMENTS										
PLUMBING	Hand	Seamless Utility /	Other Fixtures:	wash Station	MED / NON-MED G	GASES					
(Quantity)		en Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	L Lye		(Quantity)		ledical Nitrous		Lah	oratory Laborato	Utility
(Qualitity)			□ Snower □ Eye	wash/Shower Station			acuum: Oxide:	CO2: AGSS:		Air: Vacuum	. compressed
			_	ergency Shower	Oxygen.	ivicultal All.		CO2. AG33:	INICIOGEII.		Air:
Plumbing				sh Rim Sink							
Remarks:			☐ Water Closet ☐ Floo	or Drain	C 2 1			· · · · · · · · · · · · · · · · · · ·			
			☐ Instantaneous ☐ Wat	ter Bottle Refill Station	Gas Remarks:	•					
			Hot Water								
			Other								
	1		1		1	1					1

Program 1. J4.01.01

7.

13.

19.

25.

31.

37.

43.

Appendix 1B Minimum Room Requirements		Program Number(s):	1. J3.02 2.	7. 13. 8. 14.		25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Dispensing Counter				9. 15.		27.	33.	39.	45.
				10. 16. 11. 17.		28. 29.	34. 35.	40. 41.	46. 47.
			6.	12. 18.	. 24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS									
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING T Material		ROOM ACCESSORIES	_	
Wall Material: ARGB 1.2m AFF, GB above Finish: EWC Ceiling Material: ACT Finish: PF	Type: ESRP		mper / Locator	☐ Interior Glazing	VSF	FCB	Coat Hooks Co		Magnetic Whiteboard Privacy Curtain
LEGEND: DOORS	Teigna (1990 mm)						Door Remarks:		,
WALL AND CEILING LEGEND:	Types:	- Carloman Alexandria							Security Grille
AC Architectural Ceiling		MM							☐ Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom		MILE P							☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board									strategy
GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	A A2 B B2 C C2 D	D2	E E2 F	F2 G	Н ј				
KLCT Kitchen Lay-in Ceiling Tile			r & Frame Privacy	Card	Mag Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board  SACT Security Acoustic Ceiling Tile	Type:Qty: Size (mm): Material: Finish: Side Lt	Blinds: P	rotect.: Film:	Function: Reader:	Lock: Opener: Open:	Hinges:	Accessory 1: Accessory	2: Accessory 3:	Closer:
WALL FINISHES LEGEND:									
EWC Epoxy Wall Coating									
HPC High Performance Coating MILLWOR PT Paint	RK AND SPECIALTY CASEWORK		Sto	rage Requirements:				FINISHES	
		PER UNITS					Full-heig	ght Cabinet:	
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	U1 U2 U3 U4							er Millwork:	
HPC High Performance Coating		U5	U6					Countertop:	
PF Prefinished PT Paint		77	U8	SHELF			Lowe	er Millwork:	
								Shelf:	
		ılı İI		S1					
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate		- I		1				Remarks:	
FRP Fibreglass Reinforced Plastic									e 1, Section 6.12 (Division
PVW Protective Vinyl Wallcovering  RHIS Rigid High Impact Sheet	No. 2000	עונונונונו							Casework. Items indicated
WSSP Wetwall Solid Surface Panel		deletelete mene	-						riate for the specific and
WVW Wetroom Vinyl Wallcovering		11 -	-	Karararan karara	7/			specialized functi	ons to be performed in
FLOOR FINISHES LEGEND:					THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO I		140 <u>14</u> 415 (170 (170 (170	the space and to	accommodate Equipment.
CFS Concrete Floor Sealer EFC Epoxy Floor Coating							L 1	57	
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L5		- AKKI.		THE PERSON NAMED IN		1	
	EIGHT CABINETS	L6	L7 L8 L9						
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring		_			12 TC1	=/ /			
SDRF Static-Dissipative Rubber Sheet Flooring Legend:	Motorized				TC1	TC2		Ш	
	4 1 - (40/ 40/)		ecialty	LOWER UNITS		✓	UC1 U		
category	2 - Med (5% - 9%)		ework	2011211011110	RECEPTION/TRANSACT		K AND COUNTER UNIT		
	3 - High (10% or Greater) 3 2400		✓		COUNTER / CARE TEAM STATION DESK	// UTILITY SIN	K AND COUNTER UNIT		
FCB Flash Cove Base									
RB Rubber Base  SCF Seamless Cushioned Flooring									
MECHANICAL DECLUDEMENTS									
MECHANICAL REQUIREMENTS		_							
II aliana Ciala I Janatawa I Kitabaya Ciala I Kitabaya Ciala	Utility / Other Fixtures:	Evewash		MED / NON-MED GA					Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Kitchen Sink: Pro	Snower		/Shower Station	(Quantity)	Medical Medical Vacuum:	Nitrous Oxide: CO2	. ACCC	Laboratory Air:	Laboratory Compressed Vacuum:
	Tub	Emergen		Oxygen:	Medical Air: Vacuum:	Oxide: CO2	: AGSS: Niti	rogen: Air:	Air:
Plumbing	☐ Ice Maker	Flush Rin							
Remarks:	☐ Water Closet	Floor Dra		Gas Remarks:		·	<u> </u>		
	☐ Instantaneous	☐ Water Bo	ottle Refill Station	Gas Neillaiks:					
	Hot Water	Other							
		Ouici							

Appendix 1B N	Minimum Room Requireme		Program Number(s):	1. J3.01 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.		
Room Na	lame: Dispensing/Preparation Room					3.	9.	15.	21.	27.	33.	39.	45.
	, , ,					4. 5.	10. 11.	16. 17.	22. 23.	28. 29.	34. 35.	40. 41.	46. 47.
						6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURA	AL REQUIREMENTS												
WALL AND CEILING			WALL PROTECTION				GLAZING		FLOORING TYPES		OOM ACCESSORIES		
Wall Materi Ceiling Materi		sh: EWC	Type: ESRP Height: 2185 mm	Crash Rails Hand Rail		mper / Locator	☐ Interior Gla	zing	Material: Base:  VSF FCB		✓ Coat Hooks ☐ Ceiling ☐ Mirror ☐ Infant C		Nagnetic Whiteboard rivacy Curtain
LEGEND:		DOORS								·	Door Remarks:		
WALL AND CEILING  AC Architect	G LEGEND:	Types:											☐ Security Grille
ACT Acoustic	ic Ceiling Tile				WID:								Anti-barricade
ACT-C Cleanroc ARGB Abuse-R	Resistant Gypsum Board		NAMA.										strategy
GB Gypsum  IRGB Impact-F	n Board -Resistant Gypsum Board		A A2 B	B2 C C2 D	D2	E E2 F	F2 G	Н	J				
KLCT Kitchen I	n Lay-in Ceiling Tile re and Mould-Resistant Gypsum Board					r & Frame Privacy		Card Mag	Auto Hold				
	y Acoustic Ceiling Tile		Type:Qty: Size (mm):	Material: Finish: Side Lt:	Blinds: P	rotect.: Film:	Function: Ke	eader: Lock: (	Opener: Open: Hin	ges: Acc	cessory 1: Accessory 2:	Accessory 3: Clos	er:
WALL FINISHES LEG	GEND:												
	Wall Coating erformance Coating	MILLWORK AND SPI	CIALTY CASEWORK			'				-			
PT Paint	-	WILLWORK AND SPI	CIALITICASEWORK		PER UNITS	\$	Storage Requirements:				Full baight Co	FINISHES	
CEILING FINISHES L ECC Epoxy Ce	LEGEND: Ceiling Coating	6 V	7.7	U1 U2 U3 U4							Full-height Ca Upper Mil		
HPC High Per	erformance Coating		K K K	7 7 7	U5	U6 U7					Count	ertop:	
PF Prefinish PT Paint	shed	-			7	U8 U8	SHELF				Lower Mil		
WALL PROTECTION	N LEGEND:	-					S1					Shelf:	
	ed Semi-Rigid PVCu Panel	anguaran I				- 1					Re	emarks:	
	einforced Laminate ass Reinforced Plastic											Refer to Schedule 1,	
	tive Vinyl Wallcovering igh Impact Sheet	-	100	Z Commence of the last of the	· Verment		ł					12) for Specialty Case are diagrammatic, pro	work. Items indicated
WSSP Wetwall	II Solid Surface Panel	-	-		Selected Selected	-	1					casework appropriate	e for the specific and
WVW Wetroor FLOOR FINISHES LE	om Vinyl Wallcovering	C1 C2			-	= 17	ON NO PERSONAL		7			specialized functions the space and to acco	to be performed in ommodate Equipment.
	te Floor Sealer		C3 C4 C5 L1	+ + + + + + + + + + + + + + + + + + + +	-	- 5				7		Provide work counter	with sink and 4
	Floor Coating ethane Floor Coating			L2 L3 L4			- 1	4==	-	-/ 4		sorting stations (2.8ns) Review Workstations	
RAF Rubber A	Athletic Flooring	FULL-HEIGHT CABI				L7 L8 L9		+	2 1 15			packaging workstatio	ns (4.6nsm).
	Sheet Flooring ess Cushioned Flooring						L10 L11	L12					
	Dissipative Rubber Sheet Flooring Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None		Motorized					TC1 TC2	50	UC1		
VSF Vinyl She	heet Flooring	Category 1 - Low (1%		.,		cialty ework	LOWER UNITS	RECEPT	ION/TRANSACTION				
	om Safety Vinyl Sheet Flooring	Category 2 - Med (59 Category 3 - High (10				<b>✓</b>		COUNT	ER / CARE TEAM	UTILITY SINK A	AND COUNTER UNIT		
FLOOR BASE LEGEN FCB Flash Co								STATIO	N DESK				
RB Rubber E SCF Seamles:	Base Sushioned Flooring												
Sci Seames.	ass custilioned Flooring												
MECHANICAL R	REQUIREMENTS												
PLUMBING Hai	and Se	eamless Utility /		Other Fixtures:	☐ Evewash	Station	MED / NON-M	ED GASES					
(Quantity) Hygien		chen Sink: Process Sink:	Scrub Sink: Floor Sink:	Shower		/Shower Station	(Quantity)		Medical Nitrous				Utility Compressed
	1	1		☐ Tub	Emergen		Oxyger	n: Medical Air	r: Vacuum: Oxide:	CO2:	AGSS: Nitrogen	: Air: V	acuum: Air:
Plumbing					Flush Rin								
Remarks:				Water Closet	Floor Dra		Gas Rem	arks:					
				Instantaneous Hot Water	☐ Water Bo	ottle Refill Station							
				not water	Other								

R	Receiving and Breakdo	own Area	Number(s,	3. 4. 5.	8. 14. 9. 15. 10. 16. 11. 17.	20. 21. 22. 23.	26. 27. 28. 29.	32. 33. 34. 35.	38. 39. 40. 41.	44. 45. 46. 47.
				6.	12. 18.	24.	30.	36.	42.	48.
ARCHITEC	TURAL REQUIREMENTS									
	CEILING  II Material: MMRGB  ; Material: ACT	### WALL PROTECTION    Finish:   PT	Corner Guards Hand Rails Bed E Crash Rails Chair Rail	Sumper / Locator	GLAZING  Interior Glazing	FLOORING TYPES Material: Base: VSF FCB		CCESSORIES  It Hooks Ceiling Lit  ror Infant Ch		Magnetic Whiteboard Privacy Curtain
LEGEND:		DOORS					Doo	r Remarks:		
	CEILING LEGEND:	Types:								Security Grille
AC ACT ACT-C ARGB GB IRGB	Architectural Ceiling Acoustic Ceiling Tile Cleanroom Abuse-Resistant Gypsum Board Gypsum Board Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H					Anti-barricade strategy
KLCT	Kitchen Lay-in Ceiling Tile		9	oor & Frame Privacy	Card Mag					
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds:	Protect.: Film:	Function: Reader: Lock:	: Opener: Open: Hin	ges: Accessory	1: Accessory 2: Ac	cessory 3:	Closer:
WALL FINIS	HES LEGEND:									
EWC HPC PT	Epoxy Wall Coating High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	prage Requirements:			1	FINISHES	
ECC HPC PF PT  WALL PROT ESRP FRL FRP PVW RHIS WSSP WVW	Epoxy Ceiling Coating High Performance Coating Prefinished Paint  FECTION LEGEND:  Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate Fibreglass Reinforced Plastic Protective Vinyl Wallcovering Rigid High Impact Sheet Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering  SHES LEGEND:  Concrete Floor Sealer Epoxy Floor Coating Polyurethane Floor Coating Rubber Athletic Flooring Rubber Sheet Flooring Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring Flash Cove Base Rubber Base Seamless Cushioned Flooring	FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)	U1 U2 U3 U4 U5  L2 L3 L4 L5 L6  Motorized Adjustable Standing S Ory (mm) Height Height C		cou	TC1 TC2 TC1 TC2 TEPTION/TRANSACTION JINTER / CARE TEAM TION DESK	UTILITY SINK AND CO	Counter Lower Millw SI Ren	net:  ork:  Stainless Ste top:  Stainless Ste nelf:  Provide deeper co	eel
MECHANI	CAL REQUIREMENTS				T					
PLUMBING (Quantity)	Hand Hygiene Sink: Lavatory: Kitchen	Seamless Utility / iink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		sh Station sh/Shower Station ency Shower	MED / NON-MED GASES (Quantity) Oxygen: Medica	Medical Nitrous I Air: Vacuum: Oxide:		AGSS: Nitrogen:	Laboratory Air:	Laboratory Compressed Vacuum: Air:
Plumbing			☐ Ice Maker ☐ Flush F	im Sink						
Remarks:			☐ Water Closet ☐ Floor ☐ ☐ Instantaneous ☐ Water Hot Water  Other ☐	rain Bottle Refill Station	Gas Remarks:			·		

Program 1. J4.01.02

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

pp =					Number(s): 2.		8.	14.	20.	26.	32.		38.	44.	
					3.			15.	21.	27.	33.		39.	45.	
Room Name: Ste	rile BIO HD Compounding				4.			16.	22.	28.	34.		40.	46.	
					5.			17.	23.	29.	35.		41.	47.	
					6.			18.	24.	30.	36.		42.	48.	
					0.			10.		30.	30.		12.	10.	
ARCHITECTURAL REQU	IREMENTS		I												
WALL AND CEILING			WALL PROTECTION				GLAZING		FLOORING TYPES		ROOM ACCESS		_	_	
Wall Material: ARGB		nish: EWC	Type: ESRP	✓ Corner Guards ☐ Hand Ra		ocator.	☐ Interior Glazin	ng	Material: Ba			s 📙 Ceiling Lif		Magnetic W	
Ceiling Material: GB	Fi	nish: ECC	Height: 2185 mm	Crash Rails Chair Ra	il				VSF FC	СВ	☐ Mirror	☐ Infant Cha	ange Table	Privacy Curt	tain
LEGEND:		DOORS				1		1			Door Rema	rks:			
WALL AND CEILING LEGEND:		Туре	oc.									pendix 10 for do	or interlocking		
AC Architectural Ceiling		1,750		lalal fall fall fa		an isan					requiremen	ts		- 56	ecurity Grille
ACT Acoustic Ceiling Tile															nti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsu	um Board														trategy
GB Gypsum Board			A A2 B	B2 C C2 D	D2 E	E2 F	F2 G	н	J						
IRGB Impact-Resistant Gyps															
KLCT Kitchen Lay-in Ceiling T MMRGB Moisture and Mould-R	File Sesistant Gypsum Board				Integral Door & Fran Blinds: Protect.:	ne Privacy Film:	Card	U	Auto Hold						
SACT Security Acoustic Ceilir	**		Type:Qty: Size (mm):	Material: Finish: Side Lt			Function: Read		pener: Open:	Hinges:	Accessory 1: A	ccessory 2: Ac	cessory 3:	Closer:	
			B 1 915 x 2135	Solid Core FRL	2 High	<b>✓</b> Push,	/Pull		☐ But	tt Hinge			Con	cealed	
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating															
HPC High Performance Coa	ting	MILLWORK AND SI	PECIALTY CASEWORK			C+c	orage Requirements:						FINISHES		
PT Paint		93829-3-97-7			PER UNITS	310	riage Requirements.								
CEILING FINISHES LEGEND:			7	U1								Full-height Cabi			
ECC Epoxy Ceiling Coating		Carpenson	-1/1/1/	U2 U3 U4								Upper Millw			
HPC High Performance Coar PF Prefinished	ting	Sugarana	THE Y		U5 U6	117						Counter	-		
PT Paint		4				U8	SHELF					Lower Millw	ork:		
		7				KK	<b>a</b> -					SI	nelf:		
WALL PROTECTION LEGEND:		THE PERSON					S1								
ESRP Extruded Semi-Rigid P\		Sugarana.				7-11	V					Rem	narks:		
FRL Fibre Reinforced Lamir FRP Fibreglass Reinforced F		<b>/</b>	'  ' /									F	Provide ceiling ha	tches with gar	skets.
PVW Protective Vinyl Wallco			100	- I	-	i							J	J	
RHIS Rigid High Impact Shee		7		1											
WSSP Wetwall Solid Surface I WVW Wetroom Vinyl Wallco		CHARGE STREET	-		OR OR	7-4	1	-							
,	vering	1				272	CO TOTAL PROPERTY.	1	7 4	2					
FLOOR FINISHES LEGEND:			C2 C3 C4					1							
CFS Concrete Floor Sealer EFC Epoxy Floor Coating			<del> </del>	L2			///	K			/	(may 2)			
PFC Polyurethane Floor Coa	ating			L3 L4	LS	= +	- SKKK	~ ~	J   1	The state of	The same of the sa				
RAF Rubber Athletic Floorin		FULL-HEIGHT CAE	BINETS			L8 10 F		-		L					
RSF Rubber Sheet Flooring						L8 L9	L10 L11			/ 7/					
SCF Seamless Cushioned FI SDRF Static-Dissipative Rubb		Legend:						L12	TC1	TC2	w				
SDVF Static-Dissipative Vinyl		Category 0 - None		Motorized Min. Length Adjustable	Standing Specialty		J				UC1				
VSF Vinyl Sheet Flooring	-	Category 1 - Low (1	<b>L% - 4%)</b> Cate	- ,	Standing Specialty Height Casework		LOWER UNITS	DECED <del>T</del> IA	ON/TRANSACTION	_					
WSVF Wetroom Safety Vinyl	Sheet Flooring	Category 2 - Med (	5% - 9%)	Berry () Height		I			R / CARE TEAM	UTILITY	INK AND COUNTER	UNIT			
FLOOR BASE LEGEND:		Category 3 - High (1	10% or Greater)					STATION		V.1.2					
FCB Flash Cove Base															
RB Rubber Base															
SCF Seamless Cushioned Fl	ooring														
												L			
MECHANICAL REQUIRE	MENTS														
PLUMBING Hand		Seamless Utility /		Other Fixtures:	Evewash Station		MED / NON-MED	GASES				<u> </u>	<u> </u>		
(Quantity) Hygiene Sink:	Lavatory: Kitchen Sink: Ki	tchen Sink: Process Sink:	Scrub Sink: Floor Sink:	Shower			(Quantity)	-	Medical	Nitrous			Laboratory	Laboratory	Utility
, , , , , , , , , , , , , , , , , , , ,					Eyewash/Showe		Oxygen:	Medical Air:		0 11	O2: AGSS:	Nitrogen:	Air:	Vacuum:	Compressed Air:
DI 1:		1		Tub	Emergency Show	ver	Олуден.	incaicui All.			7000.	THE OBCITE			AII.
Plumbing				☐ Ice Maker	Flush Rim Sink										
Remarks:				☐ Water Closet	☐ Floor Drain		Can Barrani	lea.	<u> </u>						I
				Instantaneous	☐ Water Bottle Ref	ill Station	Gas Remark	K5:							
				Hot Water		1									
					Other										
				1			I								

Program 1. J2.06

7.

13.

19.

25.

31.

37.

43.

Appendix 1E	B Minimum Room Requir	ements	Progra Number		7. 13. 8. 14.	1:			31. 32.	37. 38.	43. 44.
Room	n Name: Storage - Hazardous Dru	g		3. 4.	9. 15. 10. 16.	2			33. 34.	39. 40.	45. 46.
					11.	2:	3. 29		35. 36.	41. 42.	47. 48.
ARCHITECTUI	RAL REQUIREMENTS			J.	10.		30		30.	12.	10.
WALL AND CEIL		WALL PROTECTION			GLAZING	FLOORII	NG TYPES	ROOM ACC	FSSORIES		
Wall Ma	aterial: ARGB 1.2m AFF, GB above aterial: GB	Finish: EWC Type: ESRP	Corner Guards Hand Rails Bed	d Bumper / Locator	Interior Glazing		terial: Base:		ooks Ceiling Lift		gnetic Whiteboard vacy Curtain
								Door R	emarks:	<b>0</b>	,
LEGEND: WALL AND CEIL	ING LEGEND:	DOORS						200. 11			
	hitectural Ceiling	Types:	(a) (a) (a) (a) (a)	[ [2] [ [2] [ 2] [ 2] [ 2]							Security Grille
	oustic Ceiling Tile anroom										☐ Anti-barricade
	use-Resistant Gypsum Board						4				strategy
	osum Board pact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	н ј					
KLCT Kitc	chen Lay-in Ceiling Tile		Integral I	Door & Frame Privacy	Card	•	Hold				
	isture and Mould-Resistant Gypsum Board curity Acoustic Ceiling Tile		Naterial: Finish: Side Lt: Blinds:	Protect.: Film:	Function: Reader:	Lock: Opener: C	· Imiges.	Accessory 1:	Accessory 2: Acc	cessory 3: Close	r:
WALL FINISHES		B 1 1220 x 2135 Soli	d Core FRL	2 High Passa	nge 🔲		✓ Cont. Swing Clea	r		Surface	
	oxy Wall Coating										
	h Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Sto	orage Requirements:					FINISHES	
			UPPER UNITS						Full-height Cabir	net:	
CEILING FINISHI ECC Epo	DES LEGEND:  DOXY Ceiling Coating	U	U2 U3 U4						Upper Millwo		
HPC High	h Performance Coating		U5	U6					Countert	op:	
PF Pref PT Pair	finished nt			7 U8	SHELF				Lower Millwo	ork:	
WALL BROTECT	SION LECEND.				<b>₹</b> 1 □				Sh	elf:	
WALL PROTECT  ESRP Extr	ruded Semi-Rigid PVCu Panel				S1				Rem	arks:	
FRL Fibr	re Reinforced Laminate										eties C 12 (Division
	reglass Reinforced Plastic stective Vinyl Wallcovering									efer to Schedule 1, Se 2) for Specialty Casew	
RHIS Rigi	id High Impact Sheet								а	re diagrammatic, prov	ride specialty
	etwall Solid Surface Panel etroom Vinyl Wallcovering			on on			- 1		C	asework appropriate f pecialized functions to	or the specific and
FLOOR FINISHES	S LEGEND:	C1 C2			ON THE PERSON NAMED IN		-			he space and to accon	
	ncrete Floor Sealer	C2 C3 C4 1		377	= - III V			7 /	P	rovide ceiling hatches	with gaskets.
	oxy Floor Coating yurethane Floor Coating		L2 L3 L4 L5		RMM =	_	Commence of	-	1		
-	ober Athletic Flooring	FULL-HEIGHT CABINETS		L6 L7 L8 L9							
	ober Sheet Flooring Imless Cushioned Flooring				L10 L11 L12		= 1	/			
	tic-Dissipative Rubber Sheet Flooring	Legend:	Motorized					U			
	tic-Dissipative Vinyl Sheet Flooring yl Sheet Flooring	Category 0 - None	Min. Length Adjustable Standing	Specialty	LOWER UNITS	_		UC1	· II		
	troom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categor Category 2 - Med (5% - 9%)	, , , , ,	Casework	2011 Zili Olili S	RECEPTION/TRAN		TY SINK AND COUN	TER LIMIT		
FLOOR BASE LE	GEND:	Category 3 - High (10% or Greater)	2400	✓		COUNTER / CARE STATION DESK	TEAWI OTILI	IT SINK AND COOK	TER ONT		
	sh Cove Base										
	ober Base Imless Cushioned Flooring										
MFCHANICAI	L REQUIREMENTS										
	Hand	Seamless Utility /	Other Fixtures:		MED / NON BACD CA	CEC					
		seamless Otility / K: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		vash Station	MED / NON-MED GA (Quantity)	Medi	cal Nitrous			Laboratory Labo	Utility oratory Compressed
(220100)				vash/Shower Station	1	Medical Air: Vacuu		CO2: AG	SS: Nitrogen:		cuum: Compressed Characteristics Compressed Characteristics Compressed Characteristics Compressed Characteristics Compressed Characteristics Compressed Characteristics Compressed Characteristics Compressed Characteristics Compressed Characteristics Chara
Plumbing				rgency Shower n Rim Sink	2,82						All.
Remarks:			_								
			_	r Drain er Bottle Refill Station	Gas Remarks:						
			Instantaneous Water	בו שטננופ תפוווו אנמנוטוו							
			Other								

Appendix 1B Minimum Room Require	ements		Program 1. J4.03 Number(s): 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Storage - Non-Hazardous	Drug		3. 4. 5. 6.	9. 10. 11. 12.	15. 16. 17. 18.	21. 22. 23. 24.	27. 28. 29. 30.	33. 34. 35. 36.	39. 40. 41. 42.	45. 46. 47. 48.
ARCHITECTURAL REQUIREMENTS										
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES	ROOM A	CCESSORIES		
Wall Material: ARGB 1.2m AFF, GB above	71	Corner Guards Hand Rails	☐ Bed Bumper / Locator	☐ Interior Gla	zing	Material: Base:	Coa	t Hooks 🔲 Ceiling Li		agnetic Whiteboard
Ceiling Material: ACT	Finish: PF Height: 2185 mm	Crash Rails Chair Rail				VSF FCB	Mir	ror Infant Ch	ange Table	vacy Curtain
LEGEND:	DOORS						Doo	r Remarks:		
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:									Security Grille
ACT Acoustic Ceiling Tile										
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board				N4 N4 NN		NN44				Anti-barricade strategy
GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	A A2 B E	2 C C2 D	D2 E E2	F F2 G	Н	J				
KLCT Kitchen Lay-in Ceiling Tile			ntegral Door & Frame Privac		0	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile		aterial. Tillisti. Side Et.	Blinds: Protect.: Film:	T direction:	ader: Lock: O	pener: Open: Hing			ccessory 3: Close	er:
WALL FINISHES LEGEND:	C2 1 1830 x 2135 Solid	Core FRL	2 High	Passage		Cont. Swin	g Clear Astragal	Flush Bolt	Surface	
EWC Epoxy Wall Coating										
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPEI	R UNITS	Storage Requirements:					FINISHES	
CEILING FINISHES LEGEND:	U1							Full-height Cab		
ECC Epoxy Ceiling Coating HPC High Performance Coating	THE VIEW	U2 U3 U4	U5 U6					Upper Milly Counter		
PF Prefinished		T Z	U7	U8 SHELF				Lower Milly	·	
PT Paint			T T					S	helf:	
WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel				S1				Por	narks:	
FRL Fibre Reinforced Laminate								Kei	iidiks.	
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering		i F								
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel			-					]		
WVW Wetroom Vinyl Wallcovering		11		COLUMN TARREST SERVICES	1	7/				
FLOOR FINISHES LEGEND:	C1 C2 C3 C3			- m	7	-				
CFS Concrete Floor Sealer EFC Epoxy Floor Coating		L2			K		1 4	America A		
PFC Polyurethane Floor Coating	FULL-HEIGHT CABINETS				4 -					
RSF Rubber Sheet Flooring	POLE-REIGHT CABINETS		L6 L7 L8 L9	L10 L11	-		47 11			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			L12	TC1 TC2	V   "			
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Min. Length Adjustable Star	nding Specialty	LOWER UNITS			<sup>™</sup> UC1	u II		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category Category 2 - Med (5% - 9%)	(mm) Height He	eight Casework	LOWER UNITS		ON/TRANSACTION	UTILITY SINK AND CO	INITED LINIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				STATION	ER / CARE TEAM N DESK	OTILITY SINK AND CO	DINTER UNIT		
FCB Flash Cove Base RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS										
PLUMBING Hand	Seamless Utility /	Other Fixtures:	Evewash Station	MED / NON-M	ED GASES					Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink	:: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower	Eyewash/Shower Station	(Quantity)		Medical Nitrous			·	Compressed
		_	Emergency Shower	Oxygen	: Medical Air:	Vacuum: Oxide:	CO2:	AGSS: Nitrogen:	Air: Va	cuum: Air:
Plumbing Remarks:			Flush Rim Sink							
		_	Floor Drain	Gas Rem	arks:					
		Hot Water	Water Bottle Refill Station							
			Other							

				Number(s):	2.	8.	14.	20.	26.	32.		38.	44.	
Poem Name: Workroom - General Pharms	Room Name: Workroom - General Pharmacy				3.	9.	15.	21.	27.	33.		39.	45.	
Room Name. Workloom - General Frianna	асу				4.	10.	16.	22.	28.	34.		40.	46.	
					5.	11.	17.	23.	29.	35.		41.	47.	
					6.	12.	18.	24.	30.	36.		42.	48.	
ARCHITECTURAL REQUIREMENTS							1			1			1	
WALL AND CEILING		WALL PROTECTION				GLAZING		FLOORING TYPES		ROOM ACCESSO	RIES			
	Finish: EWC	Type: ESRP	✓ Corner Guards ☐ Hand R	ails 🔲 Bed Bu	mper / Locator	☐ Interior Gla	nzina	Material: Base:		✓ Coat Hooks		<b>✓</b>	Magnetic Whit	teboard
	Finish: PF	Height: 2185 mm	☐ Crash Rails ✓ Chair Ra		•		12111g	VSF RB		Mirror	☐ Infant Char		Privacy Curtain	
LECEND	DOODS									Door Remarl				
LEGEND: WALL AND CEILING LEGEND:	DOORS													
AC Architectural Ceiling	Types												☐ Secu	urity Grille
ACT Acoustic Ceiling Tile														
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board		ALMALA.		NE		$4 \times 4 \times 1$		NMI44					□ Anti- strat	-barricade
GB Gypsum Board		A A2 B	B2 C C2 D	D2	E E2 F	F2 G	Н	J					Strat	СБУ
IRGB Impact-Resistant Gypsum Board				Internal Dec	a C Carana Dairean		Cand Man	A. da Hald						
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board		F Ot Ci ().	Material: Finish: Side L	•	r & Frame Privacy Protect.: Film:	_	Card Mag eader: Lock: (	Auto Hold Opener: Open: Hi		A			1	
SACT Security Acoustic Ceiling Tile		Type:Qty: Size (mm):				Turiction.			nges:	Accessory 1: Acc	essory 2: Acce	essory 3: C	loser:	
WALL FINISHES LEGEND:		B 1 915 x 2135	Solid Core FRL	2 H	igh Sto	reroom		Butt Hing	ge			Surrac	e	
EWC Epoxy Wall Coating								шшш						
HPC High Performance Coating PT Paint	MILLWORK AND SPI	ECIALTY CASEWORK			S	torage Requirements:	:					FINISHES		
				PPER UNITS							- ull-height Cabin	et·		
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	6	77	U2								Upper Millwo			
ECC Epoxy Ceiling Coating HPC High Performance Coating		TXXXX	U3 U4	U5	116						Counterto			
PF Prefinished	7			7	U7 U8	SHELF					Lower Millwo	*		
PT Paint	********				7	7					She			
WALL PROTECTION LEGEND:	THE PERSONS			I .I. K	-	S1								
ESRP Extruded Semi-Rigid PVCu Panel	Sugarana I					V					Rema	arks:		
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic	-	'  ' /		1		-					Re	efer to Schedule 1	L, Section 6.12 (	(Division
PVW Protective Vinyl Wallcovering		100		Francis	i						12	2) for Specialty Ca	isework	
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel	-			-								ovide 1 Large sor		orkbench
WVW Wetroom Vinyl Wallcovering	CONTRACTOR OF THE PARTY OF THE	-		111	an Property lies		1	-				.5nsm) and 7 star orkstations (2.8n		
FLOOR FINISHES LEGEND:	C1 C2		+11111		-17	ON THE PERSON NAMED IN		1				narmacists/Techs		
CFS Concrete Floor Sealer		C4 C5							7	/				
EFC Epoxy Floor Coating			L2 L3 L4			- 144	1==	-	_/	The state of the s	7/			
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABI	NETS		L5 L6	L7 18		7							
RSF Rubber Sheet Flooring					L7 L8 L9	L10 L11	1		$\neg$					
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Lacandi						L12	TC1 TC2		"   [				
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None		Motorized	Standing Spe	a aia ltu					UC1				
VSF Vinyl Sheet Flooring	Category 1 - Low (1%	6 - <b>4%)</b> Categ	.,		ecialty sework	LOWER UNITS	DECEDT	TION/TRANSACTION						
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (59		, ,		<b>✓</b>			TER / CARE TEAM	UTILITY SII	NK AND COUNTER L	JNIT			
FLOOR BASE LEGEND:	Category 3 - High (10	0% or Greater)						ON DESK						
FCB Flash Cove Base RB Rubber Base														
SCF Seamless Cushioned Flooring														
MECHANICAL REQUIREMENTS	1													
	Consideration (1999)		Other First			MED /								
PLUMBING Hand (Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Seamless Utility / Kitchen Sink: Process Sink:	Scrub Sink: Floor Sink	Other Fixtures:	Evewash		MED / NON-M	IED GASES	Mark at Arr	_			laha wi	lahamt:	Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Troccs sink.	11001 31111	Shower		/Shower Station	(Quantity)		Medical Nitrou r. Vacuum: Oxide		a. Accc	NII	Laboratory Air:	Laboratory Co Vacuum:	ompressed
			Tub	Emerger		Oxyger	n: Medical Ai	I. IIII	co.	2: AGSS:	Nitrogen:			Air:
Plumbing			☐ Ice Maker	Flush Rir										
Remarks:			☐ Water Closet	☐ Floor Dra	ain	Gas Rem	narks:	•	-					]
			Instantaneous	☐ Water B	ottle Refill Station	Gas kem	iai KS.							1
			Hot Water	Other										1
				Other										]

Program 1. J1.01

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

			Number(s): 2.	8. 14.	20. 26.	32. 38.	44.
			3.	9. 15.	21. 27.	33. 39.	45.
F	Room Name:   Workroom - ISO 8 - Cont	rolled IV Setup					
			4.	10. 16.	22. 28.	34. 40.	46.
			5.	11. 17.	23. 29.	35. 41.	47.
			6.	12. 18.	24. 30.	36. 42.	48.
ARCHITEC	TURAL REQUIREMENTS						
WALL AND	CEILING	WALL PROTECTION		GLAZING	FLOORING TYPES	ROOM ACCESSORIES	
	Il Material: ARGB 1.2m AFF, GB above		Hand Rails Bed Bumper / Locator		Material: Base:	✓ Coat Hooks ☐ Ceiling Lift	✓ Magnetic Whiteboard
	g Material: ACT-C	1 1,70	Chair Rail	✓ Interior Glazing	RSF FCB	Mirror Infant Change Table	Privacy Curtain
Cennig	g Material. ACT-C	Finish: PF Height: 2185 mm	□ Cildii Ndii				— Frivacy Curtain
LEGEND:		DOORS				Door Remarks:	
WALL AND	CEILING LEGEND:	Types					
AC	Architectural Ceiling	Types:	an 181 1818 181 1818 17				Security Grille
ACT	Acoustic Ceiling Tile						
ACT-C	Cleanroom		NE DEN DE LA CELE		MNIZIZI:		☐ Anti-barricade
ARGB GB	Abuse-Resistant Gypsum Board						strategy
IRGB	Gypsum Board Impact-Resistant Gypsum Board	A A2 B B2 C	C2 D D2 E E2 F	F2 G H	J		
KLCT	Kitchen Lay-in Ceiling Tile		Integral Door & Frame Privacy	Card Mag	Auto Hold		
MMRGB	Moisture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm): Material: Fi	nish: Side Lt: Blinds: Protect.: Film:	9	Opener: Open: Hinges:	Accessory 1: Accessory 2: Accessory 3:	Closer:
SACT	Security Acoustic Ceiling Tile	Type:Qty: Size (IIIII). Widerial.	IIIII SIGE EC	T direction.	- Imigesi	/tecessory 1: /tecessory 2: /tecessory 3:	
WALL FINIS	SHES LEGEND:						
EWC	Epoxy Wall Coating						
HPC	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK					
PT	Paint		UPPER UNITS	Storage Requirements:		FINISHE	.S
CELLING EIN	NISHES LEGEND:	U1 U				Full-height Cabinet:	
ECC	Epoxy Ceiling Coating	U2	112 - 1			Upper Millwork:	
HPC	High Performance Coating		U5 IIC -	]		Countertop:	
PF	Prefinished		U7 U8	SHELF		Lower Millwork:	
PT	Paint						
WALL DOO	FECTION LECEND.					Shelf:	
	TECTION LEGEND:			S1			
ESRP FRL	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate	Segrence		1		Remarks:	
FRP	Fibreglass Reinforced Plastic			-		Refer to Scheo	dule 1, Section 6.12 (Division
PVW	Protective Vinyl Wallcovering	10 000000000000000000000000000000000000	1				Ilty Casework. Items indicated
RHIS	Rigid High Impact Sheet					are diagramm	natic, provide specialty
WSSP	Wetwall Solid Surface Panel	CONTRACTOR CONTRACTOR	on on the same				propriate for the specific and
WVW	Wetroom Vinyl Wallcovering			On the second	7/		nctions to be performed in
FLOOR FIN	ISHES LEGEND:	<u>cı</u> c2 c3		The state of the s	-	•	I to accommodate Equipment.
CFS	Concrete Floor Sealer						ling height counter with
EFC	Epoxy Floor Coating		3 14 15	- 444	-		te for 4 staff for IV Setup and 2
PFC	Polyurethane Floor Coating	FULL-HEIGHT CABINETS	L4 L5 L6 L7			standing heigh	d shelving. Computers are on
RAF RSF	Rubber Athletic Flooring Rubber Sheet Flooring	POLE-REIGHT CADINETS	L6 L7 L8 L9	140		Standing neigh	it counter.
SCF	Seamless Cushioned Flooring			L10 L11 L12			
SDRF	Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized		τ <b>c</b> 1 τ <b>c2</b>	U    "    U	
SDVF	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None Min. Length	Adjustable Standing Specialty			UC1 U	
VSF WSVF	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm)	Height Height Casework	LOWER UNITS RECEP	TION/TRANSACTION		
		Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater) 3 9000				INK AND COUNTER UNIT	
FLOOR BAS	E LEGEND:	Category 3 - High (10% or Greater)			ON DESK		
FCB	Flash Cove Base						
RB	Rubber Base						
SCF	Seamless Cushioned Flooring						
<b>MECHANI</b>	CAL REQUIREMENTS						
		Consider 1989 /					
PLUMBING	Hand	Seamless Utility / Other Fixture	Everrasii Station	MED / NON-MED GASES			Utility
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sink	K: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Eyewash/Shower Station	(Quantity)	Medical Nitrous	Laborator	y Laboratory Compressed
		1 Tub	☐ Emergency Shower	Oxygen: Medical A	ir: Vacuum: Oxide: CC	O2: AGSS: Nitrogen: Air:	Vacuum: Air:
Plumbing							
Remarks:		Ice Mal					
		Water		Gas Remarks:			
		☐ Instant	neous Water Bottle Refill Station				
		Hot Wa	er	7			
			Other	]			

Program 1. J2.07

13.

19.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

25.



## New Surrey Hospital & BC Cancer Centre

MINIMUM ROOM REQUIREMENTS

### K. Radiation Therapy Planning

				Number(s):	2.	8.	14.	20.	26.	32.		38.	44.	
Room Name: Business Work Area - 3D Pi	rinters				3.	9.	15.	21.	27.	33.		39.	45.	
Noom Name.					4.	10.	16.	22.	28.	34.		40.	46.	
					5.	11.	17.	23.	29.	35.		41.	47.	
					6.	12.	18.	24.	30.	36.		42.	48.	
ARCHITECTURAL REQUIREMENTS														
WALL AND CEILING	WALL	PROTECTION				GLAZING		FLOORING TYPES		ROOM ACCESSO	RIES			
			Corner Guards	ails 🔲 Bed Bu	mper / Locator	☐ Interior Gla	n-in-c	Material: Base:			Ceiling Lift		Magnetic Whitel	board
		. , , ,	Crash Rails Chair Ra		,	interior Gia	izirig	RSF RB		Mirror	☐ Infant Char		Privacy Curtain	
LEGEND:	DOORS									Door Remar				
WALL AND CEILING LEGEND:														
AC Architectural Ceiling	Types:						709						Securi	ty Grille
ACT Acoustic Ceiling Tile	16												☐ Anti-b	
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board													strate	
GB Gypsum Board	A	A2 B B2	C C2 D	D2	E E2 F	F2 G	н	J					30.000	<b>&gt;1</b>
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile				Integral Doo	or & Frame Privacy	_	Card Mag	Auto Hold						
MMRGB Moisture and Mould-Resistant Gypsum Board	F <sub>V</sub>	pe:Qty: Size (mm): Mat	erial: Finish: Side Lt	•	Protect.: Film:			0	nges:	Accessory 1: Acc	ressony 2: Acc	eccony 3: C	loser:	
SACT Security Acoustic Ceiling Tile		B 1 1065 x 2135 Hollov		1 Lo			<b>✓</b>	Butt Hing		Accessory 1. Acc	20301 y 2. Acc	23301 y 3. C	10361.	
WALL FINISHES LEGEND:		B 1 1003 X 2133 110110V	V Wictai Taint			Croom			,c					
EWC Epoxy Wall Coating HPC High Performance Coating														
PT Paint	MILLWORK AND SPECIAL	TY CASEWORK	UP	PPER UNITS	S	torage Requirements:						FINISHES		
CEILING FINISHES LEGEND:		U1		T EN ONITS							Full-height Cabin	et:		
ECC Epoxy Ceiling Coating	(my	7.7.7	U2 U3 U4								Upper Millwo	rk: Plastic Lamin	ate	
HPC High Performance Coating		K-K-V-K	7	U5	U6 LIZ						Counterto	op: Solid Surfacir	ng	
PF Prefinished PT Paint	-			7	U8	SHELF						rk: Plastic Lamin	ate	
						<b>→</b>					She	elf:		
WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel	- Contractor	-4   1 <del>11</del>				S1					D	.1.		
FRL Fibre Reinforced Laminate	-			-		1					Rema	arks:		
FRP Fibreglass Reinforced Plastic						1								
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	-	100	STREET, STREET	hammed		1								
WSSP Wetwall Solid Surface Panel	-			SERESTEEN SERES	toracepe.									
WVW Wetroom Vinyl Wallcovering				11	-	CO CO CONTRACTOR OF THE PERSON NAMED IN COLUMN 1	1	7/						
FLOOR FINISHES LEGEND:	C1 C2	C3 C4					1	-		_				
CFS Concrete Floor Sealer EFC Epoxy Floor Coating		□ C4 C5 11	L2				K		/	/	7			
PFC Polyurethane Floor Coating			L3 L4	L5		- Seri	4	-		The state of the s	-			
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS			□ L6	L7 L8 L9			2 L 15						
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring						L10 L11	L12							
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:		Motorized					TC1 TC2		U    "	U			
SDVF Static-Dissipative Vinyl Sheet Flooring  VSF Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%)		.,		ecialty	LOWER UNITS	_			UC1	II.			
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)		(mm) Height		sework	2011211011110		TION/TRANSACTION	LITH ITY CIAN	_	INIT			
FLOOR BASE LEGEND:	Category 3 - High (10% or G		1800				STATIO	ER / CARE TEAM	UTILITY SIN	K AND COUNTER (	JINIT			
FCB Flash Cove Base														
RB Rubber Base														
SCF Seamless Cushioned Flooring														
AACCHANICAL DEOLUBEAACHTC														
MECHANICAL REQUIREMENTS														
PLUMBING Hand	Seamless Utility /	Cinly Floor Cinly	Other Fixtures:	Eyewash	Station	MED / NON-M	ED GASES						I	Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	NILLINERI SIRK: Process Sirk: Scrub	O SILIK: FIOOT SINK:	Shower	Eyewash	/Shower Station	(Quantity)		Medical Nitrou					Laboratory Con	npressed
			☐ Tub	☐ Emergen	ncy Shower	Oxygen	n: Medical Air	r: Vacuum: Oxide	: CO2	: AGSS:	Nitrogen:	Air:	Vacuum:	Air:
Plumbing			☐ Ice Maker	Flush Rin	n Sink									
Remarks:			Water Closet	☐ Floor Dra	ain				1	ı	1			
			Instantaneous		ottle Refill Station	Gas Rem	iarks:							
			Hot Water											
				Other										

Program 1. K1.15

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B N	/linimum Room Require	ements	Program Number(s)		7. 13. 8. 14.			25. 26.	31. 32.	37. 38.	43. 44.
Room Na	me: Computer Room - CT - Si	mulation		3. 4.	9. 15. 10. 16.			27. 28.	33. 34.	39. 40.	45. 46.
					11. 17.			29.	35.	41.	47.
				6.	12. 18.		24.	30.	36.	42.	48.
ARCHITECTURA	L REQUIREMENTS			1							
WALL AND CEILING Wall Materi Ceiling Materi	ial: ARGB 1.2m AFF, GB above	WALL PROTECTION           Finish:         PT         Type:         RHIS           Finish:         PF         Height:         1350 mm	✓ Corner Guards ☐ Hand Rails ☐ Bed B☐ Crash Rails ☐ Chair Rail	Sumper / Locator	GLAZING  Interior Glazing	M	RING TYPES Naterial: Base: DVF FCB		CESSORIES Hooks Ceiling Lif or Infant Cha		agnetic Whiteboard vacy Curtain
LEGEND:		DOORS						Door	Remarks:		
WALL AND CEILING		Types:									Security Grille
	tural Ceiling Ceiling Tile										
ACT-C Cleanroo ARGB Abuse-Re	om esistant Gypsum Board					MN NN	44				Anti-barricade strategy
GB Gypsum I IRGB Impact-R	Board Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	H 1					J.
KLCT Kitchen L	Lay-in Ceiling Tile			oor & Frame Privacy	Card	_	Hold				
	e and Mould-Resistant Gypsum Board Acoustic Ceiling Tile		viateriai. Tillisii. Side Et.	Protect.: Film:  Low Store	Function: Reader:	Lock: Opener:	· imiges:	Accessory 1	: Accessory 2: Ac	cessory 3: Close Surface	er:
WALL FINISHES LEG	GEND:	A 1 1220 x 2133 300	id core	Store			Butt Hinge			Surface	
	all Coating formance Coating	MILLWORK AND SPECIALTY CASEWORK		51.			<u> </u>	1		FINISHES	
PT Paint		~	UPPER UNITS	Sto	rage Requirements:				Full-height Cabi	FINISHES	
CEILING FINISHES LI ECC Epoxy Ce	EGEND: eiling Coating		1 U2 U3 U4						Upper Millw		
HPC High Perf	formance Coating		U5	U6					Counter	top:	
PF Prefinishe PT Paint	ed			U8 U8	SHELF				Lower Millw	ork: nelf:	
WALL PROTECTION	LEGEND:	-			S1				31	ieii.	
	d Semi-Rigid PVCu Panel inforced Laminate	11 1 1							Rem	narks:	
FRP Fibreglas	ss Reinforced Plastic										
	ve Vinyl Wallcovering h Impact Sheet										
	Solid Surface Panel n Vinyl Wallcovering										
FLOOR FINISHES LE	GEND:	C1 C2 C3		+=-	-	-					
	e Floor Sealer oor Coating		L2		<del></del> ////			7/	F-A		
PFC Polyureth	hane Floor Coating	FULL-HEIGHT CABINETS	L3 L4 L5 L6	17 18	ZEEN.						
RSF Rubber S	Athletic Flooring Sheet Flooring	FOLL-REIGHT CABINETS		L7 L8 L9	L10 L11						
	s Cushioned Flooring ssipative Rubber Sheet Flooring	Legend:	Motorized				TC1 TC2	/			
	ssipative Vinyl Sheet Flooring eet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category	Min. Length Adjustable Standing Sp	pecialty	LOWER UNITS			UC1	u II		
	n Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	y (mm) Height Height Ca	asework	2011211011110	RECEPTION/TRA COUNTER / CAR		ILITY SINK AND COU	NTFR UNIT		
FLOOR BASE LEGEN		Category 3 - High (10% or Greater)				STATION DESK	2.12/11/1				
FCB Flash Cov RB Rubber B											
SCF Seamless	s Cushioned Flooring										
AAECHANICAL DI	FOLUDENA FRITS								L		
MECHANICAL RI		Consider Hills /	Oliver T. L. v.		1455 / 1461 1455 6	• • • • • • • • • • • • • • • • • • • •					
PLUMBING Har (Quantity) Hygiene		Seamless Utility / :: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures: Evewas		MED / NON-MED GA (Quantity)		dical Nitrous			Laboratory Lab	Utility oratory Compressed
(33333)				sh/Shower Station ency Shower	1		cuum: Oxide:	CO2: A	GSS: Nitrogen:		cuum: Compressed Air:
Plumbing			☐ Ice Maker ☐ Flush Ri								
Remarks:			☐ Water Closet ☐ Floor D	rain	Gas Remarks:				I		
			☐ Instantaneous ☐ Water I	Bottle Refill Station	Gas Kemarks:						
			Hot Water Other								

Appendix 1B Minimum Room Requirements	Program Number(s):		7. 13. 8. 14.	19. 20.	25. 31. 26. 32.	37. 38.	43. 44.
Room Name: Computer Room - MRI - Simulation		3.	9. 15. 10. 16.	21. 22.	27. 33. 28. 34.	39. 40.	45. 46.
			11.	23.	29. 35.	41.	47.
		6. 1	12. 18.	24.	30. 36.	42.	48.
ARCHITECTURAL REQUIREMENTS							
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB above Ceiling Material: ACT  WALL PROTECTION  Type: RHIS Corr  Finish: PF Height: 1350 mm Cras	ner Guards		GLAZING  Interior Glazing	FLOORING TYPES Material: Base: SDVF FCB	ROOM ACCESSORI  Coat Hooks Mirror	Ceiling Lift	Magnetic Whiteboard Privacy Curtain
LEGEND: DOORS					Door Remarks:		
WALL AND CEILING LEGEND:  Types:							
AC Architectural Ceiling  ACT Acoustic Ceiling Tile  ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board			N 6 6				Security Grille  Anti-barricade strategy
GB Gypsum Board A A2 B B2  IRGB Impact-Resistant Gypsum Board	C C2 D D2 E	E E2 F	F2 G H	J			
KLCT Kitchen Lay-in Ceiling Tile	<u> </u>	r & Frame Privacy	Card Mag				
SACT Security Acoustic Ceiling Tile	i. Tillisti. Side Et.			k: Opener: Open: Hinges	s: Accessory 1: Acces		Closer:
WALL FINISHES LEGEND:  A 1 1220 x 2135 Solid Core	FRL 1 Lov	w Storer	room 🗸 🗌	Butt Hinge		Surf	ace
EWC Epoxy Wall Coating							
HPC High Performance Coating MILLWORK AND SPECIALTY CASEWORK PT Paint	UPPER UNITS	Sto	rage Requirements:			FINISHES	
CEILING FINISHES LEGEND:						II-height Cabinet:	
ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering  FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Coating PFC Polyurethane Floor Coating RAF Rubber Ahrletic Flooring SCF Seamless Cushioned Flooring SCF Seamless Cushioned Flooring SDRF Static-Dissipative Vinyl Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring Category 0 - None Mir	U2 U3 U4 U5  L3 L4 L5 L6  Motorized  n. Length Adjustable Standing Spec	L7 18 19	СО	CEPTION/TRANSACTION OUNTER / CARE TEAM ATION DESK		Upper Millwork: Countertop: Lower Millwork: Shelf:  Remarks:	
MECHANICAL REQUIREMENTS							
	ner Fixtures: Fyewash		MED / NON MED CACE				
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		/Shower Station	MED / NON-MED GASES (Quantity) Oxygen: Medica	Medical Nitrous al Air: Vacuum: Oxide:	CO2: AGSS:	Laboratory Nitrogen: Air:	Laboratory Compressed Vacuum: Air:
Plumbing Remarks:	Ice Maker Flush Rim Water Closet Floor Drai	n Sink	Gas Remarks:				

Re	oom Name: Control Room - CT - Simula	tion	N	3. 4. 5. 6.	8. 14. 9. 15. 10. 16. 11. 17. 12. 18.	20. 21. 22. 23. 24.	26.       32.         27.       33.         28.       34.         29.       35.         30.       36.	39. 40.	44. 45. 46. 47. 48.
ARCHITECT	TURAL REQUIREMENTS								
WALL AND (	CEILING  Material: ARGB 1.2m AFF, GB above	WALL PROTECTION           Finish:         PT         Type:         FRP           Finish:         PF         Height:         1600 mm	Crash Rails  Crash Rails	☐ Bed Bumper / Locator	GLAZING  ✓ Interior Glazing	FLOORING TYPES Material: Base: SDVF FCB	ROOM ACCESSO  Coat Hooks  Mirror	Ceiling Lift	Magnetic Whiteboard Privacy Curtain
AC ACT ACT-C ARGB GB IRGB KLCT MMRGB SACT  WALL FINISI EWC HPC PT  CEILING FIN ECC HPC PF PT  WALL PROT ESRP FRL FRP PVW RHIS WSSP WVW	Architectural Ceiling Acoustic Ceiling Tile Cleanroom Abuse-Resistant Gypsum Board Gypsum Board Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile HES LEGEND: Epoxy Wall Coating High Performance Coating Paint ISHES LEGEND: Epoxy Ceiling Coating High Performance Coating Prefnished Paint  ECTION LEGEND: Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate Fibreglass Reinforced Plastic Protective Vinyl Wallcovering Rigid High Impact Sheet Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering SHES LEGEND: Concrete Floor Sealer Epoxy Floor Coating Polyurethane Floor Coating Rubber Sheet Flooring Rubber Sheet Flooring Rubber Sheet Flooring Seamless Cushioned Flooring	C1 C2 C3 C4 C5 L1 C1 C2 C3 C4 C5 L1 C1 C2 C3 C4 C5 C1 C1 C1 C2 C3 C4 C5 C1 C1 C1 C1 C1 C1 C1 C1 C1 C1 C1 C1 C1	Material: Finish: Side Lt: Bloblid Core FRL	UNITS  Pass  UNITS  Si  U5  U6  U7  U8	eroom	Opener: Open: Hinges Butt Hinge Butt Hinge		ccessory 2: Accessory 3:	
PLUMBING	Flash Cove Base Rubber Base Seamless Cushioned Flooring  CAL REQUIREMENTS Hand	Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  Seamless Utility / Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures:	Evewash Station Eyewash/Shower Station	LOWER UNITS  REC COL	EPTION/TRANSACTION INTER / CARE TEAM U TION DESK  Medical Nitrous	UC1  TILITY SINK AND COUNTER  CO2: AGSS:	Laboratory Nitrogen: Air:	Utility Laboratory Compressed Vacuum: Air:
Plumbing Remarks:			☐ Ice Maker ☐ ☐ Water Closet ☐ ☐ Instantaneous ☐ Hot Water	Emergency Shower Flush Rim Sink Floor Drain Water Bottle Refill Station Other	Gas Remarks:		7,033.		All.

Program 1. K3.09

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Room Name: Control Room - MRI - Simulation	Number(s): 2. 3. 4. 5. 6.	8. 14. 9. 15. 16. 11. 17. 12. 18.	20.       26.         21.       27.         22.       28.         23.       29.         24.       30.	33. 34. 35.	38. 44. 39. 45. 40. 46. 41. 47. 42. 48.
ARCHITECTURAL REQUIREMENTS					
	Corner Guards Hand Rails Bed Bumper / Locator Crash Rails Chair Rail		FLOORING TYPES Material: Base: SDVF FCB	ROOM ACCESSORIES  Coat Hooks Ceiling Lift Mirror Infant Change	✓ Magnetic Whiteboard e Table ☐ Privacy Curtain
LEGEND: DOORS  WALL AND CEILING LEGEND:  AC Architectural Ceiling  Types:	5			Door Remarks:	☐ Security Grille
ACT Acoustic Ceiling Tile  ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board  GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	2 C C2 D D2 E E2	F F2 G H			Anti-barricade strategy
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board  SACT Security Acoustic Ceiling Tile  B 1 1065 x 2135 Shiel	aterial. Tillisti. Side Et.		Auto Hold pener: Open: Hinges: A	Accessory 1: Accessory 2: Access	sory 3: Closer:
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating HPC High Performance Coating PT Paint  MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Storage Requirements:			FINISHES
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering FFC Polyurethane Floor Coating PFC Polyurethane Floor Coating PFC Polyurethane Floor Coating SGF Seamless Cushioned Flooring SGF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring WSF Vinyl Sheet Flooring WSF Vinyl Sheet Flooring WSF Wetroom Safety Vinyl Sheet Flooring WSF Wetroom Safety Vinyl Sheet Flooring WSF Wetroom Safety Vinyl Sheet Flooring WSF Hoor Base RB Rubber Base SCF Seamless Cushioned Flooring  SGF Seamless Cushioned Flooring  TLOOR BASE LEGEND:  Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  3	Win. Length (mm) Motorized Height Casework  2700	LOWER UNITS  RECEPTION	,	Full-height Cabinet: Upper Millwork. Countertop. Lower Millwork. Shelf: Remark	: Plastic Laminate
MECHANICAL REQUIREMENTS  PLUMBING Hand Seamless Utility / (Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures: Evewash Station  Shower Eyewash/Shower Static	MED / NON-MED GASES (Quantity)	Medical Nitrous	ı	Utility Laboratory Laboratory Compressed
Plumbing Remarks:	Tub Emergency Shower  Ice Maker Flush Rim Sink  Water Closet Floor Drain  Instantaneous Water Bottle Refill Stati	Oxygen: Medical Air:	Vacuum: Oxide: CO2:	AGSS: Nitrogen:	Air: Vacuum: Air:

Program 1. K4.08

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B Minimum Room Requi	irements	Program Number(s):	1. K1.04 2.	7. 13. 8. 14.		25. 31. 26. 32.	37. 38.	43. 44.
Room Name: Electronics Shop - RT S	System Technologists		3.	9. 15. 10. 16.	21.	27. 33. 28. 34.	39. 40.	45. 46.
				11. 17.		29. 35.	41.	47.
			6.	12. 18.	24.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS					T			
WALL AND CEILING  Wall Material: MMRGB	WALL PROTECTION  Finish: PT Type: RHIS ✓ C	orner Guards	mpor / Locator	GLAZING	FLOORING TYPES  Material: Base:	ROOM ACCESSORIES  Coat Hooks		✓ Magnetic Whiteboard
Ceiling Material: ACT		rash Rails Chair Rail	riper / Locator	✓ Interior Glazing	VSF FCB			Privacy Curtain
LEGEND:	DOORS				I	Door Remarks:		
WALL AND CEILING LEGEND:	Types:							Socurity Grillo
AC Architectural Ceiling			ai iain izav					Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom								☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board								strategy
GB Gypsum Board	A A2 B B2	C C2 D D2	E E2 F	F2 G H	J			,
IRGB Impact-Resistant Gypsum Board								
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board			& Frame Privacy	Card Mag	Auto Hold			
SACT Security Acoustic Ceiling Tile	Type:Qty: Size (mm): Mate	idi. Tillisti. Side Et.	rotect.: Film:	T direction:	Opener: Open: Hinges:	Accessory 1: Accessor	ry 2: Accessory 3:	Closer:
	A2 1 1830 x 2440 Hollow	Metal Paint	Store	room 🗸 🗌	Butt Hinge	Astragal Flush Bolt	: Surf	ace
WALL FINISHES LEGEND:								
EWC Epoxy Wall Coating  HPC High Performance Coating	MAILLANORY AND CRECIALTY CACEMORY							
PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	orage Requirements:			FINISHES	
CEILING FINISHES LEGEND:	U1					Full-he	eight Cabinet:	
ECC Epoxy Ceiling Coating		U2 U3 U4				Up	per Millwork:	
HPC High Performance Coating		U5	116				Countertop: Stainless St	teel
PF Prefinished		7	U7 U8	SHELF		Lov	wer Millwork: Stainless St	
PT Paint	Engineers		77	ta 🗆			Shelf:	
WALL PROTECTION LEGEND:				sı			Silen.	
ESRP Extruded Semi-Rigid PVCu Panel							Remarks:	
FRL Fibre Reinforced Laminate							nemarks.	
FRP Fibreglass Reinforced Plastic	7		1 1					
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet		Promoted Promoted		1				
WSSP Wetwall Solid Surface Panel		TO THE PERSON NAMED IN COLUMN						
WVW Wetroom Vinyl Wallcovering		. 11 1 ==	-		7			
FLOOR FINISHES LEGEND:	CI CI	L_L     "   <del>-</del>	-17	ON THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF T	1			
CFS Concrete Floor Sealer			~ 5			7	2000 - 200	
EFC Epoxy Floor Coating		2				/ 6	7/	
PFC Polyurethane Floor Coating							81	
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L4 L5 L6	L7 L8 L9					
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring				L10 L11 L12		/	4 1	
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			TC1 TC2		[ BUS	
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		cialty			UC1	4	
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category	•	ework	LOWER UNITS RECEP	TION/TRANSACTION			
	Category 2 - Med (5% - 9%)	1800		COUN	TER / CARE TEAM UT	LITY SINK AND COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)			STATIO	ON DESK			
FCB Flash Cove Base								
RB Rubber Base  SCF Seamless Cushioned Flooring								
Scaliness cashioned ricoring								
MECHANICAL REQUIREMENTS								
PLUMBING Hand	Seamless Utility /	Other Fixtures:	Ctation	MED / NON-MED GASES				
(Quantity) Hygiene Sink: Lavatory: Kitchen S	ink: Vitchan Cink: Dracace Cink: Coruh Cink: Elaar Cink:	Lycwasii		(Quantity)	Medical Nitrous		Laboratory	Utility Laboratory Compressed
(Qualitity)	1		Shower Station			CO2. ACCC: N	A*.	Vacuum
		☐ Tub ☐ Emergen		Oxygen: Medical A	II. Tataaiiii Oxide.	CO2: AGSS: N	litrogen: AIr:	All.
Plumbing		☐ Ice Maker ☐ Flush Rin	Sink					
Remarks:		☐ Water Closet ✓ Floor Dra						
			ttle Refill Station	Gas Remarks:				
			tue nemi station					
		Other						
• • • • • • • • • • • • • • • • • • •				i				

## Part Note:   Earth Roads   Pagin   Fields	Appendix 1B Minimum Room Requireme	ents	Program Number(s):	1. K3.07 2.	7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
ARCHISCUSIAN PROJUBENSIONS    Second	Room Name: Exam Room - Patient Fitting			3.	3.   13.			33.		
Second   1/2   1										
MAIL MATERIAL REQUIREMENTS   MAIL MATERIAL   MAIL MATERIAL   Mail MATERIAL   MATERIAL   MATERIAL   MATERIAL   MATERIAL   MATERIAL   MATERIAL   MATERIAL   MA										
Mail   Mail	ARCHITECTURAL REQUIREMENTS									
March   Marc		WALL PROTECTION			GLAZING	ELOOPING TYPES	POC	M ACCESSODIES		
Column			d Rails 🔲 Bed Bu	ımper / Locator					g Lift 🗸 N	agnetic Whiteboard
Miles   Company   Compan		1,760.			interior diazing	WSVF FCB			Change Table 🗹 Pr	ivacy Curtain
Mail   Mail	LEGEND:	DOORS						Door Remarks:		
## Addressed of a property of the property of		Types:	and the same of th							Conveitor Crillo
Act   Act	5		d ide							☐ Security Grille
A   S   Part	5									☐ Anti-barricade
### MILLY POINT ALL PROPERTY LONG AND SECURITY CASH MORE SITE OF THE PROPERTY LONG AND SECURITY LONG AND						oth	erwise rquired by			
Signal Control		A A2 B B2 C C2	D D2	E E2	F F2 G H	J the	Authority			
Micros   Substitution   Substituti	* **		Integral Doc	or & Frame Privacy	Card Ma	ag Auto Hold				
THE CONTRIVENCE SERVICE  THE STATE OF THE ST		Type:Qty: Size (mm): Material: Finish: Sig	•	•	2	-	Hinges: Acce	ssorv 1: Accessorv 2:	Accessory 3: Clos	er:
WALL PROTECTION INFORMS  CELLIGATION INFORMS  MILLWORK AND SECULITY CASEWORK  Upper Attributes  MILLWORK AND SECULITY CASEWORK  Upper Attributes  MILLWORK AND SECULITY CASEWORK  Upper Attributes  Full - Breakful Casework  Full	SACT Security Acoustic Ceiling Tile			igh 🗆		□ □ Butt I			· ·	
FINAL STATE CONTRIBUTION OF THE PROPERTY OF TH	WALL FINISHES LEGEND:							,		
THE THE THE PROPERTY OF THE PR										
EULIN PROVINCE LIGATION  ILE TO STATE OF CASTON  IN COLUMN TO COLU			LIDDED LIMITS		Storage Requirements:				FINISHES	
Use Miles Service Serv			TOPPER UNITS					Full-height (	Cabinet: Plastic Laminat	2
Sign of Market Commence Sold Surface Plast Claiminate Down Ministration Sold Surface Plast Surface Plast Surface Plast Surface Plast Surface Plast Surface Plast Surface Plast		U2 112	Ш П							
FOR RANK LEGEND:  THE CONTROL OF			U5							
WALP PROTECTION LEGEND:  FIRST Protected some digress Part Protect  Remarks:			7 7							2
Expended Seminational Semination of Processing Seminational Semination of Processing Semination	PT Paint			7	- ta -					
## Res Rentered particles ## Rentered partic	WALL PROTECTION LEGEND:		al de Kr	-	S1					
Fig. Flat Microsoft Annuals (Microsoft California)  Flow Process Section 1997  Flow Process Section 19	9		1						Remarks:	
PAU Plantation duly Plantationer			1 1		-					
Weel double where free in the work of Welderberred Weeker Borner Welf Welderberred Weeker Borner Welf Welderberred Weeker Borner Borner Welf Welderberred Welf Welf Welf Welf Welf Welf Welf Welf	5		1.6	_	1					
FLOR RINGER Classes (Control)  FLORE RINGER Classes (Control)  FLORE RINGER Classes (Control)  FLORE RINGER Classes (Control)  FLORE RINGER Classes (Control)  FLORE RINGER Classes (Control)  FLORE RINGER (Control)  FLORE R				1 1						
FLOOR FINISHES LEGEND:  US Centretle foot soler  US Complete flower flow			69	an Transport						
Corporation Floring FIC Conforming FIC Conforming FIC Polyuminance Floring FIC Floring FIC Polyuminance Floring FIC Fl	, ,			- 7	On the Party of th	1				
FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS		C3 C4 C5	-	- 17-			7	/	_	
FULL-HEIGHT CABINETS   FORTING   F			-	-K-V)		-	_ / 4	1	į.	
## Multiple State Hooking   Supplementary   Su		FILL DEIGHT CARINETS	L5	17		- 14 1				
Soff Seamles Cubilisate Revolver Sheet Rooring Soff Seamles Cubilisate Revolver Sheet Rooring Soff Seamles Cubilisate Revolver Sheet Rooring Soff Seamles Cubilisate Revolver Sheet Rooring Soff Seamles Static Obsequate Viny Sheet Rooring Soff Seamles Static Obsequate Viny Sheet Rooring Soff Seamles Static Obsequate Viny Sheet Rooring Soff Seamles Static Obsequate Viny Sheet Rooring Soff Seamles Static Obsequate Viny Sheet Rooring Soff Seamles Static Obsequate Viny Sheet Rooring Soff Seamles Static Obsequate Viny Sheet Rooring Soff Seamles Static Obsequate Viny Sheet Rooring Soff Seamles Static Obsequate Viny Sheet Rooring Soff Seamles Static Obsequate Viny Sheet Rooring Soff Seamles Static Obsequate Viny Sheet Rooring Soff Seamles Static Obsequate Viny Sheet Rooring Soff Seamles Static Obsequate Viny Sheet Rooring Soff Seamles Static Obsequate Viny Sheet Rooring Soff Seamles Static Obsequate Viny Sheet Rooring Soff Seamles Static Obsequate Viny Sheet Rooring Soff Seamles Static Obsequate Viny Sheet Rooring Soff Seamles Static Obsequate Viny Sheet Rooring Soff Seamles Viny Sheet Rooring Soff Seamles Static Obsequate Viny Sheet Rooring Soff Seamles Static Obsequate Viny Sheet Rooring Soff Seamles Static Obsequate Viny Sheet Rooring Soff Seamles Static Obsequate Viny Sheet Rooring Soff Seamles Static Obsequate Viny Sheet Rooring Soff Seamles Static Obsequate Viny Sheet Rooring Soff Seamles Static Obsequate Viny Sheet Rooring Soff Seamles Static Obsequate Viny Sheet Rooring Soff Seamles Standing Specialty LOWER UNITS RECEPTION/TRANSACTION COUNTER / Care Team STATION DESK  In Static Obsequate Viny Sheet Rooring Soff Seamles Viny Sheet Rooring Soff Seamles Viny Sheet Rooring Soff Seamles Viny Sheet Rooring Soff Seamles Viny Sheet Rooring Soff Seamles Viny Sheet Rooring Soff Seamles Viny Sheet Rooring Soff Seamles Viny Sheet Rooring Soff Seamles Viny Sheet Rooring Soff Seamles Viny Sheet Rooring Soff Seamles Viny Sheet Rooring Soff Seamles Viny Sheet Rooring Soff Seamles Viny Sheet Rooring Soff Seamles Viny Sheet Roori	g .	FOLL-HEIGHT CADINETS	<b>✓</b>	L0 L9	110		<del></del>			
Solve Static Chaspative Righer Following Solve Station Solve Stati	9					70		U   [		
Vary Vary Sheet Flooring Vary Vary Sheet Flooring Vary Vary Sheet Flooring Vary Sheet	·	- IVIOLOTIZEO					C2	ucı l	-	
Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 2 - Med (5% - 9%)  Category 3 - High (10% or Greater)  Category 2 - Med (5% - 9%)  Category 2 - Med (5% - 9%)  Category 3 - High (10% or Greater)  Category 2 - Med (5% - 9%)  Category 2 - Med (5% - 9%)  Category 2 - Med (5% - 9%)  Category 3 - High (10% or Greater)  Station DESK  Utility/ Porcess Sink: Crub Sink: Floor Sink: Flo	. ,	Cotocom 4 Love (40/ 40/)		-	LOWER UNITS					
FLOR BASE LEGEND:  F.G. Flat Cove Base RB Rubber Base Cy Seamles Cushioned Flooring  MECHANICAL REQUIREMENTS  PLUMBING (Quantity)  Plumbing Remarks:  Plumbing Remark	WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	neight Ca				LITH ITV CINK AN	ID COLINTED LINIT		
Fish Rove Base Roubber Base Scamless Cushioned Flooring  MECHANICAL REQUIREMENTS  PlumBing (Quantity) 1	FLOOR BASE LEGEND:	Category 3 - High (10% or Greater) 3 5400					OTILITY SINK AN	D COONTER ONL		
MECHANICAL REQUIREMENTS  PLUMBING (Quantity)   Hand	FCB Flash Cove Base									
MECHANICAL REQUIREMENTS  PLUMBING (Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Kitchen Sink: Kitchen Sink: Kitchen Sink: Floor Sink: Scrub Sink: Floor Sink: Scrub Sink: Floor Sink: F										
PLUMBING   Hand   Seamless   Utility   Other Fixtures:   Evewash Station   Guantity   Hand   Seamless   Utility   Frocess Sink:   Scrub Sink:   Floor Sink:   Scrub Sink:   Floor Sink:   Shower   Evewash/Shower Station   Guantity   Floor Drain   Gas Remarks:   Floor Drain   Floor Dr	Seamless Cushioned Flooring									
PLUMBING   Hand   Seamless   Utility   Other Fixtures:   Evewash Station   Guantity   Hand   Seamless   Utility   Frocess Sink:   Scrub Sink:   Floor Sink:   Scrub Sink:   Floor Sink:   Shower   Evewash/Shower Station   Guantity   Floor Drain   Gas Remarks:   Floor Drain   Floor Dr										
Hygiene Sink: Lavatory: Kitchen Sink: Kitc										
Hygiene Sink:   Lavatory:   Kitchen Sink:   Kitchen Sink:   Kitchen Sink:   Floor Sink:   Scrub Sink:   Floor Sink:   Shower   Eyewash/Shower Station   Shower   Eyewash/Shower   Shower    the control of the co		☐ Eyewash	n Station	MED / NON-MED GASES	i				Litility	
Plumbing Remarks:    Tub	(2000)	L Shower			(Quantity)					oratory Compressed
Plumbing Remarks:    Ice Maker		1   1			Oxygen: Medic	cal Air: Vacuum: O	co2:	AGSS: Nitroge	en: Air: Va	cuum.
Remarks:  Water Closet Floor Drain  Instantaneous Water Bottle Refill Station  Hot Water	Plumbing				1 1	1				
Instantaneous Water Bottle Refill Station Hot Water	=									
Hot Water					Gas Remarks:					
Other			vvaler B	ottie neiiii statioii	_					
			Other							

Appendix	1B Minimum Room Requireme	ents	Program Number(s):	1. K3.08 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
	Imaging Doom, CT, Simulation			3.	9.	15.	21.	27.	33.	39.	45.
Ro	oom Name: Imaging Room - CT - Simulation	on		4.	10.	16.	22.	28.	34.	40.	46.
				5.	11.	17.	23.	29.	35.	41.	47.
				6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECT	TURAL REQUIREMENTS										
WALL AND C		WALL PROTECTION			GLAZING		FLOORING TYP		ROOM ACCESSORIES	_	
			Guards ☐ Hand Rails ☐ Bed Bu ails ☐ Chair Rail	mper / Locator	☐ Interior Gla	azing	Material:   SDVF	FCB	✓ Coat Hooks ✓ Ceil ✓ Mirror ☐ Infa	ling Lift ✓ ant Change Table ✓	Magnetic Whiteboard Privacy Curtain
Ceiling	Material: ACT Fin	ish: PF Height: 1350 mm Crash R	ails L Chair Rail				3571	Teb		nt Change Table	Privacy Curtain
LEGEND:	OFFILING LEGEND	DOORS						Note: for Type F doo	Door Remarks:  Lockable door from in	side	
AC AC	CEILING LEGEND:  Architectural Ceiling	Types:						the door panels will b		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Security Grille
	Acoustic Ceiling Tile							approximately 465/1065 unless			☐ Anti-barricade
	Cleanroom Abuse-Resistant Gypsum Board						DD[44]	otherwise rquired by			strategy
	Gypsum Board Impact-Resistant Gypsum Board	A A2 B B2 (	C C2 D D2	E E2	F F2 G	Н	J	the Authority			
KLCT	Kitchen Lay-in Ceiling Tile		S .	or & Frame Privacy	•	Card Mag	Auto Hold				
	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Type:Qty: Size (mm): Material:	1 11110111 0100 201	Protect.: Film:	Function: Re	eader: Lock:	Opener: Open:	Hinges:	Accessory 1: Accessory 2:	: Accessory 3:	Closer:
	HES LEGEND:	F 1 1530 x 2135 Shielded	Prefinished 2 H	igh	Storeroom	<b>✓</b>		Butt Hinge A	Astragal Flush Bolt	Conc	ealed
EWC	Epoxy Wall Coating										
	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK			Storage Requirements:	:				FINISHES	
	ISHES LEGEND:	<b>✓</b> U1	UPPER UNITS						Full-heigh	it Cabinet:	
ECC ECC	Epoxy Ceiling Coating	U2							Upper	Millwork: Plastic Lami	nate
	High Performance Coating Prefinished		U5	U6 117	U8 SHFLF					ountertop: Solid Surfac	
	Paint			77	U8 SHELF				Lower	Millwork: Plastic Lami	nate
WALL PROT	ECTION LEGEND:				Sı					Shelf:	
ESRP	Extruded Semi-Rigid PVCu Panel									Remarks:	
	Fibre Reinforced Laminate Fibreglass Reinforced Plastic									Refer to Schedule	e 1: Trapeze and Hoist Bar
PVW	Protective Vinyl Wallcovering		F							for ceiling equipm	
	Rigid High Impact Sheet  Wetwall Solid Surface Panel										
WVW	Wetroom Vinyl Wallcovering		11 11 2	V	CONTRACTOR DE LA CONTRA	1	7/-	-			
	SHES LEGEND:	C1 C2 C3 C4	-       -			7	- Contraction	-	-		
	Concrete Floor Sealer Epoxy Floor Coating					K			L 1	2	
PFC	Polyurethane Floor Coating	FULL-HEIGHT CABINETS	L3 L4 L5 L6	17 18		4	1	The same of			
	Rubber Athletic Flooring Rubber Sheet Flooring	FULL-REIGHT CADINETS		L9	L10 L11		/				
	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:			<u>√</u> :111	L12	TC1	TC2			
	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None Min. Le	Motorized ength Adjustable Standing Spo	ecialty					UC1		
	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mi	.,	sework	LOWER UNITS	RECEPT	TION/TRANSACTIO	N			
FLOOR BASE		Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  1 21	00 🔽				ER / CARE TEAM ON DESK	UTILITY SIN	K AND COUNTER UNIT		
	Flash Cove Base					SIAIIC	IN DESK				
	Rubber Base Seamless Cushioned Flooring										
361	Scanness cushioned risoning										
MECHANIC	CAL REQUIREMENTS										
PLUMBING	•	eamless Utility / Other	Fixtures:	Chatian	MED / NON-M	IFD GASES					
(Quantity)		chen Sink: Process Sink: Scrub Sink: Floor Sink:	Lyewasi	Station Shower Station	(Quantity)	ILD GAJLJ	Medical	Nitrous		Laboratory	Laboratory Compressed
	1	1			Oxyger	n: Medical Ai	.,	Oxide: CO2	: AGSS: Nitro	Λ:	Vacuum: Compressed Air:
Plumbing			te Maker		1	1	1				
Remarks:			/ater Closet Floor Dra								
				ottle Refill Station	Gas Rem	narks:					
			ot Water								
			Other								

Appendix 1B Minimum Room Ro	equirements		Program Number(s):	1. K4.12 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Imaging Room - M	MRI - Simulation			3.	9.	15.	21.	27.	33.	39.	45.
noom nume.				4.	10.	16.	22.	28.	34.	40.	46.
				5. 6.	11. 12.	17. 18.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.
				<u> </u>	12.	10.	24.	30.	30.	72.	40.
ARCHITECTURAL REQUIREMENTS											
WALL AND CEILING	WALL PROTECTION		🗆		GLAZING		FLOORING TYPES  Material: Base:		ACCESSORIES		7
Wall Material: ARGB 1.2m AFF, GB ab	pove         Finish:         PT         Type:         PVW           Finish:         PF         Height:         1350 mm	Crash Rails Hand	Rails 🗌 Bed Bu Rail	mper / Locator	✓ Interior Gla	azing	SDVF FCB		at Hooks Ceiling		Magnetic Whiteboard Privacy Curtain
LEGEND:	DOORS								or Remarks:		- · · · · · · · · · · · · · · · · · · ·
WALL AND CEILING LEGEND:									shielded MRI door, ref		
AC Architectural Ceiling	Types:			न निर्वाचित				Rad	lio Frequency Shielding	g Systems	Security Grille
ACT Acoustic Ceiling Tile	(CHG13) (2H										☐ Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board							NN[44]				strategy
GB Gypsum Board	A A2 B	B2 C C2 D	D2	E E2 F	F2 G	Н	J				50.00087
IRGB Impact-Resistant Gypsum Board			Lateral Dec	. 0. 5		Cond. Man	A to Hold				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Boar	rd · ·		. •.	r & Frame Privacy		•	Auto Hold				
SACT Security Acoustic Ceiling Tile	Type.Qty. Size (IIIII).	Material: Finish: Side	Lt.	rotect.: Film:	T directori.	eader: Lock: C			1: Accessory 2:		Closer:
	A 1 1220 x 2135 S	hielded Prefinished	2 Hi	gh C	Office		☐ ■ Butt Hing	e		Conc	ealed
WALL FINISHES LEGEND:											
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK										
PT Paint	WILLWORK AIND SPECIALTY CASEWORK		UPPER UNITS		Storage Requirements	5:				FINISHES	
CEILING FINISHES LEGEND:			7						Full-height Ca	abinet: Plastic Lami	inate
ECC Epoxy Ceiling Coating	(m) 17.77	U2 U3 U4							Upper Mi	illwork: Plastic Lami	inate
HPC High Performance Coating			U5	U6 U7					Coun	tertop: Plastic Lami	inate
PF Prefinished			7	U8					Lower Mi	illwork: Plastic Lami	inate
PT Paint	7				7					Shelf:	
WALL PROTECTION LEGEND:	Congression		1 .l. K	-	S1					<u> </u>	
ESRP Extruded Semi-Rigid PVCu Panel			1 1		1 1				R	Remarks:	
FRL Fibre Reinforced Laminate					-					Deferte Cabadul	e 1: Trapeze and Hoist Bar
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering	7	1		1 1						for ceiling equipm	
RHIS Rigid High Impact Sheet		THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER, THE OW	The same of		i				_	Tor ceiling equipm	ient requirements
WSSP Wetwall Solid Surface Panel	Table 1		Con Con	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAM							
WVW Wetroom Vinyl Wallcovering			11	-	CONTRACTOR DESCRIPTION	1	7/				
FLOOR FINISHES LEGEND:	<u>cı</u>	<del></del>		-7	-	1		1000			
CFS Concrete Floor Sealer	C4 C5		-					7 /	E		
EFC Epoxy Floor Coating		L2 <u>L3</u> L4			- KMZ	N==	-				
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L5 L6	L7 10		1					
RSF Rubber Sheet Flooring	102 12 13 13 13 13 13 13 13 13 13 13 13 13 13			L7 L8 L9	L10 111			-1/			
SCF Seamless Cushioned Flooring			_	⊔ Ц		L12	TC1 TC2				
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend:	Motorized			_		TC2	UC	, [		
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category 1	Min. Length Adjustable		ecialty	LOWER UNITS				u.		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)	ory (mm) Height	Height Cas	ework			ION/TRANSACTION	LITHETY CINEY AND CO			
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)	3000				COUNTE	ER / CARE TEAM	UTILITY SINK AND CO	UNIEK UNII		
FCB Flash Cove Base		,				JIAIIOI	N DL3K				
RB Rubber Base											
SCF Seamless Cushioned Flooring											
MECHANICAL REQUIREMENTS	<u> </u>										
	Consideration 1999 /	Other E. I.				455.04655					
PLUMBING Hand	Seamless Utility / then Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures:	L Evewash		MED / NON-N	IED GASES					Utility
(Quantity) Hygiene Sink: Lavatory: Kitc	TIOUESS SIIIK. SCI UU SIIIK. FIUUESS SIIIK.	Shower	Eyewash	/Shower Station	(Quantity)		Medical Nitrou			A	Laboratory Compressed
		☐ Tub	☐ Emergen	cy Shower	Oxyge	n: Medical Air	· Vacuum: Oxide	: CO2:	AGSS: Nitroger	n: Air:	Vacuum: Air:
Plumbing		☐ Ice Maker	Flush Rin		1	1	1				
Remarks:		☐ Water Closet	☐ Floor Dra								
					Gas Ren	marks:					
		Instantaneous	□ Water Bo	ottle Refill Station							
		Hot Water	Other								
					-						

Appendix 1B Minimum Room	Requirements		Program Number(s):	1. K1.05 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.		37. 38.	43. 44.
Room Name: Machine Shop				3.	9.	15.	21.	27.	33.		39.	45.
				4. 5.	10. 11.	16. 17.	22. 23.	28. 29.	34. 35.		40. 41.	46. 47.
				6.	12.	18.	24.	30.	36.		42.	48.
ARCHITECTURAL REQUIREMENTS	<u> </u>		L				l					
WALL AND CEILING	WALL PROTECTION				GLAZING		FLOORING TYPES	R	OOM ACCESSO	RIES		
Wall Material: MMRGB	Finish: PT Type: RHIS	✓ Corner Guards ☐ Hand I		nper / Locator	☐ Interior Glaz	zing	Material: Base:		<b>✓</b> Coat Hooks	☐ Ceiling Lift		Magnetic Whiteboard
Ceiling Material: ACT	Finish: PF Height: 2795 mm	Crash Rails Chair F	Rail			0	PFC FCB		Mirror	☐ Infant Cha	nge Table	Privacy Curtain
LEGEND:	DOORS								Door Remark	s:		
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:											Security Grille
ACT Acoustic Ceiling Tile												
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board							MMZZ					Anti-barricade strategy
GB Gypsum Board	A A2 B	B2 C C2 D	D2 E	E E2 F	F2 G	Н	J					Strategy
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile			Intogral Door	& Frame Privacy	C	ard Mag	Auto Hold					
MMRGB Moisture and Mould-Resistant Gypsum B	loard	Material: Finish: Side		rotect.: Film:			Opener: Open:	Hinges: A	ccessory 1: Acc	essory 2: Acc	essory 3. C	loser:
SACT Security Acoustic Ceiling Tile	A2 2 2440 x 2745			Sto	i directori.		Butt F			n Bolt	Surface	
WALL FINISHES LEGEND:												
EWC Epoxy Wall Coating HPC High Performance Coating												
PT Paint	MILLWORK AND SPECIALTY CASEWORK	Π _ ι	IPPER UNITS	S	Storage Requirements:						FINISHES	
CEILING FINISHES LEGEND:		U1	l _						F	ull-height Cabin	net: Plastic Lamina	ate
ECC Epoxy Ceiling Coating	7	U2 U3 U4									ork: Plastic Lamina	ate
HPC High Performance Coating PF Prefinished	The state of the s		U5	U6 U7 U8	SHELF						op: Hardwood	
PT Paint	ragazzan		-	77	SHELF						ork: Plastic Lamina	ate
WALL PROTECTION LEGEND:					- I ⊔ sı					Sh	elf:	
ESRP Extruded Semi-Rigid PVCu Panel					1]					Rema	arks:	
FRL Fibre Reinforced Laminate					-							
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering		Market I	-	1								
RHIS Rigid High Impact Sheet		**************************************		1								
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering			GR	an Transportation								
FLOOR FINISHES LEGEND:	Cl Cl	<del> </del>	" =	= 17	OD NO STATES	-	1					
CFS Concrete Floor Sealer	✓ C3 C4 C5			- 5				7	/			
EFC Epoxy Floor Coating		L2 L3 L4			- 144	1==	K		The state of the s	7/		
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L5 L6	L7 18		1						
RSF Rubber Sheet Flooring			L6	L7 L8 L9	L10 L11	+						
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:			_ •		L12	TC1 TO	<sub>22</sub>	"   L			
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized Min. Length Adjustable	Standing Spec	cialty	_				UC1			
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categ			ework	LOWER UNITS	RECEPT	ION/TRANSACTION					
	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	9000					ER / CARE TEAM	UTILITY SINK	AND COUNTER U	NIT		
FLOOR BASE LEGEND: FCB Flash Cove Base	category of many (20% of createry					STATIO	N DESK					
RB Rubber Base												
SCF Seamless Cushioned Flooring												
MECHANICAL REQUIREMENTS												
PLUMBING Hand	Seamless Utility /	Other Fixtures:	<b>✓</b> Eyewash S	Station	MED / NON-ME	ED GASES						110.225
(Qualitity)	itchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower		Shower Station	(Quantity)			rous			•	Utility -aboratory Compressed
1	1	☐ Tub	Emergence		Oxygen:	Medical Air	·· Vacuum: Ox	cide: CO2:	AGSS:	Nitrogen:	Air:	Vacuum: Air:
Plumbing Eyewash/shower station the Se	ervice Elevator Lobby of each floor	☐ Ice Maker	Flush Rim									4
Remarks:	•	Water Closet	✓ Floor Drai							1		
		Instantaneous		ttle Refill Station	Gas Rema	arks:						
		Hot Water										
			Other									

ا	Room Name: Storage - Immobilization	n Supplies	Number	3. 4. 5.	8.     14.       9.     15.       10.     16.       11.     17.       12.     18.	20. 21. 22. 23. 24.	26. 27. 28. 29. 30.	32. 33. 34. 35. 36.	38. 39. 40. 41. 42.	44. 45. 46. 47. 48.
ARCHITEC	CTURAL REQUIREMENTS				'			1	1	
	CEILING all Material: ARGB 1.2m AFF, GB above g Material: ACT	WALL PROTECTION           Finish:         PT         Type:         PVW           Finish:         PF         Height:         1350 mm	✓ Corner Guards ☐ Hand Rails ☐ Be ☐ Crash Rails ☐ Chair Rail	d Bumper / Locator	GLAZING  Interior Glazing	FLOORING TYPES Material: Base: VSF FCB	(	A ACCESSORIES Coat Hooks Ceiling L Mirror Infant Cl		Magnetic Whiteboard Privacy Curtain
LEGEND:	CEILING LEGEND:	DOORS						Door Remarks:		
AC ACT ACT-C ARGB GB IRGB KLCT MMRGB SACT	Architectural Ceiling Acoustic Ceiling Tile Cleanroom Abuse-Resistant Gypsum Board Gypsum Board Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile SHES LEGEND:	Types:  A A2 B  Type:Qty: Size (mm):  C 1 1830 x 2135 S	Material: Finish: Side Lt: Blinds:	E E2 F  Door & Frame Privacy Protect.: Film:  2 High Store		: Opener: Open: H	inges: Accesso ving Clear	ory 1: Accessory 2: A	ccessory 3: ( Surfa	Security Grille  Anti-barricade strategy  Closer:
EWC HPC	Epoxy Wall Coating High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Sto	prage Requirements:				FINISHES	
ECC HPC PF PT  WALL PRO ESRP FRL FRP PVW RHIS WSSP WVW  FLOOR FIN CFS EFC PFC RAF SCF SDVF VSF WSVF  FLOOR BAS FCB RB SCF	Paint  NISHES LEGEND:  Epoxy Ceiling Coating High Performance Coating Prefinished Paint  TECTION LEGEND:  Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate Fibreglass Reinforced Plastic Protective Vinyl Wallcovering Rigid High Impact Sheet Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering  IISHES LEGEND:  Concrete Floor Sealer Epoxy Floor Coating Rubber Athletic Flooring Rubber Sheet Flooring Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring SE LEGEND: Flash Cove Base Rubber Base Seamless Cushioned Flooring		L2 L3 L4 L5  Motorized Min. Length Adjustable Standing Ory (mm) Height Height	U6 U7 U8	SHELF S1  LI10 LI11 LI12 LOWER UNITS RECCCOL	TC1 TC2 TC2 TC2 TC2 TC2 TC2 TC2 TC2 TC2 TC2	UTILITY SINK AND	Upper Mills Counte Lower Mills Rei	plastic Lamin vork: Plastic Lamin vork: Plastic Lamin vork: Solid Surfaci vork: Plastic Lamin shelf: marks:	nate ng
MECHANI PLUMBING	ICAL REQUIREMENTS  Hand	Seamless Utility /	Other Fixtures:	usch Station	MED / NON-MED GASES					
(Quantity)		nk: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	☐ Shower ☐ Eyev ☐ Tub ☐ Eme	vash Station vash/Shower Station rgency Shower	(Quantity) Oxygen: Medica	Medical Nitro I Air: Vacuum: Oxid		AGSS: Nitrogen:	Laboratory Air:	Laboratory Compressed Vacuum: Air:
Plumbing Remarks:			☐ Water Closet ☐ Floo	n Rim Sink r Drain er Bottle Refill Station	Gas Remarks:					

Program 1. K3.12

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

F	Room Name: Storage - Patient Device	S	Number	3. 4.	8. 14. 9. 15. 10. 16. 11. 17.	20. 21. 22. 23.	26. 27. 28. 29.	32. 33. 34. 35.	38. 39. 40. 41.	44. 45. 46. 47.
					12. 18.	24.	30.	36.	42.	48.
ARCHITEC	CTURAL REQUIREMENTS									
	CEILING  Ill Material: ARGB 1.2m AFF, GB above ACT	WALL PROTECTION           Finish:         PT         Type:         PVW         1350 mm         1350 mm	✓ Corner Guards ☐ Hand Rails ☐ Bed☐ Crash Rails ☐ Chair Rail	Bumper / Locator	GLAZING  Interior Glazing	FLOORING TYPES  Material: Base:  VSF FCB	(	ACCESSORIES Coat Hooks Ceiling I Mirror Infant C		Magnetic Whiteboard
LEGEND:		DOORS						Door Remarks:		
WALL AND AC	CEILING LEGEND:  Architectural Ceiling	Types:								Security Grille
ACT ACT-C ARGB GB	Acoustic Ceiling Tile Cleanroom Abuse-Resistant Gypsum Board Gypsum Board	A A2 B	B2 C C2 D D2	F F2 F	F2 G H					Anti-barricade strategy
IRGB	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile	A AZ B		E E2 F  Door & Frame Privacy		J Auto Hold				
KLCT MMRGB	Moisture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm):	Material: Finish: Side Lt: Blinds:	Protect.: Film:	Card Mag Function: Reader: Lock:		linges: Accesso	ory 1: Accessory 2: A	accessory 3:	Closer:
SACT	Security Acoustic Ceiling Tile SHES LEGEND:	C2 1 1830 x 2135 So	lid Core FRL	2 High Store		Cont. Sv	ving Clear Astragal	Flush Bolt	Surf	ace
EWC	Epoxy Wall Coating									
HPC PT	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	orage Requirements:				FINISHES	
CEILING FIN ECC HPC PF PT	NISHES LEGEND:  Epoxy Ceiling Coating High Performance Coating Prefinished Paint		11 U2 U3 U4 U5	U6 U7 U8	SHELF			Upper Mill Counte Lower Mill	work: Plastic Lam work: Plastic Lam ertop: Solid Surfac work: Plastic Lam	ninate
WALL PRO	TECTION LEGEND:				S1				Shelf:	
ESRP FRL FRP PVW RHIS WSSP WVW	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate Fibreglass Reinforced Plastic Protective Vinyl Wallcovering Rigid High Impact Sheet Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering		1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1					Re	marks:	
FLOOR FIN	ISHES LEGEND:	C1 C2 C3				/				
CFS EFC	Concrete Floor Sealer Epoxy Floor Coating		L2				/ 4	A-7/		
PFC RAF RSF	Polyurethane Floor Coating Rubber Athletic Flooring Rubber Sheet Flooring	FULL-HEIGHT CABINETS		6 L7 L8 L9		6				
SCF SDRF	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Logandi			L10 L11 L12	TC1 TC2		U    []    []		
SDVF	Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized  Min. Length Adjustable Standing	Specialty				UC1   -		
VSF WSVF	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Catego Category 2 - Med (5% - 9%)	ry (mm) Height Height	Casework		EPTION/TRANSACTION	LITH ITY CINK AND			
FLOOR BAS	SE LEGEND:	Category 3 - High (10% or Greater)	5100			JNTER / CARE TEAM TION DESK	UTILITY SINK AND	COUNTER UNIT		
FCB RB SCF	Flash Cove Base Rubber Base Seamless Cushioned Flooring									
MECHANI	ICAL REQUIREMENTS									
PLUMBING	Hand	Seamless Utility /	Other Fixtures:	ash Station	MED / NON-MED GASES					,
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sin	k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower Eyew	ash/Shower Station gency Shower	(Quantity) Oxygen: Medical	Medical Nitro		AGSS: Nitrogen	Λ:	Utility Laboratory Compressed Vacuum: Air:
Plumbing				Rim Sink						
Remarks:			☐ Water Closet ☐ Floor		Gas Remarks:			I		
			Hot Water Other							

Program 1. K3.13

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B Minimum	Room Requirements	Program Number(s)		7. 13 8. 14		25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Workro	om - Physics Lab		3.	9. 15		27.	33.	39.	45.
			4. 5.	10. 16 11. 17		28. 29.	34. 35.	40. 41.	46. 47.
			6.	12. 18		30.	36.	42.	48.
ARCHITECTURAL REQUIRE	MENTS			·	·	·			
WALL AND CEILING	WALL PROTECTION	_		GLAZING	FLOORING TY		ROOM ACCESSORIES		
Wall Material: ARGB 1.2n			umper / Locator	✓ Interior Glazing	Material: VSF	Base: FCB	Coat Hooks		✓ Magnetic Whiteboard
Ceiling Material: ACT	Finish: PF Height: 1600 mm Crash Rails 🗹 Ch	air Rail			V3F	ГСВ		Infant Change Table	Privacy Curtain
LEGEND:	DOORS						Door Remarks:		
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:								Security Grille
ACT Acoustic Ceiling Tile									
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Bo	erd A A A A A A A A A A A A A A A A A A A								Anti-barricade strategy
GB Gypsum Board	A A2 B B2 C C2	D D2	E E2 F	F2 G	Н ј				Strategy
IRGB Impact-Resistant Gypsum Bo KLCT Kitchen Lay-in Ceiling Tile	ard	Integral Do	or & Frame Privacy	Card	Mag Auto Hold				
MMRGB Moisture and Mould-Resista	nt Gypsum Board		Protect.: Film:	Function: Reader:	•	Hinges:	Accessory 1: Accessor	rv 2: Accessory 3:	Closer:
SACT Security Acoustic Ceiling Tile	B 1 915 x 2135 Solid Core FRL		High ✓ Store			Butt Hinge	Accessor y 1. Accessor	·	face
WALL FINISHES LEGEND:									
EWC Epoxy Wall Coating HPC High Performance Coating									
PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	St	orage Requirements:				FINISHES	
CEILING FINISHES LEGEND:	U1 V						Full-he	eight Cabinet:	
ECC Epoxy Ceiling Coating	U2 U3	U4 🗀						oper Millwork: Stainless S	
HPC High Performance Coating PF Prefinished		U5	U6 U7 U8	CUELE				Countertop: Stainless S	
PT Paint		7	7 7	SHELF			Lo	wer Millwork: Stainless S	teel
WALL PROTECTION LEGEND:				T S1				Shelf:	
ESRP Extruded Semi-Rigid PVCu Pa								Remarks:	
FRL Fibre Reinforced Laminate				-					
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcoverin		1	. 1 1						
RHIS Rigid High Impact Sheet									
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering		500	an Transportation		-				
FLOOR FINISHES LEGEND:	C1 C2	"  =		ON THE PERSONNELS OF THE PERSO	7	7			
CFS Concrete Floor Sealer	C2 C3 C4 C5	1 =	- Property		7	7			
EFC Epoxy Floor Coating				W	-	-	The state of the s	7/	
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L5 L6	L7 L8 L0				The same of the sa	10	
RSF Rubber Sheet Flooring		L6	L/ L8 L9	L10 L11					
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sh	Larando				.12 TC1	TC2	n I		
SDVF Static-Dissipative Number 311	- IVIOLOTIZA		pecialty				UC1		
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm) Height		asework	LOWER UNITS	RECEPTION/TRANSACTI	ON			
WSVF Wetroom Safety Vinyl Sheet	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  3 12000				COUNTER / CARE TEAM		AND COUNTER UNIT		
FLOOR BASE LEGEND:	Category 5 - nigit (10% of dreater)				STATION DESK				
FCB Flash Cove Base RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREME	NTS								
PLUMBING Hand	Seamless Utility / Other Fixtures:	☐ Evewas	h Station	MED / NON-MED G	GASES				
(Quantity) Hygiene Sink: Lava	ory: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	_	h/Shower Station	(Quantity)	Medical	Nitrous		Laboratory	Utility Laboratory Compressed
	1 Snower Tub		ency Shower		Medical Air: Vacuum:	Oxide: CO2:	AGSS: N	Nitrogen: Air:	Vacuum: Compressed  Air:
Plumbing	Ice Maker	☐ Emerge							
Remarks:	☐ Ice Maker ☐ Water Closet	Floor D							
			rain Bottle Refill Station	Gas Remarks:					
	☐ Instantaneous Hot Water	∟ Water E	bottle Ketill Station						
		Other							
				1					

Appendix 1B Mir	nimum Room Require	ements	Prog Numbe		7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name	e: Workroom - Research/Dev	velopment Lab		3.	9.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				5.	11. 17.	23.	29.	35.	41.	47.
				6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL R	REQUIREMENTS			1			T			
WALL AND CEILING Wall Material: Ceiling Material:	ARGB 1.2m AFF, GB above	WALL PROTECTION           Finish:         HPC         Type:         FRP           Finish:         PF         Height:         1600 mm	Corner Guards Hand Rails Be	sed Bumper / Locator	GLAZING  ✓ Interior Glazing	FLOORING TYPES  Material: Base:  VSF RB		ACCESSORIES at Hooks Ceiling Lif rror Infant Cha		agnetic Whiteboard vacy Curtain
LEGEND:		DOORS		l			Doe	or Remarks:		
WALL AND CEILING LE	EGEND:	Types:								Security Grille
AC Architectural ACT Acoustic Ceili	=		00 M MM M M							
ACT-C Cleanroom	stant Gypsum Board		NAIN NA MIMA							Anti-barricade strategy
GB Gypsum Boar	ard	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	J				strategy
IRGB Impact-Resist KLCT Kitchen Lay-ir	stant Gypsum Board -in Ceiling Tile		Integral	l Door & Frame Privacy	Card M	ag Auto Hold				
	nd Mould-Resistant Gypsum Board Dustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds:		Function: Reader: Lo	ck: Opener: Open: Hi	nges: Accessory	1: Accessory 2: Ac	cessory 3: Close	r:
WALL FINISHES LEGEN	_	B 1 915 x 2135	Solid Core FRL	2 High Store	room 🗸 [	Butt Hing	e		Surface	
EWC Epoxy Wall Co										
HPC High Perform PT Paint	mance Coating	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	rage Requirements:				FINISHES	
CEILING FINISHES LEGI	GEND:			3				Full-height Cabi	net:	
ECC Epoxy Ceiling	g Coating		U2 U3 U4 U					Upper Millw		
HPC High Perform PF Prefinished	mance Coating		US	U6 U7 U8	SHELF			Counter		
PT Paint				77	511211			Lower Millw	ork: nelf:	
WALL PROTECTION LE	EGEND:	-			S1			3.		
	mi-Rigid PVCu Panel orced Laminate	II I I						Rem	arks:	
	einforced Plastic									
PVW Protective Vir RHIS Rigid High Im	/inyl Wallcovering mpact Sheet		The state of the s	7	<b>!</b>					
WSSP Wetwall Solid	id Surface Panel	-		on on						
	inyl Wallcovering			= = =	CO MA PERSONAL PROPERTY OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TO T	1				
FLOOR FINISHES LEGEI  CFS Concrete Floor							7/			
EFC Epoxy Floor C	Coating		L2 L3 L4 L5		444-	_	/ /-			
PFC Polyurethane RAF Rubber Athle	ne Floor Coating letic Flooring	FULL-HEIGHT CABINETS		L6 L7 L8 L9			T			
RSF Rubber Sheet SCF Seamless Cus	et Flooring ushioned Flooring			L6 L7 L8 L9	L10 L11		7/ 11			
	pative Rubber Sheet Flooring	Legend:	Motorized			TC1 TC2		"		
SDVF Static-Dissipa VSF Vinyl Sheet Fl	pative Vinyl Sheet Flooring Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category 1 - Low (1% - 4%)	Min. Length Adjustable Standing	Specialty	LOWER LINITS		UC	1 "		
	afety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)	ory (mm) Height Height	Casework	R	ECEPTION/TRANSACTION OUNTER / CARE TEAM	UTILITY SINK AND CO	OUNTER UNIT		
FLOOR BASE LEGEND:	:	Category 3 - High (10% or Greater)				TATION DESK	0112111 31111171113 00	JOHN EN GIAIT		
FCB Flash Cove Ba RB Rubber Base										
	ushioned Flooring									
MECHANICAL REQ	QUIREMENTS									
PLUMBING Hand		Seamless Utility /	Other Fixtures:	ewash Station	MED / NON-MED GASES	S				1 14:11:4.
(Quantity) Hygiene Si	Sink: Lavatory: Kitchen Sink	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	☐ Shower ☐ Eye	ewash/Shower Station	(Quantity)	Medical Nitrou				Utility oratory Compressed
				nergency Shower	Oxygen: Med	ical Air: Vacuum: Oxide	: CO2:	AGSS: Nitrogen:	Air: Va	cuum: Air:
Plumbing			_	sh Rim Sink						
Remarks:			_	oor Drain	Gas Remarks:	<u> </u>	<del>`</del>		<u> </u>	
				ater Bottle Refill Station						
			Hot Water Other							

Appendix 1B Minimum Room Requ	uirements		Program Number(s):	1. K1.14 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.		37. 38.	43. 44.
Room Name: Not Used				3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.		39. 40.	45. 46.
					11.	17.	23.	29.	35.		41.	47.
				6.	12.	18.	24.	30.	36.		42.	48.
ARCHITECTURAL REQUIREMENTS					,		,	1	<u>'</u>			
WALL AND CEILING	WALL PROTECTION				GLAZING		FLOORING TYPES	RC	OM ACCESSOR	IES		
Wall Material: ARGB		Corner Guards Hand Rails		per / Locator	☐ Interior Glazi	ing	Material: Base:		Coat Hooks			Magnetic Whiteboard
Ceiling Material: ACT	Finish: PF Height: 2480 mm	Crash Rails Chair Rail					EFC FCB			Infant Chang	ge Table	rivacy Curtain
LEGEND:	DOORS								Door Remarks			$\neg$
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:											Security Grille
ACT Acoustic Ceiling Tile												Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board					LINA BN.		3344					strategy
GB Gypsum Board IRGB Impact-Resistant Gypsum Board	A A2 B B	2 C C2 D	D2 E	E2 F	F2 G	Н	J					
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile			Integral Door	& Frame Privacy	Ca	rd Mag	Auto Hold					
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): М	aterial: Finish: Side Lt:	Blinds: Pro	otect.: Film:	Function: Rea	der: Lock: O	pener: Open:	Hinges: Acc	essory 1: Acces	ssory 2: Acces	ssory 3: Clos	ser:
•	B2 1 1830 x 2440 Holl	ow Metal Paint		Store	eroom		Butt Hi	nge Astr	agal Flush	Bolt	Surface	
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating												
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK			St	orage Requirements:						FINISHES	
			ER UNITS						Ful	II-height Cabinet	t:	
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	U1	U2 U3 U4							I	Upper Millwork		
HPC High Performance Coating		7 7	U5 (	J6						Countertop	o: Stainless Steel	
PF Prefinished PT Paint			7	U8	SHELF					Lower Millwork		
WALL PROTECTION LEGEND:					S1 L					Shelf	i:	
ESRP Extruded Semi-Rigid PVCu Panel										Remarl	ks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic					1							
PVW Protective Vinyl Wallcovering		Acceptance 1		1 }								
RHIS Rigid High Impact Sheet  WSSP Wetwall Solid Surface Panel			12.00	111	-							
WVW Wetroom Vinyl Wallcovering			11 =	-V	TRANSPORTER -	1	7/					
FLOOR FINISHES LEGEND:	C1 C2 C3 C4					1	-		NAME AND DESCRIPTION OF			
CFS Concrete Floor Sealer EFC Epoxy Floor Coating		L2	-			K_			F	7		
PFC Polyurethane Floor Coating		☐ L3 L4	L5		ZEEV			Witness of the Control of the Contro				
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT CABINETS			L7 L8 L9	L10 111		/ 17	-1				
SCF Seamless Cushioned Flooring	Larrando					L12	TC1 TC2		u    [	285		
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized Min. Length Adjustable St	anding Spec	ialty					UC1			
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category	- ,	Height Case	•	LOWER UNITS	RECEPTION	ON/TRANSACTION		✓			
	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	900					R / CARE TEAM	UTILITY SINK A	ND COUNTER UN	IIT		
FLOOR BASE LEGEND: FCB Flash Cove Base	and gray a single (assets)					STATION	I DESK					
RB Rubber Base												
SCF Seamless Cushioned Flooring												
AAFCUANUCAL DEGUUDENAENTS												
MECHANICAL REQUIREMENTS												
PLUMBING Hand (Ouantity) Hygiene Sink: Lavatory: Kitchen	Seamless Utility / Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Eyewash S		MED / NON-ME	D GASES	Manufical Acti				Laborate 1 1 1 1	Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen	1 1	Shower	Eyewash/S		(Quantity) Oxygen:	Medical Air:	Medical Nitro Vacuum: Oxio		AGSS:	Nitrogen:	•	boratory Compressed
		Tub	Emergency		Олуден.	ivicultal All.			A033.	with Ogen.		Air:
Plumbing   Provide utility sink c/w plaster trap.   Remarks:		lce Maker	Flush Rim									
			Floor Drain	າ tle Refill Station	Gas Rema	rks:						
		☐ Instantaneous Hot Water	□ water Bot	tie Keriii Station								
			Other									



# New Surrey Hospital & BC Cancer Centre

MINIMUM ROOM REQUIREMENTS

#### L. Radiation Therapy Delivery

- P P			Number(s):	2.	8. 14.	20.	26.	32.	38.	44.
	0 1 1 1 2 1 1 1			3.	9. 15.	21.	27.	33.	39.	45.
ı	Room Name: Control Room - Orthovolta	age		4. 1	16.	22.	28.	34.	40.	46.
				5. 1	17.	23.	29.	35.	41.	47.
				6. 1	12. 18.	24.	30.	36.	42.	48.
A DCUITEC	CTUDAL DECLUDEMENTS		L							
	CTURAL REQUIREMENTS									
WALL AND		WALL PROTECTION			GLAZING	FLOORING TYPES  Material: Base:		OM ACCESSORIES	г	_
	all Material: ARGB 1.2m AFF, GB above	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Corner Guards Hand Rails Bed Bu	mper / Locator	☐ Interior Glazing	SDVF FCB		Coat Hooks Ceiling		Magnetic Whiteboard
Ceilin	g Material: ACT	Finish: PF Height: 1600 mm	Crash Rails Chair Rail			2DAL LCB		Mirror Infant	Change Table	Privacy Curtain
LEGEND:		DOORS						Door Remarks:		
WALL AND	CEILING LEGEND:	Types:								Security Grille
AC	Architectural Ceiling		1							Security Grille
ACT ACT-C	Acoustic Ceiling Tile Cleanroom					H3H3				☐ Anti-barricade
ARGB	Abuse-Resistant Gypsum Board									strategy
GB	Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	J				
IRGB KLCT	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		Integral Doo	r & Frame Privacy	Card Mag	Auto Hold				
MMRGB	Moisture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm): N	<u> </u>			0	ges: Acce	ssory 1: Accessory 2:	Accessory 3:	Closer:
SACT	Security Acoustic Ceiling Tile	A 1 1065 x 2135 Sol				Butt Hinge		7,000330172.	Surfa	
WALL FINIS	SHES LEGEND:	A 1 1003 X 2133   301	d core TRE 110	J. Storer		Datt Hingt	-		30116	ice
EWC	Epoxy Wall Coating									
HPC PT	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	I LIDDED LINUTE	Sto	rage Requirements:				FINISHES	
			UPPER UNITS					Full-height Ca	abinet:	
ECC ECC	NISHES LEGEND:  Epoxy Ceiling Coating	U	U2					Upper Mi		
HPC	High Performance Coating		U3 U4 U5	116				1	ertop:	
PF	Prefinished		7 7 7	U7 U8	SHELF			Lower Mi	-	
PT	Paint				ta □				Shelf:	
WALL PRO	TECTION LEGEND:			-	S1				L	
ESRP	Extruded Semi-Rigid PVCu Panel	Perganana III II		7 11				R	emarks:	
FRL FRP	Fibre Reinforced Laminate Fibreglass Reinforced Plastic		-		-					
PVW	Protective Vinyl Wallcovering		1.6		8					
RHIS	Rigid High Impact Sheet									
WSSP WVW	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering	En la contraction de la contra		an Paragraphic	1					
					the and the section of the section o	1				
	IISHES LEGEND:	C1 C2 C3 C4 C5 14	-	-						
CFS EFC	Concrete Floor Sealer Epoxy Floor Coating		12				1 4	A Tomal		
PFC	Polyurethane Floor Coating		L3 L4 L5		7			The state of the s		
RAF	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9						
RSF SCF	Rubber Sheet Flooring Seamless Cushioned Flooring				L10 L11 L12					
SDRF	Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			TC1 TC2				
SDVF VSF	Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring	Category 0 - None	Min. Length Adjustable Standing Spe	ecialty	LOWER UNITS			UC1 U		
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categor Category 2 - Med (5% - 9%)	y (mm) Height Height Cas	ework	RECE	PTION/TRANSACTION				
ELOOD DAG	SE LEGEND:	Category 3 - High (10% or Greater)				NTER / CARE TEAM	UTILITY SINK AN	ID COUNTER UNIT		
FCB	Flash Cove Base				SIAI	TION DESK				
RB	Rubber Base									
SCF	Seamless Cushioned Flooring									
MECHANI	ICAL REQUIREMENTS									
PLUMBING		Seamless Utility /	Other Fixtures: Evewash	o:	MED / NON-MED GASES					
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sink	:: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Lycwasii		(Quantity)	Medical Nitrous	:		Laboratory	Utility Laboratory Compressed
(Qualitity)				/Shower Station	Oxygen: Medical			AGSS: Nitroger	۸:۰۰	Vacuum: Compressed
DI			☐ Tub ☐ Emergen		Oxygen. Wedical	7.111.		AGGG. INITIOGEI	-	Air:
Plumbing Remarks:			☐ Ice Maker ☐ Flush Rim							
nemarks:			☐ Water Closet ☐ Floor Dra		Gas Remarks:					
			☐ Instantaneous ☐ Water Bo	ottle Refill Station	Gas Inciliains.					
			Hot Water							
			Other							

Program 1. L1.07

7.

13.

19.

25.

31.

37.

43.

Room Name: Control Room	n - Treatment Bunker	Number(s)	3. 4.	8. 14. 9. 15. 10. 16.	20. 21. 22. 23.	26.       32.         27.       33.         28.       34.         29.       35.	39. 40.	44. 45. 46. 47.
			6.	12. 18.	24.	30. 36.	42.	48.
ARCHITECTURAL REQUIREMEN	ITS				T	T		
WALL AND CEILING  Wall Material: ARGB 1.2m AFF,  Ceiling Material: ACT	GB above Finish: PT Type: FRP Height: 1600 mm	Corner Guards Hand Rails Bed B Crash Rails V Chair Rail	umper / Locator	GLAZING  Interior Glazing	FLOORING TYPES Material: Base:  SDVF FCB	ROOM ACCESS  Coat Hook	ORIES  Ceiling Lift Infant Change Table	Magnetic Whiteboard Privacy Curtain
LEGEND:	DOORS					Door Rema	rks: pendix 1A [Clinical Specificatio	uns and
AC Architectural Ceiling ACT Acoustic Ceiling Tile ACT-C Cleanroom ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	Types:  A A2 B	B2 C C2 D D2	E E2 F	F2 G H			Space Requirements], section 2	
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile MMRGB Moisture and Mould-Resistant Gypsu SACT Security Acoustic Ceiling Tile	Type.Qty. Size (IIIII).	Material: Finish: Side Lt: Blinds:		T directions.	Auto Hold Opener: Open: Hinge	: Accessory 1: Ac	ccessory 2: Accessory 3:	Closer:
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating	A 1 1065 x 2135 S	olid Core FRL1 L	ow Store	room 🔽 🗌	Butt Hinge		Si	urface
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	rage Requirements:			FINISHES	;
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering  FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Coating PFC Polyurethane Floor Coating RAF Rubber Sheet Flooring SCF Seamless Cushioned Flooring SDF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring FLOOR BASE LEGEND: FCB Flash Cove Base RB Rubber Base SCF Seamless Cushioned Flooring	FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%)  Category 1 - Low (1% - 4%)	U1 U2 U3 U4 U5  L2 L3 L4 L5 L6  Motorized  Min. Length Adjustable Standing Sp	17 18	coul	EPTION/TRANSACTION NTER / CARE TEAM UNION DESK	TILITY SINK AND COUNTER	Full-height Cabinet: Upper Millwork: Countertop: Lower Millwork: Shelf:  Remarks:	
MECHANICAL REQUIREMENTS PLUMBING Hand	Seamless Utility /	Other Fixtures: Fyewas	l. Charles	MED / NON-MED GASES				
	Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower Eyewas	h/Shower Station	(Quantity) Oxygen: Medical	Medical Nitrous Air: Vacuum: Oxide:	CO2: AGSS:	Laboratory Nitrogen: Air:	Laboratory Compressed Vacuum: Air:
Plumbing Remarks: Provide (1) HHS per 2 rooms	s, to be located centrally outside Control Room	☐ Ice Maker ☐ Flush Ri ☐ Water Closet ☐ Floor D		Gas Remarks:				

Program 1. L1.05

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1	B Minimum Room Require	ments		Program Number(s):	1. L1.06 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.		37. 38.	43. 44.
Roor	m Name: Orthovoltage/Superficial				3.	9.	15.	21.	27.	33.		39.	45.
					4. 5.	10. 11.	16. 17.	22. 23.	28. 29.	34. 35.		40. 41.	46. 47.
						12.	18.	24.	30.	36.		42.	48.
ARCHITECTU	IRAL REQUIREMENTS			L									
WALL AND CEI		WALL PROTECTION				GLAZING		FLOORING TYPES	RC	OM ACCESSOR	RIES		
	laterial: ARGB 1.2m AFF, GB above	Finish: PT Type: ESRP	✓ Corner Guards ☐ Hand R		nper / Locator	☐ Interior Glazi		Material: Base:		✓ Coat Hooks	Ceiling Lift	✓	Magnetic Whiteboard
Ceiling Ma	laterial: ACT	Finish: PF Height: 2185 mm	☐ Crash Rails ✓ Chair R	ail			0	SDVF FCB		Mirror	☐ Infant Char	nge Table	Privacy Curtain
LEGEND:		DOORS								Door Remarks	5:		
AC Arc		Types:											☐ Security Grille
	chitectural Ceiling coustic Ceiling Tile												
	eanroom ouse-Resistant Gypsum Board			LINDLE									Anti-barricade strategy
	ypsum Board	A A2 B	B2 C C2 D	D2 E	E2 F	F2 G	Н	J					Strategy
	npact-Resistant Gypsum Board			Integral Deer	9 Franco Drivacy		rd Moa	Ato IIold					
	tchen Lay-in Ceiling Tile oisture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm):	Material: Finish: Side I		& Frame Privacy otect.: Film:	Car Function: Read		Auto Hold pener: Open:	Hinges: Acc	cessory 1: Acce	essory 2: Acce	eccount 3.	loser:
SACT Sec	curity Acoustic Ceiling Tile	A 1 1220 x 2135 S		2 Hig		sroom		<b>✓</b> Butt Hi		. Strike	3301 y 2. ACC	Conce	
WALL FINISHES	S LEGEND:	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Tremisieu	V 26		5.00			inge Elec	· Strike			area
	poxy Wall Coating												
PT Pai	gh Performance Coating sint	MILLWORK AND SPECIALTY CASEWORK	Π υ	PPER UNITS	St	corage Requirements:						FINISHES	
CEILING FINISH	HES LEGEND:			_						Fu	ull-height Cabin	et: Plastic Lamina	ate
	poxy Ceiling Coating		U2 U3 U4									ork: Plastic Lamina	
	gh Performance Coating efinished	-		U5	U6 U7 U8	SHELF						op: Solid Surfacin	
PT Pai		K		-	7 7 7 8	SHELF						ork: Plastic Lamina	ate
WALL PROTECT	TION LEGEND:					-   L					She	elf:	
	truded Semi-Rigid PVCu Panel					31					Rema	arke.	
	bre Reinforced Laminate					1					The line		
	breglass Reinforced Plastic otective Vinyl Wallcovering		4	<u> </u>	1 1								
RHIS Rig	gid High Impact Sheet		***		1	1							
	etwall Solid Surface Panel etroom Vinyl Wallcovering	To an analysis of the same of	" " " "	Col Col									
FLOOR FINISHE		C1 C2	411111	" =	- 7	OR THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TW	-	-					
	oncrete Floor Sealer	C2 C3 C4 C5	+		- 5				7	/			
	poxy Floor Coating		12			- 144	-	K		II TI			
	olyurethane Floor Coating  Ubber Athletic Flooring	FULL-HEIGHT CABINETS	<b>✓</b> L3 L4	L5 L6	L7 18			11 IL					
RSF Rul	ubber Sheet Flooring			<b>✓</b>	L7 L8 L9 □	L10 L11	+						
	amless Cushioned Flooring atic-Dissipative Rubber Sheet Flooring	Legend:	Maria		_		L12	TC1 TC		"   T			
SDVF Sta	atic-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized Min. Length Adjustable	Standing Spec	ialtv	_			]	UC1	Ш		
	nyl Sheet Flooring etroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categ	• ,		work	LOWER UNITS	RECEPTION	ON/TRANSACTION					
		Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	5400					R / CARE TEAM	UTILITY SINK A	ND COUNTER U	TIV		
FLOOR BASE LE	egend: ash Cove Base						STATION	I DESK					
	ubber Base												
SCF Sea	amless Cushioned Flooring												
MECHANICA.	L REQUIREMENTS												
	Hand	Seamless Utility /	Other Fixtures:	Eyewash S	Station	MED / NON-ME	D GASES						ratita.
(Quantity) Hy	ygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower		Shower Station	(Quantity)		Medical Nitr				•	Laboratory Compressed
	1	1	☐ Tub	Emergenc		Oxygen:	Medical Air:	Vacuum: Oxi	de: CO2:	AGSS:	Nitrogen:	Air:	Vacuum: Air:
Plumbing Uti	tility sink to have hose bib connection		☐ Ice Maker	Flush Rim		2	1						
Remarks: Ma	anual tap for filling water tank (QA purpo	oses)	Water Closet	Floor Drai									
			Instantaneous		tle Refill Station	Gas Remai	rks:						
			Hot Water										
				Other									

Appendix	1B Minimum Room Require	ements	Progr Numbe	.1.1	7.	13.	19.	25.	31.	37.	43.
			Number	2. 3.	8.	14. 15.	20. 21.	26. 27.	32. 33.	38. 39.	44. 45.
Ro	oom Name: Treatment Bunker Interior			4.	10.	16.	22.	28.	34.	40.	46.
				5.	11.	17.	23.	29.	35.	41.	47.
				6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECT	TURAL REQUIREMENTS			·						·	
WALL AND C	EILING	WALL PROTECTION			GLAZING		FLOORING TYPES	ROO	M ACCESSORIES		
	Material: ARGB 1.2m AFF, GB above	Finish: PT Type: FRP	Corner Guards Hand Rails Be	d Bumper / Locator	☐ Interior Glaz	ing	Material: Base:  VSF FCB		Coat Hooks Ceiling	Lift ✓ Ma	agnetic Whiteboard
Ceiling	Material: ACT	Finish: PF Height: 2185 mm	☐ Crash Rails ✔ Chair Rail				VSF FCB			Change Table 🔽 Priv	vacy Curtain
LEGEND:		DOORS						ı	Door Remarks: Refer to Schedule 1, section	on C 0 10 for Noutron	٦
	CEILING LEGEND:  Architectural Ceiling	Types:		i ei eieli					door requirements.	Jil 6.8.10. for Neutron	Security Grille
_	Acoustic Ceiling Tile								Refer to Appendix 1A [Clin		
	Cleanroom Abuse-Resistant Gypsum Board	A NA A	NZENENZINENZ		NANASN		MM44		Functional Space Required door requirements.	ments], section 2.12 for	☐ Anti-barricade strategy
	Gypsum Board	A A2 B	B2 C C2 D D2	E E2	F F2 G	Н	J		Neutron door will be sized	d to provide a 1220 mm	Strategy
	Impact-Resistant Gypsum Board		Intogral	Door & Frame Privacy	, (-	ard Mag	Auto Hold		clear opening width		
	Kitchen Lay-in Ceiling Tile  Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds:	,				inges: Acces	sory 1: Accessory 2:	Accessory 3: Close	
SACT	Security Acoustic Ceiling Tile	A 1 1220 x 2135	Widterial. Tillisti. Side Et.		Tunction.			inges. Acces	301 y 1. Accessor y 2.	Accessory 5. Close	1.
WALL FINISH	HES LEGEND:	A 1 1220 x 2135			Passage		☐ Butt Hin	ge		Concealed	
	Epoxy Wall Coating High Performance Coating				-			- '			
	Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	į	Storage Requirements:					FINISHES	
CEILING FINI	ISHES LEGEND:		U1 U2 U2 U2						_	abinet: Plastic Laminate	
	Epoxy Ceiling Coating	7	U2 U3 U4 U5							llwork: Plastic Laminate	
	High Performance Coating Prefinished	-	3	U6 U7	U8 SHELF					tertop: Solid Surfacing	
	Paint			7	JILLI					Ilwork: Plastic Laminate Shelf:	
WALL PROTE	ECTION LEGEND:				Si					Sileii.	
	Extruded Semi-Rigid PVCu Panel								R	emarks:	
	Fibre Reinforced Laminate									Refer to Schedule 1: Tr	range and Hoist Par
	Fibreglass Reinforced Plastic Protective Vinyl Wallcovering		1 1	_						for ceiling equipment r	-
RHIS	Rigid High Impact Sheet	7		7						To provide hand rails o	
	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering	CONTRACTOR OF THE PARTY OF THE	" " "	on on The second						Maze.	ava mirrara for
	SHES LEGEND:	C1 C2			On the particular of the last	- 1/	1			Provide (1) set of conca safety and (1) set of wa	
	Concrete Floor Sealer	C2 C3 C4	+ + + + + + + + + + + + + + + + + + + +			1		7	/	for patient use	
	Epoxy Floor Coating		12			K	K	_/ 4	1		
	Polyurethane Floor Coating	FULL-HEIGHT CABINETS		L6 L7 L8		1 - 1					
	Rubber Athletic Flooring Rubber Sheet Flooring	FOLE-REIGHT CABINETS		L6 L7 L8 L9	L10 111		1	$\dashv$ / $\parallel$			
	Seamless Cushioned Flooring			_ ⊔ ⊔		L12	TC1 TC2		n   [		
	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized	Casaialta				U	UC1		
VSF	Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categ	Min. Length Adjustable Standing gory (mm) Height Height	Specialty Casework	LOWER UNITS	PECEDTI	ON/TRANSACTION				
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	, , , , , , , , , , , , , , , , , , , ,				R / CARE TEAM	UTILITY SINK AN	D COUNTER UNIT		
FLOOR BASE		Category 3 - High (10% or Greater)	2700			STATION	N DESK				
	Flash Cove Base Rubber Base										
	Seamless Cushioned Flooring										
MECHANIC	CAL REQUIREMENTS										
PLUMBING	Hand	Seamless Utility /	Other Fixtures:	wash Station	MED / NON-ME	D GASES					
(Quantity)		: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		wash/Shower Station	(Quantity)		Medical Nitro	JS		Laboratory Labo	Utility Oratory Compressed
	1	1		ergency Shower	Oxygen:	Medical Air:			AGSS: Nitroger	A*: \ \/-	cuum: Air:
Plumbing	Utility sink to have hose bib connection			th Rim Sink	2	1					1
	Manual tap for filling water tank (QA purp	oses)	Water Closet Floo								
				ter Bottle Refill Station	Gas Rema	ırks:					7
			Instantaneous Wat	בי סטננופ הפוווו סנמנוטוו							
			Other								

Appendix 1B Minimum Room Requir	rements	Program Number(s)		7. 13. 8. 14.	19. 20.	25. 31. 26. 32.	37. 38.	43. 44.
Room Name: Ultrasound Procedure Ro	nom - TRUS		3.	9. 15.	21.	27. 33.	39.	45.
Noom Name.	11.00		4.	10. 16.	22.	28. 34.	40.	46.
			5.	11. 17. 18.	23. 24.	<ul><li>29. 35.</li><li>30. 36.</li></ul>	41. 42.	47. 48.
			0.	10.	24.	30.	42.	40.
ARCHITECTURAL REQUIREMENTS	T							
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB above	WALL PROTECTION  Finish: PT Type: ESRP	✓ Corner Guards ☐ Hand Rails ☐ Bed B		GLAZING	FLOORING TYPES  Material: Base:	ROOM ACCESSORIE  Coat Hooks		Magnetic Whiteboard
Ceiling Material: GB		Crash Rails Chair Rail	umper / Locator	Interior Glazing	SDRF FCB		Infant Change Table	✓ Privacy Curtain
LEGEND:	DOORS					Door Remarks:		
WALL AND CEILING LEGEND:	Types:				Note: for T	· · · · · · · · · · · · · · · · · · ·		
AC Architectural Ceiling	турез.				the door pa approximate			Security Grille
ACT Acoustic Ceiling Tile  ACT-C Cleanroom					465/1065 u			☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board					otherwise			strategy
GB Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	j the Author	ty		
IRGB Impact-Resistant Gypsum Board  KLCT Kitchen Lay-in Ceiling Tile		Integral Do	or & Frame Privacy	Card Mag	Auto Hold			
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	<u> </u>	Protect.: Film:	Decile Led	0		Accessory 2	Closer:
SACT Security Acoustic Ceiling Tile		naterial. Tillion. Side Et.		T direction:	· · · · · · · · · · · · · · · · · · ·		sory 2: Accessory 3:	
WALL FINISHES LEGEND:	F 1 1530 x 2135 Sol		ligh Stor	reroom 🗸 🗌	Butt Hinge	Astragal Flush Bo	JIT CON	ncealed
EWC Epoxy Wall Coating								
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		S	torage Requirements:			FINISHES	
PT Paint	~	UPPER UNITS	J	torage medan emeritor		FII		
CEILING FINISHES LEGEND:	U						-height Cabinet: Stainless S	steei
ECC Epoxy Ceiling Coating	7	U2 U3 U4 U5	U6 U7 🗆				Upper Millwork:	
HPC High Performance Coating PF Prefinished			U6 U7 U8	SHELF			Countertop: Stainless S	
PT Paint			7 7	SHELF		l l	Lower Millwork: Stainless S	Steel
WALL PROTECTION LEGEND				<b>→</b>			Shelf:	
WALL PROTECTION LEGEND:				S1				
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate	Parameter III II II II			1			Remarks:	
FRP Fibreglass Reinforced Plastic							Refer to Schedu	ule 1: Trapeze and Hoist Bar
PVW Protective Vinyl Wallcovering	100	Francisco Francisco		•			for ceiling equip	oment requirements
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel		100						
WVW Wetroom Vinyl Wallcovering	CO CO	"   1	an Transportation					
FLOOR FINISHES LEGEND:	CI CI		1 1	GO BY CHARLES	1 4			
CFS Concrete Floor Sealer	C2 C3 C4							
EFC Epoxy Floor Coating		12	- K-V			16		
PFC Polyurethane Floor Coating		L3 L4 L5		Z = -				
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9					
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring			□	L10 L11				
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized	_		TC1 TC2			
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		ecialty			UC1	II.	
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categor	- ,	sework	LOWER UNITS RECE	PTION/TRANSACTION	✓		
	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	3000		COUN	ITER / CARE TEAM U	TILITY SINK AND COUNTER UNIT	Г	
FLOOR BASE LEGEND:	Category 3 - High (10% of Greater)			STAT	ON DESK			
FCB Flash Cove Base  RB Rubber Base								
SCF Seamless Cushioned Flooring								
AACCUANICAL DECLUBEAGNES								
MECHANICAL REQUIREMENTS								
PLUMBING Hand	Seamless Utility /	Other Fixtures: Evewas	h Station	MED / NON-MED GASES				Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sir	k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		h/Shower Station	(Quantity)	Medical Nitrous		Laboratory	Laboratory Compressed
1	1   1	☐ Tub ☐ Emerge		Oxygen: Medical	Air: Vacuum: Oxide:	CO2: AGSS:	Nitrogen: Air:	Vacuum: Air:
Plumbing				1 1	1			
Remarks:								
		Water Closet Floor D		Gas Remarks:				
			Bottle Refill Station					
		Hot Water						
		Other						

				Number(s):	2.	8.	14.	20.	26.	32.		38.	44.	
Room Name: Workroom - RT Resources					3.	9.	15.	21.	27.	33.		39.	45.	
ROOM Name: Workloom - KT Resources					4.	10.	16.	22.	28.	34.		40.	46.	
					5.	11.	17.	23.	29.	35.		41.	47.	
					6.	12.	18.	24.	30.	36.		42.	48.	
ARCHITECTURAL REQUIREMENTS					1		1	1	1	1				
WALL AND CEILING		WALL PROTECTION				GLAZING		FLOORING TYPES		ROOM ACCESS	ORIES			•
	Finish: PT	Type: PVW	✓ Corner Guards ☐ Hand Ra	ails 🔲 Bed Bu	imper / Locator	☐ Interior Gla	azina	Material: Base:			s Ceiling Life	•	Magnetic White	eboard
	Finish: PF	Height: 1350 mm	☐ Crash Rails ✓ Chair Ra		•		aziiig	VSF RB		Mirror	☐ Infant Cha		Privacy Curtain	
LECEND.	DOORS	ū								Door Rema	rks:			-
LEGEND: WALL AND CEILING LEGEND:														
AC Architectural Ceiling	Туре	es:											☐ Secui	rity Grille
ACT Acoustic Ceiling Tile														barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board								NAMA.					strate	
GB Gypsum Board		A A2 B	B2 C C2 D	D2	E E2 F	F2 G	н	J					30.00	-61
IRGB Impact-Resistant Gypsum Board				Integral Dec	or & Frame Privacy	,	Card Mag	Auto Hold						
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board		Гуре:Qty: Size (mm):	Material: Finish: Side L	•	Protect.: Film:			0	nges:	Accessory 1: Acces	cocconu 2: Acc	cossonu 2:	Closer:	
SACT Security Acoustic Ceiling Tile		C 1 915 x 2135		1 1 1		reroom		Butt Hing		Accessory 1. At	ccessory 2. Act	Surfa		
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating		C 1 313 X 2133	Solid Core TRE			reroom						Surra	Le	
HPC High Performance Coating	MILLWORK AND SI	PECIALTY CASEWORK				Storage Requirements						FINISHES		
PT Paint	9/429-8/40/00			PPER UNITS	•	storage Requirements	•							
CEILING FINISHES LEGEND:	/ 17	7	U1								Full-height Cabi			
ECC Epoxy Ceiling Coating HPC High Performance Coating	The state of the s	- VVIVI	U2 U3 U4	U5	U6 U7						Upper Millw			_
PF Prefinished	Carrier Services			7	U6 U7 U8	SHELF					Countert Lower Millw			
PT Paint	*******		-	T K								elf:		-
WALL PROTECTION LEGEND:	angezezez			1 .l. K		S1					31	ieii.		
ESRP Extruded Semi-Rigid PVCu Panel	-				1 11	1)					Rem	arks:		
FRL Fibre Reinforced Laminate						1								
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering	-	-	-		1 1	1								
RHIS Rigid High Impact Sheet	-		1											
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering	Constant -			Col.	-									
	-			-	- 7	OR OTHER PROPERTY.	-	1						
FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer	C1 C	C2 C3 C4 C5 L1		-			1			/	3			
EFC Epoxy Floor Coating			12 10				1	4		4				
PFC Polyurethane Floor Coating	FULL-HEIGHT CAE			L5 16	17		4 -							
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	POLL-HEIGHT CAL	DINLIS			L7 L8 L9	L10 L11		/ - 7	$\dashv$ $/$					
SCF Seamless Cushioned Flooring				_			L12	TC1 TC2		U U				
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None		Motorized	Chandin: -	a atab			TC1 TC2		UC1				
VSF Vinyl Sheet Flooring	Category 1 - Low (1		.,	-	ecialty sework	LOWER UNITS	DECEDI	TION/TRANSACTION						
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5	5% - 9%)	, , , , , , , , , , , , , , , , , , ,	g cu				ER / CARE TEAM	UTILITY SIN	NK AND COUNTER	UNIT			
FLOOR BASE LEGEND:	Category 3 - High (1	10% or Greater)						N DESK						
FCB Flash Cove Base RB Rubber Base														
SCF Seamless Cushioned Flooring														
MECHANICAL REQUIREMENTS	I													
	Seamless Utility /		Other Fixtures:			MED / NON N	AED CASES							
PLUMBING Hand (Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink:	Scrub Sink: Floor Sink:		Evewash		MED / NON-N (Quantity)	IED GASES	Medical Nitrou	c			Laboratory		Utility
(Quarterly)			Shower		n/Shower Station	Oxyger	n: Medical Ai			2: AGSS:	Nitrogen:	Air:	Vacuum:	ompressed Air:
Dhumbian			Tub	Emerger		Oxygei	IVICUICAI AII				i i i ogen.			AII.
Plumbing Remarks:			lce Maker	☐ Flush Rin										
			Water Closet	Floor Dr		Gas Ren	narks:							
			Instantaneous	☐ Water B	ottle Refill Station									
			Hot Water	Other										

Program 1. L3.08

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 



# New Surrey Hospital & BC Cancer Centre

MINIMUM ROOM REQUIREMENTS

#### M. Functional Imaging

Appendix 1B Minimum Room Requirer	nents	Program Number(s):	1. M1.25 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.		37. 38.	43. 44.
Room Name: Airlock			3.	9.	15.	21.	27.	33.	:	39.	45.
			4.	10.	16.	22.	28.	34.		40.	46.
			5.	11. 12.	17. 18.	23. 24.	29. 30.	35. 36.		41. 42.	47. 48.
			0.	12.	10.	24.	30.	30.		12.	40.
ARCHITECTURAL REQUIREMENTS						ı					
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES		ROOM ACCESSO			
		Rails Bed Bu	mper / Locator	☐ Interior Gla	azing	Material: Base:  VSF FCB	7	✓ Coat Hooks			gnetic Whiteboard
Ceiling Material: ACT-C	Finish: PF Height: 2185 mm Crash Rails Chair	Rail				V31   1 C5		<b>✓</b> Mirror	Infant Change	: Table	acy Curtain
LEGEND:	DOORS							Door Remark		toring M1 20	7
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:								.25 Airlock door en om to M1.27 Small		Security Grille
ACT Acoustic Ceiling Tile									.26 Clean Room do		
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board		MUNICI							ng the clean rooms	can only open or upon pressing an	Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B2 C C2 D	D D2	E E2 F	F2 G	Н	J		override butt		apon pressing an	strategy
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile		Intogral Dog	or & Frame Privacy		Card Mag	Auto Hold					
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Material: Finish: Side	_	Protect.: Film:		•	Opener: Open: Hing	۵۲.	Accessory 1: Acc	ressory 2: Arress	sory 3: Closer	··
SACT Security Acoustic Ceiling Tile	C 2 915 x 2135 Solid Core FRL	2 Hi		ısh/Pull		<b>✓</b> Butt Hinge		Elec. Strike	2. Access	Concealed	
WALL FINISHES LEGEND:	0 2 525 × 235 55.00 55.00		<u>s</u>	.5.1,1 4.1		V V Suttimige		ileoi ou me			
EWC Epoxy Wall Coating HPC High Performance Coating									<u> </u>		
PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS		Storage Requirements:	:					FINISHES	
CEILING FINISHES LEGEND:	U1 V2 U2	7 _						F	ull-height Cabinet:		
ECC Epoxy Ceiling Coating	U2 U3 U	4 U5							Upper Millwork:		
HPC High Performance Coating PF Prefinished			U6 U7 U8	SHELF					Countertop: Lower Millwork:		
PT Paint		T	77						Shelf:		
WALL PROTECTION LEGEND:		.l .l. K		S1					311611.		
ESRP Extruded Semi-Rigid PVCu Panel		111							Remark	s:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic		1							Refe	r to Schedule 1, Se	ection 6.12 (Division
PVW Protective Vinyl Wallcovering	-	Francis							12) f	or Specialty Casewo	ork. Items indicated
RHIS Rigid High Impact Sheet  WSSP Wetwall Solid Surface Panel		THE PERSON NAMED IN								diagrammatic, provi work appropriate fo	
WVW Wetroom Vinyl Wallcovering		11 2	1	- Carrier	1	7/				ialized functions to	
FLOOR FINISHES LEGEND:	C1 C2 C3 C4	=	+		7	-					modate Equipment.
CFS Concrete Floor Sealer		=			K		7	/		ide storage/shelving supplies.	g for equipment
EFC Epoxy Floor Coating  PFC Polyurethane Floor Coating	L3 L4	LS		- Exp	4	CONTRACTOR OF THE PARTY OF THE	/	The same of the sa	Prov	ide powder coated	finish for chambers.
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT CABINETS	L5 L6	L7 L8 L9			1 - 15	- 1				
SCF Seamless Cushioned Flooring				L10 L11	L12						
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Motorized Category 0 - None Min Length Adjustable					TC1 TC2	27.5	UC1	l u		
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%)  Category 1 - Low (1% - 4%)  Category (mm)  Height		ecialty sework	LOWER UNITS	25052	FIGN /TDANSACTION			7.5 <b>44</b> -0		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	Tieight Cu.				TION/TRANSACTION TER / CARE TEAM	UTILITY SIN	IK AND COUNTER U	JNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)		✓			ON DESK					
FCB Flash Cove Base RB Rubber Base											
SCF Seamless Cushioned Flooring											
MECHANICAL REQUIREMENTS											
PLUMBING Hand	Seamless Utility / Other Fixtures:	☐ Evewash	Station	MED / NON-M	IED GASES						
	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:  Shower		n/Shower Station	(Quantity)	, <b></b>	Medical Nitrous			L	aboratory Labor	Utility ratory Compressed
1	1 Snower Tub	Emerger		Oxyger	n: Medical Ai		CO2	: AGSS:	Nitrogen:	•	uum: Air:
Plumbing	☐ Ice Maker	Flush Rir									
Remarks:	☐ Water Closet	Floor Dra									
	Instantaneous		ottle Refill Station	Gas Rem	narks:						
	Hot Water	_		1							
		Other									

Appendix 1B Minimum Room Requi	rements	Program Number(s):	1. M1.13		13.	19.	25.	31.	37.	43.
· · · · · · · · · · · · · · · · · · ·		Trumber(s).	2. 3.		14. 15.	20. 21.	26. 27.	32. 33.	38. 39.	44. 45.
Room Name: Anteroom - Production			4.		16.	22.	28.	34.	40.	46.
			5.	11.	17.	23.	29.	35.	41.	47.
			6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS										
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES	RO	OM ACCESSORIES		
Wall Material: ARGB 1.2m AFF, GB above	.,,,,	rds 🔲 Hand Rails 🔲 Bed Bu	mper / Locator	☐ Interior Glazin	ng	Material: Base:		Coat Hooks Ceil		Magnetic Whiteboard
Ceiling Material: ACT-C	Finish: PF Height: 2185 mm Crash Rails	Chair Rail				VSF FCB			nt Change Table	Privacy Curtain
LEGEND:	DOORS					Note	<del>.</del> <b>.</b>	Door Remarks:		
WALL AND CEILING LEGEND:	Types:						for Type F doors, or panels will be			Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile						approx	rimately			
ACT-C Cleanroom		NZIMBIZI					065 unless			Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B2 C	C2 D D2	E E2 F	F2 G	Н		vise rquired by thority			strategy
IRGB Impact-Resistant Gypsum Board	A A2 5 52 C					_	e			
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board			or & Frame Privacy Protect.: Film:	Card	•	Auto Hold				
SACT Security Acoustic Ceiling Tile		Tillisti. Side Et.		Function: Read				essory 1: Accessory 2:	· · · · · · · · · · · · · · · · · · ·	Closer:
WALL FINISHES LEGEND:	F2 2 1830 x 2135 Solid Core FR	2 Hi	igh Pus	sh/Pull		Butt Hing	ge Astra	agal Flush Bolt	Elec. Strike Conc	ealed
EWC Epoxy Wall Coating										
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		9	Storage Requirements:					FINISHES	
PT Paint		UPPER UNITS						Full-heigh		
CEILING FINISHES LEGEND:	U1 U2	U3 U4 🗆							Millwork:	
ECC Epoxy Ceiling Coating HPC High Performance Coating		U4 U5	U6					1	untertop:	
PF Prefinished		7 7	U7 U8	SHELF					Millwork:	
PT Paint			7	-ta -					Shelf:	
WALL PROTECTION LEGEND:			-	S1						
ESRP Extruded Semi-Rigid PVCu Panel	Supercon III	V							Remarks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic										
PVW Protective Vinyl Wallcovering	10 000000000000000000000000000000000000	E-								
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel		AN AND DESCRIPTION OF THE PARTY NAMED IN COLUMN								
WVW Wetroom Vinyl Wallcovering	20			CO. CO.	-	7				
FLOOR FINISHES LEGEND:	C1 C2 C3		-7	on my contracting		Consessant -	SECTION			
CFS Concrete Floor Sealer	C5 C4 C5 11						7	/	<u>.</u>	
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 L4 L5		- KMM			/			
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	☐ ☐ L6	L7 L8 L9		-					
RSF Rubber Sheet Flooring			L/ L8 L9	L10 L11			7/			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			L12 M	TC1 TC2		"   L	ls l	
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None Min. Lengt		ecialty					UC1		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm)  Category 2 - Med (5% - 9%)	Height Height Cas	sework	LOWER UNITS	RECEPTI	ON/TRANSACTION				
FLOOR BASE LEGEND:	Category 2 - Med (5% - 5%)  Category 3 - High (10% or Greater)				COUNTE	ER / CARE TEAM	UTILITY SINK A	ND COUNTER UNIT		
FCB Flash Cove Base					STATION	N DESK				
RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS										
PLUMBING Hand	Seamless Utility / Other Fixtu	ires: Evewash	Station	MED / NON-MED	GASES					Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Si	ink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink: Show		/Shower Station	(Quantity)		Medical Nitrou				Laboratory Compressed
		Emergen		Oxygen:	Medical Air:	. Vacuum: Oxide	cO2:	AGSS: Nitro	gen: Air:	Vacuum: Air:
Plumbing										
Remarks:	□ Wate							<u> </u>		
	□ Instal	_	ottle Refill Station	Gas Remark	ks:					
		/ater								
		Other								

Room Name: Chemistry Lab 3. 9. 15. 21. 27. 33.	38. 44.
	39. 45.
4.     10.     16.     22.     28.     34.       5.     11.     17.     23.     29.     35.	40. 46. 47.
6. 12. 18. 24. 30. 36.	42. 48.
ARCHITECTURAL REQUIREMENTS	
WALL AND CEILING WALL PROTECTION GLAZING FLOORING TYPES ROOM ACCESSOR	DRIES
Wall Material: ARGB 1.2m AFF, GB above Finish: HPC Type: FRP Corner Guards Hand Rails Bed Bumper / Locator Interior Glazing Material: Base: Coat Hooks	
	☐ Infant Change Table ☐ Privacy Curtain
LEGEND: DOORS  Door Remark	ks:
WALL AND CEILING LEGEND:  Types:	☐ Security Grille
AC Architectural Ceiling	Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom	Anti-barricade
ARGB Abuse-Resistant Gypsum Board	strategy
GB Gypsum Board  A A2 B B2 C C2 D D2 E E2 F F2 G H J  IRGB Impact-Resistant Gypsum Board	
KLCT Kitchen Lay-in Ceiling Tile Integral Door & Frame Privacy Card Mag Auto Hold	
MMRGB Moisture and Mould-Resistant Gypsum Board  Type:Qty: Size (mm): Material: Finish: Side Lt: Blinds: Protect.: Film: Function: Reader: Lock: Opener: Open: Hinges: Accessory 1: Accesso	cessory 2: Accessory 3: Closer:
SACT Security Acoustic Ceiling Tile  C 1 915 x 2135 Solid Core FRL	Surface
WALL FINISHES LEGEND:	
EWC Epoxy Wall Coating HPC High Performance Coating MILLWORK AND SPECIALTY CASEWORK	
PT Paint Storage kequirements:	FINISHES
CEILING FINISHES LEGEND:	Full-height Cabinet:
ECC Epoxy Ceiling Coating	Upper Millwork:
HPC High Performance Coating	Countertop:
PF Prefinished PT Paint	Lower Millwork:
	Shelf:
WALL PROTECTION LEGEND:	
ESRP Extruded Semi-Rigid PVCu Panel	
PERSONAL PROPERTY OF THE PROPE	Remarks:
FRL Fibre Reinforced Laminate	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering	Remarks:  Refer to Schedule 1, Section 6.12 (Division 12) for Specialty Casework. Items indicated
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	Refer to Schedule 1, Section 6.12 (Division 12) for Specialty Casework. Items indicated are diagrammatic, provide specialty
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel	Refer to Schedule 1, Section 6.12 (Division 12) for Specialty Casework. Items indicated are diagrammatic, provide specialty casework appropriate for the specific and
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering	Refer to Schedule 1, Section 6.12 (Division 12) for Specialty Casework. Items indicated are diagrammatic, provide specialty casework appropriate for the specific and specialized functions to be performed in
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering  FLOOR FINISHES LEGEND:  C1 C2 C3 C3	Refer to Schedule 1, Section 6.12 (Division 12) for Specialty Casework. Items indicated are diagrammatic, provide specialty casework appropriate for the specific and specialized functions to be performed in the space and to accommodate Equipment.
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering  FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Sealer  EFC Epoxy Floor Coating	Refer to Schedule 1, Section 6.12 (Division 12) for Specialty Casework. Items indicated are diagrammatic, provide specialty casework appropriate for the specific and specialized functions to be performed in the space and to accommodate Equipment. Provide powder coated finish for casework.
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering  FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Coating PFC Polyurethane Floor Coating PFC Polyurethane Floor Coating	Refer to Schedule 1, Section 6.12 (Division 12) for Specialty Casework. Items indicated are diagrammatic, provide specialty casework appropriate for the specific and specialized functions to be performed in the space and to accommodate Equipment.
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering  FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Coating PFC Polyurethane Floor Coating RAF Rubber Athletic Flooring  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS	Refer to Schedule 1, Section 6.12 (Division 12) for Specialty Casework. Items indicated are diagrammatic, provide specialty casework appropriate for the specific and specialized functions to be performed in the space and to accommodate Equipment. Provide powder coated finish for casework.
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering  FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Coating PFC Polyurethane Floor Coating RAF Rubber Athletic Flooring RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring SFE Rubber Sheet Flooring RSF Rubber Sheet Flooring RSF Rubber Sheet Flooring RSF Rubber Sheet Flooring RSF Rubber Sheet Flooring RSF Rubber Sheet Flooring RSF Rubber Sheet Flooring RSF Rubber Sheet Flooring RSF Rubber Sheet Flooring RSF Rubber Sheet Flooring RSF Rubber Sheet Flooring RSF Rubber Sheet Flooring RSF Rubber Sheet Flooring RSF Rubber Sheet Flooring RSF Rubber Sheet Flooring RSF Rubber Sheet Flooring	Refer to Schedule 1, Section 6.12 (Division 12) for Specialty Casework. Items indicated are diagrammatic, provide specialty casework appropriate for the specific and specialized functions to be performed in the space and to accommodate Equipment. Provide powder coated finish for casework.
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinji Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyi Wallcovering FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Coating PFC Polyurethane Floor Coating PFC Polyurethane Floor Coating RAF Rubber Athletic Flooring RAF Rubber Athletic Flooring SFS Seamless Cushioned Floori	Refer to Schedule 1, Section 6.12 (Division 12) for Specialty Casework. Items indicated are diagrammatic, provide specialty casework appropriate for the specific and specialized functions to be performed in the space and to accommodate Equipment. Provide powder coated finish for casework.
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic FRP Fibreglass Reinforced Plastic FRP Fibreglass Reinforced Plastic FRP Fibreglass Reinforced Plastic FRP Fibreglass Reinforced Plastic FRF Fibreg	Refer to Schedule 1, Section 6.12 (Division 12) for Specialty Casework. Items indicated are diagrammatic, provide specialty casework appropriate for the specific and specialized functions to be performed in the space and to accommodate Equipment. Provide powder coated finish for casework.
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic FVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering FLOOR FINISHES LEGEND: CFS Concrete Floor Sealer EFC Epoxy Floor Coating RAF Rubber Athletic Flooring RSF Rubber Athletic Flooring SCF Seamless Cushioned Flooring SDNF Static Dissipative Rubber Sheet Flooring SDNF Static Dissipative Winyl Sheet Flooring VSF Vinyl Sheet Flooring Category 1 - Low (1% - 4%) Category 1 - Low (1% - 4%) Category (mm) Height Height Casework  LOWER UNITS  RECEPTION/TRANSACTION	Refer to Schedule 1, Section 6.12 (Division 12) for Specialty Casework. Items indicated are diagrammatic, provide specialty casework appropriate for the specific and specialized functions to be performed in the space and to accommodate Equipment. Provide powder coated finish for casework.
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic FRP Fibreg	Refer to Schedule 1, Section 6.12 (Division 12) for Specialty Casework. Items indicated are diagrammatic, provide specialty casework appropriate for the specific and specialized functions to be performed in the space and to accommodate Equipment. Provide powder coated finish for casework.
Filter Reinforced Laminate FIRP Fibreglass Reinforced Plastic FIVE Protective My Wallcovering RHS Rigid High Impacts Sheet WSSP Wetwall Solid Surface Panel WWW Wetroom Vinyl Wallcovering  FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epony Floor Coating PFC Polyurethane Floor Coating PFC Polyurethane Floor Coating RAF Rubber Athletic Flooring SOFF Static-Dissipative Winyl Sheet Flooring SOFF Static-Dissipative Winyl Sheet Flooring SOFF Static-Dissipative Winyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring Category 2 - Med (5% - 9%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  3 2700   V V V V V V V V V V V V V V V V V V	Refer to Schedule 1, Section 6.12 (Division 12) for Specialty Casework. Items indicated are diagrammatic, provide specialty casework appropriate for the specific and specialized functions to be performed in the space and to accommodate Equipment. Provide powder coated finish for casework.
FRI. Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic FVV Protective Vinyl Wallcovering RISS Rigid High Impacts Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering FLOOR FINISHES LEGEND: CFS Concrete Floor Sealer EFC Epony Floor Coating RAF Rubber Atheite Flooring RAF Rubber Atheite Flooring SOFF Sealer Elooring SOFF Satisc Obstpative Rubber Atheite Flooring WSVF Wetroom Safety Flooring WSVF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sh	Refer to Schedule 1, Section 6.12 (Division 12) for Specialty Casework. Items indicated are diagrammatic, provide specialty casework appropriate for the specific and specialized functions to be performed in the space and to accommodate Equipment. Provide powder coated finish for casework.
File Reinforced Laminate FIRP Fibreglass Reinforced Plastic FIVE Protective Viryl Wallcovering FIVE Protective Viryl Wallcovering FIVE Reinforced Plastic FIVE Protective Viryl Wallcovering FIVE Reinforced Plastic FIVE Reinforced Laminate FIVE Revents Standing FIVE Reinforced Laminate FIVE Reinforced Laminate FIVE Reinforced Laminate FIVE Reinforced Laminate FIVE Revent Standing FIVE Reinforced Laminate FIVE Revents Standing FIVE Reinforced Laminate FIVE Revent Standing FIVE Reinforced Laminate FIVE Revent Standing FIVE Reinforced Laminate FIVE Revent Standing FIVE Revent Standing FIVE Revent Standing FIVE Revent Standing FIVE Revent Standing FIVE Revent Standing FIVE Revent Standing FIVE Revent Standing FIVE Revent Standing FIVE Revent Standing FIVE Revent Standing FIVE Revent Standing FIVE Revent Standing FIVE Revent Standing FIVE Revent Standing FIVE Revent Standing FIVE Revent Standing FIVE Revent Standing FIVE Revent Standing FI	Refer to Schedule 1, Section 6.12 (Division 12) for Specialty Casework. Items indicated are diagrammatic, provide specialty casework appropriate for the specific and specialized functions to be performed in the space and to accommodate Equipment. Provide powder coated finish for casework.
File Reinforced Laminate FIRP Ribre Basin Forced Control FIRP Protective Vimy Wallcovering FINITE Reinforced Laminate FIRP Ribre Basin Forced Control FINITE Reinforced Laminate FINITE Reinforced Laminate FINITE Reinforced Laminate FIRP Ribre Basin Forced File FINITE Reinforced Laminate FINITE Reinforce Laminate FINITE Reinforce Laminate FINITE Reinforce Laminate FINITE Reinforce Laminate FINITE Reinforce Laminate FINITE Reinforce Laminate FINITE Reinforce Laminate FINITE Reinforce Laminate FINITE Reinforce Laminate FINITE Reinforce Laminate FINITE Reinforce Laminate FINITE Reinforce Laminate FINITE Reinforce Laminate FINITE Reinforce Laminate FINITE Reinforce Laminate FINITE Reinforce Laminate FINITE Reinforce Laminate FINITE Reinforce Laminate FINITE Reinforce Laminate FINITE Reinforce Lamina	Refer to Schedule 1, Section 6.12 (Division 12) for Specialty Casework. Items indicated are diagrammatic, provide specialty casework appropriate for the specific and specialized functions to be performed in the space and to accommodate Equipment. Provide powder coated finish for casework.
File Replied read Laminate File Replied regulas Selectored Hastis PWW Protective Wity Wild Covering RHIS Replied File File Replied File File File Replied File File File File Replied File File File Replied File	Refer to Schedule 1, Section 6.12 (Division 12) for Specialty Casework. Items indicated are diagrammatic, provide specialty casework appropriate for the specific and specialized functions to be performed in the space and to accommodate Equipment. Provide powder coated finish for casework.
FILD Filter Renforced Laminate Fish Filter Renforced Laminate Fish Filter Renforced Laminate Fish Filter Renforced Laminate Fish Filter Renforced Laminate Fish Filter Renforced Laminate Fish Filter Renforced Laminate Fish Filter Renforced Laminate Fish Filter Renforced Laminate Fish Filter Renforced Laminate Fish Filter Renforced Laminate Fish Filter Renforced Laminate Fish Filter Renforced Laminate Fish Filter Renforced Laminate Fish Filter Renformation Fish Filter Renforced Laminate Fish Filter Renforced Laminate Fish Filter Renforced Laminate Filter Renfo	Refer to Schedule 1, Section 6.12 (Division 12) for Specialty Casework. Items indicated are diagrammatic, provide specialty casework appropriate for the specific and specialized functions to be performed in the space and to accommodate Equipment. Provide powder coated finish for casework.
FILE PROPERTIES Relificated Hands PWW Protector Virgi Wallicovering RWS Regid light Impact Sheet PWW Protector Virgi Wallicovering RWS Regid light Impact Sheet PWW Protector Virgi Wallicovering FLOOR FINISHES LEGEND: CFS Concrete Floor Sealer FFC Epoly Roor Coaling PFC Polyurethane Flooring RWF Rubber Arbeits Flooring RWF Rubber Arbeits Flooring SSPF Static Obseptive Rubber Sheet Flooring SSPF Static Obseptive Rubber Sheet Flooring VSVF Work Observation Floorin	Refer to Schedule 1, Section 6.12 (Division 12) for Specialty Casework. Items indicated are diagrammatic, provide specialty casework appropriate for the specific and specialized functions to be performed in the space and to accommodate Equipment. Provide powder coated finish for casework.
File Files Reinfaced Luminate Files Filesgass Reinfaced Masis Files Filesgass Reinfaced Masis Files Filesgass Reinfaced Masis Files Filesgass Reinfaced Masis Filesgass Reinfaced Re	Refer to Schedule 1, Section 6.12 (Division 12) for Specialty Casework. Items indicated are diagrammatic, provide specialty casework appropriate for the specific and specialized functions to be performed in the space and to accommodate Equipment. Provide powder coated finish for casework.  JINIT  Laboratory Laboratory Utility Compressed
FILE PROPERTIES Relificated Hands PWW Protector Virgi Wallicovering RWS Regid light Impact Sheet PWW Protector Virgi Wallicovering RWS Regid light Impact Sheet PWW Protector Virgi Wallicovering FLOOR FINISHES LEGEND: CFS Concrete Floor Sealer FFC Epoly Roor Coaling PFC Polyurethane Flooring RWF Rubber Arbeits Flooring RWF Rubber Arbeits Flooring SSPF Static Obseptive Rubber Sheet Flooring SSPF Static Obseptive Rubber Sheet Flooring VSVF Work Observation Floorin	Refer to Schedule 1, Section 6.12 (Division 12) for Specialty Casework. Items indicated are diagrammatic, provide specialty casework appropriate for the specific and specialized functions to be performed in the space and to accommodate Equipment. Provide powder coated finish for casework.
FRID Problem Sender Posts Prov Protective Wind Watkcoming Prov Protective Wind Watkcoming Prov Protective Wind Watkcoming Prov Protective Wind Watkcoming Prov Provided Watkcoming Prov Provided Watkcoming Prov Wind Watkcoming Prov Wind Watkcoming Prov Provided Watkcoming Prov Provided Watkcoming Prov Provided Watkcoming Prov Provided Watkcoming Prov Provided Watkcoming Prov Provided Watkcoming Prov Provided Watkcoming Provi	Refer to Schedule 1, Section 6.12 (Division 12) for Specialty Casework. Items indicated are diagrammatic, provide specialty casework appropriate for the specific and specialized functions to be performed in the space and to accommodate Equipment. Provide powder coated finish for casework.  JINIT  Laboratory Laboratory Utility Compressed
FILE PROBLEM Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Western May Nationary Bay Refineder Placts PNW Western May Nationary Bay Refineder Placts PNW Western May Nationary Bay Refineder Placts PNW Western May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refined Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refined Placts PNW PNW Protective May Nationary Bay Refined Placts PNW PNW PNW PNW PNW PNW PNW PNW PNW PNW	Refer to Schedule 1, Section 6.12 (Division 12) for Specialty Casework. Items indicated are diagrammatic, provide specialty casework appropriate for the specific and specialized functions to be performed in the space and to accommodate Equipment. Provide powder coated finish for casework.  JNIT  Laboratory Laboratory Compressed Air:
FRO Provided From Flats Prov Protective Vivil Valicovering Provided Flats Provide	Refer to Schedule 1, Section 6.12 (Division 12) for Specialty Casework. Items indicated are diagrammatic, provide specialty casework appropriate for the specific and specialized functions to be performed in the space and to accommodate Equipment. Provide powder coated finish for casework.  JNIT  Laboratory Laboratory Compressed Air:
FILE PROBLEM Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Western May Nationary Bay Refineder Placts PNW Western May Nationary Bay Refineder Placts PNW Western May Nationary Bay Refineder Placts PNW Western May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refined Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refineder Placts PNW Protective May Nationary Bay Refined Placts PNW PNW Protective May Nationary Bay Refined Placts PNW PNW PNW PNW PNW PNW PNW PNW PNW PNW	Refer to Schedule 1, Section 6.12 (Division 12) for Specialty Casework. Items indicated are diagrammatic, provide specialty casework appropriate for the specific and specialized functions to be performed in the space and to accommodate Equipment. Provide powder coated finish for casework.  JNIT  Laboratory Laboratory Compressed Air:

Appendix 1B Minimum Room Requireme	ents	Program	1. M1.26	7. 13		25.	31.	37.	43.
		Number(s):	2.	8. 14		26.	32.	38.	44.
Room Name: Clean Room			3. 4.	9. 19. 19. 19. 19. 19. 19. 19. 19. 19. 1		27. 28.	33. 34.	39. 40.	45. 46.
			5.	11.		29.	35.	41.	47.
			6.	12.		30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS		Ĺ	1	1	1				
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPE	S R	ROOM ACCESSORIES		
	ish: EWC Type: ESRP ✓ Corner G	uards  Hand Rails  Bed Bur	mper / Locator	☐ Interior Glazing	Material: R		Coat Hooks Ceiling	Lift 🔲	Magnetic Whiteboard
	ish: ECC Height: 2185 mm Crash Rai			Interior Glazing	RSF F	СВ			Privacy Curtain
LEGEND:	DOORS				I	I	Door Remarks:		
WALL AND CEILING LEGEND:									
AC Architectural Ceiling	Types:								Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom									☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board									strategy
GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	A A2 B B2 C	C2 D D2	E E2 F	F2 G	H J				
KLCT Kitchen Lay-in Ceiling Tile		Integral Door	r & Frame Privacy	Card	Mag Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Material:	Finish: Side Lt: Blinds: P	rotect.: Film:	Function: Reader	: Lock: Opener: Open:	Hinges: A	accessory 1: Accessory 2:	Accessory 3: Clo	oser:
SACT Security Acoustic Ceiling Tile	C 1 915 x 2135 Cleanroom	Prefinished 2 Hi	gh Pas	ssage	<b>✓</b>	utt Hinge Ele	ec. Strike	Concea	led
WALL FINISHES LEGEND:									
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK								
PT Paint	WILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	:	Storage Requirements:				FINISHES	
CEILING FINISHES LEGEND:	U1						Full-height Ca	binet:	
ECC Epoxy Ceiling Coating	12 VIII VI	U3 <sub>U4</sub> $\square$					Upper Mill		
HPC High Performance Coating PF Prefinished		U5	U6 U7 U8	SHELF			Count	•	
PT Paint			77	SHELF			Lower Mill		
WALL PROTECTION LEGEND:				S1 L				Shelf:	
ESRP Extruded Semi-Rigid PVCu Panel							R/	emarks:	
FRL Fibre Reinforced Laminate				-					
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering			1 1					Provide ceiling hatch	ies with gaskets.
RHIS Rigid High Impact Sheet			1						
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering		1	na Transport	1					
, ,	ci c		- 7	On the superproperty	7	7			
FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer	C2 C3 C4 C7		- 17-			7			
EFC Epoxy Floor Coating				WW		-	1		
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 10						
RSF Rubber Sheet Flooring			L7 L8 L9	L10 L11		7	1 - 3 - 3 - 3 - 3 - 3		
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:			Ш	L12 TC1	TC2			
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None Min. Ler	Motorized gth Adjustable Standing Spe	cialty				UC1		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm	.,	ework	LOWER UNITS	RECEPTION/TRANSACTION	l			
	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)				COUNTER / CARE TEAM		AND COUNTER UNIT		
FLOOR BASE LEGEND:	Category 5 - night (10% of Greater)				STATION DESK				
FCB Flash Cove Base RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS									
	eamless Utility / Other Fi	ctures: Evewash	Station	MED / NON-MED (	GASES				
	chen Sink: Process Sink: Scrub Sink: Floor Sink:	Lyewasii	Station /Shower Station	(Quantity)	Medical	Nitrous		Laboratory La	Utility aboratory Compressed
. "	Sho			1 ' ''	Medical Air: Vacuum:	Oxide: CO2:	AGSS: Nitrogen	A**	Vacuum: Compressed Air:
Plumbing Provide floor drain in trench located in service a								1	
Remarks:									
				Gas Remarks	: Hot cell serving clean room re				
		antaneous Water Bo	ttle Refill Station		Clean rooms will be tied to CA	vacuum piped system	for radioactive release decay r	node.	
	110	Other							
	l l			1	1				I

Appendix 1B Minimum Room F	Requirements	Program Number(s):	1. M2.24 2.	7. 13. 8. 14.		25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Computer Room	- PETCT/SPECT		3.	9. 15.	. 21.	27.	33.	39.	45.
				10. 16. 11. 17.		28. 29.	34. 35.	40. 41.	46. 47.
			6.	12. 18.	. 24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS									
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB a	wall protection  bove Finish: PT Type: RHIS	Corner Guards	mper / Locator	GLAZING  Interior Glazing	FLOORING Materi	TYPES al: Base:	ROOM ACCESSORIES  Coat Hooks Ce	iling Lift	Magnetic Whiteboard
Ceiling Material: ACT	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Crash Rails Chair Rail		interior Glazing	VSF	FCB			Privacy Curtain
LEGEND:	DOORS						Door Remarks:		
WALL AND CEILING LEGEND:	Types:					E			☐ Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile									
ACT-C Cleanroom									Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B2	C C2 D D2	E E2 F	F2 G	Н ј	L			strategy
IRGB Impact-Resistant Gypsum Board	, . <u> </u>				-				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Bo	ard 5 O C C	-	r & Frame Privacy rotect.: Film:	Card Function Reader:	Mag Auto Hole Lock: Opener: Ope				
SACT Security Acoustic Ceiling Tile	Type.Qty. Size (IIIII). Ivid			T directions.	Lock. Opener. Ope		Accessory 1: Accessory 2		Closer:
WALL FINISHES LEGEND:	C 1 1065 x 2135 Solid	Core FRL 1 Lo	w Store	eroom 🗸		Butt Hinge		Surf	ace
EWC Epoxy Wall Coating									
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		St	orage Requirements:				FINISHES	
PT Paint		UPPER UNITS					Full-heig	ht Cabinet:	
CEILING FINISHES LEGEND:	U1	U2 U3 U4 🗆						r Millwork:	
ECC Epoxy Ceiling Coating HPC High Performance Coating		7	U6					ountertop:	
PF Prefinished		777	U7 U8	SHELF				r Millwork:	
PT Paint	-		77	†a 🗆			20110	Shelf:	
WALL PROTECTION LEGEND:	Engravana II			S1					
ESRP Extruded Semi-Rigid PVCu Panel			- 1					Remarks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic				-					
PVW Protective Vinyl Wallcovering		116		1					
RHIS Rigid High Impact Sheet			1 .						
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering	CONTRACTOR OF THE PARTY OF THE		na Transport	1					
•				On the state of th	7				
FLOOR FINISHES LEGEND:	C1 C2 C3 C4 C5			T	7-2-2-2				
CFS Concrete Floor Sealer EFC Epoxy Floor Coating		L2			-	2	6	7	
PFC Polyurethane Floor Coating		L3 L4 L5 L6				- Annana	The state of the s	Å .	
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L7 L8 L9	140					
SCF Seamless Cushioned Flooring					12 TC1	= V			
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			12 TC1	TC2	U	u	
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category	•	cialty	LOWER UNITS			UC1 U		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category Category 2 - Med (5% - 9%)	(mm) Height Height Case	ework		RECEPTION/TRANSA		CIALLY AND COLUMETED LIBRAT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				COUNTER / CARE TEA STATION DESK	AM UILLIYS	SINK AND COUNTER UNIT		
FCB Flash Cove Base					STATION DESK				
RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS									
PLUMBING Hand	Seamless Utility /	Other Fixtures: Eyewash	Station	MED / NON-MED G	ASES				
(Quantity) Hygiene Sink: Lavatory: Kit	chen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		/Shower Station	(Quantity)	Medical	Nitrous		Laboratory	Utility Laboratory Compressed
		☐ Tub ☐ Emergence			Medical Air: Vacuum	Oxide: C	O2: AGSS: Nitr	ogen: Air:	Vacuum: Air:
Plumbing		☐ Ice Maker ☐ Flush Rim							
Remarks:									
		Water Closet Floor Dra		Gas Remarks:					
			ttle Refill Station						
		Hot Water Other							
			<u> </u>						

· · · · · · · · · · · · · · · · · · ·		Number(s):	2.	8. 14.	20.	26.	32.	38.	44.
Control Doom, Cycletron			3.	9. 15.	21.	27.	33.	39.	45.
Room Name: Control Room - Cyclotron			4.	10. 16.	22.	28.	34.	40.	46.
			5.	11. 17.	23.	29.	35.	41.	47.
			6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS									
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROO	M ACCESSORIES		
		Corner Guards Hand Rails Bed Bu	ımner / Locator		Material: Base:		Coat Hooks Ceiling	Lift 🗸	Magnetic Whiteboard
	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Crash Rails  Chair Rail	imper / Locator	☐ Interior Glazing	SDVF FCB				Privacy Curtain
	DOORS						Door Remarks:		
LEGEND: WALL AND CEILING LEGEND:									
AC Architectural Ceiling	Types:								Security Grille
ACT Acoustic Ceiling Tile									
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board					M NMZZ				Anti-barricade strategy
GB Gypsum Board	A A2 B B	2 C C2 D D2	E E2 F	F2 G H	1				Strategy
IRGB Impact-Resistant Gypsum Board									
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board		•	or & Frame Privacy Protect.: Film:		lag Auto Hold	L			
SACT Security Acoustic Ceiling Tile		0.00 20					sory 1: Accessory 2:		oser:
WALL FINISHES LEGEND:	C 1 1065 x 2135 Solid	Core FRL 1 L	ow Pass	age	Butt Hing	e		Surface	<u>:</u>
EWC Epoxy Wall Coating									
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		St	corage Requirements:				FINISHES	
PT Paint		UPPER UNITS					Full-height Ca	ahinet:	
CEILING FINISHES LEGEND:	U1	U2 U2					Upper Mi		
ECC Epoxy Ceiling Coating HPC High Performance Coating		U3 U4 U5	U6 U7				1	tertop:	-
PF Prefinished		777	U7 U8	SHELF			Lower Mi		
PT Paint			77	-ta 🗆			LOWET IVII	Shelf:	
WALL PROTECTION LEGEND:				T S1					
ESRP Extruded Semi-Rigid PVCu Panel			1 11	1)			R	emarks:	
FRL Fibre Reinforced Laminate				1					
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering			1 1						
RHIS Rigid High Impact Sheet				i					
WSSP Wetwall Solid Surface Panel			Total Spinster						
WVW Wetroom Vinyl Wallcovering			-	SO SO STATE OF THE PARTY OF THE	17/				
FLOOR FINISHES LEGEND:	C1 C2 C3 C4 T								
CFS Concrete Floor Sealer	□    □ <del>□</del> C5 <sub> 1</sub>	12		1		/ /	F-37		
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 L4 L5	1	BEEK -					
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9		-11 15				
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring			L8 L9	L10 L11					
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized	<u></u>		TC1 TC2				
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		ecialty				UC1		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category		sework	LOWER UNITS	RECEPTION/TRANSACTION				
	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	2700			COUNTER / CARE TEAM	UTILITY SINK AND	COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% of Greater)			S	TATION DESK				
FCB Flash Cove Base RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS									
	amless Utility /	Other Fixtures:		MED / NON-MED GASES	c				
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Kitchen S	hen Sink: Process Sink: Scrub Sink: Floor Sink:	Lyewasi		(Quantity)	Medical Nitrou	c		Laboratory La	Utility aboratory Compressed
(Quality)			n/Shower Station	1 1	lical Air: Vacuum: Oxide		AGSS: Nitroger	A*.	Vacuum:
		☐ Tub ☐ Emerge		Oxygen. ivied	iicui All.	CO2.	AUSS. MILIOGEI	**	Air:
Plumbing Remarks:		☐ Ice Maker ☐ Flush Ri							
neilidiks.		☐ Water Closet ☐ Floor Dr		Gas Remarks:					
		☐ Instantaneous ☐ Water B	ottle Refill Station	Gas Rellidiks.					
		Hot Water							
		Other							

Program 1. M1.28

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

			Number(s): 2.	8. 14.	20. 26.	32. 38.	44.
R	oom Name: Control Room - PETCT/S	SPECT	3.	9. 15.	21. 27.	33. 39.	45.
			4. 5.	10. 16. 11. 17.	22. 28. 23. 29.	34. 40. 35. 41.	46. 47.
			6.	12. 18.	24. 29.	36. 41. 42.	48.
ARCHITEC'	TURAL REQUIREMENTS						
	·	WALLEDOTECTION		CLAZING	FLOODING TYPES	DOOM ACCESCODIES	
WALL AND (	Material: ARGB 1.2m AFF, GB above	WALL PROTECTION  Type: FRP ✓ Corner Guards ☐ H	and Rails Bed Bumper / Locator	GLAZING	FLOORING TYPES  Material: Base:	ROOM ACCESSORIES  ✓ Coat Hooks ☐ Ceiling Lift	✓ Magnetic Whiteboard
	Material: ACT		nair Rail	✓ Interior Glazing	SDVF FCB	☐ Mirror ☐ Infant Change Table	
LEGEND:		DOORS				Door Remarks:	
WALL AND	CEILING LEGEND:	Types:					Security Grille
AC ACT	Architectural Ceiling Acoustic Ceiling Tile			TANDA DAR			Jecurity drine
ACT-C	Cleanroom						Anti-barricade
ARGB	Abuse-Resistant Gypsum Board						strategy
GB IRGB	Gypsum Board Impact-Resistant Gypsum Board	A A2 B B2 C C2	D D2 E E2 F	F2 G H	J		
KLCT	Kitchen Lay-in Ceiling Tile		Integral Door & Frame Privacy	Card Mag	Auto Hold		
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile		Side Lt: Blinds: Protect.: Film:	Function: Reader: Lock:	Opener: Open: Hinges:	Accessory 1: Accessory 2: Accessory 3:	Closer:
		C 1 1065 x 2135 Shielded Prefinished	☐ ☐ 1 Low Sto	reroom 🗸	Butt Hinge		Surface
	HES LEGEND:  Epoxy Wall Coating						
EWC HPC	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK					
PT	Paint		UPPER UNITS	Storage Requirements:		FINISH	iES
CEILING FIN	ISHES LEGEND:	U1 U1				Full-height Cabinet:	
ECC	Epoxy Ceiling Coating	U2 U3	U4			Upper Millwork: Plastic	. Laminate
HPC PF	High Performance Coating Prefinished		U5 U6 U7 U8	SHELF		Countertop:	
PT	Paint		7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	SHELF		Lower Millwork:	
WALL DOOT	ECTION LEGEND:			S1 L		Shelf:	
ESRP	Extruded Semi-Rigid PVCu Panel			31		Remarks:	
FRL	Fibre Reinforced Laminate			1		Remarks.	
FRP PVW	Fibreglass Reinforced Plastic Protective Vinyl Wallcovering						
RHIS	Rigid High Impact Sheet	The state of the s	Francis Control	_ i			
WSSP	Wetwall Solid Surface Panel		on The State of th				
WVW	Wetroom Vinyl Wallcovering			On my	7		
	SHES LEGEND:	C1		-			
CFS EFC	Concrete Floor Sealer Epoxy Floor Coating						
PFC	Polyurethane Floor Coating		4 L5				
RAF RSF	Rubber Athletic Flooring Rubber Sheet Flooring	FULL-HEIGHT CABINETS					
SCF	Seamless Cushioned Flooring			L10 L11 L12			
SDRF	Static-Dissipative Rubber Sheet Flooring	Legend: Motori	red		τc1 τc2	luci luci	
SDVF VSF	Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring	Category 0 - None Min. Length Adjusta Category 1 - Low (1% - 4%) Category (mm) Heigh		LOWER UNITS		UC1 U	
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)		RECEP	PTION/TRANSACTION TER / CARE TEAM UTILITY SII	NK AND COUNTER UNIT	
FLOOR BAS	E LEGEND:	Category 3 - High (10% or Greater) 3 3000			ON DESK	NK AND COUNTER ONLY	
FCB	Flash Cove Base						
RB SCF	Rubber Base Seamless Cushioned Flooring						
361	scanness cusmoned riborning						
NATCUA NU	CAL DECLUDENATIONS						
WECHANIC	CAL REQUIREMENTS			I			
PLUMBING	Hand	Seamless Utility / Other Fixtures:	Evewash Station	MED / NON-MED GASES			Utility
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sin	k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Eyewash/Shower Station	(Quantity)	Medical Nitrous	Laborato	ory Laboratory Compressed
		Tub	☐ Emergency Shower	Oxygen: Medical A	<sub>vir:</sub> Vacuum: Oxide: <sub>CO</sub>	2: AGSS: Nitrogen: Air:	Vacuum: Air:
Plumbing		☐ Ice Maker	☐ Flush Rim Sink				
Remarks:		☐ Water Closet	☐ Floor Drain		1 1	1 1	
		Instantaneous	☐ Water Bottle Refill Station	Gas Remarks:			
		Hot Water					
			Other				

Program 1. M2.23

13.

19.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

25.

Appendix 1B Minimum Room Requireme	ents	Program Number(s):	1. M1.33 2.	7. 1 8. 1		25. 26.	31. 37. 32. 38.	43. 44.
Room Name: Cyclotron Vault			3.	9. 1		27.	33. 39.	45.
Room Name. Cyclotron vauit			4.	10. 1		28.	34. 40.	46.
			5. 6.	11. 1 12. 1		29. 30.	35. 41. 36. 42.	47. 48.
			0.	12.	0. 24.	30.	30. 42.	40.
ARCHITECTURAL REQUIREMENTS								
WALL AND CEILING	WALL PROTECTION	🗆		GLAZING	FLOORING TYPES  Material: Base:	ROOM ACC		¬
	nish: EWC Type: ESRP Corner Guards Hand R Height: 2185 mm Crash Rails Chair R	ails 🗌 Bed Bu ail	mper / Locator	☐ Interior Glazing	EFC FCB	Coat H		Magnetic Whiteboard Privacy Curtain
LEGEND:	DOORS						Remarks:	
WALL AND CEILING LEGEND:						Neutro	on Door and Frame - Refer to SOR	
AC Architectural Ceiling	Types:							Security Grille
ACT Acoustic Ceiling Tile								
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board				34 N/4 NN. I	ZMBUNNIZZ			Anti-barricade strategy
GB Gypsum Board	A A2 B B2 C C2 D	D2	E E2 F	F2 G	H I			Strategy
IRGB Impact-Resistant Gypsum Board	A 5 5							
KLCT Kitchen Lay-in Ceiling Tile			r & Frame Privacy	Card	9			
MMRGB Moisture and Mould-Resistant Gypsum Board  SACT Security Acoustic Ceiling Tile	Type:Qty: Size (mm): Material: Finish: Side L	t: Blinds: F	rotect.: Film:	Function: Reade	r: Lock: Opener: Open: H	inges: Accessory 1:	Accessory 2: Accessory 3:	Closer:
·	A 1 1065 x 2135 Neutron Prefinished							
WALL FINISHES LEGEND:								
EWC Epoxy Wall Coating						'		
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	PPER UNITS		Storage Requirements:			FINISHES	
		PPER UNITS					Full-height Cabinet:	
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	U2 U2						Upper Millwork:	
ECC Epoxy Ceiling Coating HPC High Performance Coating	03 U4	U5	U6				Countertop:	
PF Prefinished		7	U7 U	8 SHELF			Lower Millwork:	
PT Paint		1					Shelf:	
WALL PROTECTION LEGEND:				S1			Sileii.	
ESRP Extruded Semi-Rigid PVCu Panel				1			Remarks:	
FRL Fibre Reinforced Laminate							Nemarks.	
FRP Fibreglass Reinforced Plastic	7		1 1					
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAM	Promoted .		1				
WSSP Wetwall Solid Surface Panel		**************************************						
WVW Wetroom Vinyl Wallcovering		111-1-2	-	TARREST 1				
FLOOR FINISHES LEGEND:	C1 C2		- 7	On the Publishers		BG2050		
CFS Concrete Floor Sealer	C2 C3 C4 C5		- 7			7 /		
EFC Epoxy Floor Coating						1 4	1	
PFC Polyurethane Floor Coating		L5						
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L7 L8 L9					
SCF Seamless Cushioned Flooring				L10 L11	L12 TC1			
SDRF Static-Dissipative Rubber Sheet Flooring	Legend: Motorized							
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None Min. Length Adjustable	Standing Spe	ecialty			UC1	, II	
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm) Height	Height Cas	ework	LOWER UNITS	RECEPTION/TRANSACTION			
	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)				COUNTER / CARE TEAM	UTILITY SINK AND COUN	NTER UNIT	
FLOOR BASE LEGEND:	category 5 mgm(10% of circuter)				STATION DESK			
FCB Flash Cove Base RB Rubber Base								
SCF Seamless Cushioned Flooring								
_								
MECHANICAL REQUIREMENTS								
	Seamless Utility / Other Fixtures:	☐ Evewash	Station	MED / NON-MED	GASES			
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Kit	tchen Sink: Process Sink: Scrub Sink: Floor Sink: Shower		/Shower Station	(Quantity)	Medical Nitro	JS	Laboratory	Utility Laboratory Compressed
·		_		Oxygen:	Medical Air: Vacuum: Oxide		GSS: Nitrogen: Air:	Vacuum: Air:
Distribution To the Conference of the Conference	Tub	Emerger		5.7,60			2 2	All.
Plumbing Provide (2) floor drains. Cyclotron & beam lines		☐ Flush Rin						
Remarks: package & controls to be supplied with cyclotro	on. Water Closet	<b>✓</b> Floor Dra	iin	Gos Bomester	Provide the following gasses to			——————————————————————————————————————
	☐ Instantaneous	☐ Water B	ottle Refill Station	Gas kemarks	- the cyclotron machine - N2, H2, H6	- CA		
	Hot Water	_		¬	- the beam line - CA, N2, N2 + 0.5%	-	r + 10% F2.	
		Other		_	3,3,2,3,2	, ,		
	J				L			

_			Number(s):	2. 8 3. 9		20. 21.	26. 27.	32. 33.	38. 39.	44. 45.
Ro	oom Name: Equipment Room - Cycloti	on		4. 10		22.	28.	34.	40.	46.
				5. 11 6. 12		23. 24.	29. 30.	35. 36.	41. 42.	47. 48.
ARCHITECT	TURAL REQUIREMENTS									
WALL AND C		WALL PROTECTION			GLAZING	FLOORING TYPES	ROC	M ACCESSORIES		
	Material: ARGB 1.2m AFF, GB above		rner Guards		☐ Interior Glazing	Material: Base:	_	Coat Hooks Ceiling	Lift	Magnetic Whiteboard
Ceiling	Material: GB		ash Rails Chair Rail		c.r c.uz <sub>6</sub>	EFC FCB		Mirror Infant	Change Table	Privacy Curtain
LEGEND:		DOORS					1	Door Remarks:		
WALL AND	CEILING LEGEND:	Types:					e: for Type F doors, door panels will be			Security Grille
AC ACT	Architectural Ceiling Acoustic Ceiling Tile						roximately			
ACT-C	Cleanroom	VALARALA	LNAM MUNME				/1065 unless erwise rquired by			Anti-barricade
ARGB GB	Abuse-Resistant Gypsum Board Gypsum Board	A A2 B B2	C C2 D D2	E E2 F	F2 G H		Authority			strategy
IRGB KLCT	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		Integral Door	& Frame Privacy	Card Mag	Auto Hold				
MMRGB	Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Mater	מ יוני וומ		9		Hinges: Acces	sory 1: Accessory 2:	Accessory 3:	Closer:
SACT	Security Acoustic Ceiling Tile	F2 1 1530 x 2135 Hollow I	Metal Paint	Storero	oom 🗸 🗌	☐ Butt H	inge Astrag	al Flush Bolt	Surf	ace
WALL FINISI	HES LEGEND:  Epoxy Wall Coating									
HPC	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Stora	age Requirements:				FINISHES	
PT	Paint		UPPER UNITS	31010	Be negativements.			Full-height C		
CEILING FIN ECC	ISHES LEGEND: Epoxy Ceiling Coating	UI	U2 U3 U4					Upper Mi		
HPC	High Performance Coating			U6				Coun	tertop: Stainless St	eel
PF PT	Prefinished Paint			U8	SHELF			Lower Mi		
WALL PROT	ECTION LEGEND:				] <u> </u> s1				Shelf:	
ESRP	Extruded Semi-Rigid PVCu Panel			1 11				F	emarks:	
FRL FRP	Fibre Reinforced Laminate Fibreglass Reinforced Plastic									
PVW	Protective Vinyl Wallcovering		Francis		8					
RHIS WSSP	Rigid High Impact Sheet Wetwall Solid Surface Panel		10							
WVW	Wetroom Vinyl Wallcovering				COCACO CO	7/				
	SHES LEGEND:	C1 C2 C3 C4 C5 14				-				
CFS EFC	Concrete Floor Sealer Epoxy Floor Coating			-			/ 4	K-V		
PFC RAF	Polyurethane Floor Coating	FULL-HEIGHT CABINETS		17 18			and a second			
RSF	Rubber Athletic Flooring Rubber Sheet Flooring	TOLE-HEIGHT CABINETS			L10 L11		$\sim$ $\downarrow$ $\downarrow$			
SCF SDRF	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:			L12	TC1 TO	, V			
SDVF	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized Iin. Length Adjustable Standing Spe	cialty				UC1		
VSF WSVF	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category Category 2 - Med (5% - 9%)	(mm) Height Height Case	ework		TION/TRANSACTION				
FLOOR BASE	E LEGEND:	Category 3 - High (10% or Greater)	900			TER / CARE TEAM ON DESK	UTILITY SINK AN	D COUNTER UNIT		
FCB	Flash Cove Base				•					
RB SCF	Rubber Base Seamless Cushioned Flooring									
MECHANIC	CAL REQUIREMENTS									
PLUMBING	Hand	Seamless Utility / C	ther Fixtures:	Station	MED / NON-MED GASES					
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sink	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Shower Station	(Quantity)		rous		Laboratory	Laboratory Compressed
		1 1 1 1 1	Tub Emergen		Oxygen: Medical A	ir: Vacuum: Ox	ide: CO2:	AGSS: Nitroge	n: Air:	Vacuum: Air:
	Provide (2) floor drains.		☐ Ice Maker ☐ Flush Rim							2
Remarks:			Water Closet Floor Dra		Gas Remarks:		•			
				ttle Refill Station	Gus Heritains.					
			Hot Water Other							
1										I

Program 1. M1.31

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

• •	•		Number(s):	2.	8. 14.	20.	26.	32.	38.	44.
				3.	9. 15.	21.	27.	33.	39.	45.
Room	Name: Exam Room - Shielded				10. 16.		28.	34.	40.	46.
					11. 17.	23.	29.	35.	41.	47.
				6. 1	12. 18.	24.	30.	36.	42.	48.
A D C WITE CTI IE	RAL REQUIREMENTS									
ARCHITECTOR	NAL KEQUIKEWIEWIS									
WALL AND CEILI		WALL PROTECTION			GLAZING	FLOORING TY		ROOM ACCESSORIES		
Wall Mat	terial: ARGB 1.2m AFF, GB above	Finish: PT Type: PVW	Corner Guards Hand Rails Bed Bur	mper / Locator	☐ Interior Glazing	Material:		Coat Hooks Ceili		Magnetic Whiteboard
Ceiling Mat	terial: ACT	Finish: PF Height: 1600 mm	Crash Rails Chair Rail			RSF	FCB	☐ Mirror ☐ Infar	nt Change Table 🛮 🗹 P	Privacy Curtain
LEGEND:		DOORS					I.	Door Remarks:		
WALL AND CEILI	INIC LECEND.						Note: for Type F dod			
	itectural Ceiling	Types:	ala) (al (ala) (ala) (ala) (a				the door panels will	*		Security Grille
	ustic Ceiling Tile						approximately			
	nroom		NZ NENZ NENZ		NA SIN S		465/1065 unless			☐ Anti-barricade
	se-Resistant Gypsum Board						otherwise rquired b	У		strategy
	sum Board act-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	Н ј	the Authority			
· · · · · · · · · · · · · · · · · · ·	nen Lay-in Ceiling Tile		Integral Door	r & Frame Privacy	Card	Mag Auto Hold				
	sture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm):	Material: Finish: Side Lt: Blinds: P	rotect.: Film:	Function: Reader:	Lock: Opener: Open:	Hinges:	Accessory 1: Accessory 2:	Accessory 3: Clos	ser:
SACT Secu	rity Acoustic Ceiling Tile	F2 1 1530 x 2135	Solid Core FRL	Passag	ge 🗆		Butt Hinge	Astragal Flush Bolt	Conceal	ed
WALL FINISHES	LEGEND:						Ū			
•	ky Wall Coating							<u> </u>		
HPC High PT Paint	Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Stor	rage Requirements:				FINISHES	
			UPPER UNITS					Full-height	Cahinet:	
CEILING FINISHE		4 17 17	U1						Millwork:	
	ky Ceiling Coating I Performance Coating		17	U6					untertop:	
_	inished	-	7	U7 U8	SHELF				Millwork:	
PT Paint	t	Capezana		7	44 D			Lower		
WALL PROTECTI	ION LEGEND:				S1				Shelf:	
	uded Semi-Rigid PVCu Panel				31				Pomarke:	
	e Reinforced Laminate								Remarks:	
	eglass Reinforced Plastic								Only one (1) Exam Ro	om - Shielded to
	ective Vinyl Wallcovering	-	The state of the s		1				require ceiling lift	
	d High Impact Sheet wall Solid Surface Panel									
	room Vinyl Wallcovering		1 1 1 2	an Parket and a second	1		1			
FLOOR FINISHES	S LEGEND:	C1 C2	<del></del>	-7	on the same of the		7			
	crete Floor Sealer	_ 62 63					7	/	c=	
	xy Floor Coating				MANY	-	-	1	fi	
	urethane Floor Coating	FULL-HEIGHT CABINETS	15	17		-   /				
	ber Athletic Flooring ber Sheet Flooring	FOLL-HEIGHT CABINETS		L7 L8 L9	L10 L11		17-1			
	mless Cushioned Flooring					2	<b>≯</b>			
	ic-Dissipative Rubber Sheet Flooring	Legend:	Motorized				TC2		8	
	ic-Dissipative Vinyl Sheet Flooring I Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category 1 - Low (1% - 4%)		cialty	LOWER UNITS			UC1 U		
	room Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categ	ory (mm) Height Height Cas	ework	LOWER OWNS	RECEPTION/TRANSACTI				
FLOOR BASE LEG	SEND:	Category 3 - High (10% or Greater)				COUNTER / CARE TEAM	UTILITY SI	NK AND COUNTER UNIT		
	h Cove Base					STATION DESK				
	ber Base									
SCF Sean	mless Cushioned Flooring									
MECHANICAI	REQUIREMENTS									
		Consider 1979			MED /					
Lluc	Hand jiene Sink: Lavatory: Kitchen Sink	Seamless Utility / : Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures: Evewash	Station	MED / NON-MED GA					Utility
(Quantity)	Jene Sink. Lavatory. Kitchell Sink.	RICHELL SHIR. FLOCESS SHIR. SCI UD SHIR. 11001 SHIR.		/Shower Station	(Quantity)	Medical	Nitrous Ovido:	_	A*.	boratory Compressed
			☐ Tub ☐ Emergen	cy Shower	Oxygen: 1	Medical Air: Vacuum:	Oxide: CO	2: AGSS: Nitrog	gen: Air: V	/acuum: Air:
Plumbing			☐ Ice Maker ☐ Flush Rim		1	1 1				
Remarks:			☐ Water Closet ☐ Floor Dra							
			_	ottle Refill Station	Gas Remarks:	Medical gases to Patient's	ight.			
			Instantaneous Water Bo	ottie Neilii Statioii						
			Other							

Program 1. M2.25

7.

13.

19.

25.

31.

37.

43.

Re	oom Name: Gowning Room		Nun	5.	8.     14.       9.     15.       10.     16.       11.     17.       12.     18.	20. 21. 22. 23. 24.	27. 28. 29.	32. 33. 34. 35.	38. 39. 40. 41. 42.	44. 45. 46. 47. 48.
ARCHITECT	TURAL REQUIREMENTS									
	CEILING  I Material: ARGB 1.2m AFF, GB above Material: GB	Finish:   EWC   Type:   ESRP     2185 mm	Corner Guards Hand Rails Crash Rails Chair Rail	Bed Bumper / Locator	GLAZING  Interior Glazing	FLOORING TYPES Material: Base: RSF FCB	ROOM ACCE  Coat Ho  Mirror	ESSORIES  ooks Ceiling Lift Infant Chan		Magnetic Whiteboard Privacy Curtain
LEGEND:	CEILING LEGEND:	DOORS					Door Re	marks:		
AC ACT ACT-C ARGB GB IRGB KLCT MMRGB SACT	Architectural Ceiling Acoustic Ceiling Tile Cleanroom Abuse-Resistant Gypsum Board Gypsum Board Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Types:  A A2 B  Fype:Qty: Size (mm):	B2 C C2 D Di  Integ  Material: Finish: Side Lt: Blinc	ral Door & Frame Privacy	F2 G H  Card Mag Reader: Lock:	Auto Hold Opener: Open: Hing	es: Accessory 1:	Accessory 2: Acce	essory 3: C	Security Grille  Anti-barricade strategy  loser:
EWC HPC	Epoxy Wall Coating High Performance Coating	MILLWORK AND SPECIALTY CASEWORK			prage Requirements:		<u> </u>		FINISHES	
ECC HPC PF PT  WALL PROT ESRP FRL FRP PVW RHIS WSSP WVW  FLOOR FINIS CFS EFC PFC RAF RSF SCF SDRF SDVF VSF WSVF  FLOOR BASE FCB RB SCF	Flash Cove Base Rubber Base Seamless Cushioned Flooring	FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  Category 1 - Low (1% - 4%)	, ,	U6 U7 U8  L6 L7 L8 L9  g Specialty	SHELF  S1  L10  L11  L12  LOWER UNITS  RECCICOU	EPTION/TRANSACTION JINTER / CARE TEAM TION DESK	UTILITY SINK AND COUNT	ste Pro	et:  rk:  pp:  rk:  lf:  rks:  povide stainless steel bench.	eel shelves and stainless ches with gaskets.
	CAL REQUIREMENTS	Convolues Utility /	Other Fintures:		MED / NON MED CACES					
Plumbing (Quantity) Plumbing	Hand Hygiene Sink: Lavatory: Kitchen Sinl	Seamless Utility /  Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower E	Evewash Station Eyewash/Shower Station Emergency Shower Flush Rim Sink	MED / NON-MED GASES (Quantity) Oxygen: Medical	Medical Nitrous Vacuum: Oxide:	CO2: AGS	S: Nitrogen:		Laboratory Compressed Vacuum: Air:
Remarks:			☐ Water Closet ☐ F	Floor Drain Water Bottle Refill Station	Gas Remarks:	1 1				

Program 1. M1.38

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B	3 Minimum Room Require	ements			. M2.21	7.	13.	19.	25.	31.	37.	43.
				umber(s):	-	8.	14. 15.	20. 21.	26. 27.	32. 33.	38. 39.	44. 45.
Room	n Name: Imaging Room - PETCT S	canner				10.	16.	22.	28.	34.	40.	46.
					5.	11.	17.	23.	29.	35.	41.	47.
				6	5.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTUR	RAL REQUIREMENTS											
WALL AND CEIL	LING	WALL PROTECTION		_		GLAZING		FLOORING TY		ROOM ACCESSORIES	_	
	aterial: ARGB 1.2m AFF, GB above	Finish: PT Type: PVW	Corner Guards Hand Rails	☐ Bed Bumpe	r / Locator	☐ Interior Glazi	ng	Material: SDVF	Base: FCB	Coat Hooks Ceil		Magnetic Whiteboard
Ceiling Ma	aterial: ACT	Finish: PF Height: 1350 mm	Crash Rails Chair Rail					SDVF	FCB	☐ Mirror ☐ Infa	nt Change Table	Privacy Curtain
LEGEND:		DOORS								Door Remarks:		
WALL AND CEILI		Types:							Note: for Type F door the door panels will b			Security Grille
	hitectural Ceiling oustic Ceiling Tile			114 14					approximately			
ACT-C Clea	anroom		MZDALNA NI N		DE N			MMZZ	465/1065 unless			☐ Anti-barricade
	use-Resistant Gypsum Board Osum Board	A A2 B	B2 C C2 D	D2 E	E2 F	F2 G	Н		otherwise rquired by the Authority			strategy
	pact-Resistant Gypsum Board	72	_					A 1	,			
	then Lay-in Ceiling Tile isture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm):	DI:		Frame Privacy ect.: Film:	Ca Function: Rea		Auto Hold Opener: Open:	Hinges:	Accordant 1: Accordant 2:	Accessory 2:	Closer:
SACT Secu	urity Acoustic Ceiling Tile	F2 1 1530 x 2135		2 High		Tanction.				Accessory 1: Accessory 2: stragal Flush Bolt		ealed
WALL FINISHES	LEGEND:	12 1 1550 × 2155		2111811	<b>V</b> 3	loreroom			butt Tillige A	Strugur Trush Boit	Conc	Cuicu
	oxy Wall Coating											
HPC High PT Pain	h Performance Coating nt	MILLWORK AND SPECIALTY CASEWORK	UPPER U	UNITS		Storage Requirements:					FINISHES	
CEILING FINISHE	ES LEGEND:		U1							Full-heigh	t Cabinet: Plastic Lami	nate
	oxy Ceiling Coating	7	U2 U3 U4 [	U5 [		1					Millwork: Plastic Lami	
	h Performance Coating finished			U5 U6	U7 U8	SHELF					untertop: Solid Surfac	
PT Pain		-		1	77	JIILLI				Lower	Millwork: Plastic Lami Shelf:	nate
WALL PROTECTI	ION LEGEND:					S1					Jileii.	
	ruded Semi-Rigid PVCu Panel				7 11						Remarks:	
	re Reinforced Laminate reglass Reinforced Plastic										C4 to have no kick	plate
PVW Prote	tective Vinyl Wallcovering		-		_ i							oox in the ceiling to house
	id High Impact Sheet twall Solid Surface Panel				1 1						laser	
	troom Vinyl Wallcovering	-	. 11		Z	SO SO	1	7	-4_			
FLOOR FINISHES	S LEGEND:	C1 C2 C3 C4		-	4/1	~ -	The same of	/ Commence				
	ncrete Floor Sealer	C4 C5	L2						7		>	
	oxy Floor Coating yurethane Floor Coating			1		SKKK		J I	Consessed .		î l	
	ober Athletic Flooring	FULL-HEIGHT CABINETS		L6 L7	<u>L8</u> L9		1	2 L				
	ober Sheet Flooring Imless Cushioned Flooring				L8 L9 <b>✓</b>	L10 L11	L12		1/			
	tic-Dissipative Rubber Sheet Flooring	Legend:	Motorized					TC1	TC2	lied L	AS .	
	tic-Dissipative Vinyl Sheet Flooring yl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category 1	Min. Length Adjustable Stand gory (mm) Height Heig	• .	-	LOWER UNITS	_			UC1 U		
WSVF Wet	troom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	- 1 ( ,					TION/TRANSACTION/TRANSACTION/TRANSACTION		K AND COUNTER UNIT		
FLOOR BASE LEG	GEND:	Category 3 - High (10% or Greater)	1 3300				STATIO					
	sh Cove Base ober Base											
	mless Cushioned Flooring											
MECHANICAL	L REQUIREMENTS											
	Hand	Seamless Utility /	Other Fixtures:	Evewash Stat	ion	MED / NON-ME	D GASES					
		: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Eyewash/Sho		(Quantity)		Medical	Nitrous		Laboratory	Laboratory Compressed
	1	1		Emergency S		Oxygen:	Medical Air	r: Vacuum:	Oxide: CO2	: AGSS: Nitro	A * ·	Vacuum: Air:
Plumbing	<u> </u>	-		Flush Rim Sin		1	1	1	0 1	1		
Remarks:				Floor Drain								
				Water Bottle	Refill Station	Gas Rema	rks:					
			Hot Water			1						
			O	ther		_						

Appendix 1B Minimum Room Requireme	ents	Program 1. M2. Number(s): 2.	7. 13 8. 14		25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Imaging Room - SPECT Came	oro.	3.	9. 15		27.	33.	39.	45.
Room Name. Imaging Room - 3FECT Came	na e	4.	10.	5. 22.	28.	34.	40.	46.
		5.	11. 17		29.	35.	41.	47.
		6.	12. 18	3. 24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS								
WALL AND CEILING	WALL PROTECTION		GLAZING	FLOORING TYPE		OM ACCESSORIES		
	1,760.1.11	d Rails Bed Bumper / Loca	ator Interior Glazing	Material: B SDVF F		Coat Hooks Ceiling		agnetic Whiteboard
Ceiling Material: ACT Fir	nish: PF Height: 1350 mm Crash Rails Cha	ir Rail		SDVF F	СВ		Change Table Pri	ivacy Curtain
LEGEND:	DOORS					Door Remarks:		٦
WALL AND CEILING LEGEND:	Types:				Note: for Type F doors, the door panels will be			Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile					approximately			
ACT-C Cleanroom	NAMED AND A STATE OF THE STATE	NUNIZI BUB			465/1065 unless			☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B2 C C2	D D2 E E	2 F F2 G		otherwise rquired by the Authority			strategy
IRGB Impact-Resistant Gypsum Board	A A2 B B2 C C2				the ridenoney			
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board		Integral Door & Frame		Mag Auto Hold				
SACT Security Acoustic Ceiling Tile		de Lt: Blinds: Protect.:	Film: Function: Reader			essory 1: Accessory 2:		
WALL FINISHES LEGEND:	F2 1 1530 x 2135 Shielded Prefinished	2 High	<b>✓</b> Storeroom <b>✓</b>	<del> </del>	utt Hinge Astra	igal Flush Bolt	Concealed	t t
EWC Epoxy Wall Coating								
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Storage Requirements:				FINISHES	
PT Paint		UPPER UNITS				Full-height C	abinet: Plastic Laminate	,
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	U1 U2 U3	U4				_	illwork: Plastic Laminate	
HPC High Performance Coating		U5 uc					tertop: Solid Surfacing	
PF Prefinished PT Paint		7	U8 SHELF			Lower Mi	illwork: Plastic Laminate	
PI PAIIL							Shelf:	
WALL PROTECTION LEGEND:			S1					
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate			1 1			R	Remarks:	
FRP Fibreglass Reinforced Plastic							Lower cabinets to have	e no kickplate
PVW Protective Vinyl Wallcovering	No. of the last of	Francis	_ j				Provide millwork box in	n the ceiling to house
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel			1				laser	
WVW Wetroom Vinyl Wallcovering		TI SEZ	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAM					
FLOOR FINISHES LEGEND:	C1 C2 C3 C4	1 = = Z		Consessant Consessant	/	No.		
CFS Concrete Floor Sealer	C4 C5	- 7			7	F		
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		LS	The Reput		The state of the s			
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L9					
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring			✓ L10 L11		/  /			
SDRF Static-Dissipative Rubber Sheet Flooring	Legend: Motorize	d		L12 TC1	TC2			
SDVF Static-Dissipative Vinyl Sheet Flooring  VSF Vinyl Sheet Flooring	Category 0 - None Min. Length Adjustabl		LOWER UNITS			UC1		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm) Height Category 2 - Med (5% - 9%)	Height Casework	LOWER OILIS	RECEPTION/TRANSACTION				
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater) 1 3300			COUNTER / CARE TEAM STATION DESK	UTILITY SINK AT	ND COUNTER UNIT		
FCB Flash Cove Base								
RB Rubber Base SCF Seamless Cushioned Flooring								
MECHANICAL REQUIREMENTS								
the control of the co	deamless Utility / Other Fixtures: chen Sink: Process Sink: Scrub Sink: Floor Sink:	Evewash Station	MED / NON-MED G		Nikaassa		Laborate 2.1	Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Kit	Shower	Eyewash/Shower St		Medical Air: Vacuum:	Nitrous Oxide: CO2	ACCC. Miles	A**	oratory Compressed
	Tub	Emergency Shower	Oxygen:	Wiculcul All .	Oxide: CO2:	AGSS: Nitroge	1.	Air:
Plumbing Remarks:	Ice Maker	Flush Rim Sink		1 1				
nemarks.	Water Closet	Floor Drain	Gas Remarks:	:				
	Instantaneous	☐ Water Bottle Refill S	tation					
	Hot Water	Other						

Appendix 1B Minimum Room Requireme	ents	Program Number(s):	1. M1.15 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Micro Lab			3.	9.	15.	21.	27.	33.	39.	45.
				10. 11.	16. 17.	22. 23.	28. 29.	34. 35.	40. 41.	46. 47.
				12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS		L				<u> </u>				
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES	ROOM	ACCESSORIES		
	71	Corner Guards Hand Rails Bed Bur	nper / Locator	☐ Interior Glaz	zing	Material: Base:	_ <b>_</b> c	oat Hooks 🔲 Ceiling Li		agnetic Whiteboard
Ceiling Material: ACT-C	nish: PF Height: 1600 mm	Crash Rails Chair Rail				VSF FCB		1irror Infant Ch	ange Table	ivacy Curtain
LEGEND:	DOORS						Do	oor Remarks:		$\neg$
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:	ا امام اما امام اما								Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom		a B (4 (445) KU KUB) K								Anti-barricade
ARGB Abuse-Resistant Gypsum Board		75 P D D D D D D								strategy
GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	Н	J				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	9	r & Frame Privacy rotect.: Film:		ard Mag ader: Lock: (	Auto Hold Opener: Open: <sub>Hings</sub>		ry 1: Accessory 2: A	ccessory 3: Close	
SACT Security Acoustic Ceiling Tile		olid Core FRL  2 Hi		Tunction.		Upener: Open: Hinge  ■ Butt Hinge	Elec. Strik		Surface	1.
WALL FINISHES LEGEND:										
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		St	corage Requirements:					FINISHES	
PT Paint		UPPER UNITS	3.0	orage nequirements.				Full-height Cab		
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	(m) 1/1/17	U1 U2 U3 U4						Upper Milly		
HPC High Performance Coating PF Prefinished		U5	U6 U7 U8	SHELF				Counte		
PT Paint			77	3neur				Lower Milly	work: Shelf:	
WALL PROTECTION LEGEND:	-			S1						
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate				1				_	marks:	
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering									Refer to Schedule 1, Se 12) for Specialty Casew	
RHIS Rigid High Impact Sheet				i					are diagrammatic, prov	vide specialty
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering	-	"   1	=	CHARLES CONTRACTOR OF THE PARTY	-	7			casework appropriate to specialized functions to	
FLOOR FINISHES LEGEND:	C1 C2 C3 C3		-7		-	-			the space and to accon	mmodate Equipment.
CFS Concrete Floor Sealer EFC Epoxy Floor Coating		12			K		7 /	A STATE OF THE PARTY OF THE PAR	Provide powder coated	J TINISN.
PFC Polyurethane Floor Coating RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L3 L4 L5 L6	17 10		4		7   11			
RSF Rubber Sheet Flooring	TOLE-HEIGHT CADINETS		L7 L8 L9 T	L10 L11	+		1/ 11			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized	_ 🔻		L12 M	TC1 TC2	V ["	U     U		
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category	Min. Length Adjustable Standing Spe	cialty	LOWER UNITS				C1 U		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	, , , , , , , , , , , , , , , , , , , ,	ework			TION/TRANSACTION ER / CARE TEAM	UTILITY SINK AND C			
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)	2400	✓		STATIO	•				
FCB Flash Cove Base RB Rubber Base										
SCF Seamless Cushioned Flooring										
AAECHANICAL DEOLUDEAAENTC								L		
MECHANICAL REQUIREMENTS										
	Seamless Utility / tchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures: Evewash		MED / NON-ME (Quantity)	ED GASES	Medical Nitrous			Laboratory Labo	Utility oratory Compressed
(3.3.07)	1	Shower Eyewash,  Tub Emergen	/Shower Station	Oxygen:	: Medical Air	V 0 !:l-	CO2:	AGSS: Nitrogen:		oratory Compressed cuum: Air:
Plumbing HHS is to be located in corridor outside Micro I	ab. Alcove to be added for HHS.	☐ Ice Maker ☐ Flush Rim							1	
Remarks:		☐ Water Closet ☐ Floor Dra		Gos Borre	arke: Drovida th	ne following gasses. CA, He, Ar	N2	1		
		☐ Instantaneous ☐ Water Bo	ottle Refill Station	даѕ кета	arks: Provide th	ie ioliowing gasses. CA, He, Ai	, INZ.			
		Hot Water Other								
				1						

Appendix 1	B Minimum Room Requi	irements		Program Number(s):	1. M1.24 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Roor	m Name: Packaging Room				3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
					5. 6.	11. 12.	17. 18.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.
<b>ARCHITECTI</b>	JRAL REQUIREMENTS			L	0.	12.	10.	24.	30.	30.	72.	40.
WALL AND CEI		WALL PROTECTION				GLAZING		FLOORING TYPES	POOL	M ACCESSORIES		
	laterial: MMRGB	Finish: PT Type: FRP	✓ Corner Guards ☐ Hand Rail	s Bed Bur	mper / Locator			Material: Base:		Coat Hooks Ceiling	· Lift	Magnetic Whiteboard
	laterial: ACT-C	Finish: PF Height: 2185 mm	☐ Crash Rails ☐ Chair Rail		po. / Locato.	☐ Interior Gla	zing	VSF FCB				Privacy Curtain
										Door Remarks:		
LEGEND: WALL AND CEI	ILING LEGEND:	DOORS							Г			
	rchitectural Ceiling	Types:			न निनि							Security Grille
	coustic Ceiling Tile											☐ Anti-barricade
	eanroom buse-Resistant Gypsum Board											strategy
GB Gy	ypsum Board	A A2 B	B2 C C2 D	D2	E E2 F	F2 G	н	J				
	npact-Resistant Gypsum Board tchen Lay-in Ceiling Tile			Integral Door	r & Frame Privacy	(	ard Mag	Auto Hold				
	oisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt:	•	rotect.: Film:		•		Hinges: Access	sory 1: Accessory 2:	Accessory 3:	Closer:
SACT See	ecurity Acoustic Ceiling Tile	C 1 1065 x 2135 S		2 Hig	gh Pas			☐ Butt Hi		// // // // // // // // // // // // //	Conce	
WALL FINISHES	S LEGEND:			<del>                                     </del>					0-			
•	poxy Wall Coating											
	igh Performance Coating aint	MILLWORK AND SPECIALTY CASEWORK	LIPE	PER UNITS	S	torage Requirements:					FINISHES	
CEILING FINISH	HES LEGEND:			LIK OITHIS						Full-height C	abinet:	
	poxy Ceiling Coating	17.7.7	U1 U2 U3 U4							Upper M	illwork: Plastic Lamir	nate
	gh Performance Coating		1 7 7	U5	U6					Coun	tertop: Stainless Ste	el
	refinished aint			7	U8	SHELF				Lower M		
WALL BROTES	TION LECEND.					7					Shelf:	
WALL PROTECT	truded Semi-Rigid PVCu Panel					S1					Remarks:	
	bre Reinforced Laminate			-		1				ľ		
	breglass Reinforced Plastic otective Vinyl Wallcovering										To provide powder cabinets.	r coated finish for upper
	gid High Impact Sheet	-	***	The same of		i					Cabinets.	
	etwall Solid Surface Panel	CONTRACTOR CONTRACTOR		CON CONTRACTOR	-	1						
	etroom Vinyl Wallcovering		1     1   1	-	-	OR BUT THE PERSONS	1 1	76				
FLOOR FINISHE		C1 C2 C3 C4 C5 11					1	-				
	oncrete Floor Sealer Doxy Floor Coating		L2				K		/ 4	- Amy		
	olyurethane Floor Coating			L5 16	L7 18		4		The same of the sa			
	ubber Athletic Flooring ubber Sheet Flooring	FULL-HEIGHT CABINETS			L7 L8 L9	L10 L11		- 17	$\dashv$ $\downarrow$ $\parallel$			
SCF Sea	eamless Cushioned Flooring			_			L12	TC1 TC		u   [		
	atic-Dissipative Rubber Sheet Flooring atic-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized	tandir- 1	alala.					UC1		
VSF Vir	nyl Sheet Flooring	Category 1 - Low (1% - 4%) Categ	- ,		ecialty ework	LOWER UNITS	DECEDE	ON/TRANSACTION				
WSVF We	etroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	. ,					R / CARE TEAM	UTILITY SINK AND	COUNTER UNIT		
FLOOR BASE LE	EGEND:	Category 3 - High (10% or Greater)	1800				STATION					
	ash Cove Base ubber Base											
	eamless Cushioned Flooring											
MFCHANICA	AL REQUIREMENTS											
		Coomless Halla. /	Other Firtures			MED / NON	ED CACEC					
	Hand vgiene Sink: Lavatory: Kitchen S	Seamless Utility / ink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures:	Evewash		MED / NON-M	ED GASES	Modical No.	NII.		laharata	Utility
(Quantity)			Shower	_	/Shower Station	(Quantity)	: Medical Air:	Medical Nitro		AGSS: Nitroge	A * .	Laboratory Compressed Vacuum:
			Tub	Emergen		Oxygen	. ivieuicai Air:		(02:	AGSS. NILTOGE	2	Air:
Plumbing Remarks:			lce Maker	Flush Rim							۷	
nemarks.			Water Closet	Floor Dra		Gas Rem	arks:					
			Instantaneous	☐ Water Bo	ottle Refill Station							
			Hot Water	Other								

Appendix 1	LB Minimum Room Requir	rements	Program Number(s):	1. M2.15 2.	7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Roo	om Name: PET Injection/Uptake Ro	om - Chair			9. 15. 10. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
					11.	23.	29.	35.	41.	47.
				6.	18.	24.	30.	36.	42.	48.
ARCHITECTU	JRAL REQUIREMENTS					1				
	Material: ARGB 1.2m AFF, GB above		Corner Guards Hand Rails Bed Bu	imper / Locator	GLAZING  Interior Glazing	FLOORING T Material: VSF		ROOM ACCESSORI	Ceiling Lift	Magnetic Whiteboard
	Material: ACT	TielBite 2103 iiiii	Crash Rails Chair Rail			٧٥١	TCB		Infant Change Table	Privacy Curtain
LEGEND:	ILING LEGEND:	DOORS						Door Remarks:		
	rchitectural Ceiling	Types:		7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7						Security Grille
	coustic Ceiling Tile leanroom									☐ Anti-barricade
	buse-Resistant Gypsum Board Gypsum Board	A A2 B E	32 C C2 D D2	F F2 F	F2 G H					strategy
IRGB In	npact-Resistant Gypsum Board	A AZ D				· •				
	itchen Lay-in Ceiling Tile Noisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): М	_	or & Frame Privacy Protect.: Film:		Mag Auto Hold Lock: Opener: Open:	Hinges:	Accessory 1: Acces	ssory 2: Accessory 3:	Closer:
SACT Se	ecurity Acoustic Ceiling Tile	A 1 1220 x 2135 Solid					Butt Hinge	/teessory 1. /teess		Surface
WALL FINISHE	ES LEGEND: poxy Wall Coating									
HPC H	ligh Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Sto	rage Requirements:				FINISH	IES
CEILING FINIS	aint	U1	UPPER UNITS					Ful	II-height Cabinet:	
	poxy Ceiling Coating	7777	U2 U3 U4 U						Upper Millwork:	
	ligh Performance Coating refinished		US US	U6 U7 U8	SHELF				Countertop:	
	aint			77	SHELF				Lower Millwork: Shelf:	
WALL PROTEC	CTION LEGEND:				S1				Silen.	
	xtruded Semi-Rigid PVCu Panel ibre Reinforced Laminate								Remarks:	
FRP Fi	ibreglass Reinforced Plastic		1							
	rotective Vinyl Wallcovering igid High Impact Sheet	300	Emmy							
WSSP W	Vetwall Solid Surface Panel	-								
WVW W	Vetroom Vinyl Wallcovering	ci C			to me	1				
	oncrete Floor Sealer	C2 C3 C4		- 1						
	poxy Floor Coating olyurethane Floor Coating		L2 L3 L4 L5		- MM-	_	-	The same of the sa	7/	
RAF R	ubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9						
	ubber Sheet Flooring eamless Cushioned Flooring			L7 L8 L9	L10 L11		=/ 1/			
SDRF St	tatic-Dissipative Rubber Sheet Flooring	Legend:	Motorized			TC1	TC2	J 1 "	U	
	tatic-Dissipative Vinyl Sheet Flooring inyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category		ecialty sework	LOWER LINITS			UC1	ш	
WSVF W	Vetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	(mm) Height Height Cas	Sework		RECEPTION/TRANSACT COUNTER / CARE TEAM		SINK AND COUNTER UN	IT	
FLOOR BASE L		Category 3 - High (10% or Greater)				STATION DESK				
	lash Cove Base ubber Base									
SCF Se	eamless Cushioned Flooring									
MECHANICA	AL REQUIREMENTS				1					
PLUMBING	Hand	Seamless Utility / k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures: Evewash		MED / NON-MED GAS					Utility
(Quantity)	76 CHE SHIK. LUVULOTY. KILCHEH SHI	RECRETIONING TYPECOS SHIR. SCHOOLSHIR. THOU SHIR.		/Shower Station	(Quantity) Oxygen: Me	Medical Vacuum:	Nitrous Oxide:	O2: AGSS:	Laborato Nitrogen: Air:	Dry Laboratory Compressed
Dlumbin			☐ Tub ☐ Emerger		Oxygen: ivie	1 1	(	.UZ. AUSS:	MILIOSEII.	Vacuum. Air:
Plumbing Remarks:			☐ Ice Maker ☐ Flush Rir							
			Water Closet Floor Dra	ain ottle Refill Station	Gas Remarks:					
			Hot Water	ottie reiiii Station						
			Other							

Appendix 1B Minimum Room Requirement	ents	Program Number(s):	1. M2.16 2.		13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: PET Injection/Uptake Room -	Stretcher		3.		15.	21.	27.	33.	39.	45.
, .			4. 5.		16. 17.	22. 23.	28. 29.	34. 35.	40. 41.	46. 47.
			6.		18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS										
WALL AND CEILING	WALL PROTECTION			GLAZING		ORING TYPES		M ACCESSORIES	_	
	1,750,111	d Rails 🗹 Bed Bu	imper / Locator	☐ Interior Glazin	g	Material: Base:  VSF FCB		Coat Hooks Ceilir Mirror Infan		Magnetic Whiteboard
	1008.00 2000	ır Kail				13.		Door Remarks:	t Change Table	Privacy Curtain
LEGEND:	DOORS					Note: fo	or Type F doors,	Door Remarks.		
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:					the doc	or panels will be			Security Grille
ACT Acoustic Ceiling Tile						approx				
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board		M ME					65 unless ise rquired by			Anti-barricade strategy
GB Gypsum Board	A A2 B B2 C C2	D D2	E E2	F F2 G	Н ј	the Aut				Strategy
IRGB Impact-Resistant Gypsum Board		Integral Dec	or O Franco Drivano	Core	d Mag Auto	Hold				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Material: Finish: Si	•	or & Frame Privacy Protect.: Film:	Card Function: Reade	0	Hold : Open: uir	nges: Acces	sory 1: Accessory 2:	Accossony 2: Cl	oser:
SACT Security Acoustic Ceiling Tile	F 1 1530 x 2135 Solid Core FRL	☐ ☐ 2 H		Classroom		Butt Hing		· · · · · · · · · · · · · · · · · · ·	Concea	
WALL FINISHES LEGEND:			ığıı 📗	Classicolli		Butt Hillg	e Astrago	ai Flusii Boit	Concea	lieu
EWC Epoxy Wall Coating										
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK			Storage Requirements:					FINISHES	
	<b>✓</b> U1 □ □	UPPER UNITS						Full-height	Cabinet:	
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	/ 1/ / 1/2	<u> </u>						Upper N		
HPC High Performance Coating		U5	U6 U7 [					Cou	intertop:	
PF Prefinished		7 7		J8 SHELF				Lower N	Millwork:	
PT Paint			7						Shelf:	
WALL PROTECTION LEGEND:		ıl .l. K	-	S1						
ESRP Extruded Semi-Rigid PVCu Panel		1		1					Remarks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic										
PVW Protective Vinyl Wallcovering		1	_							
RHIS Rigid High Impact Sheet	The same of the sa		1							
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering		Con Con								
	ci ci	=	= 7	ON THE PERSONNELSE AND PROPERTY.	174	7				
FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer	C3 C4	1 =						/		
EFC Epoxy Floor Coating		-	-KV			2	/ 6	1	Æ .	
PFC Polyurethane Floor Coating		L5								
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT CABINETS	L6	L7 L8 L9	140		- 17				
SCF Seamless Cushioned Flooring				L10 L11	L12	TO		U		
SDRF Static-Dissipative Rubber Sheet Flooring	Legend: Motorize	d				TC1 TC2	, l	ues U	\$	
SDVF Static-Dissipative Vinyl Sheet Flooring  VSF Vinyl Sheet Flooring	Category 0 - None Min. Length Adjustabl Category 1 - Low (1% - 4%) Category (mm) Height		ecialty	LOWER UNITS				UC1 U		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)		sework		RECEPTION/TF		UTILITY SINK ANI	COLINITED LINIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater) 3 2400	•			COUNTER / CA STATION DESK		OTILITY SINK AND	COUNTER UNIT		
FCB Flash Cove Base										
RB Rubber Base SCF Seamless Cushioned Flooring										
SCF Seattless Custiloffed Flooting										
AAFCHANICAL DECLUDENAENTS										
MECHANICAL REQUIREMENTS										
the contract of the contract o	Seamless Utility / Other Fixtures: tchen Sink: Process Sink: Scrub Sink: Floor Sink:	Evewash	Station	MED / NON-MED						. Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Ki	Shower	Eyewash	/Shower Station	(Quantity)	.,	Medical Nitrous			A**	aboratory Compressed
	Tub	☐ Emerger	ncy Shower	Oxygen:	Wicaicai Air.	acuum: Oxide	CO2:	AGSS: Nitrog	en: Air: \	Vacuum: Air:
Plumbing	☐ Ice Maker	☐ Flush Rir	m Sink	4	2	4				
Remarks:	☐ Water Closet	☐ Floor Dr	ain							
	☐ Instantaneous		ottle Refill Station	Gas Remark	ks: Provide (2) O2, (1	I) Medical Air, (2) Me	edical Vacuum each	side of bed.		
	Hot Water	_		_						
		Other		_						

Appendix	1B Minimum Room Requireme	nts		Program	1. M1.22	7.	13.	19.	25.	31.	37.	43.	
				Number(s):	2. 3.	8. 9.	14. 15.	20. 21.	26. 27.	32. 33.	38. 39.	44. 45.	
R	Room Name: Quality Control Room - Clean R	coms			4.	10.	16.	22.	28.	34.	40.	46.	
					5. 6.	11. 12.	17. 18.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.	
ARCHITEC	TURAL REQUIREMENTS												
WALL AND	·	WALL PROTECTION				GLAZING		FLOORING TYPES	RO	OM ACCESSORIES			
Wal	ll Material: ARGB 1.2m AFF, GB above Fini	sh: EWC Type: ESRP	Corner Guards Hand Rai		mper / Locator	☐ Interior Gla	zing	Material: Base:	[	Coat Hooks	Ceiling Lift	✓ Magnetic W	
Ceiling	Material: ACT-C Fini	sh: PF Height: 2185 mm	Crash Rails Chair Rai	I				SDVF FCB			Infant Change Table	Privacy Cur	rtain
LEGEND:		DOORS								Door Remarks:			
AC AC	CEILING LEGEND: Architectural Ceiling	Types:			a 66 C								Security Grille
ACT ACT-C	Acoustic Ceiling Tile Cleanroom												Anti-barricade
ARGB	Abuse-Resistant Gypsum Board												strategy
GB IRGB	Gypsum Board Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D	D2	E E2 F	F2 G	н .	J					
KLCT MMRGB	Kitchen Lay-in Ceiling Tile  Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt:	. •.	or & Frame Privacy Protect.: Film:			Auto Hold Opener: Open:	Hinges: Acc	essory 1: Accessor	n 3. Accessory 3.	Closer:	
SACT	Security Acoustic Ceiling Tile	C 1 1065 x 2135 S				Turiction.	<b>V V</b>	Butt H		Strike		ırface	
	HES LEGEND:					[							
EWC HPC	Epoxy Wall Coating High Performance Coating	MILLWORK AND SPECIALTY CASEWORK				Storage Requirements:					FINISHES		
PT CELLING EIN	Paint  IISHES LEGEND:			PER UNITS						Full-he	eight Cabinet:		
ECC	Epoxy Ceiling Coating	7777	U1 U2 U3 U4							1	pper Millwork:	-	
HPC PF	High Performance Coating Prefinished		Y Z	U5	U6 U7 U8	SHELF					Countertop: Stainless		
PT	Paint			TH	77					LOV	wer Millwork: Stainless Shelf:	Steel	
WALL PROT	FECTION LEGEND:			ılı K		S1							
ESRP FRL	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate			-11-1		1					Remarks:		
FRP PVW	Fibreglass Reinforced Plastic Protective Vinyl Wallcovering										Refer to Schedu	ule 1, Section 6. ry Casework. Iter	
RHIS	Rigid High Impact Sheet			-		i					are diagramma	tic, provide spec	cialty
WSSP WVW	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering	-	" "	- S	-	-	1	7				opriate for the spections to be perf	
FLOOR FINI	SHES LEGEND:	C1 C2 C3 C4		" =	-2	~ -	-	-			the space and t	to accommodate	e Equipment.
CFS EFC	Concrete Floor Sealer Epoxy Floor Coating	_ 4 6	12				K		7 .	-	supply storage.		
PFC RAF	Polyurethane Floor Coating Rubber Athletic Flooring	FULL-HEIGHT CABINETS	□ L3 L4 <b>✓</b>	L5 16	L7 18		4		-		To provide pow	der coated finis	sh.
RSF	Rubber Sheet Flooring	TOLE-HEIGHT CADINETS	□ ♥	<b>✓</b> L6	L/ L8 L9	L10 L11	+		$\sim$	123,886,-			
SCF SDRF	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized				L12	TC1 TC	<sub>2</sub>	"			
SDVF VSF	Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category 1 - Low (1% - 4%)	Min. Length Adjustable S		ecialty	LOWER UNITS				UC1	II.		
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	. ,	Height Cas	sework	2011211011110		ION/TRANSACTION ER / CARE TEAM	UTILITY SINK A	ND COUNTER UNIT			
FLOOR BAS		Category 3 - High (10% or Greater)	6000		•		STATION						
FCB RB	Flash Cove Base Rubber Base												
SCF	Seamless Cushioned Flooring												
	CAL REQUIREMENTS												
PLUMBING (Quantity)		eamless Utility / then Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures:	<b>✓</b> Evewash		MED / NON-MI (Quantity)	ED GASES	Medical Niti	ous		Laboratory	Laboratory	Utility
(~sarracy)		1	☐ Shower ☐ Tub	<ul><li>□ Eyewash</li><li>□ Emerger</li></ul>	/Shower Station	Oxygen	: Medical Air:	.,	ide: CO2:	AGSS: N	litrogen: Air:	Vacuum:	Compressed Air:
Plumbing	Provide single basin utility sink.		☐ Ice Maker	Flush Rin							1		
Remarks:	- ,		Water Closet	✓ Floor Dra		C	orker Described	o following page 2		100/ Mag			
			Instantaneous	☐ Water B	ottle Refill Station	Gas Rema	arks:   Provide th	e following gasses. CA,	пz, Nz, не, Ar, Ar + 1	.u% IVIE.			
			Hot Water	Other									

Appendix 1B Minimum Room Requirem	nents	Program	1. M1.23 7.		19.	25. 31		43.
		Number(s):	2. 8.		20.	26. 32		44.
Room Name: Quality Control Room - Smal	I Clean Room		3. 9. 4. 10.		21. 22.	27. 33 28. 34		45. 46.
			5. 11.		23.	29. 35		47.
			6. 12.	18.	24.	30. 36	5. 42.	48.
ARCHITECTURAL REQUIREMENTS								
WALL AND CEILING	WALL PROTECTION		0	GLAZING	FLOORING TYPES	ROOM ACCES	SORIES	
	Finish: EWC Type: ESRP Corner		nper / Locator	☐ Interior Glazing	Material: Base: SDVF FCB		ks Ceiling Lift	✓ Magnetic Whiteboard
Ceiling Material: ACT-C	Finish: PF Height: 2185 mm Crash F	Rails Chair Rail			SDVF FCB		☐ Infant Change Table	Privacy Curtain
LEGEND:	DOORS					Door Rem	arks:	
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:							Security Grille
ACT Acoustic Ceiling Tile								
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board				NA BN BNN	<u>NN444</u>			Anti-barricade strategy
GB Gypsum Board	A A2 B B2	C C2 D D2	E E2 F	F2 G H	J			,
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile		Integral Door	& Frame Privacy	Card Mag	Auto Hold			
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): Material:	Finish: Side Lt: Blinds: Pi	rotect.: Film: Fu	ınction: Reader: Lock:	Opener: Open: Hing	es: Accessory 1: A	Accessory 2: Accessory 3:	Closer:
· · · · ·	C 1 1065 x 2135 Solid Core	FRL	Push/Pu		<b>✓</b> Butt Hinge	Elec. Strike		Surface
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating								
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK		Stora	ge Requirements:			FINISH	HES
CEILING FINISHES LEGEND:	U1 V	UPPER UNITS					Full-height Cabinet:	
ECC Epoxy Ceiling Coating	U2						Upper Millwork:	
HPC High Performance Coating PF Prefinished			U6				Countertop: Stainle	
PF Prefinished PT Paint			U8	SHELF			Lower Millwork: Stainle	ess Steel
WALL PROTECTION LEGEND:							Shelf:	
ESRP Extruded Semi-Rigid PVCu Panel							Remarks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic							Refer to Sch	nedule 1, Section 6.12 (Division
PVW Protective Vinyl Wallcovering	100	Printer Printer		50			12) for Speci	cialty Casework. Items indicated
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel		les les services services	1 1					nmatic, provide specialty oppropriate for the specific and
WVW Wetroom Vinyl Wallcovering				TOTAL PROPERTY.	7		specialized for	functions to be performed in
FLOOR FINISHES LEGEND:	C1 C2 C3 C4 C5 14		-		-			nd to accommodate Equipment.
CFS Concrete Floor Sealer EFC Epoxy Floor Coating			-	-	2	/ 6	supply stora	age.
PFC Polyurethane Floor Coating RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L3 L4 L5 L6	L7 18				To provide p	powder coated finish.
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	TOLE-HEIGHT CABINETS		L9	10 L11		4 /		
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Maria		L12	TC1 TC2		U	
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None Min. L	Motorized ength Adjustable Standing Spe	cialty			UC1		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (m	m) Height Height Case	ework		PTION/TRANSACTION			
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)	200	✓		ITER / CARE TEAM ON DESK	UTILITY SINK AND COUNTE	( UNII	
FCB Flash Cove Base				•				
RB Rubber Base SCF Seamless Cushioned Flooring								
MECHANICAL REQUIREMENTS								
PLUMBING Hand		Fixtures:	Station	MED / NON-MED GASES				
	Citaban Cialu Durana Cialu Corub Cialu Floor Cialu		Shower Station	(Quantity)	Medical Nitrous		Laborato	, compressed
	1 1 7			Oxygen: Medical A	Air: Vacuum: Oxide:	CO2: AGSS:	Nitrogen: Air:	Vacuum: Air:
Plumbing Provide single basin utility sink.		ce Maker	I				1	
Remarks:		Vater Closet Floor Dra	in	Gas Pamarkas   Hat!	serving clean room requires the	following gas connections	CV N3 H3 V2	
			ttle Refill Station		serving clean room requires the oms will be tied to CA vacuum			
	H	Hot Water Other					•	
		ouici						

1.	Appendix 1	B Minimum Room Require	ements	Progra Number(		7. 13. 8. 14.		19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
S	Roor	m Name: Reading Room										
MALINO CHARGE   MALINO CHARG					5.	11. 17.		23.	29.	35.	41.	47.
MAIN WORK PROVIDED TO THE WORK					6.	12. 18.		24.	30.	36.	42.	48.
March Norward   Miles   2 mode   1 mo	ARCHITECTU	JRAL REQUIREMENTS				ı	1					
Mail And Control (ESTRIC)   Mail And Control (ESTRIC)	Wall M	laterial: ARGB 1.2m AFF, GB above	Finish: PT Type:		Bumper / Locator		1	Material: Base:	<b>✓</b> Coa	t Hooks 🔲 Ceiling Lif		
MALINOTECHNOLEGISTIC  CC SOURCE	LEGEND:								Doo	r Remarks:		
Accordance   Acc		ILING LEGEND:										Socurity Grillo
ACC   SOUTH		_										
Search Series   Search Serie	ACT-C Cle	eanroom		SZENENEZ BUND			MN MM					
Section   Control   Cont			A A2 B	B2 C C2 D D2	E E2 F	F2 G	Н ј					Strategy
March   March And Profession   March		*		Integral D	Door & Frame Privacy	Card	Mag Auto	Hold				
MALTINESS LIGENO:  A 1 0 15 x 2733 and 1	MMRGB Mo	oisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):				•	0	: Accessory	1: Accessory 2: Ac	cessory 3: Close	er:
FILLMEDIT CONTROL STATE OF THE PROPERTY OF THE			A 1 915 x 2135 S	olid Core FRL 1	1 Low Store	eroom		Butt Hinge			Surface	
FIGURE PRINCIPAL SECRET.  FOR PROPERTY FOR THE PROPERTY OF THE												
COUNTERINGS LICEND  WALL PROTECTION LICEND  WALL PROTE			MILLWORK AND SPECIALTY CASEWORK		St	orage Requirements:				]	FINISHES	
Table State Country  The Country Country  The Country  Th										Full-height Cabi	net:	
## Application considers with processing and proces			1777	U2 U3 U4 L						Upper Millw	ork:	
WALK PROTECTION LEGEND:  TOP A CONTROL AND A	-			US US	U6 LI7 L	CHELE						
WALK PROTECTION LISCOND:  The fundamental sensions  The fundamental se			Angenesa		7 7	SHELF						
### APPROPRIATE CONTROL PROPERTY CONTROL	WALL PROTECT	TION LEGEND:	- I			S1 S1				31	ieii.	
FROOR RINGE LEGEND:  FLOOR RINGE LEGEND RINGE RI		=	Sugarana III I			V				Rem	narks:	
with much there would will work with will work with will work with will work work with will work work with will work work with will work work with will work work with will work work with will work work with will work work with will work work with will work work with will work work with will work work with will work work with will work work with will work work with will work work with will work work with will work work work with will work work with will work work work with will work work work with will work work work with will work work work with will work work work with will work work work with will work work work with will work work work with will work work work with will work work work with will work work work with will work work work work work work with will work work work work work work work work												
Will William Wild Substantian Fund Calling FLOOR RIASE LEGEND:  FLOOR RI			100	-	7	i						
FOOR INJUST LEEDND:  CFS Concrete Floor Galate	WSSP We	etwall Solid Surface Panel		100000000000000000000000000000000000000	taraparanter .							
FIG. Lapsy Pot Casting PFC Polysorbane filter Casing PFC PFC Polysorbane filter Casing PFC PFC PFC PFC PFC PFC PFC PFC PFC PFC						ON DESCRIPTIONS	176					
ELC Category 2 - Mod (5% - 99)  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  Lagend:  FULL-HEIGHT CABINETS  Lagend:  FULL-HEIGHT CABINETS  Lagend:  FULL-HEIGHT CABINETS  Lagend:  FULL-HEIGHT CABINETS  Lagend:  FULL-HEIGHT CABINETS  Lagend:  FULL-HEIGHT CABINETS  Lagend:  Category 1 - None  Category 1 - None  Category 2 - Mod (5% - 9%)  Category 2 - Mod (5% - 9%)  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 4 - Mod (5% - 9%)  Category 5 - High (10% or Greater)  Category 5 - High (10% or Greater)  Category 6 - Min. Length  Motorized  Motorized  Category 1 - None  Category 1 - None  Category 2 - Mod (5% - 9%)  Category 2 - Mod (5% - 9%)  Category 2 - Mod (5% - 9%)  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 4 - Mod (5% - 9%)  Category 6 - Mod (5% - 9%)  Category 7 - Mod (5% - 9%)  Category 7 - Mod (5% - 9%)  Category 6 - Mod (5% - 9%)  Category 7 - Mod (5% - 9%)  Category 7 - Mod (5% - 9%)  Category 8 - Mod (5% - 9%)  Category 1 - Mod (5% - 9%)  Category 1 - Mod (5% - 9%)  Category 1 - Mod (5% - 9%)  Category 1 - Mod (5% - 9%)  Category 1 - Mod (5% - 9%)  Category 1 - Mod (5% - 9%)  Category 2 - Mod (5% - 9%)  Category 2 - Mod (5% - 9%)  Category 2 - Mod (5% - 9%)  Category 3 - High (10% or Greater)  WECHANICAL REQUIREMENTS  FULL HEIGHT CABINETS  Lagend:			C2 C3 C4				7		-			
Mary Rubber Abheter Fororing SF Full-HEIGHT CABINETS FF Genelles Coultowed Flooring SF Full-HEIGHT CABINETS FF Genelles Coultowed Flooring SF Full-HEIGHT CABINETS FF Genelles Coultowed Flooring FULL-HEIGHT CABINETS FF Genelles Coultowed Flooring FULL-HEIGHT CABINETS FF Genelles Coultowed Flooring Full-HEIGHT CABINETS FF Genelles Coultowed Flooring Full-HEIGHT Cabinets For State Collegancy 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater) FULL-HEIGHT CABINETS	EFC Ep	poxy Floor Coating		L2				4	1 4	1		
SCF Seamless Cubinored Flooring   Legend: Category 1 - Low (1% - 4%)   Cat					6 L7 L8		_ /		<b>7</b>			
Soft Static-Disquired Notifice Statement Notifice Category 0 - None Static-Disquired Notifice Standing Specialty Work Work Work Of Static Charactery Notifice Category 1 - Low (13% - 4%) Category 1 - Low (13% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  FLOOR BASE LEGEND: CATEGORY 3 - High (10% or Greater)  FLOOR BASE LEGEND: Category 3 - High (10% or Greater)  MECHANICAL REQUIREMENTS  PLUMBING Hand (Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Witchen Sink: Wit	RSF Ru	ubber Sheet Flooring				L10 L11			1/			
Soft of Standing Specialty Wind Wind Standing Specialty Wind Standing Specialty Wind Standing Specialty Wind Standing Specialty Wind Standing Specialty Wind Wind Standing Specialty Wind Wind Wind Wind Wind Wind Wind Wind			Legend:	Motorized					V I "			
Wetcomsdetey with Sheet Flooring FLOOR BASE LEGEND:				Min. Length Adjustable Standing					UC1	u []		
FLOOR BASE LEGEND:  FCB Flash Cove Base RB Rubber Base SCF Seamless Cushioned Flooring  WECHANICAL REQUIREMENTS  PLUMBING (Quantity) Hand Hygiene Sink: Lavatory: Kitchen Sink: Kitchen Sink: Kitchen Sink: Scrub Sink: Floor Sink: Scrub Sink: Floor Sink: Shower   Eyewash/Shower Station   Gas Remarks: Hygiene Sink: Scrub Sink: Floor Drain   Instantaneous   Water Bottle Refill Station   Machanical Regular Station   Medical Air: Vacuum: Oxide: CO2: AGSS: Nitrogen: Air: Vacuum: Oxide: CO3:				ory (mm) Height Height	Casework	LOWER OWITS				INTED LINIT		
R8 Rubber fase SCF Seamlers Cushioned Flooring  MECHANICAL REQUIREMENTS  PUMBING Hand Seamless Utility Seaml	FLOOR BASE LE	EGEND:	Category 3 - High (10% or Greater)						TILITY SINK AND CO	ONTER ONT		
MECHANICAL REQUIREMENTS  PLUMBING (Quantity) Hand Lavatory: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink: Shower   Eyewash/Shower Station   Gas Remarks:   Gas Remark												
PLUMBING Hand Seamless Utility / Other Fixtures: Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Station   Shower   Eyewash Shower Station   Shower   Eyewash Station												
PLUMBING Hand Seamless Utility / Other Fixtures: Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Station   Shower   Eyewash Shower Station   Shower   Eyewash Station												
Hygiene Sink: Lavatory: Kitchen Sink: Kitchen Sink: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink: Shower   Eyewash/Shower Station   Eyewash/Shower Station   Coz: AGSS: Nitrogen: Air: Vacuum: Oxide: CO2: AGSS: Nitrogen: Air: Vacuum: Oxygen: Medical Air: Vacuum: Oxygen: Medical Air: Vacuum: Oxide: CO2: AGSS: Nitrogen: Air: Vacuum: Oxygen: Medical Air: Vacuum: Oxygen: Med	MECHANICA	L REQUIREMENTS										
Hygiene Sink: Lavatory: Kitchen Sink: Kitchen Sink: Kitchen Sink: Kitchen Sink: Kitchen Sink: Kitchen Sink: Kitchen Sink: Floor Sink: Scrub Sink: Floor Sink: Shower   Evewash/Shower Station   Shower   Evewash/Shower Station   Oxygen: Medical Air: Vacuum: Oxide: CO2: AGSS: Nitrogen: Air: Vacuum: Oxygen: Medical Air: Vacuum: Oxygen:			Seamless Utility /	Other Fixtures: Fvew:	rash Station	MED / NON-MED GA	ASES					resite.
Plumbing Remarks:    Tub	(Quantity) Hy	ygiene Sink: Lavatory: Kitchen Sink	k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:									oratory Compressed
Remarks:  Water Closet Floor Drain Instantaneous Water Bottle Refill Station Hot Water						Oxygen:	Medical Air: Va	cuum: Oxide:	CO2:	AGSS: Nitrogen:	Air: Va	
Water Closet Floor Drain  Instantaneous Water Bottle Refill Station  Hot Water	_											
☐ Instantaneous ☐ Water Bottle Refill Station Hot Water	кетагкз:			_		Gas Remarks			<u> </u>			
Other Other					er Bottle Refill Station	Just Remarks.						
				Hot water Other								

Appendix 1B Mi	inimum Room Requirements	Program Number(s):	1. M1.18 2.	7. 13 8. 14	4.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name	ne: Shipping/Receiving Room		3.	9. 15 10. 16		21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
			5.	11. 17	7.	23.	29.	35.	41.	47.
			6.	12. 18	8.	24.	30.	36.	42.	48.
ARCHITECTURAL I	REQUIREMENTS									
WALL AND CEILING	WALL PROTECTION			GLAZING		OORING TYPES  Material: Base:		ACCESSORIES		
Wall Material: Ceiling Material:		rner Guards	mper / Locator	☐ Interior Glazing	;	VSF FCB	_	at Hooks 🗹 Ceiling Lif		agnetic Whiteboard ivacy Curtain
		asir Null						or Remarks:	ange rable	vacy curtain
LEGEND: WALL AND CEILING LE	DOORS  EGEND:						Prov	vide half-door to Vestibu		t
AC Architectura	Types.		7 FIN (20)		722 7			om to allow only packag		Security Grille
ACT Acoustic Cei ACT-C Cleanroom							tnro	ough from receiving vesti	bule).	Anti-barricade
ARGB Abuse-Resis	istant Gypsum Board									strategy
GB Gypsum Boa IRGB Impact-Resi	oard A A2 B B2 sistant Gypsum Board	C C2 D D2	E E2 F	F2 G	н	J				
KLCT Kitchen Lay-	r-in Ceiling Tile	•	r & Frame Privacy	Card	Mag Auto					
	nd Mould-Resistant Gypsum Board  Type:Qty: Size (mm): Mater  roustic Ceiling Tile	di. Tillisti. Side Et.	Protect.: Film:	Function: Reader		er: Open: Hinge			cessory 3: Close	er:
WALL FINISHES LEGEN	A 1 1065 x 2135 Hollow N			room			Elec. Strike		Surface	
EWC Epoxy Wall (	A   1   1003 X 2133   HOIIOW I	Metal Paint 2 Hi	gh Store	room		<b>✓</b> Butt Hinge	Elec. Strike		Surface	
	rmance Coating MILLWORK AND SPECIALTY CASEWORK		Sto	orage Requirements:					FINISHES	
	OFFILE AND AND AND AND AND AND AND AND AND AND	UPPER UNITS						Full-height Cabi	net:	
CEILING FINISHES LEG  ECC Epoxy Ceilin	/ 1/	U2 U3 U4							ork: Plastic Laminate	
HPC High Perform	rmance Coating	U5	U6					Counter	top: Plastic Laminate	
PF Prefinished PT Paint			U8	SHELF				Lower Millw	ork: Plastic Laminate	
				⊅ □				Sh	nelf:	
WALL PROTECTION LE ESRP Extruded Se	.EGEND: emi-Rigid PVCu Panel			S1				Down	andre.	
	orced Laminate							Kell	narks:	
_	Reinforced Plastic Vinyl Wallcovering		1 1							
RHIS Rigid High In	Impact Sheet			<u>i</u>						
	lid Surface Panel /inyl Wallcovering		-							
FLOOR FINISHES LEGE	END:		= 7	CO SIGNATURE OF THE PERSON NAMED IN	/	The second				
CFS Concrete Flo	C C3 C4			==			7/			
EFC Epoxy Floor	r Coating	L3 14		- 1	===	Congression of the last of the	/ 1	1		
	ne Floor Coating  Pletic Flooring  FULL-HEIGHT CABINETS		L7 L8 L0							
RSF Rubber Shee SCF Seamless Cu	eet Flooring Sushioned Flooring		L7 L8 L9 1	L10 L11			7/			
	pative Rubber Sheet Flooring Legend:	Motorized	_		L12 ·	TC1 TC2				
SDVF Static-Dissip VSF Vinyl Sheet		lin. Length Adjustable Standing Spe	ecialty	LOWER UNITS			UC1			
•	EFlooring Category 1 - Low (1% - 4%) Category  afety Vinyl Sheet Flooring Category 2 - Med (5% - 9%)		sework	LOWER CHITS	•	TRANSACTION	UTILITY SINK AND CO	NUNTED LINUT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)	1500			COUNTER / C		DITETTY SINK AND CO	ONTER ONT		
FCB Flash Cove E										
RB Rubber Base SCF Seamless Cu	se Lushioned Flooring									
MECHANICAL REC	QUIREMENTS									
PLUMBING Hand		ther Fixtures: Evewash	Chatian	MED / NON-MED (	GASES					
	Sink: Lavatory: Kitchen Sink: Kitchen Sink: Drocoss Sink: Scrub Sink: Floor Sink:	Lycwasii	Station /Shower Station	(Quantity)		Medical Nitrous			Laboratory Lab	Oratory Compressed
. , ,		□ Snower □ Eyewasn □ Tub □ Emergen				Vacuum: Oxide:	CO2:	AGSS: Nitrogen:		oratory Compressed icuum: Air:
Plumbing		Ice Maker Flush Rin								
Remarks:		Water Closet Floor Dra								
			ottle Refill Station	Gas Remarks:	5:					
		Hot Water								
		Other								

		Number(s):	2. 8	. 14.	20.	26.	32. 38.	44.
0 II Ol D			3. 9	. 15.	21.	27.	33. 39.	45.
Room Name: Small Clean Room			4. 10	. 16.	22.	28.	34. 40.	46.
			5. 11				35. 41.	47.
			6. 12	. 18.	24.	30.	36. 42.	48.
ARCHITECTURAL REQUIREMENTS								
·								
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM ACCE		
Wall Material: ARGB 1.2m AFF, GB above	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Corner Guards 🔲 Hand Rails 🔲 Bed Bum	per / Locator	☐ Interior Glazing	Material: Base:		ooks Ceiling Lift	✓ Magnetic Whiteboard
Ceiling Material: GB	Finish: ECC Height: 2185 mm	Crash Rails Chair Rail			RSF FCB	☐ Mirror	☐ Infant Change Table	Privacy Curtain
LEGEND:	DOORS					Door Rei	marks:	
WALL AND CEILING LEGEND:								
AC Architectural Ceiling	Types:							Security Grille
ACT Acoustic Ceiling Tile								
ACT-C Cleanroom		JA NENDA NENDA NE						Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board								strategy
GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2 E	E2 F	F2 G H	J			
KLCT Kitchen Lay-in Ceiling Tile		Integral Door 8	& Frame Privacy	Card Mag	Auto Hold			
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Naterial: Finish: Side Lt: Blinds: Pro	tect.: Film: F	unction: Reader: Lock	: Opener: Open: Hinges	: Accessory 1:	Accessory 2: Accessory 3:	Closer:
SACT Security Acoustic Ceiling Tile	C 1 915 x 2135 Cle		Push/Pi			Elec. Strike		Surface
WALL FINISHES LEGEND:	C 1 513 X 2133 C.C				V Duttimbe	Lice. Strike		Surface
EWC Epoxy Wall Coating								
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Stora	ge Requirements:			FINISH	HFS
PT Paint	940 A 970	UPPER UNITS	31010	Be requirements.				
CEILING FINISHES LEGEND:	U						Full-height Cabinet:	
ECC Epoxy Ceiling Coating	7	13 U4					Upper Millwork:	
HPC High Performance Coating PF Prefinished	Superior Services	US U	J6 U7				Countertop:	
PT Paint			U8	SHELF			Lower Millwork:	
			- X	1 🗆			Shelf:	
WALL PROTECTION LEGEND:				S1				
ESRP Extruded Semi-Rigid PVCu Panel	Segment						Remarks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic							Provide ceil	ling hatches with gaskets.
PVW Protective Vinyl Wallcovering		THE REAL PROPERTY AND ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY	1 1	50				
RHIS Rigid High Impact Sheet								
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering	CO.	2	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN THE PERSON NAMED IN THE PERSON NAMED IN THE PERSON	1	200			
· -			00 100	COURSES DESCRIPTION OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TO THE P	7			
FLOOR FINISHES LEGEND:	C1 C2 C3 C3	-	-				Association of the second of t	
CFS Concrete Floor Sealer		12	VI -	///		//	Femal 2	
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 L4 L5		- KKKN	-	/ Total		
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		7 'L8 'L9					
RSF Rubber Sheet Flooring			./ L8 L9	.10 L11	7 -1/			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:		[	L12	TC1 TC2	V   "	и	
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized	a la.			UC1		
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categor	Min. Length Adjustable Standing Speci y (mm) Height Height Case	-	LOWER UNITS				
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	. ,	NOIK		EPTION/TRANSACTION JNTER / CARE TEAM UT	TILITY SINK AND COUNT	FR LINIT	
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				TION DESK	TIETT SHOK AND COOK	IN OITH	
FCB Flash Cove Base				3170				
RB Rubber Base								
SCF Seamless Cushioned Flooring								
MECHANICAL REQUIREMENTS								
	Consider 1929 /	Other Filt and		MED / NON 0				
PLUMBING Hand	Seamless Utility / k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures: Evewash S		MED / NON-MED GASES				Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink	k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	☐ Shower ☐ Eyewash/S	hower Station	(Quantity)	Medical Nitrous		Laborato	ory Laboratory Compressed
		☐ Tub ☐ Emergency	Shower	Oxygen: Medica	Il Air: Vacuum: Oxide:	CO2: AGSS	S: Nitrogen: Air:	Vacuum: Air:
Plumbing		☐ Ice Maker ☐ Flush Rim S					1	
Remarks:			I			<u> </u>		
				Gas Remarks: Hot ce	ell serving clean room requires the f	ollowing gas connections	s. CA, N2, H3, Ar.	
			tle Refill Station		rooms will be tied to CA vacuum pip			
		Hot Water Other						
		other						

Program 1. M1.27

13.

19.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

25.

Room Name: Soiled Holding - Contaminated	Number(s): 2. 3. 4. 5. 6.	8. 14. 9. 15. 10. 16. 11. 17. 12. 18.	20. 26. 27. 27. 22. 28. 29. 24. 30.	32. 38 33. 39 34. 40 35. 41 36. 42	. 45. . 46. . 47.
ARCHITECTURAL REQUIREMENTS					
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB above Finish: EWC Type: ESRP Ceiling Material: ACT Finish: PF Height: 1600 mm	✓ Corner Guards ☐ Hand Rails ☐ Bed Bumper / Loca☐ Crash Rails ☐ Chair Rail	tor GLAZING Interior Glazing	FLOORING TYPES Material: Base: WSVF FCB	ROOM ACCESSORIES  Coat Hooks Ceiling Lift Mirror Infant Change T	Magnetic Whiteboard
LEGEND: DOORS WALL AND CEILING LEGEND: Types:				Door Remarks:	☐ Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile ACT-C Cleanroom ARGB Abuse-Resistant Gypsum Board GB Gypsum Board BIRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile	B2 C C2 D D2 E E2 Integral Door & Frame		J Auto Hold		Anti-barricade strategy
MMDCD Maisture and Mauld Posistant Cursum Poord	Material: Finish: Side Lt: Blinds: Protect.:	Film: Function: Reader: Lock  Storeroom	: Opener: Open: Hinges:	Accessory 1: Accessory 2: Accessor Elec. Strike	y 3: Closer:
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating  HPC High Performance Coating  PT Paint  MILLWORK AND SPECIALTY CASEWORK		Storage Requirements:		F	INISHES
CELLING FINISHES LEGEND:  ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Inaminate FRP Fibreglass Reinforced Plastic PVW Protective Winjl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Coating PFC Polyurethane Floor Coating PFC Polyurethane Floor Coating SCF Seamless Cushioned Flooring SDF Static-Dissipative Rubber Sheet Flooring SDF Static-Dissipative Rubber Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring FLOOR BASE LEGEND:  FCB Flash Cove Base RB Rubber Base SCF Seamless Cushioned Flooring  SCF Seamless Cushioned Flooring	1 U2 U3 U4 U5 U6 U6 U6 U6 U6 U6 U6 U6 U6 U6 U6 U6 U6	7 U8 SHELF S1 LOWER UNITS RECCCOL	TC1 TC2 TC2  CEPTION/TRANSACTION JNTER / CARE TEAM UTILITY SII		o Schedule 1, Section 6.13 (Division shielded chamber requirements
MECHANICAL REQUIREMENTS  PLUMBING Hand Seamless Utility / (Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures: Evewash Station	MED / NON-MED GASES (Quantity)	Medical Nitrous	l a h	Utility poratory Laboratory Compressed
Plumbing Remarks:	Shower  Tub  Ice Maker  Water Closet  Instantaneous Hot Water  Shower  Eyewash/Shower Sta  Emergency Shower  Flush Rim Sink  Floor Drain  Water Bottle Refill Sta	Oxygen: Medica	0.11		Air: Vacuum: Compressed Air: Air:

Program 1. M2.31

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1	B Minimum Room Requir	ements	Program Number(s):	1. M1.29 2.	7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Roon	n Name: Storage - Contaminated	Waste			9. 15. 10. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
	L				11. 17.	23.	29.	35.	41.	47.
				6. 1	12. 18.	24.	30.	36.	42.	48.
ARCHITECTU	RAL REQUIREMENTS									
	LING aterial: ARGB 1.2m AFF, GB above aterial: GB		✓ Corner Guards ☐ Hand Rails ☐ Bed Bu☐ Crash Rails ☐ Chair Rail	mper / Locator	GLAZING  Interior Glazing	FLOORING Materi EFC	TYPES ial: Base: FCB	ROOM ACCESSORIES  Coat Hooks Co Mirror In		Magnetic Whiteboard Privacy Curtain
LEGEND:		DOORS						Door Remarks:	<del>-</del>	·
WALL AND CEIL	LING LEGEND:	Types:					7			Security Grille
	chitectural Ceiling Dustic Ceiling Tile									
	anroom use-Resistant Gypsum Board									Anti-barricade strategy
GB Gyp	psum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	l J				StrateBy
KLCT Kitc	pact-Resistant Gypsum Board chen Lay-in Ceiling Tile		Integral Doo	r & Frame Privacy	Card	Mag Auto Hold				
	oisture and Mould-Resistant Gypsum Board curity Acoustic Ceiling Tile		idectidi. Tillisti. Side Et.		Turiction.	Lock: Opener: Ope	Tilliges.	Accessory 1: Accessory		loser:
WALL FINISHES		A 1 1220 x 2135 Hol	low Metal FRL 2 Hi	gh Storer	room 🗸		Cont. Swing Clear		Surfac	ce
	oxy Wall Coating						I			
HPC Higi PT Pair	h Performance Coating nt	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	rage Requirements:				FINISHES	
CEILING FINISH	IES LEGEND:	US US							ght Cabinet:	
	oxy Ceiling Coating th Performance Coating		U2 U3 U4 U5	U6					er Millwork: Stainless Ste	
PF Pre	efinished			U7 U8	SHELF				er Millwork: Stainless Ste	
					a 🗆				Shelf:	
WALL PROTECT  ESRP Exti	ruded Semi-Rigid PVCu Panel				S1				Remarks:	
	re Reinforced Laminate									1, Section 6.13 (Division
	reglass Reinforced Plastic otective Vinyl Wallcovering			_						amber requirements
	id High Impact Sheet etwall Solid Surface Panel									
WVW We	etroom Vinyl Wallcovering				*SESSESSESSESSESSESSESSESSESSESSESSESSES	7/	-			
FLOOR FINISHE		C1 C2 C3 C4 C5 L1				-	-			
	ncrete Floor Sealer DXY Floor Coating		12				2	-	2	
	yurethane Floor Coating bber Athletic Flooring	FULL-HEIGHT CABINETS	L3 L4 L5 L6	L7 18	74-	-	1		7	
RSF Rub	bber Sheet Flooring	TOLE-HEIGHT CABINETS			L10 L11		171/			
	amless Cushioned Flooring tic-Dissipative Rubber Sheet Flooring	Legend:	Motorized			101	TC2	u   [	U	
SDVF Stat	tic-Dissipative Vinyl Sheet Flooring	Category 0 - None		ecialty	LOWER UNITS			" UC1	Į.	
	lyl Sheet Flooring etroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)	y (mm) Height Height Cas	sework		RECEPTION/TRANSAG		CIAIR AND COUNTED LINET		
FLOOR BASE LE	GEND:	Category 3 - High (10% or Greater)	3000			COUNTER / CARE TEA	AM UTILITY:	SINK AND COUNTER UNIT		
	sh Cove Base bber Base									
	amless Cushioned Flooring									
MECHANICAI	L REQUIREMENTS									
	Hand	Seamless Utility /	Other Fixtures: Evewash	Station	MED / NON-MED GAS	SES				Utility
(Quantity) Hy	giene Sink: Lavatory: Kitchen Sin	k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	☐ Shower ☐ Eyewash	/Shower Station	(Quantity)	Medical	0 11		Λ:	Laboratory Compressed
			☐ Tub ☐ Emergen		Oxygen: Me	edical Air: Vacuum:	: Oxide: C	O2: AGSS: Nit	rogen: Air:	Vacuum: Air:
Plumbing Remarks:			☐ Ice Maker ☐ Flush Rin							
			Water Closet Floor Dra		Gas Remarks:					
			Instantaneous Water Bo	ottle Refill Station						
			Other							

Appendix 1B	Minimum Room Require	ements	Program Number(s)		7. 13 8. 14		19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room N	Name: Storage - Controlled/Quar	rantine		3.	9. 15 10. 16		21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
					11. 17		23.	29.	35.	41.	47.
				6.	12. 18		24.	30.	36.	42.	48.
ARCHITECTUR	AL REQUIREMENTS							1			
WALL AND CEILIN Wall Mate Ceiling Mate	erial: ARGB 1.2m AFF, GB above	WALL PROTECTION   Type:   ESRP	Crash Rails	Bumper / Locator	GLAZING  Interior Glazing		ORING TYPES  Material: Base:  VSF FCB		ACCESSORIES  Dat Hooks Ceiling Lif  Iirror Infant Cha		gnetic Whiteboard vacy Curtain
LEGEND:		DOORS						Do	oor Remarks:		
WALL AND CEILIN		Types:									Security Grille
	ectural Ceiling tic Ceiling Tile										
ACT-C Cleanr ARGB Abuse	room e-Resistant Gypsum Board						144				Anti-barricade strategy
GB Gypsu	ım Board tt-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	Н	I				,
KLCT Kitche	n Lay-in Ceiling Tile			oor & Frame Privacy	Card	Mag Auto	Hold				
	ure and Mould-Resistant Gypsum Board ity Acoustic Ceiling Tile		viaterial. Tillisti. Side Et.	Protect.: Film:	Function: Reader:	: Lock: Opener	r: Open: Hinge		ry 1: Accessory 2: Ac	cessory 3: Close	r:
WALL FINISHES LE	EGEND:	C 1 1220 x 2135 So	lid Core FRL 2 1	High Store	eroom 🗸		Cont. Swing	Clear		Surface	
	Wall Coating Performance Coating	MILLWORK AND SPECIALTY CASEWORK									
PT Paint		WILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	orage Requirements:					FINISHES	
CEILING FINISHES			1 U2 U3 U4						Full-height Cabi	net: Stainless Steel	
	Ceiling Coating Performance Coating		U3 U4 U5	U6 U7						top: Stainless Steel	
PF Prefini PT Paint	ished			U8	SHELF				Lower Millw	ork: Stainless Steel	
WALL PROTECTIO	ON LECEND.				7				Sh	helf:	
	ded Semi-Rigid PVCu Panel				S1				Rem	narks:	
	Reinforced Laminate plass Reinforced Plastic		-		-						
	ctive Vinyl Wallcovering		- Francisco		!						
	High Impact Sheet all Solid Surface Panel										
WVW Wetro	oom Vinyl Wallcovering				60	.7					
FLOOR FINISHES I		C1 C2 C3 C4 C5 11				7					
	ete Floor Sealer Floor Coating		L2				2	16	K-1		
	rethane Floor Coating er Athletic Flooring	FULL-HEIGHT CABINETS	L3 L4 L5 L6	L7 18		-	1	7			
RSF Rubbe	er Sheet Flooring	TOLE HEIGHT GIBINETS		L7 L8 L9	L10 L11			1/			
	less Cushioned Flooring -Dissipative Rubber Sheet Flooring	Legend:	Motorized			.12	TC1 TC2	V   "			
SDVF Static-	-Dissipative Vinyl Sheet Flooring	Category 0 - None		pecialty	LOWER UNITS			* UC	C1 U		
	Sheet Flooring oom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)	ry (mm) Height Height C	asework	LOWER UNITS	RECEPTION/T			OLINITED LINUT		
FLOOR BASE LEGI	END:	Category 3 - High (10% or Greater)	2400			COUNTER / CA STATION DESI		ITILITY SINK AND C	OUNTER UNIT		
	Cove Base er Base										
	less Cushioned Flooring										
MECHANICAL I	REQUIREMENTS										
	land	Seamless Utility /	Other Fixtures:	sh Station	MED / NON-MED G						Utility
(Quantity) Hygie	ene Sink: Lavatory: Kitchen Sink	k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		sh/Shower Station	(Quantity)		Medical Nitrous				Compressed
			_	ency Shower	Oxygen:	Medical Air: V	/acuum: Oxide:	CO2:	AGSS: Nitrogen:	AII. Vac	cuum: Air:
Plumbing Remarks:			☐ Ice Maker ☐ Flush R								
nemarks.			Water Closet Floor D		Gas Remarks:						
			Instantaneous Water Hot Water	Bottle Refill Station							
			Other								

Appendix 1B Minimum Room Requirem	nents	Program Number(s):	1. M1.19 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Storage - Gas Cylinders			3.	9.	15.	21.	27.	33.	39.	45.
				10. 11.	16. 17.	22. 23.	28. 29.	34. 35.	40. 41.	46. 47.
			6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS		L	,					·		
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES	R	OOM ACCESSORIES		
	7,700	ner Guards Hand Rails Bed Bur	nper / Locator	☐ Interior Gla	zing	Material: Base:  VSF FCB	_		_	Magnetic Whiteboard
Ceiling Material: ACT	Finish: PF Height: 2185 mm Cra	sh Rails Chair Rail				V3F FCB			fant Change Table	Privacy Curtain
LEGEND:	DOORS							Door Remarks:		
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:		7 Fig (7)		700					Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom										☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board										strategy
GB Gypsum Board IRGB Impact-Resistant Gypsum Board	A A2 B B2	C C2 D D2	E E2 F	F2 G	Н	J				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm): Materia	ם יות	& Frame Privacy rotect.: Film:		0	Auto Hold Opener: Open: Hin	τος. Λα	ccessory 1: Accessory 2	2: Accessory 3:	Closer:
SACT Security Acoustic Ceiling Tile	A 1 1065 x 2135 Solid Core	an rimon. Side Et.		Turiculori.	<b>✓</b>	Cont. Swir		Accessory 2		face
WALL FINISHES LEGEND:	C 1 1065 x 2135 Hollow M				<b>7</b>	☐ ✓ Butt Hinge			Surf	face
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		St.	orage Requirements:					FINISHES	
PT Paint		UPPER UNITS	5.	orage medamements.				Full-heig	ht Cabinet:	
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	U1	U2 U3 U4							er Millwork:	
HPC High Performance Coating PF Prefinished		U5	U6 U7 U8	SHELF					Countertop:	
PT Paint			77	SHELF				Lowe	r Millwork: Shelf:	
WALL PROTECTION LEGEND:				S1 S1					Sileii.	
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate	II I I I			1					Remarks:	
FRP Fibreglass Reinforced Plastic										e 1, Section 6.11 (Division
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	10	Emmy		1					11) for Medical G	ias Racks.
WSSP Wetwall Solid Surface Panel		5	and the same of th							
WVW Wetroom Vinyl Wallcovering		1 1 =	= -	oo an extendents		7 6				
FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer			- 5-				7		A 2002	
EFC Epoxy Floor Coating				44	1==	-	_/		7	
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	] L3 L4 L5 L6	L7 L8 L0		1				'	
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring			L7 L8 L9	L10 L11	1		7/			
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			L12	TC1 TC2	V	1. 1.	U	
SDVF Static-Dissipative Vinyl Sheet Flooring  VSF Vinyl Sheet Flooring	0-1 4 1- (40/ 40/)	in. Length Adjustable Standing Spe	cialty	LOWER UNITS				UC1 U		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category Category 2 - Med (5% - 9%)		ework	2011211 011110		ION/TRANSACTION ER / CARE TEAM	LITH ITY SINK	AND COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				STATIO	=	O TILLIT OHNIK	AND COOKIEK OKKI		
FCB Flash Cove Base RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS										
PLUMBING Hand	Seamless Utility / Otl	her Fixtures:	Station	MED / NON-MI	ED GASES					Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: I			Shower Station	(Quantity)		Medical Nitrous - Vacuum: Oxide:		A 000	A.*.	Laboratory Compressed
		Tub Emergen		Oxygen	: Medical Air	r: vacuum. Oxide:	CO2:	AGSS: Nitr	rogen: Air:	Air:
Plumbing Remarks:		Ice Maker Flush Rim								
nemana.		Water Closet Floor Dra		Gas Rema	arks:					
		Instantaneous Water Bo	ttle Refill Station							
		Other								
				1						

Appendix 1B Minimum Room Requ	irements	Program Number(s):	1. M1.32 2.		.3. .4.			31. 32.	37. 38.	43. 44.
Room Name: Storage - Shielded - Cy	vclotron		3.	9. 1	.5.	21.	27.	33.	39.	45.
			4. 5.		.6. .7.			34. 35.	40. 41.	46. 47.
			6.	12. 1	.8.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS										
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB above	WALL PROTECTION  Finish: EWC Type: ESRP ✓ Corner G	uards   Hand Rails   Bed Bu	imper / Locator	GLAZING  Interior Glazing		OORING TYPES  Material: Base:	ROOM ACCE	SSORIES oks Ceiling Lif	ft	Magnetic Whiteboard
Ceiling Material: GB	Finish: ECC Height: 1350 mm Crash Ra			interior Glazing	3	EFC FCB	☐ Mirror	Infant Cha		Privacy Curtain
LEGEND:	DOORS						Door Re	marks:		
WALL AND CEILING LEGEND:	Types:									Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile										
ACT-C Cleanroom										Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B2 C	C2 D D2	E E2 F	F2 G	Н	1				strategy
IRGB Impact-Resistant Gypsum Board	,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					11-14				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	Francot v. Cina (man). Material		or & Frame Privacy Protect.: Film:	Card Function: Reade	•	_	A1	A		4
SACT Security Acoustic Ceiling Tile	Type:Qty: Size (mm): Material:	Tillisti: Side Et.		T directions		,		Accessory 2: Ac		Closer:
WALL FINISHES LEGEND:	C 1 1065 x 2135 Solid Core	RL	Stoi	reroom 🗸	_ = =	Cont. Swing C	ear		Surfac	<u>e</u>
EWC Epoxy Wall Coating										
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK		S	torage Requirements:					FINISHES	
		UPPER UNITS						Full-height Cabi	inet:	
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	U1 U2								ork: Stainless Stee	el
HPC High Performance Coating		U4 U5						Counter		<u>:</u>
PF Prefinished		7	U7 U8	SHELF				Lower Millw	ork:	
PT Paint			7	Ta □				Sh	helf:	
WALL PROTECTION LEGEND:			-	S1						
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate	Congression							Rem	narks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic								F	Refer to Schedule 1	1, Section 6.13 (Division
PVW Protective Vinyl Wallcovering	100	Emmy						1	13) for shielded cha	amber requirements
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel		-								
WVW Wetroom Vinyl Wallcovering			-	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWI						
FLOOR FINISHES LEGEND:	ci c2 c3		-7	~ ~	-	Consessed				
CFS Concrete Floor Sealer	C4 C5 14	-					7/			
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 L4 L5		- KMM	-	THE PERSON NAMED IN	/ Garage			
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	☐ ☐ L6	L7 L8 L0		/					
RSF Rubber Sheet Flooring			L7 L8 L9	L10 L11						
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			L12	TC1 TC2	ν ∥ "	u		
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None Min. Ler		ecialty				UC1	Ш		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm	- ,	sework	LOWER UNITS	RECEPTION/	TRANSACTION				
• • • • •	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  3 240				COUNTER / C		ILITY SINK AND COUNT	ER UNIT		
FLOOR BASE LEGEND: FCB Flash Cove Base	category of might (20% of dicater)				STATION DES	SK				
RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS										
PLUMBING Hand	Seamless Utility / Other Fi	dures:	Clatte	MED / NON-MED	GASES					
(Quantity) Hygiene Sink: Lavatory: Kitchen S	ink: Kitchen Cink: Drocoss Cink: Corub Cink: Elear Cink:	Lycwasii		(Quantity)		Medical Nitrous			Laboratory L	Utility Laboratory Compressed
	She		/Shower Station			Vacuum: Oxide:	CO2: AGSS	S: Nitrogen:		Vacuum: Compressed  Variaboratory  Compressed  Air:
Plumbing							1.00			2
Remarks:	☐ Ice									
		ter Closet Floor Dra		Gas Remarks	s:					
			ottle Refill Station							
	Но	Water Other								
					I					I

Room Name: Technical Area			3. 4. 5. 6.	9. 15. 10. 16. 11. 17. 12. 18.	21. 22. 23. 24.	28. 34 29. 31	3. 39. 4. 40. 5. 41. 6. 42.	45. 46. 47. 48.
ARCHITECTURAL REQUIREMENTS								197
WALL AND CEILING  Wall Material: Ceiling Material:  LEGEND: WALL AND CEILING LEGEND:  AC Architectural Ceiling ACT Acoustic Ceiling Tile ACT-C Cleanroom ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	Finish: EWC Type: Height: DOORS  Types: A A2 B	Corner Guards Hand Rails B Crash Rails Chair Rail  B2 C C2 D D2	eed Bumper / Locator  E E2 F	GLAZING  Interior Glazing  F2 G H	the door approxin 465/106	Door Rem Type F doors, panels will be nately 5 unless e rquired by	oks Ceiling Lift Infant Change Table	Magnetic Whiteboard Privacy Curtain  Security Grille Anti-barricade strategy
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile  WALL FINISHES LEGEND:  EWC Epoxy Wall Coating HPC High Performance Coating	Гуре:Qty: Size (mm):    F2   2   1530 x 2135	Material: Finish: Side Lt: Blinds:		Function: Card Mag Reader: Lock eroom	Auto Hold Opener: Open: Hing			Closer: Surface
PT Paint  CEILING FINISHES LEGEND:  ECC Epoxy Ceilling Coating HPC High Performance Coating PF Prefinished PT Paint  WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering  FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Coating PFC Polyurethane Floor Coating RAF Rubber Athletic Flooring SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring FLOOR BASE LEGEND: FCB Flash Cove Base RB Rubber Base SCF Seamless Cushioned Flooring	FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	UPPER UNIT U1 U2 U3 U4 U5 U5 U5 U5 U5 U4 U5 U5 U5 U5 U5 U4 U5 U5 U5 U5 U5 U5 U5 U5 U5 U5 U5 U5 U5	S S S S S S S S S S S S S S S S S S S	cou	EPTION/TRANSACTION INTER / CARE TEAM TION DESK	UTILITY SINK AND COUNTE	11) for Medi Racks. Technical Art top of the ho Room and M Provide main to services.	nedule 1, Section 6.11 (Division
Plumbing Remarks:    MECHANICAL REQUIREMENTS     Hand	Seamless Utility / Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower Eye  Tub Em  Ice Maker Flu  Water Closet Flo	ewash Station ewash/Shower Station nergency Shower nsh Rim Sink nor Drain ater Bottle Refill Station	MED / NON-MED GASES (Quantity) Oxygen: Medica Gas Remarks:	Medical Nitrous I Air: Vacuum: Oxide:	CO2: AGSS:	Laborato : Nitrogen: Air:	, compressed

7. 8.

13.

14.

19.

20.

25.

26.

31.

32.

37.

38.

43.

44.

Program 1. M1.39

Number(s): 2.

**Appendix 1B Minimum Room Requirements** 

Room Name: Vestibule - Receiving			5.	9. 15. 10. 16. 11. 17. 12. 18.	21. 22. 23. 24.	27.       33.         28.       34.         29.       35.         30.       36.	40. 41.	45. 46. 47. 48.
ARCHITECTURAL REQUIREMENTS								
WALL AND CEILING  Wall Material: MMRGB Fine	WALL PROTECTION Type: RHIS Height: 1350 mm  Types:  A A2 B	✓ Corner Guards ☐ Hand Rails ☐ Be ✓ Crash Rails ☐ Chair Rail  B2 C C2 D D2	d Bumper / Locator	GLAZING  Interior Glazing  F2 G H	FLOORING TYPES Material: Base: VSF FCB	Door Rema Provide two	S Ceiling Lift Infant Change Table	
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile  WALL FINISHES LEGEND: EWC Epoxy Wall Coating HPC High Performance Coating	Fype:Qty: Size (mm):  C 2 1065 x 2135 S  MILLWORK AND SPECIALTY CASEWORK	Integral Material: Finish: Side Lt: Blinds:	Door & Frame Privacy Film:  2 High Store	Function: Card Mag Reader: Lock: Proom	Auto Hold Opener: Open: Hinge	es: Accessory 1: A	Suri	Closer: face
PT Paint  CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering  FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Coating PFC Polyurethane Floor Coating RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	C1 C2 C3 C4 C5 L1  FULL-HEIGHT CABINETS  Legend:	L2 L3 L4 L5	U6 U7 U8	SHELF S1 L10 L11 L12	TC1 TC2		FINISHES  Full-height Cabinet: Upper Millwork: Countertop: Lower Millwork: Shelf:  Remarks:	
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring  FLOOR BASE LEGEND: FCB Flash Cove Base RB Rubber Base SCF Seamless Cushioned Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	Min. Length Adjustable Standing ory (mm) Height Height	Specialty Casework	LOWER UNITS  RECEF COUN	PTION/TRANSACTION ITER / CARE TEAM ON DESK	UC1 U	UNIT	
	eamless Utility / chen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower Eyev  Tub Eme  Ice Maker Flust Water Closet Floo	vash Station vash/Shower Station rgency Shower n Rim Sink r Drain er Bottle Refill Station	MED / NON-MED GASES (Quantity) Oxygen: Medical A	Medical Nitrous Air: Vacuum: Oxide:	CO2: AGSS:	Laboratory Nitrogen: Air:	Laboratory Compressed Vacuum: Air:

7. 8.

13.

14.

19.

20.

25.

26.

31.

32.

37.

38.

43.

44.

Program 1. M1.17

Number(s): 2.

			Number(s):	2.	8. 14.	20.	26.	32. 38.	44.
_	Washington Datiest Ob	California		3.	9. 15.	21.	27.	33. 39.	45.
F	Room Name:   Washroom - Patient - Sh	lielded		4.	10. 16.	22.	28.	34. 40.	46.
					11. 17.			35. 41.	47.
					12. 18.			36. 42.	48.
				0.	10.	27.	30.	30. 42.	40.
ARCHITEC	TURAL REQUIREMENTS								
WALL AND	CELLING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM ACCE	SSORIES	
	Il Material: MMRGB	Finish: EWC Type: FRP	Corner Guards Hand Rails Bed Bu	mnor / Locator		Material: Base:		ooks Ceiling Lift	Magnetic Whiteboard
	MMRGB MAterial: MMRGB		Crash Rails Chair Rail	imper / Locator	☐ Interior Glazing	WSVF FCB	✓ Mirror	Infant Change Tab	
Cenning	Wilvings	Finish: ECC Height: 1350 mm	Clasif Rails Clidii Rail						le Privacy curtain
LEGEND:		DOORS					Door Re	marks:	
WALL AND	CEILING LEGEND:	Types:	Commission with a second commission of the commi						☐ Security Grille
AC	Architectural Ceiling	7,765							□ Security Grille
ACT	Acoustic Ceiling Tile								✓ Anti-barricade
ACT-C ARGB	Cleanroom Abuse-Resistant Gypsum Board								strategy
GB	Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	J			,
IRGB	Impact-Resistant Gypsum Board		Literal Bea	. 0. 5	Const. A4				
KLCT MMRGB	Kitchen Lay-in Ceiling Tile  Moisture and Mould-Resistant Gypsum Board			r & Frame Privacy Protect.: Film:	Card Ma				
SACT	Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Tillisti. Side Et.			,		Accessory 2: Accessory 3	
WALL FINIS	THE LECEND.	A 1 1065 x 2135	5 Solid Core FRL 1 Lo	ow Privac			Acting Safety Stop		Surface
EWC	SHES LEGEND:  Epoxy Wall Coating								
HPC	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK							
PT	Paint	WILLEWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	orage Requirements:			FIN	IISHES
CEILING FIN	NISHES LEGEND:		U1					Full-height Cabinet:	
ECC	Epoxy Ceiling Coating	( T. T. T. T. T. T. T. T. T. T. T. T. T.	U2 U3 U4 U					Upper Millwork:	
HPC	High Performance Coating		U5	U6 U7				Countertop:	
PF PT	Prefinished Paint			U8	SHELF			Lower Millwork:	
	ranic				<b>7</b>			Shelf: Sta	ainless Steel
WALL PROT	TECTION LEGEND:	Carrent Control		-	S1				
ESRP	Extruded Semi-Rigid PVCu Panel	Sugarana III II II						Remarks:	
FRL FRP	Fibre Reinforced Laminate Fibreglass Reinforced Plastic								
PVW	Protective Vinyl Wallcovering		Tatalana III		S				
RHIS	Rigid High Impact Sheet	7		1 1	1				
WSSP	Wetwall Solid Surface Panel	CONTRACTOR CO.		no Transport					
WVW	Wetroom Vinyl Wallcovering				CO DE CONTRACTOR DE LA CONTRACTOR DE CONTRAC	76			
	ISHES LEGEND:	C1 C2 C3 C3	-			-		anger of	
CFS	Concrete Floor Sealer	C2 C3 C4 C5	L1 L2 L3 L4 L7				//	F	
EFC PFC	Epoxy Floor Coating Polyurethane Floor Coating			-	- AKKA				
RAF	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9					
RSF	Rubber Sheet Flooring			L7 L8 L9	L10 L11 L12				
SCF SDRF	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:	Maria			TC1 TC2		U	
SDVF	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized Min. Length Adjustable Standing Spe	ecialty			UC1		
VSF	Vinyl Sheet Flooring	Category 1 - Low (1% - 4%)		sework	LOWER UNITS	ECEPTION/TRANSACTION			
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)					ILITY SINK AND COUNT	ER UNIT	
FLOOR BAS	E LEGEND:	Category 3 - High (10% or Greater)	2 600			TATION DESK			
FCB	Flash Cove Base								
RB SCF	Rubber Base Seamless Cushioned Flooring								
301	Scanness cusmoned Flooring								
<u>MECHANI</u>	CAL REQUIREMENTS								
PLUMBING	Hand	Seamless Utility /	Other Fixtures: Evewash	Station	MED / NON-MED GASES	<b>3</b>			111.00
(Quantity)		k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink		/Shower Station	(Quantity)	Medical Nitrous		Labor	ratory Laboratory Compressed
• •	1					cal Air: Vacuum: Oxide:	CO2: AGS		ir: Vacuum: Air:
: ما مصر بال	Description of the second		_		70		1.00		
Remarks:	Requires stainless steel fixtures (wall mo	unted water closet with integral seat)	☐ Ice Maker ☐ Flush Rin						
nemarks.			<b>✓</b> Water Closet		Gas Remarks:				
			☐ Instantaneous ☐ Water Bo	ottle Refill Station	Gus Nemarks.				
			Hot Water						
			Other						

Program 1. M2.26

13.

19.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

25.

Appendix 1E	3 Minimum Room Requir	ements	Prog Numb		7. 13. 8. 14.	1 2			31. 32.	37. 38.	43. 44.
Room	n Name: Workshop - Electronic - C	Cyclotron		3. 4.	9. 15. 10. 16.	2 2			33. 34.	39. 40.	45. 46.
				5.	11.	2	3. 29.		35. 36.	41. 42.	47. 48.
<b>ARCHITECTI II</b>	RAL REQUIREMENTS			0.	12.	2	4. 50.		50.	42.	40.
					01.471110	51.000	1.0 TVD50	20011100			
WALL AND CEIL	LING aterial: ARGB	Finish: EWC Type: RHIS	✓ Corner Guards ☐ Hand Rails ☐ B	and Rumner / Locator	GLAZING		NG TYPES terial: Base:	ROOM ACCE	ooks Ceiling Life	• • • • • • • • • • • • • • • • • • •	gnetic Whiteboard
	aterial: GB	Finish:         EWC         Type:         RHIS           Finish:         ECC         Height:         2480 mm	Crash Rails Chair Rail	sed Bulliper / Locator	☐ Interior Glazing	EFG	C FCB	Mirror	Infant Cha		vacy Curtain
								Door Re			ady cartain
LEGEND:		DOORS					Note: for Type		illarks.		
AC Arch	LING LEGEND: hitectural Ceiling	Types:					the door panel				Security Grille
	oustic Ceiling Tile						approximately				
	anroom		MMUNDAMUND				465/1065 unle otherwise rqui				Anti-barricade
	use-Resistant Gypsum Board Osum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	H I	the Authority	ed by			strategy
-	pact-Resistant Gypsum Board	, , , , ,									
	then Lay-in Ceiling Tile isture and Mould-Resistant Gypsum Board	F O		l Door & Frame Privacy : Protect.: Film:	Card Reader:	Mag Auto I Lock: Opener: C	Hold				
	urity Acoustic Ceiling Tile	Fype:Qty: Size (mm): F2 2 1530 x 2135	THE COLOR OF COLOR		Turiction.	D D	· imiges:			cessory 3: Close	r:
WALL FINISHES	LEGEND:	F2 Z 1530 X 2135 I	Hollow Metal Paint	Store	room 🗸		Butt Hinge	Astragal	Flush Bolt	Surface	
	oxy Wall Coating										
HPC High PT Pain	h Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Sto	orage Requirements:					FINISHES	
			UPPER UNIT	TS .					Full-height Cabir	net: Stainless Steel	
CEILING FINISHI ECC Epo:	ES LEGEND: oxy Ceiling Coating		U1 U2 U3 U4						Upper Millw		
•	h Performance Coating		US U4 U5	U6 U7						op: Stainless Steel	
	finished			U/ U8	SHELF				Lower Millw	ork: Stainless Steel	
PT Pain	nt				ta 🗆				Sh	elf:	
WALL PROTECT	TION LEGEND:	-			S1						
	ruded Semi-Rigid PVCu Panel re Reinforced Laminate	II I I I							Rem	arks:	
	reglass Reinforced Plastic										
	tective Vinyl Wallcovering	-	Emma								
	id High Impact Sheet twall Solid Surface Panel		1		-						
	troom Vinyl Wallcovering				San San San San San San San San San San						
FLOOR FINISHES	S LEGEND:	C1 C2 C3	<del></del>		on the second	-					
CFS Con	ncrete Floor Sealer				==1111111111111111111111111111111111111		100	7 /	-		
	oxy Floor Coating		L2 L3 L4 L5		_ KMM=		Constant of the last of the la	Target and			
	yurethane Floor Coating ober Athletic Flooring	FULL-HEIGHT CABINETS		L6 L7 L8 L9		_//			4		
	ober Sheet Flooring		_	L6 L7 L8 L9	L10 L11		/_	/			
	mless Cushioned Flooring tic-Dissipative Rubber Sheet Flooring	Legend:	Marine	•		_ 10.		1 30	u		
	tic-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized  Min. Length Adjustable Standing	Specialty		] [		ucı l	1		
	yl Sheet Flooring troom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categ		Casework	LOWER UNITS	RECEPTION/TRAN	ISACTION				
		Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	4500			COUNTER / CARE		TY SINK AND COUNT	TER UNIT		
FCB Flas	GEND: sh Cove Base	Category 5 mgm (10% of dicater)				STATION DESK					
	ober Base										
SCF Sear	mless Cushioned Flooring										
MECHANICAL	L REQUIREMENTS										
	Hand	Seamless Utility /	Other Fixtures:	annala Chabir	MED / NON-MED GA	SFS					
		k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		ewash Station	(Quantity)	Medi	cal Nitrous			Laboratory Labo	Utility ratory Compressed
(Quantity)		1		ewash/Shower Station	1	Medical Air: Vacu		CO2: AGS	S: Nitrogen:		cuum: Compressed
Dluga bia				nergency Shower	OAYSCII. IV			552. A03	J. Milogen.		2
Plumbing Pro Remarks:	ovide plumbing to suit activities in the s	space.	_	ısh Rim Sink							
remarks.			_	oor Drain	Gas Remarks:						
				ater Bottle Refill Station							
			Hot Water Other								
			Stilei								



## New Surrey Hospital & BC Cancer Centre

MINIMUM ROOM REQUIREMENTS

## N. Interprofessional Team

F	Room Name: Equipment Storage and D	Dispatch Room	Number(:	3. 4. 5.	8.     14.       9.     15.       10.     16.       11.     17.       12.     18.	20. 21. 22. 23. 24.	27. 3 28. 3 29. 3	33. 3 44. 4 55. 4	188. 199. 100. 111.	44. 45. 46. 47. 48.
ARCHITEC	TURAL REQUIREMENTS									
	CEILING  II Material: ARGB 1.2m AFF, GB above  3 Material: ACT	Finish:         PT         Type:         RHIS           Finish:         PF         Height:         2185 mm	✓ Corner Guards ☐ Hand Rails ☐ Bed☐ Crash Rails ☐ Chair Rail	Bumper / Locator	GLAZING  Interior Glazing	FLOORING TYPES Material: Base:  VSF FCB	ROOM ACCES Coat Hoo Mirror	SSORIES  oks Ceiling Lift Infant Change		etic Whiteboard cy Curtain
LEGEND:		DOORS					Door Rer	narks:		
WALL AND AC	CEILING LEGEND: Architectural Ceiling	Types:								Security Grille
ACT ACT-C ARGB GB	Acoustic Ceiling Tile Cleanroom Abuse-Resistant Gypsum Board Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H					Anti-barricade strategy
IRGB KLCT	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		Integral D	oor & Frame Privacy	Card Mag	Auto Hold				
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile		Material: Finish: Side Lt: Blinds:	Protect.: Film:	Tunction:	: Opener: Open: Hing	ges: Accessory 1:	Accessory 2: Access	ory 3: Closer:	
	SHES LEGEND:	C2 1 1830 x 2135 Ho	llow Metal Paint	Store		Cont. Swin	g Clear Astragal I	Flush Bolt	Surface	
EWC	Epoxy Wall Coating									
HPC PT	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	orage Requirements:				FINISHES	
ECC HPC PF PT  WALL PROTE ESRP FRL FRP PVW RHIS WSSP WVW	PISHES LEGEND:  Epoxy Ceiling Coating High Performance Coating Prefinished Paint  TECTION LEGEND:  Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate Fibreglass Reinforced Plastic Protective Vinyl Wallcovering Rigid High Impact Sheet Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering  ISHES LEGEND:  Concrete Floor Sealer Epoxy Floor Coating Rubber Athletic Flooring Rubber Athletic Flooring Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring Vinyl Sheet Flooring Vinyl Sheet Flooring Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	Motorized Min. Length Adjustable Standing	U6 U7 U8	SHELF S1  LI10 LI11 LI12 LOWER UNITS RECCCOL	TC1 TC2 TC1 TC2 TC1 TC2 TC2 TC1 TC2 TC2 TC2 TC3 TC1 TC2 TC3 TC1 TC2 TC3 TC1 TC2 TC3 TC1 TC2 TC3 TC1 TC2 TC3 TC3 TC3 TC3 TC3 TC3 TC3 TC3 TC3 TC3	UTILITY SINK AND COUNTY	Full-height Cabinet: Upper Millwork: Countertop: Lower Millwork: Shelf: Remarks		
MECHANI	CAL REQUIREMENTS									
PLUMBING	Hand	Seamless Utility /	Other Fixtures:	ash Station	MED / NON-MED GASES					Utility
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sink	c: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	☐ Shower ☐ Eyewa	sh/Shower Station	(Quantity)	Medical Nitrous			aboratory Laborat Air: Vacuu	tory Compressed
Dil.:				ency Shower	Oxygen: Medica 2 2	11 All .	CO2: AGSS	: Nitrogen:	All. Vacuu	Air:
Plumbing Remarks:			☐ Ice Maker ☐ Flush			4				
			☐ Water Closet ☐ Floor ☐ Water Hot Water ☐ Water ☐ Water ☐ Other ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	Drain  Bottle Refill Station	Gas Remarks: Provid	de (2) sets of gasses for (2) ventila	ator testing stations.			

Program 1. N2.01

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix	1B Minimum Room Requi	irements		Program lumber(s):	1. N1.01 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.	
Ro	oom Name: Stress Testing Room				3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.	
						11.	17.	23.	29.	35.	41.	47.	
					6.	12.	18.	24.	30.	36.	42.	48.	
<b>ARCHITECT</b>	TURAL REQUIREMENTS												
WALL AND C		WALL PROTECTION				GLAZING	I .	FLOORING TYPES  Material: Base:		ACCESSORIES		<b>.</b>	
	Material: ARGB 1.2m AFF, GB above Material: ACT		✓ Corner Guards ☐ Hand Rails ☐ Crash Rails ☐ Chair Rail	∟ Bed Bun	nper / Locator	☐ Interior Glaz	zing	VSF FCB	✓ Co	oat Hooks 🗹 Ceiling Lif Iirror 🗌 Infant Cha		Magnetic Wh Privacy Curta	niteboard
	Iviateriai. ACI		Crasii Kalis — Criali Kali							oor Remarks:	inge rable 💌	Trivacy curta	
LEGEND:	CEILING LEGEND:	DOORS								or remarks.			
	Architectural Ceiling	Types:			7 MM (2V		700	7 7 7 7				☐ Sec	curity Grille
	Acoustic Ceiling Tile Cleanroom		ale) (# 14#6) K.I. K									lΠΔn	ti-barricade
ARGB	Abuse-Resistant Gypsum Board							<b>VAICA</b>					ategy
	Gypsum Board Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D	D2 E	E E2 F	F2 G	н	J					
KLCT	Kitchen Lay-in Ceiling Tile			-	& Frame Privacy			Auto Hold					
	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: B	linds: Pr	rotect.: Film:	Function: Rea	ader: Lock: Op	pener: Open: Hing	ges: Accessor	y 1: Accessory 2: Ac	cessory 3:	Closer:	
WALL FINISH	HES LEGEND:					[							
EWC	Epoxy Wall Coating					Į (							
	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER	LINITS	Sto	orage Requirements:					FINISHES		
	ISHES LEGEND:			UNITS						Full-height Cabi	net:		
	Epoxy Ceiling Coating	7777	U2 U3 U4							Upper Millw	ork:		
	High Performance Coating Prefinished		77	U5	U6 U7 U8	SHELF				Counter	·		
	Paint			THE	7	3neur				Lower Millw	helf:		
WALL PROTE	ECTION LEGEND:					S1				31	ieii.		
	Extruded Semi-Rigid PVCu Panel									Rem	narks:		
	Fibre Reinforced Laminate Fibreglass Reinforced Plastic												
PVW	Protective Vinyl Wallcovering		Fine Contract of the Contract										
	Rigid High Impact Sheet Wetwall Solid Surface Panel			200									
WVW	Wetroom Vinyl Wallcovering					***********	1	7/					
FLOOR FINIS	HES LEGEND:	C1 C2 C3 C4		-			7	-					
	Concrete Floor Sealer Epoxy Floor Coating		L2				K		1 /	1			
PFC	Polyurethane Floor Coating			1.5			47	1					
	Rubber Athletic Flooring Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L6	L7 L8 L9	L10 L11		1-17	$\dashv$ $\downarrow$ $\parallel$ $\parallel$				
SCF	Seamless Cushioned Flooring						L12	TC1 TC2					
	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized  Min. Length Adjustable Stand	dina Cno	cialty				U				
	Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category			ework	LOWER UNITS	RECEPTIO	ON/TRANSACTION					
	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)					COUNTE	R / CARE TEAM	UTILITY SINK AND C	OUNTER UNIT			
FLOOR BASE	: <b>LEGEND:</b> Flash Cove Base	category 5 mgn (10% of dicater)		_   '			STATION	DESK					
RB	Rubber Base												
SCF	Seamless Cushioned Flooring												
MECHANIC	CAL REQUIREMENTS					ı							
PLUMBING	Hand	Seamless Utility /	Other Fixtures:	Evewash 9	Station	MED / NON-MI	ED GASES						Utility
(Quantity)	1 Lavatory: Kitchen S	ink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		_	Shower Station	(Quantity)	. galdi tar	Medical Nitrous Vacuum: Oxide:	503	ACCC-	Laboratory Air:	Laboratory Vacuum:	Compressed
	1		_	Emergeno		Oxygen			CO2:	AGSS: Nitrogen:		vacuum.	Air:
Plumbing Remarks:				Flush Rim		2	2	2					
nemarks.			_	Floor Drai		Gas Rema	arks: Provide a se	et of gasses for each treadn	nill station.				¬
			Instantaneous Hot Water	□ Water Bo	ttle Refill Station			-					
			riot water	Other									
L						1							

Appendix 1B Minimum Room Requirem	ents	Program 1. N2.02 Number(s): 2.	7. 13. 8. 14.	19. 25. 20. 26.	31. 37. 38.	43. 44.
Room Name: Ventilator Assembly and Test	ing Room	3.	9. 15.	21. 27.	33. 39.	45.
		4. 5.	10. 16. 17.	22. 28. 23. 29.	34. 40. 35. 41.	46. 47.
		6.	12. 18.	24. 30.	36. 42.	48.
ARCHITECTURAL REQUIREMENTS						
WALL AND CEILING	WALL PROTECTION		GLAZING	FLOORING TYPES	ROOM ACCESSORIES	
	inish: PT Type: RHIS Corner Guards Hai	nd Rails	☐ Interior Glazing	Material: Base:	☐ Coat Hooks ☐ Ceiling Lift	✓ Magnetic Whiteboard
Ceiling Material: ACT	inish: PF Height: 1350 mm Crash Rails Cha	air Rail		VSF FCB	☐ Mirror ☐ Infant Change Table	Privacy Curtain
LEGEND:	DOORS				Door Remarks:	
WALL AND CEILING LEGEND:	Types:	e ee ee				Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile			AN MIN MA MAS			
ACT-C Cleanroom						Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board						strategy
IRGB Impact-Resistant Gypsum Board	A A2 B B2 C C2	D D2 E E2	F F2 G H	J		
KLCT Kitchen Lay-in Ceiling Tile		Integral Door & Frame Privacy				
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile	Type:Qty: Size (mm): Material: Finish: Si	ide Lt: Blinds: Protect.: Film:	Function: Reader: Lock:	Opener: Open: Hinges:	Accessory 1: Accessory 2: Accessory 3:	Closer:
	C2 1 1830 x 2135 Solid Core FRL	2 High	Storeroom 🗸	☐ Butt Hinge	Astragal Flush Bolt	Surface
WALL FINISHES LEGEND:						
EWC Epoxy Wall Coating HPC High Performance Coating	MAILLMADE AND COCCIALTY CACCIMODE					
PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Storage Requirements:		FINISHI	£ <b>S</b>
CEILING FINISHES LEGEND:	U1				Full-height Cabinet:	
ECC Epoxy Ceiling Coating	U2 112	U4			Upper Millwork: Plastic	Laminate
HPC High Performance Coating		2 17			Countertop: Hardwo	boc
PF Prefinished PT Paint		7 7	U8 SHELF		Lower Millwork: Plastic	Laminate
					Shelf:	
WALL PROTECTION LEGEND:			S1			
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate	Seguence				Remarks:	
FRP Fibreglass Reinforced Plastic						
PVW Protective Vinyl Wallcovering	10 TOTAL TOT	· F				
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel						
WVW Wetroom Vinyl Wallcovering		-				
FLOOR FINISHES LEGEND:	CI CI		ON BIS CHARLES THE PROPERTY OF THE PARTY OF	/		
CFS Concrete Floor Sealer	C2 C3 C4	1 - 7		7		
EFC Epoxy Floor Coating					A 7/	
PFC Polyurethane Floor Coating	FULL-HEIGHT CABINETS	, s s				
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FOLL-HEIGHT CABINETS		L10 L11	1/ 1/		
SCF Seamless Cushioned Flooring				TC1		
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Motorize			τc2	UC1 UC1	
VSF Vinyl Sheet Flooring	Category 0 - None Min. Length Adjustab Category 1 - Low (1% - 4%) Category (mm) Height		LOWER UNITS			
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)			EPTION/TRANSACTION INTER / CARE TEAM UTILITY S	SINK AND COUNTER UNIT	
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater) 3 2400			TION DESK	SINK AND COOKIEK ONLY	
FCB Flash Cove Base						
RB Rubber Base						
SCF Seamless Cushioned Flooring						
MECHANICAL REQUIREMENTS						
	Seamless Utility / Other Fixtures:	Evewash Station	MED / NON-MED GASES			radia.
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: K	itchen Sink: Process Sink: Scrub Sink: Floor Sink: Shower	Eyewash/Shower Station	(Quantity)	Medical Nitrous	Laborator	ry Laboratory Compressed
1   1	Tub	Emergency Shower	Oxygen: Medical	Air: Vacuum: Oxide: C	CO2: AGSS: Nitrogen: Air:	Vacuum: Air:
Plumbing	☐ Ice Maker	Flush Rim Sink	2 2	2		
Remarks:	☐ Water Closet	Floor Drain				
		Water Bottle Refill Station	Gas Remarks: Provide	e (1) set of medical gasses per ventilator t	testing station.	
	Instantaneous Hot Water	water Bottle Refill Station				
	not water	Other				



## New Surrey Hospital & BC Cancer Centre

MINIMUM ROOM REQUIREMENTS

## O. Biomedical Engineering

Appendix 1B Minimum Room Requirem	nents	Program Number(s):	1. O1.01.02 2.		13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Equipment Cleaning Area			3.		15.	21.	27.	33.	39.	45.
1,1			4.		16.	22.	28.	34.	40.	46.
			5. 6.		17. 18.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.
			0.	12.	10.	24.	30.	30.	42.	40.
ARCHITECTURAL REQUIREMENTS										
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES  Material: Base:		M ACCESSORIES		
		✓ Corner Guards ☐ Hand Rails ☐ Bed Bur ✓ Crash Rails ☐ Chair Rail	nper / Locator	☐ Interior Glazing	3	WSVF FCB		Coat Hooks Ceiling L		Magnetic Whiteboard Privacy Curtain
Ceiling Material: ACT		Crash Rails — Chair Rail				[11011 ]102			iange rable L F	rivacy Curtain
LEGEND:	DOORS						Γ	Door Remarks:		$\neg$
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:									Security Grille
ACT Acoustic Ceiling Tile	KI KIS PALE									Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board				4 IN 4 BN 1	MMM	NN[44]				strategy
GB Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	Н	J				<i>-</i>
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile		Integral Door	& Frame Privacy	Card	Mag	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds: P	rotect.: Film:	Function: Reade	er: Lock: O	pener: Open: Hing	es: Access	ory 1: Accessory 2: A	ccessory 3: Clc	oser:
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating										
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	_	S	Storage Requirements:					FINISHES	
		UPPER UNITS						Full-height Cab	oinet:	
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	17.77	U2 U3 U4 🗆						Upper Mills	work: Plastic Lamina	te
HPC High Performance Coating PF Prefinished		US	U6					Counte	ertop: Hardwood	
PF Prefinished PT Paint			U8	SHELF				Lower Mills		te
WALL PROTECTION LEGEND:				-  L				\$	Shelf:	
ESRP Extruded Semi-Rigid PVCu Panel			1 11					Re	marks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic										
PVW Protective Vinyl Wallcovering		Francisco Francisco								
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel			_							
WVW Wetroom Vinyl Wallcovering			- 7	SO SO SO SO SO SO SO SO SO SO SO SO SO S		7/				
FLOOR FINISHES LEGEND:	C1 C2 C3 C4				-	-				
CFS Concrete Floor Sealer  EFC Epoxy Floor Coating		L2					1 /	1		
PFC Polyurethane Floor Coating		☐ L3 L4 L5 L6	L7 IS		~ ~	-	7   1			
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT CABINETS		<u>го</u> L9	L10 111			4 / 1			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:				L12	TC1 TC2		u   [		
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized  Min. Length Adjustable Standing Spe	cialty				U	UC1		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)	•	ework	LOWER UNITS	RECEPTI	ON/TRANSACTION				
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)	2700			COUNTE STATION	, -	UTILITY SINK AND	COUNTER UNIT		
FCB Flash Cove Base					STATION	DESK				
RB Rubber Base SCF Seamless Cushioned Flooring										
Seamess cushioned Hooming										
MECHANICAL REQUIREMENTS										
	Seamless Utility /	Other Fixtures:		MED / NON MED	CACEC					
	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	LYCWd3II		MED / NON-MED (Quantity)	GASES	Medical Nitrous			Laboratory La	Utility aboratory Compressed
1	1	Shower Eyewash,  Tub Emergen	Shower Station		Medical Air:		CO2:	AGSS: Nitrogen:		Vacuum: Compressed  Var:
Plumbing Provide double utility sink.	, ,	☐ Ice Maker ☐ Flush Rim							1	1
Remarks:		☐ Water Closet ✓ Floor Dra								
		_	ttle Refill Station	Gas Remarks	S:					
		Hot Water								
		Other								

-pp	qu		Number(s):	2.	8. 14.	20. 2	6. 32.	38.	44.
				3.	9. 15.	21. 2		39.	45.
Ro	oom Name: Open Assembly Area			4. 1	0. 16.	22. 2		40.	46.
				5. 1	1. 17.	23. 2		41.	47.
				6. 1	2. 18.	24. 3		42.	48.
A DCUITECT	TURAL REQUIREMENTS								
WALL AND C		WALL PROTECTION			GLAZING	FLOORING TYPES  Material: Base:	ROOM ACCESSOR		
	Material: ARGB 1.2m AFF, GB above		Corner Guards Hand Rails Bed Bu	umper / Locator	☐ Interior Glazing	VSF FCB	Coat Hooks		Magnetic Whiteboard
Ceiling	Material: ACT	Finish: PF Height: 2185 mm	Crash Rails Chair Rail			V3I ICB	☐ Mirror	Infant Change Table	Privacy Curtain
LEGEND:		DOORS					Door Remarks	:	
WALL AND (	CEILING LEGEND:	Types:							Security Grille
AC ACT	Architectural Ceiling								Security office
	Acoustic Ceiling Tile Cleanroom								☐ Anti-barricade
ARGB	Abuse-Resistant Gypsum Board								strategy
GB IRGB	Gypsum Board Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	J			
KLCT	Kitchen Lay-in Ceiling Tile			or & Frame Privacy	Card Mag	Auto Hold			
MMRGB	Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds: I	Protect.: Film:	Function: Reader: Lock:	Opener: Open: Hinges:	Accessory 1: Acce	ssory 2: Accessory 3:	Closer:
SACT	Security Acoustic Ceiling Tile								
	HES LEGEND:								
EWC HPC	Epoxy Wall Coating High Performance Coating	MILLWORK AND SPECIALTY CASEWORK							
	Paint	WILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Stor	rage Requirements:			FINISHES	
CEILING FIN	IISHES LEGEND:							II-height Cabinet:	
ECC	Epoxy Ceiling Coating	7	-+ U3 U4 L					Upper Millwork:	
	High Performance Coating Prefinished	The state of the s	US US	U6 <sub>117</sub> $\square$				Countertop:	
	Paint			0, U8	SHELF			Lower Millwork:	
	TOTION I FORMS				7 🗆			Shelf:	
ESRP	ECTION LEGEND:  Extruded Semi-Rigid PVCu Panel				S1			D d .	
FRL	Fibre Reinforced Laminate							Remarks:	
FRP	Fibreglass Reinforced Plastic								
PVW RHIS	Protective Vinyl Wallcovering Rigid High Impact Sheet	100	Transmitted of the last of the						
WSSP	Wetwall Solid Surface Panel		100	-					
wvw	Wetroom Vinyl Wallcovering			1	DEDESCRIPTION OF THE PROPERTY	7/			
FLOOR FINIS	SHES LEGEND:	C1 C2 C3 C4 C7		4-1/	-				
CFS	Concrete Floor Sealer		12		1111		7 / 6	==7	
	Epoxy Floor Coating Polyurethane Floor Coating		L3 L4 L5		PKKN	-	Tangan and the same		
RAF	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 19					
RSF SCF	Rubber Sheet Flooring			L7 L8 L9	L10 L11		/		
SDRF	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			TC1 TC2		l d	
SDVF	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		ecialty			UC1	II.	
VSF WSVF	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Catego	- ,	sework	LOWER UNITS RECEP	TION/TRANSACTION			
		Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)					ITY SINK AND COUNTER UN	IIT	
FLOOR BASE	E LEGEND: Flash Cove Base	category 5 mgm (1070 or dreater)			STATIO	ON DESK			
RB	Rubber Base								
SCF	Seamless Cushioned Flooring								
MECHANIC	CAL REQUIREMENTS								
PLUMBING		Seamless Utility /	Other Fixtures: Evewash	o Ctation	MED / NON-MED GASES				
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sink	: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:			(Quantity)	Medical Nitrous		Laboratory	Utility Laboratory Compressed
(3-2-10.7)	1			h/Shower Station	Oxygen: Medical A		CO2: AGSS:	Nitrogen: Air:	Vacuum: Compressed Air:
Dlumbina					3.765		7.000.		All.
Plumbing Remarks:			☐ Ice Maker ☐ Flush Rir						
			Water Closet Floor Dr		Gas Remarks:				
				Sottle Refill Station					
			Hot Water Other						
			Sale!						

Program 1. 01.02.01

7.

13.

19.

25.

31.

37.

43.

		Number(s): 2.	8. 14.	20. 26.	32.	38. 44.
December of Helding	A	3.	9. 15.	21. 27.	33.	39. 45.
Room Name: Receiving and Holding	Area	4.	10. 16.	22. 28.	34.	40. 46.
		5.	11. 17.	23. 29.		41. 47.
		6.	12. 18.	24. 30.	36.	42. 48.
ARCHITECTURAL REQUIREMENTS						
·						
WALL AND CEILING	WALL PROTECTION		GLAZING	FLOORING TYPES  Material: Base:	ROOM ACCESSORIES	
Wall Material: MMRGB		Guards Hand Rails Bed Bumper / Locator	☐ Interior Glazing		Coat Hooks Ceiling Lift	Magnetic Whiteboard
Ceiling Material: ACT	Finish: PF Height: 2185 mm Crash R	ails Chair Rail		WSVF FCB	☐ Mirror ☐ Infant Change	e Table Privacy Curtain
LEGEND:	DOORS		-	,	Door Remarks:	
WALL AND CEILING LEGEND:						
AC Architectural Ceiling	Types:					Security Grille
ACT Acoustic Ceiling Tile						
ACT-C Cleanroom						Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board						strategy
IRGB Impact-Resistant Gypsum Board	A A2 B B2	C2 D D2 E E2	: F2 G H	J		
KLCT Kitchen Lay-in Ceiling Tile		Integral Door & Frame Privacy	Card Mag	Auto Hold		
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Material:	Finish: Side Lt: Blinds: Protect.: Film:	Function: Reader: Lock:	Opener: Open: Hinges:	Accessory 1: Accessory 2: Access	sory 3: Closer:
SACT Security Acoustic Ceiling Tile	B2 1 1830 x 2135 Solid Core	FRL 2 High	Storeroom 🗸 🗌	☐ Butt Hinge	Astragal Flush Bolt	Surface
WALL FINISHES LEGEND:						
EWC Epoxy Wall Coating						
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK		Storage Requirements:			FINISHES
		UPPER UNITS			Full-height Cabinet:	
CEILING FINISHES LEGEND:	U1 U2	U3 114			Upper Millwork:	
ECC Epoxy Ceiling Coating HPC High Performance Coating		U3 U4 U5 U6	¬			
PF Prefinished		U7 U	SHELF		Countertop:	
PT Paint			SILLI		Lower Millwork:	
WALL PROTECTION LEGEND			—		Shelf:	
WALL PROTECTION LEGEND:			S1			
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate	Superior III		1		Remark	5:
FRP Fibreglass Reinforced Plastic	Carpenson   1					
PVW Protective Vinyl Wallcovering	90 FEEE STATE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAME		i			
RHIS Rigid High Impact Sheet						
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering						
	C1 C2	==7	on the second	1		
FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer	C2 C3 C4					
EFC Epoxy Floor Coating					( F	
PFC Polyurethane Floor Coating		L3 L4 L5	Zekk			
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS					
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring			L10 L11 L12			
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized		TC1 TC2	-   -	
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None Min. L				UC1 U	
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (m		LOWER UNITS RECE	PTION/TRANSACTION		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)				SINK AND COUNTER UNIT	
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)			TON DESK		
FCB Flash Cove Base						
RB Rubber Base SCF Seamless Cushioned Flooring						
Seamess easinoted rooting						
MECHANICAL REQUIREMENTS						
PLUMBING Hand	Seamless Utility / Other	ixtures:	MED / NON-MED GASES			
	Ciala Vitahan Ciala Danasa Ciala Corah Ciala Floor Ciala	Eyewasii Station	(Quantity)	Medical Nitrous	ı	Utility Laboratory Compressed
1			Oxygen: Medical		O2: AGSS: Nitrogen:	Air: Vacuum: Compressed
			Oxygen. Wedicar	, C	OZ. AGGG. NILIOGEII.	Air: Air:
Plumbing Provide HHS at entry point.		e Maker				
Remarks:	□ v	ater Closet Floor Drain				
		stantaneous Water Bottle Refill Station	Gas Remarks:			
		ot Water	_			
		Other				

Program 1. 01.01.01

13.

19.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

25.

Appendix 1I	B Minimum Room Requir	ements		Program Number(s):	1. O1.03 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.		37. 38.	43. 44.	
Roon	n Name: Storage - Parts				3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.		39. 40.	45. 46.	
					5. 6.	11. 12.	17. 18.	23. 24.	29. 30.	35. 36.		41. 42.	47. 48.	
ARCHITECTU	RAL REQUIREMENTS				<u>.                                    </u>		10.						.0.	
WALL AND CEIL	•	WALL PROTECTION				GLAZING		FLOORING TYPES	R	OOM ACCESSO	RIES			
	aterial: ARGB 1.2m AFF, GB above	Finish: PT Type: RHIS	✓ Corner Guards ☐ Hand Rai	ils 🗌 Bed Bu	mper / Locator	☐ Interior Gla	nzing	Material: Ba	se:	Coat Hooks		: [	Magnetic W	/hiteboard
Ceiling Ma	aterial: ACT	Finish: PF Height: 2185 mm	Crash Rails Chair Rai	il			8	VSF FC	:B	Mirror	☐ Infant Cha	nge Table	Privacy Curt	tain
LEGEND:		DOORS				1	-		,	Door Remark	s:			
WALL AND CEIL	LING LEGEND:	Types:		-						Provide shield	ded glazing in do	oor for laser tes	ing c	ecurity Grille
	chitectural Ceiling			THE !		TOTAL MARKET							36	ecurity drille
	oustic Ceiling Tile anroom						TO 10 10						□ A	inti-barricade
	use-Resistant Gypsum Board psum Board	A A2 B	B2 C C2 D	D2		F2 G	H						st	trategy
	pact-Resistant Gypsum Board	A A2 B	B2 C C2 D		E E2 F			J						
	chen Lay-in Ceiling Tile oisture and Mould-Resistant Gypsum Board				r & Frame Privacy rotect.: Film:		0	Auto Hold Opener: Open:						
	curity Acoustic Ceiling Tile		Material: Finish: Side Lt:			Turiculori.					-	,	Closer:	
WALL FINISHES	LEGEND:	C2 1 1830 x 2135 Sc	olid Core FRL	2 Hi	gn Sto	reroom		Cor	nt. Swing Clear Astr	agal Flush	n Bolt	Surf	ace	
	oxy Wall Coating													
HPC Hig PT Pai	th Performance Coating nt	MILLWORK AND SPECIALTY CASEWORK		PER UNITS	9	Storage Requirements:						FINISHES		
CEILING FINISH				PER UNITS						F	ull-height Cabir	net:		
	oxy Ceiling Coating	1777	U2 U3 U4								Upper Millwo	ork:		
	h Performance Coating finished		* T	U5	U6						Countert	op:		
PT Pai					U8	SHELF					Lower Millwo			
WALL PROTECT	TION LEGEND:					Sı					Sh	elf:		
	ruded Semi-Rigid PVCu Panel					31					Rema	arks:		
	re Reinforced Laminate					-								
	reglass Reinforced Plastic otective Vinyl Wallcovering		PERSONAL PROPERTY.		_									
	id High Impact Sheet		10		1 1 .	1								
	etwall Solid Surface Panel etroom Vinyl Wallcovering		"   11	69	-		1							
FLOOR FINISHE	S LEGEND:	C1 C2 C3	<u> </u>	1	-7	San Parket	-	-	7					
	ncrete Floor Sealer	C2 C3 C4							7	/				
	oxy Floor Coating yurethane Floor Coating		L2 L3 L4			- KM	4==	]	The second	The state of the s	1/			
	bber Athletic Flooring	FULL-HEIGHT CABINETS		L5 L6	L7 L8 L9		-		_		-7/			
	bber Sheet Flooring				L7 L8 L9	L10 L11			/ 7/					
	amless Cushioned Flooring tic-Dissipative Rubber Sheet Flooring	Legend:	Motorized				L12 M	TC1	TC2					
	tic-Dissipative Vinyl Sheet Flooring	Category 0 - None	Min. Length Adjustable S	Standing Spe	ecialty	LOWER UNITS				UC1	11			
	lyl Sheet Flooring etroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)	ry (mm) Height	Height Cas	ework	LOWER UNITS		ION/TRANSACTION						
FLOOR BASE LE	GEND:	Category 3 - High (10% or Greater)					COUNTE	ER / CARE TEAM	UTILITY SINK	AND COUNTER U	NII			
	sh Cove Base						SIAIIO	* DESIC						
	bber Base amless Cushioned Flooring													
SCF Sea	inness cusmoned Flooring													
NATCHANICA	LDEOLUDENAENTS													
	L REQUIREMENTS						_							
	Hand giene Sink: Lavatory: Kitchen Sinl	Seamless Utility / k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures:	Evewash		MED / NON-M	ED GASES							Utility
(Quantity)	biene sink. Lavatory. Kitchen sini	ALCOHOLI SHIR. 1100033 SHIR. SULUS SHIR. 11001 SHIR.	Shower	_	/Shower Station	(Quantity)	n Madisələt		Nitrous Oxide: CO2.	VCCC-	Nitros	Laboratory Air:	Laboratory Vacuum:	Compressed
			Tub	Emergen		Oxygen	n: Medical Air		Oxide: CO2:	AGSS:	Nitrogen:	····		Air:
Plumbing Remarks:			Ice Maker	Flush Rin									1	1
nemarks.			Water Closet	Floor Dra		Gas Rem	narks:							
			Instantaneous	☐ Water Bo	ottle Refill Station									
			Hot Water	Other										

Appendix 1B Minimum Room Requ	uirements	Program Number(s):		7. 8.	13.	19. 20.	25.	31. 32.	37. 38.	43.
T 10:			2.	9.	14. 15.	20.	26. 27.	33.	39.	44. 45.
Room Name: Tool Storage Area			4.	10.	16.	22.	28.	34.	40.	46.
			5.	11.	17.	23.	29.	35.	41.	47.
			6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS										
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES  Material: Base:		1 ACCESSORIES		
Wall Material: ARGB 1.2m AFF, GB above Ceiling Material: ACT		ds Hand Rails Bed Bu	umper / Locator	☐ Interior Glaz	ing	VSF FCB		Coat Hooks		Magnetic Whiteboard Privacy Curtain
		□ Clidii Rdii						Door Remarks:	ange rable —	Privacy Curtain
LEGEND: WALL AND CEILING LEGEND:	DOORS							JOOI REMAINS.		
AC Architectural Ceiling	Types:		7 F		738					Security Grille
ACT Acoustic Ceiling Tile	변별 별 (8) (3)	(mg) K   K     X								☐ Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board	NAMA AMA									strategy
GB Gypsum Board	A A2 B B2 C	C2 D D2	E E2 F	F2 G	н	J				
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile		Integral Do	or & Frame Privacy	Ca	ard Mag	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Material:		Protect.: Film:	Function: Rea	ader: Lock: C	Opener: Open: Hin	ges: Accesso	ory 1: Accessory 2: Ac	ccessory 3: Cl	Closer:
SACT Security Acoustic Ceiling Tile										
WALL FINISHES LEGEND:										
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK			Clause Base Second					FINISHES	
PT Paint		UPPER UNITS		Storage Requirements:					FINISHES	
CEILING FINISHES LEGEND:	U1 U2							Full-height Cab		
ECC Epoxy Ceiling Coating HPC High Performance Coating	7	U3 U4 U5	U6 U7 🗆					Upper Millw Counter		
PF Prefinished		777	U7 U8	SHELF				Lower Millw		
PT Paint			77	!a					helf:	
WALL PROTECTION LEGEND:			-	S1						
ESRP Extruded Semi-Rigid PVCu Panel	11							Ren	narks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic		_								
PVW Protective Vinyl Wallcovering	10	1								
RHIS Rigid High Impact Sheet  WSSP Wetwall Solid Surface Panel										
WVW Wetroom Vinyl Wallcovering			-	Service Servic	1	7				
FLOOR FINISHES LEGEND:	C1 C2 C3		d 1/1	~ ~	-	Comment -	1000			
CFS Concrete Floor Sealer	C4 C5 14	-					7 /	E		
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 L4 15		KAN	1==	- Company	-/ 1	4		
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	∐	L7 L8 L9		1					
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring			L7 L8 L9	L10 L11			7/ 11			
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			L12 M	TC1 TC2				
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring	Category 0 - None Min. Length	Adjustable Standing Sp	ecialty	LOWER UNITS			· ·	JC1 U		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm) Category 2 - Med (5% - 9%)	Height Height Ca	sework	LOWER ONLIS		ION/TRANSACTION				
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				COUNTE	ER / CARE TEAM	UTILITY SINK AND	COUNTER UNIT		
FCB Flash Cove Base					SIATIO	N DESK				
RB Rubber Base SCF Seamless Cushioned Flooring										
Seamess cusmoned ricorning										
AAFCUANUCAL DEGUUDEAAFAITS								·-		
MECHANICAL REQUIREMENTS										
PLUMBING Hand	Seamless Utility / Other Fixtu Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Lycwasi	h Station	MED / NON-ME	D GASES					Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen	□ Snowe		h/Shower Station	(Quantity)		Medical Nitrous . Vacuum: Oxide:		ACCC ****		Laboratory Compressed
	Tub	Emerge		Oxygen:	Medical Air	· vacuum. Oxide.	CO2:	AGSS: Nitrogen:	7	Vacuum. Air:
Plumbing	☐ Ice Ma									
Remarks:	☐ Water			Gas Rema	arks.					
	☐ Instan		Bottle Refill Station	Jas Nellia						
	Hot W									
		Otilei								

Appendix 1B Minimum Room Requirem	nents	Program Number(s):		7. 13.	19.	25.	31.	37.		43.
[			2. 3.	8. 14. 9. 15.	20. 21.	26. 27.	32. 33.	38. 39.		44. 45.
Room Name: Workbench - Large			4.	10. 16.		28.	34.	40.		46.
			5.	11. 17.	23.	29.	35.	41.		47.
			6.	12. 18.	24.	30.	36.	42.		48.
ARCHITECTURAL REQUIREMENTS										
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPE		ROOM ACCESSOR			
		nd Rails Bed Bu	umper / Locator	☐ Interior Glazing	Material: E	ase: -CB	Coat Hooks			etic Whiteboard
Ceiling Material: ACT	11018.111 2203 11111	air Rail			3541			☐ Infant Change Ta	ble Privacy	Curtain
LEGEND:	DOORS						Door Remarks:	S:		
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:									Security Grille
ACT Acoustic Ceiling Tile									1	Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board									L	strategy
GB Gypsum Board	A A2 B B2 C C2	D D2	E E2 F	F2 G	H J					<i>.</i>
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile		Integral Do	or & Frame Privacy	Card	Mag Auto Hold					
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): Material: Finish: S	ide Lt: Blinds:	Protect.: Film:	Function: Reader:	Lock: Opener: Open:	Hinges: A	Accessory 1: Acces	ssory 2: Accessory	3: Closer:	
, ,										
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating										
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK			Storage Requirements:				FI	NISHES	
PT Paint		UPPER UNITS					Fu	ıll-height Cabinet:		
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	U2 U2	U4 $\square$						Upper Millwork:		
HPC High Performance Coating		U5	U6 U7 [					Countertop:		
PF Prefinished PT Paint			U	S SHELF				Lower Millwork:		
								Shelf:		
WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel				S1				Domorko		
FRL Fibre Reinforced Laminate			1					Remarks:		
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering	7		. 1 1							
RHIS Rigid High Impact Sheet	100 miles   100 mi			i						
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering		Con Con	-							
FLOOR FINISHES LEGEND:	ci ci		1 - 1/1	ON MA PERSONAL PROPERTY OF THE PERSONS ASSESSED.		7				
CFS Concrete Floor Sealer	C2 C3 C4 C5	+ =	- Personal			7	/			
EFC Epoxy Floor Coating				- KM			The state of the s			
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9							
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring			L7 L8 L9	L10 L11		/ 7/				
SDRF Static-Dissipative Rubber Sheet Flooring	Legend: Motorize	ed	_			TC2		U		
SDVF Static-Dissipative Vinyl Sheet Flooring  VSF Vinyl Sheet Flooring	Category 0 - None Min. Length Adjustab	le Standing Sp	ecialty	LOWER UNITS			UC1	Ш		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	Height Ca	sework	LOWER OWNS	RECEPTION/TRANSACTION		C AND COUNTER UN	МТ		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				COUNTER / CARE TEAM STATION DESK	OTILITY SINK	. AND COUNTER ON	VIII		
FCB Flash Cove Base										
RB Rubber Base SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS	·									
PLUMBING Hand	Seamless Utility / Other Fixtures:	☐ Eyewasl	h Station	MED / NON-MED GA	ASES					
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink: Shower		h/Shower Station	(Quantity)	Medical	Nitrous		Labo	oratory Laborato	Utility <sup>ory</sup> Compressed
1	Tub	Emerge		1	Medical Air: Vacuum:	Oxide: CO2:	AGSS:		Air: Vacuur	
Plumbing	☐ Ice Maker	☐ Flush Ri		6	4 6	0	2	2	6	6
Remarks:	☐ Water Closet	☐ Floor Dr								
	☐ Instantaneous		Bottle Refill Station	Gas Remarks:	Provide Niederman exhaust a	rm. Gasses at each (6)	workstation, (2) star	itions to have additio	nal NO, AGSS.	
	Hot Water			¬						
		Other		_						

Appendix	1B Minim	um Room Require	ements		Program Number(s):	1. O1.02.03 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.		37. 38.	43. 44.	
Ro	oom Name: W	/orkbench - Small				3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.		39. 40.	45. 46.	
							11.	17.	23.	29.	35.		41.	47.	
						6.	12.	18.	24.	30.	36.		42.	48.	
ARCHITECT	URAL REQU	UIREMENTS					1								
WALL AND C			WALL PROTECTION				GLAZING		FLOORING TYPE Material: Ba		ROOM ACCESS			$\neg$	
	Material: ARGI Material: ACT	B 1.2m AFF, GB above	Finish:         PT         Type:         RHIS           Finish:         PF         Height:         2185 mm	Corner Guards Hand Rail Crash Rails Chair Rail		mper / Locator	☐ Interior Gla	zing		CB	Coat Hooks  Mirror	Ceiling Lif		☐ Magnetic W☐ Privacy Cur	
	iviateriai. ACI			Clasii Naiis Cliaii Naii							Door Rema		alige lable L	Frivacy cur	tairi
LEGEND:	EILING LEGEND	۸۰	DOORS								Door Kerna	11.5.			
	Architectural Ceiling		Types:											S	ecurity Grille
	Acoustic Ceiling Tile														anti-barricade
	Cleanroom Abuse-Resistant Gyp	osum Board													trategy
	Gypsum Board Impact-Resistant Gy	rnsum Board	A A2 B	B2 C C2 D	D2	E E2 F	F2 G	н	J						
KLCT	Kitchen Lay-in Ceiling	g Tile			Integral Doo	r & Frame Privacy	С	ard Mag	Auto Hold						
	Moisture and Mould Security Acoustic Cei	d-Resistant Gypsum Board	Type:Qty: Size (mm):	Material: Finish: Side Lt:	Blinds: P	rotect.: Film:	Function: Re	ader: Lock: O	pener: Open:	Hinges:	Accessory 1: Acces	ccessory 2: Ac	cessory 3:	Closer:	
		ining the													
WALL FINISH EWC	Epoxy Wall Coating														
HPC	High Performance Co	oating	MILLWORK AND SPECIALTY CASEWORK			St	orage Requirements:						FINISHES		
	Paint				PER UNITS							Full-height Cabi			
	SHES LEGEND: Epoxy Ceiling Coating	α		U1 U2 U3 U4								Upper Millw			
	High Performance Co			7 V V V V V V V V V V V V V V V V V V V	U5	U6 U7						Counter	top:		
	Prefinished Paint				7	U8	SHELF					Lower Millw	ork:		
							<b>⊅</b> □					Sh	nelf:		
	EXTRIPORT LEGEND  Extruded Semi-Rigid						S1					<b>D</b>			
	Fibre Reinforced Lam						1					kem	narks:		
	Fibreglass Reinforced Protective Vinyl Wall					1 1									
	Rigid High Impact Sh				7		i								
	Wetwall Solid Surfac Wetroom Vinyl Wallo				Col.	an Parket	1								
	HES LEGEND:		C1 C2		-	- 7	ON NO STATES	-	7	7					
	Concrete Floor Seale	er	C2 C3 C4 1			- 5-	==			7	/				
EFC	Epoxy Floor Coating						144	1==		-	The state of the s				
	Polyurethane Floor C Rubber Athletic Floo		FULL-HEIGHT CABINETS	_     _	L5 L6	L7 18		1	1 I						
	Rubber Sheet Floorin			_		L7 L8 L9	L10 L11	7							
	Seamless Cushioned Static-Dissipative Ru		Legend:	Motorized		ш		L12 ·	TC1	TC2		1 1			
	Static-Dissipative Vin		Category 0 - None		tanding Spe	ecialty	LOWER UNITS				UC1	Ш			
	Vinyl Sheet Flooring Wetroom Safety Vin		Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)	tegory (mm) Height	Height Cas	ework	LOWER UNITS		ON/TRANSACTION						
FLOOR BASE	LEGEND:		Category 3 - High (10% or Greater)					COUNTE	R / CARE TEAM	UTILITY SIN	K AND COUNTER	UNIT			
	Flash Cove Base							SIATION	V DESK						
	Rubber Base Seamless Cushioned	I Flooring													
301	Jeanness Casmonea	Triodring													
MECHANIC	'AI DEOLUD	ENAENITC													
	AL REQUIR	LIVIEIVIJ		Out The											
PLUMBING	Hand Hygiene Sink:	Lavatory: Kitchen Sink	Seamless Utility / Kitchen Sink: Process Sink: Scrub Sink: Floor Sink	Other Fixtures:	Evewash		MED / NON-M	ED GASES	NAc disast	Nitrous			ab =	I obered :	Utility
(Quantity)	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		71001 31111	□ Snower	_	/Shower Station	(Quantity) Oxygen	: Medical Air:	.,	Nitrous Oxide: CO2	: AGSS:	Nitrogen:	Laboratory Air:	Laboratory Vacuum:	Compressed
Divertity				Tub	Emergen		Oxygen	. ivieuicai Alf:		(0)	. AU33:	Milliogen:	·		Air:
Plumbing Remarks:				Ice Maker	Flush Rim										
22.				Water Closet	Floor Dra		Gas Rem	arks:							
				Instantaneous Hot Water	□ Water Bo	ottle Refill Station									
					Other										
							1								



## New Surrey Hospital & BC Cancer Centre

MINIMUM ROOM REQUIREMENTS

## P. Medical Devices Reprocessing

R	Room Name: Alcove - Drying Cabinet		Number	3. 4. 5.	8.     14.       9.     15.       10.     16.       11.     17.       12.     18.	20. 21. 22. 23. 24.	26. 27. 28. 29. 30.	32. 33. 34. 35. 36.	38. 39. 40. 41. 42.	44. 45. 46. 47. 48.
ARCHITEC	TURAL REQUIREMENTS									
	CEILING  Il Material: ARGB 1.2m AFF, GB above  MMRGB	WALL PROTECTION	Corner Guards Hand Rails Bed	d Bumper / Locator	GLAZING  Interior Glazing	FLOORING TYPES Material: Base: WSVF FCB		ACCESSORIES Coat Hooks Ceiling Life Mirror Infant Ch		Magnetic Whiteboard Privacy Curtain
LEGEND:		DOORS					Do	oor Remarks:		
	CEILING LEGEND:	Types:								☐ Security Grille
AC ACT ACT-C ARGB GB IRGB	Architectural Ceiling Acoustic Ceiling Tile Cleanroom Abuse-Resistant Gypsum Board Gypsum Board Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H					Anti-barricade strategy
KLCT MMRGB	Kitchen Lay-in Ceiling Tile Moisture and Mould-Resistant Gypsum Board			Door & Frame Privacy	Card Mag					
SACT	Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds:	Protect.: Film:	Function: Reader: Lock:	:: Opener: Open: Hi	nges: Accessor	ry 1: Accessory 2: Ac	cessory 3: (	Closer:
WALL FINIS	SHES LEGEND:									
EWC HPC PT	Epoxy Wall Coating High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	orage Requirements:				FINISHES	
ECC HPC PF PT  WALL PROT ESRP FRL FRP PVW RHIS WSSP WVW  FLOOR FINI CFS EFC PFC RAF RSF SCF SDVF VSF WSVF  FLOOR BAS FCB RB SCF	Figure 1 Septiments   Septiments   Formation	FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	U1 U2 U3 U4 U5  L2 L3 L4 L5  Motorized Min. Length Adjustable Standing	U6 U7 U8	cou	TC1 TC2 TC2 TC2 TC2 TC2 TC2 TC2 TC2 TC2 TC2		Ren	ork: top:	
	CAL REQUIREMENTS		_							
PLUMBING (Quantity)	Hand Hygiene Sink: Lavatory: Kitchen Sink	Seamless Utility /  Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	☐ Shower ☐ Eyew	vash Station vash/Shower Station rgency Shower	MED / NON-MED GASES (Quantity) Oxygen: Medica	Medical Nitrou al Air: Vacuum: Oxide		AGSS: Nitrogen:	Laboratory Air:	Laboratory Compressed Vacuum: Air:
Plumbing			☐ Ice Maker ☐ Flush	n Rim Sink						
Remarks:			Water Closet Floor Instantaneous Water Hot Water Other	r Drain er Bottle Refill Station	Gas Remarks:					

Program 1. P2.03.08

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B Minimum Room Requi	rements	Program Number(s):		7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Anteroom - Clean Asse	mbly		3.	9.	15.	21.	27.	33.	39.	45.
			4. 5.	10. 11.	16. 17.	22. 23.	28. 29.	34. 35.	40. 41.	46. 47.
			6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS										
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES  Material: Base:		ACCESSORIES	. $\Box$	
Wall Material: ARGB 1.2m AFF, GB above Ceiling Material: MMRGB		Hand Rails Bed Bu Chair Rail	umper / Locator	☐ Interior Glaz	zing	WSVF FCB		Coat Hooks Ceiling Lit Mirror Infant Ch		Magnetic Whiteboard Privacy Curtain
LEGEND:	DOORS							oor Remarks:		
WALL AND CEILING LEGEND:	Types:									
AC Architectural Ceiling	турез.				MARE					Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom										☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board										strategy
GB Gypsum Board	A A2 B B2 C	C2 D D2	E E2 F	F2 G	н	J				
IRGB Impact-Resistant Gypsum Board  KLCT Kitchen Lay-in Ceiling Tile		Intogral Dog	or & Frame Privacy	C	ard Mag	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Material: Fini	DI:l.	Protect.: Film:	D	•			ory 1: Accessory 2: Ac		loser:
SACT Security Acoustic Ceiling Tile		5 5.uc 2t.		i directori.		,		ory 1: Accessory 2: Ac		
WALL FINISHES LEGEND:	B 1 1220 x 2135 Hollow Metal Paint	2 H				Butt Hinge			Concea	
EWC Epoxy Wall Coating	B 1 1220 x 2135 Hollow Metal Paint		iign   🗀   Pa	ssage		Butt Hinge			Conce	aled
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK			Storage Requirements:					FINISHES	
PT Paint		UPPER UNITS		otorage riequii emeritor				Full baight Cabi		
CEILING FINISHES LEGEND:	U1 U2							Full-height Cabi		
ECC Epoxy Ceiling Coating	7-1-1-1	U3 U4 U5						Upper Millw		
HPC High Performance Coating PF Prefinished		77	U6 U7 U8	SHELF				Counter	·	
PT Paint			77	JILLE				Lower Millw		
WALL PROTECTION LEGEND.				Pl ⊔				S	helf:	
WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel				S1				D		
FRL Fibre Reinforced Laminate				1				Ken	marks:	
FRP Fibreglass Reinforced Plastic			1 1							
PVW Protective Vinyl Wallcovering	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COL	( Comment		1						
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel		No. of Concession, name of								
WVW Wetroom Vinyl Wallcovering			20 7000000	THE REPORT OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLU	1					
FLOOR FINISHES LEGEND:	C1 C2			On the Party of th	-	Consession .				
CFS Concrete Floor Sealer	C2 C3 C4 C5		- Personal				7 /			
EFC Epoxy Floor Coating					1	K	/ 400	1		
PFC Polyurethane Floor Coating			17		7 -		7   1	-		
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L7 L8 L9	1110		1-17	-1 / 11			
SCF Seamless Cushioned Flooring				L10 L11	L12			, , , , , , , ,		
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized				TC1 TC2				
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring		•	ecialty	LOWER UNITS			[	JC1 U		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm)  Category 2 - Med (5% - 9%)	Height Height Ca	sework	LOWER OWITS		ION/TRANSACTION	L			
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)					,	UTILITY SINK AND	COUNTER UNIT		
FCB Flash Cove Base					STATIO	N DESK				
RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS									•	
·										
PLUMBING Hand	Seamless Utility / Other Fixtures	☐ Eyewasi	n Station	MED / NON-ME	ED GASES					Utility
( )	ink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:  Shower	☐ Eyewash	h/Shower Station	(Quantity)		Medical Nitrous				Laboratory Compressed
1	Tub	☐ Emerge		Oxygen:	Medical Air	· Vacuum: Oxide:	CO2:	AGSS: Nitrogen:	Air:	Vacuum: Air:
Plumbing	☐ Ice Make									
Remarks:	□ Water Cle								<u> </u>	
				Gas Rema	arks:					
	Instantan		Sottle Refill Station							
	Hot Water	r Other								
		S 2C.		·						

Room Name: Antero	om - Decontamination	Number(s): 2. 3. 4. 5. 6.	8.     14.       9.     15.       10.     16.       11.     17.       12.     18.	20.       26.         21.       27.         22.       28.         23.       29.         24.       30.	32. 33. 34. 35. 36.	38.       44.         39.       45.         40.       46.         41.       47.         42.       48.
ARCHITECTURAL REQUIRE	MENTS					
WALL AND CEILING  Wall Material: ARGB 1.2  Ceiling Material: MMRGB		Corner Guards Hand Rails Bed Bumper / Locator Crash Rails Chair Rail	GLAZING  Interior Glazing	FLOORING TYPES Material: Base: WSVF FCB	ROOM ACCESSORIES   ✓ Coat Hooks ☐ Ceiling Lift  ☐ Mirror ☐ Infant Cha	
LEGEND: WALL AND CEILING LEGEND:	DOORS Types:				Door Remarks:	☐ Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile ACT-C Cleanroom ARGB Abuse-Resistant Gypsum B GB Gypsum Board IRGB Impact-Resistant Gypsum B	A A2 B B		F2 G H			Anti-barricade strategy
KLCT Kitchen Lay-in Ceiling Tile MMRGB Moisture and Mould-Resist SACT Security Acoustic Ceiling Til	1 VDE QLV. 312E (111111). 1VI	Integral Door & Frame Privacy aterial: Finish: Side Lt: Blinds: Protect.: Film:  ow Metal Paint	Function: Card Mag Reader: Lock:  Storeroom	Auto Hold Opener: Open: Hinges:  Butt Hinge	Accessory 1: Accessory 2: Acc	cessory 3: Closer:
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating  HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Passage	Butt Hinge		Concealed FINISHES
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu I FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plasti PVW Protective Vinyl Wallcoveri RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Pane WVW Wetroom Vinyl Wallcoveri  FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Coating PFC Polyurethane Floor Coating RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooris SDVF Static-Dissipative Vinyl Sheet VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet FLOOR BASE LEGEND: FCB Flash Cove Base RB Rubber Base SCF Seamless Cushioned Floorin	FULL-HEIGHT CABINETS  get eet Flooring to Flooring to Flooring to Flooring Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	Motorized  Min. Length  Motorized  Adjustable  Standing  Specialty	SHELF S1  LOWER UNITS  RECEF COUN	PTION/TRANSACTION ITER / CARE TEAM UTILITY SII		ork:
MECHANICAL REQUIREM PLUMBING Hand (Quantity) Hygiene Sink: Lava	Seamless Utility / tory: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures: Evewash Station	MED / NON-MED GASES (Quantity)	Medical Nitrous		Utility Laboratory Laboratory Compressed
Plumbing Remarks:		Shower Eyewash/Shower Station  Tub Emergency Shower  Ice Maker Flush Rim Sink  Water Closet Floor Drain  Instantaneous Water Bottle Refill Station  Other	Oxygen: Medical A		2: AGSS: Nitrogen:	Air: Vacuum: Compressed Air: Air:

Program 1. P1.02

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

	q			Number(s):	2.	8. 14.	2	0. 26	5.	32.	38.	44.	
	0 10 1 (0)				3.	9. 15.	2			33.	39.	45.	
R	Room Name: Cart Drying/Staging				4. 1		2			34.	40.	46.	
					5. 1		2			35.	41.	47.	
					6. 1		2			36.	42.	48.	
ARCHITEC	TURAL REQUIREMENTS												
WALL AND		WALL PROTECTION	NI			GLAZING	ELOOPII	NG TYPES	POOM AC	CESSORIES			
	III Material: MMRGB	Finish: HPC Type: ESRP	Corner Guards Hand Ra	ils Red Rumr				terial: Base:		Hooks Ceiling Lif	+	Magnetic W	hitehoard
	g Material: MMRGB	Finish: HPC Height: 2185			Jei / Locatoi	☐ Interior Glazing	WS	VF FCB	Mirro			Privacy Curta	
	, material minutes		Thin a creaming a creaming							Remarks:			
LEGEND:	CEILING LEGEND:	DOORS							200.	nemarks.			
AC AND	Architectural Ceiling	Types:										☐ Se	ecurity Grille
ACT	Acoustic Ceiling Tile	KIKIS											
ACT-C	Cleanroom	NIMA	M NATATAM			NATANTA		<b>7</b>					nti-barricade
ARGB GB	Abuse-Resistant Gypsum Board Gypsum Board	A A2	B B2 C C2 D	D2 E	E2 F	F2 G	H I					Sti	rategy
IRGB	Impact-Resistant Gypsum Board	h 72	b			F2 G							
KLCT	Kitchen Lay-in Ceiling Tile				k Frame Privacy	Card		lold					
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Гуре:Qty: Size	mm): Material: Finish: Side Lt	: Blinds: Pro	tect.: Film:	unction: Reader:	Lock: Opener: C	pen: Hinges:	Accessory 1	: Accessory 2: Ac	cessory 3:	Closer:	
EWC	SHES LEGEND:  Epoxy Wall Coating												
HPC	High Performance Coating	MILLWORK AND SPECIALTY CASEWO	RK		Stor	age Requirements:					FINISHES		
PT	Paint	2422		PER UNITS	3101	age Requirements.							
CEILING FIN	NISHES LEGEND:		U1							Full-height Cabi			
ECC	Epoxy Ceiling Coating		U2 U3 U4	[						Upper Millw			
HPC PF	High Performance Coating Prefinished	Samuel Control of the		U5 U	6 U7 U8	CHELE				Counter			
PT	Paint				7 7 7 08	SHELF				Lower Millw			
						7 🗆				Sh	nelf:		
	TECTION LEGEND:	7				S1							
ESRP FRL	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate	Segment		- Karan		1				Rem	narks:		
FRP	Fibreglass Reinforced Plastic												
PVW	Protective Vinyl Wallcovering		NO. CONTRACTOR OF THE PARTY OF	6	_ ! ! !								
RHIS	Rigid High Impact Sheet			1									
WSSP WVW	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering	CONTRACTO	- ' '	00	no Transportation								
		C T			- 7	o me	1/4	7					
	ISHES LEGEND:	C1 C2 C3 C4				7	The same of the sa		7				
CFS EFC	Concrete Floor Sealer Epoxy Floor Coating				-K-V) .	1	***		1 4	1 mil			
PFC	Polyurethane Floor Coating	· ·		L5			-	- September		THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COL			
RAF	Rubber Athletic Flooring	FULL-HEIGHT CABINETS			7 L8 L9		// L	1	J				
RSF SCF	Rubber Sheet Flooring Seamless Cushioned Flooring				18 L9 T	L10 L11			/				
SDRF	Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized										
SDVF	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		Standing Specia	alty				UC1	и П			
VSF WSVF	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%)	Category (mm) Height	Height Casev		LOWER UNITS	RECEPTION/TRAN	SACTION					
		Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)			7		COUNTER / CARE		ITY SINK AND COU	NTER UNIT			
FLOOR BAS		Category 3 - High (10% of Greater)					STATION DESK						
FCB RB	Flash Cove Base Rubber Base												
SCF	Seamless Cushioned Flooring												
NAECHANIA	CAL DECLUDEMENTS												
	CAL REQUIREMENTS												
PLUMBING	Hand	Seamless Utility /	Other Fixtures:	Evewash St	ation	MED / NON-MED GA							Utility
(Quantity)	нуgiene Sink: Lavatory: Kitchen Sir	nk: Kitchen Sink: Process Sink: Scrub Sink: Floo	r Sink: Shower	☐ Eyewash/SI		(Quantity)	Medi					Laboratory	Compressed
			Tub	☐ Emergency		Oxygen: M	1edical Air: Vacu	ım: Oxide:	CO2: A	GSS: Nitrogen:	Air:	Vacuum:	Air:
Plumbing			☐ Ice Maker	Flush Rim S									1
Remarks:			I	Floor Drain									
			Water Closet			Gas Remarks:							
			☐ Instantaneous	☐ Water Bott	ie Refill Station								
			Hot Water	Other									
				- L									

Program 1. P2.03.01

7.

13.

19.

25.

31.

37.

43.

Appendix 1B Minimum Room Requirements	Program Number(s):		7. 13 8. 14		25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Cart Washer		3.	9. 15 10. 16		27.	33. 34.	39. 40.	45.
		4. 5.	10. 16 11. 17		28. 29.	35.	41.	46. 47.
		6.	12. 18	3. 24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS			_					
WALL AND CEILING WALL PROTECTION			GLAZING	FLOORING TY	/PES F	ROOM ACCESSORIES		
Wall Material: MMRGB Finish: HPC Type: ESRP Corner Guards	Hand Rails 🔲 Bed Bı Chair Rail	umper / Locator	☐ Interior Glazing	Material: WSVF	FCB	Coat Hooks Mirror		Magnetic Whiteboard
	Chair Rail			, insti	1.65	Door Remarks:	Infant Change Table	Privacy Curtain
LEGEND: DOORS						Door Remarks:		
WALL AND CEILING LEGEND:  AC Architectural Ceiling  Types:								☐ Security Grille
ACT Acoustic Ceiling Tile								
ACT-C Cleanroom ARGB Abuse-Resistant Gypsum Board			4 N4 NN D					Anti-barricade strategy
GB Gypsum Board A A2 B B2 C C2	D D2	E E2 F	F2 G	Н Ј				Strategy
IRGB Impact-Resistant Gypsum Board	Integral De	or & Frame Privacy	Card	Mag Auto Hold				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board  Fype:Qty: Size (mm): Material: Finish:		Protect.: Film:	Card Function: Reader	Mag Auto Hold : Lock: Opener: Open:	Hinges: A	.ccessory 1: Accesso	ory 2: Accessory 3:	Closer:
SACT Security Acoustic Ceiling Tile	Side Lt.		Function:		ninges: A	ccessory 1: Accesso	ory 2: Accessory 3:	Closer:
WALL FINISHES LEGEND:								
EWC Epoxy Wall Coating								
HPC High Performance Coating MILLWORK AND SPECIALTY CASEWORK PT Paint	UPPER UNITS	9	Storage Requirements:				FINISHES	
CEILING FINISHES LEGEND:						Full-h	neight Cabinet:	
ECC Epoxy Ceiling Coating							pper Millwork:	
HPC High Performance Coating	U5	U6 U7					Countertop:	
PF Prefinished PT Paint	1	U8	SHELF			Lo	ower Millwork:	
							Shelf:	
WALL PROTECTION LEGEND:			S1					
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate			1				Remarks:	
FRP Fibreglass Reinforced Plastic								
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	Frances		1					
WSSP Wetwall Solid Surface Panel	THE PERSON NAMED IN COLUMN	-						
WVW Wetroom Vinyl Wallcovering	111 =	1	CONTRACTOR OF THE PERSON	7/				
FLOOR FINISHES LEGEND:  C1  C2  C3  C3  C4	-	t 1/1	-	Consessed Consessed				
CFS Concrete Floor Sealer C4 C5	=		// k	_		L	= 7	
DEC Polywerthans Floor Coating	L4 L5		- REKA		- Constitution	The same of the sa		
RAF Rubber Athletic Flooring FULL-HEIGHT CABINETS		L7 L8 L9					$+$ $\parallel$ $\parallel$	
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring		L7 L8 L9	L10 L11		1/			
SDRF Static-Dissipative Rubber Sheet Flooring Legend: Moto	ized			L12 TC1	TC2		l u	
SDVF Static-Dissipative Vinyl Sheet Flooring Category 0 - None Min. Length Adjust		ecialty	LOWER UNITS			UC1	U .	
VSF Vinyl Sheet Flooring Category 1 - Low (1% - 4%) Category (mm) Height WSVF Wetroom Safety Vinyl Sheet Flooring Category 2 - Med (5% - 9%)	ht Height Ca	sework	LOWER UNITS	RECEPTION/TRANSACTI				
FLOOR BASE LEGEND: Category 3 - High (10% or Greater)				COUNTER / CARE TEAM STATION DESK	UTILITY SINK	AND COUNTER UNIT		
FCB Flash Cove Base				317111011 2231				
RB Rubber Base								
SCF Seamless Cushioned Flooring								
MECHANICAL REQUIREMENTS			1					
PLUMBING Hand Seamless Utility / Other Fixtures:	☐ Evewas	h Station	MED / NON-MED O	GASES				Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink: Shower	_	h/Shower Station	(Quantity)	Medical	Nitrous		Laboratory	Laboratory Compressed
Tub		ncy Shower	Oxygen:	Medical Air: Vacuum:	Oxide: CO2:	AGSS: 1	Nitrogen: Air:	Vacuum: Air:
Plumbing Refer to Schedule 1, Section 7.4 Plumbing (Division 22) for RO Water System requirements	☐ Flush Ri							1
Remarks: Water Closet	☐ Floor Dr				1			
☐ Instantaneous	_	Bottle Refill Station	Gas Remarks:					
Hot Water	_							
	Other							

Appendix 1B Minimum Room Require	ements	Program Number(s):	1. P3.02.03 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Case Cart Holding - Empt	у		3.	9.	15.	21.	27.	33.	39.	45.
				10. 11.	16. 17.	22. 23.	28. 29.	34. 35.	40. 41.	46. 47.
			6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS										
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES	ROC	M ACCESSORIES		
Wall Material: MMRGB	Finish: HPC Type: ESRP	Corner Guards Hand Rails Bed Bur	nper / Locator	☐ Interior Glaz	zing	Material: Base: WSVF FCB		Coat Hooks Ceiling		Magnetic Whiteboard
Ceiling Material: MMRGB	Finish: HPC Height: 2185 mm	Crash Rails Chair Rail				W3VI ICD			Change Table	Privacy Curtain
LEGEND: WALL AND CEILING LEGEND:	DOORS							Door Remarks:		
AC Architectural Ceiling	Types:	an anatan	7 NO E		709					Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom										☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board		B2 C C2 D D2		F2 G						strategy
IRGB Impact-Resistant Gypsum Board	A A2 B		E E2 F		п м	,				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	9	& Frame Privacy rotect.: Film:			Auto Hold Opener: Open: <sub>Hing</sub>	res: Acces	ssory 1: Accessory 2:	Accessory 3: (	Closer:
SACT Security Acoustic Ceiling Tile	G 1 1220 x 2135		•				7,000	7.0000001, 2.		0.050.1
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating				[						
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Sto	orage Requirements:					FINISHES	
PT Paint  CEILING FINISHES LEGEND:		UPPER UNITS						Full-height Ca	binet:	
ECC Epoxy Ceiling Coating	1717	U2 U3 U4						Upper Mil	work:	
HPC High Performance Coating PF Prefinished		US V	U6 U7 U8	SHELF				Count	-	
PT Paint	-		77	*3				Lower Mil	Shelf:	
WALL PROTECTION LEGEND:	-			S1						
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate	- II II II II II			1				Re	emarks:	
FRP Fibreglass Reinforced Plastic										
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	100	E TOTAL STREET		1						
WSSP Wetwall Solid Surface Panel			-7	-						
WVW Wetroom Vinyl Wallcovering			= 7	on an anti-		7				
FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer	C1 C2 C3 C4 C5				1		7			
EFC Epoxy Floor Coating		L1 L2 L3 L4 L5		- 1944	1==	Congress of the Congress of th	_/ 6			
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L3 L4 L5 L6	L7 L8 19		-					
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring			L/ L8 L9 1	L10 L11			7/			
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			L12 N	TC1 TC2				
SDVF Static-Dissipative Vinyl Sheet Flooring  VSF Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category 1 - Low (1% - 4%)	Min. Length Adjustable Standing Spe	cialty	LOWER UNITS	_			UC1 "		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)		ework	2011211011110		TION/TRANSACTION ER / CARE TEAM	LITH ITV SINK AN	D COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				STATIO	-	0112111 0111117111	o cooming out		
FCB Flash Cove Base RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS										
PLUMBING Hand	Seamless Utility /	Other Fixtures: Evewash	Station	MED / NON-ME	ED GASES					Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink	: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Shower Station	(Quantity)		Medical Nitrous			A.*.	Laboratory Compressed
		Tub Emergen		Oxygen:	: Medical Air	r: Vacuum: Oxide:	CO2:	AGSS: Nitrogen	AII.	vacuum: Air:
Plumbing Remarks:		☐ Ice Maker ☐ Flush Rim								
Nemuro.		Water Closet Floor Dra		Gas Rema	arks:					
		☐ Instantaneous ☐ Water Bo	ttle Refill Station							
		Other Other								
		<b>_</b>		1						

Appendix 1B Minimum Room Requir	ements	Program Number(s):	1. P3.02.02 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Case Cart Holding - Full/	Stocked		3.	9.	15.	21.	27.	33.	39.	45.
				10. 11.	16. 17.	22. 23.	28. 29.	34. 35.	40. 41.	46. 47.
			6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS										
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES	ROOM	M ACCESSORIES		
Wall Material: MMRGB	Finish: HPC Type: ESRP	Corner Guards Hand Rails Bed Bur	nper / Locator	☐ Interior Glaz	zing	Material: Base: WSVF FCB		Coat Hooks Ceiling L		Magnetic Whiteboard
Ceiling Material: MMRGB	Finish: HPC Height: 2185 mm	Crash Rails Chair Rail				WSVF FCB			hange Table	Privacy Curtain
LEGEND:	DOORS							Door Remarks:		
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:	rate fall fall tell fale fa	7 MM (20							Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom										☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board										strategy
GB Gypsum Board IRGB Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	Н	J				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	· ·	& Frame Privacy rotect.: Film:		ard Mag ader: Lock: (	Auto Hold Opener: Open: <sub>Hing</sub>	ec. V.c.ecc	sory 1: Accessory 2: A	accessory 3:	Closer:
SACT Security Acoustic Ceiling Tile	Туре. су. 5/2е (ппп).	Waterial. Fillish. Side Et.		Tunction.			es. Access	NOTY 1. Accessory 2. A	accessory 5.	ciosei.
WALL FINISHES LEGEND:										
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Sto	orage Requirements:					FINISHES	
PT Paint		UPPER UNITS	3.0	orage nequirements.				Full-height Cab		
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	1777	U1 U2 U3 U4						Upper Mills		
HPC High Performance Coating PF Prefinished		U5	U6 U7 U8	CHELE				Counte	-	
PT Paint			77	SHELF				Lower Milly	work: Shelf:	
WALL PROTECTION LEGEND:				S1 S1				`	Sileii.	
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate				1				Re	marks:	
FRP Fibreglass Reinforced Plastic										
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	-	The state of the s		1						
WSSP Wetwall Solid Surface Panel			-							
WVW Wetroom Vinyl Wallcovering			= -	on an extendent	1	7				
FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer	C1 C2 C3 C4 C5 L						7	/		
EFC Epoxy Floor Coating		1 L2 12			1==	K	/ 4			
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L3 L4 L5 L6	L7 L8		1		7			
RSF Rubber Sheet Flooring			L/ L8 L9 1	L10 L11	7		7/			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			L12 M	TC1 TC2		.   .		
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring	Category 0 - None	Min. Length Adjustable Standing Spe	cialty	LOWER UNITS				UC1 "		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)		ework	LOWER OILIS		ION/TRANSACTION ER / CARE TEAM	UTILITY SINK AND			
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				STATIO	, -	OTILITY SHAK AND	COONTER ONLY		
FCB Flash Cove Base RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS										
PLUMBING Hand	Seamless Utility /	Other Fixtures: Evewash	Station	MED / NON-ME	ED GASES					Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sin	k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower Eyewash,	Shower Station	(Quantity)		Medical Nitrous			A * ·	Laboratory Compressed
		Tub Emergen		Oxygen:	: Medical Air	-: Vacuum: Oxide:	CO2:	AGSS: Nitrogen:	Air:	Vacuum: Air:
Plumbing Remarks:		☐ Ice Maker ☐ Flush Rim								
nellidiks.		Water Closet Floor Dra		Gas Rema	arks:					
			ttle Refill Station	Just Herric						
		Hot Water Other								
				1						

Appendix 1	B Minimum Room Requi	irements		Program Number(s):	1. P3.01 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.	
Roo	m Name: Cooling Room - Steam	Sterilizers			3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.	
					5.	11.	17.	23.	29.	35.	41.	47.	
					6.	12.	18.	24.	30.	36.	42.	48.	
ARCHITECTU	JRAL REQUIREMENTS												
WALL AND CEI		WALL PROTECTION				GLAZING		FLOORING TYPES		1 ACCESSORIES	_	$\neg$	
	1aterial: ARGB 1.2m AFF, GB above 1aterial: MMRGB	Finish: HPC	✓ Corner Guards ☐ Hand Rail. ✓ Crash Rails ☐ Chair Rail		mper / Locator	☐ Interior Gla	zing	Material: Base: WSVF FCB		Coat Hooks		☐ Magnetic W☐ Privacy Curt	
	idleridi. IVIIVIKGB		Crash Rails   — Chair Rail							Ooor Remarks:	nange rabie L	Privacy Curt	difi
LEGEND:	ILING LEGEND:	DOORS								rovide wave opener to do	or		
	rchitectural Ceiling	Types:					701	7.7.5				☐ Se	ecurity Grille
	coustic Ceiling Tile eanroom												nti-barricade
ARGB Ab	buse-Resistant Gypsum Board												rategy
-	ypsum Board npact-Resistant Gypsum Board	A A2 B	B2 C C2 D	D2	E E2 F	F2 G	н	1					
KLCT Kit	tchen Lay-in Ceiling Tile			•	r & Frame Privacy			Auto Hold					
	loisture and Mould-Resistant Gypsum Board ecurity Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt:	Blinds: P	rotect.: Film:	Function: Re	ader: Lock: O		inges: Accesso		ccessory 3:	Closer:	
WALL FINISHE	S LEGEND:	G 1 1220 x 2135 /	Aluminum Prefinished						Elec. Stri	ke			
EWC Ep	poxy Wall Coating												
	igh Performance Coating aint	MILLWORK AND SPECIALTY CASEWORK	□ IIDD	ER UNITS	St	orage Requirements:					FINISHES		
CEILING FINISH				LK ON113						Full-height Cal	oinet:		
	poxy Ceiling Coating	7777	U2 U3 U4							Upper Mill	work:		
	gh Performance Coating refinished			U5	U6 U7 U8	SHELF				Counte	-		
	aint			7	77	SHELF				Lower Mill			
WALL PROTEC	TION LEGEND:					S1				:	Shelf:		
ESRP Ex	ctruded Semi-Rigid PVCu Panel									Re	marks:		
	bre Reinforced Laminate breglass Reinforced Plastic												
PVW Pr	rotective Vinyl Wallcovering		** Constitution	-									
	gid High Impact Sheet 'etwall Solid Surface Panel			12000									
	etroom Vinyl Wallcovering	-		11 =		THE REAL PROPERTY.	1	7					
FLOOR FINISH	ES LEGEND:	C1 C2 C3 C4				~ -	1	Comment -		× ************			
	oncrete Floor Sealer		12				K_		7 /	(ma)			
	poxy Floor Coating Olyurethane Floor Coating		L3L4	L5		- Seri	4			-			
	ubber Athletic Flooring ubber Sheet Flooring	FULL-HEIGHT CABINETS		L6	L7 L8 L9								
	eamless Cushioned Flooring			Ш		L10 L11	L12	TC1 TC2		]			
	atic-Dissipative Rubber Sheet Flooring atic-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized					TC2	- U	JC1			
VSF Vii	nyl Sheet Flooring	Category 1 - None  Category 1 - Low (1% - 4%)  Category 1 - Low (1% - 4%)	- ,		ecialty sework	LOWER UNITS	DECEDE	ON/TRANSACTION					
WSVF W	etroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	, , , , , , , , , , , , , , , , , , ,					R / CARE TEAM	UTILITY SINK AND	COUNTER UNIT			
FLOOR BASE L		Category 3 - High (10% or Greater)					STATION						
	ash Cove Base ubber Base												
SCF Se	eamless Cushioned Flooring												
MECHANICA	AL REQUIREMENTS												
PLUMBING	Hand	Seamless Utility /	Other Fixtures:	☐ Evewash	Station	MED / NON-M	ED GASES						1 14:11:4
(Quantity) Hy	ygiene Sink: Lavatory: Kitchen S	ink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower		/Shower Station	(Quantity)		Medical Nitro			Laboratory	Laboratory	Utility Compressed
			☐ Tub	Emergen		Oxygen	: Medical Air:	Vacuum: Oxid	e: CO2:	AGSS: Nitrogen:	Air:	Vacuum:	Air:
Plumbing			☐ Ice Maker	☐ Flush Rin									3
Remarks:			Water Closet	☐ Floor Dra	ain	C D:	orker Drawida (4)	Lutility company de l'arre	r storilizor	1	1	i	
			Instantaneous	☐ Water Bo	ottle Refill Station	Gas Kem	arks: Provide (1)	utility compressed air pe	i sterilizer.				
			Hot Water	Other									
				Other									

Appendix 1B Minimum Room Requirements	Program Number(s)		7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Detergent Dispensing Room			9. 15.	21.	27.	33.	39.	45.
			10. 16. 11. 17.	22. 23.	28. 29.	34. 35.	40. 41.	46. 47.
		6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS								
WALL AND CEILING WALL PROTECTION			GLAZING	FLOORING TYPES		A ACCESSORIES		
	ds Hand Rails Bed B	umper / Locator	☐ Interior Glazing	Material: Base: WSVF FCB		Coat Hooks Ceiling Lif		Magnetic Whiteboard
Ceiling Material: MMRGB Finish: HPC Height: 2185 mm Crash Rails	Chair Rail			W3VI ICD		Mirror Infant Ch	ange Table 🗀	Privacy Curtain
LEGEND: DOORS						Door Remarks:		
WALL AND CEILING LEGEND:  AC Architectural Ceiling  Types:								Security Grille
ACT Acoustic Ceiling Tile								☐ Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board								strategy
GB Gypsum Board A A2 B B2 C	C2 D D2	E E2 F	F2 G H	J				
IRGB Impact-Resistant Gypsum Board  KLCT Kitchen Lay-in Ceiling Tile	Integral Do	or & Frame Privacy	Card Mag	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board [vpe:Qtv: Size (mm): Material:	•	Destroit Files		0	Hinges: Access	ory 1: Accessory 2: Ac	cessory 3: C	loser:
SACT Security Acoustic Ceiling Tile  C 1 1220 x 2135 Hollow Metal Pair		High Store	room 🗸	✓ Cont. S	wing Clear		Surfac	ce
WALL FINISHES LEGEND:								
EWC Epoxy Wall Coating HPC High Performance Coating  MILLWORK AND SPECIALTY CASEWORK								
PT Paint	UPPER UNITS	Sto	rage Requirements:				FINISHES	
CEILING FINISHES LEGEND:		_				Full-height Cabi		
ECC Epoxy Ceiling Coating HPC High Performance Coating	U3 U4 U5	U6				Upper Millw Counter		
PF Prefinished	777	U7 U8	SHELF			Lower Millw	· ·	
PT Paint		77	12 D				nelf:	
WALL PROTECTION LEGEND:			S1			3.		
ESRP Extruded Semi-Rigid PVCu Panel						Ren	narks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic						Г		
PVW Protective Vinyl Wallcovering	6		150					
WICED Metrical Confess Danel								
WVW Wetroom Vinyl Wallcovering			Constitution of the Consti					
FLOOR FINISHES LEGEND:			ON THE PERSONNELS OF THE PERSO	1	224.000			
CFS Concrete Floor Sealer C3 C4 C5	-	1 771		7	7 /			
EFC Epoxy Floor Coating	L3 L4 L5		- KMM	-				
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring FULL-HEIGHT CABINETS		L7 L8 L0						
RSF Rubber Sheet Flooring		L7 L8 L9	L10 L11	7	7/			
SCF Seamless Cushioned Flooring  SDRF Static-Dissipative Rubber Sheet Flooring Legend:	Motorized			TC1 TC		.		
SDVF Static-Dissipative Vinyl Sheet Flooring Category 0 - None Min. Length		pecialty			37	UC1		
VSF Vinyl Sheet Flooring Category 1 - Low (1% - 4%) Category (mm)  WSVF Wetroom Safety Vinyl Sheet Flooring Category 2 - Med (5% - 9%)	Height Height Ca	asework		EPTION/TRANSACTION				
FLOOR BASE LEGEND: Category 3 - High (10% or Greater)				JNTER / CARE TEAM TION DESK	UTILITY SINK AND	COUNTER UNIT		
FCB Flash Cove Base			SIA	IIION DESK				
RB Rubber Base								
SCF Seamless Cushioned Flooring								
MECHANICAL REQUIREMENTS			T					
PLUMBING Hand Seamless Utility/ Other Fixture	res: Eyewas	sh Station	MED / NON-MED GASES					Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink: Showe	r 🗌 Eyewas	sh/Shower Station	(Quantity)	Medical Nitr				Laboratory Compressed
□ Tub	☐ Emerge	ency Shower	Oxygen: Medical	l Air: Vacuum: Oxi	de: CO2:	AGSS: Nitrogen:	Air:	Vacuum: Air:
Plumbing	ker 🔲 Flush Ri	im Sink						
Remarks: Water		rain				L		
☐ Instan		Bottle Refill Station	Gas Remarks:					
Hot W	ater							
	Other							

Appendix 1B Minimur	n Room Requirements	Program Number(s):		7. 13. 3. 14.	19. 20.	25. 3 26. 3			43. 44.
Room Name: Disp	atch Room		3. 9 4. 10		21. 22.	27. 3 28. 3			45. 46.
			5. 1:	1. 17.	23.	29. 3	5. 4	1.	47.
			6. 13	2. 18.	24.	30. 3	6. 4	2.	48.
ARCHITECTURAL REQUI					1				
WALL AND CEILING  Wall Material: ARGB 1  Ceiling Material: MMRG		ner Guards		GLAZING  Interior Glazing	FLOORING TYPES Material: Base: WSVF FCB	ROOM ACCES  Coat Hoo  Mirror	SSORIES  Dks Ceiling Lift Infant Change		netic Whiteboard cy Curtain
LEGEND:	DOORS					Door Ren			
WALL AND CEILING LEGEND:	Types:								
AC Architectural Ceiling ACT Acoustic Ceiling Tile									Security Grille
ACT-C Cleanroom		K KZ M MZ I	a fafa 1874						Anti-barricade
ARGB Abuse-Resistant Gypsun GB Gypsum Board	A A2 B B2	C C2 D D2 I	E E2 F	F2 G H					strategy
IRGB Impact-Resistant Gypsui KLCT Kitchen Lay-in Ceiling Til	n Board		& Frame Privacy	Card Mag	Auto Hold				
MMRGB Moisture and Mould-Re	istant Gypsum Board	DI' I D		unction: Reader: Lock:		es: Accessory 1:	Accessory 2: Accesso	ory 3: Closer:	
SACT Security Acoustic Ceiling	Tile C 2 1065 x 2135 Hollow Me		Storero	oom 🕡 🗌	☐ Butt Hinge		•	Surface	
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating									
HPC High Performance Coati	MILLWORK AND SPECIALTY CASEWORK		Stor	age Requirements:				FINISHES	
PT Paint		UPPER UNITS					Full-height Cabinet:		
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	U1	U2 U3 U4	Пп				Upper Millwork:		
HPC High Performance Coatin PF Prefinished			U6 U7				Countertop:		
PT Paint			U8	SHELF			Lower Millwork:		
WALL PROTECTION LEGEND:				1 L			Shelf:		
ESRP Extruded Semi-Rigid PVC	u Panel						Remarks	:	
FRL Fibre Reinforced Lamina FRP Fibreglass Reinforced Pla									
PVW Protective Vinyl Wallcov RHIS Rigid High Impact Sheet	ering	Emmy							
WSSP Wetwall Solid Surface Pa	nel III	- 10 Marie 1997	Taranta and the same of the sa						
WVW Wetroom Vinyl Wallcove				CONTRACTOR DESCRIPTION OF THE PERSON OF THE	76				
FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer	C1 C2 C3 C4 C5 L1					7			
EFC Epoxy Floor Coating		13				/ Grangerous	1		
PFC Polyurethane Floor Coat  RAF Rubber Athletic Flooring			17 18			7			
RSF Rubber Sheet Flooring		L	L7 L8 L9	L10 L11		1/			
SCF Seamless Cushioned Flor SDRF Static-Dissipative Rubbe		Motorized			TC1 TC2	V   "	u		
SDVF Static-Dissipative Vinyl S VSF Vinyl Sheet Flooring	(VIII)	n. Length Adjustable Standing Spe	cialty	LOWER UNITS		UC1	Ш		
WSVF Wetroom Safety Vinyl Sh	Category 1 - Low (1% - 4%) Category  Category 2 - Med (5% - 9%)	(mm) Height Height Case	ework	RECE	PTION/TRANSACTION	UTILITY SINK AND COUNTE	D LINIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				NTER / CARE TEAM ION DESK	OTILITY SINK AND COUNTL	IN ONL		
FCB Flash Cove Base RB Rubber Base									
SCF Seamless Cushioned Flor	oring								
MECHANICAL REQUIRE	MENTS								
PLUMBING Hand	Seamless Utility / Oth	er Fixtures: Evewash	Station	MED / NON-MED GASES					Utility
(Quantity) Hygiene Sink: La		Shower Eyewash/	Shower Station	(Quantity)	Medical Nitrous			aboratory Labora	tory Compressed
		Tub Emergence		Oxygen: Medical	Air: Vacuum: Oxide:	CO2: AGSS	: Nitrogen:	Air: Vacu	um: Air:
Plumbing		Ice Maker Flush Rim							
Remarks:		Water Closet Floor Dra		Gas Remarks:					
			ttle Refill Station						
		Hot Water Other							

Appendix 1B Minimu	m Room Requirements	Program Number(s)			13. 19. 14. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Ins	trument Assembly Area		3.		15. 21.	27.	33.	39.	45.
					16. 22. 17. 23.	28. 29.	34. 35.	40. 41.	46. 47.
					18. 24.	30.	36.	42.	48.
ARCHITECTURAL REQU	IREMENTS			,		,			
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING		ROOM ACCESSORIES		
Wall Material: ARGE	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		umper / Locator	☐ Interior Glazing	o	al: Base:	Coat Hooks Ceili		Magnetic Whiteboard
Ceiling Material: MMF	GB Finish: HPC Height: 2185 mm Crash Rails	Chair Rail			WSVF	FCB		nt Change Table	Privacy Curtain
LEGEND:	DOORS						Door Remarks:		
WALL AND CEILING LEGEND  AC Architectural Ceiling	Types:					1			Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile		vella la v							
ACT-C Cleanroom									Anti-barricade
ARGB Abuse-Resistant Gyps GB Gypsum Board	A A2 B B2 C C2	D D2	E E2 F	F2 G	H J	-			strategy
IRGB Impact-Resistant Gyp	sum Board	Internal De	on O France Driver		l Man Auta Hal				
KLCT Kitchen Lay-in Ceiling  MMRGB Moisture and Mould-	Posistant Cursum Board	•	or & Frame Privacy Protect.: Film:	Card Reade	l Mag Auto Hole er: Lock: Opener: Ope		A a a a c a a a a a a a a a a a a a a a		Closer:
SACT Security Acoustic Ceil	TVDE,QLV. SIZE (IIIIII). IVIALEITAI. FIIIISII.	Side Lt: Dimas.		Function: Reade	opener. ope	··· Hinges:	Accessory 1: Accessory 2:	Accessory 3:	Closer:
WALL FINISHES LEGEND:								+	
EWC Epoxy Wall Coating									
HPC High Performance Co PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	orage Requirements:				FINISHES	
CEILING FINISHES LEGEND:	U1 U						Full-heigh	: Cabinet:	
ECC Epoxy Ceiling Coating	U2 112						Upper	Millwork:	
HPC High Performance Co	ating ating	U5	U6				Co	untertop:	
PF Prefinished PT Paint		1	U8	SHELF			Lower	Millwork:	
		1		<b>⊅</b> □				Shelf:	
WALL PROTECTION LEGEND  ESRP Extruded Semi-Rigid I				S1				Daniel -	
ESRP Extruded Semi-Rigid I FRL Fibre Reinforced Lam				1				Remarks:	
FRP Fibreglass Reinforced	/ V								
PVW Protective Vinyl Walls RHIS Rigid High Impact She	et et	- Lummy		1					
WSSP Wetwall Solid Surface	Panel Panel	100 100 100 100 100 100 100 100 100 100	Tales of the lates						
WVW Wetroom Vinyl Wallo				On the state of th	76	-			
FLOOR FINISHES LEGEND:	C1 C2 C3 C4 C5				The state of the s	-			
CFS Concrete Floor Sealer EFC Epoxy Floor Coating	C4 C5	-	+KV				6	2	
PFC Polyurethane Floor C	pating L3	L4 L5				- Service of			
RAF Rubber Athletic Floor RSF Rubber Sheet Floorin			L7 L8 L9	110				1	
SCF Seamless Cushioned	looring			L10 L11	L12 TC1	= V			
SDRF Static-Dissipative Rub SDVF Static-Dissipative Vin	d Chart Floring					1 TC2	UC1	IS	
VSF Vinyl Sheet Flooring	Category 0 - None Min. Length Adjus Category 1 - Low (1% - 4%) Category (mm) Hei		oecialty asework	LOWER UNITS					
WSVF Wetroom Safety Viny	Sheet Flooring Category 2 - Med (5% - 9%)		asework		RECEPTION/TRANSA COUNTER / CARE TEA		K AND COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				STATION DESK				
FCB Flash Cove Base RB Rubber Base									
SCF Seamless Cushioned	looring								
MECHANICAL REQUIRE									
				MED / NON ASSE	CACEC				
PLUMBING Hand (Quantity) Hygiene Sink:	Seamless Utility / Other Fixtures: Lavatory: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	☐ Evewas		MED / NON-MED (Quantity)	GASES Medical	Nitrous		Laboratory	Utility Laboratory Compressed
(Qualitity)	□ Snower		h/Shower Station		Medical Air: Vacuum		: AGSS: Nitro	<b>A.</b> .	Vacuum: Compressed
Diversities			ency Shower	Oxygen.	Wicalcar All .	1	. A033. NIUO	15	Air:
Plumbing Remarks:	Ice Maker	Flush R						15	
	Water Closet	☐ Floor D		Gas Remarks	s: Provide (1) medical air f	or each assembly table.			
	Instantaneous	☐ Water	Bottle Refill Station		,,	,			
	Hot Water	Other							
		_							

Appendix	1B Minimum Room Requi	rements		Program umber(s):	1. P1.03.03 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.		37. 38.	43. 44.	
Ro	oom Name: Instrument Cleaning				3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.		39. 40.	45. 46.	
						11.	17.	23.	29.	35.		41.	47.	
					6.	12.	18.	24.	30.	36.		42.	48.	
<b>ARCHITECT</b>	TURAL REQUIREMENTS													
WALL AND C		WALL PROTECTION		¬ .		GLAZING		FLOORING TYPE: Material: Ba		ROOM ACCESSO				
	Material: ARGB 1.2m AFF, GB above MMRGB	Finish: HPC Type: ESRP Finish: HPC Height: 2185 mm	☐ Corner Guards ☐ Hand Rails ☐ Crash Rails ☐ Chair Rail	□ Bed Bum	nper / Locator	☐ Interior Glaz	zing	WSVF F		☐ Coat Hooks☐ Mirror	☐ Ceiling Lift☐ Infant Cha		<ul><li>✓ Magnetic W</li><li>✓ Privacy Curt</li></ul>	
	iviateriai. Iviivinob		Crasii Kaiis							Door Rema		ilige lable L	→ Filvacy Curt	aiii
LEGEND:	CEILING LEGEND:	DOORS								Door Kerria	N3.			
	Architectural Ceiling	Types:			न जिल्ला हिर्			7 7 9 8						curity Grille
	Acoustic Ceiling Tile Cleanroom													nti-barricade
ARGB	Abuse-Resistant Gypsum Board													rategy
	Gypsum Board Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D	D2 E	E2 F	F2 G	Н	J						
KLCT	Kitchen Lay-in Ceiling Tile			•	& Frame Privacy			Auto Hold						
	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Bli	nds: Pr	otect.: Film:	Function: Rea	ader: Lock: O	pener: Open:	Hinges:	Accessory 1: Ac	cessory 2: Acc	cessory 3:	Closer:	
WALL FINISH	HES LEGEND:					[								
EWC	Epoxy Wall Coating					Į Į								
	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER U	INITS	St	orage Requirements:						FINISHES		
	ISHES LEGEND:			JIVITS							Full-height Cabir	net:		
	Epoxy Ceiling Coating	7777	U2 U3 U4								Upper Millwo	ork:		
	High Performance Coating Prefinished	The state of the s	77	J5	U6 U7 U8	SHELF					Countert			
	Paint	Angereses		1	7	JHELF					Lower Millwo	ork: nelf:		
WALL PROTI	ECTION LEGEND:	Congression		K		S1					311	ieii.		
	Extruded Semi-Rigid PVCu Panel				7 11						Rem	arks:		
	Fibre Reinforced Laminate Fibreglass Reinforced Plastic													
PVW	Protective Vinyl Wallcovering	-	Fine											
	Rigid High Impact Sheet Wetwall Solid Surface Panel		-	-										
WVW	Wetroom Vinyl Wallcovering		11 11		- 7		1	7/						
FLOOR FINIS	SHES LEGEND:	C1 C2 C3 C3		=	-2		1	Consessant and Conses			5			
	Concrete Floor Sealer Epoxy Floor Coating		L2	-			K			1	1			
PFC	Polyurethane Floor Coating					7	47		The same of					
	Rubber Athletic Flooring Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L6 [	L7 L8 L9	110		/	7-1					
SCF	Seamless Cushioned Flooring					L10 L11	L12	TC1	_ V					
	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized Min. Length Adjustable Stand	ing Spec	sialty				TC2	UC1				
	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category			work	LOWER UNITS	RECEPTION	ON/TRANSACTION						
		Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)		1   [			COUNTE	R / CARE TEAM	UTILITY SIN	K AND COUNTER	UNIT			
FCB	E <b>LEGEND:</b> Flash Cove Base	category 5 mgm (20% of createry					STATION	I DESK						
RB	Rubber Base													
SCF	Seamless Cushioned Flooring													
MECHANIC	CAL REQUIREMENTS					T								
PLUMBING	Hand	Seamless Utility / nk: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Evewash S		MED / NON-MI	ED GASES							Utility
(Quantity)	TIYBICHE SHIK. LAVALUTY. KILCHEH SH	TIOU SHIK. FIGURESS SHIK. SCIAD SHIK. FIOUI SHIK.			Shower Station	(Quantity)	Modical Att		Nitrous Oxide: CO2	. 4000	Nitro	Laboratory Air:	Laboratory Vacuum:	Compressed
			_	Emergenc		Oxygen	: Medical Air:		Oxide: CO2	: AGSS:	Nitrogen:	7		Air:
Plumbing Remarks:				Flush Rim										1
nemarks.			_	Floor Drain		Gas Rema	arks:							
				Water Bot	ttle Refill Station									
			Hot Water	ther										
						I								

Appendix 1B Minimum Room Requirem	ents	Program Number(s):		7. 13. 8. 14.	19. 20.		31. 37. 32. 38.	43. 44.
Room Name: Instrument Washing			3.	9. 15.	21.		33. 39.	45.
			4. 5.	10. 16. 17.	22. 23.		34. 40. 35. 41.	46. 47.
			6.	12. 18.	24.		36. 42.	48.
ARCHITECTURAL REQUIREMENTS								
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM ACCE	SSORIES	
	nish: HPC Type: ESRP Corner Guard		umper / Locator	☐ Interior Glazing	Material: Base: WSVF FCB		ooks Ceiling Lift	Magnetic Whiteboard
Ceiling Material: MMRGB Fi	nish: HPC Height: 2185 mm Crash Rails	Chair Rail			WSVF FCB	Mirror	☐ Infant Change Table	Privacy Curtain
LEGEND:	DOORS					Door Re	narks:	
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:							☐ Security Grille
ACT Acoustic Ceiling Tile								
ACT-C Cleanroom		NZUMUMZ.						☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B2 C	C2 D D2	E E2 F	F2 G H				strategy
IRGB Impact-Resistant Gypsum Board								
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	Face Of Contract Advantage 5		or & Frame Privacy Protect.: Film:	Decile 1	Лаg Auto Hold ock: Opener: Open: <sub>Hi</sub>			Classic
SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): Material: F	nish: Side Lt: Blinds:	Trotect Tilli.	Function: Reader: Li	Ock. Opener. Open. Hi	nges: Accessory 1:	Accessory 2: Accessory 3:	Closer:
WALL FINISHES LEGEND:								
EWC Epoxy Wall Coating								
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK			Storage Requirements:			FINISHE	ES
		UPPER UNITS					Full-height Cabinet:	
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	U1 U2	U3					Upper Millwork:	
HPC High Performance Coating		U5	U6				Countertop: Stainles	ss Steel
PF Prefinished PT Paint		7	U7 U8				Lower Millwork:	
PT Paint							Shelf:	
WALL PROTECTION LEGEND:				S1				
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate							Remarks:	
FRP Fibreglass Reinforced Plastic			7				Refer to Appe	endix 1H [Equipment and
PVW Protective Vinyl Wallcovering	to Company of the Com	Francis					Furniture] for	r requirements
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel								
WVW Wetroom Vinyl Wallcovering			1	On the second se				
FLOOR FINISHES LEGEND:	<u>ci</u>		-1-1/1	On the Party of th	-			
CFS Concrete Floor Sealer	C3 C4 C5	-				7	E	
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 L4 L5		RM-		Tarana Indiana		
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9				4	
RSF Rubber Sheet Flooring			L7 L8 L9	L10 L11		7/ 11 1		
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			TC1 TC2		u	
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None Min. Length		pecialty			UC1	1	
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm)  Category 2 - Med (5% - 9%)	Height Height Ca	asework	LOWER UNITS	RECEPTION/TRANSACTION			
FLOOR BASE LEGEND:	Category 2 - Met (3% - 9%) Category 3 - High (10% or Greater)				COUNTER / CARE TEAM	UTILITY SINK AND COUNT	ER UNIT	
FCB Flash Cove Base				•	STATION DESK			
RB Rubber Base								
SCF Seamless Cushioned Flooring								
MECHANICAL REQUIREMENTS								
	Seamless Utility / Other Fixtur	es: Evewas	h Station	MED / NON-MED GASE	ES			11199
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: K	tchen Sink: Process Sink: Scrub Sink: Floor Sink: Showe		h/Shower Station	(Quantity)	Medical Nitrou		Laborator	. Collibressed
	5		ency Shower	Oxygen: Med	dical Air: Vacuum: Oxide	cO2: AGSS	S: Nitrogen: Air:	Vacuum: Air:
Plumbing Refer to Appendix 1H [Equipment and Furnitu							5	
Remarks:	Water							
	□ Instant		Bottle Refill Station		ovide (1) medical air per sink.		-1	
	Hot W	ter	cciiii otatioii	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	entilation needed at each sink, sink	s will need a feed from the de	tergent dispensing room	
		Other		_				

Appendix	1B Minimum Room Req	uirements		Program umber(s):	1. P2.03.05 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.	
Re	oom Name: Low Temperature Ste	erilizers			3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.	
						11.	17.	23.	29.	35.	41.	47.	
					6.	12.	18.	24.	30.	36.	42.	48.	
ARCHITECT	TURAL REQUIREMENTS												
WALL AND C		WALL PROTECTION				GLAZING		FLOORING TYPES		1 ACCESSORIES		_	
	Material: ARGB 1.2m AFF, GB above		☐ Corner Guards ☐ Hand Rails ☐ Crash Rails ☐ Chair Rail	☐ Bed Bum	nper / Locator	☐ Interior Gla	zing	Material: Base: WSVF FCB		Coat Hooks U Ceiling Li Mirror Infant Ch		<ul><li>Magnetic W</li><li>Privacy Curt</li></ul>	
	Material: MMRGB	Finish: HPC Height: 2185 mm	Crash Rails Chair Rail							Mirror	nange rabie L	→ Privacy Curt	ain
LEGEND:	CEILING LEGEND:	DOORS								oor Remarks.			
AC AC	Architectural Ceiling	Types:			7 66 67		733	7 7 7 7 7				∐ S€	ecurity Grille
ACT ACT-C	Acoustic Ceiling Tile Cleanroom												nti-barricade
ARGB	Abuse-Resistant Gypsum Board												rategy
GB IRGB	Gypsum Board Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D	D2 E	E2 F	F2 G	н	J					
KLCT	Kitchen Lay-in Ceiling Tile			•	& Frame Privacy			Auto Hold					
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Bli	inds: Pr	rotect.: Film:	Function: Re	ader: Lock: Op	pener: Open: H	nges: Accesso	ory 1: Accessory 2: A	ccessory 3:	Closer:	
WALL FINISI	HES LEGEND:			-									
EWC	Epoxy Wall Coating					Į Į							
HPC PT	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER U	INITS	St	orage Requirements:					FINISHES		
CEILING FIN	IISHES LEGEND:									Full-height Cab	inet:		
ECC	Epoxy Ceiling Coating	777	U2 U3 U4							Upper Milly			
HPC PF	High Performance Coating Prefinished	-	7	J5	U6 U7 U8	SHELF				Counte	-		
PT	Paint			1	77					Lower Milly	vork: Shelf:		
WALL PROT	ECTION LEGEND:	Congression		. F		sı 🗆					men.		
ESRP	Extruded Semi-Rigid PVCu Panel	II   I								Ren	marks:		
FRL FRP	Fibre Reinforced Laminate Fibreglass Reinforced Plastic												
PVW	Protective Vinyl Wallcovering		Pro-										
RHIS WSSP	Rigid High Impact Sheet Wetwall Solid Surface Panel		1	200									
WVW	Wetroom Vinyl Wallcovering		1 11			- Constitution of the Cons	1	7/					
	SHES LEGEND:	C1 C2 C3 C4					T						
CFS EFC	Concrete Floor Sealer Epoxy Floor Coating		L2	-			K		1 4	1			
PFC	Polyurethane Floor Coating			10			41			-			
RAF RSF	Rubber Athletic Flooring Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L6	L7 L8 L9	L10 L11		1	$\dashv$ $\downarrow$ $\parallel$				
SCF	Seamless Cushioned Flooring	Land					L12	TC1 TC2		,   [			
SDRF SDVF	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized Min. Length Adjustable Stand	ling Spoo	cialty				U	JC1			
VSF WSVF	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Cate			ework	LOWER UNITS	RECEPTIO	ON/TRANSACTION					
		Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)		7   [				R / CARE TEAM	UTILITY SINK AND	COUNTER UNIT			
FLOOR BASE	E LEGEND: Flash Cove Base	category of ingli (20% of circuit)		_   _			STATION	I DESK					
RB	Rubber Base												
SCF	Seamless Cushioned Flooring												
	044 DEQUUDEA4545									L			
MECHANIC	CAL REQUIREMENTS												
PLUMBING	Hand	Seamless Utility / n Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Evewash S		MED / NON-MI	ED GASES						Utility
(Quantity)	TIYBICITE SITIK. LAVALUTY. KILCHEI	TOUR SHIR. FIGURESS SHIR. SCIUD SHIR. FIGURESHIR.			Shower Station	(Quantity)	Modiss A'	Medical Nitro		ACCC. Nitracco	Laboratory Air:	Laboratory Vacuum:	Compressed
			· _	Emergenc		Oxygen	: Medical Air:	- CAIG	cO2:	AGSS: Nitrogen:	7.11.		Air:
Plumbing Remarks:				Flush Rim									4
			_	Floor Drai		Gas Rema	arks: Provide (1)	utility compressed air pe	sterilizer.				
			Instantaneous Hot Water	Water Bot	ttle Refill Station			·					
			0	ther									
			1			1							

Appendix	1B Minimum Room Requ	irements		Program Number(s):	1. P3.04 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.		37. 38.	43. 44.	
Ro	oom Name: Receiving - Clean Devi	ces			3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.		39. 40.	45. 46.	
						11. 12.	17. 18.	23. 24.	29. 30.	35. 36.		41. 42.	47. 48.	
ARCHITECT	TURAL REQUIREMENTS													
WALL AND C	EILING	WALL PROTECTION				GLAZING		FLOORING TYPES	ROC	M ACCESSORI	ES			
	Material: ARGB 1.2m AFF, GB above	Finish: PT Type: RHIS	✓ Corner Guards ☐ Hand Rails	☐ Bed Bur	mper / Locator	☐ Interior Gla		Material: Base		_	Ceiling Lift		Magnetic W	/hiteboard
Ceiling	Material: ACT		✓ Crash Rails ☐ Chair Rail			interior dia	-1116	WSVF FCB		Mirror	Infant Change	e Table	Privacy Curt	ain
LEGEND:		DOORS				1	-		,	Door Remarks:				
WALL AND C	CEILING LEGEND:	Types:												ecurity Grille
	Architectural Ceiling		an lala lala	MM										ecurity drille
	Acoustic Ceiling Tile Cleanroom												□ A	nti-barricade
	Abuse-Resistant Gypsum Board												st	rategy
	Gypsum Board Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D	D2	E E2 F	F2 G	Н	J						
KLCT	Kitchen Lay-in Ceiling Tile			•	r & Frame Privacy		0	Auto Hold						
	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile		Material. Tillisti. Side Et.	Blinds: P	rotect.: Film:	Function: Re	ader: Lock: Op	pener: Open:	Hinges: Acces	ssory 1: Access	sory 2: Access	sory 3: C	Closer:	
		B 1 1220 x 2135 H			Pass			<b>✓</b> Butt I	linge Elec. S	itrike		Surfac		
WALL FINISH EWC	TES LEGEND: Epoxy Wall Coating	B 1 1220 x 2135 H	ollow Metal Paint		Store	eroom	<b>✓</b>	<b>✓</b> Butt I	linge Elec. S	itrike		Surfac	ce	
HPC	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK			S.	orage Requirements:						FINISHES		
	Paint			RUNITS	30	orage nequirements.				E. III	-height Cabinet:			
	ISHES LEGEND:		U2 U3 U4								-neignt Cabinet: Upper Millwork:			
	Epoxy Ceiling Coating High Performance Coating		U4		U6 U7						Countertop:			
PF	Prefinished		77	17	U7 U8	SHELF					Lower Millwork:			
PT	Paint					†a 🗆					Shelf:			
WALL PROTE	ECTION LEGEND:			.l. K		S1								
	Extruded Semi-Rigid PVCu Panel			11		V					Remark	s:		
	Fibre Reinforced Laminate Fibreglass Reinforced Plastic													
	Protective Vinyl Wallcovering	100												
	Rigid High Impact Sheet Wetwall Solid Surface Panel		20 20 20 20 20 20 20 20 20 20 20 20 20 2	200										
	Wetroom Vinyl Wallcovering	-				***************************************	1	7						
FLOOR FINIS	SHES LEGEND:	<u>cı</u> cı cı		-	-7	~ ~	-	Comment -						
	Concrete Floor Sealer	_ C3 C4	L2	-			V		7	F	7			
	Epoxy Floor Coating Polyurethane Floor Coating			1		KAN	4==	1 5	essent	THE PERSON NAMED IN	7/			
	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L6	L7 L8 L9				,l		71			
	Rubber Sheet Flooring Seamless Cushioned Flooring			<b>-</b> П	L7 L8 L9	L10 L11								
	Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized				L12 M	TC1 T	2					
	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		nding Spe	ecialty	LOWER UNITS				UC1	II.			
	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)	ry (mm) Height He	eight Case	ework	LOWER UNITS		ON/TRANSACTION						
FLOOR BASE	: LEGEND:	Category 3 - High (10% or Greater)					COUNTE STATION	R / CARE TEAM	UTILITY SINK AN	D COUNTER UNI	Т			
	Flash Cove Base						STATION	DESK						
	Rubber Base													
SCF	Seamless Cushioned Flooring													
MECHANIC	CAL REQUIREMENTS													
PLUMBING	Hand	Seamless Utility /	Other Fixtures:	Eyewash	Station	MED / NON-MI	ED GASES							Utility
(Quantity)	Hygiene Sink: Lavatory: Kitchen S	iink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower	Eyewash,	/Shower Station	(Quantity)			rous				Laboratory	Compressed
				Emergen		Oxygen	: Medical Air:	Vacuum: O	cide: CO2:	AGSS:	Nitrogen:	Air:	Vacuum:	Air:
Plumbing				☐ Flush Rim										
Remarks:				☐ Floor Dra					I	1				
					ottle Refill Station	Gas Rema	arks:							
			Hot Water											
				Other										

Ro	oom Name: Receiving - Soiled Devices		Numbe	3.	8. 14. 9. 15.	20. 21.	26. 27.	32. 33.	38. 39.	44. 45.
				4. 5.	10. 16. 17.	22. 23.	28. 29.	34. 35.	40. 41.	46. 47.
A D CLUTTE CT	TUDAL DEGULAÇÃO (C. 1975)			6.	12. 18.	24.	30.	36.	42.	48.
	TURAL REQUIREMENTS									
	CEILING  I Material: ARGB 1.2m AFF, GB above  Material: ACT		Corner Guards Hand Rails Be	ed Bumper / Locator	GLAZING  Interior Glazing	FLOORING TY Material: WSVF	Base:	Coat Hooks  Mirror	_	Magnetic Whiteboard Privacy Curtain
LEGEND:		DOORS				'	'	Door Remarks:		
WALL AND	CEILING LEGEND:	Types:								Security Grille
AC ACT ACT-C ARGB	Architectural Ceiling Acoustic Ceiling Tile Cleanroom Abuse-Resistant Gypsum Board									Anti-barricade strategy
GB	Gypsum Board	A A2 B B2	2 C C2 D D2	E E2 F	F2 G	Н ј				
IRGB KLCT	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		Integral	Door & Frame Privacy	Card	Mag Auto Hold				
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): Ма	aterial: Finish: Side Lt: Blinds:	Protect.: Film:	Function: Reader:	Lock: Opener: Open:	Hinges: Acc	cessory 1: Access	sory 2: Accessory 3:	Closer:
		C 1 1220 x 2135 Solid			reroom 🗸		Butt Hinge			Surface
EWC	HES LEGEND:  Epoxy Wall Coating	G 1 1220 x 2135 Alum	ninum Prefinished	2 High Stor	reroom 🗸		Butt Hinge Elec	. Strike		Surface
HPC	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		5	Storage Requirements:				FINISHI	ES
PT CELLUNG FIRM	Paint		UPPER UNIT	•				Full	l-height Cabinet:	
ECC ECC	ISHES LEGEND: Epoxy Ceiling Coating	UI	U2 U3 U4						Upper Millwork:	
HPC	High Performance Coating		U5	U6 LI7 L					Countertop:	
PF PT	Prefinished Paint			V 18	SHELF				Lower Millwork:	
WALL DROT	ECTION LEGEND:				S1 L				Shelf:	
ESRP	Extruded Semi-Rigid PVCu Panel				31				Remarks:	
FRL	Fibre Reinforced Laminate								Nemarks.	
FRP PVW	Fibreglass Reinforced Plastic Protective Vinyl Wallcovering		1.6							
RHIS	Rigid High Impact Sheet Wetwall Solid Surface Panel			7						
WSSP WVW	Wetroom Vinyl Wallcovering	-	" 11 11	55 55 55 55 55 55 55 55 55 55 55 55 55	-		1			
FLOOR FINIS	SHES LEGEND:	C1 C2 C3			CO	Santana Commence	7			
CFS	Concrete Floor Sealer	C4 C5		3 7				/ E		
EFC PFC	Epoxy Floor Coating Polyurethane Floor Coating		L2 L3 L4 L5		RAM-		-			
RAF	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L6 L7 L8 L9		-//				
RSF SCF	Rubber Sheet Flooring Seamless Cushioned Flooring				L10 L11 L1	,	1/			
SDRF	Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized				TC2	l lica	l u	
SDVF VSF	Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category	Min. Length Adjustable Standing (mm) Height Height	Specialty	LOWER UNITS			UC1	u	
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	, ,g., 3	Casework		RECEPTION/TRANSACTION COUNTER / CARE TEAM		ND COUNTER UNI	іт	
FLOOR BASE	E LEGEND:	Category 3 - High (10% or Greater)				STATION DESK				
FCB RB	Flash Cove Base Rubber Base									
SCF	Seamless Cushioned Flooring									
MECHANIC	CAL REQUIREMENTS									
PLUMBING	Hand	Seamless Utility /	Other Fixtures:	ewash Station	MED / NON-MED GA	ASES				
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		ewash/Shower Station	(Quantity)	Medical	Nitrous		Laborator	· Compressed
	1			ergency Shower	Oxygen: N	Medical Air: Vacuum:	Oxide: CO2:	AGSS:	Nitrogen: Air:	Vacuum: Air:
Plumbing				sh Rim Sink						
Remarks:				or Drain	Can Barrard				1	
			☐ Instantaneous ☐ Wa	ter Bottle Refill Station	Gas Remarks:					
			Hot Water Other							
			Other							

Program 1. P1.01

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1	B Minimum Room Require	ements	Progr Numbe		7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Roc	om Name: RO Water Tank Room				9. 15. 10. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				5.	11. 17.	23.	29.	35. 36.	41. 42.	47.
A DCUITECTI	URAL REQUIREMENTS			6.	12. 18.	24.	30.	30.	42.	48.
	ILING Material: ARGB 1.2m AFF, GB above Material: MMRGB	WALL PROTECTION   Finish:   HPC   Type:   ESRP   Height:   2185 mm	✓ Corner Guards ☐ Hand Rails ☐ Be	ed Bumper / Locator	GLAZING  Interior Glazing	FLOORING TYPES  Material: Base:  WSVF FCB		ACCESSORIES oat Hooks Ceiling Lift firror Infant Cha		gnetic Whiteboard vacy Curtain
	Material. Wilvings		Clasii Raiis — Chaii Raii					oor Remarks:	alige lable	vacy curtain
LEGEND:		DOORS				Note: f	or Type F doors,	oor Remarks:		
	ILING LEGEND: rchitectural Ceiling	Types:	alal (al (ala) (al (ala				r panels will be			Security Grille
	coustic Ceiling Tile					approx				
	leanroom buse-Resistant Gypsum Board				NA NA NA		65 unless ise rquired by			Anti-barricade strategy
	Sypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	j the Au				Strategy
	npact-Resistant Gypsum Board itchen Lay-in Ceiling Tile		Integral	Door & Frame Privacy	Card Ma	g Auto Hold				
	Noisture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm):	Material: Finish: Side Lt: Blinds:		Function: Reader: Loc		ges: Accessor	ry 1: Accessory 2: Acc	cessory 3: Close	r:
SACT S	ecurity Acoustic Ceiling Tile	F2 1 1530 x 2135 S		2 High ✓ Store		Butt Hing		Flush Bolt	Surface	
WALL FINISHE	ES LEGEND:						<u> </u>			
	poxy Wall Coating ligh Performance Coating	ANULUMORIA AND COECIALTY CASEMORY					1			
	aint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	rage Requirements:				FINISHES	
CEILING FINIS	HES LEGEND:		U1					Full-height Cabi	net:	
	poxy Ceiling Coating		U2 U3 U4 U					Upper Millw	ork:	
	ligh Performance Coating refinished		U5	U6 U7 U8	CHELE			Countert		
	aint			7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	SHELF			Lower Millw		
WALL PROTEC	CTION LEGEND:				S1			Sr	nelf:	
	xtruded Semi-Rigid PVCu Panel				31			Rem	narks:	
FRL F	ibre Reinforced Laminate							Kem	iurks.	
	ibreglass Reinforced Plastic rotective Vinyl Wallcovering									
	igid High Impact Sheet			7	<u> </u>					
	Vetwall Solid Surface Panel Vetroom Vinyl Wallcovering	Table 1		on on the second		22				
				=	CO MA	1				
FLOOR FINISH CFS C	oncrete Floor Sealer	C1 C2 C3 C4 C5 11	+	====			7 /			
	poxy Floor Coating		L2 L3 L4 L5		444		/ 4-	1		
	olyurethane Floor Coating ubber Athletic Flooring	FULL-HEIGHT CABINETS		L6 L7 18						
	ubber Sheet Flooring	1 OLE MEIGHT CHEMICIS			L10 L11	7	7 / 11			
	eamless Cushioned Flooring	Logandi			L12	TC1 TC2				
	tatic-Dissipative Rubber Sheet Flooring tatic-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized  Min. Length Adjustable Standing	Specialty			U	c1     -		
	inyl Sheet Flooring	Category 1 - Low (1% - 4%) Categ		Casework	LOWER UNITS	CEPTION/TRANSACTION				
	Vetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)				OUNTER / CARE TEAM	UTILITY SINK AND C	COUNTER UNIT		
FLOOR BASE I		Category 5 - High (10% of Greater)			ST	ATION DESK				
	lash Cove Base ubber Base									
SCF S	eamless Cushioned Flooring									
MECHANICA	AL REQUIREMENTS									
PLUMBING	Hand	Seamless Utility /	Other Fixtures:		MED / NON-MED GASES					
(Quantity) H		k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		ewash Station	(Quantity)	Medical Nitrou	i		Laboratory Labo	Utility eratory Compressed
(Section 1)				ewash/Shower Station	Oxygen: Medic			AGSS: Nitrogen:	•	cuum: Compressed Characteristics Compressed Characteristics Compressed Characteristics Compressed Characteristics Compressed Characteristics Compressed Characteristics Compressed Characteristics Compressed Characteristics Compressed Characteristics Chara
Dlumbing	volido voicod the seld at 1 to 1 to 1 to 1	or containment		ergency Shower						All.
Plumbing P Remarks:	rovide raised threshold required for wat	er containment	_	sh Rim Sink						
			☐ Water Closet		Gas Remarks:					
			Instantaneous War Hot Water	eter Bottle Refill Station						
			Other							
1		l l								

Appendix 1B Minimum Room Re	quirements	Program Number(s):	1. P2.03.03 2.	7. 13 8. 14		25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Scope Assembly			3.	9. 15		27.	33.	39.	45.
				10. 16 11. 17		28. 29.	34. 35.	40. 41.	46. 47.
				12. 18		30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS		L	1	1	,	1	1	1	
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING T	YPES R	OOM ACCESSORIES		
Wall Material: ARGB 1.2m AFF, GB abo		Guards 🔲 Hand Rails 🔲 Bed Bui	mper / Locator	☐ Interior Glazing	Material		Coat Hooks Ceiling		Magnetic Whiteboard
Ceiling Material: MMRGB	Finish: HPC Height: 2185 mm Crash R	ails Chair Rail			WSVF	FCB		Change Table	Privacy Curtain
LEGEND:	DOORS						Door Remarks:		
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:								Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile									
ACT-C Cleanroom		LINKI NI NKLI							Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B2	C2 D D2	E E2 F	F2 G	Н				strategy
IRGB Impact-Resistant Gypsum Board	7 72 5 52 (				-				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board			r & Frame Privacy rotect.: Film:	Card	Mag Auto Hold r: Lock: Opener: Open:				
SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): Material:	Finish: Side Lt: Blinds: P	Totect Tilli.	Function: Reader	T. Lock. Opener. Open.	Hinges: Ac	ccessory 1: Accessory 2:	Accessory 3:	Closer:
WALL FINISHES LEGEND:									
EWC Epoxy Wall Coating									
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK		St	orage Requirements:				FINISHES	
		UPPER UNITS					Full-height Ca	binet:	
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	U1 U2	U3 U4					Upper Mil		
HPC High Performance Coating		D4	U6 U7				Count	ertop:	
PF Prefinished PT Paint			U8	SHELF			Lower Mil	lwork:	
ri raint			7	<b>⊅</b> □				Shelf:	
WALL PROTECTION LEGEND:				S1					
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate	Segments			1			Re	emarks:	
FRP Fibreglass Reinforced Plastic									
PVW Protective Vinyl Wallcovering	20 20 20 20 20 20 20 20 20 20 20 20 20 2	Transport Transport		i					
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel									
WVW Wetroom Vinyl Wallcovering			-V	OR OTHER PROPERTY.					
FLOOR FINISHES LEGEND:	<u>cı</u>		7	~ -	Total Contraction				
CFS Concrete Floor Sealer	C4 C5								
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 L4 L5		RAM		and the same of			
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 'L8 'L9						
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring			L7 L8 L9	L10 L11		-/ 7/			
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized	_		L12 TC1	T <sub>C2</sub>			
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None Min. Lo		ecialty				UC1 U		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (m) Category 2 - Med (5% - 9%)	n) Height Height Cas	ework	LOWER UNITS	RECEPTION/TRANSACT	TION			
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				COUNTER / CARE TEAN STATION DESK	1 UTILITY SINK	AND COUNTER UNIT		
FCB Flash Cove Base					STATION DESK				
RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS									
PLUMBING Hand		Fixtures: Evewash	Station	MED / NON-MED (	GASES				
(Quantity) Hygiene Sink: Lavatory: Kitch	en Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		/Shower Station	(Quantity)	Medical	Nitrous		Laboratory	Utility Laboratory Compressed
				Oxygen:	Medical Air: Vacuum:	Oxide: CO2:	AGSS: Nitrogen	: Air:	Vacuum: Air:
Plumbing		e Maker							2
Remarks:		/ater Closet Floor Dra					1 1		
			ottle Refill Station	Gas Remarks	Refer to Appendix 1H [Equ	uipment and Furniture] for	equipment requirements	_	
		ot Water Bo	ottie Neilli Statioff						
		Other							

Appendix 1B Minimum Room Requirer	nents	Program	1. P1.03.04	7. 13.	19.	25.	31.	37.	43.
		Number(s):	2.	8. 14.	20.	26.	32.	38.	44.
Room Name: Scope Washing			3. 4.	9. 15. 10. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				11. 17.	23.	29.	35.	41.	47.
			6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS			·						
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES		OM ACCESSORIES		
	.,,,	Corner Guards Hand Rails Bed Bur	nper / Locator	☐ Interior Glazing	Material: Base: WSVF FCB		Coat Hooks Ceiling Li		Magnetic Whiteboard
Ceiling Material: MMRGB	Finish: HPC Height: 2185 mm	Crash Rails			WSVF FCB		Mirror Infant Ch	ange Table 🔲	Privacy Curtain
LEGEND:	DOORS						Door Remarks:		
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:		a ma ca						Security Grille
ACT Acoustic Ceiling Tile									
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board					N NN44				Anti-barricade strategy
GB Gypsum Board	A A2 B B	2 C C2 D D2 I	E E2 F	F2 G H	J				34.587
IRGB Impact-Resistant Gypsum Board  KLCT Kitchen Lay-in Ceiling Tile		Integral Door	& Frame Privacy	Card N	Mag Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Ма	aterial: Finish: Side Lt: Blinds: Pr	rotect.: Film:	Function: Reader: Lo	ock: Opener: Open:	Hinges: Acces	essory 1: Accessory 2: A	ccessory 3: C	Closer:
SACT Security Acoustic Ceiling Tile									
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating									
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK		St	orage Requirements:		-		FINISHES	
CEILING FINISHES LEGEND:	U1	UPPER UNITS					Full-height Cab	inet:	
ECC Epoxy Ceiling Coating	1717	U2 U3 U4					Upper Milly		
HPC High Performance Coating PF Prefinished			U6				Counte	rtop:	
PF Prefinished PT Paint			0, U8	SHELF			Lower Milly		
WALL PROTECTION LEGEND:	F-3			S1			3	ihelf:	
ESRP Extruded Semi-Rigid PVCu Panel							Rer	marks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic								Refer to Appendix	1H [Equipment and
PVW Protective Vinyl Wallcovering	-	E-7		i				Furniture] for requi	irements
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel		No. 100 100 100 100 100 100 100 100 100 10							
WVW Wetroom Vinyl Wallcovering			-	O) THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TO	75				
FLOOR FINISHES LEGEND:	C1 C2 C3 C4 C5 14				-				
CFS Concrete Floor Sealer EFC Epoxy Floor Coating		L2 L3 L4				_ / 4	1		
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		17 10		-   1				
RSF Rubber Sheet Flooring			L7 L8 L9	L10 L11		$\sim$ $\sim$ $\sim$ $\sim$	1 - 30-554.7		
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized		L12	TC1 TO	c2	.   [     [		
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		cialty	LOWER UNITS		] **	UC1 U		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category Category 2 - Med (5% - 9%)	(mm) Height Height Case	ework	ı	RECEPTION/TRANSACTION	LITH ITY CINIV AN	ID COUNTED LINET		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				COUNTER / CARE TEAM STATION DESK	UTILITY SINK AN	ND COUNTER UNIT		
FCB Flash Cove Base									
RB Rubber Base  SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS									
PLUMBING Hand	Seamless Utility /	Other Fixtures: Evewash	Station	MED / NON-MED GASE	:S				
	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Eyewasii	Station Shower Station	(Quantity)		rous		Laboratory I	Utility Laboratory Compressed
	2	☐ Tub ☐ Emergence		Oxygen: Med	dical Air: Vacuum: Ox	xide: CO2:	AGSS: Nitrogen:	Air:	Vacuum: Air:
Plumbing Refer to Appendix 1H [Equipment and Furnit	ture] for reprocessing sink types	☐ Ice Maker ☐ Flush Rim			1				1
Remarks:		☐ Water Closet ☐ Floor Dra	in	Coc Personalis D.	for to Cabadula 1 Castina 7.5.1	1 Ventileties for 5	acust Customs Bassiness 11		
		☐ Instantaneous ☐ Water Bo	ttle Refill Station		fer to Schedule 1, Section 7.5.1 ovide (1) medical air and (1) vac				
		Hot Water Other							

			Number(s): 2.	8. 14.	20. 26.	32. 38.	44.
Ro	om Name: Soiled Receiving/Decanting	ing	3.	9. 15.	21. 27.	33. 39.	45.
			4.	10. 16.	22. 28.	34. 40.	46.
			5. 6.	11. 17. 18.	23. 29. 24. 30.	35. 41. 36. 42.	47. 48.
			0.	10.	24. 30.	30. 42.	40.
ARCHITECT	URAL REQUIREMENTS						
WALL AND C		WALL PROTECTION		GLAZING	FLOORING TYPES  Material: Base:	ROOM ACCESSORIES	
	Material: ARGB 1.2m AFF, GB above		☐ Hand Rails ☐ Bed Bumper / Locator	☐ Interior Glazing	WSVF FCB	☐ Coat Hooks ☐ Ceiling Lift	Magnetic Whiteboard
Ceiling	Material: MMRGB	Finish: HPC Height: 2185 mm Crash Rails	Chair Rail		WSVI TEB	☐ Mirror ☐ Infant Change Table	Privacy Curtain
LEGEND:		DOORS				Door Remarks:	
	EILING LEGEND:	Types:					Security Grille
	Architectural Ceiling Acoustic Ceiling Tile		A HUMM BUBLE				·
ACT-C	Cleanroom						Anti-barricade
	Abuse-Resistant Gypsum Board Gypsum Board	A A2 B B2 C C	2 D D2 E E2 F	F2 G H			strategy
	Impact-Resistant Gypsum Board	, in the second			A. de Hald		
	Kitchen Lay-in Ceiling Tile Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Material: Finis	Integral Door & Frame Privacy  n: Side Lt: Blinds: Protect.: Film:	Card Mag Function: Reader: Lock:	Auto Hold Opener: Open: Hinges:	Accessory 1: Accessory 2: Accessory 3:	Closer:
SACT	Security Acoustic Ceiling Tile	Type.Qty. Size (IIIII). Waterial. Tillis			Tilliges.	Accessory 1. Accessory 2. Accessory 5.	Closer.
WALL FINISH	ES LEGEND:						
	Epoxy Wall Coating High Performance Coating	ANULWORK AND SECURITY CASSIMORY					
	Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Storage Requirements:		FINISH	IES
CEILING FINI	SHES LEGEND:	U1 U2				Full-height Cabinet:	
	Epoxy Ceiling Coating	7 1 1 1 1 2 2	<sup>U3</sup> U4 $\square$ $\square$ $\square$	1		Upper Millwork:	
	High Performance Coating Prefinished		U5 U6 U7 U8			Countertop:  Lower Millwork:	
PT	Paint			-ta 🗆		Shelf:	
WALL PROTE	CTION LEGEND:			S1		5.16.11	
	Extruded Semi-Rigid PVCu Panel					Remarks:	
	Fibre Reinforced Laminate Fibreglass Reinforced Plastic						
	Protective Vinyl Wallcovering	10 000000000000000000000000000000000000	F				
	Rigid High Impact Sheet Wetwall Solid Surface Panel		les Controlles acatalan				
WVW	Wetroom Vinyl Wallcovering			SE SESSESSES SE SESSES SE SESSES SE SE S	7/		
FLOOR FINIS		C1 C2 C3		-			
	Concrete Floor Sealer Epoxy Floor Coating					[ F	
PFC	Polyurethane Floor Coating		L4 L5	7			
	Rubber Athletic Flooring Rubber Sheet Flooring	FULL-HEIGHT CABINETS		1110			
SCF	Seamless Cushioned Flooring			L10 L11 L12	TC1 TC2		
	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring		Notorized		Π 1 τα "	UC1   "	
VSF	Vinyl Sheet Flooring	Category 0 - None Min. Length A Category 1 - Low (1% - 4%) Category (mm)	djustable Standing Specialty Height Height Casework	LOWER UNITS	PTION/TRANSACTION		
	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)			•	NK AND COUNTER UNIT	
FLOOR BASE		Category 3 - High (10% or Greater)		STATI	ION DESK		
	Flash Cove Base Rubber Base						
SCF	Seamless Cushioned Flooring						
MECHANIC	AL REQUIREMENTS						
PLUMBING	Hand	Seamless Utility / Other Fixtures:	Evewash Station	MED / NON-MED GASES			
(Quantity)		k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	<b>✓</b> Eyewash/Shower Station	(Quantity)	Medical Nitrous	Laborato	Compressed
	1	Tub	Emergency Shower	Oxygen: Medical A	Air: Vacuum: Oxide: CC	2: AGSS: Nitrogen: Air:	Vacuum: Air:
Plumbing		☐ Ice Maker	Flush Rim Sink				
Remarks:		☐ Water Clo	et Floor Drain	Coo Downson		1 1	
		☐ Instantane		Gas Remarks:			
		Hot Water		7			
			odici	_			

Program 1. P1.03.01

13.

19.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

25.

Appendix 1	1B Minimum Room Requir	ements	Program Number(s):	1. P2.03.04 2.	7. 13. 8. 14.		19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Roo	om Name: Steam Sterilizers			3.	9. 15. 10. 16.		21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
					11. 17.		23.	29.	35.	41.	47.
				6.	12. 18.		24.	30.	36.	42.	48.
ARCHITECT	URAL REQUIREMENTS										
WALL AND CE		WALL PROTECTION			GLAZING	FLO	ORING TYPES Material: Base:		ACCESSORIES		
	Material: ARGB 1.2m AFF, GB above  Material: MMRGB	Finish:         HPC         Type:         ESRP           Finish:         HPC         Height:         2185 mm	☐ Corner Guards ☐ Hand Rails ☐ Bed Bu☐ Crash Rails ☐ Chair Rail	imper / Locator	☐ Interior Glazing		WSVF FCB	_	oat Hooks Ceiling Lif irror Infant Ch		agnetic Whiteboard ivacy Curtain
LEGEND:	Waterian Williams	DOORS	crusi nuis						or Remarks:		ivacy curtain
	EILING LEGEND:	Types:									
	Architectural Ceiling Acoustic Ceiling Tile	турсэ.									Security Grille
ACT-C C	Cleanroom										Anti-barricade
	Abuse-Resistant Gypsum Board Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	Н	J				strategy
	mpact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		Integral Doc	or & Frame Privacy	Card	Mag Auto	Hold				
	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	=	Protect.: Film:	Function: Reader:	Lock: Opener	r: Open: Hinge	s: Accessor	y 1: Accessory 2: Ac	cessory 3: Clos	er:
WALL FINISH											
EWC E	Epoxy Wall Coating										
	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	orage Requirements:					FINISHES	
CEILING FINIS	SHES LEGEND:		U1	_					Full-height Cabi		
	Epoxy Ceiling Coating High Performance Coating		U2 U3 U4 U5	U6 U7					Upper Millw Counter		
	Prefinished Paint			U7 U8	SHELF				Lower Millw		
					ħ 🖺 📗				SI	nelf:	
	CTION LEGEND: Extruded Semi-Rigid PVCu Panel				\$1				Rem	narks:	
	Fibre Reinforced Laminate Fibreglass Reinforced Plastic										
PVW P	Protective Vinyl Wallcovering		Frank Park								
WSSP V	Rigid High Impact Sheet Wetwall Solid Surface Panel			-		<u> </u>					
	Wetroom Vinyl Wallcovering			1-17-	On the Publishment of the Publis	17	7				
CFS C	HES LEGEND: Concrete Floor Sealer	C1 C2 C3 C4 C5 L1			==   [[	7		7/	-		
	Epoxy Floor Coating Polyurethane Floor Coating		L2 L3 L4 L5				Frances	/ 1	1		
RAF R	Rubber Athletic Flooring Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L7 L8 L9			L   -	4 1 11			
SCF S	Seamless Cushioned Flooring					12	TC1 TC2				
	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized Min. Length Adjustable Standing Sp	ecialty			TC2	U UC	<u>.</u>		
	/inyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)	- ,	sework	LOWER UNITS	RECEPTION/T		L			
FLOOR BASE I		Category 3 - High (10% or Greater)				COUNTER / CA STATION DESI		JTILITY SINK AND CO	DUNTER UNIT		
	Flash Cove Base Rubber Base										
	Seamless Cushioned Flooring										
MECHANICA	AL REQUIREMENTS				ı						
PLUMBING	Hand Hygiene Sink: Lavatory: Kitchen Sin	Seamless Utility / k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures: Evewash		MED / NON-MED G		Modical Nitra			l aborate	Utility
(Quantity)	22.300.7.	33.33 5		n/Shower Station	(Quantity) Oxygen:		Medical Nitrous /acuum: Oxide:	CO2:	AGSS: Nitrogen:		oratory Compressed Air:
Plumbing	1 1		☐ Tub ☐ Emerger ☐ Flush Rir		,65						1
Remarks:			Water Closet Floor Dr.								
				ottle Refill Station	Gas Remarks:						
			Hot Water Other								
						1					

• •	•		Number(s)	: 2.	8. 14.	20.	26.	32.	38.	44.
				3.	9. 15.		27.	33.	39.	45.
Ro	oom Name: Sterile Stores Supplies				10. 16.		28.	34.	40.	46.
					11. 17.		29.	35.	41.	47.
				6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECT	TURAL REQUIREMENTS									
WALL AND C	EILING	WALL PROTECTION			GLAZING	FLOORING T	TYPES	ROOM ACCESSORIES		
	Material: ARGB 1.2m AFF, GB above	Finish: HPC Type: ESRP	✓ Corner Guards ☐ Hand Rails ☐ Bed B	umper / Locator	☐ Interior Glazing		il: Base:	☐ Coat Hooks ☐ Ce	iling Lift	✓ Magnetic Whiteboard
Ceiling	Material: MMRGB	Finish: HPC Height: 2185 mm	Crash Rails Chair Rail		Interior Glazing	WSVF	FCB			Privacy Curtain
LEGEND:		DOORS						Door Remarks:		
	CEILING LEGEND:									
	Architectural Ceiling	Types:		6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6						Security Grille
ACT	Acoustic Ceiling Tile									
	Cleanroom		NEURINA NUMERIA							☐ Anti-barricade
	Abuse-Resistant Gypsum Board Gypsum Board	A A2 B	B2 C C2 D D2		F2 G	H				strategy
	Impact-Resistant Gypsum Board	A AZ B	B2 C C2 D D2	E E2 F	F2 G	п				
	Kitchen Lay-in Ceiling Tile		Integral Do	or & Frame Privacy	Card	Mag Auto Hold				
	Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds:	Protect.: Film:	Function: Reader:	Lock: Opener: Open	: Hinges:	Accessory 1: Accessory	2: Accessory 3:	Closer:
SACT	Security Acoustic Ceiling Tile									
WALL FINISH	HES LEGEND:									
	Epoxy Wall Coating						L			
	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK		St	orage Requirements:				FINISHES	
			UPPER UNITS					Full-heid	ht Cabinet:	
	ISHES LEGEND:		U1 U2 U3 U4					1	r Millwork:	
	Epoxy Ceiling Coating High Performance Coating		U3 U4 U5	U6				1	Countertop:	
	Prefinished			U7 U8	SHELF				r Millwork:	
PT	Paint	ragazza		7	44			Lowe		
WALL BROTE	COTION LECEND.				1				Shelf:	
	ECTION LEGEND:  Extruded Semi-Rigid PVCu Panel				S1					
	Fibre Reinforced Laminate	20000000			15				Remarks:	
	Fibreglass Reinforced Plastic			1 1						
	Protective Vinyl Wallcovering	100	- Francisco							
	Rigid High Impact Sheet Wetwall Solid Surface Panel		1	1 1						
	Wetroom Vinyl Wallcovering	CONTRACTOR OF THE PARTY OF THE		an Paragraphic						
FLOOD FINIS	SHES LEGEND:	cı C		1-1/1	ON THE PERSONAL PROPERTY OF THE PERSONS ASSESSED.	1/ 400000	7			
	Concrete Floor Sealer	_ 62 63		- Francis		7				
	Epoxy Floor Coating		L2	+ K-V)	W	The same of the sa	2	L	7	
	Polyurethane Floor Coating		15		Z Z	~ -	The state of the s	THE RESERVE OF THE PERSON NAMED IN		
	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9		//				
	Rubber Sheet Flooring Seamless Cushioned Flooring				L10 L11		=/ //			
	Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized				TC2		U	
SDVF	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		pecialty	L			UC1		
	Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Cate	•	asework	LOWER UNITS	RECEPTION/TRANSAC	TION			
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)				COUNTER / CARE TEA		INK AND COUNTER UNIT		
FLOOR BASE	LEGEND:	Category 3 - High (10% or Greater)				STATION DESK				
	Flash Cove Base									
	Rubber Base Seamless Cushioned Flooring									
301	Seattless Cushioned Flooring									
<u>MECHANIC</u>	CAL REQUIREMENTS									
PLUMBING	Hand	Seamless Utility /	Other Fixtures:	h Station	MED / NON-MED GA	ASES				
(Quantity)		C: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Lyewas		(Quantity)	Medical	Nitrous		Laboratory	Utility Laboratory Compressed
( \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \				h/Shower Station		Medical Air: Vacuum:		D2: AGSS: Nit	ogen: Air:	Vacuum: Compressed
L				ency Shower	Oxygen. I	ivicultal All.		JZ. MUJJ. INIL	ogen.	Air:
Plumbing			☐ Ice Maker ☐ Flush R	im Sink						
Remarks:			☐ Water Closet ☐ Floor D	rain					·	
				Bottle Refill Station	Gas Remarks:					
			Hot Water							
			Other							
					1	I				

Program 1. P3.02.04

7.

13.

19.

25.

31.

37.

43.

Appendix 1B	3 Minimum Room Require	ements	Prog Numbe	gram 1. P1.06 per(s): 2.	7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room	Name: Vestibule - Cart Return			3. 4.	9. 15. 10. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				5.	11. 17. 12. 18.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.
ARCHITECTI IR	RAL REQUIREMENTS			0.	12.	24.	30.	30.	42.	40.
		WALL PROTECTION			CLATING	FLOODING TYPES	20014	ACCECCODIEC		
WALL AND CEILI Wall Mat		Finish: HPC Type: ESRP	✓ Corner Guards ☐ Hand Rails ☐ B	Bed Bumper / Locator	GLAZING  ✓ Interior Glazing	FLOORING TYPES Material: Base:		ACCESSORIES oat Hooks		agnetic Whiteboard
Ceiling Mat	terial: MMRGB	Finish: HPC Height: 2185 mm	Crash Rails Chair Rail			WSVF FCB		lirror Infant Ch	ange Table Pri	ivacy Curtain
LEGEND:		DOORS						oor Remarks:		
WALL AND CEILI		Types:					Pro	ovide wave openers on do	ors	Security Grille
	nitectural Ceiling ustic Ceiling Tile									
ACT-C Clear	nroom	MNMM	MZDALNIZ NJIME							Anti-barricade
	se-Resistant Gypsum Board sum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H					strategy
IRGB Impa	act-Resistant Gypsum Board	A A2								
	hen Lay-in Ceiling Tile sture and Mould-Resistant Gypsum Board	5 Ot - 5' - ( n)	· ·	al Door & Frame Privacy :: Protect.: Film:	Card Ma Reader: Loc	0				_
	urity Acoustic Ceiling Tile	Гуре:Qty: Size (mm):			Tunction.		nges: Accessor	· · ·	cessory 3: Close	r:
WALL FINISHES I	LEGEND:	B 1 1220 x 2135 S B 1 1220 x 2135 S		2 High Push, 2 High Push,			_		Surface Surface	
	xy Wall Coating n Performance Coating				, ,		0		<u> </u>	
PT Paint		MILLWORK AND SPECIALTY CASEWORK	UPPER UNIT	TS Sto	orage Requirements:				FINISHES	
CEILING FINISHE	ES LEGEND:		U1 U2					Full-height Cabi		
	xy Ceiling Coating	7 11/12	U2 U3 U4 U5					Upper Millw		
	n Performance Coating Finished		7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	U6 U7 U8	SHELF			Counter		
PT Paint				1	JILLE			Lower Millw	helf:	
WALL PROTECTION	ION LEGEND:	Congression			1 L			31	ieii:	
	uded Semi-Rigid PVCu Panel							Rem	narks:	
	e Reinforced Laminate				-					
	eglass Reinforced Plastic ective Vinyl Wallcovering		1 1	_						
RHIS Rigid	d High Impact Sheet			7						
	wall Solid Surface Panel croom Vinyl Wallcovering	CONTRACTOR OF THE PARTY OF THE		on an expense						
FLOOR FINISHES		CI CZ	<del></del>		On the statement of the	1				
	crete Floor Sealer	C2 C3 C4 1		=======================================			7 /			
EFC Epox	xy Floor Coating		L2 L3 L4		W	-	1 400	1		
	rurethane Floor Coating ber Athletic Flooring	FULL-HEIGHT CABINETS		L6 L7 18						
	ber Sheet Flooring	1022 11210111 0112111210		L6 L7 L8 L9	L10 L11	7	7/ 11			
	mless Cushioned Flooring ic-Dissipative Rubber Sheet Flooring	Legend:			L12	TC1 TC2	V   "			
	ic-Dissipative Kubber Sheet Flooring	Category 0 - None	Motorized  Min. Length Adjustable Standing	Specialty			U	c1		
	/I Sheet Flooring	Category 1 - Low (1% - 4%) Categ		Casework	LOWER UNITS RE	CEPTION/TRANSACTION				
	croom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)			CO	UNTER / CARE TEAM	UTILITY SINK AND C	OUNTER UNIT		
FLOOR BASE LEG	h Cove Base				ST	ATION DESK				
	ber Base									
SCF Seam	mless Cushioned Flooring									
<u>MECHANICAL</u>	. REQUIREMENTS				1					
	Hand	Seamless Utility /	Other Fixtures:	rewash Station	MED / NON-MED GASES					Utility
(Quantity) Hygi	giene Sink: Lavatory: Kitchen Sink	:: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		rewash/Shower Station	(Quantity)	Medical Nitrou				oratory Compressed
				nergency Shower	Oxygen: Medic	al Air: Vacuum: Oxide	CO2:	AGSS: Nitrogen:	Air: Va	cuum: Air:
Plumbing				ush Rim Sink						
Remarks:				oor Drain						
				ater Bottle Refill Station	Gas Remarks:					
			Hot Water							
			Other	r						

Appendix 1B Minimum Room Require	ments	Program Number(s):	1. P2.05 2.	8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Workshop - FMO			3. 4.		15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
			5.		17.	23.	29.	35.	41.	47.
			6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS		·		<u> </u>		1				
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES		1 ACCESSORIES	_	_
Wall Material: ARGB		Corner Guards Hand Rails Bed Bu	mper / Locator	☐ Interior Glazin	ıg	Material: Base: WSVF FCB		Coat Hooks 📙 Ceilir		Magnetic Whiteboard
Ceiling Material: ACT	Finish: PF Height: 2480 mm	Crash Rails Chair Rail				W3VF FCB			t Change Table	Privacy Curtain
LEGEND:	DOORS							Ooor Remarks:		
WALL AND CEILING LEGEND:	Types:									☐ Security Grille
AC Architectural Ceiling  ACT Acoustic Ceiling Tile										
ACT-C Cleanroom						NZZ				Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B2	C C2 D D2	E E2 F	F2 G	Н					strategy
IRGB Impact-Resistant Gypsum Board										
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm): Mate	Director D	r & Frame Privacy rotect.: Film:	Card Function: Read		uto Hold ener: Open: <sub>Hing</sub>		ory 1: Accessory 2:	Accordany 2:	Closor
SACT Security Acoustic Ceiling Tile		indi. Timoni Side Et.		Function: Read		ener: Open: Hing		ory 1: Accessory 2:	Surf	Closer:
WALL FINISHES LEGEND:	C 2 1220 X2440 110110W	Tivetal Faint 2111	510	eroom 🗸		Cont. Swiii	3 Cicai		3411	ace
EWC Epoxy Wall Coating							<u> </u>			
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	S	torage Requirements:					FINISHES	
CEILING FINISHES LEGEND:	U1							Full-height	Cabinet:	
ECC Epoxy Ceiling Coating	7777	U2 U3 <u>U4</u>						Upper N	Aillwork: Plastic Lam	inate
HPC High Performance Coating PF Prefinished	The state of the s	US	U6					Cou	intertop: Solid Surfa	cing
PT Paint			U8	SHELF				Lower N	Aillwork: Plastic Lam	inate
WALL PROTECTION LEGEND:				S1 L					Shelf:	
ESRP Extruded Semi-Rigid PVCu Panel				]_ 31					Remarks:	
FRL Fibre Reinforced Laminate				1					nemarks.	
FRP Fibreglass Reinforced Plastic  PVW Protective Vinyl Wallcovering			1 1							
RHIS Rigid High Impact Sheet										
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering			on The Parket of the Parket of							
FLOOR FINISHES LEGEND:	ci ci		= 7	OO HO PERSONAL PROPERTY OF	/	-				
CFS Concrete Floor Sealer			- 5				7 /		_	
EFC Epoxy Floor Coating		L2 L3 L4		1		Variable of the last of the la	/ 4	57/		
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	15	L7 L8 19		/		7   11			
RSF Rubber Sheet Flooring		L6		L10 L11			7/ 11			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	NA-+:	<u> </u>		L12	TC1 TC2		.   [	S.	
SDVF Static-Dissipative Vinyl Sheet Flooring	Cotonomi O. Nomo	Motorized  Min. Length Adjustable Standing Spe	cialty					JC1		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category	- ,	ework	LOWER UNITS	RECEPTIO	N/TRANSACTION				
FLOOR BASE LEGEND:	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	900			COUNTER STATION	R / CARE TEAM	UTILITY SINK AND	COUNTER UNIT		
FCB Flash Cove Base					STATION	DESK				
RB Rubber Base										
SCF Seamless Cushioned Flooring										
									L	
MECHANICAL REQUIREMENTS				<u> </u>						
PLUMBING Hand	Seamless Utility /	Other Fixtures: Evewash	Station	MED / NON-MED	GASES					Utility
			Shower Station	(Quantity)		Medical Nitrous			A*.	Laboratory Compressed
1		☐ Tub ☐ Emergen	cy Shower	Oxygen:	Medical Air:	Vacuum: Oxide:	CO2:	AGSS: Nitrog	en: Air:	Vacuum: Air:
Plumbing		☐ Ice Maker ☐ Flush Rim								
Remarks:		☐ Water Closet ☐ Floor Dra	in			1		I		
		_	ottle Refill Station	Gas Remark	KS:					
		Hot Water								
		Other								



## New Surrey Hospital & BC Cancer Centre

MINIMUM ROOM REQUIREMENTS

## Q. Patient Transfer & Portering

Room Name: Identification Room				3.	9. 15.	21.	27.	33.	39.	45.
					10. 16. 11. 17.	22. 23.	28. 29.	34. 35.	40. 41.	46. 47.
				6.	11. 17. 18.	23.	30.	36.	41.	48.
ARCHITECTURAL REQUIREMENTS					l					
WALL AND CEILING	WALL	PROTECTION			GLAZING	FLOORING TYP	ES	ROOM ACCESSOI	RIES	
Wall Material: MMRGB			✓ Corner Guards ☐ Hand	d Rails	✓ Interior Glazing	Material:	Base:	☐ Coat Hooks		☐ Magnetic Whiteboard
Ceiling Material: ACT			☐ Crash Rails ☐ Chair	r Rail	interior diazing	VSF	FCB	☐ Mirror	☐ Infant Change Table	Privacy Curtain
LEGEND:	DOORS				1	1		Door Remark	S:	
WALL AND CEILING LEGEND:	Types:						Note: for Type F d			
AC Architectural Ceiling	Types.			alias a as a			the door panels w approximately	ill be		Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom							465/1065 unless			☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board							otherwise rquired	by		strategy
GB Gypsum Board	A	A2 B	B2 C C2	D D2 E E2 F	F2 G	H J	the Authority			
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile				Integral Door & Frame Privacy	Card	Mag Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Fyr	e:Qty: Size (mm):	Material: Finish: Side	e Lt: Blinds: Protect.: Film:	Function: Reader:	•	Hinges:	Accessory 1: Acce	essory 2: Accessory 3:	Closer:
SACT Security Acoustic Ceiling Tile	_	1 1530 x 2135 H			sage		Butt Hinge	Astragal Flush		Surface
WALL FINISHES LEGEND:		1 1330 X 2133 11					Succe i i i i ge	7.50.0801	1 Boile	Sandee
EWC Epoxy Wall Coating									<u> </u>	
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALT	Y CASEWORK		LIDDED LINITS	torage Requirements:				FINISI	HES
		etter i	_	UPPER UNITS				F	ull-height Cabinet:	
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	6	77	U2 112						Upper Millwork:	
HPC High Performance Coating		VV	7 7	U5 U6 U7					Countertop:	
PF Prefinished				U7 U8	SHELF				Lower Millwork:	
PT Paint	and the same of th				- <del>!</del> a				Shelf:	
WALL PROTECTION LEGEND:					S1 S1					
ESRP Extruded Semi-Rigid PVCu Panel									Remarks:	
FRL Fibre Reinforced Laminate		'   '      /	1		1					
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering	7	-	dere-							
RHIS Rigid High Impact Sheet	Tangara.		THE PERSONNELS OF THE PERSONNE	-	i					
WSSP Wetwall Solid Surface Panel		-		See See See See See See See See See See						
WVW Wetroom Vinyl Wallcovering					CO CO	7/	1			
FLOOR FINISHES LEGEND:	C1 C2	3 (4				Consession of the last	-			
CFS Concrete Floor Sealer		7 C5 L1	L2 10		///K			/	7	
EFC Epoxy Floor Coating  PFC Polyurethane Floor Coating			L3 L4	L5	AKKA -		- Constant	The same of the sa		
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS			☐ L6 L7 L8 10			<del> </del>			
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring					L10 L11		/ 1/			
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:		Motorized				T <sub>C2</sub>		ll U	
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		Min. Length Adjustable		L			UC1	Ш	
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%)	Catego		Height Casework	LOWER UNITS	RECEPTION/TRANSACTIO	N			
• • •	Category 2 - Med (5% - 9%) Category 3 - High (10% or G	reater)				COUNTER / CARE TEAM		SINK AND COUNTER U	NIT	
FLOOR BASE LEGEND:	Category 3 - High (10% Of G	cutcij				STATION DESK				
FCB Flash Cove Base RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS										
	Seamless Utility /		Other Fixtures:		MED / NON-MED GA	VCEC				
	Kitchen Sink: Process Sink: Scrub	Sink: Floor Sink:		Evewash Station			Nitrous		Laboret	Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:			Shower	Eyewash/Shower Station	(Quantity)	Medical Medical Air: Vacuum:	Nitrous Oxide:	03. 4000	Laborato Nitrogen: Air:	. Vacuum:
			☐ Tub	Emergency Shower	Oxygen: N	Medical Air: Vacuum:	onide.	O2: AGSS:	Nitrogen: AIr:	Vacuum. Air:
Plumbing			☐ Ice Maker	Flush Rim Sink						
Remarks:			Water Closet	☐ Floor Drain			1	1	1	
			Instantaneous	☐ Water Bottle Refill Station	Gas Remarks:					
			Hot Water							
				Other						

Program 1. Q2.04

Number(s): 2.

7.

8.

13.

14.

19.

20.

25.

26.

31.

32.

37.

38.

43.

44.

**Appendix 1B Minimum Room Requirements** 

• •		•	Number(	(s): 2.	8. 14.	20.	26.	32.	38.	44.
	[			3.	9. 15.	21.	27.	33.	39.	45.
Ro	oom Name: Vestibule - Patient	t Transfer		4.	10. 16.	22.	28.	34.	40.	46.
				5.	11. 17.	23.	29.	35.	41.	47.
				6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECT	TURAL REQUIREMENTS							•		
WALL AND C	·	WALL PROTECTION			GLAZING	FLOORING TYPES	POOM A	ACCESSORIES		
	Material: MMRGB		Corner Guards Hand Rails Bed	Dumner / Lecator		Material: Base:		at Hooks		gnetic Whiteboard
	Material: ACT		Crash Rails Chair Rail	Bullipel / Locatol	✓ Interior Glazing	VSF FCB	Mir			vacy Curtain
Cennig	Iviateriai. ACT	Finish: PF Height: 2185 mm	Crasii Naiis Criaii Naii						inge rable	acy curtain
LEGEND:		DOORS					Doc	or Remarks:		۱
	CEILING LEGEND:	Types:								Security Grille
	Architectural Ceiling					44 1244N				security office
	Acoustic Ceiling Tile Cleanroom									Anti-barricade
	Abuse-Resistant Gypsum Board									strategy
	Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	J				
	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		Integral [	Door & Frame Privacy	Card	Mag Auto Hold				
	Moisture and Mould-Resistant Gypsum Boar	rd	Material: Finish: Side Lt: Blinds:	Protect.: Film:			nges: Accessory	1: Accessory 2: Acc	cessory 3: Close	- r·
SACT	Security Acoustic Ceiling Tile		Hollow Metal Paint		Tunction.					<u>·</u>
WALL FINISH	HES LEGEND:	CZ Z 1830 X 2133		Stor	eroom 🗸	☐ ☐ Butt Hing	ge Astragal	FIUSTI BOIL ETEC	. Strike Surface	
	Epoxy Wall Coating									
	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		C	corage Requirements:			٦	FINISHES	
PT	Paint		UPPER UNITS	31	orage nequirements.					
CEILING FINI	ISHES LEGEND:		U1					Full-height Cabir		
	Epoxy Ceiling Coating	7	-Z-1 U3 U4 □					Upper Millwo		
	High Performance Coating Prefinished	Samuel Control of the	US	U6 U7 U				Countert		
	Paint			D8	SHELF			Lower Millwo	ork:	
					<b>⊅</b> □			Sh	elf:	
	ECTION LEGEND:	7			S1					
	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate				1/2			Rema	arks:	
	Fibreglass Reinforced Plastic									
PVW	Protective Vinyl Wallcovering		- Commence   Commence							
	Rigid High Impact Sheet			111						
	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering	California Cal	*	on on The Party of the Party of						
FLOOD FINIS	SHES LEGEND:	cı cı		7	ON THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF T	1				
	Concrete Floor Sealer	_ (2 (3 ) )					7			
	Epoxy Floor Coating		11 12				/ 6_	1		
	Polyurethane Floor Coating		_			-		The state of the s		
	Rubber Athletic Flooring Rubber Sheet Flooring	FULL-HEIGHT CABINETS		6 L7 L8 L9						
	Seamless Cushioned Flooring		L		L10 L11 L12					
	Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			TC1 TC2				
	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Min. Length Adjustable Standing	Specialty			UC1			
	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring		tegory (mm) Height Height	Casework	LOWER UNITS	RECEPTION/TRANSACTION		i		
		Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)				COUNTER / CARE TEAM	UTILITY SINK AND CO	UNTER UNIT		
FLOOR BASE		category 5 Tright (10% of dicater)				STATION DESK				
	Flash Cove Base Rubber Base									
	Seamless Cushioned Flooring									
								L		
MECHANIC	CAL REQUIREMENTS	<u>'</u>								
	•									
PLUMBING	Hand	Seamless Utility /		ash Station	MED / NON-MED GAS					Utility
(Quantity)	nygierie Sirik: Lavatury: Kitc	chen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Snower Eyew	ash/Shower Station	(Quantity)	Medical Nitrou				ratory Compressed
			☐ Tub ☐ Emer	gency Shower	Oxygen: Me	edical Air: Vacuum: Oxide	: CO2:	AGSS: Nitrogen:	Air: Vac	cuum: Air:
Plumbing			☐ Ice Maker ☐ Flush							
Remarks:			Water Closet Floor							
				er Bottle Refill Station	Gas Remarks:					
				r bottle ketill Station						
			Hot Water Other							

Program 1. Q1.01

7.

13.

19.

25.

31.

37.

43.

-pp			Number(s):	2.	8. 14.	20.	26.	32.	38.	44	
	D			3.	9. 15.	21.	27.	33.	39.	45	
F	Room Name: Viewing Room			4.	10. 16.	22.	28.	34.	40.	46	
					11. 17.	23.	29.	35.	41.	47	
					12. 18.	24.	30.	36.	42.	48	
A DCUITEC	CTURAL REQUIREMENTS										
WALL AND		WALL PROTECTION			GLAZING	FLOORING TYPES  Material: Base:		OOM ACCESSORIE			
	all Material: MMRGB		Corner Guards Hand Rails Bed Bu	mper / Locator	✓ Interior Glazing	VSF FCB		✓ Coat Hooks ☐		Magnetic	
Ceiling	g Material: ACT	Finish: PF Height: 2185 mm	Crash Rails Chair Rail			V3F FCB		☐ Mirror ☐	Infant Change Table	Privacy Cu	ırtain
LEGEND:		DOORS						Door Remarks:			
WALL AND	CEILING LEGEND:	Types:									Security Grille
AC	Architectural Ceiling										Security Grille
ACT ACT-C	Acoustic Ceiling Tile Cleanroom										Anti-barricade
ARGB	Abuse-Resistant Gypsum Board										strategy
GB	Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	J					
IRGB KLCT	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		Integral Doo	or & Frame Privacy	Card Mag	Auto Hold					
MMRGB	Moisture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm):	•	Protect.: Film:	Function: Reader: Lock	0	inges: Acc	ressory 1: Accesso	ory 2: Accessory 3:	Closer:	
SACT	Security Acoustic Ceiling Tile	B 1 1065 x 2135 Ho	viateriai. Tillisti. Side Et.	Store	T direction.	Butt Hin		Lessory 1. Accesso	ory Z. Accessory 5.	Surface	
WALL FINIS	SHES LEGEND:	C 1 915 x 2135 Sol				Butt Hin				Surface	
EWC	Epoxy Wall Coating	C 1 915 X 2133   301	id Cole   FRL	ow Store	100111		Re			Surface	
HPC	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Sto	orage Requirements:				FINIS	HES	
PT	Paint	~	UPPER UNITS					E.III	neight Cabinet:		
	NISHES LEGEND:	/ //	U2 112 $\square$						pper Millwork:		
ECC	Epoxy Ceiling Coating High Performance Coating	7	U4 U5	U6				0	Countertop:		
PF	Prefinished	-	7	U7 U8	SHELF			1.	ower Millwork:		
PT	Paint	Carpenson	1	77	± □			L.	Shelf:		
WALL PRO	OTECTION LEGEND:	Cargonal I			S1				Sileii.		
ESRP	Extruded Semi-Rigid PVCu Panel				11				Remarks:		
FRL	Fibre Reinforced Laminate										
FRP	Fibreglass Reinforced Plastic	7		1 1					Provide blir side of the	nds on the Identific	ation Room
PVW RHIS	Protective Vinyl Wallcovering Rigid High Impact Sheet	-	The state of the s		i				side of the	villuow	
WSSP	Wetwall Solid Surface Panel		1	toraco-							
WVW	Wetroom Vinyl Wallcovering			-	SECONDARIA DE LA COMPONIONE DE LA COMPON	7/-					
FLOOR FIN	IISHES LEGEND:	<u>cı</u>		-21	On the last of the	and the same of th					
CFS	Concrete Floor Sealer	☐ ☐ C4 C5 11 1			==		7	/ E			
EFC PFC	Epoxy Floor Coating Polyurethane Floor Coating		12 L3 L4 L5		KNN-	-		The state of the s	7/		
RAF	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8			S .				
RSF	Rubber Sheet Flooring			L7 L8 L9	L10 L11	7/	7/				
SCF SDRF	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:			L12	TC1 TC2	$\nu$	"   [			
SDVF	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized Min. Length Adjustable Standing Spe	ecialty				UC1			
VSF	Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categor	- ,	sework	LOWER UNITS	CEPTION/TRANSACTION					
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	, , mangan			UNTER / CARE TEAM	UTILITY SINK A	AND COUNTER UNIT			
FLOOR BAS	SE LEGEND:	Category 3 - High (10% or Greater)				ATION DESK					
FCB	Flash Cove Base										
RB SCF	Rubber Base Seamless Cushioned Flooring										
	1641 850111251151										
MECHANI	ICAL REQUIREMENTS										
PLUMBING	<b>G</b> Hand	Seamless Utility /	Other Fixtures: Evewash	Station	MED / NON-MED GASES						Utility
(Quantity)	Hygiene Sink: Lavatory: Kitchen S	ink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		/Shower Station	(Quantity)	Medical Nitro			Laborat		Compressed
			☐ Tub ☐ Emergen		Oxygen: Medica	al Air: Vacuum: Oxid	e: co2:	AGSS:	Nitrogen: Air:	Vacuum:	Air:
Plumbing			☐ Ice Maker ☐ Flush Rin								
Remarks:			_								
			☐ Water Closet ☐ Floor Dra		Gas Remarks:						
				ottle Refill Station							<b> </b>
			Hot Water Other								<b> </b>
			Suici								

Program 1. Q2.05

7.

13.

19.

25.

31.

37.

43.

Room Name: Walk-In Cooler - Racks				3.	9. 15.	21.	27.	33.	39.	45.
				4. 5.	10. 16. 11. 17.	22. 23.	28. 29.	34. 35.	40. 41.	46. 47.
				6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS					<u> </u>					
WALL AND CEILING	WAI	LL PROTECTION			GLAZING	FLOORING TYPES		ROOM ACCESSORIES	3	
	Finish: HPC		✓ Corner Guards ☐ Hand	Rails Bed Bumper / Locator	☐ Interior Glazing	Material: Base:		☐ Coat Hooks ✓		☐ Magnetic Whiteboard
Ceiling Material: ACT	Finish: PF		☐ Crash Rails ☐ Chair	Rail	interior diazing	VSF FCB		☐ Mirror ☐	Infant Change Table	Privacy Curtain
LEGEND:	DOORS							Door Remarks:		
WALL AND CEILING LEGEND:	Types:									
AC Architectural Ceiling	Types.			a (ala) (al (ala) (al						Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom	(0)									☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board				<u> </u>						strategy
GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	A	A2 B	B2 C C2 D	D2 E E2 F	F2 G H	l j				
KLCT Kitchen Lay-in Ceiling Tile				Integral Door & Frame Privacy	Card	Mag Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	1	Гуре:Qty: Size (mm):	Material: Finish: Side	Lt: Blinds: Protect.: Film:	Function: Reader:	Lock: Opener: Open:	linges:	Accessory 1: Accesso	ry 2: Accessory 3:	Closer:
SACT Security Acoustic Ceiling Tile		B2 1 1830 x 2135 S	olid Core FRL	Sto	reroom	Cont. S	wing Clear	Astragal Flush Bol	t Elec. Strike S	urface
WALL FINISHES LEGEND:							_			
EWC Epoxy Wall Coating HPC High Performance Coating										
PT Paint	MILLWORK AND SPECIA	LIY CASEWORK		UPPER UNITS	torage Requirements:				FINISHE	<u>``</u>
CEILING FINISHES LEGEND:				7				Full-h	eight Cabinet:	
ECC Epoxy Ceiling Coating	( market	17.77	U2 U3 U4					Ur	oper Millwork:	
HPC High Performance Coating	- Constitution of the Cons	T-K-V	17 7	U5 U6 LIZ					Countertop:	
PF Prefinished PT Paint				US	SHELF			Lo	wer Millwork:	
					<b>⊅</b> □				Shelf:	
WALL PROTECTION LEGEND:	angenerate.	1 1-4 1-7			S1					
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate	-				1/5				Remarks:	
FRP Fibreglass Reinforced Plastic		1 1 L'V		_1						lule 1, Section 13 21 00 -
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	-	100	SERERICATION OF THE PROPERTY.	Francis .	1				Walk-in Refrig	erators and Cold Rooms
WSSP Wetwall Solid Surface Panel	$\nu$		1 1	COLUMN TOWNS THE PARTY OF THE P						
WVW Wetroom Vinyl Wallcovering		+			COLUMN TO SERVICE STATE OF THE					
FLOOR FINISHES LEGEND:	<u>C1</u>				~ ~	Consessed -				
CFS Concrete Floor Sealer		C3					7	/ E	-	
EFC Epoxy Floor Coating  PFC Polyurethane Floor Coating			L2 L3 L4		_ KMM=		-	The same of the sa	<b>7/</b>	
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	;		L5 L6 L7 L8 L9			221			
RSF Rubber Sheet Flooring			_		L10 L11		7/			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:		*****	— ⊔	L12		$\nu$	, I I		
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		Motorized Min. Length Adjustable	Standing Specialty				UC1		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%			Height Casework	LOWER UNITS	RECEPTION/TRANSACTION				
	Category 2 - Med (5% - 9%					COUNTER / CARE TEAM	UTILITY SI	NK AND COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or	Greater)				STATION DESK				
FCB Flash Cove Base RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS	•									
PLUMBING Hand	Seamless Utility /		Other Fixtures:	Evewash Station	MED / NON-MED GAS	SES				
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink: Scru	ub Sink: Floor Sink:	Shower	Eyewash/Shower Station	(Quantity)	Medical Nitro	ous		Laboratory	Utility Laboratory Compressed
. "			☐ Shower			edical Air: Vacuum: Oxi		2: AGSS: 1	Nitrogen: Air:	Vacuum: Compressed  Vacuum: Air:
Plumbing Describe floor data as a state of all the				Emergency Shower		·		1.220.	- 0 -	All.
Plumbing Provide floor drain outside of walk in cooler. Remarks:	•		☐ Ice Maker	Flush Rim Sink						
			☐ Water Closet	Floor Drain	Gas Remarks:					
			Instantaneous	Water Bottle Refill Station						
			Hot Water	Other						

Program 1. Q2.03

Number(s): 2.

7.

8.

13.

14.

19.

20.

25.

26.

31.

32.

37.

38.

43.

44.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B N	Minimum Room Requireme	nts			Program Number(s):	1. Q2.02 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Na	lame: Workroom - Morgue					3.	9.	15.	21.	27.	33.	39.	45.
	, and the second					4. 5.	10. 11.	16. 17.	22. 23.	28. 29.	34. 35.	40. 41.	46. 47.
						6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURA	AL REQUIREMENTS				L				1		1		
WALL AND CEILING			WALL PROTECTION				GLAZING		FLOORING TYPES		OOM ACCESSORIES		
Wall Mater Ceiling Mater		sh: PT	Type: RHIS Height: 1350 mm	✓ Corner Guards ☐ Hand Rails ✓ Crash Rails ☐ Chair Rail		mper / Locator	☐ Interior Gla	zing	Material: Base: WSVF FCB		✓ Coat Hooks ✓ Ceiling  Mirror □ Infant		Magnetic Whiteboard Privacy Curtain
LEGEND:		DOORS								1	Door Remarks:		
WALL AND CEILING  AC Architec	G LEGEND:	Types:											Security Grille
ACT Acoustic	ic Ceiling Tile				KIB								☐ Anti-barricade
ACT-C Cleanroo ARGB Abuse-R	noom Resistant Gypsum Board		MAMA!										strategy
GB Gypsum IRGB Impact-I	n Board -Resistant Gypsum Board		A A2 B	B2 C C2 D	D2	E E2 F	F2 G	Н	J				
	n Lay-in Ceiling Tile ire and Mould-Resistant Gypsum Board		5 O: 6: / )			r & Frame Privacy rotect.: Film:	_	Card Mag eader: Lock: (	Auto Hold		1 1 2		
	y Acoustic Ceiling Tile		Гуре:Qty: Size (mm):	Material: Finish: Side Lt:	billius. F		Function: Re		Opener: Open: Hin	ges: Acc	cessory 1: Accessory 2:	Accessory 3: Clos	ser:
WALL FINISHES LEG													
	Wall Coating erformance Coating	MILLWORK AND SPE	CIALTY CASEWORK				Storage Requirements:					FINISHES	
PT Paint					ER UNITS		otorage Requirements.				Full-height C		
CEILING FINISHES L	LEGEND: Ceiling Coating	(maril	17.7.7	U1 U2 U3 U4							Upper Mi		
HPC High Per PF Prefinish	erformance Coating	Sagarana .	T X X	1	U5	U6 U7 U8	SHELF					tertop: Stainless Steel	
PT Paint		-			TH	77	SHELF				Lower Mi	Shelf:	
WALL PROTECTION	N LEGEND:	- Contractor			.l. K		S1					Sile	
	ed Semi-Rigid PVCu Panel einforced Laminate	-			-11-		1				R	temarks:	
_	ass Reinforced Plastic tive Vinyl Wallcovering	-											
RHIS Rigid Hig	igh Impact Sheet						_i						
	om Vinyl Wallcovering		-	" "   1	11		CHARLES CONTRACTOR OF THE PARTY	-	7				
FLOOR FINISHES LE	EGEND:	<u>C1</u>	C3 M		-	- 2	~ -	-	Comment -		140 <u>44</u> 2340 (1707)		
	te Floor Sealer Floor Coating			12				K		/	FIR		
	ethane Floor Coating  r Athletic Flooring	FULL-HEIGHT CABII			L5 L6	17 10		4					
RSF Rubber S	r Sheet Flooring	TOLE TILIGHT GABI				L/ L8 L9	L10 L11	+		7/			
	ess Cushioned Flooring Dissipative Rubber Sheet Flooring	Legend:		Motorized				L12 M	TC1 TC2	V	"   "		
	Dissipative Vinyl Sheet Flooring heet Flooring	Category 0 - None Category 1 - Low (1%	- <b>4%)</b> Categ	Min. Length Adjustable St		cialty	LOWER UNITS				UC1 U		
WSVF Wetroor	om Safety Vinyl Sheet Flooring	Category 2 - Med (5%	6 - 9%)	, , , , , ,		ework			TION/TRANSACTION ER / CARE TEAM	UTILITY SINK A	AND COUNTER UNIT		
FLOOR BASE LEGEN FCB Flash Co	ND:	Category 3 - High (10	% or Greater)	500				STATIO					
RB Rubber I	r Base												
SCF Seamles	ess Cushioned Flooring												
MECHANICAL R	REQUIREMENTS												
<b>PLUMBING</b> Ha	and Se	eamless Utility /		Other Fixtures:	<b>✓</b> Eyewash	Station	MED / NON-M	ED GASES					
(Quantity) Hygien	ne Sink: Lavatory: Kitchen Sink: Kitch	chen Sink: Process Sink:	Scrub Sink: Floor Sink:			/Shower Station	(Quantity)	-	Medical Nitrous				boratory Compressed
	1	1			Emergen		Oxygen	n: Medical Air	r: Vacuum: Oxide:	CO2:	AGSS: Nitroger	n: Air: V	/acuum: Air:
Plumbing Remarks:					Flush Rim								
nemarks.					Floor Dra		Gas Rem	arks:					
				Instantaneous Hot Water		ottle Refill Station							
					Other								



# New Surrey Hospital & BC Cancer Centre

MINIMUM ROOM REQUIREMENTS

### R. Pharmacy Services

Appendix 1	LB Minimum Room Requir	rements	Program Number(s):		7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Roo	om Name: Active Storage Area				9. 15. 0. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				5. 1		23.	29.	35.	41.	47.
				6. 1	2. 18.	24.	30.	36.	42.	48.
ARCHITECTU	JRAL REQUIREMENTS									
	ILING Material: ARGB 1.2m AFF, GB above Material: ACT		Corner Guards		GLAZING  Interior Glazing	FLOORING TYPES  Material: Base:  VSF FCB	[	OM ACCESSORIES  Coat Hooks Ceiling Lif  Mirror Infant Cha		gnetic Whiteboard vacy Curtain
LEGEND:		DOORS						Door Remarks:		
	ILING LEGEND:	Types:								Security Grille
	rchitectural Ceiling coustic Ceiling Tile									
	leanroom buse-Resistant Gypsum Board	AAAMA								Anti-barricade strategy
GB G	ypsum Board	A A2 B B2	C C2 D D2	E E2 F	F2 G H	J				Strategy
KLCT K	npact-Resistant Gypsum Board itchen Lay-in Ceiling Tile		Integral Door	& Frame Privacy	Card Ma	ag Auto Hold				
	Noisture and Mould-Resistant Gypsum Board ecurity Acoustic Ceiling Tile		Cridi. Tillisti. Side Et.		directori.			ssory 1: Accessory 2: Ac	cessory 3: Close	r:
WALL FINISHE	ES LEGEND:	C 1 1220 x 2135 Solid C	Core FRL 2 Hig	gh Storer	oom 🗸 🗆	Cont. S	wing Clear		Surface	
	poxy Wall Coating ligh Performance Coating									
	aint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	age Requirements:				FINISHES	
CEILING FINIS		U1	U2 U3 IM					Full-height Cabi Upper Millw		
	poxy Ceiling Coating ligh Performance Coating		U3 U4 U5	U6 117 🗆				Counter	-	
	refinished aint			U7 U8	SHELF			Lower Millw		
					7 🗆			Sh	nelf:	
	CTION LEGEND: xtruded Semi-Rigid PVCu Panel				S1			Rem	arks:	
FRL Fi	ibre Reinforced Laminate							Kell	urks.	
	ibreglass Reinforced Plastic rotective Vinyl Wallcovering				8					
	igid High Impact Sheet Vetwall Solid Surface Panel			11						
wvw w	Vetroom Vinyl Wallcovering			-V	- Contact Cont	7/				
FLOOR FINISH		C1 C2 C3 C4								
	oncrete Floor Sealer poxy Floor Coating		12		W		/ 4	A-7/		
	olyurethane Floor Coating ubber Athletic Flooring	FULL-HEIGHT CABINETS	L3 L4 L5 L6	17 18	7					
RSF R	ubber Sheet Flooring	TOLE-HEIGHT CABINETS		LO L9	L10 L11	7	$\dashv$ / $\parallel$			
	eamless Cushioned Flooring tatic-Dissipative Rubber Sheet Flooring	Legend:	Motorized			TC1 TC		.   [     [		
SDVF St	tatic-Dissipative Vinyl Sheet Flooring	Category 0 - None		cialty	LOWER UNITS			UC1		
	inyl Sheet Flooring Vetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category Category 2 - Med (5% - 9%)	(mm) Height Height Case	ework		ECEPTION/TRANSACTION	LITH ITV CINIV AN	ID COUNTED UNIT		
FLOOR BASE L	EGEND:	Category 3 - High (10% or Greater)				OUNTER / CARE TEAM TATION DESK	UTILITY SINK AN	ID COUNTER UNIT		
	lash Cove Base ubber Base									
	eamless Cushioned Flooring									
MECHANICA	AL REQUIREMENTS									
PLUMBING	Hand	Seamless Utility /	Other Fixtures: Evewash	Station	MED / NON-MED GASES					Utility
(Quantity) H	ygiene Sink: Lavatory: Kitchen Sin	k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	☐ Shower ☐ Eyewash/	Shower Station	(Quantity)	Medical Nitro				Compressed
			Tub Emergence		Oxygen: Medi	cal Air: Vacuum: Oxi	de: CO2:	AGSS: Nitrogen:	Air: Va	cuum: Air:
Plumbing Remarks:			Ice Maker Flush Rim							
			Water Closet Floor Dra		Gas Remarks:					
			Instantaneous Water Bo	ttle Refill Station						
			Other							

• •	•		Number(s):	2.	8. 14.	20.	26.	32.	38.	44.
				3.	9. 15.	21.	27.	33.	39.	45.
Ro	oom Name: Anteroom - Hazardous				10. 16.	22.	28.	34.	40.	46.
					11. 17.	23.	29.	35.	41.	47.
				6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECT	TURAL REQUIREMENTS									
					4					
WALL AND C		WALL PROTECTION	<b>A</b>		GLAZING	FLOORING TY Material:		ROOM ACCESSORIES		¬
	Material: ARGB 1.2m AFF, GB above	1,75.	Corner Guards Hand Rails Bed Bur	nper / Locator	☐ Interior Glazing	VSF	FCB	Coat Hooks C	iling Lift	Magnetic Whiteboard
Ceiling	Material: GB	Finish: ECC Height: 2185 mm	Crash Rails Chair Rail			VSF	ГСВ	☐ Mirror ☐ In	fant Change Table	Privacy Curtain
LEGEND:		DOORS				·		Door Remarks:		
	CEILING LEGEND:							Refer to Appendix 10	O for door interlocking	
	Architectural Ceiling	Types:	(a) [a] [a] [a] [a] [a]	7 66 67				requirements.		Security Grille
ACT	Acoustic Ceiling Tile								rs on door, door and	
	Cleanroom		LENGLER EXECUTE					hardware to be high	wash compatible.	Anti-barricade
	Abuse-Resistant Gypsum Board Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H					strategy
	Impact-Resistant Gypsum Board	A AZ B	B2 C C2 D D2	E E2 F	F2 G I	n ,				
	Kitchen Lay-in Ceiling Tile		Integral Door	& Frame Privacy	Card	Mag Auto Hold				
	Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): N	Material: Finish: Side Lt: Blinds: P	rotect.: Film:	Function: Reader:	Lock: Opener: Open:	Hinges:	Accessory 1: Accessory	2: Accessory 3:	Closer:
SACT	Security Acoustic Ceiling Tile	B 1 1065 x 2135 Soli	d Core FRL 2 Hig	gh Passa	ge 🗆		Butt Hinge	Elec. Strike	Conc	cealed
WALL FINISH	HES LEGEND:						<u> </u>			
EWC	Epoxy Wall Coating									
	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK	_	Sto	orage Requirements:				FINISHES	
PT	Paint		UPPER UNITS					Full hois	ght Cabinet:	
CEILING FINI	ISHES LEGEND:	/ 1/ UI							·	
	Epoxy Ceiling Coating	7	+z U4 L						er Millwork:	
	High Performance Coating Prefinished	Sagarana -	7 7 7	U6 U7 U8	SHELF				Countertop:	
	Paint			7 +7	SHELF			Lowe	er Millwork:	
					7				Shelf:	
	ECTION LEGEND:				S1					
	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate	Seguence			/				Remarks:	
	Fibreglass Reinforced Plastic								Provide ceiling ha	atches with gaskets.
	Protective Vinyl Wallcovering		16	_ i ;						
	Rigid High Impact Sheet		The state of the s	1 .						
	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering	CONTRACTOR CO.		an of the second	1					
	· -				CO BO CONTRACTOR	1	1			
	SHES LEGEND:	C1 C2 C3 C4 C5		-		The same of the sa	-			
	Concrete Floor Sealer		12	-VD	1/1/4			/	57	
	Epoxy Floor Coating Polyurethane Floor Coating		L3 L4 L5	-	- AKKA -	-	Consessed .	The same of the sa	11	
	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9						
	Rubber Sheet Flooring			L7 L8 L9	L10 L11		4/7/			
	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:			L12		TC2	"   L		
	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized  Min Longth Adjustable Standing Spe	cialty				UC1		
	Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categor		cialty ework	LOWER UNITS	DECEDERAN TO A N.C.				
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	, , ., .,			RECEPTION/TRANSACTION COUNTER / CARE TEAM		INK AND COUNTER UNIT		
FLOOR BASE	LEGEND:	Category 3 - High (10% or Greater)				STATION DESK	3112111 31	MIN THE COOK LIN CHAIL		
FCB	Flash Cove Base					• · · · · · · · · · · · · · · · · · · ·				
	Rubber Base									
SCF	Seamless Cushioned Flooring									
MECHANIC	CAL REQUIREMENTS									
		Consideration (1979)	Otherstand		145D / NON 145D 014					
PLUMBING	Hand Hygiene Sink: Lavatory: Kitchen Sink	Seamless Utility / K: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures: Evewash		MED / NON-MED GAS					Utility
(Quantity)	Trypiche Sink. Lavatory. Kitchell Sink	A MICHELL SHIK. 1 100C33 SHIK. SCI UD SHIK. 1 1001 SHIK.		Shower Station	(Quantity)	Medical	Nitrous		A * ·	Laboratory Compressed
		1	☐ Tub ☐ Emergen	cy Shower	Oxygen: M	edical Air: Vacuum:	Oxide: CC	D2: AGSS: Nit	rogen: Air:	Vacuum: Air:
Plumbing			☐ Ice Maker ☐ Flush Rim							
Remarks:			☐ Water Closet ☐ Floor Dra							
			_		Gas Remarks:					
				ttle Refill Station						
			Hot Water Other							
			ouici							

Program 1. R3.05

7.

13.

19.

25.

31.

37.

43.

• •	•		Number(s):	2.	8. 14.	20.	26.	32.	38.	44.
				3.	9. 15.	21.	27.	33.	39.	45.
Ro	oom Name: Anteroom - Non-Hazardo	ous			10. 16.	22.	28.	34.	40.	46.
					11. 17.	23.	29.	35.	41.	47.
				6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECT	URAL REQUIREMENTS									
WALL AND C		WALL PROTECTION			GLAZING	FLOORING	TYPES ial: Base:	ROOM ACCESSORIES		¬
	Material: ARGB 1.2m AFF, GB above		Corner Guards Hand Rails Bed Bu	mper / Locator	☐ Interior Glazing	VSF	FCB	Coat Hooks C	eiling Lift	Magnetic Whiteboard
Ceiling	Material: GB	Finish: ECC Height: 2185 mm	Crash Rails Chair Rail			VSF	FCB	☐ Mirror ☐ Ir	nfant Change Table	Privacy Curtain
LEGEND:		DOORS						Door Remarks:		
	CEILING LEGEND:							Refer to Appendix 1	O for door interlocking	
	Architectural Ceiling	Types:		a aa aa			1	requirements.		Security Grille
ACT	Acoustic Ceiling Tile								ers on door, door and	
	Cleanroom		LNM M NA ALAN			MN MMZZ		hardware to be high	wash compatible.	Anti-barricade
	Abuse-Resistant Gypsum Board Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	H	1			strategy
	Impact-Resistant Gypsum Board	A AZ B	B2 C C2 D D2	t t2 F	F2 G	п ,				
	Kitchen Lay-in Ceiling Tile		Integral Doo	r & Frame Privacy	Card	Mag Auto Hold	d			
	Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds: P	rotect.: Film:	Function: Reader:	Lock: Opener: Ope	n: Hinges:	Accessory 1: Accessory	2: Accessory 3:	Closer:
SACT	Security Acoustic Ceiling Tile	B 1 1065 x 2135 So	lid Core FRL 2 Hi	gh Passa	ge 🗆		Butt Hinge	Elec. Strike	Con	cealed
WALL FINISH	IES LEGEND:									
EWC	Epoxy Wall Coating									
	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK	_	Sto	rage Requirements:				FINISHES	
PT	Paint		UPPER UNITS					Full hoi	ght Cabinet:	
CEILING FINIS	SHES LEGEND:		J1 U2							
	Epoxy Ceiling Coating	7	U2 U3 U4 U5						er Millwork:	
	High Performance Coating Prefinished	Sagarana Tarana		U6 U7 U8	SHELF				Countertop:	
	Paint			777	SHELF			Low	er Millwork:	
					7 -				Shelf:	
	ECTION LEGEND:				S1					
	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate				/				Remarks:	
	Fibreglass Reinforced Plastic								Provide ceiling ha	atches with gaskets.
	Protective Vinyl Wallcovering		The state of the s	i						
	Rigid High Impact Sheet			1						
	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering	CONTRACTOR NO.	5	on Property	1					
	· -				CO NO.	1/6	-			
	HES LEGEND:	C1 C2 C3 C4 C5				The same of the sa	-			
	Concrete Floor Sealer		12		1/1/4			/	57	
	Epoxy Floor Coating Polyurethane Floor Coating		L3 L4 L5		- AKKA -	-	- Constant	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO I	1	
	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9						
	Rubber Sheet Flooring			L7 L8 L9	L10 L11		-1/7/			
	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:					TC2	, L		
	Static-Dissipative Rubber Sneet Flooring Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized  Min Longth Adjustable Standing Spe	ocialty				UC1		
	Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Catego		ecialty ework	LOWER UNITS	DECEDION /TDAMS	CTION			
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	, , ., .,			RECEPTION/TRANSA COUNTER / CARE TEA		INK AND COUNTER UNIT		
FLOOR BASE	LEGEND:	Category 3 - High (10% or Greater)				STATION DESK	AIVI OTILITI 3	INK AND COOKIEK ONLY		
FCB	Flash Cove Base					STATION DESIG				
RB	Rubber Base									
SCF	Seamless Cushioned Flooring									
MECHANIC	AL REQUIREMENTS									
		6 1 11111111111111111111111111111111111								
PLUMBING	Hand	Seamless Utility /	Other Fixtures: Evewash	Station	MED / NON-MED GA					Utility
(Quantity)	nygiene sirik. Lavatory: Kitchen Sin	ık: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower Eyewash	/Shower Station	(Quantity)	Medical	<b>-</b>		Laboratory	Laboratory Compressed
			☐ Tub ☐ Emergen	cy Shower	Oxygen: N	Medical Air: Vacuum	: Oxide: Co	D2: AGSS: Ni	trogen: Air:	Vacuum: Air:
Plumbing			☐ Ice Maker ☐ Flush Rin							
Remarks:										
			_		Gas Remarks:					
				ottle Refill Station						
			Hot Water Other							
			Other							

Program 1. R3.03

7.

13.

19.

25.

31.

37.

43.

фрони			Number(s):	2.	8. 14.	20. 26.	. 32.	38.	44.
	5 H O			3.	9. 15.	21. 27.		39.	45.
	Room Name: Bulk Storage Area			4. 1	0. 16.	22. 28.		40.	46.
				5. 1		23. 29.		41.	47.
				6. 1	2. 18.	24. 30.		42.	48.
A DCUITE	CTUDAL DECLUDEMENTS								
	CTURAL REQUIREMENTS								
WALL AND		WALL PROTECTION			GLAZING	FLOORING TYPES  Material: Base:	ROOM ACCESSORIES		
	all Material: ARGB 1.2m AFF, GB above		Corner Guards Hand Rails Bed Bu	mper / Locator	☐ Interior Glazing	VSF FCB	Coat Hooks		Magnetic Whiteboard
Ceilin	g Material: ACT	Finish: PF Height: 2185 mm	Crash Rails Chair Rail			V31 TCB	☐ Mirror ☐	Infant Change Table	Privacy Curtain
LEGEND:		DOORS					Door Remarks:		
WALL AND	CEILING LEGEND:	Types:							Security Grille
AC	Architectural Ceiling								Jecurity of the
ACT ACT-C	Acoustic Ceiling Tile Cleanroom								☐ Anti-barricade
ARGB	Abuse-Resistant Gypsum Board								strategy
GB IRGB	Gypsum Board Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	J			
KLCT	Kitchen Lay-in Ceiling Tile		Integral Doo	r & Frame Privacy	Card Mag	Auto Hold			
MMRGB	Moisture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm):			Function: Reader: Lock:	Opener: Open: Hinges:	Accessory 1: Accesso	ory 2: Accessory 3:	Closer:
SACT	Security Acoustic Ceiling Tile						,	,	
WALL FINIS	SHES LEGEND:								
EWC HPC	Epoxy Wall Coating High Performance Coating					1			
PT	Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Stor	rage Requirements:			FINISHES	
CFILING FI	NISHES LEGEND:						Full-h	neight Cabinet:	
ECC	Epoxy Ceiling Coating	(m) 17.7.7	U2 U3 U4				U	pper Millwork:	
HPC	High Performance Coating		U5	U6				Countertop:	
PF PT	Prefinished Paint			U8	SHELF		Lo	ower Millwork:	
r 1	rant				a 🗆 📗			Shelf:	
WALL PRO	TECTION LEGEND:	2072222		-	S1				
ESRP	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate	Segment II I I I						Remarks:	
FRL FRP	Fibreglass Reinforced Plastic								
PVW	Protective Vinyl Wallcovering		- Francisco		200				
RHIS WSSP	Rigid High Impact Sheet  Wetwall Solid Surface Panel		-						
WVW	Wetroom Vinyl Wallcovering	-		an Property lies					
FLOOR FIN	IISHES LEGEND:	C1 C2		- 7	NO NO PERSONAL PROPERTY AND PERSONS ASSESSMENT OF THE PERSONS ASSESSME	/			
CFS	Concrete Floor Sealer						7 /		
EFC	Epoxy Floor Coating		12	-K-V)	4		- Annual Property	7/	
PFC	Polyurethane Floor Coating	FULL-HEIGHT CABINETS	L5	17			Total State of the last of the		
RAF RSF	Rubber Athletic Flooring Rubber Sheet Flooring	FOLL-HEIGHT CADINETS		L7 L8 L9	L10 111		/ II II II T	1	
SCF	Seamless Cushioned Flooring					TC1 TC2	/    U    U		
SDRF SDVF	Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			TC2	UC1	u u	
VSF	Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Catego		ecialty	LOWER UNITS			u	
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Catego Category 2 - Med (5% - 9%)	ry (mm) Height Height Cas	sework	RECEP	TION/TRANSACTION	TY SINK AND COUNTER UNIT		
FLOOR BAS	SE LEGEND:	Category 3 - High (10% or Greater)				TER / CARE TEAM UTILIT ON DESK	IT SINK AND COUNTER UNIT		
FCB	Flash Cove Base								
RB	Rubber Base								
SCF	Seamless Cushioned Flooring								
MECHANI	ICAL REQUIREMENTS								
PLUMBING	i Hand	Seamless Utility /	Other Fixtures:	Station	MED / NON-MED GASES				
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sink	: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		/Shower Station	(Quantity)	Medical Nitrous		Laboratory	Utility Laboratory Compressed
			☐ Tub ☐ Emerger		Oxygen: Medical A	ir: Vacuum: Oxide:	CO2: AGSS:	Nitrogen: Air:	Vacuum: Air:
Plumbing									
Remarks:			<u> </u>						
			Water Closet Floor Dra		Gas Remarks:				
				ottle Refill Station					
			Hot Water Other						

Program 1. R1.02.03

7.

13.

19.

25.

31.

37.

43.

• •	•		Number(s):	2.	8. 14.	20.	26. 32.	. 38.	44.
				3.	9. 15.		27. 33.	. 39.	45.
Ro	oom Name: Clean Room - Hazardous	3			0. 16.		28. 34.		46.
					1. 17.		29. 35.		47.
				6. 1	2. 18.	24.	30. 36.	. 42.	48.
ARCHITECT	URAL REQUIREMENTS							•	
WALL AND CE		WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM ACCESS	ODIES	
	Material: ARGB 1.2m AFF, GB above		Corner Guards Hand Rails Bed Bur			Material: Base:		s Ceiling Lift	☐ Magnetic Whiteboard
	Material: GB	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Crash Rails Chair Rail	ipei / Locatoi	✓ Interior Glazing	VSF FCB	Mirror		Privacy Curtain
Celling	iviateriai. GB	Finish: ECC Height: 2185 mm	□ Clasii Raiis □ Clidii Raii						— Privacy Curtain
LEGEND:		DOORS					Door Rema		
WALL AND C	EILING LEGEND:	Types:					requiremen	pendix 10 for door interlocking	Security Grille
	Architectural Ceiling							ve openers on door, door and	
	Acoustic Ceiling Tile Cleanroom							o be high wash compatible.	☐ Anti-barricade
	Abuse-Resistant Gypsum Board								strategy
	Gypsum Board	A A2 B	B2 C C2 D D2 E	E2 F	F2 G H	J			
	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		Integral Door	& Frame Privacy	Card Mag	Auto Hold			
	Moisture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm):			Function: Reader: Lock	0	A1. A		Closer:
SACT S	Security Acoustic Ceiling Tile		naterial. Timon: Side Et.		i unction:	,		ccessory 2: Accessory 3:	
WALL FINISH	IES LEGEND:	B 1 1065 x 2135 Sol		h Passag		<b>✓</b> Butt Hinge	Elec. Strike		Concealed
	Epoxy Wall Coating								
	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Cha	Descriptor and a			FINISHE	
PT I	Paint	9.47.5.20.00	UPPER UNITS	3101	rage Requirements:				3
CEILING FINIS	SHES LEGEND:	U						Full-height Cabinet:	
ECC I	Epoxy Ceiling Coating	17.7	+ U3 U4 □					Upper Millwork:	
	High Performance Coating	anguage.	U5	U6 U7				Countertop:	
	Prefinished Paint			U8	SHELF			Lower Millwork:	
					a 🗆			Shelf:	
	ECTION LEGEND:				S1				
	Extruded Semi-Rigid PVCu Panel							Remarks:	
	Fibre Reinforced Laminate Fibreglass Reinforced Plastic							Provide ceiling	g hatches with gaskets.
	Protective Vinyl Wallcovering	100	THE REAL PROPERTY AND ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY ADDRESS OF THE PERTY		8				,
	Rigid High Impact Sheet								
	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering	CONTRACTOR OF THE PARTY OF THE	50	an Transport	1	2.3			
	-				NO NO PERSONAL PROPERTY.	7			
FLOOR FINISI		C1 C2 C3 C4 C5						æ	
	Concrete Floor Sealer Epoxy Floor Coating		12		1		/ /		
	Polyurethane Floor Coating		L3 L4 L5		Zeek		The same of the sa	THE REAL PROPERTY.	
	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9		1/ 1/2			
	Rubber Sheet Flooring Seamless Cushioned Flooring				L10 L11				
	Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized	_		TC1 TC2		<u>п</u> П	
SDVF S	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		cialty			UC1		
	Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categor		work	LOWER UNITS REC	EPTION/TRANSACTION			
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)					ILITY SINK AND COUNTER	UNIT	
FLOOR BASE	LEGEND:	Category 3 - High (10% or Greater)			STA	TION DESK			
	Flash Cove Base Rubber Base								
	Seamless Cushioned Flooring								
MECHANIC	AL REQUIREMENTS								
PLUMBING	Hand	Seamless Utility /	Other Fixtures: Evewash S	Station	MED / NON-MED GASES				
(Quantity) _	Hygiene Sink: Lavatory: Kitchen Sinl	k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Shower Station	(Quantity)	Medical Nitrous		Laboratory	Utility y Laboratory Compressed
			☐ Tub ☐ Emergence		Oxygen: Medica		CO2: AGSS:	Nitrogen: Air:	Vacuum: Compressed  Vari:
Dlumbina	1				,,,				7.01.
Plumbing Remarks:			☐ Ice Maker ☐ Flush Rim						
nemarks.			Water Closet Floor Drai		Gas Remarks:				
			☐ Instantaneous ☐ Water Bot	ttle Refill Station	Gus nemura.				
			Hot Water						
			Other						

Program 1. R3.07

7.

13.

19.

25.

31.

37.

43.

• •	•		Number(s)	: 2.	8. 14.	20.	26.	32.	38.	44.
				3.	9. 15.	21.	27.	33.	39.	45.
Ro	oom Name: Clean Room - Non-Haza	ardous			10. 16.		28.	34.	40.	46.
					11. 17.		29.	35.	41.	47.
				6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECT	TURAL REQUIREMENTS									
	·	WWW. DDOTTOTION			0.470.0	51 00 DINIG	TVD50	DOOM ASSESSEDIES		
WALL AND C		WALL PROTECTION			GLAZING	FLOORING Mater	i TYPES ial: Base:	ROOM ACCESSORIES	[	7
	Material: ARGB 1.2m AFF, GB above	Finish: EWC Type: ESRP	✓ Corner Guards ☐ Hand Rails ☐ Bed B	sumper / Locator	Interior Glazing	VSF	FCB	Coat Hooks Co		Magnetic Whiteboard
Ceiling	Material: GB	Finish: ECC Height: 2185 mm	Crash Rails Chair Rail			٧٥١	ТСВ	☐ Mirror ☐ In	fant Change Table	Privacy Curtain
LEGEND:		DOORS						Door Remarks:		
	CEILING LEGEND:	Types:							O for door interlocking	
AC	Architectural Ceiling	турез.	99 F F F F				1	requirements.		Security Grille
	Acoustic Ceiling Tile	6161312							rs on door, door and	
	Cleanroom					MM DNM/		hardware to be high	wash compatible.	Anti-barricade
	Abuse-Resistant Gypsum Board Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	H I	-			strategy
	Impact-Resistant Gypsum Board	A 72 5			12 0					
	Kitchen Lay-in Ceiling Tile		-	or & Frame Privacy	Card	Mag Auto Hol				
	Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds:	Protect.: Film:	Function: Reader:	Lock: Opener: Ope	en: Hinges:	Accessory 1: Accessory	2: Accessory 3:	Closer:
SACT	Security Acoustic Ceiling Tile	B 1 1065 x 2135	Solid Core FRL 2 I	High Passa	age 🔲		Butt Hinge	Elec. Strike	Cond	cealed
WALL FINISH	HES LEGEND:						]			
	Epoxy Wall Coating									
	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK		Sto	orage Requirements:				FINISHES	
			UPPER UNITS					Full-heir	tht Cabinet:	
	ISHES LEGEND:		U1 U2 U3 U4						er Millwork:	
	Epoxy Ceiling Coating High Performance Coating		U3 U4 U5	U6					Countertop:	
	Prefinished			U7 U8	SHELF				er Millwork:	
PT	Paint			7	4-			LOW		
WALL BROTE	ECTION LEGEND:				1				Shelf:	
	ECTION LEGEND: Extruded Semi-Rigid PVCu Panel				S1				D d .	
	Fibre Reinforced Laminate	Source III			15				Remarks:	
	Fibreglass Reinforced Plastic								Provide ceiling ha	tches with gaskets.
	Protective Vinyl Wallcovering	-	Francis		i					
	Rigid High Impact Sheet Wetwall Solid Surface Panel				-					
	Wetroom Vinyl Wallcovering	CONTRACTOR OF THE PARTY OF THE		an Transportation						
ELOOP EINIS	SHES LEGEND:	C1 C2	<del>_</del>	1-1/1	OD SHE STATISTICS OF THE PERSON NAMED IN	1 40000				
	Concrete Floor Sealer			- Frank		7		/		
	Epoxy Floor Coating		L2	- K-V)		-	2	( A	28	
	Polyurethane Floor Coating						THE PERSON NAMED IN	The state of the s	7	
	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9		// _				
	Rubber Sheet Flooring Seamless Cushioned Flooring				L10 L11					
	Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			_ 101	TC2		U	
	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		pecialty				UC1 U		
	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categ		asework	LOWER UNITS	RECEPTION/TRANSA	CTION			
WSVF	wetroom safety vinyr sheet riconing	Category 2 - Med (5% - 9%)				COUNTER / CARE TE		SINK AND COUNTER UNIT		
FLOOR BASE	LEGEND:	Category 3 - High (10% or Greater)				STATION DESK				
	Flash Cove Base									
	Rubber Base Seamless Cushioned Flooring									
361	Scanness cusmoned riconing									
<u>MECHANIC</u>	CAL REQUIREMENTS									
PLUMBING	Hand	Seamless Utility /	Other Fixtures:	ch Station	MED / NON-MED GA	ASES				
(Quantity)		nk: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	LYEWas		(Quantity)	Medical	l Nitrous		Laboratory	Utility Laboratory Compressed
( \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \				sh/Shower Station	1	Medical Air: Vacuum		O2: AGSS: Nit	rogen: Air:	Vacuum: Compressed
				ency Shower	Oxygen. II	vicultai Aii.		02. A033. INIL	ogen.	Air:
Plumbing			☐ Ice Maker ☐ Flush R							
Remarks:			☐ Water Closet ☐ Floor D	rain				· ·		
				Bottle Refill Station	Gas Remarks:					
			Hot Water							
			Other							
					1	1				

Program 1. R3.04

7.

13.

19.

25.

31.

37.

43.

Appendix	x 1B Minimum Room Requir	ements	Program Number(s):	1. R2.05 2.		13.			31. 32.	37. 38.	43. 44.
F	Room Name: Dispensing Area			3.		15. 2			33.	39.	45.
				4. 5.		16.			34. 35.	40. 41.	46. 47.
				6.		18.			36.	42.	48.
ARCHITEC	CTURAL REQUIREMENTS		I				<u> </u>				
WALL AND		WALL PROTECTION			GLAZING	FLOORI	NG TYPES	ROOM ACCE	SSORIES		
	all Material: ARGB 1.2m AFF, GB above	Finish: EWC Type: ESRP C	orner Guards 🔲 Hand Rails 🔲 Bed Bu	mper / Locator	☐ Interior Glazin	Ma	terial: Base:	☐ Coat Ho	oks 🔲 Ceiling Lif		Magnetic Whiteboard
Ceiling	g Material: ACT	Finish: PF Height: 2185 mm	rash Rails Chair Rail			WS	SVF FCB	☐ Mirror	☐ Infant Ch	ange Table	Privacy Curtain
LEGEND:		DOORS						Door Re	narks:		
AC WALL AND	O CEILING LEGEND:  Architectural Ceiling	Types:									Security Grille
ACT	Acoustic Ceiling Tile										A set has stoods
ACT-C ARGB	Cleanroom Abuse-Resistant Gypsum Board						4				Anti-barricade strategy
GB	Gypsum Board	A A2 B B2	C C2 D D2	E E2 F	F2 G	H J					,
IRGB KLCT	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		Integral Doo	r & Frame Privacy	Card	d Mag Auto I	Hold				
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): Mate	rial: Finish: Side Lt: Blinds: P	rotect.: Film:	Function: Reade	er: Lock: Opener: C	pen: Hinges:	Accessory 1:	Accessory 2: Ac	ccessory 3:	Closer:
EWC	SHES LEGEND:  Epoxy Wall Coating										
HPC PT	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK			Storage Requirements:					FINISHES	
	Paint NISHES LEGEND:	U1	UPPER UNITS						Full-height Cabi	inet:	
ECC ECC	Epoxy Ceiling Coating	(m)	U2 U3 U4 🗆						Upper Millw	vork:	
HPC PF	High Performance Coating Prefinished	Kanana Ka	US	U6 <sub>117</sub> $\square$					Counter	top:	
PT	Paint			U8	SHELF				Lower Millw		
WALL PRO	TECTION LEGEND:				Sı				Si	helf:	
ESRP	Extruded Semi-Rigid PVCu Panel								Ren	narks:	
FRL FRP	Fibre Reinforced Laminate Fibreglass Reinforced Plastic								Ī	Refer to Schedule :	1, Section 6.12 (Division
PVW	Protective Vinyl Wallcovering		Emmy						:	12) for Specialty Ca	asework. Items indicated
RHIS WSSP	Rigid High Impact Sheet Wetwall Solid Surface Panel		The Designation of the last of							are diagrammatic, casework appropri	provide specialty ate for the specific and
WVW	Wetroom Vinyl Wallcovering				THE PROPERTY OF THE PARTY OF TH	7/			5	specialized functio	ns to be performed in
	ISHES LEGEND:	C1 C2 C3 C4				-	-	_			ccommodate Equipment. ter with utility sink
CFS EFC	Concrete Floor Sealer Epoxy Floor Coating		2					1 2	The state of the s		rder review workstations
PFC	Polyurethane Floor Coating	FULL-HEIGHT CABINETS		L7 18	Z		The same of	1 1	CONTRACTOR OF THE PARTY OF THE	(2.8nsm), and 1 pro	
RAF RSF	Rubber Athletic Flooring Rubber Sheet Flooring	FULL-REIGHT CADINETS			L10 L11			/ II I		workstations (4.6n Station with shelvi	sm), and Dispensing ng (12.0nsm).
SCF SDRF	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:				L12 TC	1 TC2				
SDVF	Static-Dissipative Number Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Cotocom O. None	Motorized Min. Length Adjustable Standing Spe	cialty				UC1			
VSF WSVF	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category	.,	ework	LOWER UNITS	RECEPTION/TRAN	ISACTION				
	SE LEGEND:	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	6300	✓		COUNTER / CARE STATION DESK	TEAM UTILI	TY SINK AND COUNT	ER UNIT		
FCB	Flash Cove Base					STATION DESK					
RB SCF	Rubber Base Seamless Cushioned Flooring										
361	Scanness casmoned risoning										
MECHANI	ICAL REQUIREMENTS										
		Seamless Utility /	Other Fixtures: Fyewash		MED / NON-MED	GASES					
PLUMBING (Quantity)		k: Kitchen Sink: Drocess Sink: Scrub Sink: Floor Sink:			(Quantity)	Medi	cal Nitrous			Laboratory	Utility Laboratory Compressed
,,,			☐ Shower ☐ Eyewash, ☐ Tub ☐ Emergen	/Shower Station		Medical Air: Vacui		CO2: AGSS	: Nitrogen:	Air:	Vacuum: Compressed  Air:
Plumbing			☐ Ice Maker ☐ Flush Rin								
Remarks:			Water Closet Floor Dra								
				ottle Refill Station	Gas Remark	cs:					
			Hot Water	The station	1						
			Other								

Appendix	1B Minimum Room Requireme	nts		Program	1. R3.02	7.	13.	19.	25.	31.	37.	43.	
				Number(s):	2. 3.	8. 9.	14. 15.	20. 21.	26. 27.	32. 33.	38. 39.	44. 45.	
R	oom Name: IV Staging and Prep/Checking				4.	10.	16.	22.	28.	34.	40.	46.	
					5.	11.	17.	23.	29.	35.	41.	47.	
					6.	12.	18.	24.	30.	36.	42.	48.	
ARCHITEC	TURAL REQUIREMENTS												
WALL AND		WALL PROTECTION				GLAZING		FLOORING TYPES	_	M ACCESSORIES			
		sh: EWC Type: ESRP	Corner Guards Hand Ra		mper / Locator	✓ Interior Gla	zing	Material: Base:  VSF FCB		Coat Hooks Ceiling		Magnetic Whiteboard	
Ceiling	Material: ACT Fini	sh: PF Height: 2185 mm	Crash Rails Chair Ra	il				V31   1 CB			Change Table	Privacy Curtain	
LEGEND:		DOORS								Door Remarks:  Interior glazing into Clear	n Room		
AC AC	CEILING LEGEND:  Architectural Ceiling	Types:			a 66 C					menor glazing into cical	T NOOM.	Security Grille	
ACT	Acoustic Ceiling Tile											Anti-barricade	
ACT-C ARGB	Cleanroom Abuse-Resistant Gypsum Board							33/44				strategy	
GB IRGB	Gypsum Board Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D	D2	E E2 F	F2 G	Н	J					
KLCT	Kitchen Lay-in Ceiling Tile			. •	or & Frame Privacy			Auto Hold					
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt	Blinds: F	Protect.: Film:	Function: Re	ader: Lock: O	pener: Open: H	inges: Acces	ssory 1: Accessory 2:	Accessory 3:	Closer:	
WALL FINIS	HES LEGEND:												
EWC	Epoxy Wall Coating					Į l							_
HPC PT	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	□ UP	PER UNITS	S	torage Requirements:					FINISHES		
CEILING FIN	ISHES LEGEND:		U1							Full-height C			
ECC HPC	Epoxy Ceiling Coating	7	U2 U3 U4	U5	U6 U7					Upper M			
PF	High Performance Coating Prefinished			7	U5 U7 U8	SHELF				Lower M	illwork:		
PT	Paint					<b>⊐</b> □				Lower W	Shelf:		
WALL PROT	ECTION LEGEND:	-		ılı Kı		S1							
ESRP FRL	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate			-11-1		1				F	Remarks:		_
FRP	Fibreglass Reinforced Plastic											e 1, Section 6.12 (Division	1
PVW RHIS	Protective Vinyl Wallcovering Rigid High Impact Sheet		-	- Present		1						Casework. Items indicated c, provide specialty	1
WSSP WVW	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering			Col.							casework approp	riate for the specific and	1
	SHES LEGEND:	cı g		=	= 7	On the statement	/	7				ons to be performed in accommodate Equipment.	1
CFS	Concrete Floor Sealer				- 5				7	/	Provide setup cou	unter for cart circulation,	1
EFC PFC	Epoxy Floor Coating Polyurethane Floor Coating		L2 L3 L4			- 1944	4==	K	/ 4			iters, and an IV Workflow tem (facilitate remote	1
RAF	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L5 L6	L7 L8 19		1				production and ve		1
RSF SCF	Rubber Sheet Flooring Seamless Cushioned Flooring				L/ L8 L9 <b>✓</b>	L10 L11	112				products).		1
SDRF	Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized				L12 N	TC1 TC2	, I				1
SDVF VSF	Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category 1 - Low (1% - 4%)	.,		ecialty	LOWER UNITS				UC1			1
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	. ,	Tieight Cas	sework			ON/TRANSACTION R / CARE TEAM	UTILITY SINK AN	D COUNTER UNIT			1
FLOOR BAS		Category 3 - High (10% or Greater)	6900		✓		STATION						1
FCB RB	Flash Cove Base Rubber Base												1
SCF	Seamless Cushioned Flooring												1
MECHANI	CAL REQUIREMENTS												_
PLUMBING	Hand Se	eamless Utility /	Other Fixtures:	☐ Eyewash	Station	MED / NON-MI	ED GASES					Utility	
(Quantity)		then Sink: Process Sink: Scrub Sink: Floor Sink:	Shower		/Shower Station	(Quantity)		Medical Nitro			A :	Laboratory Compressed	1
	2	1	☐ Tub	Emerger	ncy Shower	Oxygen	: Medical Air:	Vacuum: Oxid	e: CO2:	AGSS: Nitroge	en: Air:	Vacuum: Air:	$\neg  $
Plumbing Remarks:	Provide (2) HHS distributed immediately outside	each Anteroom.	☐ Ice Maker	Flush Rir									$\rfloor  $
remarks.			Water Closet	☐ Floor Dra		Gas Rema	arks:						
			Instantaneous Hot Water	☐ Water B	ottle Refill Station								
			HOL WALE	Other									

Reserve   Record   Columbia   C	Appendix 1B Minimur	n Room Requirements	Program Number(s):		7. 13. 8. 14.		25. 26.	31. 32.	37. 38.	43. 44.
S	Room Name: Narc	otics Vault/Storage					27.			
NO   ACT   COURS   Course										
MALE   MALE								36.	42.	
March Norward   Miles   2 mode   1 mo	ARCHITECTURAL REQUI	REMENTS								
Process   Proc	WALL AND CEILING				GLAZING					
SECONOMINATION CONTROL				mper / Locator	☐ Interior Glazing					
MILLAND CREAMS   1997   1998   1999									nt Change Table	Privacy Curtain
Security of the control of the contr								טטטו הפווומוגא.		
Act   Secretaries   Act   Ac		Types:	1 [10]	न निर्वार						Security Grille
## 25 And The Audit Country Town Country Tow	=									Anti-barricade
Page   Page	ARGB Abuse-Resistant Gypsun	Board								
Section of the control of the contro	"		D2	E E2 F	F2 G	H J				
MILLIFECTION LEARNING SECTION STATE AND AND AND AND AND AND AND AND AND AND	KLCT Kitchen Lay-in Ceiling Til	2				•				
MALL PROMESS LEGENCE  CEUGG STANSON CONTINUES  PROMESS LEGENCE  CEUGG STANSON CONTINUES  CEUGG S		Tile			Turiction.					
File   National County   File   Fil		C 1 1220 x 2135 Hollow Metal Paint	2 Hi	igh Store	room 🗸		Butt Hinge Ele	ec. Strike	Surfac	ce
Sign - Street   Str										
ELIMIC PROVISES LEGENDE:  US 10 Provision From Provided Provision From Provided Prov	HPC High Performance Coati	WILLWOLK AND SI ECIALIT CASEVOLK	IDDED LINITS	Sto	orage Requirements:				FINISHES	
CC Flow Carles Coding Higher Standards And Countries Control Library Higher Standards And Countries Control Higher Standards And Countries Control Higher Standards And Countries Control Higher Standards And Countries Control Higher Standards And Countries Control Higher Standards And Countries Control Higher Standards And Countries Control Higher Standards And Countries Control Higher Standards And Countries Control Higher Standards And Countries Control Higher Standards And Countries Control Higher Standards And Countries Control Higher Standards And Countries Control Higher Standards And Countries Control Higher Standards And Countries Control Higher Standards And Countries Control Higher Standards And Countries Control Higher Standards And Countries Control Higher Standards And Countries Coun			_					Full-heigh	t Cabinet:	
Secretarian Counter (a) Special Counter (b) Counter (b		U2 112	. $\square$	Пп						
The City of Control Legent Schedule 1, Section 6.12 (Division 1 of Control Legent 1 of		ng The The The The The The The The The The	U5	U6					-	
WALL PROTECTION LIGENDS:    Proceedings   Proceedings   Process			1	U8	SHELF			Lower		
Service Statement downing in Processing Section 1 and	WALL DEOTECTION LEGEND.				7				Shelf:	
The First Interface Lands of the Processing					31				Remarks:	
However the control control control is and in the control is and i					-					1 Section 6.12 (Division
wigh might helped beds.  wigh the plant beds.  wight beds.  wigh the plant beds.  wigh the plant beds.  wigh the plant beds.  wigh the plant beds.  wigh the plant beds.  wigh the plant beds.  wigh the plant beds.  wigh the plant beds.  wigh t	_	ering		_					12) for Specialty Ca	asework. Items indicated
WECHANICAL REQUIREMENTS  FUNDAMENT STATION DISK  Wildlight Special Country (Special Special Country)  FUNDAMENT Special Country (Special Country)  FOR Robber Sp									are diagrammatic,	, provide specialty
The Plant Cache State  FLULHBIGHT CABINETS  FLURBING Floring  FLULHBIGHT CABINETS  FLULHBIGHT CABINETS  FLULHBIGHT CABINETS  FLULHBIGHT CABINETS  FLULHBIGHT CABINETS  FLULHBIGHT CABINETS  FLULHBIGHT CABINETS  FLULHBIGHT CABINETS  FLULHBIGHT CABINETS  FLULLBIGHT CABINETS  FLULHBIGHT CABINETS  FLULHBIGHT CABINETS  FLULLBIGHT CABINETS  FLULHBIGHT CABINETS  FLULHBIGHT CABINETS  FLULLBIGHT CABINETS  FLUCLBIGHT			1	-			T.			
GS Governel flow Select For Early Polycockener flow Catang FOR Catang FOR Polycockener flow Flow Flow Flow Flow Flow Flow Flow F	FLOOR FINISHES LEGEND:	ci cz		1 1 1	-	Consessed Consessed	7		the space and to a	ccommodate Equipment.
ECC Gover-theore-forcing Forcisting Policy Records From Conting Rubber Architect Contines Contined Forcing Forcing Solve Static Contined Contines Contined C	CFS Concrete Floor Sealer	C3 C4 C5	-	1 7 7	== 1111					_
MF Ruber Athletic Rooring Sign Sustainess Cushioned Hooring Sign Sustainess Sustainess Cushioned Hooring Sign Sustainess Sustain			+		- KMM-				mm work counter	w/ open storage below.
SCF Standings Cushoned Flooring SDRF Startic Obspassive Multiples Flooring SDRF Startic Obspassive Multiples Flooring SDRF Startic Obspassive Multiples Flooring SDRF Startic Obspassive Multiples Flooring SDRF Startic Obspassive Multiples Flooring SDRF Startic Obspassive Multiples Flooring SDRF Startic Obspassive Multiples Flooring SDRF Startic Obspassive Multiples Flooring SDRF Startic Obspassive Multiples Flooring SDRF Startic Obspassive Multiples Flooring SDRF Startic Obspassive Multiples Flooring SDRF Startic Obspassive Multiples Flooring Starting Specialty Min. Length Adjustable Standing Specialty Min. Leng	RAF Rubber Athletic Flooring			L7 L8 L9						
Sopr Static-Dissipative Mulpor Pulpor		vring		<b>✓</b> ✓			1/			
Soft of Standing Specialty Virus Virus Standing Specialty Virus Virus Standing Specialty Virus Virus Standing Specialty Virus Vi	SDRF Static-Dissipative Rubbe	r Sheet Flooring Legend: Motorized					T TC2			
Wetcomsdately Wighter Flooring FLOOR BASE LEGEND: Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  3 2700   3 2700		heet Flooring Category 0 - None Min. Length Adjustable		-				UC1 U		
FLOOR BASE LEGEND: FCB Flash Cove Base RBB RUbber Base SCF Seamless Cushioned Flooring  WECHANICAL REQUIREMENTS    A	, ,	neet Flooring Category 2 - Med (5% - 9%)			LOWER CHAIL			AND COUNTED UNIT		
RB Rubber Base SCF Seamless Cuthloned Flooring  MECHANICAL REQUIREMENTS  PUMBING Hand Sink: Nitrogen: Seamless Utility / Process Sink: Scrub Sink: Floor Sink: Floor Sink: Shower   Eyewash/Shower Station   Gas Remarks:   Shower   Flush Rim Sink   Floor Drain   Gas Remarks:   G	FLOOR BASE LEGEND:		•	✓		-	UTILITY SHAN	AND COUNTER ONLY		
MECHANICAL REQUIREMENTS  PLUMBING (Quantity) Hand Lavatory: Kitchen Sink: Process Sink										
PLUMBING   Hand   Seamless   Utility   Other Fixtures:   Eyewash Station   Guantity   Hand   Seamless   Utility   Other Fixtures:   Eyewash Station   Guantity   Hand   Seamless   Utility   Medical Nitrous   Coz: AGSS: Nitrogen: Air:   Vacuum: Oxide: COZ: AGSS: Nitrogen: Air:   Vacuum: Oxide: COZ: AGSS: Nitrogen: Air:   Utility   Compressed   Air:   Air:   Compressed   Air:   Air:   Compressed   Air:   Compressed   Air:   Compressed   Air:   Compressed   Air:   Compressed   Air:   Compressed   Air:   Compressed   Air:   Compressed   Air:   Compressed   Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Compressed   Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Coz: AGSS: Nitrogen: Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Co		oring								
PLUMBING   Hand   Seamless   Utility   Other Fixtures:   Eyewash Station   Guantity   Hand   Seamless   Utility   Other Fixtures:   Eyewash Station   Guantity   Hand   Seamless   Utility   Medical Nitrous   Coz: AGSS: Nitrogen: Air:   Vacuum: Oxide: COZ: AGSS: Nitrogen: Air:   Vacuum: Oxide: COZ: AGSS: Nitrogen: Air:   Utility   Compressed   Air:   Air:   Compressed   Air:   Air:   Compressed   Air:   Compressed   Air:   Compressed   Air:   Compressed   Air:   Compressed   Air:   Compressed   Air:   Compressed   Air:   Compressed   Air:   Compressed   Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Compressed   Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Coz: AGSS: Nitrogen: Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Co										
PLUMBING   Hand   Seamless   Utility   Other Fixtures:   Eyewash Station   Guantity   Hand   Seamless   Utility   Other Fixtures:   Eyewash Station   Guantity   Hand   Seamless   Utility   Medical Nitrous   Coz: AGSS: Nitrogen: Air:   Vacuum: Oxide: COZ: AGSS: Nitrogen: Air:   Vacuum: Oxide: COZ: AGSS: Nitrogen: Air:   Utility   Compressed   Air:   Air:   Compressed   Air:   Air:   Compressed   Air:   Compressed   Air:   Compressed   Air:   Compressed   Air:   Compressed   Air:   Compressed   Air:   Compressed   Air:   Compressed   Air:   Compressed   Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Compressed   Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Coz: AGSS: Nitrogen: Air:   Compressed   Coz: AGSS: Nitrogen: Air:   Co	MECHANICAL REQUIRER	MENTS								
Comparity   Hygiene Sink: Lavatory: Kitchen Sink: Kitchen Sink: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink: Shower   Eyewash/Shower Station   Shower			☐ 5-round	0	MED / NON-MED G/	ASFS				
Plumbing Remarks:    Tub	11 - 1	watery Vitchen Sinky Vitchen Sinky Process Sinky Scrub Sinky Floor Sinky	_				Nitrous		Laboratory	
Plumbing Remarks:    Ice Maker   Flush Rim Sink						.,	0 11	AGSS: Nitro	A.*.	Vacuum: Compressed
Remarks:  Water Closet  Instantaneous  Hot Water	Plumbing									
Instantaneous Water Bottle Refill Station Hot Water	9									
Hot Water					Gas Remarks:					
Other				Julie Keilii Station						
			Other							

Ro	om Name: Shipping/Receiving Area		Number(	3. 4.	8. 14. 9. 15. 10. 16.	20. 21. 22.	26. 27. 28.	32. 33. 34.	38. 39. 40.	44. 45. 46.
					11.     17.       12.     18.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.
ARCHITECT	URAL REQUIREMENTS									
	Material: MMRGB Material: ACT	Finish:         PT         Type:         RHIS           Finish:         PF         Height:         2185 mm	✓ Corner Guards ☐ Hand Rails ☐ Bed ✓ Crash Rails ☐ Chair Rail	Bumper / Locator	GLAZING  Interior Glazing	FLOORING TYPES Material: Base: VSF FCB		M ACCESSORIES  Coat Hooks Ceiling L  Mirror Infant C		Magnetic Whiteboard Privacy Curtain
LEGEND:		DOORS					·	Door Remarks:		
AC ACT ACT-C ARGB ACT-C ARGB ACT-C ARGB ACT-C ARGB ACT-C ARGB ACT-C ARGB ACT-C ACT-C ARGB ACT-C ACT-C ARGB ACT-C ACT-C ARGB ACT-C ACT-C ARGB ACT-C ACT	EILING LEGEND: Architectural Ceiling Acoustic Ceiling Tile Cleanroom Abuse-Resistant Gypsum Board Gypsum Board mpact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Types:  A A2 B  Type:Qty: Size (mm):	B2 C C2 D D2  Integral I Blinds:	E E2 F  Door & Frame Privacy Protect.: Film:	Function: Card Mag Reader: Local		Hinges: Access	ory 1: Accessory 2: A	ccessory 3:	Security Grille  Anti-barricade strategy  Closer:
	Epoxy Wall Coating									
	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	St	orage Requirements:				FINISHES	
CEILING FINIS  ECC E HPC H PF F PT F  WALL PROTE  ESRP E FRL F FRP F PVW F RHIS F WSSP WVW W  FLOOR FINISH  CFS C EFC F EFC F RAF F SCF S SDVF S SDVF S SDVF S SDVF S SDVF S SCF S S	SHES LEGEND: Epoxy Ceiling Coating High Performance Coating Prefinished Paint  CTION LEGEND: Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate Fibreglass Reinforced Plastic Protective Vinyl Wallcovering Rigid High Impact Sheet Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering HES LEGEND: Concrete Floor Sealer Epoxy Floor Coating Polyurethane Floor Coating Rubber Sheet Flooring Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring LEGEND: Flash Cove Base Rubber Base Seamless Cushioned Flooring	FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	U1 U2 U3 U4 U5  L2 L3 L4 L5 L  Motorized Adjustable Standing Height Height	6 17 18	со	CEPTION/TRANSACTION OUNTER / CARE TEAM AATION DESK		Lower Mill Re		
MECHANICA PLUMBING	AL REQUIREMENTS Hand	Seamless Utility /	Other Fixtures:	anh Chatian	MED / NON-MED GASES					
(Quantity)		K: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower Eyew	ash Station ash/Shower Station gency Shower	(Quantity) Oxygen: Medic	Medical Nitro		AGSS: Nitrogen	Laboratory Air:	Laboratory Compressed Vacuum: Air:
Plumbing Remarks:			☐ Ice Maker ☐ Flush ☐ Water Closet ☐ Floor	Rim Sink	Gas Remarks:					

Program 1. R1.02.01

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

-pp			Number(s)	): 2.	8. 14.	20.	26. 32.		38.	44.
				3.	9. 15.		27. 33.		39.	45.
R	Room Name: Storage - Hazardous			4.	10. 16.	22.	28. 34.		40.	46.
				5.	11. 17.		29. 35.		41.	47.
				6.	12. 18.		36.		42.	48.
ADCUITEC	TUDAL DECLUDEMENTS									
	TURAL REQUIREMENTS									
WALL AND		WALL PROTECTION			GLAZING	FLOORING TYPES  Material: Base:	ROOM ACCESS			
	Il Material: ARGB 1.2m AFF, GB above	Finish: EWC Type: ESRP	Corner Guards Hand Rails Bed E	Bumper / Locator	☐ Interior Glazing	VSF FCB		S Ceiling Lift		Magnetic Whiteboard
Ceiling	g Material: GB	Finish: ECC Height: 2185 mm	Crash Rails Chair Rail			V3F FCB	☐ Mirror	☐ Infant Chang	ge Table 🔲 I	Privacy Curtain
LEGEND:		DOORS					Door Rema			
WALL AND	CEILING LEGEND:	Types:					Provide wa	ve openers on door	S.	Security Grille
AC ACT	Architectural Ceiling									Security drine
ACT-C	Acoustic Ceiling Tile Cleanroom			同 同同 以 //						☐ Anti-barricade
ARGB	Abuse-Resistant Gypsum Board									strategy
GB IRGB	Gypsum Board Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	J				
KLCT	Kitchen Lay-in Ceiling Tile			oor & Frame Privacy	Card Mag	Auto Hold				
MMRGB	Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds:	Protect.: Film:	Function: Reader: Lock:	Opener: Open: Hinges:	Accessory 1: A	ccessory 2: Acces	ssory 3: Clo	oser:
SACT	Security Acoustic Ceiling Tile	C 1 1220 x 2135	Solid Core FRL 2	High ✓ Store	room	<b>✓</b> Butt Hinge	Elec. Strike		Concea	led
	SHES LEGEND:									
EWC HPC	Epoxy Wall Coating High Performance Coating	MILLWORK AND SPECIALTY CASEWORK								
PT	Paint	WILLWORK AND SI EGIALIT CASEWORK	UPPER UNITS	Sto	orage Requirements:				FINISHES	
CEILING FIN	NISHES LEGEND:		U1 U2					Full-height Cabine		
ECC	Epoxy Ceiling Coating	7	U3 U4 L					Upper Millworl		
HPC PF	High Performance Coating Prefinished		US US	U6 U7 U8	CHELE			Countertor		
PT	Paint	K		7 17 100	SHELF			Lower Millworl		
WALL DOOT	TECTION LECEND.				7			Shel	t:	
ESRP	TECTION LEGEND:  Extruded Semi-Rigid PVCu Panel				S1			Remar	l.o.	
FRL	Fibre Reinforced Laminate									
FRP	Fibreglass Reinforced Plastic			1 1				Pro	vide ceiling hatch	es with gaskets.
PVW RHIS	Protective Vinyl Wallcovering Rigid High Impact Sheet	-	Transport Property		i					
WSSP	Wetwall Solid Surface Panel	-		Calculation .						
WVW	Wetroom Vinyl Wallcovering				NATURAL PROPERTY OF THE PROPER	7/				
FLOOR FINI	ISHES LEGEND:	C1 C2 C3 C4								
CFS	Concrete Floor Sealer		L2		1/1/1		//	(		
EFC PFC	Epoxy Floor Coating Polyurethane Floor Coating		L3 L4 L5		BEER	-				
RAF	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9						
RSF SCF	Rubber Sheet Flooring Seamless Cushioned Flooring			L7 L8 L9	L10 L11					
SDRF	Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			TC1 TC2		u   U		
SDVF	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		pecialty			UC1	Ш		
VSF WSVF	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Mad (5% - 0%)	gory (mm) Height Height C	asework	LOWER UNITS RECE	PTION/TRANSACTION				
FLOOD BAS	· · ·	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)				•	LITY SINK AND COUNTER	UNIT		
FLOOR BAS	Flash Cove Base				STAT	ION DESK				
RB	Rubber Base									
SCF	Seamless Cushioned Flooring									
MECHANI	CAL REQUIREMENTS									
PLUMBING	Hand	Seamless Utility /	Other Fixtures: Evewa	sh Station	MED / NON-MED GASES					
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sink	:: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		sh/Shower Station	(Quantity)	Medical Nitrous			Laboratory La	Utility aboratory Compressed
• •				ency Shower	Oxygen: Medical		CO2: AGSS:	Nitrogen:	-	Vacuum: Air:
Plumbing										
Remarks:										
			☐ Water Closet ☐ Floor □		Gas Remarks:					
				Bottle Refill Station						
			Hot Water Other							

Program 1. R3.06

7.

13.

19.

25.

31.

37.

43.

		Number(s):	2.	8. 14.	20.	26.	32.	38.	44.
Room Name: Vestibule - Courier Reception			3.	9. 15.	21.	27.	33.	39.	45.
Room Name: Vestibule - Courier Reception			4.	10. 16.	22.	28.	34.	40.	46.
			5.	11. 17.	23.	29.	35.	41.	47.
			6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS		L	l l	l l					
·									
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES  Material: Base:		CCESSORIES	□	
	ish: PT Type: RHIS	Corner Guards Hand Rails Bed Bur	nper / Locator	✓ Interior Glazing	VSF FCB		: Hooks		gnetic Whiteboard
Ceiling Material: ACT Fin	ish: PF Height: 2185 mm	Crash Rails Chair Rail			V3I TEB	_	or Infant Cha	nge Table 🗀 Priv	vacy Curtain
LEGEND:	DOORS						Remarks:		7
WALL AND CEILING LEGEND:	Types:					Provi	de keypad card reader t	o public door	Security Grille
AC Architectural Ceiling									Security drine
ACT Acoustic Ceiling Tile ACT-C Cleanroom			51 151 151 18.1 <i>1</i>		5 6668				☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board		لا العاقل القل المتدا في المتدار ا							strategy
GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2 I	E E2 F	F2 G H	J				
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile		Integral Door	& Frame Privacy	Card Ma	ag Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm):		rotect.: Film:	Function: Reader: Lo	•	es: Accessory 1	l: Accessory 2: Acc	essory 3: Close	r:
SACT Security Acoustic Ceiling Tile	C 1 1220 x 213	5 Hollow Metal Paint	Class	sroom	■ Butt Hinge	,		Surface	
WALL FINISHES LEGEND:		5 Hollow Metal Paint		eroom 🗸	☐ ☑ Butt Hinge			Surface	
EWC Epoxy Wall Coating									
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK		St	orage Requirements:				FINISHES	
		UPPER UNITS					Full-height Cabin	et:	
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating		U2					Upper Millwo		-
HPC High Performance Coating	V	/ 17 04	IIE				Counterto	op:	
PF Prefinished			U7 U8	SHELF			Lower Millwo		
PT Paint			7	†a 🗆			Sho		
WALL PROTECTION LEGEND:			-	S1 S1					
ESRP Extruded Semi-Rigid PVCu Panel	11 1						Rema	arks:	
FRL Fibre Reinforced Laminate									
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering		-							
RHIS Rigid High Impact Sheet			1	1					
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering	CONTRACTOR OF THE PARTY OF THE		an of the second						
, ,			2	ON ME PERSONAL PROPERTY.	1				
FLOOR FINISHES LEGEND:	C1 C2 C3 C4 C5								
CFS Concrete Floor Sealer  EFC Epoxy Floor Coating		L1 L2			_	1 4	1		
PFC Polyurethane Floor Coating				Zekk -		7	THE REAL PROPERTY.		
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9		-V L 15-	4 1 11			
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring				L10 L11 L12					
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			TC1 TC2				
SDVF Static-Dissipative Vinyl Sheet Flooring  VSF Vinyl Sheet Flooring	Category 0 - None	Min. Length Adjustable Standing Spe-	cialty	LOWER UNITS		UC1	- II		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%)  Category 2 - Med (5% - 9%)	etegory (mm) Height Height Case	ework	Ri	ECEPTION/TRANSACTION	_			
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				· · · · · · · · · · · · · · · · · · ·	JTILITY SINK AND COL	JNTER UNIT		
FLOOR BASE LEGEND: FCB Flash Cove Base				51	TATION DESK				
RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS									
•	eamless Utility /	Other Fixtures:		MED / NON MED CACE					
	eamiess Utility / chen Sink: Process Sink: Scrub Sink: Floor Sink	. Lyewasii.		MED / NON-MED GASES				Laborators Laborators	Utility
(Qualitity)	33.2.2.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.	Shower L Eyewash/	Shower Station	(Quantity)	Medical Nitrous  Cal Air: Vacuum: Oxide:	CO2: *	CCC. Nitracas		cuum: Compressed
		Tub Emergence		Oxygen: Medi	Ldi All : Sada Sada	CO2: A	AGSS: Nitrogen:	740	Air:
Plumbing		☐ Ice Maker ☐ Flush Rim	Sink						
Remarks:		☐ Water Closet ☐ Floor Dra	in	Confirmation		· '	•	· · ·	
			ttle Refill Station	Gas Remarks:					
		Hot Water							
		Other							

Program 1. R1.01

7.

13.

19.

25.

31.

37.

43.



# New Surrey Hospital & BC Cancer Centre

MINIMUM ROOM REQUIREMENTS

#### S. Virtual Health

Room Name: Workroom - Virtual Health			5.	9.     15.       10.     16.       11.     17.       12.     18.	22. 23.	27.       33.         28.       34.         29.       35.         30.       36.	39. 40. 41. 42.	45. 46. 47. 48.
ARCHITECTURAL REQUIREMENTS				1				
WALL AND CEILING  Wall Material: GB  Ceiling Material: ACT	Finish: PT Type: RHIS Finish: PF Height: 1350 mm	Crash Rails Hand Rails Chair Rail	Bed Bumper / Locator	GLAZING  Interior Glazing	FLOORING TYPES Material: Base: RSF RB	ROOM ACCESSORIE  Coat Hooks  Mirror  Door Remarks:	Ceiling Lift	Magnetic Whiteboard Privacy Curtain
LEGEND:  WALL AND CEILING LEGEND:  AC Architectural Ceiling ACT Acoustic Ceiling Tile ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board GB Gypsum Board IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile  WALL FINISHES LEGEND: EWC Epoxy Wall Coating	Types:  A A2 B  Fype:Qty: Size (mm):	B2 C C2 D D2  Material: Finish: Side Lt: Blinds	al Door & Frame Privacy	F2 G H  Function: Reader: Lock:	Auto Hold Opener: Open: Hinges		ory 2: Accessory 3:	Security Grille  Anti-barricade strategy  Closer:
HPC High Performance Coating PT Paint  CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel FIbre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering  FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Coating PFC Polyurethane Floor Coating RAF Rubber Athletic Flooring SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring FLOOR BASE LEGEND:  FCB Flash Cove Base RB Rubber Base SCF Seamless Cushioned Flooring	FULL-HEIGHT CABINETS  Legend: Category 0 - None	UPPER UNI U1 U2 U3 U4 U5 U5 U5 U5 U5 U5 U5 U5 U5 U5 U5 U5 U5	15 U6 U7 U8 L6 L7 L8 L9	LOWER UNITS  RECE COUI	TC1 TC2  PTION/TRANSACTION	Full-I	reight Cabinet: pper Millwork: Countertop: pwer Millwork: Shelf:  Remarks:	
PLUMBING (Quantity) Hand Hygiene Sink: Lavatory: Kitchen Sink:  Plumbing Remarks:	Seamless Utility / Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower ENTUD ENTUD FILE Water Closet FILE FILE FILE FILE FILE FILE FILE FILE	rewash Station rewash/Shower Station mergency Shower ush Rim Sink oor Drain rater Bottle Refill Station	MED / NON-MED GASES (Quantity) Oxygen: Medical	Medical Nitrous Air: Vacuum: Oxide:	CO2: AGSS:	Laboratory Nitrogen: Air:	Laboratory Compressed Air:

7. 8. 13.

14.

19.

20.

25.

26.

31.

32.

37.

38.

43.

44.

Program 1. S1.01

Number(s): 2.



# New Surrey Hospital & BC Cancer Centre

MINIMUM ROOM REQUIREMENTS

### T. Public Spaces

			Number(s): 2.	8. 14. 9. 15.	20. 26. 21. 27.	32. 38. 33. 39.	44. 45.
R	toom Name: Alcove - Release-of-Inform	mation Kiosk	4.	10. 16.	22. 28.	34. 40.	46.
			5.	11. 17.	23. 29.	35. 41.	47.
			6.	12. 18.	24. 30.	36. 42.	48.
ARCHITEC	TURAL REQUIREMENTS			-	1		
WALL AND	CEILING	WALL PROTECTION		GLAZING	FLOORING TYPES	ROOM ACCESSORIES	
	Il Material: ARGB 1.2m AFF, GB above	Finish: PT Type: PVW Corner Guards	☐ Hand Rails ☐ Bed Bumper / Locator	✓ Interior Glazing	Material: Base:	☐ Coat Hooks ☐ Ceiling Lift	Magnetic Whiteboard
Ceiling	Material: ACT	Finish: PF Height: 2185 mm Crash Rails	Chair Rail		VSF FCB	☐ Mirror ☐ Infant Change Table	Privacy Curtain
LEGEND:		DOORS				Door Remarks:	
	CEILING LEGEND:	Types:					Security Grille
AC ACT	Architectural Ceiling		N 1919 191 1919 17	N MN 24 244			Security Grille
ACT-C	Acoustic Ceiling Tile Cleanroom						☐ Anti-barricade
ARGB GB	Abuse-Resistant Gypsum Board Gypsum Board						strategy
IRGB	Impact-Resistant Gypsum Board	A A2 B B2 C C2	D D2 E E2 F	F2 G H	,		
KLCT MMRGB	Kitchen Lay-in Ceiling Tile  Moisture and Mould-Resistant Gypsum Board		Integral Door & Frame Privacy	Card Mag	Auto Hold		
SACT	Security Acoustic Ceiling Tile	Γγρe:Qty: Size (mm): Material: Finish	Side Lt: Blinds: Protect.: Film:	Function: Reader: Lock:	Opener: Open: Hinges:	Accessory 1: Accessory 2: Accessory 3:	Closer:
WALL FINIS	HES LEGEND:						
EWC	Epoxy Wall Coating						
HPC PT	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Storage Requirements:		FINISHE	S
	IISHES LEGEND:	U1	] _			Full-height Cabinet:	
ECC	Epoxy Ceiling Coating	U2 U2	3 <u>u</u> 4 $\square$ $\square$			Upper Millwork:	
HPC	High Performance Coating Prefinished		U5 U6 U7 U			Countertop:	
PT	Paint		U8	SHELF		Lower Millwork:	
WALL DROT	FECTION LEGEND:					Shelf:	
ESRP	Extruded Semi-Rigid PVCu Panel			1]31		Remarks:	
FRL	Fibre Reinforced Laminate			-		The state of the s	
FRP PVW	Fibreglass Reinforced Plastic Protective Vinyl Wallcovering	100	1.6				
RHIS	Rigid High Impact Sheet			1			
WSSP WVW	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering	- "	-				
FLOOR FINI	SHES LEGEND:			ON ME PERSONAL PROPERTY OF THE PERSON NAMED IN COLUMN TWO IS NOT THE P	/		
CFS	Concrete Floor Sealer	_ C3 C4					
EFC PFC	Epoxy Floor Coating Polyurethane Floor Coating		L4 L5	- 844	-		
RAF	Rubber Athletic Flooring	FULL-HEIGHT CABINETS					
RSF SCF	Rubber Sheet Flooring Seamless Cushioned Flooring			L10 L11 L12			
SDRF	Static-Dissipative Rubber Sheet Flooring	Legend:	otorized		TC1 TC2		
SDVF VSF	Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring	Category 0 - None Min. Length Ac	ustable Standing Specialty	LOWER UNITS		UC1 U	
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm)  Category 2 - Med (5% - 9%)	leight Height Casework	RECEF	PTION/TRANSACTION	NK AND COUNTER UNIT	
FLOOR BAS	E LEGEND:	Category 3 - High (10% or Greater)			ITER / CARE TEAM UTILITY SII ON DESK	NK AND COUNTER UNIT	
FCB	Flash Cove Base						
RB SCF	Rubber Base Seamless Cushioned Flooring						
MECHANI	CAL REQUIREMENTS						
PLUMBING		Seamless Utility / Other Fixtures:		MED / NON-MED GASES			
(Quantity)		kr. Kitahan Cinlo Dunana Cinlo Corob Cinkr. Floor Cinkr	Evewash Station	(Quantity)	Medical Nitrous	Laboratory	Utility y Laboratory Compressed
(		Shower Tub	Eyewash/Shower Station	Oxygen: Medical A		•	y Laboratory Compressed Vacuum: Air:
Plumbing			☐ Emergency Shower☐ Flush Rim Sink	,,,			7.11.
Remarks:		☐ Ice Maker☐ Water Close	_				
		☐ Water Close ☐ Instantaneo		Gas Remarks:			
		Hot Water					
			Other				

Program 1. T1.02.07

13.

19.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

25.

Ro	oom Name: Display - Electronic Wayfi	inding System	Number(s): 2.	8. 14. 9. 15.	20.     26.       21.     27.	32. 38. 33. 39.	44. 45.
			4. 5. 6.	10.     16.       11.     17.       12.     18.	22. 28. 29. 29. 24. 30.	34. 40. 35. 41. 36. 42.	46. 47. 48.
ARCHITECT	TURAL REQUIREMENTS						
WALL AND C	EILING	WALL PROTECTION		GLAZING	FLOORING TYPES	ROOM ACCESSORIES	
Wall	Material: ARGB 1.2m AFF, GB above	Finish: PT Type: Corner Guards	Hand Rails Bed Bumper / Locator	✓ Interior Glazing	Material: Base:	☐ Coat Hooks ☐ Ceiling Lift	Magnetic Whiteboard
Ceiling	Material: ACT	Finish: PF Height: Crash Rails	Chair Rail		VSF FCB	☐ Mirror ☐ Infant Change Table	Privacy Curtain
LEGEND:		DOORS				Door Remarks:	
	CEILING LEGEND:	Types:					Security Grille
AC ACT	Architectural Ceiling Acoustic Ceiling Tile			N MN 44 444			
ACT-C	Cleanroom						Anti-barricade
ARGB GB	Abuse-Resistant Gypsum Board Gypsum Board	A A2 B B2 C C	. D D2 E E2 F	F2 G H	]		strategy
IRGB	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		Integral Door & Frame Privacy		Auto Hold		
KLCT MMRGB	Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Material: Finish	Director Destroy Files	Card Mag Function: Reader: Lock:	Auto Hold Opener: Open: Hinges:	Accessory 1: Accessory 2: Accessory 3:	Closer:
SACT	Security Acoustic Ceiling Tile	Type de film film that the film film that the film film that the film film that the film film that the film film film film film film film film				7.000333.7 2. 7.000333.7 2. 7.000333.7 3.	0.050.1
WALL FINISI	HES LEGEND:						
EWC HPC	Epoxy Wall Coating High Performance Coating	MILLWORK AND SPECIALTY CASEWORK					
PT	Paint		UPPER UNITS	Storage Requirements:		FINISH	IES
	ISHES LEGEND:	U1 U2				Full-height Cabinet:  Upper Millwork:	
ECC HPC	Epoxy Ceiling Coating High Performance Coating		U5 IIC -			Countertop:	
PF	Prefinished		U7 U8			Lower Millwork:	
PT	Paint					Shelf:	
	ECTION LEGEND:			S1			
ESRP FRL	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate					Remarks:	
FRP PVW	Fibreglass Reinforced Plastic Protective Vinyl Wallcovering						
RHIS	Rigid High Impact Sheet	100		_ i			
WSSP WVW	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering		5 7	1			
	SHES LEGEND:	C1 C2		ON ME	1		
CFS	Concrete Floor Sealer	C3 C4	===				
EFC PFC	Epoxy Floor Coating Polyurethane Floor Coating		14				
	Rubber Athletic Flooring	FULL-HEIGHT CABINETS	☐ G L7				
RSF SCF	Rubber Sheet Flooring Seamless Cushioned Flooring			L10 L11 L12			
SDRF	Static-Dissipative Rubber Sheet Flooring	Legend:	lotorized		TC1 TC2		
SDVF VSF	Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring	Category 0 - None Min. Length A	djustable Standing Specialty	LOWER UNITS		UC1 U	
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm)  Category 2 - Med (5% - 9%)	Height Height Casework	RECEI	PTION/TRANSACTION NTER / CARE TEAM UTILITY SI	NK AND COUNTER UNIT	
FLOOR BASE	LEGEND:	Category 3 - High (10% or Greater)			ION DESK		
FCB RB	Flash Cove Base Rubber Base						
	Seamless Cushioned Flooring						
MECHANIC	CAL REQUIREMENTS						
PLUMBING	Hand	Seamless Utility / Other Fixtures:	Eyewash Station	MED / NON-MED GASES			
(Quantity)		K: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink: Shower	Eyewash/Shower Station	(Quantity)	Medical Nitrous	Laborato	Compressed
		☐ Tub	Emergency Shower	Oxygen: Medical	Air: Vacuum: Oxide: CO	D2: AGSS: Nitrogen: Air:	Vacuum: Air:
Plumbing		☐ Ice Maker	Flush Rim Sink				
Remarks:		☐ Water Clos	et Floor Drain	Cas Dama-lan	1 1	1 1	
		☐ Instantane		Gas Remarks:			
		Hot Water	Other	]			
				<b>-</b>			I

Program 1. T1.02.03

13.

19.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

25.

Appendix 1B Minimum Room Requi	rements	Program Number(s)			.3. 19. .4. 20.	25. 26.	31. 32.	3		43. 44.
Room Name: Gathering Area			3.		.5. 21.	27.	33.	3		45.
			4. 5.		.6. 22. .7. 23.	28. 29.	34. 35.	4		46. 47.
			6.		.8. 24.	30.	36.	4	2.	48.
ARCHITECTURAL REQUIREMENTS										
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING T		ROOM ACCESSO			
Wall Material: ARGB 1.2m AFF, GB above Ceiling Material: ACT	Finish: PT Type: FRL Corner Guards Finish: PF Height: 1350 mm Crash Rails	Hand Rails	umper / Locator	✓ Interior Glazing	Material VSF	RB	Coat Hooks Mirror	☐ Ceiling Lift ☐ Infant Change		lagnetic Whiteboard rivacy Curtain
LEGEND:	DOORS	Citali Nali					Door Remark			ivacy curtain
WALL AND CEILING LEGEND:										
AC Architectural Ceiling	Types:				708 7260					Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom										☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board				4424424						strategy
GB Gypsum Board	A A2 B B2 C C2	D D2	E E2 F	F2 G	H J					
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile		Integral Do	or & Frame Privacy	Card	Mag Auto Hold					
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Material: Finish:		Protect.: Film:	Function: Reade	•	Hinges:	Accessory 1: Acc	essorv 2: Accesso	ory 3: Clos	ser:
SACT Security Acoustic Ceiling Tile	C 1 1065 x 2135   Solid Core   FRL	11	Low Cla	ssroom		Butt Hinge	,	,	Surface	
WALL FINISHES LEGEND:										
EWC Epoxy Wall Coating										
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	9	Storage Requirements:					FINISHES	
CEILING FINISHES LEGEND:	U1 U						F	ull-height Cabinet:	Plastic Laminat	e
ECC Epoxy Ceiling Coating	U2 U3	U4						Upper Millwork:		
HPC High Performance Coating		U5	U6					Countertop:		
PF Prefinished PT Paint		1	U8	SHELF				Lower Millwork:		
T Tunic		=						Shelf:		
WALL PROTECTION LEGEND:		al II III 16	-	S1						
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate	Seguence	- V						Remarks	į.	
FRP Fibreglass Reinforced Plastic		. 1							-	
PVW Protective Vinyl Wallcovering	100	Francis								
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel		The state of the s								
WVW Wetroom Vinyl Wallcovering	- 1	111	an Property lies							
FLOOR FINISHES LEGEND:	CI CI			On the second		7				
CFS Concrete Floor Sealer	C2 C3 C4 C5		- Property			7				
EFC Epoxy Floor Coating					-	/	A. A.	1		
PFC Polyurethane Floor Coating	FULL-HEIGHT CABINETS	L4 L5 L6	17		- /					
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FOLL-HEIGHT CADINETS		L7 L8 L9	110		17-1				
SCF Seamless Cushioned Flooring				L10 L11	L12 TC1	$\Rightarrow V$				
SDRF Static-Dissipative Rubber Sheet Flooring	Colores A Nove	rized				ТС2 °°°	UC1	u		
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring	0-1 4 1- (40/ 40/)		pecialty	LOWER UNITS				u		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	ght Height Ca	asework		RECEPTION/TRANSACT COUNTER / CARE TEAN		NK AND COUNTER U	NIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				STATION DESK	/ OTILITY 31	NK AND COUNTER O	NII		
FCB Flash Cove Base										
RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS										
PLUMBING Hand	Seamless Utility / Other Fixtures:	☐ Evewas	th Station	MED / NON-MED	GASES					
(Quantity) Hygiene Sink: Lavatory: Kitchen Si	nk: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	_	sh/Shower Station	(Quantity)	Medical	Nitrous		La	boratory Lab	Utility poratory Compressed
	Tub		ency Shower		Medical Air: Vacuum:	Oxide: CO	2: AGSS:	Nitrogen:		acuum: Air:
Plumbing		☐ Emerge						_		
Remarks:	☐ Ice Maker									
	☐ Water Closet	☐ Floor D		Gas Remarks	s:					
	Instantaneous	☐ Water	Bottle Refill Station							
	Hot Water	Other								
		Other								

• •		•			Number(s):	2.	8.	14.	20.	26.	32.	38.	44	٠.
		- L. O. J.				3.	9.	15.	21.	27.	33.	39.	45	
Ro	oom Name: Information/S	Security Station				4.	10.	16.	22.	28.	34.	40.	46	
						5.	11.	17.	23.	29.	35.	41.	47	
						6.	12.	18.	24.	30.	36.	42.	48	•
ARCHITECT	TURAL REQUIREMEN	VTS												
WALL AND C	EILING	,	WALL PROTECTION				GLAZING		FLOORING TYPES	R	OOM ACCESSORIE	S		
	Material: GB	Finish: PT		☐ Corner Guards ☐ Hand Ra	ails Red Bun	nner / Locator			Material: Base:		Coat Hooks	•	✓ Magnetic	Whitehoard
	Material: ACT	Finish: PF	Type: Height:	Crash Rails Chair Ra			✓ Interior Glaz	ring	VSF FCB			Infant Change Table		
	Waterial. Mer		neight.	crush nuns							Door Remarks:	a munic change rable		
LEGEND:		DOORS									Door Remarks:			
	CEILING LEGEND:	Types:												Security Grille
	Architectural Ceiling Acoustic Ceiling Tile					4 [4] [8] [24]			4444					
	Cleanroom		K   K   Z   K					F-150150						Anti-barricade
	Abuse-Resistant Gypsum Board													strategy
	Gypsum Board		A A2 B	B2 C C2 D	D2 E	E2 F	F2 G	н	J					
	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile				Integral Door	& Frame Privacy	Ca	ard Mag	Auto Hold					
	Moisture and Mould-Resistant Gyps	sum Board	Type:Qty: Size (mm):	Material: Finish: Side Li		otect.: Film:		•		linges: Ac	ressory 1: Arress	ory 2: Accessory 3:	Closer:	
SACT	Security Acoustic Ceiling Tile		Type Qty. Size (IIIII).	Waterial. Tillisti. Side E			T directions				cessory 1. Access	51 y 2. Accessory 5.	Surface	1
WALL FINISH	HES LEGEND:					5.01	eroom		Butt Hi	ige			Surface	1
	Epoxy Wall Coating						L							
	High Performance Coating	MILLWORK AND SPE	CIALTY CASEWORK			C+	corage Requirements:					FINIS	HEC	
PT	Paint				PPER UNITS	31	orage nequirements.						nL3	
CEILING FINI	ISHES LEGEND:			U1								height Cabinet:		
	Epoxy Ceiling Coating	(magazzana)	-1/1/1	U2 U3 U4							ι	Ipper Millwork: Plast		
	High Performance Coating	-	K-K-V	1	U5	U6 U7 🗌						Countertop: Solid	Surfacing	
	Prefinished Paint				7	U8	SHELF				L	ower Millwork: Plast	c Laminate	
												Shelf:		
WALL PROTE	ECTION LEGEND:	- Congression			ا ال		S1							
	Extruded Semi-Rigid PVCu Panel	anguaran I					1					Remarks:		
	Fibre Reinforced Laminate Fibreglass Reinforced Plastic	_												
	Protective Vinyl Wallcovering	7	-	raderace I		1 1	1							
RHIS	Rigid High Impact Sheet	7		1		1	1							
	Wetwall Solid Surface Panel	Constant of the last of the la	-		Con Con	September 1								
WVW	Wetroom Vinyl Wallcovering				-	-	OD THE PERSONNELSE AND THE	1 1	76					
FLOOR FINIS	SHES LEGEND:	C1 C2				-	-         -	1						
	Concrete Floor Sealer			L L2			//	K I			/	= 7		
	Epoxy Floor Coating Polyurethane Floor Coating			L3 14	L5		- KKKI	4	1	accord .	The same of the same			
	Rubber Athletic Flooring	FULL-HEIGHT CABIN	NETS			L7 L8 L0		1				-PI		
	Rubber Sheet Flooring					L7 L8 L9	L10 L11	1		7/				
	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Floo	oring Legend:					L10 L11	L12	TC1 TC2	$\nu$	"   [			
	Static-Dissipative Vinyl Sheet Floorin	_ =		Motorized Min. Length Adjustable	Standing Co	cialty			TC1 TC2		UC1			
VSF	Vinyl Sheet Flooring	Category 1 - Low (1%	5 - <b>4%)</b> Cate	Min. Length Adjustable egory (mm) Height		cialty ework	LOWER UNITS	DECEDE	ON/TRANSACTION					
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Ivieu (5%	6 - 9%)	. ,					R / CARE TEAM	UTILITY SINK	AND COUNTER UNIT			
FLOOR BASE	LEGEND:	Category 3 - High (10	% or Greater)	3 4500				STATION		• <u>.</u>				
FCB	Flash Cove Base													
	Rubber Base													
SCF	Seamless Cushioned Flooring													
MECHANIC	CAL REQUIREMENTS	;												
PLUMBING	Hand	Seamless Utility /		Other Fixtures:			MED / NON-ME	ED GASES						
		Kitchen Sink: Kitchen Sink: Process Sink:	Scrub Sink: Floor Sink:		☐ Evewash S			LU GASES	Modical Nites	u.c		l aba	on, laborater	Utility
(Quantity)	,3			Shower		Shower Station	(Quantity)	NA-dic-las	Medical Nitro Vacuum: Oxio		4.000	Laborat Nitrogen: Air:	ory Laboratory Vacuum:	Compressed
				Tub	☐ Emergend	cy Shower	Oxygen:	Medical Air:	- COUGHIII OAN	le: CO2:	AGSS:	Nitrogen: Air:	vacaum.	Air:
Plumbing				☐ Ice Maker	☐ Flush Rim	Sink								
Remarks:				☐ Water Closet	☐ Floor Drai				1 1	I			1	
				Instantaneous		ttle Refill Station	Gas Rema	arks:						
				Hot Water	water bo	cae nemi station								
				TIOC WATER	Other									

Program 1. T1.02.04

7.

13.

19.

25.

31.

37.

43.

Room Name: Look Good Feel Good Room		Number(s):	3. 9. 4. 10. 5. 11.	15. 16. 17.	20.       26.         21.       27.         22.       28.         23.       29.         24.       30.	32. 33. 34. 35. 36.	38. 39. 40. 41. 42.	44. 45. 46. 47. 48.
ARCHITECTURAL REQUIREMENTS			1					
		Corner Guards	GLAZING er / Locator	Glazing	RING TYPES Material: Base: /SF FCB	ROOM ACCESSORIES  Coat Hooks Ceiling Mirror Infant		netic Whiteboard cy Curtain
LEGEND:  WALL AND CEILING LEGEND:  AC Architectural Ceiling ACT Acoustic Ceiling Tile ACT-C Cleanroom ARGB Abuse-Resistant Gypsum Board GB Gypsum Board IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile  WALL FINISHES LEGEND: EWC Epoxy Wall Coating HPC High Performance Coating PT Paint  CEILING FINISHES LEGEND: ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint	Types:  A A2 B B2  Fype:Qty: Size (mm): Mate  D2 1 1830 x 2135 Solid C  MILLWORK AND SPECIALTY CASEWORK		ect.: Film: Function:  Passage  Storage Requiremen	H J Card Mag Auto Reader: Lock: Opener:	· Imiges.	Door Remarks:  Door to be lockable with  Accessory 1: Accessory 2:  Astragal Flush Bolt  Full-height C Upper Mi	Accessory 3: Closer: Concealed  FINISHES Tabinet: Plastic Laminate fillwork: Plastic Laminate solid Surfacing fillwork: Plastic Laminate	Security Grille  Anti-barricade strategy
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering  FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Coating PFC Polyurethane Floor Coating RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring SDVF Static-Dissipative Ninyl Sheet Flooring VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring FLOOR BASE LEGEND: FCB Flash Cove Base RB Rubber Base SCF Seamless Cushioned Flooring	FULL-HEIGHT CABINETS  Legend:	Min. Length (mm) Adjustable Height Standing Height Casework  4800	L8 L9 L10 L11  Ty LOWER UNITS	112		NK AND COUNTER UNIT	Shelf: Remarks:	
MECHANICAL REQUIREMENTS								
PLUMBING Hand S	chen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures:  Shower  Eyewash/Sh  Tub  Emergency S  Ice Maker  Water Closet  Instantaneous Hot Water  Other  Cyewash Sta	ower Station (Quantity) hower nk Gor R		edical Nitrous cuum: Oxide: CO	12: AGSS: Nitroge	Laboratory Labora n: Air: Vacu	Compressed

Program 1. T2.04

13.

25.

19.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

		Number(s): 2.	8. 14.	20. 26.	32.	38. 44.
- A Committee		3.	9. 15.	21. 27.	33.	39. 45.
Room Name: Lounge - Security		4.	10. 16.	22. 28.	34.	40. 46.
		5.	11. 17.	23. 29.	35.	41. 47.
		6.	12. 18.	24. 30.	36.	42. 48.
ARCHITECTURAL REQUIREMENTS						
·					1	
WALL AND CEILING	WALL PROTECTION		GLAZING	FLOORING TYPES	ROOM ACCESSORIES	
Wall Material: GB		uards Hand Rails Bed Bumper / Locator	✓ Interior Glazing	Material: Base:	✓ Coat Hooks ☐ Ceiling Lift	
Ceiling Material: ACT	Finish: PF Height: Crash Ra	s Chair Rail		VSF FCB	☐ Mirror ☐ Infant Cha	ange Table Privacy Curtain
LEGEND:	DOORS				Door Remarks:	
WALL AND CEILING LEGEND:						
AC Architectural Ceiling	Types:					Security Grille
ACT Acoustic Ceiling Tile						
ACT-C Cleanroom						Anti-barricade
ARGB Abuse-Resistant Gypsum Board						strategy
GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	A A2 B B2 C	C2 D D2 E E2	F F2 G H	J		
KLCT Kitchen Lay-in Ceiling Tile		Integral Door & Frame Privacy	Card Mag	Auto Hold		
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Material:	Finish: Side Lt: Blinds: Protect.: Film:		Opener: Open: Hinges:	Accessory 1: Accessory 2: Acc	cessory 3: Closer:
SACT Security Acoustic Ceiling Tile	C 1 915 x 2135 Solid Core		Storeroom 🗸	Butt Hinge		Surface
WALL FINISHES LEGEND:	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5					
EWC Epoxy Wall Coating						
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Storage Requirements: Provide (12)	three tiered locker		FINISHES
PT Paint	<b>☑</b> □	UPPER UNITS	,		Full-height Cabir	
CEILING FINISHES LEGEND:	U1 U2				_	
ECC Epoxy Ceiling Coating	7	U3 U4	_			ork: Plastic Laminate
HPC High Performance Coating PF Prefinished			J8 SHELF			top: Solid Surfacing
PT Paint		777	3HELF			ork: Plastic Laminate
					Sh	nelf:
WALL PROTECTION LEGEND:			S1			
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate	Segrence				Rem	arks:
FRP Fibreglass Reinforced Plastic					P	rovide one (1) Change Cubicle
PVW Protective Vinyl Wallcovering	to transportation	1				
RHIS Rigid High Impact Sheet						
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering		20 20 7				
		===	On my property	7		
FLOOR FINISHES LEGEND:	C1 C2 C3 C4 C5 L4					
CFS Concrete Floor Sealer EFC Epoxy Floor Coating					( F	
PFC Polyurethane Floor Coating		L3 L4 L5 L6 L7	Zekk			
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L6 L7				
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring			L10 L11 L12			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:		L12	TC1 TC2		
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None Min. Lei	Motorized gth Adjustable Standing Specialty			" UC1	
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm		LOWER UNITS	PTION/TRANSACTION		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 3 - High (10% or Greater) 2 210				SINK AND COUNTER UNIT	
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)			ION DESK		
FCB Flash Cove Base						
RB Rubber Base SCF Seamless Cushioned Flooring						
Ser Seamess cusmoned rioding						
MECHANICAL REQUIREMENTS						
PLUMBING Hand	Seamless Utility / Other F	dures:	MED / NON-MED GASES			
	Sindy With City Borrow Side Completing Floor Sindy	Eyewasii Station	(Quantity)	Medical Nitrous		Utility Laboratory Laboratory Compressed
	□ Sh				CO2: AGSS: Nitrogen:	Air: Vacuum:
			Oxygen: Medical	AII. (	.oz. Ados. Mitrogen:	Air: Air:
Plumbing	☐ Ice	Maker Flush Rim Sink				
Remarks:		ter Closet Floor Drain		, ,	, 1	
		antaneous Water Bottle Refill Station	Gas Remarks:			
		Water	_			
		Other				

Program 1. T1.08

13.

19.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

25.

Room Name: Mailroom - CC				3.	9. 15.	21.	27.	33.	39.	45.
moon name.				4.	10. 16.	22.	28.	34.	40.	46.
				5.	11. 17.	23.	29.	35.	41.	47.
				6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS										
WALL AND CEILING	w	ALL PROTECTION			GLAZING	FLOORING TYPES		ROOM ACCESSORIES		
Wall Material: GB	Finish: PT	Type:	✓ Corner Guards ☐ Hand	Rails	☐ Interior Glazing	Material: Base:		Coat Hooks	Ceiling Lift	✓ Magnetic Whiteboard
Ceiling Material: ACT	Finish: PF	Height:	☐ Crash Rails ☐ Chair		interior diazing	VSF FCB			Infant Change Table	Privacy Curtain
LECEND	DOORS							Door Remarks:		
LEGEND: WALL AND CEILING LEGEND:	DOORS									
AC Architectural Ceiling	Types:			a (ala) (al (ala) (al						Security Grille
ACT Acoustic Ceiling Tile										
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board			MELALAMI.			MUNNIGA .				Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	34	A A2 B	B2 C C2 D	D D2 E E2 F	F2 G H	1				strategy
IRGB Impact-Resistant Gypsum Board										
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board		5 O C ( )		Integral Door & Frame Privacy  a It. Blinds: Protect.: Film:	Decile 1	ag Auto Hold ck: Opener: Open: <sub>H</sub>				
SACT Security Acoustic Ceiling Tile		Type:Qty: Size (mm):	Material: Finish: Side	. Lt.	Turicuon.		inges:	Accessory 1: Accessor	·	Closer:
WALL FINISHES LEGEND:		A 1 915 x 2135 S	Solid Core FRL	2 High Stor	eroom 🗸 [	Butt Hin	ge		Sı	urface
EWC Epoxy Wall Coating										
HPC High Performance Coating	MILLWORK AND SPEC	IALTY CASEWORK		-	corage Requirements:				FINISHES	
PT Paint	2000	-		UPPER UNITS	orage nequirements.					•
CEILING FINISHES LEGEND:	/ :/-	7	U1						eight Cabinet:	
ECC Epoxy Ceiling Coating	7	-VV1712	U2 U3 U4	4 U5 U6 🗆				Up	per Millwork:	fort.
HPC High Performance Coating PF Prefinished	Congressor	1		U5 U6 U7 U8	SHELF				Countertop: Solid Sur	
PT Paint					-1-			LO	wer Millwork: Plastic La	aminate
WALL PROTECTION LEGEND:	angeneses.				S1				Shelf:	
ESRP Extruded Semi-Rigid PVCu Panel		1. 1-4 1-			1 31				Remarks:	
FRL Fibre Reinforced Laminate	7				-				Nemarks.	
FRP Fibreglass Reinforced Plastic	-									
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	Vargania .	~		Francis II	1					
WSSP Wetwall Solid Surface Panel				202020222 202022						
WVW Wetroom Vinyl Wallcovering					THE PERSON NAMED IN COLUMN 1					
FLOOR FINISHES LEGEND:	<u>C1</u>		1		San Transport	The state of the s				
CFS Concrete Floor Sealer		C3 C4 C5 L1			= - IIIV		7	/		
EFC Epoxy Floor Coating			L2 L3 L4		- KMM =-	The state of the s		The state of the s	7/	
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINE	_		L5 L6 L7 L8 L9						
RSF Rubber Sheet Flooring					L10   111	7	7/			
SCF Seamless Cushioned Flooring	Lagand.			_	☐ L12	TC1 TC2		n I I		
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None		Motorized					UC1		
VSF Vinyl Sheet Flooring	Category 1 - Low (1% -	<b>4%)</b> Categ	Min. Length Adjustable gory (mm) Height	Standing Specialty Height Casework	LOWER UNITS	ECEDTION/TDANSACTION				
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% -	9%)	, , , , ,			ECEPTION/TRANSACTION OUNTER / CARE TEAM	UTILITY SI	NK AND COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10%	or Greater) 3	13500			TATION DESK				
FCB Flash Cove Base										
RB Rubber Base SCF Seamless Cushioned Flooring										
Scanness cosmoned Flooring										
AAFOLIANIOAL DEGLIDENSES										
MECHANICAL REQUIREMENTS										
PLUMBING Hand	Seamless Utility /		Other Fixtures:	Eyewash Station	MED / NON-MED GASE	S				Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink: So	crub Sink: Floor Sink:	Shower	Eyewash/Shower Station	(Quantity)	Medical Nitro			Laboratory	Laboratory Compressed
			☐ Tub	Emergency Shower	Oxygen: Med	ical Air: Vacuum: Oxid	e: co:	2: AGSS: N	litrogen: Air:	Vacuum: Air:
Plumbing			☐ Ice Maker	Flush Rim Sink						
Remarks:			Water Closet	Floor Drain						
				Water Bottle Refill Station	Gas Remarks:			<del></del>	·	
			Instantaneous Hot Water	water Bottle Ketill Station						
			nui walei	Other						

Program 1. T2.06

Number(s): 2.

7.

8.

13.

14.

19.

20.

25.

26.

31.

32.

37.

38.

43.

44.

**Appendix 1B Minimum Room Requirements** 

Room Name: Office -	CC Foundation			3. 4.	9. 15. 10. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.	
				5.	11. 17.	23.	29.	35.	41.	47.	
				6.	12. 18.	24.	30.	36.	42.	48.	
ARCHITECTURAL REQUIRE	MENTS					1	1	1			_
WALL AND CEILING		WALL PROTECTION			GLAZING	FLOORING TYPES	RC	OOM ACCESSORIES			
Wall Material: GB	Finish: PT	Type:	✓ Corner Guards ☐ Hand Ra	ails   Bed Bumper / Locator	✓ Interior Glazing	Material: Base:		✓ Coat Hooks ☐ Ceil	ing Lift	✓ Magnetic Whiteboard	
Ceiling Material: ACT	Finish: PF	Height:	☐ Crash Rails ✓ Chair Ra	ail	interior diazing	VSF RB		☐ Mirror ☐ Infa	nt Change Table	Privacy Curtain	
LEGEND:	DOORS	ŭ L						Door Remarks:			_
WALL AND CEILING LEGEND:											
AC Architectural Ceiling	Туре	es:								Security Grille	
ACT Acoustic Ceiling Tile											
ACT-C Cleanroom			MELALAM							Anti-barricade	
ARGB Abuse-Resistant Gypsum Bo GB Gypsum Board	ard	A A2 B	B2 C C2 D	D2 E E2 F	F2 G H					strategy	
IRGB Impact-Resistant Gypsum Bo	pard	A AZ B	B2 C C2 D	D2 E E2 F	F2 G H	,					
KLCT Kitchen Lay-in Ceiling Tile				Integral Door & Frame Privacy	Card M	=					
MMRGB Moisture and Mould-Resista		Γγρε:Qty: Size (mm):	Material: Finish: Side L	t: Blinds: Protect.: Film:	Function: Reader: Lo	ck: Opener: Open: Hi	nges: Acc	cessory 1: Accessory 2:	Accessory 3:	Closer:	
SACT Security Acoustic Ceiling Tile		D 1 1065 x 2135 S	Solid Core FRL	☐ 1 Low Sto	reroom 🗸	Butt Hing	e Astr	ragal Flush Bolt	9	Surface	
WALL FINISHES LEGEND:											
EWC Epoxy Wall Coating							l				
HPC High Performance Coating PT Paint	MILLWORK AND S	PECIALTY CASEWORK		DDED LINUTE	torage Requirements:				FINISHE	:S	
				PPER UNITS				Full-heigh	t Cahinet		
CEILING FINISHES LEGEND:	2 17	7	U2						Millwork:		
ECC Epoxy Ceiling Coating HPC High Performance Coating		TVVIZ	U4	U5 U6 U7					untertop:		
PF Prefinished				U7 U8	SHELF				-		
PT Paint				77	511221			Lower	Millwork:		
WALL PROTECTION LECEND.	Z 7				-PI L				Shelf:		
WALL PROTECTION LEGEND:	7	-4   1			S1						
ESRP Extruded Semi-Rigid PVCu Pi FRL Fibre Reinforced Laminate	anei	T			VC				Remarks:		
FRP Fibreglass Reinforced Plastic	-	1 1/		1							
PVW Protective Vinyl Wallcoverin		300	- Contraction -	-	1						
RHIS Rigid High Impact Sheet											
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering		-	" " " "		1						
,			1		ON MA PERSONAL PROPERTY.	1					
FLOOR FINISHES LEGEND:		C2 C3 C4 C5									
CFS Concrete Floor Sealer EFC Epoxy Floor Coating		<del> </del>	12		1			/ F	2		
PFC Polyurethane Floor Coating				L5	PARK -		and !	The same of the sa			
RAF Rubber Athletic Flooring	FULL-HEIGHT CA	BINETS		□ L6 L7 L8							
RSF Rubber Sheet Flooring					L10 L11		7/				
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sh						TC1 TC2		"   L			
SDVF Static-Dissipative Rubber STI	-		Motorized	Standing Specialty				UC1			
VSF Vinyl Sheet Flooring	Category 1 - Low (		- ,	Standing Specialty Height Casework	LOWER UNITS	ECEPTION /TPANCACTION					
WSVF Wetroom Safety Vinyl Sheet	Flooring Category 2 - Med (	5% - 9%)	, , , , , , , , , , , , , , , , , , ,			ECEPTION/TRANSACTION OUNTER / CARE TEAM	UTILITY SINK /	AND COUNTER UNIT			
FLOOR BASE LEGEND:	Category 3 - High (	10% or Greater)				TATION DESK	3.12.1.1 3.11K F				
FCB Flash Cove Base					•						
RB Rubber Base											
SCF Seamless Cushioned Flooring	3										
											J
MECHANICAL REQUIREME	INTS										
•	Seamless Utility /		Other Fixtures:		MED / NIONI BAED CACE	:					_
	tory: Kitchen Sink: Kitchen Sink: Process Sink	: Scrub Sink: Floor Sink:		Evewash Station	MED / NON-MED GASES		-		( ala a a a t a c	Utility	
(Quantity) Hygiene Sink: Lava		100101111	Shower	Eyewash/Shower Station	(Quantity)	Medical Nitrou			Laborator Air:	Vacuum	ţ
			☐ Tub	Emergency Shower	Oxygen: Med	cal Air: Vacuum: Oxide	: CO2:	AGSS: Nitro	gen: Air:	Vacuum: Air:	
Plumbing			☐ Ice Maker	Flush Rim Sink							
Remarks:			Water Closet	Floor Drain							_
					Gas Remarks:						
			Instantaneous	Water Bottle Refill Station							
			Hot Water	Other							

7. 8.

13.

14.

19.

20.

Program 1. T2.05

Number(s): 2.

25. 26. 31.

32.

37.

38.

43.

44.

**Appendix 1B Minimum Room Requirements** 

Room Name: Office	- Hospital Foundation			3. 4.	9. 15. 10. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.	
				5.	11. 17.	23.	29.	35.	41.	47.	
				6.	12. 18.	24.	30.	36.	42.	48.	
ARCHITECTURAL REQUIRE	MENTS							·			
WALL AND CEILING		WALL PROTECTION			GLAZING	FLOORING TYPES	R	OOM ACCESSORIES			
Wall Material: GB	Finish: PT	Type:		ails 🗌 Bed Bumper / Locator	✓ Interior Glazing	Material: Base:		✓ Coat Hooks ☐ Cei	ling Lift	✓ Magnetic White	.eboard
Ceiling Material: ACT	Finish: PF	Height:	☐ Crash Rails ✓ Chair Rails	ail		VSF RB		☐ Mirror ☐ Infa	ant Change Table	Privacy Curtain	ı
LEGEND:	DOORS						1	Door Remarks:			
WALL AND CEILING LEGEND:	Туре	00:									
AC Architectural Ceiling	1 9 20			1						□ Secu	ırity Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom										Δnti-	-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Bo	pard				4484.00.00					strat	
GB Gypsum Board		A A2 B	B2 C C2 D	D2 E E2 F	F2 G H	ן ו					·
IRGB Impact-Resistant Gypsum B KLCT Kitchen Lay-in Ceiling Tile	oard			Integral Door & Frame Privacy	Card	Mag Auto Hold					
MMRGB Moisture and Mould-Resista	ant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side L			1	linges: Ac	ccessory 1: Accessory 2	: Accessory 3:	Closer:	
SACT Security Acoustic Ceiling Tile	2	D 1 1065 x 2135 S		···	reroom 🗸	Butt Hi		tragal Flush Bolt		Surface	
WALL FINISHES LEGEND:		D 1 1003 X 2133 3	Solid Core	11.0W  310	Teroom 🗸		ige Asi	tragai Trusti boit		burrace	
EWC Epoxy Wall Coating											
HPC High Performance Coating PT Paint	MILLWORK AND S	PECIALTY CASEWORK			Storage Requirements:				FINISHE	ES .	
				PPER UNITS				Full-heigh			
CEILING FINISHES LEGEND:	4 17		U2 112 U	Пп				_	Millwork:		-
ECC Epoxy Ceiling Coating HPC High Performance Coating		TXXVIX	U4	U5 U6 U7					ountertop:		-
PF Prefinished	7			U7 U8	SHELF				· Millwork:		
PT Paint	-		-		Total I			Lower	Shelf:		-
WALL PROTECTION LEGEND:					Si				Sileii.		
ESRP Extruded Semi-Rigid PVCu P									Remarks:		
FRL Fibre Reinforced Laminate		T	<u> </u>								
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcoverir	/			<u> </u>							
RHIS Rigid High Impact Sheet	· -	1 100	THE PERSON NAMED IN COLUMN TWO	The state of the s	i						
WSSP Wetwall Solid Surface Panel		-	1 11 111111	to the second							
WVW Wetroom Vinyl Wallcovering	B				SO STATES OF THE PERSON NAMED IN COLUMN NAMED	17/					
FLOOR FINISHES LEGEND:	C1	C2 C3 C4 C5			- 177	-		98 <u>2</u> 200 000000			
CFS Concrete Floor Sealer		<del> </del>	1		= = /// K		7		7		
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating			L2 L3 L4	LS	- KKN -		and a	The same of the sa	1		
RAF Rubber Athletic Flooring	FULL-HEIGHT CA	BINETS		☐ <u>L6 L7</u> L8 L9							
RSF Rubber Sheet Flooring					L10 L11		7/				
SCF Seamless Cushioned Floorin SDRF Static-Dissipative Rubber Sh			Motorized				$\nu$		U		
SDVF Static-Dissipative Vinyl Shee				Standing Specialty				UC1			
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet	Category 1 - Low (		- ,	Height Casework	LOWER UNITS	RECEPTION/TRANSACTION					
	Category 2 - Med ( Category 3 - High (					COUNTER / CARE TEAM	UTILITY SINK	AND COUNTER UNIT			
FLOOR BASE LEGEND:	Category 5 - High (	10/0 UI GIEdleij				STATION DESK					
FCB Flash Cove Base RB Rubber Base											
SCF Seamless Cushioned Floorin	g										
MECHANICAL REQUIREME	FNTS										
1			out =::								1
PLUMBING Hand (Quantity) Hygiene Sink: Lava	Seamless Utility / story: Kitchen Sink: Kitchen Sink: Process Sink:	: Scrub Sink: Floor Sink:	Other Fixtures:	Evewash Station	MED / NON-MED GAS						Utility
(Quantity) Hygiene Sink: Lava	Accident Shirk. Ritchell Shirk. Process Shirk.	. Jordo Jilik. 11001 Jilik.	Shower	Eyewash/Shower Station	(Quantity)	Medical Nitro			Laborator Air:		ompressed
			Tub	Emergency Shower	Oxygen: Me	edical Air: Vacuum: Oxi	le: CO2:	AGSS: Nitro	ogen: Air:	Vacuum:	Air:
Plumbing			☐ Ice Maker	Flush Rim Sink							
Remarks:			☐ Water Closet	☐ Floor Drain		1 1	1		I		
			Instantaneous	Water Bottle Refill Station	Gas Remarks:						l
			Hot Water								İ
				Other							l

7. 8.

13.

14.

19.

20.

Program 1. T1.04

Number(s): 2.

25. 26. 31.

32.

37.

38.

43.

44.

**Appendix 1B Minimum Room Requirements** 

Room Name: Office - Security			3.	9. 15.		27. 33.	39.	45.
,			4.	10. 16.		28. 34.	40.	46.
			5. 6.	11. 17. 12. 18.		<ul><li>29. 35.</li><li>30. 36.</li></ul>	41. 42.	47. 48.
			0.	10.	24.	30.	42.	40.
ARCHITECTURAL REQUIREMENTS				1				
WALL AND CEILING	WALL PROTI			GLAZING	FLOORING TYPES	ROOM ACCESSO		
Wall Material: GB	Finish: PT Type:		Rails	✓ Interior Glazing	Material: Base:		Ceiling Lift	✓ Magnetic Whiteboard
Ceiling Material: ACT	Finish: PF Height:	Crash Rails Chair I	Rail		VSF RB	☐ Mirror	☐ Infant Change Table	Privacy Curtain
LEGEND:	DOORS					Door Remar	ks:	
WALL AND CEILING LEGEND:	Types:							Security Grille
AC Architectural Ceiling	*** MM							Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom	N. P. S. S. S. S. S. S. S. S. S. S. S. S. S.							☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board								strategy
GB Gypsum Board IRGB Impact-Resistant Gypsum Board	A A2	B B2 C C2 D	D2 E E2 F	F2 G H	J			
KLCT Kitchen Lay-in Ceiling Tile			Integral Door & Frame Privacy	Card Mag	Auto Hold			
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty:	Size (mm): Material: Finish: Side	Lt: Blinds: Protect.: Film:	Function: Reader: Lock:	Opener: Open: Hinges:	Accessory 1: Ac	cessory 2: Accessory 3:	Closer:
SACT Security Acoustic Ceiling Tile	C 1	915 x 2135 Solid Core FRL	☐ 1 Low Stor	eroom 🗸 🗀	Butt Hinge		Su	ırface
WALL FINISHES LEGEND:								
EWC Epoxy Wall Coating HPC High Performance Coating	MILLIMORY AND CRECIALTY CO.	TWORK				1	, 1	
PT Paint	MILLWORK AND SPECIALTY CASI		JPPER UNITS	torage Requirements:			FINISHES	
CEILING FINISHES LEGEND:			7				Full-height Cabinet: Plastic La	nminate
ECC Epoxy Ceiling Coating	1	U2 U3 U4					Upper Millwork: Plastic La	nminate
HPC High Performance Coating	A STATE OF THE STA	Y Y T	U5 U6 U7 U				Countertop:	
PF Prefinished PT Paint			U8	SHELF			Lower Millwork: Plastic La	aminate
				<b>⊅</b> a □			Shelf:	
WALL PROTECTION LEGEND:	7			S1				
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate	-			15			Remarks:	
FRP Fibreglass Reinforced Plastic	-		1					
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	K	***	Francisco Control	1				
WSSP Wetwall Solid Surface Panel			CONTRACTOR OF THE PARTY OF THE					
WVW Wetroom Vinyl Wallcovering				THE PERSON NAMED IN COLUMN 1	7/			
FLOOR FINISHES LEGEND:	C1 C2 C3		====	-	Consessed -			
CFS Concrete Floor Sealer		C4 C5 L1 L2 L3 L4				7	-	
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating				- KM	- Company	/ Transport		
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L5 L6 L7 L8 L9					
RSF Rubber Sheet Flooring		_		L10 L11				
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Add to do and		L12	TC1 TC2	ν ∥, ∥ <sub>Γ</sub>		
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized Min. Length Adjustable	Standing Specialty			UC1 U		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%)	Category (mm) Height	Height Casework	LOWER UNITS RECEF	TION/TRANSACTION			
	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)			COUN	TER / CARE TEAM UT	TILITY SINK AND COUNTER	UNIT	
FLOOR BASE LEGEND:	Category 3 - night (10% of dreater)			STATI	ON DESK			
FCB Flash Cove Base RB Rubber Base								
SCF Seamless Cushioned Flooring								
MECHANICAL REQUIREMENTS								
PLUMBING Hand	Seamless Utility /	Other Fixtures:	- Francis Control	MED / NON-MED GASES				
	Kitchen Sink: Process Sink: Scrub Sink:	Floor Sink:	Evewash Station	(Quantity)	Medical Nitrous		Laboratory	Utility Laboratory Compressed
,		□ Snower	Eyewash/Shower Station	Oxygen: Medical A		CO2: AGSS:	Nitrogen: Air:	Vacuum: Compressed  Varieties  Vacuum: Air:
Dlumbing	1 1	Tub	Emergency Shower	S./Jos.ii Medicul P		7,000.		All.
Plumbing Remarks:		☐ Ice Maker	Flush Rim Sink					
		Water Closet	Floor Drain	Gas Remarks:				
		Instantaneous	Water Bottle Refill Station					
		Hot Water	Other					

Program 1. T1.07

Number(s): 2.

7.

8.

13.

14.

19.

20.

25.

26.

31.

32.

37.

38.

43.

44.

**Appendix 1B Minimum Room Requirements** 

Appendix	x 1B Minimum Room Requi	rements		Program Number(s):	1. T1.10 2.	7. 13. 8. 14.	19. 20.	25. 26.	31. 32.		37. 38.	43. 44.
F	Room Name: Washroom - Adult Char	nge Space			5.	9. 15. 10. 16. 11. 17.	21. 22. 23.	27. 28. 29.	33. 34. 35.		39. 40. 41.	45. 46. 47.
ARCHITEC	TURAL REQUIREMENTS				6.	12. 18.	24.	30.	36.		42.	48.
		WALL PROTECTION				GLAZING	FLOORING TYPES		ROOM ACCESSO	NDIEC.		
WALL AND Wa	Ill Material: MMRGB	Finish: EWC Type: FRP	✓ Corner Guards ☐ Hand Ra	ils Bed Bu	mper / Locator		Material: Ba		Coat Hooks			Magnetic Whiteboard
	g Material: MMRGB	Finish: ECC Height: 1350 mm	☐ Crash Rails ☐ Chair Ra			☐ Interior Glazing	WSVF FC	В	✓ Mirror	✓ Infant Cha		Privacy Curtain
LEGEND:	<del>-</del>	DOORS							Door Remai	ks:		
	CEILING LEGEND:	Types:	management of the second of th									Consulto Cuille
AC	Architectural Ceiling											Security Grille
ACT ACT-C	Acoustic Ceiling Tile Cleanroom											✓ Anti-barricade
ARGB GB	Abuse-Resistant Gypsum Board Gypsum Board											strategy
IRGB	Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D	D2	E E2 F	F2 G H	J					
KLCT MMRGB	Kitchen Lay-in Ceiling Tile Moisture and Mould-Resistant Gypsum Board				or & Frame Privacy	Card Ma	•					
SACT	Security Acoustic Ceiling Tile	Fype:Qty: Size (mm):	Material: Finish: Side Lt		Protect.: Film:	Function: Reader: Lo		Hinges:		cessory 2: Acc		Closer:
WALL FINIS	SHES LEGEND:	A 1 1650 x 2135	Solid Core FRL	2 H	igh Priva	cy 📗 🗀	Coi	t. Double-Acting	Safety Stop Elec	. Strike	Surf	ace
EWC	Epoxy Wall Coating											
HPC PT	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK		PER UNITS	St	orage Requirements:					FINISHES	
	NISHES LEGEND:		U1	PER UNITS						Full-height Cabir	net:	
ECC	Epoxy Ceiling Coating	17.7	U2 U3 U4							Upper Millwo	ork:	
HPC PF	High Performance Coating Prefinished		1	U5	U6 II7 L					Countert		
PT	Paint				U8	SHELF				Lower Millwo		
WALL PRO	TECTION LEGEND:	-				<b>✓</b> S1				Sh	elf: Solid Surfa	cing
ESRP	Extruded Semi-Rigid PVCu Panel									Rem	arks:	
FRL FRP	Fibre Reinforced Laminate									1	ang edge of adı	It changing table to be
PVW	Fibreglass Reinforced Plastic Protective Vinyl Wallcovering		Taracasana II		_	1 8					cated against t	
RHIS WSSP	Rigid High Impact Sheet Wetwall Solid Surface Panel					1						
WVW	Wetroom Vinyl Wallcovering			111	-	1						
FLOOR FIN	ISHES LEGEND:	<u>cı</u> <u>cz</u> <u>cz</u>	<del></del>			Cal and Calendaria Constitution	- Comment					
CFS	Concrete Floor Sealer		12			= =				1		
EFC PFC	Epoxy Floor Coating Polyurethane Floor Coating		]	L5		RAN-	<b>=</b>	-	The same of the sa			
RAF	Rubber Athletic Flooring	FULL-HEIGHT CABINETS			L7 L8 L9			<u></u>		$- \cdot $		
RSF SCF	Rubber Sheet Flooring Seamless Cushioned Flooring					L10 L11 L12	7					
SDRF	Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized				TC1	TC2	U U .	1 11		
SDVF VSF	Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category 1 -	.,		ecialty	LOWER LINITS			UC1	11		
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	gory (mm) Height		sework		CEPTION/TRANSACTION DUNTER / CARE TEAM	UTILITY	SINK AND COUNTER	INIT		
FLOOR BAS	SE LEGEND:	Category 3 - High (10% or Greater)	1 600				ATION DESK	J.1				
FCB RB	Flash Cove Base Rubber Base											
SCF	Seamless Cushioned Flooring											
MECHANI	ICAL REQUIREMENTS											
PLUMBING		Seamless Utility /	Other Fixtures:	☐ Evewash	Station	MED / NON-MED GASES						
(Quantity)	Hygiene Sink: Lavatory: Kitchen Si	nk: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower		i Station i/Shower Station	(Quantity)		Nitrous			Laboratory	Laboratory Compressed
• • • • • • • • • • • • • • • • • • • •	1		Snower Tub	Emerger				0.1.1.	O2: AGSS:	Nitrogen:	Air:	Vacuum: Air:
Plumbing			lce Maker	Flush Rir								
Remarks:			✓ Water Closet	☐ Floor Dra								
			Instantaneous		ottle Refill Station	Gas Remarks:						
			Hot Water									
				Other								

Appendix 1B Minimum Ro	om Requirements	Program Number(s):	1. T2.01.01 2.	7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Reception	- Cancer Centre			9. 15. 10. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
			5. 1	17.	23.	29.	35.	41.	47.
			6.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREM	ENTS								
WALL AND CEILING  Wall Material: ARGB 1.2m Al  Ceiling Material: ACT	Finish: PF WALL PROTECTION  Type: Height:	☐ Corner Guards ☐ Hand Rails ☐ Bed Bur☐ Crash Rails ☑ Chair Rail	mper / Locator	GLAZING  ✓ Interior Glazing	FLOORING TYPI Material: E VSF		COOM ACCESSORIES Coat Hooks Ceiling L Mirror Infant Cl		lagnetic Whiteboard
LEGEND:	DOORS						Door Remarks:		
WALL AND CEILING LEGEND:	Types:								✓ Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile									
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board	NAMAI								Anti-barricade strategy
GB Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	l J				2
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile		=	r & Frame Privacy	Card	Mag Auto Hold				
MMRGB Moisture and Mould-Resistant G SACT Security Acoustic Ceiling Tile	Type:Qty: Size (mm):	Waterial. Fillisti. Side Et.		Tarretion.	Lock: Opener: Open:		ccessory 1: Accessory 2: A	ccessory 3: Clos	er:
WALL FINISHES LEGEND:	C 1 915 x 2135 Sc	olid Core FRL 1 Lo	w Storer	room 🗸	B	utt Hinge		Surface	
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK								
PT Paint	WILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	rage Requirements:			Full hadaba Cah	FINISHES	
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating		U1 U2 U3 U4 \					Full-height Cab Upper Mills		
HPC High Performance Coating		U3 U4 U5	U6				Counte		
PF Prefinished PT Paint			U8	SHELF			Lower Milly		
WALL PROTECTION LEGEND:				S1 L			\$	Shelf:	
ESRP Extruded Semi-Rigid PVCu Panel	Farguery III						Re	marks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic								Refer to Schedule 1, 5	Section 6.12 (Division
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	10000	Francis Land	1 1	~				12) for Specialty Case are diagrammatic, pro	
WSSP Wetwall Solid Surface Panel			September 1		2-600			casework appropriate	for the specific and
WVW Wetroom Vinyl Wallcovering			- 7	to our contraction of the last	1	7		specialized functions the space and to acco	
FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer			-					Refer to Appendix 1A	Section 2.20.2 T2.
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L2 L3 L4 L5		- 1	-	-		Public Spaces - CC for requirements	reception
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L6	L7 L8 L9			7		requirements	
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring				L10 L11 L12					
SDRF Static-Dissipative Rubber Sheet F SDVF Static-Dissipative Vinyl Sheet Flo	-	Motorized			TC1 ✓	TC2 ✓	UC1		
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category		ecialty ework	LOWER UNITS	RECEPTION/TRANSACTION				
WSVF Wetroom Safety Vinyl Sheet Floor	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	, , , , , , , , , , , , , , , , , , , ,	<u>•</u>		COUNTER / CARE TEAM		AND COUNTER UNIT		
FLOOR BASE LEGEND: FCB Flash Cove Base					STATION DESK				
RB Rubber Base SCF Seamless Cushioned Flooring									
Seamless custiloned Flooring									
MECHANICAL REQUIREMENT	rs								
PLUMBING Hand	Seamless Utility /	Other Fixtures:	Ctation	MED / NON-MED GAS	SES				
	r: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Lycwasii	/Shower Station	(Quantity)	Medical	Nitrous			Utility poratory Compressed
		☐ Tub ☐ Emergen		Oxygen: Me	edical Air: Vacuum:	Oxide: CO2:	AGSS: Nitrogen:	Air: Va	acuum: Air:
Plumbing		☐ Ice Maker ☐ Flush Rim							
Remarks:		☐ Water Closet ☐ Floor Dra		Gas Remarks:	1	1	· · · · · · · · · · · · · · · · · · ·	ı I	
			ottle Refill Station	Gus heilidiks.					
		Hot Water Other							

Room Name: Resource Centre - Patient/Family		Number(s): 2. 3. 4. 5. 6.	8. 14. 9. 15. 10. 16. 11. 17. 12. 18.	20.       26.         21.       27.         22.       28.         23.       29.         24.       30.	32. 33. 34. 35. 36.	38.       44.         39.       45.         40.       46.         41.       47.         42.       48.
ARCHITECTURAL REQUIREMENTS						
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB above Finish: PT  Ceiling Material: ACT Finish: PF	WALL PROTECTION  Type: FRL	d Rails	GLAZING  Interior Glazing	FLOORING TYPES  Material: Base:  RSF FCB	ROOM ACCESSORIES  Coat Hooks Ceiling Lit Mirror Infant Ch	
LEGEND: DOOR: WALL AND CEILING LEGEND:	Types:				Door Remarks:	☐ Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile ACT-C Cleanroom ARGB Abuse-Resistant Gypsum Board GB Gypsum Board IRGB Impact-Resistant Gypsum Board		D D2 E E2 F	F2 G H			Anti-barricade strategy
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board  SACT Security Acoustic Ceiling Tile	Type:Qty: Size (mm): Material: Finish: Sic  D 1 915 x 2135 Solid Core FRL	Integral Door & Frame Privacy de Lt: Blinds: Protect.: Film:  1 Low	Card Mag Function: Reader: Lock:	Auto Hold Opener: Open: Hinges:  Butt Hinge	Accessory 1: Accessory 2: Ac	ccessory 3: Closer:
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating  HPC High Performance Coating  MILLW	ORK AND SPECIALTY CASEWORK	St	orage Requirements:			FINISHES
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering  FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Coating PFC Polyurethane Floor Coating RAF Rubber Athletic Flooring SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring FLOOR BASE LEGEND: FCB Flash Cove Base RB Rubber Base SCF Seamless Cushioned Flooring	C1 C2 C3 C4 C5 L1 L2 L3 L4 L-HEIGHT CABINETS	U4 U5 U6 U7 U8  L5 L6 L7 L8 L9	SHELF  S1  LI0  LI1  LI2  LOWER UNITS  RECEPTOOUNT	TION/TRANSACTION TER / CARE TEAM UTILITY S ON DESK	Counter Lower Millw S	
MECHANICAL REQUIREMENTS  PLUMBING Hand Seamless (Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Kitchen Sink:	Utility / Other Fixtures:  Process Sink: Scrub Sink: Floor Sink: Shower	Evewash Station Eyewash/Shower Station	MED / NON-MED GASES (Quantity)	Medical Nitrous		Laboratory Laboratory Compressed
Plumbing Remarks:	Tub  Ice Maker  Water Closet  Instantaneous Hot Water	Emergency Shower  Flush Rim Sink  Floor Drain  Water Bottle Refill Station  Other	Oxygen: Medical Ai	r: Vacuum: Oxide: Ci	O2: AGSS: Nitrogen:	Air: Vacuum: Air:

Program 1. T2.03

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B Minimum Room Requirements	Program Number(s):		7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Retail - Food		3.	9. 15.	21.	27.	33.	39.	45.
		4. 5.	10. 16. 11. 17.	22. 23.	28. 29.	34. 35.	40. 41.	46. 47.
		6.	11. 17. 12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS			1	1	ı	I .	1	
WALL AND CEILING WALL PROTECTION			GLAZING	FLOORING TY	PES	ROOM ACCESSORIES		
Wall Material: ARGB 1.2m AFF, GB above Finish: PT Type: Corner Guards	Hand Rails Bed B	umper / Locator	✓ Interior Glazing	Material:		☐ Coat Hooks ☐ C		Magnetic Whiteboard
Ceiling Material: ACT Finish: PF Height: Crash Rails	Chair Rail					☐ Mirror ☐ II	nfant Change Table	Privacy Curtain
LEGEND: DOORS						Door Remarks:		
WALL AND CEILING LEGEND:  Types:								Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile			LAN 144 14					security stime
ACT-C Cleanroom	7 N. N.Z.							☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board								strategy
GB Gypsum Board A A2 B B2 C C2 IRGB Impact-Resistant Gypsum Board	D D2	E E2 F	F2 G F	н ј				
KLCT Kitchen Lay-in Ceiling Tile		or & Frame Privacy		Mag Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board Type:Qty: Size (mm): Material: Finish SACT Security Acoustic Ceiling Tile	: Side Lt: Blinds:	Protect.: Film:	Function: Reader:	Lock: Opener: Open:	Hinges: A	Accessory 1: Accessory	2: Accessory 3:	Closer:
A2   1   1830 x 2135   Solid Core   FRL	1L	Low Stor	reroom 🗸		Butt Hinge As	stragal Flush Bolt	Sur	face
WALL FINISHES LEGEND:								
EWC Epoxy Wall Coating HPC High Performance Coating  MILLWORK AND SPECIALTY CASEWORK		_						
PT Paint	UPPER UNITS	S	torage Requirements:				FINISHES	
CEILING FINISHES LEGEND:							ght Cabinet:	
Lee Lyoxy centing counting	<sup>13</sup> ∪4 □						er Millwork:	
HPC High Performance Coating PF Prefinished	US US	U6 U7 U8	CHELE				Countertop:	
PT Paint		7 7	SHELF			Low	er Millwork:	
WALL PROTECTION LEGEND:			-PI				Shelf:	
WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel			S1				Remarks:	
FRL Fibre Reinforced Laminate			1				Kellidiks.	
FRP Fibreglass Reinforced Plastic								
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	The same of		i					
WSSP Wetwall Solid Surface Panel	No.	Takananan I						
WVW Wetroom Vinyl Wallcovering			CHEST STREET	7/	-			
FLOOR FINISHES LEGEND:  C1  C2  C3  C4		-1-1/1		THE PERSON NAMED IN		500 <u>22</u> 4 0 00 00 00 00 00		
CES Concrete Floor Sealer CE CE	-		III	37.54.54	7	L	57	
DEC Polyurathana Floor Coating	L4 L5		- KKN -	-	- Constitution of	The same of the sa	<b>7</b> 1	
RAF Rubber Athletic Flooring FULL-HEIGHT CABINETS		L7 L8 L9					<b>/</b>	
RSF Rubber Sheet Flooring		L7 L8 L9	L10 L11		1/ 1/			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring Legend:	otorized			ICI	T TC2		U	
SDVF Static-Dissipative Vinyl Sheet Flooring Category 0 - None Min. Length Ac		pecialty				UC1		
VSF Viryl Sheet Flooring Category 1 - Low (1% - 4%) Category (mm)	,	asework	LOWER UNITS	RECEPTION/TRANSACTION	ON			
Category 2 - Med (3% - 3%)				COUNTER / CARE TEAM	UTILITY SINK	AND COUNTER UNIT		
TEOM DASE ELECTION.				STATION DESK				
FCB Flash Cove Base  RB Rubber Base								
SCF Seamless Cushioned Flooring								
MECHANICAL REQUIREMENTS								
			MED / NON MED CO	CEC				
PLUMBING     Hand     Seamless     Utility /     Other Fixtures:       (Ouantity)     Hygiene Sink: Lavatory:     Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:     Floor Sink: Floor Si	☐ Eyewas		MED / NON-MED GAS		Nitrous		laht	Utility
Snower		sh/Shower Station	(Quantity)	Medical  Medical Air: Vacuum:	Nitrous Oxide: CO2	ACCC. A!"	Laboratory Air:	Laboratory Compressed Vacuum:
		ency Shower	Oxygen: M	ledical Air: Vacuum:	Oxide: CO2:	AGSS: Ni	trogen: Air:	Air:
Plumbing   Vendor to fit out shelled space. Provide the appropriate plumbing connections for a kitchen sink, HHS   Ice Maker	Flush Ri							
Remarks: and utility sink. Water Close	et Floor D	rain	Can Damada			•	·	
☐ Instantaneo	ous Water E	Bottle Refill Station	Gas Remarks:					
Hot Water								
	Other							

F	Room Name: Retail - Pharmacy		Numbe	3.	8. 14. 9. 15. 10. 16. 11. 17.	20. 21. 22. 23.	26. 27. 28. 29.	32. 33. 34. 35.	38. 39. 40. 41.	44. 45. 46. 47.
				6.	12. 18.	24.	30.	36.	42.	48.
ARCHITEC	TURAL REQUIREMENTS									
	CEILING  Ill Material: ARGB 1.2m AFF, GB above g Material: ACT	Finish: PT Type: Height:	Corner Guards Hand Rails Be	d Bumper / Locator	GLAZING  Interior Glazing	FLOORING TYPES Material: Base:  VSF		CCESSORIES  Hooks Ceiling Lift  or Infant Ch		Magnetic Whiteboard Privacy Curtain
LEGEND:		DOORS					Door	Remarks:		
WALL AND AC	CEILING LEGEND:  Architectural Ceiling	Types:								✓ Security Grille
ACT ACT-C ARGB GB	Acoustic Ceiling Tile Cleanroom Abuse-Resistant Gypsum Board Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H					Anti-barricade strategy
IRGB KLCT	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		Integral	Door & Frame Privacy	Card Mag	Auto Hold				
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile		Material: Finish: Side Lt: Blinds:	Protect.: Film:		: Opener: Open: Hing	ges: Accessory 1	: Accessory 2: Ac	cessory 3: C	closer:
	SHES LEGEND:	A2 1 1830 x 2135 Sc	lid Core FRL	1 Low Store	eroom 🗸 🗌	Butt Hinge	Astragal	Flush Bolt	Surfac	<u>:e</u>
EWC	Epoxy Wall Coating									
HPC PT	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	St	orage Requirements:				FINISHES	
ECC HPC PF PT  WALL PROTE ESRP FRL FRP PVW RHIS WSSP WVW	Epoxy Ceiling Coating High Performance Coating Prefinished Paint  TECTION LEGEND:  Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate Fibreglass Reinforced Plastic Protective Vinyl Wallcovering Rigid High Impact Sheet Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering  ISHES LEGEND:  Concrete Floor Sealer Epoxy Floor Coating Polyurethane Floor Coating Rubber Athletic Flooring Static-Dissipative Rubber Sheet Flooring Static-Dissipative Rubber Sheet Flooring Vinyl Sheet Flooring Vinyl Sheet Flooring Vinyl Sheet Flooring Vinyl Sheet Flooring		Motorized  Min. Length Adjustable Standing	U6 U7 U8	SHELF S1  L10  L11  L12  LOWER UNITS  RECCCOL	EPTION/TRANSACTION JINTER / CARE TEAM TION DESK	UC1 UC1 UC1 UC1	Ren	net: ork: top:	
MECHANI	CAL REQUIREMENTS									
PLUMBING (Quantity)	Hand Hygiene Sink: Lavatory: Kitchen Sink	Seamless Utility / Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	☐ Shower ☐ Eye	wash Station wash/Shower Station ergency Shower	MED / NON-MED GASES (Quantity) Oxygen: Medica	Medical Nitrous I Air: Vacuum: Oxide:		GSS: Nitrogen:		Utility Laboratory Compressed Vacuum: Air:
	Vendor to fit out shelled space. Provide the and utility sink.	e appropriate plumbing connections for a kitchen sink, HHS	☐ Ice Maker ☐ Flus ☐ Water Closet ☐ Floor	h Rim Sink	Gas Remarks:					

Program 1. T3.01

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

			Number(s):	2.	8.	14.	20.	26.	32.	38.		44.
Room Name: Sacred Space				3.	9.	15.	21.	27.	33.	39.		45.
Room Name: Sacred Space				4.	10.	16.	22.	28.	34.	40.		46.
				5.	11.	17.	23.	29.	35.	41.		47.
				6.	12.	18.	24.	30.	36.	42.		48.
ARCHITECTURAL REQUIREMENTS					1		1	1	<u>'</u>	1		
WALL AND CEILING	WALL PR	ROTECTION			GLAZING		FLOORING TYPES		ROOM ACCESSOR	IES		•
		pe: FRL Corner Guards Hand R	ails 🔲 Bed Bu	ımper / Locator	✓ Interior Glaz	zina	Material: Base:		Coat Hooks		☐ Magr	netic Whiteboard
		ht: 1350 mm Crash Rails Chair R	ail		Interior Glaz	ZIIIB	VSF RB			Infant Change Tabl		ncy Curtain
LECENID.	DOORS								Door Remarks:		-	
LEGEND: WALL AND CEILING LEGEND:												
AC Architectural Ceiling	Types:											Security Grille
ACT Acoustic Ceiling Tile	611											Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board							NM44					strategy
GB Gypsum Board	A	A2 B B2 C C2 D	D2	E E2 F	F2 G	н	J					strutegy
IRGB Impact-Resistant Gypsum Board			Integral Dec	or & Frame Privacy	C	ard Mag	Auto Hold					
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	Funori	Qty: Size (mm): Material: Finish: Side I	•	Protect.: Film:		ard Mag ader: Lock: (	0	nges:	Accessory 1: Access	ssory 2: Accessory 3	: Closer:	
SACT Security Acoustic Ceiling Tile		1 1065 x 2135   Solid Core   FRL	1 Lo		sroom		☐ Butt Hing		Accessory 1. Acces	Soly 2. Accessory 3	Surface	
WALL FINISHES LEGEND:		1 1003 X 2133 Solid Cole THE		Cias				,c			Juliace	
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALTY (	CASEWORK		,	torage Requirements:					FINI	SHES	
PT Paint	-		PPER UNITS		torage nequirements.				F	II-height Cabinet:		
CEILING FINISHES LEGEND:	1	U1 U2 U3								Upper Millwork:		
ECC Epoxy Ceiling Coating HPC High Performance Coating		V V V V	U5	U6 117 🗆						Countertop:		
PF Prefinished	7		Z	U7 U8	SHELF					Lower Millwork:		
PT Paint	-			77	†a 🗆					Shelf:		-
WALL PROTECTION LEGEND:			I .I. K	-	S1							
ESRP Extruded Semi-Rigid PVCu Panel	II I		- 1		1					Remarks:		
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic			1		1							
PVW Protective Vinyl Wallcovering		No. Consumer of the second	6									
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel			-		-							
WVW Wetroom Vinyl Wallcovering	-		111	-		1	7 ~ 1					
FLOOR FINISHES LEGEND:	C1 C2		" =	-17	On the Party of th	-	/ Comment					
CFS Concrete Floor Sealer	☐ C3	C4 C5 14		177				7	/	-		
EFC Epoxy Floor Coating					- 144	1==	-	/	The state of the s	7/		
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L5 L6	L7 18		1						
RSF Rubber Sheet Flooring				L7 L8 L9	L10 L11	1		7/				
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:					L12	TC1 TC2	V	"   [			
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized Min. Length Adjustable	Standing Sp	ecialty					UC1			
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%)	Category (mm) Height		sework	LOWER UNITS	RECEPT	TION/TRANSACTION					
	Category 2 - Med (5% - 9%) Category 3 - High (10% or Grea	ntor)				COUNT	ER / CARE TEAM	UTILITY SIN	IK AND COUNTER UN	IT		
FLOOR BASE LEGEND:	Category 3 - High (10% of Grea	ater)				STATIO	N DESK					
FCB Flash Cove Base RB Rubber Base												
SCF Seamless Cushioned Flooring												
MECHANICAL REQUIREMENTS												
PLUMBING Hand	Seamless Utility /	Other Fixtures:	☐ Eyewash	n Station	MED / NON-ME	ED GASES						111111
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink: Scrub Sin	nk: Floor Sink: Shower		n/Shower Station	(Quantity)		Medical Nitrous			Labora	•	
1		Tub	Emerger		Oxygen:	: Medical Air	r: Vacuum: Oxide	: CO2	: AGSS:	Nitrogen: Air		
Plumbing		☐ Ice Maker	Flush Rir									
Remarks:		☐ Water Closet	Floor Dr									
		☐ water closet ☐ Instantaneous		ottle Refill Station	Gas Rema	arks:						
		Hot Water	□ water b	ottie neiiii Statioii								
			Other									
					T.							

Program 1. T4.04

7.

13.

19.

25.

31.

37.

43.

F	Room Name: Station - Hand Hygiene A	BHR	Number	3. 4. 5.	8.     14.       9.     15.       10.     16.       11.     17.       12.     18.	20. 21. 22. 23. 24.	26. 27. 28. 29. 30.	32. 33. 34. 35. 36.	38. 39. 40. 41. 42.	44. 45. 46. 47. 48.
ARCHITEC	TURAL REQUIREMENTS									
	CEILING  III Material: ARGB 1.2m AFF, GB above ACT	WALL PROTECTION   Type:   WVW   Height:   1350 mm	☐ Corner Guards ☐ Hand Rails ☐ Bed☐ Crash Rails ☐ Chair Rail	Bumper / Locator	GLAZING  Interior Glazing	FLOORING TYPES Material: Base:  VSF FCB		ACCESSORIES oat Hooks Ceiling Lif lirror Infant Ch		Magnetic Whiteboard Privacy Curtain
LEGEND:		DOORS					Do	oor Remarks:		
WALL AND AC	CEILING LEGEND:  Architectural Ceiling	Types:								Security Grille
ACT ACT-C ARGB GB	Acoustic Ceiling Tile Cleanroom Abuse-Resistant Gypsum Board Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H					Anti-barricade strategy
IRGB KLCT	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile			Door & Frame Privacy	Card Mag	Auto Hold				
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds:	Protect.: Film:	Function: Reader: Lock	:: Opener: Open: Hi	nges: Accessor	ry 1: Accessory 2: Ac	cessory 3:	Closer:
WALL FINIS	SHES LEGEND:									
EWC HPC PT	Epoxy Wall Coating High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	prage Requirements:		1		FINISHES	
ECC HPC PF PT  WALL PRO ESRP FRL FRP PVW RHIS WSSP WVW	Epoxy Ceiling Coating High Performance Coating Prefinished Paint  TECTION LEGEND:  Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate Fibreglass Reinforced Plastic Protective Vinyl Wallcovering Rigid High Impact Sheet Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering  ISHES LEGEND: Concrete Floor Sealer Epoxy Floor Coating Polyurethane Floor Coating Rubber Athletic Flooring Rubber Sheet Flooring Seamless Cushioned Flooring Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring Flash Cove Base Rubber Base Seamless Cushioned Flooring	FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	Motorized Min. Length Adjustable Standing	U6 U7 U8  6 L7 L8 L9  Specialty Casework	cou	TC1 TC2 TC2 TC1 TC2 TC2 TC1 TC2 TC2 TC1 TC2 TC2 TC1 TC2 TC2 TC3 TC2 TC3 TC1 TC2 TC3 TC2 TC3 TC2 TC3 TC3 TC3 TC3 TC3 TC3 TC3 TC3 TC3 TC3	UTILITY SINK AND CO	Ren	ork: top:	
	CAL REQUIREMENTS									
PLUMBING (Quantity)	Hand Hygiene Sink: Lavatory: Kitchen Sin	Seamless Utility / k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	☐ Shower ☐ Eyew	ash Station ash/Shower Station gency Shower	MED / NON-MED GASES (Quantity) Oxygen: Medica	Medical Nitrou al Air: Vacuum: Oxide		AGSS: Nitrogen:	Laboratory Air:	Laboratory Compressed Vacuum: Air:
Plumbing Remarks:			☐ Ice Maker ☐ Flush ☐ Water Closet ☐ Floor	Rim Sink	Gas Remarks:					

Program 1. T1.02.02

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

фронил				Number(s): 2.	8.	14.	20.	26.	32.		38.	44.	
				3.	9.	15.	21.	27.	33.		39.	45.	
Ro	oom Name: Station - Metal Detector			4.	10.	16.	22.	28.	34.		40.	46.	
				5.	11.	17.	23.	29.	35.		41.	47.	
				6.	12.	18.	24.	30.	36.		42.	48.	
				<u> </u>		10.		301	301				
ARCHITECT	TURAL REQUIREMENTS				1			1					
WALL AND C		WALL PROTECTIO		_	GLAZING		FLOORING TYPES		OM ACCESSOR			_	
	Material: ARGB 1.2m AFF, GB above	Finish: PT Type:	Corner Guards Hand R		☐ Interior (	Glazing	Material: Base:		Coat Hooks			Magnetic W	
Ceiling	Material: ACT	Finish: PF Height:	Crash Rails Chair R	ail		-	VSF FCB	L	Mirror	Infant Chan	ge Table 🗀	Privacy Curt	ain
LEGEND:		DOORS			1				Door Remarks				
WALL AND (	CEILING LEGEND:	Types:											6
AC	Architectural Ceiling	1,700.		1 175 7 7 75								□ Se	ecurity Grille
ACT C	Acoustic Ceiling Tile	[6] [3]										Δr	nti-barricade
ACT-C ARGB	Cleanroom Abuse-Resistant Gypsum Board												rategy
GB	Gypsum Board	A A2	B B2 C C2 D	D2 E E2	F F2 G	н	J						
IRGB KLCT	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile			Integral Door & Frame Priv	204	Card Mag	Auto Hold						
MMRGB	Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (r	nm): Material: Finish: Side L			Reader: Lock: O		ges: Acc	essory 1: Acces	scon. 2: Acco	cconu 2:	Closer:	
SACT	Security Acoustic Ceiling Tile	1 ype.qty. 312e (1	illi). Iviateriai. Tillisii. Side L		n unction.			ges. Acci	essory 1. Acces	SSOTY Z. ACCE.	3301 y 3.	ciosei.	
WALL FINISH	HES LEGEND:				]								
EWC	Epoxy Wall Coating												
	High Performance Coating	MILLWORK AND SPECIALTY CASEWOR	K		Storage Requiremen	rs:					FINISHES		
PT	Paint	19 <u>4-</u> 3-3-3-5		PPER UNITS	otorage negan emen				F.,	II haisha Cahina			
CEILING FIN	ISHES LEGEND:	/ 1/	U1 U2 U2							ll-height Cabine Upper Millwor			
ECC HPC	Epoxy Ceiling Coating High Performance Coating	The state of the s	U2 U3 U4										
	Prefinished	and the same of th		U5 U6 U7	U8 SHELF					Counterto			
PT	Paint	ragazza.			7					Lower Millwor			
WALL DROT	ECTION LEGEND:				Si					Shel	т:		
ESRP	Extruded Semi-Rigid PVCu Panel				11 11 31					Remar	·kc·		
FRL	Fibre Reinforced Laminate									Kelliai	N3.		
FRP	Fibreglass Reinforced Plastic	-	V										
PVW RHIS	Protective Vinyl Wallcovering Rigid High Impact Sheet	-	NO THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TW	Promond .	- 1								
WSSP	Wetwall Solid Surface Panel			***************************************	1	3							
wvw	Wetroom Vinyl Wallcovering				CONTRACTOR OF THE PERSON	1	7/						
FLOOR FINIS	SHES LEGEND:	C1 C2 C3			00 mg	The state of the s	Consessed -						
CFS	Concrete Floor Sealer	☐ ☐ C4 C	5 11 12					7	/	-			
	Epoxy Floor Coating				_ L - K4	1/	Congress of	_/ 4	Town or the second	7/			
PFC RAF	Polyurethane Floor Coating Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L5 L6 L7 L8		-							
RSF	Rubber Sheet Flooring				L10 L11	1		7//					
SCF	Seamless Cushioned Flooring					L12	TC1 TC2						
SDRF SDVF	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized	Character Co. 11			TC2		UC1				
VSF	Vinyl Sheet Flooring	Category 1 - Low (1% - 4%)		Standing Specialty Height Casework	LOWER UNITS								
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	Category (mm) Height				ION/TRANSACTION ER / CARE TEAM	LITH ITY SINK A	ND COUNTER UN	шт			
FLOOR BASE	LEGEND:	Category 3 - High (10% or Greater)				STATION		O HEIT I SHOK X					
FCB	Flash Cove Base												
RB	Rubber Base												
SCF	Seamless Cushioned Flooring												
MECHANIC	CAL REQUIREMENTS												
PLUMBING	Hand	Seamless Utility /	Other Fixtures:	Eyewash Station	MED / NON-	MED GASES							
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sink	:: Kitchen Sink: Process Sink: Scrub Sink: Floor	Sink: Shower	Eyewash/Shower Station	4.5	-	Medical Nitrous				Laboratory	Laboratory	Utility
• •			Tub	Emergency Shower	Oxyg	en: Medical Air:			AGSS:	Nitrogen:	Air:	Vacuum:	Compressed Air:
Plumbing	ı İ												
Remarks:			☐ Ice Maker	Flush Rim Sink									
			Water Closet	Floor Drain	Gas Re	emarks:							
			Instantaneous	Water Bottle Refill Statio	n								<b> </b>
			Hot Water	Other									
				Other									

Program 1. T1.02.01

7.

13.

19.

25.

31.

37.

43.

Appendix 1B Minimum Ro	om Requirements	Program Number(s):	1. T1.02.05 2.	7. 13. 8. 14.		25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Storage -	nformation/Security Station		3.	9. 15.	21.	27.	33.	39.	45.
				10. 16. 11. 17.		28. 29.	34. 35.	40. 41.	46. 47.
				12. 18.		30.	36.	42.	48.
ARCHITECTURAL REQUIREM	ENTS			·	·	·			
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING 1 Materia		ROOM ACCESSORIES		1
Wall Material: ARGB 1.2m A Ceiling Material: ACT	Fr, GB above Finish: PT Type: PVW Corner G Finish: PF Height: 1350 mm Crash Rai	uards	mper / Locator	☐ Interior Glazing	VSF	FCB	☐ Coat Hooks ☐ Ceiling☐ Mirror ☐ Infant		Magnetic Whiteboard Privacy Curtain
LEGEND:	DOORS						Door Remarks:		
WALL AND CEILING LEGEND:	Types:								
AC Architectural Ceiling	турез.	lon mini	d dd fal						Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom									☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board									strategy
GB Gypsum Board	A A2 B B2 C	C2 D D2	E E2 F	F2 G	H J				
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile		Integral Dec	or & Frame Privacy	Card	Mag Auto Hold				
MMRGB Moisture and Mould-Resistant 0	ypsum Board		Protect.: Film:	D I	•	: Hinges:	Accessory 1. Accessory 2.	Accessory 2: (	Closer:
SACT Security Acoustic Ceiling Tile	Type.Qty. Size (IIIII). Waterial.	Tillisti. Side Et.		Tunetion:		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Accessory 1: Accessory 2:	,	
WALL FINISHES LEGEND:	C   1   915 X 2135   SOIId Core   1	RL 2 Hi	igh Store	room		Cont. Swing Clear		Surfac	ce
EWC Epoxy Wall Coating									
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Sto	orage Requirements:				FINISHES	
PT Paint		UPPER UNITS		age nequirements.			Full haishe C		
CEILING FINISHES LEGEND:	U1 U2						Full-height C		
ECC Epoxy Ceiling Coating	THE	U3 U4 U5					Upper Mi		
HPC High Performance Coating PF Prefinished		7 7	U6 U7 U8	SHELF				tertop:	
PT Paint	Paragraphic		77	JHLLF			Lower M		
WALL PROTECTION LECEND.				7				Shelf:	
WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel				S1				No consider	
FRL Fibre Reinforced Laminate								Remarks:	
FRP Fibreglass Reinforced Plastic	7		1 1						
PVW Protective Vinyl Wallcovering	No. of Street,	Transmitted Transmitted		1					
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel		The Part of the Pa							
WVW Wetroom Vinyl Wallcovering				WZCZESKI WZCZESKI		- 1			
FLOOR FINISHES LEGEND:	C1 C2		- 7	co and contractions					
CFS Concrete Floor Sealer	C C3 C4 C7					7			
EFC Epoxy Floor Coating		13		W	-	/	A 1		
PFC Polyurethane Floor Coating					-   /				
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L7 L8 L9	140					
SCF Seamless Cushioned Flooring					12	<b>=</b> /			
SDRF Static-Dissipative Rubber Sheet		Motorized				TC2	U   -   U		
SDVF Static-Dissipative Vinyl Sheet Flo VSF Vinyl Sheet Flooring	Willi. Lei		ecialty	LOWER UNITS			UC1 U		
WSVF Wetroom Safety Vinyl Sheet Flo	Category 1 - Low (1% - 4%) Category (mm Category 2 - Med (5% - 9%)	Height Height Cas	sework	LOWER OINTS	RECEPTION/TRANSAC				
FLOOD BASE LECEND.	Category 3 - High (10% or Greater)				COUNTER / CARE TEAL	M UTILITY SI	NK AND COUNTER UNIT		
FLOOR BASE LEGEND:  FCB Flash Cove Base					STATION DESK				
RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMEN	rç								
				Τ .					
PLUMBING Hand	Seamless Utility / Other Fig.	ctures: Eyewash	Station	MED / NON-MED GA					Utility
(Quantity) Hygiene Sink: Lavator	r: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	wer Eyewash	/Shower Station	(Quantity)	Medical	Nitrous		A * .	Laboratory Compressed
		☐ Emergen	ncy Shower	Oxygen: N	Medical Air: Vacuum:	Oxide: CC	02: AGSS: Nitroge	n: Air:	Vacuum: Air:
Plumbing									
Remarks:		ter Closet Floor Dra				<u> </u>		<u></u>	
		_		Gas Remarks:					
			ottle Refill Station						
	Ho:	: Water Other							
		J. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.							

Appendix 1B	Minimum Room Require	ements		Program umber(s):	1. T3.04 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room N	Name: Storage - Retail Food				3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
					5. 6.	11. 12.	17. 18.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.
ARCHITECTURA	AL REQUIREMENTS											
WALL AND CEILIN		WALL PROTECTION		_		GLAZING	1	FLOORING TYPES		OM ACCESSORIES		
Wall Mate Ceiling Mate	erial: ARGB 1.2m AFF, GB above	Finish: PT Type: Height:	Corner Guards Hand Rails Crash Rails Chair Rail	Bed Bum	nper / Locator	☐ Interior Gla	zing	Material: Base:		Coat Hooks C		Magnetic Whiteboard Privacy Curtain
	eridi. ACT		Clasii raiis							Door Remarks:	mant change rable	Privacy Curtain
LEGEND: WALL AND CEILIN	NG LEGEND:	DOORS Types:										
AC Archite	ectural Ceiling	Types.			7 DO 12		744					Security Grille
ACT-C Cleanre								10/10/1				Anti-barricade
	e-Resistant Gypsum Board Im Board	A A2 B	B2 C C2 D	D2 E	E2 F	F2 G	Н	J				strategy
· · · · · · · · · · · · · · · · · · ·	rt-Resistant Gypsum Board en Lay-in Ceiling Tile		Int	egral Door	& Frame Privacy	C	ard Mag A	uto Hold				
	ure and Mould-Resistant Gypsum Board ity Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Bl		otect.: Film:	Function: Re	ader: Lock: Op	ener: Open: Hin	es: Acce	essory 1: Accessory	2: Accessory 3:	Closer:
WALL FINISHES LE	-	C 2 1220 x 2135 S	olid Core FRL	2 High	h Store	eroom [		Cont. Swin	g Clear		Sur	face
EWC Epoxy	Wall Coating											
HPC High Po PT Paint	Performance Coating	MILLWORK AND SPECIALTY CASEWORK	UPPER U	UNITS	St	orage Requirements:					FINISHES	
CEILING FINISHES	S LEGEND:		U1								ight Cabinet:	
	Ceiling Coating Performance Coating				U6						er Millwork: Countertop:	
PF Prefinis	ished			7	U7 U8	SHELF					ver Millwork:	
WALL PROTECTIO	ON LEGEND.					□ S1					Shelf:	
	ded Semi-Rigid PVCu Panel				1 11	31					Remarks:	
	Reinforced Laminate plass Reinforced Plastic											
	ctive Vinyl Wallcovering High Impact Sheet	-	Francisco Francisco									
WSSP Wetwa	all Solid Surface Panel			500	7							
WVW Wetro	oom Vinyl Wallcovering	C1 C2	<del>                                     </del>	-	= 7	OR OTHER PERSONS	/	-				
	ete Floor Sealer	C3 C3	12	=		==	V		7	/		
	Floor Coating rethane Floor Coating			1		- KN	4==	-	-/ 6		<b>M</b>	
	er Athletic Flooring er Sheet Flooring	FULL-HEIGHT CABINETS		L6 1	L7 L8 L9	110	1	\   \	471			
SCF Seamle	less Cushioned Flooring -Dissipative Rubber Sheet Flooring	Legend:				L10 L11	L12	TC1 TC2	V	ן וו וו		
SDVF Static-I	-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized Min. Length Adjustable Stand	ding Spec	cialty					UC1		
	Sheet Flooring oom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)		ght Case	ework	LOWER UNITS		ON/TRANSACTION				
FLOOR BASE LEGE	END:	Category 3 - High (10% or Greater)					STATION	R / CARE TEAM DESK	UTILITY SINK AI	ND COUNTER UNIT		
FCB Flash C RB Rubber	Cove Base er Base											
	less Cushioned Flooring											
	REQUIREMENTS											
	land ene Sink: Lavatory: Kitchen Sink	Seamless Utility / c: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Evewash S		MED / NON-MI (Quantity)	ED GASES	Medical Nitrous			Laboratory	Utility Laboratory Compressed
(Qualitity)	,			Eyewash/S Emergency	Shower Station	Oxygen	: Medical Air:	Vacuum: Oxide:	CO2:	AGSS: Ni	trogen: Air:	Vacuum: Compressed  Varie
Plumbing	1			Flush Rim		,,,,,					-	7
Remarks:				Floor Drain								
			Instantaneous	_	ttle Refill Station	Gas Rema	arks:					
			Hot Water O	Other								
						1	I					

Section   Control   Cont	Appendix 1	B Minimum Room Requir	ements		Program Number(s):	1. T3.02 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.		37. 38.	43. 44.	
1	Roo	m Name: Storage - Retail Pharmac	у					15. 16.	21. 22.	27. 28.	33. 34.		39. 40.	45. 46.	
NUMBER   Column   C							11.	17.	23.	29.	35.			47.	
MALLYOUT COLUMN   Wall Age 25 of 16 of 1	ARCHITECTI.	IRAL REQUIREMENTS				0.	12.	10.	24.	30.	30.		42.	40.	
March Norward   Miles   American   March Norward   March Nor		·	WALL PROTECTION				CLAZING		FLOODING TYPE		OOM ACCESSO	DIEC			
Control   Cont				Corner Guards Hand Rai	ils Red Rui	mner / Locator							. [	Magnetic W	hitehoard
March   Mode   March			1 7,500			imper / Locator	☐ Interior Gla	zing				_			
MILLAND CREAMS   1997   1998									<u> </u>				0	,	-
Section of Part   Section of		HING LEGEND.									Door neman				
Accordance   Acc			Types:		FIELD I	a 66 C								☐ Se	ecurity Grille
## 25 And The Audit Country Town   19 And 19 B 10 C 10 D 10 B 10 D 1 D 10 D 10 D 10 D 10 D					WIII B										
Search Series   Search Serie					NM		4 N/4 NN		MMMM						
Section of the control of the contro			A A2 B	B2 C C2 D	D2	E E2 F	F2 G	н	J					30	rategy
Mode					Integral Dec	r 9. Erama Drivacu		ard Mag	Auto Hold						
Section of the control of the contro			Funo:Oty: Size (mm):	Material: Einich: Side I t:		•		•		Hingor: A	ccocconul: Acc	20000012: Acc	200000121	Closor	
MULL POWER AND ALL POWER AND SPECULITY CASENORY  USE Superior Microsoft Statements  Of Superior Microsoft St	SACT Se	ecurity Acoustic Ceiling Tile					T direction:				ccessory 1. Acc	Lessory 2. Acc			
INCL. Service Service Management of the Serv	WALL FINISHE	S LEGEND:	C 2 1220 X 2133 3	olid Core TRL		gii 💆 310	reroom	= = =		it. Swillg Clear			Suri	ace	
TO THE THE PROPERTY OF THE PRO		- ·													
FUND RESIDENCY  WALE PROTECTION LEGANCY  WALE			MILLWORK AND SPECIALTY CASEWORK		DED 1141176	S	torage Requirements:						FINISHES		
CC Floor Facing Coding High Personal Form High Pers					PER UNITS						F	- ull-height Cabir	net:		
The property of the control business of the control bu				U2 —								Upper Millwo	ork:		
## Participant Control (ESGN)  **WALL PROTECTION (ESGN)  **WALL PROTEC				7								Countert	op:		
WALE PROTECTION LEGENDS:    Commercial Conference State (Fig. From State Conference State C					7		SHELF					Lower Millwo	ork:		
Service State of Some Region Control Processing Service Processing Ser	РІ Ра	aint					Ta 🗆					Sh	elf:		
The First Interface calculates First Interface Entrode Pack First Interfac	WALL PROTEC	TION LEGEND:	Carpenson		ıl. K	-	S1								
FROOR RINSES LEGEND:  FLOOR RINSES LEGEND:  State: Consider Short Receive Way for the receive and process of the state of					-11		V					Rem	arks:		
Private Very Wallout General V															
Will Add States Part May National William William		=	Z = ==================================	de sangement !	6	i ;									
## Note Note Note Note Note Note Note Note				THE THE PARTY AND ADDRESS OF THE PARTY AND ADD		1 1									
FLOOR RASE LEGEND:  GL Category 0 - None Category 0 - None Category 1 - Low (St 48%)  FULL-HEIGHT CABINETS			C	1 1 1		an Property lies		-							
GS Governel floor Selete FIVE Pell-outer floor Catang PVC Pell-outer floor Catang PVC Pell-outer floor Catang PVC Pell-outer floor Catang PVC Pell-outer floor Catang PVC Pell-outer floor Catang PVC Pell-outer floor Catang PVC Pell-outer floor Catang PVC Pell-outer floor Catang PVC Pell-outer floor Catang PVC Pell-outer floor PVC PVC PVC PVC PVC PVC PVC PVC PVC PVC	ELOOP EINISHI	ES LEGEND:	CI	<del> </del>		- 7	on me andread	-	1 Comment	7					
ELC Controller For Collising FOC Polytechnes Four Collising FOUR Polytechnes Four Collising FOC Polytechnes Four Collising FOUR Polytechnes Four Collising FOUR Polytechnes Four Collising FOUR Polytechnes Four Collisions FOUR Polytechnes Four Collisions FOUR Four Four Collisions			C2 C3 C4 1			- 17-		1		7	/				
Mary Rubbr Athletic Flooring SF Flub-Well-Bidder Horing SF Seamless Cushologe-Bidder Horing SF Sobs Static-Disposable Nation Shore Hooring Show Static-Disposable Nation Shore Hooring Show Static-Disposable Nation Shore Hooring Show Static-Disposable Nation Shore Hooring Show Static-Disposable Nation Shore Hooring Show Static-Disposable Nation Shore Hooring Show Static-Disposable Nation Shore Hooring Show Static-Disposable Nation Shore Hooring Show Static-Disposable Nation Shore Hooring Show Static-Disposable Nation Shore Hooring Show Static-Disposable Nation Shore Hooring Show Static-Disposable Nation Shore Hooring Show Static-Disposable Nation Show Show Show Show Show Show Show Show	EFC Ep	poxy Floor Coating		13			44	1		/	4	7/			
Signature Suphined Floring   Signature Suph					L5 16	17		1 -							
SCF Seamless Cushoned Flooring Soft Staff-Chaspator Multiple Sheet Flooring Soft Staff-Chaspator Multiple Sheet Flooring Soft Staff-Chaspator Multiple Sheet Flooring Soft Staff-Chaspator Multiple Sheet Flooring Soft Staff-Chaspator Multiple Sheet Flooring Soft Staff-Chaspator Multiple Sheet Flooring Soft Staff-Chaspator Multiple Sheet Flooring Soft Staff-Chaspator Multiple Sheet Flooring Soft Staff-Chaspator Multiple Sheet Flooring Soft Staff-Chaspator Multiple Sheet Flooring Soft Staff-Chaspator Multiple Sheet Flooring Soft Staff-Chaspator Multiple Sheet Flooring Soft Staff-Chaspator Multiple Sheet Flooring Soft Staff-Chaspator Multiple Sheet Flooring Soft Staff-Chaspator Multiple Sheet Flooring Soft Staff-Chaspator Multiple Sheet Flooring Soft Staff-Chaspator Multiple Sheet Flooring Soft Staff-Chaspator Multiple Sheet Flooring Soft Staff-Chaspator Multiple Sheet Flooring Soft Staffing Specialty Soft Staffing Staffing Staffing Specialty Soft Staffing Staffing Staffing Specialty Soft Staffing Specialty Soft Staffing Staffing Specialty Soft Staffing Staffing Staffing Specialty Soft Staffing Staffing Staffing Staffing Staffing Specialty Soft Staffing Staffi		<del>-</del>	TOLE-HEIGHT CADINETS				110		/	7					
Soft Static-dospative Wilder Flooring Soft Static-dospative Wilder Flooring Soft Standing Specialty Virial Sheet Flooring Soft Standing Specialty Virial Sheet Flooring Soft Standing Specialty Standing Specialty Standing Specialty Height Casework Category 1 - low (1% - 4%) Category 3 - High (10% or Greater)    Category 3 - High (10% or Greater)								L12	TC1	V	լ ս լ լ				
VSF Viny Sheet Rooring VSF Veryons Safety Viny Sheet Registry VSF Veryons Safety Viny Sheet Registry VSF Veryons Safety Viny Sheet Registry VSF Veryons Safety Viny Sheet Registry VSF Veryons Safety Viny Sheet Rooring VSF Veryons Safety Viny Sheet Registry VSF Veryons Safety Viny Sheet Registry VSF Veryons Safety Viny Sheet Registry VSF Veryons Safety Viny Sheet Registry VSF Veryons Safety Viny Sheet Registry VSF Veryons Safety Viny Sheet Rooring VIII VIII VIII VA VIII VIII VA VIII VIII VA VIII VIII VA VIII VIII VA VIII V										102	UC1				
Wetroom Safety viryl Sheet Rooming FLOOR BASE LEGEND: FCB Flash Cove Base RB RUbber Rase SCF Seamless Cushioned Flooring  WECHANICAL REQUIREMENTS  WETUNET SINK AND COUNTER (JAR TEAM) STATION DESK  WETUNET SINK AND COUNTER UNIT STATION DESK  W			and the same	- ,			LOWER UNITS		/===			2.44			
FLOB Flash Cove Base Ras Rubber Base Ras Rubber Base SCF Seamles Cushioned Flooring  MECHANICAL REQUIREMENTS  PIUMBING Hand (Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Vitithen Sink: Scrub Sink: Scrub Sink: Floor Sink: Scrub Sink: Floor Sink: Shower Seamens Sink: Scrub Sink: Floor Sink: Shower Seamens Sink: Scrub Sink: Floor Sink: Floo	WSVF W	etroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	. ,						UTILITY SINK	AND COUNTER U	JNIT			
RB Rubber Base SCF Seamless Cuthloned Flooring  MECHANICAL REQUIREMENTS  PUMBING Hand Sink: Nitrogen: Seamless Utility / Process Sink: Scrub Sink: Floor Sink: Floor Sink: Shower   Eyewash/Shower Station   Gas Remarks:   Shower   Flush Rim Sink   Floor Drain   Gas Remarks:   G	FLOOR BASE L	EGEND:	Category 3 - High (10% or Greater)												
MECHANICAL REQUIREMENTS  PLUMBING (Quantity) Hand Lavatory: Kitchen Sink: Process Sink															
MECHANICAL REQUIREMENTS  PLUMBING (Quantity) Hand Hand Hygiene Sink: Lavatory: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink: Scrub Sink: Floor Sink: Scrub Sink: Floor Sink: Scrub Sink: Floor Sink: Scrub Sink: Floor Sink: Scrub Sink: Floor Sink: Guantity) Medical Nitrous Laboratory Compressed Air: Vacuum: Oxide: CO2: AGSS: Nitrogen: Air: Vacuum: Oxygen: Medical Air: Vacuum: Oxygen: Med															
PLUMBING Hand Seamless Utility / Other Fixtures: Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Flush Rim Sink   Station   Shower   Flush Rim Sink   Station   Shower   Flush Rim Sink   Station   Shower   Showe		6													
PLUMBING Hand Seamless Utility / Other Fixtures: Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Flush Rim Sink   Station   Shower   Flush Rim Sink   Station   Shower   Flush Rim Sink   Station   Shower   Showe	NATCHANICA	AL DECLUDENTENTS													
Hygiene Sink: Lavatory: Kitchen Sink: Kitchen Sink: Kitchen Sink: Kitchen Sink: Kitchen Sink: Kitchen Sink: Kitchen Sink: Floor Sink: Scrub Sink: Floor Sink: Shower   Evewash/Shower Station   Shower   Evewash/Shower Station   Oxygen: Medical Air: Vacuum: Oxide: CO2: AGSS: Nitrogen: Air: Vacuum: Oxygen: Medical Air: Vacuum: Oxygen:															
Tub   Evewash/Shower Station   Shower   Evewash/Shower Station   Shower   Evewash/Shower Station   Oxygen: Medical Air: Vacuum: Oxide: CO2: AGSS: Nitrogen: Air: Vacuum: Air: Vacuum: Oxide: CO2: AGSS: Nitrogen: Air: Vacuum: A	PLUMBING			Other Fixtures:				ED GASES							Utility
Plumbing Remarks:    Tub   Emergency Shower   Oxygen: Medical Air: Vacuum: Oxide: CO2: AGSS: Nitrogen: Air: Vacuum: Air: V	(Quantity)	ygiene sink. Lavatory: Kitchen Sini	K. KILLITETI SITIK: PTOLESS SINK: SCIUD SINK: PTOOF SINK:		Eyewash,	/Shower Station			.,	0 11			•		
Remarks:  Water Closet Floor Drain Instantaneous Water Bottle Refill Station Hot Water				☐ Tub	☐ Emergen	cy Shower	Oxygen	: Medical Air	· vacuum:	CO2:	AGSS:	Nitrogen:	AIT:	vacuum:	
Remarks:  Water Closet Instantaneous Hot Water	-														
Instantaneous Water Bottle Refill Station Hot Water	Remarks:							. [		l	I		1		<u> </u>
Hot Water							Gas Rem	arks:							
Other															
					Other										

• •	•		Number(s):	2.	8. 14.	20.	26.	32.	38.	44.
				3.	9. 15.	21.	27.	33.	39.	45.
Ro	oom Name: Storage - Spiritual Care				10. 16.	22.	28.	34.	40.	46.
					11. 17.	23.	29.	35.	41.	47.
				6. 1	12. 18.	24.	30.	36.	42.	48.
A D C HIT F C T	TURAL REQUIREMENTS									
	·									
WALL AND C		WALL PROTECTION			GLAZING	FLOORING TYPES  Material: Base:		CCESSORIES		
	Material: ARGB 1.2m AFF, GB above	1,750.	Guards $\ \square$ Hand Rails $\ \square$ Bed Bum	per / Locator	☐ Interior Glazing			t Hooks Lift Ceiling Lift		netic Whiteboard
Ceiling	Material: ACT	Finish: PF Height: 1350 mm Crash R	ails Chair Rail			VSF FCB		ror 🗌 Infant Char	ige Table 🔲 Priva	acy Curtain
LEGEND:		DOORS				-	Doo	r Remarks:		
	CEILING LEGEND:					Note: f	or Type F doors,			
	Architectural Ceiling	Types:	a fall fall falls fr				or panels will be			Security Grille
ACT	Acoustic Ceiling Tile					approx				
	Cleanroom		a Na Ni Nia				65 unless			Anti-barricade
	Abuse-Resistant Gypsum Board Gypsum Board	A A2 B B2	. C2 D D2 E	F2 F	F2 G H	the Au	ise rquired by			strategy
	Impact-Resistant Gypsum Board	A AZ B DZ	. (2 0 02 E	E2 F	F2 G H	j tile Au	Hority			I
	Kitchen Lay-in Ceiling Tile		9	& Frame Privacy	Card Mag	Auto Hold				,
	Moisture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm): Material:	Finish: Side Lt: Blinds: Pro	otect.: Film:	Function: Reader: Lock	: Opener: Open: Hii	iges: Accessory	1: Accessory 2: Acce	essory 3: Closer:	
SACT	Security Acoustic Ceiling Tile	F2 1 1530 x 2135 Solid Core	FRL 2 High	n Storer	room 🗸 🗆	Cont. Swi	ng Clear Astragal	Flush Bolt	Surface	
WALL FINISH	HES LEGEND:									
	Epoxy Wall Coating									
	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Sto	rage Requirements:				FINISHES	
	Paint		UPPER UNITS					Full-height Cabin	at:	
	ISHES LEGEND:	U1 U2	U3							
	Epoxy Ceiling Coating	7-1-1-1	U4 L					Upper Millwo		
	High Performance Coating Prefinished		77	J6 U7 U8	SHELF			Counterto	•	
	Paint	espesses		7 7	SHELF			Lower Millwo		
					<b>7</b> 1			She	elf:	
	ECTION LEGEND:			.	S1					
	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate							Rema	rks:	
	Fibreglass Reinforced Plastic				-					
	Protective Vinyl Wallcovering	100	1	_ i }	100					
	Rigid High Impact Sheet			1 .						
	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering	Enament of the second	111	an of the second	1					
	· -				CO MA	1				
	SHES LEGEND:	C1 C2 C3 C4 C5								
	Concrete Floor Sealer Epoxy Floor Coating			- 1				F		
	Polyurethane Floor Coating		L3 L4 L5		Sekki			THE PERSON NAMED IN		
	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		.7 L8 L9		$40 \mid 15$				
	Rubber Sheet Flooring			.7 L8 L9	L10 L11					
	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:				TC1 TC2	V   "			
	Static-Dissipative Number Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Category 0 - None Min. L	Motorized ength Adjustable Standing Speci	ialtv			UC1	u [		
	Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (m		-	LOWER UNITS	EPTION/TRANSACTION				
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)				JNTER / CARE TEAM	UTILITY SINK AND CO	UNTER UNIT		
FLOOR BASE	LEGEND:	Category 3 - High (10% or Greater)				TION DESK				
	Flash Cove Base									
	Rubber Base									
SCF	Seamless Cushioned Flooring									
<b>MECHANIC</b>	CAL REQUIREMENTS									
		Samles Utility /	ivturos:		MED / NON MED CASE					
PLUMBING	Hand Hygiene Sink: Lavatory: Kitchen Sink	Witchen Cinky Dragges Cinky Corub Cinky Elear Cinky	Evewash S		MED / NON-MED GASES	Advantage 1			Laborator C. S.	Utility
(Quantity)	2013(01)			Shower Station	(Quantity)	Medical Nitrou Nacuum: Oxide			Laboratory Laboratory Vacu	compressed
		Т	ub Emergency	/ Shower	Oxygen: Medica	Il Air: Vacuulli. Oxide	CO2:	AGSS: Nitrogen:	AII. Vacu	Air:
Plumbing			e Maker							
Remarks:			/ater Closet							
			_	tle Refill Station	Gas Remarks:					
				tie keiiii Station						
			ot Water Other							
				J						

Program 1. T4.03

7.

13.

19.

25.

31.

37.

43.

				Number(s):	2.	8.	14.	20.	26.	32	2.	38.	44.	
Room Name: Vestibule - Main Entrance					3.	9.	15.	21.	27.	33		39.	45.	
					4.	10.	16.	22.	28.	34		40.	46.	
					5. 6.	11. 12.	17. 18.	23. 24.	29. 30.	3!		41. 42.	47. 48.	
					0.	12.	16.	24.	30.	30	).	42.	40.	
ARCHITECTURAL REQUIREMENTS						T								
WALL AND CEILING	WAL	L PROTECTION				GLAZING		FLOORING TYPES		ROOM ACCES	_			
Wall Material: GB		. /	Corner Guards  Hand Ra		mper / Locator	✓ Interior Gla	izing	Material: Base:	<u> </u>		ks 🗌 Ceiling Li		Magnetic Whitel	board
Ceiling Material: ACT	Finish: PF	Height: 2185 mm	Crash Rails Chair Ra	ail				VSF FCB		☐ Mirror	☐ Infant Ch	ange Table	Privacy Curtain	
LEGEND:	DOORS									Door Rem	arks:			
WALL AND CEILING LEGEND:	Types:												Securit	ity Grille
AC Architectural Ceiling  ACT Acoustic Ceiling Tile	1/2					I MN MA								
ACT-C Cleanroom				l Nizi i		4 10 1/1 15 15	Felfilla I						Anti-ba	
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board		A2 B	B2 C C2 D	D2	E E2 F	F2 G	и и						strateg	ду
IRGB Impact-Resistant Gypsum Board	A	AZ B	B2 C C2 D				"	,						
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	_	· · · ·			or & Frame Privacy Protect.: Film:	_	Card Mag eader: Lock: (	Auto Hold Opener: Open: <sub>Hir</sub>						
SACT Security Acoustic Ceiling Tile	_		Material: Finish: Side Li	t: Billius. F		Tunction.			nges:	Accessory 1:			Closer:	
WALL FINISHES LEGEND:	_	E2 2 1830 x 2135 Al	uminum Prefinished		<b>✓</b> Sto	reroom		<b>✓</b> Butt Hing	e	Astragal F	ush Bolt Ele	c. Strike Surfa	ice	
EWC Epoxy Wall Coating HPC High Performance Coating PT Paint	MILLWORK AND SPECIAL	TY CASEWORK	_		S	torage Requirements:						FINISHES		
		557-3		PPER UNITS							Full-height Cab	inet:		
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating		7.7	J1 U2 U3 U4								Upper Millw			
HPC High Performance Coating	-	KKKK	7 7	U5	U6 LIZ						Counter	top:		
PF Prefinished PT Paint				7	U8	SHELF					Lower Millw	ork:		
						<b>→</b>					S	helf:		
WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel	2020000	I IT				S1					Por	narks:		
FRL Fibre Reinforced Laminate	2000000	ᄔᅵᅦᅦᅪ				1					Kei	narks:		
FRP Fibreglass Reinforced Plastic  PVW Protective Vinyl Wallcovering	-				1 1									
RHIS Rigid High Impact Sheet	- Company	-	THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER, THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER, THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER, THE PERSON NAMED IN COLUMN TO THE OWNER,			i								
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering		- '		Get Con	200									
· -				-	- 7	on me andredend	-	7						
FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer	C1 C2 □	C3 C4 C5 L1			- 7					/				
EFC Epoxy Floor Coating			L2 L3 L4			44	1=	Kanan	_/	Harris and				
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS			L5 L6	L7 10						T			
RSF Rubber Sheet Flooring				□ L6	L7 L8 L9	L10 L11	1		7/					
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:		Maria				L12	TC1 TC2	$\nu$	"	U			
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		Motorized Min. Length Adjustable	Standing Spe	ecialty					UC1	Ш			
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%)				sework	LOWER UNITS	RECEPT	TION/TRANSACTION						
	Category 2 - Med (5% - 9% Category 3 - High (10% or )							ER / CARE TEAM	UTILITY SI	NK AND COUNTE	R UNIT			
FLOOR BASE LEGEND:  FCB Flash Cove Base	and a second sec						STATIO	N DESK						
RB Rubber Base														
SCF Seamless Cushioned Flooring														
											L			
MECHANICAL REQUIREMENTS						1								
PLUMBING Hand	Seamless Utility /	o Ciala - Flancis I	Other Fixtures:	☐ Eyewash	Station	MED / NON-M	ED GASES						ı	Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	KITCHEN SINK: PROCESS SINK: SCRUI	O SITIK: FLOOT SINK:	Shower	Eyewash	/Shower Station	(Quantity)		Medical Nitrou r. Vacuum: Oxide		_				mpressed
			☐ Tub	☐ Emerger	ncy Shower	Oxygen	n: Medical Ai	r: Vacuum: Oxide	: со	2: AGSS:	Nitrogen:	Air:	vacuuiii.	Air:
Plumbing		]	☐ Ice Maker	Flush Rin										
Remarks:			☐ Water Closet	✓ Floor Dra		Gas Rem	arks.	,	-	·	·			
			Instantaneous	☐ Water B	ottle Refill Station	das kem	iai N3.							
			Hot Water	Other										
				Other										

Program 1. T1.01

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B I	Minimum Room Require	ements		1. T4.01 nber(s): 2.		13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room N	lame: Vestibule - Spiritual Care	Entry		3. 4.		15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				5.	11.	17.	23.	29.	35.	41.	47.
				6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURA	AL REQUIREMENTS				1						
WALL AND CEILIN Wall Mater Ceiling Mater	erial: ARGB 1.2m AFF, GB above	WALL PROTECTION   Finish:   PT	Crash Rails Hand Rails Chair Rail	Bed Bumper / Locator	GLAZING  Interior Glazin		Material: Base:  VSF FCB		ACCESSORIES at Hooks Ceiling Liferror Infant Char		agnetic Whiteboard vacy Curtain
LEGEND:		DOORS						Doc	or Remarks:		_
WALL AND CEILING	G LEGEND:	Types:									Security Grille
	ectural Ceiling ic Ceiling Tile				V MV M						Security drille
ACT-C Cleanro	oom										Anti-barricade
	Resistant Gypsum Board m Board	A A2 B	B2 C C2 D D2	2 E E2 F	F2 G	H					strategy
-	-Resistant Gypsum Board			ral Door & Frame Privacy	Car	d Mag Aut	to Hold				
	n Lay-in Ceiling Tile ıre and Mould-Resistant Gypsum Board	Type:Qty: Size (mm):	Material: Finish: Side Lt: Blind:	•	Function: Read	•	ner: Open: Hinge	es: Accessory	1: Accessory 2: Ac	cessory 3: Close	er:
SACT Security	y Acoustic Ceiling Tile	E2 2 1830 x 2135 So		1 Low Sto	oreroom 🗸		☐ Butt Hinge	Astragal	Flush Bolt	Surface	
WALL FINISHES LE					Ĺ						
	Wall Coating erformance Coating	MILLWORK AND SPECIALTY CASEWORK			<u> </u>	Defects Calculate	4. Carlina 5.744 familia			FINICHEC	
PT Paint		MILEVOIR AND SI EGIAET CASEVOIR	UPPER UN	NITS	Storage Requirements:	Refer to Schedule	1 , Section 5.7.14 for shoe	storage information.		FINISHES	
CEILING FINISHES			11 U2 U3 U4	] _					Full-height Cabi Upper Millw		
	Ceiling Coating erformance Coating		U3 U4 U5						Counter		
PF Prefinis				U7 U8	SHELF				Lower Millw		
PT Paint									SI	nelf:	
WALL PROTECTION					S1						
	ed Semi-Rigid PVCu Panel einforced Laminate				1				Rem	narks:	
	ass Reinforced Plastic										
	tive Vinyl Wallcovering ligh Impact Sheet		The same of the sa	7	i						
	all Solid Surface Panel om Vinyl Wallcovering	-		on on	1	-					
FLOOR FINISHES LI		ci c		= = 7	on an expenses	1	-				
	ete Floor Sealer	C2 C3 C4 1		= -				7/			
	Floor Coating		L2 L3 L4 L5		- 1	==	-	/ ===			
	ethane Floor Coating r Athletic Flooring	FULL-HEIGHT CABINETS		L6 L7 L8 L9							
	r Sheet Flooring ess Cushioned Flooring			L6 L7 L8 L9	L10 L11			7/			
	Dissipative Rubber Sheet Flooring	Legend:	Motorized			L12 *	TC1 TC2				
	Dissipative Vinyl Sheet Flooring heet Flooring	Category 0 - None	Min. Length Adjustable Standing		LOWER UNITS			UC1			
	om Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)	ry (mm) Height Height	t Casework	LOWER ONITS		I/TRANSACTION	LITH ITY CINK AND CO	HAITED HAUT		
FLOOR BASE LEGE	END:	Category 3 - High (10% or Greater)				STATION D	,	UTILITY SINK AND CO	UNIER UNII		
	Cove Base										
RB Rubber SCF Seamle	r Base ess Cushioned Flooring										
MECHANICAL R	REQUIREMENTS										
	and	Seamless Utility /	Other Fixtures:		MED / NON-MED	D GASES					
		C: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Evewash Station Eyewash/Shower Station	(Quantity)	JAJEJ	Medical Nitrous			Laboratory Lab	Utility oratory Compressed
( =====================================	1			Eyewash/Shower Station Emergency Shower	Oxygen:	Medical Air:	Vacuum: Oxide:	CO2:	AGSS: Nitrogen:		cuum: Compressed Air:
Plumbing				Emergency Snower Flush Rim Sink							
Remarks:				Floor Drain							
				Water Bottle Refill Station	Gas Remar	ks:					
			Hot Water								
			Othe	ner							

		Number(s):	2. 8.	14.	20. 26.	3		38.	44.
Room Name: Workroom - Volunteer - F	₹H		3. 9.		21. 27.	3		39.	45.
			4. 10.		22. 28.	3		40.	46.
			5. 11.		23. 29.	3		41.	47.
			6. 12.	18.	24. 30.	3	6.	42.	48.
ARCHITECTURAL REQUIREMENTS									
WALL AND CEILING	WALL PROTECTION		GLAZIN	FLOO	RING TYPES	ROOM ACCES	SORIES		
Wall Material: ARGB 1.2m AFF, GB above		rner Guards 🔲 Hand Rails 🔲 Bed Bur			Material: Base:		oks   Ceiling Lift	· •	Magnetic Whiteboard
Ceiling Material: ACT		ısh Rails 🗹 Chair Rail		terior diazing	VSF FCB	☐ Mirror	☐ Infant Cha		Privacy Curtain
	DOORS					Door Ren	narks:		
LEGEND: WALL AND CEILING LEGEND:									
AC Architectural Ceiling	Types:								Security Grille
ACT Acoustic Ceiling Tile									
ACT-C Cleanroom					44				Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B2	C C2 D D2	E E2 F F2	G H I					strategy
IRGB Impact-Resistant Gypsum Board	7 12 5 52								
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board		DI: -I- D	& Frame Privacy	Card Mag Auto	Hold				
SACT Security Acoustic Ceiling Tile	Type:Qty: Size (mm): Materi	ui. Tillisti. Side Et.	rotect.: Film: Function:	Reader: Lock: Opener:		Accessory 1:	Accessory 2: Acc	,	loser:
WALL FINISHES LEGEND:	B 1 1650 x 2135 Solid Cor	e FRL 1 Lo	w Storeroom		<b>✓</b> Butt Hinge			Surfac	e
EWC Epoxy Wall Coating									
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Characa Danie	See ide (4.2) helf leele				FINISHES	
PT Paint		UPPER UNITS	Storage Requ	irements: Provide (12) half locker	15.				
CEILING FINISHES LEGEND:	U1	U2 U2					=	net: Plastic Lamin	
ECC Epoxy Ceiling Coating	7	U4						ork: Plastic Lamin	
HPC High Performance Coating PF Prefinished	Samuel Control of the	U5	U6 LJ7	ELF				op: Solid Surfacir	<u> </u>
PT Paint	F			zer ,				ork: Plastic Lamin	ate
WALL PROTECTION LECEND.				]			Sh	elf:	
WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel			S1				<b>D</b>		
FRL Fibre Reinforced Laminate	200000			7			Kem	arks:	
FRP Fibreglass Reinforced Plastic	7			=					
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	to company	The state of the s							
WSSP Wetwall Solid Surface Panel		100 100 100 100 100 100 100 100 100 100							
WVW Wetroom Vinyl Wallcovering				1					
FLOOR FINISHES LEGEND:	<u>cı</u>		=7		-				
CFS Concrete Floor Sealer	C4 C5	-				7	£		
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 14		KAN-	CONTRACTOR OF THE PARTY OF THE	Townson of the last of the las			
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	☐ ☐ L6	L7 L8						
RSF Rubber Sheet Flooring			L7 L8 L9 L10	111	/_/	/			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	******		L12	TC1 TC2	"	u		
SDVF Static-Dissipative Number Sheet Flooring		Motorized in. Length Adjustable Standing Spe	cialty			UC1			
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category	- ,	ework LOWER	UNITS RECEPTION/TRA	ANSACTION				
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)			COUNTER / CAR		Y SINK AND COUNTE	R UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)			STATION DESK					
FCB Flash Cove Base RB Rubber Base									
SCF Seamless Cushioned Flooring									
-									
MECHANICAL REQUIREMENTS	L								
•		<u> </u>							
PLUMBING Hand (Quantity) Hygiene Sink: Lavatory: Kitchen Sin	k: Kitchon Sink: Drocoss Sink: Scrub Sink: Floor Sink:	ther Fixtures: Evewash	Station	NON-MED GASES					Utility
(4,1)			Shower Station (Quar		edical Nitrous			•	Laboratory Compressed
1		Tub Emergen	cy Shower	Oxygen: Medical Air: Va	ocuum: Oxide:	CO2: AGSS	Nitrogen:	Air:	Vacuum: Air:
Plumbing	Γ	☐ Ice Maker ☐ Flush Rim	Sink						
Remarks:		Water Closet Floor Dra	in						
			ttle Refill Station	Gas Remarks:					
		Hot Water							
		Other							
1	I		l l	1					

Program 1. T1.05

7.

13.

19.

25.

31.

37.

43.



# New Surrey Hospital & BC Cancer Centre

MINIMUM ROOM REQUIREMENTS

#### **U.** Administration

Appendix 1B Minimur	Room Requirements	Program Number(s):	1. U6.04 2.	7. 13. 8. 14.		25. 26.	31. 32.		37. 38.	43. 44.
Room Name: Mee	ing Room - EOC		3. 4.	9. 15. 10. 16.		27.	33. 34.		39. 40.	45. 46.
				11. 17.		28. 29.	35.		41.	47.
			6.	12. 18.	. 24.	30.	36.		42.	48.
ARCHITECTURAL REQUI	REMENTS									
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TY Material:		ROOM ACCESSO		_	1
Wall Material: GB Ceiling Material: ACT	Finish: PT Type: PVW ✓ Corner Guards ☐ Hand Ri Finish: PF Height: 1350 mm ☐ Crash Rails ✓ Chair Ri		mper / Locator	☐ Interior Glazing	RSF	RB	Coat Hooks Mirror	☐ Ceiling Lift☐ Infant Char		Magnetic Whiteboard Privacy Curtain
		<b>311</b>					Door Remark		ige rable	Frivacy Curtain
LEGEND: WALL AND CEILING LEGEND:	DOORS						Door Remain			
AC Architectural Ceiling	Types:		न निर्मातिक							Security Grille
ACT Acoustic Ceiling Tile										☐ Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsun	Board									strategy
GB Gypsum Board	A A2 B B2 C C2 D	D2	E E2 F	F2 G	Н ј					54.587
IRGB Impact-Resistant Gypsu KLCT Kitchen Lay-in Ceiling Til		Integral Dec	or & Frame Privacy	Card	Mag Auto Hold					
MMRGB Moisture and Mould-Re			Protect.: Film:	Function: Reader:	•	Hinges:	Accessory 1: Acc	ossoni 2: Acci	occony 2· (	Closer:
SACT Security Acoustic Ceiling	C 1 915 x 2135 Solid Core FRL	1. 1 Lo		Turicuori.		Butt Hinge	Accessory 1. Acc	essory 2. Acce	Surfa	
WALL FINISHES LEGEND:	C   1   313 x 2133   30iid cole   1   1		J. J. J. J. J. J. J. J. J. J. J. J. J. J			Dutt Tillige			Julia	
EWC Epoxy Wall Coating										
HPC High Performance Coati PT Paint	WILLEWORK AND SI ECIALITI CASEWORK	DDED LINUTE	Sto	orage Requirements:					FINISHES	
		PPER UNITS					F	ull-height Cabin	et: Plastic Lami	nate
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	U1 U2 U3 U4								rk: Plastic Lami	
HPC High Performance Coati		U5	.ue						p: Plastic Lami	
PF Prefinished		7	U7 U8	SHELF				Lower Millwo	rk: Plastic Lami	nate
PT Paint			7	ta 🗆				She	elf:	
WALL PROTECTION LEGEND:		I .I. K	-	S1 S1						
ESRP Extruded Semi-Rigid PV0								Rema	ırks:	
FRL Fibre Reinforced Lamina FRP Fibreglass Reinforced Plant										
PVW Protective Vinyl Wallcov	ring		_ 1 1	1						
RHIS Rigid High Impact Sheet				1						
WSSP Wetwall Solid Surface Pa WVW Wetroom Vinyl Wallcove		60	100 To 100 TO 10	1						
•		-	- 7	CO MA	1	+>				
FLOOR FINISHES LEGEND:	C1 C2 C3 C4 C5				7					
CFS Concrete Floor Sealer EFC Epoxy Floor Coating							L A	1		
PFC Polyurethane Floor Coat		L5		Zery.	7	- Santage	The same of the sa	-		
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L6	L7 L8 L9							
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flo	ring	V	<b>✓</b> 18 19		12 TC1	<b>1</b> /				
SDRF Static-Dissipative Rubbe	Sheet Flooring Legend: Motorized				12 TC1	TC2		l u		
SDVF Static-Dissipative Vinyl S VSF Vinyl Sheet Flooring	eet Flooring Category 0 - None Min. Length Adjustable	Standing Spe	ecialty	LOWER UNITS			UC1	Ш		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sl	Category 1 - Low (1% - 4%)  Category (mm)  Category 2 - Med (5% - 9%)	Height Cas	sework	LOWER UNITS	RECEPTION/TRANSACTI					
FLOOR BASE LEGEND:	Category 2 - Nied (3% - 3%)  Category 3 - High (10% or Greater)  2 3900				COUNTER / CARE TEAM STATION DESK	UTILITY SI	IK AND COUNTER U	NIT		
FCB Flash Cove Base					STATION DESK					
RB Rubber Base										
SCF Seamless Cushioned Flo	ring									
MECHANICAL REQUIREI	1ENTS									
PLUMBING Hand	Seamless Utility / Other Fixtures:	Π	Challer	MED / NON-MED G	ΔSFS					
(Quantity) Hygiene Sink: La	vatory: Kitchen Sink: Kitchen Sink: Braces Sink: Scrub Sink: Elear Sink:	☐ Evewash		(Quantity)	Medical	Nitrous			Laboratory	Utility Laboratory Compressed
(Qualitity)	□ Snower		/Shower Station		Medical Air: Vacuum:	Oxide: CO2	2: AGSS:	Nitrogen:	Air:	Vacuum: Compressed
	Tub	Emerger		Oxygen.	ivicuitai Ali.	(0.	AG33.	ividiogen.		Air:
Plumbing	Ice Maker	Flush Rin						<u> </u>		
Remarks:	☐ Water Closet	☐ Floor Dra	ain	Gas Remarks:						
	☐ Instantaneous	☐ Water Be	ottle Refill Station	Gas Kemarks:						
	Hot Water									
		Other								

Appendix 1B Minimum Room R	equirements			Program Number(s):	1. U1.01 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Reception - Admir	nistration				3.	9.	15.	21.	27.	33.	39.	45.
<u> </u>					4. 5.	10. 11.	16. 17.	22. 23.	28. 29.	34. 35.	40. 41.	46. 47.
					6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS												
WALL AND CEILING		WALL PROTECTION				GLAZING		FLOORING TYPES		OOM ACCESSORIES		
Wall Material: ARGB 1.2m AFF, GB al		Type:	_	ails 🗌 Bed Bu	mper / Locator	✓ Interior Gla	azing	Material: Base:  VSF FCB		Coat Hooks Ceiling		Magnetic Whiteboard
Ceiling Material: ACT	Finish: PF	Height:	☐ Crash Rails	3II				100			Change Table L	Privacy Curtain
LEGEND: WALL AND CEILING LEGEND:	DOORS									To provide a card reader	access from both Publ	c _
AC Architectural Ceiling	Types				7 FIN 62		709			and Staff areas.		Security Grille
ACT Acoustic Ceiling Tile  ACT-C Cleanroom												☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board												strategy
IRGB Impact-Resistant Gypsum Board		A A2 B	B2 C C2 D	D2	E E2 F	F2 G	н					
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Boa	rd	Гуре:Qty: Size (mm):	Material: Finish: Side L		r & Frame Privacy Protect.: Film:			Auto Hold Opener: Open: <sub>Hir</sub>	ges: Acc	cessory 1: Accessory 2:	Accessory 3: Clo	oser:
SACT Security Acoustic Ceiling Tile			Solid Core FRL	1 Lo		preroom		Butt Hing		RESSURY 1. ACCESSORY 2.	Surface	
WALL FINISHES LEGEND:												
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SP	ECIALTY CASEWORK				Storage Requirements	. [				FINISHES	
PT Paint				PPER UNITS		otorage nequirements				Full-height (		
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	(myself)	17.77	U1 U2 U3 U4							Upper M		
HPC High Performance Coating PF Prefinished	angerene.	T X X		U5	U6 U7 U8	SHELF					ntertop:	
PT Paint	· · · · · · · · · · · · · · · · · · ·			7	77	SHELF				Lower M	1illwork: Shelf:	
WALL PROTECTION LEGEND:	- Angeleses			. . K		S1					Sileii.	
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate	- I			111						1	Remarks:	
FRP Fibreglass Reinforced Plastic	-	'L'\										Section 6.12 (Division
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	<del></del>	***	AND RESERVED THE PROPERTY OF THE PARTY OF TH	-		1					12) for Specialty Case are diagrammatic, p	ework. Items indicated rovide specialty
WSSP Wetwall Solid Surface Panel				Service Services	-	1					casework appropriat	te for the specific and
, , , , , ,	C1 C2			-	= -	ON THE PERSONS	paragrams	7			specialized functions	s to be performed in commodate Equipment.
FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer		- C3 C4 '	+						7		Refer to Appendix 1	A, Section 2.21 U.
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating			L2 L3 L4			- M	4==	-	_/ 4		Administration for re	eception requirements
RAF Rubber Athletic Flooring	FULL-HEIGHT CABI		☐ L3 L4 <b>☑</b>		L7 L8 19		1					
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring					□ □ L9 <b>✓</b>	L10 L11	L12					
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:		Motorized					TC1 TC2		UC1	1	
VSF Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (19	% - <b>4%)</b> Categ			ecialty sework	LOWER UNITS	DECEDT	ION/TRANSACTION				
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5)	% - 9%)	, , , ,		<u>✓</u>			ER / CARE TEAM	UTILITY SINK A	AND COUNTER UNIT		
FLOOR BASE LEGEND:  FCB Flash Cove Base	Category 3 - High (10	0% of Greater)					STATIO	N DESK				
RB Rubber Base												
SCF Seamless Cushioned Flooring												
MECHANICAL REQUIREMENTS												
	Coomless Hillity /		Other Firetures			MED / NON N	AED CACEC					
PLUMBING Hand (Quantity) Hygiene Sink: Lavatory: Kito	Seamless Utility / chen Sink: Kitchen Sink: Process Sink:	Scrub Sink: Floor Sink:	Other Fixtures:  Shower	Evewash		MED / NON-N (Quantity)	IED GASES	Medical Nitrous			Laboratory La	Utility aboratory Compressed
(3.5)			☐ Shower☐ Tub	☐ Eyewash	/Shower Station	Oxyger	n: Medical Air			AGSS: Nitroge	A**	Vacuum: Compressed  Air:
Plumbing		,	☐ Ice Maker	☐ Flush Rin								
Remarks:			☐ Water Closet	☐ Floor Dra								
			Instantaneous		ottle Refill Station	Gas Ren	narks:					
			Hot Water	Other								
				Other								

			Number(s): 2.	8. 14.	20. 26.	32. 38.	44.
F	Room Name: Reception - HIM - Releas	e of Information	3.	9. 15.	21. 27.		45.
			4.	10. 16.	22. 28.		46.
			5.	11. 17.	23. 29.		47.
			6.	12. 18.	24. 30.	36. 42.	48.
ARCHITEC	TURAL REQUIREMENTS						
WALL AND	·	WALL PROTECTION		GLAZING	FLOORING TYPES	ROOM ACCESSORIES	
	Il Material: ARGB 1.2m AFF, GB above		☐ Hand Rails ☐ Bed Bumper / Locator		Material: Base:		etic Whiteboard
	g Material: ACT		✓ Chair Rail	✓ Interior Glazing	VSF FCB	☐ Mirror ☐ Infant Change Table ☐ Privacy	
	, material.		_ chair han			Door Remarks:	Cartain
LEGEND:		DOORS				Door Remarks.	
	CEILING LEGEND:	Types:					Security Grille
AC ACT	Architectural Ceiling Acoustic Ceiling Tile						
ACT-C	Cleanroom						Anti-barricade
ARGB GB	Abuse-Resistant Gypsum Board Gypsum Board	A A2 B B2 C	C2 D D2 E E2	F F2 G H			strategy
IRGB	Impact-Resistant Gypsum Board	A A2 5 52 C		, ,,	•		
KLCT MMRGB	Kitchen Lay-in Ceiling Tile  Moisture and Mould-Resistant Gypsum Board		Integral Door & Frame Privacy	Card Mag	Auto Hold		
SACT	Security Acoustic Ceiling Tile	Type:Qty: Size (mm): Material: Finis			Opener: Open: Hinges:	Accessory 1: Accessory 2: Accessory 3: Closer:	
WALL FINIS	SHES LEGEND:	C 1 915 x 2135 Solid Core FRL	1 Low	Storeroom 🗸	Butt Hinge	Surface	
EWC	Epoxy Wall Coating						
HPC	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Storage Requirements:		FINISHES	
PT	Paint	<b>∀</b>	UPPER UNITS			Full-height Cabinet:	
	NISHES LEGEND:	01	U3   IM			Upper Millwork:	
ECC HPC	Epoxy Ceiling Coating High Performance Coating		U5 II6 U	¬		Countertop:	
PF	Prefinished			J8 SHELF		Lower Millwork:	
PT	Paint					Shelf:	
WALL PRO	TECTION LEGEND:			S1			
ESRP FRL	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate					Remarks:	
FRP	Fibreglass Reinforced Plastic					Refer to Schedule 1, Section	on 6.12 (Division
PVW	Protective Vinyl Wallcovering	100	F	i		12) for Specialty Casework	
RHIS WSSP	Rigid High Impact Sheet Wetwall Solid Surface Panel		100			are diagrammatic, provide casework appropriate for t	
WVW	Wetroom Vinyl Wallcovering			Contractor	7/-	specialized functions to be	
FLOOR FINI	SHES LEGEND:	C1 C2 C3		-	/	the space and to accommo	
CFS	Concrete Floor Sealer			= =		Refer to Appendix 1A, Section Administration for reception	
EFC PFC	Epoxy Floor Coating Polyurethane Floor Coating	□ □ □ □ □ I3	<u>L4</u> L5	KKN		Administration for reception	on requirements
RAF	Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L6 L7				
RSF SCF	Rubber Sheet Flooring Seamless Cushioned Flooring			L10 L11 L12			
SDRF	Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized		TC1 TC2		
SDVF VSF	Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring	Category 0 - None Min. Length	Adjustable Standing Specialty	LOWER UNITS	<b>✓</b>	UC1 U	
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm)  Category 2 - Med (5% - 9%)	Height Height Casework	RECEP	TION/TRANSACTION		
FLOOR BAS	SE LEGEND:	Category 3 - High (10% or Greater) 3 3900			TER / CARE TEAM UTILITY S ON DESK	NK AND COUNTER UNIT	
FCB	Flash Cove Base			SIAII	ON DESK		
RB	Rubber Base						
SCF	Seamless Cushioned Flooring						
MECHANI	CAL REQUIREMENTS						
PLUMBING	Hand	Seamless Utility / Other Fixtures:	Eyewash Station	MED / NON-MED GASES			Utility
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sink	KI: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Eyewash/Shower Station	(Quantity)	Medical Nitrous	Laboratory Laborat	ory Compressed
		Tub	Emergency Shower	Oxygen: Medical A	<sub>.ir:</sub> Vacuum: Oxide: CC	02: AGSS: Nitrogen: Air: Vacuu	m: Air:
Plumbing		☐ Ice Maker	_				
Remarks:		☐ Water Clo	_				
		Instantan	_	Gas Remarks:			
		Hot Wate	·	_			
			Other	_			

Program 1. U1.04

13.

19.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

25.

Room Name: Scanning Room - CC		3. 4. 5. 6.	9. 15. 16. 16. 17. 12. 18.	21.     27.       22.     28.       23.     29.       24.     30.	33. 34. 35. 36.	39.       45.         40.       46.         41.       47.         42.       48.
ARCHITECTURAL REQUIREMENTS					1	
WALL AND CEILING  Wall Material: GB Finis  Ceiling Material: ACT Finis	h: PF Height: 1350 mm Crash Rails	ords Hand Rails Bed Bumper / Locator Chair Rail	GLAZING  Interior Glazing	FLOORING TYPES Material: Base: VSF FCB	ROOM ACCESSORIES  Coat Hooks Ceiling Li Mirror Infant Ch	
LEGEND:  WALL AND CEILING LEGEND:  AC Architectural Ceiling  ACT Acoustic Ceiling Tile  ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board  GB Gypsum Board  IRGB Impact-Resistant Gypsum Board  KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board  SACT Security Acoustic Ceiling Tile  WALL FINISHES LEGEND:  EWC Epoxy Wall Coating	Types:    A   A2   B   B2   C	Tillisti. Side Et.		Auto Hold Opener: Open: Hinges:  Butt Hinge		Security Grille  Anti-barricade strategy  Ccessory 3: Closer:  Surface
HPC High Performance Coating PT Paint  CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering  FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Coating PFC Polyurethane Floor Coating RAF Rubber Athletic Flooring SCF Seamless Cushioned Flooring SDNF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Rubber Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring FLOOR BASE LEGEND:  FCB Flash Cove Base RB Rubber Base SCF Seamless Cushioned Flooring	FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  Min. Leng Category (mm)  Category 3 12200	UPPER UNITS  U3  U4  U5  U6  U7  L3  L4  L5  L6  L7  L8  Motorized Adjustable Height Height Height Casework	COUN	TC1 TC2  DTION/TRANSACTION	Upper Millv Counte Lower Millv S	ertop: Solid Surfacing
		rer Eyewash/Shower Station  Emergency Shower  laker Flush Rim Sink	Oxygen: Medical A	Medical Nitrous Air: Vacuum: Oxide:	CO2: AGSS: Nitrogen:	Laboratory Laboratory Compressed Air: Vacuum: Air:

7. 8.

13.

14.

19.

20.

25.

26.

31.

32.

37.

38.

43.

44.

Program 1. U5.08

Number(s): 2.

Appendix 11	B Minimum Room Requir	ements		Program Number(s):	1. U6.07 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.		37. 38.	43. 44.	
Roor	m Name: Storage - Radio/Equip - E	FOC			3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.		39. 40.	45. 46.	
	L				5.	11.	17.	23.	29.	35.		41.	47.	
					6.	12.	18.	24.	30.	36.		42.	48.	
ARCHITECTU	JRAL REQUIREMENTS													
WALL AND CEII		WALL PROTECTION		. 🗆		GLAZING	I .	FLOORING TYPES Material: Bas		OOM ACCESSO		Г	<b>-</b>	
	laterial: ARGB 1.2m AFF, GB above	Finish: PT Type: Finish: PF Height:	Crash Rails Hand Rail  Crash Rails Chair Rail		mper / Locator	☐ Interior Gla	zing	VSF FCI		Coat Hooks Mirror	☐ Ceiling Lift☐ Infant Cha		☐ Magnetic W☐ Privacy Curt	
	laterial. ACT		Crasii Raiis Criaii Raii							Door Remark		rige rable L	Filvacy Curt	Laili
LEGEND: WALL AND CEII	ILING LEGEND.	DOORS								DOOI KEITIAIN				
	rchitectural Ceiling	Types:											☐ Se	ecurity Grille
	coustic Ceiling Tile													nti-barricade
	eanroom buse-Resistant Gypsum Board					1-1X4-BN	AMM							trategy
GB Gy <sub>l</sub>	ypsum Board	A A2 B	B2 C C2 D	D2	E E2 F	F2 G	н	J						3,
	npact-Resistant Gypsum Board tchen Lay-in Ceiling Tile			Integral Doo	r & Frame Privacy	C	ard Mag	Auto Hold						
MMRGB Mc	oisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt:		rotect.: Film:		•	pener: Open:	Hinges: Ac	cessory 1: Acc	essory 2: Acc	essory 3:	Closer:	
SACT Sec	ecurity Acoustic Ceiling Tile	C 1 1065 x 2135 S		2 Hi	gh 🗸 Sto	reroom		Con	t. Swing Clear			Surf	ace	
WALL FINISHES														
	poxy Wall Coating igh Performance Coating	MILLWORK AND SPECIALTY CASEWORK											<u> </u>	
PT Pai		WILLWORK AND SPECIALTY CASEWORK		PER UNITS	S	torage Requirements:						FINISHES		
CEILING FINISH	HES LEGEND:		U1		_					F		net: Plastic Lam	inate	
	poxy Ceiling Coating	7	U2 U3 U4	U5							Upper Millwo			
	gh Performance Coating refinished	7		<b>7</b>	U6 U7 U8	SHELF					Countert	-		
PT Pai	aint			T	77						Lower Millwo	elf:		
WALL PROTECT	TION LEGEND:					Sı					311	eii.		
	ctruded Semi-Rigid PVCu Panel				1 11						Rema	arks:		
	bre Reinforced Laminate breglass Reinforced Plastic		<u> </u>			-								
	rotective Vinyl Wallcovering		- I		_ ! !									
	gid High Impact Sheet 'etwall Solid Surface Panel													
	etwan Sond Surface Parier retroom Vinyl Wallcovering		1 1 1	11	an Parketter		1	-						
FLOOR FINISHE	ES LEGEND:	C1 C2 C3	+	70	-7	San Parket	1	-	<u></u>					
	oncrete Floor Sealer	C2 C3 C4 1		-		= -			7	/	-			
	poxy Floor Coating Olyurethane Floor Coating		L2 L3 L4	-		_ 844	4==		-	The state of the s	1/			
	ubber Athletic Flooring	FULL-HEIGHT CABINETS		L6	L7 L8 L0		1							
	ubber Sheet Flooring				L7 L8 L9	L10 L11								
	eamless Cushioned Flooring atic-Dissipative Rubber Sheet Flooring	Legend:	Motorized				L12 M	TC1	TC2	"   "	July			
	atic-Dissipative Vinyl Sheet Flooring	Category 0 - None		tanding Spe	ecialty	LOWEDLINIES				UC1	Ш			
	nyl Sheet Flooring 'etroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)	ory (mm) Height	Height Cas	ework	LOWER UNITS		ON/TRANSACTION						
FLOOR BASE LE	EGEND:	Category 3 - High (10% or Greater)	1800				COUNTE	ER / CARE TEAM	UTILITY SINK	AND COUNTER U	NIT			
	ash Cove Base						STATION	V DESK						
	ubber Base													
SCF Sea	eamless Cushioned Flooring													
<u>MECHANICA</u>	L REQUIREMENTS													
	Hand	Seamless Utility /	Other Fixtures:	☐ Eyewash	Station	MED / NON-M	ED GASES							Utility
(Quantity) Hy	ygiene Sink: Lavatory: Kitchen Sin	k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower		/Shower Station	(Quantity)			itrous			Laboratory	Laboratory	Compressed
			☐ Tub	☐ Emergen		Oxygen	: Medical Air:	. Vacuum:	Oxide: CO2:	AGSS:	Nitrogen:	Air:	Vacuum:	Air:
Plumbing			☐ Ice Maker	☐ Flush Rim										
Remarks:			☐ Water Closet	☐ Floor Dra	in				L	1	1	1		<u> </u>
			Instantaneous		ottle Refill Station	Gas Rem	arks:							
			Hot Water	Other										
				Other										

Appendix 1B Minimum Room Require	ments	Program Number(s):	1. U6.01 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Workroom - Command Ce	ntre		3.	9.	15.	21.	27.	33.	39.	45.
				10. 11.	16. 17.	22. 23.	28. 29.	34. 35.	40. 41.	46. 47.
			6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS										
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES		OM ACCESSORIES	_	
Wall Material: ARGB 1.2m AFF, GB above		Corner Guards Hand Rails Bed Bur	nper / Locator	☐ Interior Gla	zing	Material: Base:		Coat Hooks Ceilin		Magnetic Whiteboard
Ceiling Material: ACT		Crash Rails Chair Rail				NOI NO			t Change Table	Privacy Curtain
LEGEND: WALL AND CEILING LEGEND:	DOORS							Door Remarks:		
AC Architectural Ceiling	Types:	न जि. जि. जि. जि. जि. जि.	त्र निनि दि		708					Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom										☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B2	C C2 D D2		F2 G						strategy
IRGB Impact-Resistant Gypsum Board	A A2 B B2		E E2 F		n Man	J Andre Held				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Ма	<u> </u>	& Frame Privacy rotect.: Film:		ard Mag ader: Lock: (	Auto Hold Opener: Open: <sub>Hing</sub>	es: Acce	essory 1: Accessory 2:	Accessory 3:	Closer:
SACT Security Acoustic Ceiling Tile	C 2 1065 x 2135   Solid (		gh Store		<b>✓</b>	Butt Hinge	1.000	7.000350.7 2.		face
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating				[						
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		St	orage Requirements:					FINISHES	
PT Paint  CEILING FINISHES LEGEND:	U1	UPPER UNITS						Full-height (	Cabinet:	
ECC Epoxy Ceiling Coating	7777	U2 U3 U4						Upper N	1illwork:	
HPC High Performance Coating PF Prefinished		U5	U6 U7 U8	SHELF					ntertop:	
PT Paint	-		77	±a □				Lower N	Shelf:	
WALL PROTECTION LEGEND:	-			S1					J	
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate				1					Remarks:	
FRP Fibreglass Reinforced Plastic		1 1								
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	-	Emmy .		1						
WSSP Wetwall Solid Surface Panel			-7	1						
WVW Wetroom Vinyl Wallcovering			= 7	on my desirable		7				
FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer	C1 C2 C3 C4 C5 L1	-					7	/		
EFC Epoxy Floor Coating		L2 L3 L4 L5		- 1	1==	-	/ 4			
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L0		-					
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring			L/ L8 L9	L10 L11			7/			
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized	_		L12 M	TC1 TC2	V [			
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring	0 . 4 . (40/ 40/)	Min. Length Adjustable Standing Spe	cialty	LOWER UNITS	_			UC1 U		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)		ework	2011211 011110		ION/TRANSACTION ER / CARE TEAM	LITH ITV SINK AF	ND COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				STATIO	, -	OTILITY SINK A	TD COOKTER OILL		
FCB Flash Cove Base RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS										
PLUMBING Hand	Seamless Utility/	Other Fixtures: Eyewash	Station	MED / NON-MI	ED GASES					Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Shower Station	(Quantity)		Medical Nitrous			Laboratory Air:	Laboratory Compressed
		☐ Tub ☐ Emergence		Oxygen	: Medical Air	: Vacuum: Oxide:	CO2:	AGSS: Nitroge	en: AIT:	vacuum: Air:
Plumbing Remarks:		☐ Ice Maker ☐ Flush Rim								
Remarks.		Water Closet Floor Dra		Gas Rema	arks:					
			ttle Refill Station							
		Hot Water Other								



# New Surrey Hospital & BC Cancer Centre

MINIMUM ROOM REQUIREMENTS

### V. Meeting and Education

Room Name: Computer Training Room			3. 4.	9. 15. 10. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				11. 17.	23.	29.	35.	41.	46. 47.
			6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS									
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM ACC	CESSORIES		
Wall Material: GB	Finish: PT Type: RHIS		ails 🗌 Bed Bumper / Locator	☐ Interior Glazing	Material: Base:		Hooks Ceiling Lift		netic Whiteboard
Ceiling Material: ACT	Finish: PF Height: 1350 mm	Crash Rails 🗹 Chair Ra	ail		RSF FCB	☐ Mirro	r 🔲 Infant Chan	ge Table 🔲 Priva	acy Curtain
LEGEND:	DOORS					Door F	Remarks:		
WALL AND CEILING LEGEND:	Types:								Security Grille
AC Architectural Ceiling  ACT Acoustic Ceiling Tile	i Mana								Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom									Anti-barricade
ARGB Abuse-Resistant Gypsum Board									strategy
GB Gypsum Board IRGB Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D	D2 E E2 F	F2 G H	J				
KLCT Kitchen Lay-in Ceiling Tile			Integral Door & Frame Privacy	Card Mag	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile	Type:Qty: Size (mm):	Material: Finish: Side Lt		Tunction.	Opener: Open: Hinges	s: Accessory 1:	Accessory 2: Acces		
WALL FINISHES LEGEND:	C 1 1065 x 2135	Solid Core FRL	1 Low Store	eroom 🗸 🗌	Butt Hinge			Surface	
EWC Epoxy Wall Coating									
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK			orage Requirements:				FINISHES	
PT Paint	~		PPER UNITS	orage nequirements.			Full-height Cabine		
CEILING FINISHES LEGEND:	4 17 17	U2					Upper Millwor		
ECC Epoxy Ceiling Coating HPC High Performance Coating		U3 U4	U5 U6 U7				Counterto		
PF Prefinished			U7 U8	SHELF			Lower Millwor		
PT Paint				ta 🗆			Shel		
WALL PROTECTION LEGEND:	Congression 1			S1				L	
ESRP Extruded Semi-Rigid PVCu Panel	11 1 1						Remar	ks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic									
PVW Protective Vinyl Wallcovering		THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAM	F						
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel		200	-						
WVW Wetroom Vinyl Wallcovering	-	1 11 1		Constitution of the Consti	7				
FLOOR FINISHES LEGEND:	C1 C2 C3		1 = 2	ON THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF T	/ Comment				
CFS Concrete Floor Sealer	C4 C5 .	1		==		7/	F		
EFC Epoxy Floor Coating  PFC Polyurethane Floor Coating		] [2 L3 L4		KAN					
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L5 L6 L7 L8 L9						
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring				L10 L11		1/			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			TC1 TC2	V   "	u     u		
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		Standing Specialty			ŰC1	u []		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)	egory (mm) Height	Height Casework		TION/TRANSACTION				
FLOOR BASE LEGEND:	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)				•	ITILITY SINK AND COU	NTER UNIT		
FCB Flash Cove Base				STATIO	ON DESK				
RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS				1					
PLUMBING Hand	Seamless Utility /	Other Fixtures:	Evewash Station	MED / NON-MED GASES					Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower	Eyewash/Shower Station	(Quantity)	Medical Nitrous			Laboratory Labor	atory Compressed
		☐ Tub	Emergency Shower	Oxygen: Medical A	ir: Vacuum: Oxide:	CO2: AG	SSS: Nitrogen:	Air: Vacu	ium: Air:
Plumbing		☐ Ice Maker	Flush Rim Sink						
Remarks:		☐ Water Closet	☐ Floor Drain		<u> </u>		1		
		☐ Instantaneous	☐ Water Bottle Refill Station	Gas Remarks:					
		Hot Water							
			Other						
	· · · · · · · · · · · · · · · · · · ·								

Program 1. V1.08

Number(s): 2.

7.

8.

13.

14.

19.

20.

25.

26.

31.

32.

37.

38.

43.

44.

**Appendix 1B Minimum Room Requirements** 

Roo	m Name: Videoconference/Seminar F	Room - UBC	Numbe	r(s): 2. 3. 4. 5.	8. 14. 9. 15. 10. 16. 11. 17.	20. 21. 22. 23.	26. 27. 28. 29.	32. 33. 34. 35.	38. 39. 40. 41.	44. 45. 46. 47.
				6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTU	JRAL REQUIREMENTS									
	ILING Idaterial: GB Idaterial: ACT	Finish:         PT         Type:         Height:	Corner Guards Hand Rails Be	d Bumper / Locator	GLAZING  Interior Glazing	FLOORING TYPES Material: Base RSF RB		Coat Hooks U	Ceiling Lift	✓ Magnetic Whiteboard  Privacy Curtain
LEGEND:	ILING LEGEND:	DOORS						Door Remarks:		
AC ACT ACT ACT ACT ACT ACT ACT ACT ACT A	rchitectural Ceiling coustic Ceiling Tile eanroom puse-Resistant Gypsum Board ypsum Board npact-Resistant Gypsum Board tchen Lay-in Ceiling Tile oisture and Mould-Resistant Gypsum Board ecurity Acoustic Ceiling Tile	Types:  A A2 B  Type:Qty: Size (mm):  C 2 915 x 2135	B2 C C2 D D2  Material: Finish: Side Lt: Blinds:  Solid Core FRL	E E2 F  Door & Frame Privacy Protect.: Film:  1 Low Stor	F2 G H  Card Ma  Function: Reader: Loe  eroom	ck: Opener: Open:		essory 1: Accessory		Security Grille  Anti-barricade strategy  Closer:
HPC Hi	igh Performance Coating sint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	St	orage Requirements:				FINISHES	
ECC ER HPC HI PF PT PE WALL PROTECT FRL FII FRP FII PVW PT RHIS RII WSSP WWW WFLOOR FINISH CFS CF SEFC FRC FRC FRC FRC FRC FRC FRC FRC FRC F	HES LEGEND:  DOXY Ceiling Coating gigh Performance Coating refinished  STION LEGEND:  Struded Semi-Rigid PVCu Panel bore Reinforced Laminate boreglass Reinforced Plastic rotective Vinyl Wallcovering gid High Impact Sheet setwall Solid Surface Panel set tetwall Solid Surface Panel set Toom Vinyl Wallcovering  ES LEGEND: DONCRETE Floor Sealer DOXY Floor Coating Subber Athletic Flooring subber Athletic Flooring static-Dissipative Rubber Sheet Flooring atic-Dissipative Rubber Sheet Flooring static-Dissipative Vinyl Sheet Flooring steroom Safety Vinyl Sheet Flooring set Floor	FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	U1 U2 U3 U4 U5  L2 L3 L4 L5  Win. Length Adjustable Height Height  Motorized Adjustable Height	U6 U7 U8	C	ECEPTION/TRANSACTION OUNTER / CARE TEAM TATION DESK	UTILITY SINK AN	qqU	the UBC FoM De	
MECHANICA PLUMBING	AL REQUIREMENTS  Hand	Seamless Utility /	Other Fixtures:		MED / NON-MED GASES	•				
(Quantity)		Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower Eye	wash Station wash/Shower Station ergency Shower	(Quantity)	Medical Nit	rous kide: CO2:	AGSS: Ni	Laboratory itrogen: Air:	Utility Laboratory Compressed Vacuum: Air:
Plumbing Remarks:			☐ Water Closet ☐ Floo	h Rim Sink or Drain eer Bottle Refill Station	Gas Remarks:					

Program 1. V1.13

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 



# New Surrey Hospital & BC Cancer Centre

MINIMUM ROOM REQUIREMENTS

### W. Back Of House

		Number(s):	2.	8. 14.	20.	26.	32.	38.	44.
Room Name: Bin Wash Station			3.	9. 15.	21.	27.	33.	39.	45.
ROOM Name. Bill Wash Claush			4.	10. 16.	22.	28.	34.	40.	46.
			5.	11. 17.	23.	29.	35.	41.	47.
			6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS			·	·	·	·			
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM	ACCESSORIES		
	Finish: PT Type: WVW	Corner Guards Hand Rails Bed Burn	per / Locator	☐ Interior Glazing	Material: Base:		oat Hooks Ceiling Lift	Пм	agnetic Whiteboard
	Finish: PT Height: 2185 mm	✓ Crash Rails ☐ Chair Rail	p = 7 = = = = = = = = = = = = = = = = =	interior Glazing	WSVF FCB	M			ivacy Curtain
LEGEND:	DOORS	1	I			Do	oor Remarks:		
WALL AND CEILING LEGEND:									]
AC Architectural Ceiling	Types:	an a al al al al	1 MM (20)						Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom									☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board									strategy
GB Gypsum Board	A A2 B	B2 C C2 D D2 E	E2 F	F2 G H	H J				
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile		Integral Door	& Frame Privacy	Card	Mag Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	<u> </u>	otect.: Film:		1	linges: Accessor	y 1: Accessory 2: Acce	essory 3: Close	er:
SACT Security Acoustic Ceiling Tile									
WALL FINISHES LEGEND:									
EWC Epoxy Wall Coating HPC High Performance Coating	MILLIMORY AND CRECIALTY CASEMORY							· · · · · · · · · · · · · · · · · · ·	- <del></del>
PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	orage Requirements:				FINISHES	
CEILING FINISHES LEGEND:							Full-height Cabin	et:	
ECC Epoxy Ceiling Coating	177	U2 U3 U4 U					Upper Millwo	rk:	
HPC High Performance Coating PF Prefinished		US	J6 <sub>117</sub> 🗀				Counterto		
PT Paint			U8	SHELF			Lower Millwo		
WALL PROTECTION LEGEND.				7			She	elf:	
WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel				S1			Domo	arleo.	
FRL Fibre Reinforced Laminate							Rema	rks:	
FRP Fibreglass Reinforced Plastic	7								
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet		F-7							
WSSP Wetwall Solid Surface Panel			THE PARTY NAMED IN						
WVW Wetroom Vinyl Wallcovering				SECTION AND PROPERTY.	7/				
FLOOR FINISHES LEGEND:	C1			- 1	Consessed -		22-10-17(0)-11		
CFS Concrete Floor Sealer EFC Epoxy Floor Coating				///K		//	F		
PFC Polyurethane Floor Coating		L3 L4 L5		Zerri -	-	**************************************			
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		.7 L8 L9		-1/L 15				
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring				L10 L11 L12					
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized							
SDVF Static-Dissipative Vinyl Sheet Flooring  VSF Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Cate	Min. Length Adjustable Standing Spec	-	LOWER UNITS		- Ud	.1 ~ II		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)	egory (mm) Height Height Case	work		RECEPTION/TRANSACTION	_	_		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				COUNTER / CARE TEAM STATION DESK	UTILITY SINK AND C	OUNTER UNIT		
FCB Flash Cove Base					STATION DESK				
RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS				T					
PLUMBING Hand	Seamless Utility /	Other Fixtures: Evewash S	tation	MED / NON-MED GAS	SES				Utility
(Quartery)	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower Eyewash/S	Shower Station	(Quantity)	Medical Nitro				oratory Compressed
1		☐ Tub ☐ Emergenc		Oxygen: Me	edical Air: Vacuum: Oxio	le: CO2:	AGSS: Nitrogen:	Air: Va	cuum: Air:
Plumbing		☐ Ice Maker ☐ Flush Rim							
Remarks:		☐ Water Closet						l	
			tle Refill Station	Gas Remarks:					
		Hot Water							
		Other							

Program 1. W2.09

7.

13.

19.

25.

31.

37.

43.

WALL NOT CLINEN CLINEN  A MANUSCRIPT  A MANU	Appendix 1	B Minimum Room Requir	ements	Progra Number(		7. 13 8. 14		19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
MALLYON TO HEAD   1	Roo	m Name: Bulk Storage Room										
MALINO CHARGE   MALINO CHARG						11. 17			29.			
March Annoward   Miles   2 mode   1 m	ARCHITECTU	IRAL REQUIREMENTS								1 22	1	
March Annoward   Miles   2 mode   1 m	WALL AND CEI	LING	WALL PROTECTION			GLAZING	FLOO	ORING TYPES	ROOM A	ACCESSORIES		
Company   Comp			Finish: PT Type: RHIS		Bumper / Locator			Material: Base:	,	at Hooks 🗌 Ceiling Lif		
MAIL AND CENTROL (CENTROL)   Types	Celling IVI	iateriai: ACT		Crash Rails   Cridit Rail							ange rable	vacy curtain
A	LEGEND:		DOORS						Do	or Remarks:		7
And Auto-Content   And Auto-Co			Types:									Security Grille
Substitute Code   Fig.   Substitute Code   F	ACT Ac	coustic Ceiling Tile										D Authorities
Search Series   Search Serie								44				
Section   Control   Cont	GB Gy	ypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	H J					
MANUAL PROTECTION LESSON  THE PROTECTION FOR THE PR		**		Integral D	Door & Frame Privacy	Card	Mag Auto	Hold				
MALL PRINCES LEGENCE  CEL 2 1 2030 2125 Solid Core   Pit.   21 pits   21 pit			Гуре:Qty: Size (mm):			Function: Reader:	Lock: Opener	: Open: Hinges	s: Accessory	1: Accessory 2: Ac	cessory 3: Close	er:
FILLMEDIT CONTROL STATE OF THE PROPERTY OF THE			C2 1 1830 x 2135 Sol	id Core FRL	2 High Store	eroom		Cont. Swing (	Clear Astragal	Flush Bolt Elec	c. Strike Surface	
Signature   Security												
For Party Pa		-	MILLWORK AND SPECIALTY CASEWORK		C+	orago Poquiromento:					EINICHEC	
Section of the Process of the Proces					30	orage Requirements.				Full baight Cabi		
The Period of Section				02 112 -								
The professional services of the professional					116							
WALL PROTECTION LEGEND:  TOTAL PROTECTION LEGENDS  TOTAL PROTECTION LE						SHELF						
Service Service Plant Service Service Plant Service Service Plant Service Service Plant Service Service Plant Service Service Plant Service Service Plant Service Service Plant Service	РІ Ра	iint				<b>⊅</b> □				Sł	nelf:	
### APPROPRIATE CONTROL PROPERTY CONTROL						S1						
MECHANICAL REQUIREMENTS  FULHEIGHT CABINETS  Lagend:  Category 9 - High I (10% or Greater)  FULHEIGHT CABINETS  FULHEIGHT CABI		=				16-7				Rem	narks:	
with much there would will work with will work with will work with will work work with will work work with will work work with will work work with will work work with will work work with will work work with will work work with will work work with will work work with will work work with will work work with will work work with will work work with will work work with will work work with will work work with will work work work with will work work with will work work work with will work work work with will work work work with will work work work with will work work work with will work work work with will work work work with will work work work with will work work work with will work work work with will work work work with will work work work work work work with will work work work work work work work work			-									
With Wild Selection Find Find In Committee   Committee				E TOTAL E		i						
FLOOR FINSHES LIGEND:  US Centrel fold Tables  US Centrel fold Tables  US Centrel fold Tables  US Centrel fold Tables  US Centrel fold Tables  US Centrel fold Tables  US Centrel fold Tables  US Centrel fold Tables  US Centrel fold Tables  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  Legend:  Category 0 · None Category 1 · None Category 2 · None Category 1 · None Category 1 · None Category 1 · None Category 2 · None Category 2 · None Category 1 · None Category 2 · None Category 1 · None Category 2 · None Category 2 · None Category 1 · None Category 1 · None Category 1 · None Category 2 · None Category 2 · None Category 2 · None Category 1 · None Category 1 · None Category 2 · None Category 2 · None Category 2 · None Category 2 · None Category 1 · None Category 2 · None Category 2 · None Category 2 · None Category 1 · None Category 2 · None Category 2 · None Category 2 · None Category 2 · None Category 2 · None Category 2 · None Category 2 · None Category 2 · None Category 2 · None Category 2 · None Category 2 · None Category 2 · None Category 2 · None Ca			-	The second of th	taraparanapranapranapranapranapranaprana							
FIG. Lapsy Pot Casting PFC Polysorbane filter Casing PFC Polysorbane filter Casing PFC Polysorbane filter Casing PFC Polysorbane filter Casing PFC Polysorbane filter Casing PFC Polysorbane filter Casing PFC Polysorbane filter Casing PFC Polysorbane filter Casing PFC Polysorbane filter Casing PFC Polysorbane filter Casing PFC Polysorbane filter Casing PFC Polysorbane filter Casing PFC PFC Polysorbane filter Casing PFC PFC PFC PFC PFC PFC PFC PFC PFC PFC						On my	17	7				
ELC Category 2 - Mod (5% - 99)  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  FULL-HEIGHT CABINETS  Lagend:  FULL-HEIGHT CABINETS  Lagend:  FULL-HEIGHT CABINETS  Lagend:  FULL-HEIGHT CABINETS  Lagend:  FULL-HEIGHT CABINETS  Lagend:  FULL-HEIGHT CABINETS  Lagend:  FULL-HEIGHT CABINETS  Lagend:  Category 1 - None  Category 1 - None  Category 2 - Mod (5% - 9%)  Category 2 - Mod (5% - 9%)  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 4 - Mod (5% - 9%)  Category 5 - High (10% or Greater)  Category 5 - High (10% or Greater)  Category 6 - Min. Length  Motorized  Motorized  Category 1 - None  Category 1 - None  Category 2 - Mod (5% - 9%)  Category 2 - Mod (5% - 9%)  Category 2 - Mod (5% - 9%)  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 4 - Mod (5% - 9%)  Category 6 - Mod (5% - 9%)  Category 7 - Mod (5% - 9%)  Category 7 - Mod (5% - 9%)  Category 6 - Mod (5% - 9%)  Category 7 - Mod (5% - 9%)  Category 7 - Mod (5% - 9%)  Category 8 - Mod (5% - 9%)  Category 8 - Mod (5% - 9%)  Category 1 - Mod (5% - 9%)  Category 1 - Mod (5% - 9%)  Category 1 - Mod (5% - 9%)  Category 1 - Mod (5% - 9%)  Category 1 - Mod (5% - 9%)  Category 2 - Mod (5% - 9%)  Category 2 - Mod (5% - 9%)  Category 2 - Mod (5% - 9%)  Category 3 - High (10% or Greater)  WECHANICAL REQUIREMENTS  FULL HEIGHT CABINETS  Lagend:			C2 C3 C4				7		7			
MF Ruber Athletic Rooring MF Buber Athletic Rooring MF Buber Athletic Rooring MF Seamless Cushooded Hooring MF Soprior Station (Support Synthetic Rooring) MF Soprior Station (Support Synthetic Rooring MF Soprior Station (Support Synthetic Rooring) MF West Rooring MF Work West Roori				L2				4	1 4	1		
Signature Sheet Rooming   Signature Sheet Rooming   Signature Sheet Rooming   Signature Sheet Rooming   Signature Sheet Rooming   Signature Sheet Rooming   Signature Sheet Rooming   Signature Sheet Rooming   Signature Sheet Rooming   Signature Sheet Rooming   Signature Sheet Rooming   Signature Sheet Rooming   Signature Sheet Rooming   Signature Sheet Rooming   Signature Sheet Rooming   Signature Sheet Rooming   Signature Sheet Rooming   Sheet Rooming   Signature Sheet Rooming					.6 17 10		- /		7			
Soft Static-Disquired Notifice Statement Notifice Category 0 - None Static-Disquired Notifice Standing Specialty Work Work Work Of Static Charactery Notifice Category 1 - Low (13% - 4%) Category 1 - Low (13% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  FLOOR BASE LEGEND: CATEGORY 3 - High (10% or Greater)  FLOOR BASE LEGEND: Category 3 - High (10% or Greater)  MECHANICAL REQUIREMENTS  PLUMBING Hand (Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Witchen F Ru	ubber Sheet Flooring				L10 L11			1 /				
Soft Static Dissipative Yindy Sheet Flooring Vise Flooring Vision Vise Flooring Vision Vise Flooring Vision			Legend:	Marie Cod					V   "			
VSF Viryl Sheet Flooring VSF Viryl Sheet Floor	SDVF Sta	atic-Dissipative Vinyl Sheet Flooring			Specialty	L			υ <u>c</u>	1 U		
FLOOR BASE LEGEND: FCB Flash Cove Base RB Ribbre Base SCF Seamless Cushioned Flooring  MECHANICAL REQUIREMENTS  PLUMBING   Hand   Hyglene Sink: Lavatory: Kitchen Sink: Kitchen Sink: Kitchen Sink: Kitchen Sink: Scrub Sink: Floor Sink:   Shower   Evewash/Shower Station   Gas Remarks:   Hot Water				- ,		LOWER UNITS	RECEPTION/TI	RANSACTION				
FCB RB Rubber Rase SCF Seamless Cushioned Flooring  MECHANICAL REQUIREMENTS  PLUMBING (Quantity) Hand Hyglene Sink: Lavatory: Kitchen Sink: Seamless (Kitchen Sink: Scrub Sink: Scrub Sink: Scrub Sink: Floor Sink: Shower   Evewash Station   Evewash Station   Evewash Station   Evewash Station   Evewash Station   Evewash Station   Evewash Station   Evewash Station   Evewash Station   Evewash Station   Evewash Station   Evewash Station   Evewash Shower Station   Evewash Station									TILITY SINK AND CO	DUNTER UNIT		
MECHANICAL REQUIREMENTS  PLUMBING (Quantity) Hand Lavatory: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink: Shower   Eyewash/Shower Station   Gas Remarks:   Gas Remark							STATION DESI	`				
MECHANICAL REQUIREMENTS  PLUMBING (Quantity) Hand Hand Hygiene Sink: Lavatory: Kitchen Sink: Process Sink: Scrub Sink: Floor S												
PLUMBING Hand Seamless Utility / Other Fixtures: Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Station   Shower   Eyewash Shower Station   Shower   Eyewash Station	SCF Se	ramiess Cusnioned Flooring										
PLUMBING Hand Seamless Utility / Other Fixtures: Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Shower Station   Shower   Eyewash Station   Shower   Eyewash Shower Station   Shower   Eyewash Station	AAECU AAUCA	L DECLUDENCENTS										
Hygiene Sink: Lavatory: Kitchen Sink: Kitchen Sink: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink: Shower   Eyewash/Shower Station   Coz: AGSS: Nitrogen: Air: Vacuum: Oxide: CO2: AGSS: Nitrogen: Air: Vacuum: Oxygen: Medical Air	MECHANICA	L REQUIREMENTS										
Tub   Evewash/Shower Station   Shower   Evewash/Shower Station   Shower   Evewash/Shower Station   Oxygen: Medical Air: Vacuum: Oxide: CO2: AGSS: Nitrogen: Air: Vacuum: Air: Vacuum: Oxide: CO2: AGSS: Nitrogen: Air: Vacuum: A	PLUMBING		Seamless Utility /  k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:									Utility
Plumbing Remarks:    Dice Maker	(Quantity)	ABICHE SHIK. LAVALOLY. KILCHEH SHIII	N. RICHELLOHIK. TTOCESS SHIK. SCHOOLSHIK. THOU SHIK.			1 1			CO3.	ACCC: Nit		oratory Compressed
Remarks:  Water Closet Floor Drain Instantaneous Water Bottle Refill Station Hot Water						Oxygen:	iviedical Air:	- Onide.	CO2:	AUSS: Nitrogen:	7 Va	Air:
Water Closet Floor Drain  Instantaneous Water Bottle Refill Station  Hot Water	-											
☐ Instantaneous ☐ Water Bottle Refill Station Hot Water				_		Gas Remarks:						
Other Other					er Bottle Refill Station							
				Other [								

Appendix 1	B Minimum Room Require	ements		rogram 1. W2.06 nber(s): 2.	8. 1	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Roo	m Name: Clean Cart Staging			3. 4.		15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
					11. 1	17.	23.	29.	35.	41.	47.
				6.	12. 1	18.	24.	30.	36.	42.	48.
ARCHITECTU	JRAL REQUIREMENTS				I						
WALL AND CE		WALL PROTECTION	Corner Guards Hand Rails	Dad Dominar / Landar	GLAZING		OORING TYPES Material: Base:		ACCESSORIES		Magnetic Whiteboard
	Material: ARGB 1.2m AFF, GB above Material: ACT		Crash Rails Chair Rail	Bed Bumper / Locator	☐ Interior Glazing	g	WSVF FCB	_	oat Hooks U Ceiling Lif irror Infant Ch		Privacy Curtain
	ACT		Crush Nulls — Chuir Null				-		or Remarks:	ange rable =	- Invacy curtain
LEGEND:	ILING LEGEND:	DOORS							or Remarks.		
	rchitectural Ceiling	Types:	(a) (a) (a) (b) (b)								Security Grille
	coustic Ceiling Tile										☐ Anti-barricade
	leanroom buse-Resistant Gypsum Board					NNN-N	3/4/4				strategy
GB G	ypsum Board	A A2 B B	2 C C2 D D2	2 E E2 F	F2 G	Н	J				
	npact-Resistant Gypsum Board itchen Lay-in Ceiling Tile		Integra	ral Door & Frame Privacy	Card	d Mag Auto	o Hold				
MMRGB M	loisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): М	aterial: Finish: Side Lt: Blinds	•	Function: Reade	•	ner: Open: Hinge	es: Accessory	y 1: Accessory 2: Ac	cessory 3:	Closer:
SACT Se	ecurity Acoustic Ceiling Tile	C2 2 1830 x 2135 Hollo	ow Metal Paint	2 High Stor	eroom		Butt Hinge	Astragal		c. Strike Surfa	асе
WALL FINISHE											
	poxy Wall Coating igh Performance Coating	MILLWORK AND SPECIALTY CASEWORK		6.						FINISHES	
PT Pa	aint	WILE VOIN AND SI EGIAET I CASE VOIN	UPPER UNI	NITS ST	orage Requirements:					FINISHES	
CEILING FINIS	HES LEGEND:	U1		1 —					Full-height Cabi		
	poxy Ceiling Coating igh Performance Coating	7	U2 U3 U4 U5						Upper Millw Counter		
	refinished			U7 U8	SHELF				Lower Millw	· ·	
PT Pa	aint	-		77	***					nelf:	
WALL PROTEC	CTION LEGEND:				S1 S1						
	ktruded Semi-Rigid PVCu Panel								Rem	arks:	
	bre Reinforced Laminate breglass Reinforced Plastic		i I						Г		
PVW Pr	rotective Vinyl Wallcovering		F								
	igid High Impact Sheet /etwall Solid Surface Panel			7							
	/etroom Vinyl Wallcovering		, 11 1	On 100 100 100 100 100 100 100 100 100 10	THE PERSON NAMED OF THE PE	-					
FLOOR FINISH	ES LEGEND:	C1 C2 C3			~		-	25			
	oncrete Floor Sealer	C3 C4	12	EZZ				7/	F		
	poxy Floor Coating olyurethane Floor Coating		□ L3 L4	1	RAM			-/ TT			
	ubber Athletic Flooring	FULL-HEIGHT CABINETS		L6 L7 L8 L9				_]			
	ubber Sheet Flooring eamless Cushioned Flooring				L10 L11			7/			
	tatic-Dissipative Rubber Sheet Flooring	Legend:	Motorized	_		L12 *	TC1 TC2		"		
	tatic-Dissipative Vinyl Sheet Flooring	Category 0 - None	Min. Length Adjustable Standing	g Specialty	LOWER UNITS			UC	1 "		
	inyl Sheet Flooring /etroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category Category 2 - Med (5% - 9%)	(mm) Height Height	t Casework	LOWER UNITS		/TRANSACTION	_			
FLOOR BASE L	FGFND:	Category 3 - High (10% or Greater)				COUNTER / STATION DE		UTILITY SINK AND CO	DUNTER UNIT		
	ash Cove Base					STATIONEDE	LJK				
	ubber Base										
SCF Se	eamless Cushioned Flooring										
MECHANICA	AL REQUIREMENTS										
PLUMBING	Hand	Seamless Utility / : Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Evewash Station	MED / NON-MED	GASES					Utility
(Quantity)	ygierie Sirik. Lavatory. Kitchen Sirik	. KILCHEH SIIIK. PTOLESS SIIIK. SCIAD SIIIK. TIOOT SIIIK.		Eyewash/Shower Station	(Quantity)		Medical Nitrous Vacuum: Oxide:			Laboratory Air:	Laboratory Compressed
				Emergency Shower	Oxygen:	Medical Air:	vacaum. Oxide.	CO2:	AGSS: Nitrogen:	ΛII.	Vacuum. Air:
Plumbing				Flush Rim Sink							
Remarks:			☐ Water Closet ☐ FI	Floor Drain	Gas Remark	ve.	,	•			
				Water Bottle Refill Station	Gas Keilidiki						
			Hot Water Othe	er							
			Othe								

Appendix 1B Minimum Room Requirements	Program Number(s)				25. 31. 26. 32.	37. 43. 38. 44.	
Room Name: Equipment Disposal Holding Area		3. 9 4. 10			<ul><li>27.</li><li>28.</li><li>33.</li><li>34.</li></ul>	39. 45. 40. 46.	
		5. 11			29. 35.	41. 47.	
		6. 12	2. 18.	24.	30. 36.	42. 48.	3.
ARCHITECTURAL REQUIREMENTS				I			
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB above Ceiling Material: MMRGB  Finish: ECC  WALL PROTE  Type: Height:	RHIS Corner Guards Hand Rails Bed B		GLAZING  Interior Glazing	FLOORING TYPES  Material: Base:  WSVF FCB	ROOM ACCESSORIES  Coat Hooks Ceilin Mirror Infani	g Lift  Wagnetic N t Change Table  Privacy Cu	
LEGEND: DOORS					Door Remarks:		
WALL AND CEILING LEGEND:  Types:							Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile							
ACT-C Cleanroom ARGB Abuse-Resistant Gypsum Board							Anti-barricade strategy
GB Gypsum Board A A2 IRGB Impact-Resistant Gypsum Board	B B2 C C2 D D2	E E2 F	F2 G H	J			
KLCT Kitchen Lay-in Ceiling Tile		oor & Frame Privacy	Card Mag	Auto Hold			
MMRGB Moisture and Mould-Resistant Gypsum Board  SACT Security Acoustic Ceiling Tile	Size (IIIII). Waterial. Tillisti. Side Et.		direction.	Opener: Open: Hinges:		Accessory 3: Closer:	1
WALL FINISHES LEGEND:	1830 x 2135   Solid Core   FRL     2 H	High Storero	oom 🗸 🗌	☐ Butt Hinge	Astragal Flush Bolt	Surface	_
EWC Epoxy Wall Coating HPC High Performance Coating  MILLWORK AND SPECIALTY CASE	WORK						
PT Paint	UPPER UNITS	Stora	age Requirements:		Cull haisha	FINISHES	
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	U1 U2 U3 IIA				Full-height ( Upper N		
HPC High Performance Coating	U3 U4 U5	U6				ntertop:	
PF Prefinished PT Paint		U8 U8	SHELF		Lower N		
WALL PROTECTION LEGEND:			S1			Shelf:	
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate						Remarks:	
FRP Fibreglass Reinforced Plastic							
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet							
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering		-					
FLOOR FINISHES LEGEND:	<del></del>	+=-		1	2		
	4 C5 L1 L2 L3 L4 L5				7 [ ]		
	13 L4 L5 L6	17 18					
RSF Rubber Sheet Flooring	L6	L/ L8 L9 L	L10 L11		1/          1		
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring Legend:	Motorized			TC1 TC2		į.	
SDVF Static-Dissipative Vinyl Sheet Flooring  VSF Vinyl Sheet Flooring  Category 0 - None  Category 1 - Low (1% - 4%)	Min. Length Adjustable Standing Sp	pecialty	LOWER LINITS		UC1 U		
WSVF Wetroom Safety Vinyl Sheet Flooring Category 2 - Med (5% - 9%)	Category (mm) Height Height Ca	asework	RECEP	TION/TRANSACTION FER / CARE TEAM UT	FILITY SINK AND COUNTER UNIT		
FLOOR BASE LEGEND: Category 3 - High (10% or Greater)				ON DESK			
FCB Flash Cove Base RB Rubber Base							
SCF Seamless Cushioned Flooring							
AAFCUAAUCAL DEGUUDEAAFAITS							
MECHANICAL REQUIREMENTS			/				
PLUMBING Hand Seamless Utility / (Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink:	Other Fixtures: Evewas		MED / NON-MED GASES (Quantity)	Medical Nitrous		Laboratory Laboratory	Utility
	Snower Eyewas	sh/Shower Station ency Shower	Oxygen: Medical A		CO2: AGSS: Nitroge	Air. \/aa	Compressed Air:
Plumbing	☐ Ice Maker ☐ Flush R						
Remarks:	☐ Water Closet ☐ Floor D		Gas Pomarks:		1 I		
	☐ Instantaneous ☐ Water I	Bottle Refill Station	Gas Remarks:				
	Hot Water Other						

Appendix 1B Minimum Room Requiren	nents	Program Number(s):	1. W2.04 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Equipment Room - EVS			3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				11.	17.	23.	29.	35.	41.	47.
			6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS										
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES		OM ACCESSORIES		
		Corner Guards Hand Rails Bed Bur Crash Rails Chair Rail	nper / Locator	☐ Interior Glaz	zing	Material: Base: WSVF FCB		☐ Coat Hooks ☐ Ceilii ☐ Mirror ☐ Infar	_	✓ Magnetic Whiteboard  Privacy Curtain
		Crash Rails   Chair Rail				[11211 ]112		Door Remarks:	it Change Table L	
LEGEND: WALL AND CEILING LEGEND:	DOORS							Door Remarks.		
AC Architectural Ceiling	Types:	5) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A	7 66 67		722					Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom		커션 연방 (1 1 1 1 1 1 1								☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B2	C C2 D D2 I		F2 G						strategy
IRGB Impact-Resistant Gypsum Board	A A2 B B2		E E2 F		П ! М	A to Used				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Mat		& Frame Privacy rotect.: Film:		ard Mag ader: Lock: (	Auto Hold Opener: Open: <sub>Hing</sub>	res: Acce	essory 1: Accessory 2:	Accessory 3:	Closer:
SACT Security Acoustic Ceiling Tile	C2 1 1830 x 2135   Solid 0	eriai. Timon. Side Et.				<b>✓</b> Butt Hinge			Elec. Strike Surf	
WALL FINISHES LEGEND:										
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Ç <del>t</del>	orage Requirements:					FINISHES	
PT Paint		UPPER UNITS	31	orage nequirements.				Full-height		
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	UI	U2 U3 U4						Upper I		
HPC High Performance Coating			U6 II7 🗌					Соц	intertop:	
PF Prefinished PT Paint			U8	SHELF				Lower		
WALL PROTECTION LEGEND:				S1 L					Shelf:	
ESRP Extruded Semi-Rigid PVCu Panel				1]					Remarks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic				1						
PVW Protective Vinyl Wallcovering		- F	_ ! !							
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel			111	·						
WVW Wetroom Vinyl Wallcovering			- 7		1	7/				
FLOOR FINISHES LEGEND:	C1 C2 C3 C4			~ -	7	-		-		
CFS Concrete Floor Sealer EFC Epoxy Floor Coating		L2			K		/	F	•	
PFC Polyurethane Floor Coating					4		7			
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L7 L8 L9	L10 L11			471			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:				L12	TC1 TC2		n   [   [	8	
SDVF Static-Dissipative Vinyl Sheet Flooring		Motorized  Min. Length Adjustable Standing Spe	cialty				Į.	UC1		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category Category 2 - Med (5% - 9%)		ework	LOWER UNITS	RECEPT	TION/TRANSACTION				
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				COUNT STATIO	•	UTILITY SINK A	ND COUNTER UNIT		
FCB Flash Cove Base					JIAIIO	N DL3K				
RB Rubber Base SCF Seamless Cushioned Flooring										
Ç										
MECHANICAL REQUIREMENTS										
PILIMBING Hand	Seamless Utility /	Other Fixtures: Eyewash	Station	MED / NON-ME	FD GASES					
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Lyewasii.	Station 'Shower Station	(Quantity)		Medical Nitrous			Laboratory	Laboratory Compressed
1		Tub Emergence		Oxygen:	: Medical Air	r: Vacuum: Oxide:	CO2:	AGSS: Nitrog		Vacuum: Air:
Plumbing		☐ Ice Maker ☐ Flush Rim								
Remarks:		☐ Water Closet ✓ Floor Drai				1		<u> </u>		
			ttle Refill Station	Gas Rema	arKS:					
		Hot Water Other								
		outer								

Room Name: Mailroom - NSHC	С		3. 4.	9. 15. 10. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
			5.	11. 17.	23.	29.	35.	41.	47.
			6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS									
WALL AND CEILING	WALL PROT			GLAZING	FLOORING TYPES		CESSORIES		
Wall Material: GB	Finish: PT Type:		Rails	☐ Interior Glazing	Material: Base:  VSF FCB		Hooks Ceiling Lif		agnetic Whiteboard
Ceiling Material: ACT	Finish: PF Height:	Crash Rails Chair	Rail		V3F FCB	Mirro		ange Table	ivacy Curtain
LEGEND:	DOORS					Door	Remarks:		$\neg$
WALL AND CEILING LEGEND:	Types:								Security Grille
AC Architectural Ceiling  ACT Acoustic Ceiling Tile									
ACT-C Cleanroom	ISI IS								☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board									strategy
IRGB Impact-Resistant Gypsum Board	A A	2 B B2 C C2 D	D2 E E2 F	F2 G H	J				
KLCT Kitchen Lay-in Ceiling Tile			Integral Door & Frame Privacy	Card Mag	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Boa SACT Security Acoustic Ceiling Tile	Туре. Qty	: Size (mm): Material: Finish: Side	Lt: Blinds: Protect.: Film:	Function: Reader: Lock:	Opener: Open: Hing	ges: Accessory 1	: Accessory 2: Ac	cessory 3: Clos	er:
•	A 1	915 x 2135   Solid Core   FRL	] 2 High Sto	oreroom 🗸 🗌	☐ ■ Butt Hinge			Surface	
WALL FINISHES LEGEND:									
EWC Epoxy Wall Coating  HPC High Performance Coating	MILLWORK AND SPECIALTY CAS	SEWORK		St		]		FINICHTO	
PT Paint	WILLWORK AND SPECIALTY CAS	<b>✓</b>	UPPER UNITS	Storage Requirements:				FINISHES	
CEILING FINISHES LEGEND:		U1 □ <b> ✓</b>   □	] _				Full-height Cabi		
ECC Epoxy Ceiling Coating	-	7 J U2 U3 U4						ork: Plastic Laminate	2
HPC High Performance Coating PF Prefinished	-		U5 U6 U7 U8				Counter	top: Solid Surfacing	
PT Paint			7 7 7 7 8	SHELF			Lower Millw		2
WALL BROTESTION LEGEND				7 4			SI	nelf:	
WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel				S1			D		
FRL Fibre Reinforced Laminate	-						Ken	narks:	
FRP Fibreglass Reinforced Plastic	ray-rays								
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet		NO CONTRACTOR DESCRIPTION OF THE PROPERTY OF T	Francisco III	1					
WSSP Wetwall Solid Surface Panel									
WVW Wetroom Vinyl Wallcovering				The state of the s	7/				
FLOOR FINISHES LEGEND:	<u>C1</u>				- Comment	220			
CFS Concrete Floor Sealer		C4 C5 L1 L2 L3 L4			1	7	F		
EFC Epoxy Floor Coating  PFC Polyurethane Floor Coating				KAN-	-				
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L5 L6 L7 L8 L9						
RSF Rubber Sheet Flooring		_	L6 L7 L8 L9	L10 L11	1	7/			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Matariand		☐ ☐ L12	TC1 TC2	V   "			
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized Min. Length Adjustable	Standing Specialty			UC1	u [		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%)	Category (mm) Height	Height Casework	LOWER UNITS REC	EPTION/TRANSACTION				
	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater	3 13500			NTER / CARE TEAM	UTILITY SINK AND COU	INTER UNIT		
FLOOR BASE LEGEND:	Category 3 - mign (10% of Greater	,		STA	TION DESK				
FCB Flash Cove Base  RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS	1								
`	Seamless Utility /	Other Firture		MED / NON MED CACE					
PLUMBING Hand (Quantity) Hygiene Sink: Lavatory: Kito	Seamless Utility / chen Sink: Kitchen Sink: Process Sink: Scrub Sink:	Other Fixtures: Floor Sink:	Evewash Station	MED / NON-MED GASES	Medical Nitrous			Laboratori Lab	Utility
(Quantity) Hygiene Sink: Lavatory: Kitc		☐ Shower	Eyewash/Shower Station	(Quantity)		CO2. A	GCC: Nitrogon		oratory Compressed
		Tub	Emergency Shower	Oxygen: Medica	AII. Tabbaili Skide.	CO2: A	GSS: Nitrogen:	7	Air:
Plumbing		☐ Ice Maker	Flush Rim Sink						
Remarks:		☐ Water Closet	Floor Drain	Gas Remarks:				<u> </u>	
		☐ Instantaneous	☐ Water Bottle Refill Station	Gas Kemarks:					
		Hot Water							
			Other						

7. 8.

13.

14.

19.

20.

Program 1. W3.06

Number(s): 2.

25. 26. 31.

32.

37.

38.

43.

44.

**Appendix 1B Minimum Room Requirements** 

Room Name:   Manifold Room - Centralized   3.   9.   15.   21.   27.   33.   38.   45.	y Grille rricade
S.   11.   17.   23.   28.   35.   41.   47.	y Grille rricade
WALL AND CEILING  Wall Material:   ARGB 1.2m AFF, GB above   Finish:   Type:   ESRP   Height   23155 mm   Crash Rails   Bed Bumper / Locator   Interior Glazing   FLORING TYPES   Material:   Base:   Material:   Base	y Grille rricade
WALL AND CEILING   Wall Material:   ARGB 1.2m AFF, GB above   Finish:   PT   Fi	y Grille rricade
Wall Material: ACT   Type:   ESRP   Type:     Type:     ESRP   Type:     Type:     ESRP   Type:     Type:     Type:     Type:     Type:     Type:     Type:     Type:     Type:     Type:     Type:	y Grille rricade
WALL AND CEILING LEGEND:  AC Architectural Celling ACT Accounts Celling Tile ACT Colarmoon ARGB Abuse Resistant Gynum Board IRGB Impact-Resistant Gynum Board IRGC Very Celling Tile ACT Scurity Colar Color Tile ACT Scurity Color T	rricade
AC Architectural Ceiling ACT Acoustic Ceiling Tile ACT Acoustic Ceiling Tile ACT Acoustic Ceiling Tile ACT Acoustic Ceiling Tile ANGIB Abuse Alesstant Gypsum Board GB Gypsum Board GB Gypsum Board KLCT Kichen Layin Ceiling Tile MMKBB Moisture and Mould-Resistant Gypsum Board MMKBB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile MMKBB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile MMKBB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile MMKBB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile MMKBB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile MILLWORK AND SPECIALTY CASEWORK   MILLWORK AND SPECIALTY CA	rricade
ACT Acoustic Celling Tile ACT-C Clearmoom AA A2 B B B2 C C C2 D D2 E E2 F F2 G H J J J J J J J J J J J J J J J J J J J	rricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board IRGB Impact-Resistant Gypsum Board Integral Door & Frame Privacy Integral Do	
GB Gypsum Board IRGB Impact-Resistant Gypsum Board IRGC Impact-Resistant Gypsum Board IRCT Kthen Lay-in Celling Tile MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Celling Tile  WALL FINISHES LEGEND:  EWC Epoxy Wall Coating HPC High Performance Coating PF Prefinished HPC High Performance Coating PF Prefinished FT Paint  A A B B B2 C C C2 D D D2 E E E2 F F2 G H Integral Door & Frame Privacy Integral	
KILCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile  WALL FINISHES LEGEND:  EWC Epoxy Wall Coating HPC High Performance Coating FP Prefinished HPC High Performance Coating FP Prefinished FP Prefinished FP Prefinished FP Prefinished FP Paint  WILLWORK AND SPECIALTY CASEWORK  WILLWORK AND SPECIALTY CASEWORK  Integral Door & Frame Privacy Card Mag Auto Hold Lock: Opener: Open: Hinges: Accessory 1: Accessory 2: Accessory 3: Closer:  A 1 1065 x 2135 Solid Core FRL     2 High   Storeroom	
SACT Security Acoustic Ceiling Tile  WALL FINISHES LEGEND:  EWC Epoxy Wall Coating HPC High Performance Coating PT Paint  CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PF Prefinished PF Paint  COuntertop: PF Prefinished PF Paint  FINISHES  FUNICION:  Waterial: Finish: Side Lt. Stock of the st	
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating HPC High Performance Coating PT Paint  CEILING FINISHES LEGEND:  ECC Epoxy Celling Coating HPC High Performance Coating PF Prefinished PF Prefinished PT Paint  Countertop: PF Prefinished PF Prefinished PF Prefinisher PF PREFINITE PF PREFIN	
HPC High Performance Coating PT Paint  CEILING FINISHES LEGEND: ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  FINISHES  FUII-height Cabinet: Upper Millwork:	]
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  UPPER UNITS  Full-height Cabinet: Upper Millwork: Countertop: Full-height Cabinet: Upper Millwork: Countertop: Lower Millwork:	7
ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  COUNTERTOR:  U2 U3 U4 U5 U6 U7 U8 SHELF  Upper Millwork: Countertop: Lower Millwork: Upper Millwork: Countertop: Lower Millwork:	1
HPC High Performance Coating  PF Prefinished  PT Paint  Countertop:  Lower Millwork:	1
PF Pretinished PT Paint Lower Millwork:	]
WALL PROTECTION LEGEND:	
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate  Remarks:	
Refer to Schedule 1, Section 6.11 (Divisi	ision
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering	
FLOOR FINISHES LEGEND:  C1 C2 C3	
CFS Concrete Floor Sealer  FFC Fromy Floor Coating	
RSF Rubber Sheet Flooring	
Sur Seamles Uninoned Flooring  TC1  TC2  TC1  TC2	
Surve static-Dissipative vinity insert rooting	
WSVF Wetroom Safety Vinyl Sheet Flooring Category 2 - Med (5% - 9%)  Category 2 - Med (5% - 9%)  Category 2 - Med (5% - 9%)  Category 2 - Med (5% - 9%)  Category 2 - Med (5% - 9%)	
FLOOR BASE LEGEND: Category 3 - High (10% or Greater) STATION DESK	
FCB Flash Cove Base  RB Rubber Base	
SCF Seamless Cushioned Flooring	
AFCUANICAL DECLUDEATAIT	=
MECHANICAL REQUIREMENTS	
	tility
Snower Station Vacuum: Ovido:	pressed Air:
Plumbing   lice Maker   Flush Rim Sink   Flush Rim Sink	
Remarks: Floor Drain	
Instantaneous Water Bottle Refill Station Gas Refilars:	
Hot Water Other	,

Appendix 1B Minimum Room Requirem	nents	Program Number(s):	1. W2.07 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Soiled Cart Staging			3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				11.	17.	23.	29.	35.	41.	47.
			6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS									,	
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES		M ACCESSORIES		1
		ner Guards	mper / Locator	☐ Interior Glaz	zing	Material: Base: WSVF FCB		Coat Hooks Ceiling Mirror Infant (		Magnetic Whiteboard Privacy Curtain
		n Raiis				[11011]		Door Remarks:		Privacy Curtain
LEGEND: WALL AND CEILING LEGEND:	DOORS							DOOL REITIALKS.		
AC Architectural Ceiling	Types:		7 7 7		722					Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom										☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B2	C C2 D D2	E E2 F	F2 G						strategy
IRGB Impact-Resistant Gypsum Board	A A2 0 02		* & Frame Privacy		ard Mag	Auto Hold				
KLCT Kitchen Lay-in Ceiling Tile MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Materia	מ יוני ו	rotect.: Film:		0	Auto Hold Opener: Open: <sub>Hing</sub>	es: Acces	ssory 1: Accessory 2:	Accessory 3: C	Closer:
SACT Security Acoustic Ceiling Tile	C2 2 1830 x 2135 Hollow Me		gh Store		<b>✓</b>	<b>✓</b> Butt Hinge			Elec. Strike Surfac	
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating										
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK		Sto	orage Requirements:					FINISHES	
CEILING FINISHES LEGEND:	U1	UPPER UNITS						Full-height Ca	abinet:	
ECC Epoxy Ceiling Coating	77777	U2 U3 <u>U4</u>						Upper Mil		
HPC High Performance Coating PF Prefinished		U5	U6 U7 U8	SHELF				Count Lower Mil	tertop:	
PT Paint			77	ta 🗆				Lower Will	Shelf:	
WALL PROTECTION LEGEND:				S1						
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate	-			1				R	emarks:	
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering										
RHIS Rigid High Impact Sheet				i						
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering			-		-					
FLOOR FINISHES LEGEND:	C1 C2 C2		= 2	ON THE PERSONNELS	- Congresson	1	257			
CFS Concrete Floor Sealer	_ C C4	-		== ///			7	F		
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 L4 L5 L6		Seri	4		-/   1			
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L7 L8 L9	110		1 - 15	4 / 1			
SCF Seamless Cushioned Flooring				L10 L11	L12	TC1 TC3	$V \parallel$			
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None Mir	Motorized n. Length Adjustable Standing Spe	cialty				Ų	UC1		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category		ework	LOWER UNITS	RECEPT	TION/TRANSACTION				
FLOOR BASE LEGEND:	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)				COUNT STATIO	, -	UTILITY SINK AN	D COUNTER UNIT		
FCB Flash Cove Base					SIAIIO	N DESK				
RB Rubber Base  SCF Seamless Cushioned Flooring										
· ·										
MECHANICAL REQUIREMENTS										
PILIMBING Hand	Seamless Utility / Oth	ner Fixtures: Evewash	Station	MED / NON-ME	ED GASES					11190
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: I	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		/Shower Station	(Quantity)		Medical Nitrous			A * ·	Laboratory Compressed
1		Tub Emergen	cy Shower	Oxygen:	: Medical Air	r: Vacuum: Oxide:	CO2:	AGSS: Nitroger	n: Air:	Vacuum: Air:
Plumbing Remarks:		Ice Maker Flush Rim								
neilidiks.		Water Closet Floor Dra		Gas Rema	arks:					
		Instantaneous Water Bo	ttle Refill Station							
		Other								
				1						

• •	•		Number(s):	2.	8. 14.	20.	26.	32.	38.	44.
				3.	9. 15.	21.	27.	33.	39.	45.
Room N	Name: Staging Area				10. 16.		28.	34.	40.	46.
					11. 17.	23.	29.	35.	41.	47.
					12. 18.		30.	36.	42.	48.
				0.	10.	24.	30.	50.	42.	40.
ARCHITECTURA	AL REQUIREMENTS									
WALL AND CEILIN	NG.	WALL PROTECTION			GLAZING	FLOORING TYP	FS R	OOM ACCESSORIES		
	erial: MMRGB	Finish: PT Type: ESRP	✓ Corner Guards ☐ Hand Rails ☐ Bed Bu			Material: I		Coat Hooks Ceiling	Lift 🗸 N	lagnetic Whiteboard
Ceiling Mate		Finish: PF Height: 2185 mm	✓ Crash Rails ☐ Chair Rail	inper / Locator	☐ Interior Glazing	RSF	FCB			rivacy Curtain
	, ter		_ crasi nais					Door Remarks:		- Ivacy curtain
LEGEND:		DOORS						Door Remarks:		
WALL AND CEILIN		Types:								Security Grille
	ectural Ceiling tic Ceiling Tile				24 P 4					
ACT-C Cleanre		KI KIZI KI								☐ Anti-barricade
	-Resistant Gypsum Board									strategy
	m Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	Н ј				
· · · · · · · · · · · · · · · · · · ·	t-Resistant Gypsum Board n Lay-in Ceiling Tile		Integral Doo	r & Frame Privacy	Card	Mag Auto Hold				
MMRGB Moistu	ure and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	9			•	Hinges: Ac	cessory 1: Accessory 2:	Accessory 3: Clos	er:
SACT Securit	ty Acoustic Ceiling Tile	A2 2 1830 x 2135		Storer					lec. Strike Surface	
WALL FINISHES LE	EGEND:	7.tz   2   2656 X 2255					zoner ownig orea.			
	Wall Coating									
HPC High Po	erformance Coating	MILLWORK AND SPECIALTY CASEWORK		Stor	rage Requirements:				FINISHES	
			UPPER UNITS					Full-height Ca	hinet.	
CEILING FINISHES	-	6 17 17	U1					Upper Mil		
	Ceiling Coating erformance Coating		US U4 U5	U6				Count		
PF Prefinis			7	U7 U8	SHELF			Lower Mil		
PT Paint		Angeressa.	- T	7	-				Shelf:	
WALL PROTECTIO	ON LEGEND:				S1				Jileii.	
	led Semi-Rigid PVCu Panel				J1			R	emarks:	
FRL Fibre R	Reinforced Laminate							IV	illarks.	
	lass Reinforced Plastic	7		1 1 1						
	tive Vinyl Wallcovering High Impact Sheet		Property Property							
	all Solid Surface Panel		1	1						
WVW Wetro	om Vinyl Wallcovering			-	tatatata	7/	_			
FLOOR FINISHES L	LEGEND:	C1 C2 C3			~ ~	STREET, STREET	/			
	ete Floor Sealer						7			
	Floor Coating		L3		- KAN	-	Constant of the Constant of th			
· ·	ethane Floor Coating or Athletic Flooring	FULL-HEIGHT CABINETS		L7 18 1-		_ //				
	r Sheet Flooring			L7 L8 L9	L10 L11					
	ess Cushioned Flooring	11					Y	U   U		
	Dissipative Rubber Sheet Flooring Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized	et di			TC2	UC1		
VSF Vinyl S	Sheet Flooring	Category 1 - Low (1% - 4%) Cate	•	cialty ework	LOWER UNITS	DECEDERAL PRODUCTION		2.443		
WSVF Wetro	om Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	, , .,			RECEPTION/TRANSACTION COUNTER / CARE TEAM		AND COUNTER UNIT		
FLOOR BASE LEGE	END:	Category 3 - High (10% or Greater)				STATION DESK	O TILLT I SHITK	AND COOKIEK OILL		
FCB Flash C	Cove Base									
RB Rubber										
SCF Seamle	ess Cushioned Flooring									
<u>MECHANICAL I</u>	REQUIREMENTS				1					
	and	Seamless Utility /	Other Fixtures:	Station	MED / NON-MED GA	ASES				r tailta.
(Quantity) Hygie	ene Sink: Lavatory: Kitchen Sin	k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		/Shower Station	(Quantity)	Medical	Nitrous		Laboratory Lab	Utility poratory Compressed
	1		☐ Tub ☐ Emergen			Medical Air: Vacuum:	Oxide: CO2:	AGSS: Nitroger	A**	acuum: Air:
Plumbing	1	1 1								
Remarks:			Ice Maker Flush Rin							
			Water Closet Floor Dra		Gas Remarks:					
				ttle Refill Station						
			Hot Water Other							
			Other							

Program 1. W1.02

7.

13.

19.

25.

31.

37.

43.

		Number(s):	2.	8. 14.	20.	26.	32. 38.	. 44.	
Room Name: Storage - Biohazard Waste			3.	9. 15.	21.	27.	33. 39.	. 45.	
Room Name: Storage - Bioriazard Waste			4. 1	.0. 16.	22.	28.	34. 40.	. 46.	
			5. 1	.1. 17.	23.	29.	35. 41.	. 47.	
			6. 1	.2. 18.	24.	30.	36. 42.	48.	
ARCHITECTURAL REQUIREMENTS									
·	WALL PROTECTION			CLAZING	FLOODING TYPES	DOOM A	CCCCODICC		
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB above F	WALL PROTECTION  Finish: PT Type: FSRP	✓ Corner Guards ☐ Hand Rails ☐ Bed Burn		GLAZING	FLOORING TYPES  Material: Base:		CCESSORIES t Hooks	✓ Magnetic Wh	hitabaard
	Finish:         PT         Type:         ESRP           Finish:         PF         Height:         2185 mm	Crash Rails Chair Rail	per / Locator	☐ Interior Glazing	EFC FCB	Coa	_		
							r Remarks:	·	
LEGEND: WALL AND CEILING LEGEND:	DOORS								
AC Architectural Ceiling	Types:	99 F						☐ Sec	ecurity Grille
ACT Acoustic Ceiling Tile									
ACT-C Cleanroom									nti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B	B2 C C2 D D2 E	E2 F	F2 G H				Stra	rategy
IRGB Impact-Resistant Gypsum Board					•				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board			& Frame Privacy	Card Ma					
SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Waterial. Tillish. Side Et.		Function: Reader: Loc			1: Accessory 2: Accessory		
	A2 1 1830 x 2135	Hollow Metal Paint	Storer	oom 🗸	Cont. Swin	g Clear Astragal	Flush Bolt Elec. Strike	e Surface	
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating									
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Ci -	Dec de contra			1 _	INICUES	
PT Paint	WILLIAM STEGAETT CASEWORK	UPPER UNITS	Stor	rage Requirements:			_	INISHES	
CEILING FINISHES LEGEND:		U1					Full-height Cabinet:		
ECC Epoxy Ceiling Coating	1717						Upper Millwork:		
HPC High Performance Coating PF Prefinished	-	U5	J6 U7 U8	CHELE			Countertop:		
PT Paint				SHELF			Lower Millwork:		
				7			Shelf:		
WALL PROTECTION LEGEND:				S1					
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate	Sergeran			1			Remarks:		
FRP Fibreglass Reinforced Plastic									
PVW Protective Vinyl Wallcovering	-	English State of the State of t							
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel		1 1000000000000000000000000000000000000	. 1						
WVW Wetroom Vinyl Wallcovering	-			to representation of the second					
FLOOR FINISHES LEGEND:	C1 C2 C3	<del></del>		on the state of th	-				
CFS Concrete Floor Sealer	☐ ☐ C4 C5 1.	-				7/			
EFC Epoxy Floor Coating		1 13		- KMM =					
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		7 10						
RSF Rubber Sheet Flooring	1 11 2 11 2 11 11 11		.7 L8 L9	L10 L11	7	7 / 11			
SCF Seamless Cushioned Flooring	Lancado			L12	TC1 TC2				
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized	:-IE.		τα   τα	UC1	U U		
VSF Vinyl Sheet Flooring	4 1 (40) 40()	Min. Length Adjustable Standing Spec gory (mm) Height Height Case	ialty work	LOWER UNITS	CEDTION /TDANSACTION		5.M25		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)				CEPTION/TRANSACTION DUNTER / CARE TEAM	UTILITY SINK AND CO	UNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				ATION DESK				
FCB Flash Cove Base									
RB Rubber Base  SCF Seamless Cushioned Flooring									
Scanness Custilioned Flooring									
AAFGUANIGAL DEGUIDES AFSTER									
MECHANICAL REQUIREMENTS				I					
	Seamless Utility /	Other Fixtures: Evewash S	tation	MED / NON-MED GASES					Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: K	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower Eyewash/S		(Quantity)	Medical Nitrous			oratory Laboratory (	Compressed
1		☐ Tub ☐ Emergence		Oxygen: Medic	cal Air: Vacuum: Oxide:	CO2:	AGSS: Nitrogen:	Air: Vacuum:	Air:
Plumbing		☐ Ice Maker ☐ Flush Rim							
Remarks:									
		☐ Water Closet ☐ Floor Drain		Gas Remarks:					
			tle Refill Station						
		Hot Water Other							

Program 1. W2.08

7.

13.

19.

25.

31.

37.

43.

			Number(s): 2.	8. 14. 9. 15.	20. 26. 21. 27.	32. 38. 33. 39.	44. 45.
R	oom Name: Storage - Bulk Paper/Cle	eaning Chemicals	4.	10.	22. 28.	34. 40.	46.
			5.	11. 17.	23. 29.	35. 41.	47.
			6.	12. 18.	24. 30.	36. 42.	48.
ARCHITEC	TURAL REQUIREMENTS						
WALL AND	CEILING	WALL PROTECTION		GLAZING	FLOORING TYPES	ROOM ACCESSORIES	
	Material: ARGB 1.2m AFF, GB above		☐ Hand Rails ☐ Bed Bumper / Locator	☐ Interior Glazing	Material: Base:  EFC FCB	Coat Hooks Ceiling Lift	✓ Magnetic Whiteboard
Ceiling	Material: ACT	Finish: PF Height: 2185 mm Crash Rails	Chair Rail		EFC FCB	☐ Mirror ☐ Infant Change Tal	ble Privacy Curtain
LEGEND:		DOORS				Door Remarks:	
	CEILING LEGEND:	Types:					☐ Security Grille
AC ACT	Architectural Ceiling Acoustic Ceiling Tile			71 MN MH MH			·
ACT-C	Cleanroom						Anti-barricade
ARGB GB	Abuse-Resistant Gypsum Board Gypsum Board	A A2 B B2 C C	2 D D2 E E2 F	F2 G H	J		strategy
IRGB KLCT	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		Integral Door & Frame Privacy	Card Mag	Auto Hold		
MMRGB	Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Material: Finis	0	•	Opener: Open: Hinges:	Accessory 1: Accessory 2: Accessory	3: Closer:
SACT	Security Acoustic Ceiling Tile	C2 1 1830 x 2135   Solid Core   FRL		Storeroom 🕡	Cont. Swing Clear	Astragal Flush Bolt Elec. Strike	
WALL FINIS	HES LEGEND:						
EWC HPC	Epoxy Wall Coating High Performance Coating	MILLWORK AND SPECIALTY CASEWORK					
PT	Paint		UPPER UNITS	Storage Requirements:			NISHES
CEILING FIN	ISHES LEGEND:	U1 U2				Full-height Cabinet:	
ECC HPC	Epoxy Ceiling Coating High Performance Coating	The state of the s	U3 U4 U5 U6 U7			Upper Millwork:Countertop:	
PF	Prefinished		U7 U5			Lower Millwork:	
PT	Paint			- <del>!</del> a		Shelf:	
WALL PROT	ECTION LEGEND:			51			
ESRP	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate	Segment II II				Remarks:	
FRL FRP	Fibreglass Reinforced Plastic						
PVW RHIS	Protective Vinyl Wallcovering Rigid High Impact Sheet	30 000000000000000000000000000000000000	Francis	i			
WSSP	Wetwall Solid Surface Panel		To SEED CONTRACTOR OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED				
WVW	Wetroom Vinyl Wallcovering			CAS STREET, ST	7/		
	SHES LEGEND:	C1 C2 C3 C4 C5 14					
CFS EFC	Concrete Floor Sealer Epoxy Floor Coating					L F-1	
PFC	Polyurethane Floor Coating		L4 L5 L6 L7				
RAF RSF	Rubber Athletic Flooring Rubber Sheet Flooring	FULL-HEIGHT CABINETS		110			
SCF	Seamless Cushioned Flooring			L10 L11 L12	TC1 TC2		
SDRF SDVF	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring		Notorized		П ТС2	UC1	
VSF	Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm)	djustable Standing Specialty Height Height Casework	LOWER UNITS	EPTION/TRANSACTION		
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)				SINK AND COUNTER UNIT	
FLOOR BAS		Category 5 - High (10% of Greater)		STAT	TION DESK		
RB	Flash Cove Base Rubber Base						
SCF	Seamless Cushioned Flooring						
MECHANIC	CAL REQUIREMENTS						
PLUMBING	Hand	Seamless Utility / Other Fixtures:	Evewash Station	MED / NON-MED GASES			Utility
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sin	nk: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:  Shower	Eyewash/Shower Station	(Quantity)	Medical Nitrous	_	oratory Laboratory Compressed
		Tub	☐ Emergency Shower	Oxygen: Medical	Air: Vacuum: Oxide: Co	O2: AGSS: Nitrogen: A	Air: Vacuum: Air:
Plumbing		☐ Ice Maker	☐ Flush Rim Sink				
Remarks:		☐ Water Clos	et	Con Demandar	1 1	1	
		☐ Instantane		Gas Remarks:			
		Hot Water		7			
			- Carici	_			

Program 1. W2.03

13.

19.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

25.

			Number(s): 2.	8. 14. 9. 15.	20. 26. 21. 27.	32. 38. 33. 39.	44. 45.
R	oom Name: Storage - Equipment/Par	rts/Supplies	3.	9. 15. 10. 16.	22. 28.	33. 39. 40.	46.
			5.	11. 17.	23. 29.	35. 41.	47.
			6.	12. 18.	24. 30.	36. 42.	48.
ARCHITEC	TURAL REQUIREMENTS						
WALL AND	CEILING	WALL PROTECTION		GLAZING	FLOORING TYPES	ROOM ACCESSORIES	
	Material: ARGB 1.2m AFF, GB above		Hand Rails  Bed Bumper / Locator	☐ Interior Glazing	Material: Base:		Magnetic Whiteboard
Ceiling	Material: ACT	Finish: PF Height: 2185 mm  Crash Rails	Chair Rail		RSF FCB	☐ Mirror ☐ Infant Change Table	Privacy Curtain
LEGEND:		DOORS				Door Remarks:	
	CEILING LEGEND:	Types:					Security Grille
AC ACT	Architectural Ceiling Acoustic Ceiling Tile						
ACT-C ARGB	Cleanroom Abuse-Resistant Gypsum Board			A IN A BN INNN	NN44		Anti-barricade strategy
GB	Gypsum Board	A A2 B B2 C C2	D D2 E E2 F	F2 G H	J		Strategy
IRGB KLCT	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		Integral Door & Frame Privacy	Card Mag	Auto Hold		
MMRGB	Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Material: Finish:	Side Lt: Blinds: Protect.: Film:		Opener: Open: Hinges:	Accessory 1: Accessory 2: Accessory 3:	Closer:
SACT	Security Acoustic Ceiling Tile	C2 1 1830 x 2135 Solid Core FRL		oreroom 🗸 🗀			rface
	HES LEGEND:						
EWC HPC	Epoxy Wall Coating High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Channel Benedictor and a		FINICUE	
PT	Paint		UPPER UNITS	Storage Requirements:		FINISHES	
	ISHES LEGEND:	U1 U2 U2				Full-height Cabinet:  Upper Millwork:	
ECC HPC	Epoxy Ceiling Coating High Performance Coating		U5 IIC -			Countertop:	
PF PT	Prefinished Paint		U7 U8	SHELF		Lower Millwork:	
						Shelf:	
	ECTION LEGEND:			S1			
ESRP FRL	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate					Remarks:	
FRP PVW	Fibreglass Reinforced Plastic Protective Vinyl Wallcovering						
RHIS	Rigid High Impact Sheet	100		i			
WSSP WVW	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering		00 00 00 7				
	SHES LEGEND:	cı cz		On the state of th	1		
CFS	Concrete Floor Sealer	C3 C4					
EFC	Epoxy Floor Coating	L3	L4 I5				
PFC RAF	Polyurethane Floor Coating Rubber Athletic Flooring	FULL-HEIGHT CABINETS					
RSF SCF	Rubber Sheet Flooring Seamless Cushioned Flooring			L10 L11 L12			
SDRF	Static-Dissipative Rubber Sheet Flooring	Legend: Mc	torized		TC1 TC2		
SDVF VSF	Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring	Category 0 - None Min. Length Adj	ustable Standing Specialty	LOWER UNITS		UC1 U	
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm) H	eight Height Casework	RECEP	PTION/TRANSACTION ITER / CARE TEAM UTILITY SI	NK AND COUNTER UNIT	
FLOOR BAS	E LEGEND:	Category 3 - High (10% or Greater)			ON DESK	NK AND COOKIEK ONT	
FCB RB	Flash Cove Base Rubber Base						
SCF	Seamless Cushioned Flooring						
MECHANIC	CAL REQUIREMENTS						
PLUMBING	Hand	Seamless Utility / Other Fixtures:	Eyewash Station	MED / NON-MED GASES			
(Quantity)		nk: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:  Shower	Eyewash/Shower Station	(Quantity)	Medical Nitrous	Laboratory	Compressed
		□ Tub	Emergency Shower	Oxygen: Medical A	Air: Vacuum: Oxide: CC	2: AGSS: Nitrogen: Air:	Vacuum: Air:
Plumbing		☐ Ice Maker	Flush Rim Sink				
Remarks:		☐ Water Close	☐ Floor Drain	Cas Damerica	1 1	, <u>I</u>	
		☐ Instantaneou		Gas Remarks:			
		Hot Water	Other				
				'			

Program 1. W4.07

13.

19.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

25.

Appendix 1B Minimum Room R	equirements	Program Number(s):	1. W1.06 2.	7. 13 8. 14		25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Storage - Gas Cy	inders - Centralized		3.	9. 15 10. 16	5. 21.	27. 28.	33. 34.	39. 40.	45. 46.
			5.	11. 17	7. 23.	29.	35.	41.	47.
			6.	12. 18	3. 24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS				T					
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB all Ceiling Material: ACT	WALL PROTECTION  Dove Finish: PT Type: ESRP Corr Finish: PF Height: 2185 mm ✓ Cras	er Guards	mper / Locator	GLAZING  Interior Glazing	FLOORIN Mate	G TYPES rial: Base: FCB	ROOM ACCESSORIES  Coat Hooks  Mirror	Ceiling Lift	Magnetic Whiteboard Privacy Curtain
LEGEND:	DOORS						Door Remarks:		
WALL AND CEILING LEGEND:	Types:								
AC Architectural Ceiling ACT Acoustic Ceiling Tile ACT-C Cleanroom ARGB Abuse-Resistant Gypsum Board	Types.								Security Grille  Anti-barricade strategy
GB Gypsum Board IRGB Impact-Resistant Gypsum Board	A A2 B B2	C C2 D D2	E E2 F	F2 G	H 1				
KLCT Kitchen Lay-in Ceiling Tile		·	r & Frame Privacy	Card	Mag Auto Ho				
MMRGB Moisture and Mould-Resistant Gypsum Boa SACT Security Acoustic Ceiling Tile	Type.Qty. Size (IIIII). Iwiaterial	. I IIIISII. SIGC Et.	rotect.: Film:	Function: Reader	: Lock: Opener: Op		· · · · · · · · · · · · · · · · · · ·	ory 2: Accessory 3:	Closer:
WALL FINISHES LEGEND:	A2 1 1830 x 2135 Hollow Me			reroom 🗸		Cont. Swing Clear	Astragal Flush Bol		rface
EWC Epoxy Wall Coating	A 2 1065 x 2135 Solid Core	FRL 2 Hi	gn Sto	reroom		Butt Hinge		Sur	rface
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	S	torage Requirements:				FINISHES	
CEILING FINISHES LEGEND:	U1						Full-h	neight Cabinet:	
ECC Epoxy Ceiling Coating	77777	U2 U3 U4 L					Ui	pper Millwork:	
HPC High Performance Coating PF Prefinished		U5	U6 U7 U8	SHELF				Countertop:	
PT Paint			7	SHELF			Lo	ower Millwork: Shelf:	
WALL PROTECTION LEGEND:				S1				Sheit:	
ESRP Extruded Semi-Rigid PVCu Panel								Remarks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic								Refer to Schedu	ule 1, Section 6.11 (Division
PVW Protective Vinyl Wallcovering	-	-						11) for Medical	
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel		100							
WVW Wetroom Vinyl Wallcovering			-	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAM					
FLOOR FINISHES LEGEND:	C1 C2 C3 C4	<del></del>	-7	~ ~	Consumer of the last of the la				
CFS Concrete Floor Sealer		-		1/1/k		/		=7	
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 L4 L5		- Zekk		Constitution of the last			
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L7 L8 L9			15		11	
SCF Seamless Cushioned Flooring				L10 L11	L12 TC1	$\Rightarrow \vee$			
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None Mir	Motorized				□ TC2	UC1	l u	
VSF Vinyl Sheet Flooring	0.1	•	cialty ework	LOWER UNITS	RECEPTION/TRANS	ACTION			
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)				COUNTER / CARE T		SINK AND COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				STATION DESK				
FCB Flash Cove Base RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS									
PLUMBING Hand	Seamless Utility / Oth	er Fixtures: Evewash	Station	MED / NON-MED G	SASES				
(Quantity) Hygiene Sink: Lavatory: Kito	chen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	_	/Shower Station	(Quantity)	Medica			Laboratory	
		Tub Emergen		Oxygen:	Medical Air: Vacuur	n: Oxide: (	CO2: AGSS: I	Nitrogen: Air:	Vacuum: Air:
Plumbing		Ice Maker Flush Rim							
Remarks:		Water Closet	in	C					
			ottle Refill Station	Gas Remarks:					
		Hot Water Other							
		Other							

Appendix 1B Min	nimum Room Requirem	ents			Program Number(s):	1. W1.04 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name	Storage - Hazardous Chemica	al				3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
						5.	11.	17.	23.	29.	35.	41.	47.
						6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL R	REQUIREMENTS						1						
WALL AND CEILING	120212 155 02 1		WALL PROTECTION		🗆		GLAZING		FLOORING TYPES Material: Base:		OM ACCESSORIES		¬
Wall Material: Ceiling Material:	_	inish: PF	Type: RHIS Height: 2185 mm	Crash Rails Hand R	ails 🗌 Bed Bu ail	mper / Locator	☐ Interior Gla	azing	EFC FCB		□ Coat Hooks  □ Ceilii     □ Mirror  □ Infar	_	☐ Magnetic Whiteboard ☐ Privacy Curtain
LEGEND:	1.0	DOORS	Height. 2103 mm								Door Remarks:		
WALL AND CEILING LEG	GEND:	Types:											
AC Architectural	=	Types.	M M M				V MV M						Security Grille
ACT Acoustic Ceilir ACT-C Cleanroom	ling tile				LNAT								☐ Anti-barricade
ARGB Abuse-Resista GB Gypsum Board	tant Gypsum Board Ird		A A2 B	B2 C C2 D	D2	E E2 F	F2 G	H					strategy
IRGB Impact-Resist KLCT Kitchen Lay-in	stant Gypsum Board					r & Frame Privacy		Card Mag	Auto Hold				
MMRGB Moisture and	d Mould-Resistant Gypsum Board		Гуре:Qty: Size (mm):	Material: Finish: Side L		rotect.: Film:				nges: Acc	essory 1: Accessory 2:	Accessory 3:	Closer:
	ustic Ceiling Tile		A 1 1065 x 2135 H			Sto	preroom	<b>✓</b>	Cont. Sw			Surfa	
WALL FINISHES LEGENI  EWC Epoxy Wall Co													
HPC High Performa		MILLWORK AND SPE	CIALTY CASEWORK	_		:	Storage Requirements	:				FINISHES	
CEILING FINISHES LEGE	END:			U1	PPER UNITS						Full-height	Cabinet:	
ECC Epoxy Ceiling		(my	17:77	U2 U3 U4							Upper I	Millwork:	
HPC High Performa PF Prefinished	nance Coating	Sugar and	THE PARTY		U5	U6 U7 U8	SHELF					untertop:	
PT Paint		-			7	77	SHELF				Lower	Millwork: Shelf:	
WALL PROTECTION LEG	GEND:	- sycamor			1 .l. K		S1 S1					Sileii.	
	mi-Rigid PVCu Panel	Sagarana I										Remarks:	
FRL Fibre Reinford FRP Fibreglass Rei	rced Laminate einforced Plastic	-			1								
PVW Protective Vin RHIS Rigid High Imp	inyl Wallcovering		100	CONTRACTOR OF STREET	France	- 1	i						
WSSP Wetwall Solid	d Surface Panel	-			CONTRACTOR OF THE PARTY OF THE	Taraca and the same of the sam	1						
	nyl Wallcovering			"	-		ON THE PERSONS NAMED IN COLUMN	1 7	76				
FLOOR FINISHES LEGEN  CFS Concrete Floo		C1 C2	C3 C4 C5 11		-								
EFC Epoxy Floor Co	Coating			13			4	K	4	_/ 4	£ 7/	f l	
PFC Polyurethane RAF Rubber Athlet	e Floor Coating etic Flooring	FULL-HEIGHT CABII			L5 L6	L7 18		4		7		1	
RSF Rubber Sheet	et Flooring				L6	L/ L8 L9	L10 L11	1		$\neg$ $\nearrow$ $\mid$		1	
	shioned Flooring ative Rubber Sheet Flooring	Legend:		Motorized				L12 M	TC1 TC2		"   L	ls	
SDVF Static-Dissipat VSF Vinyl Sheet Flo	ative Vinyl Sheet Flooring	Category 0 - None	40()	Min. Length Adjustable		ecialty	LOWER UNITS				UC1 U		
,	fety Vinyl Sheet Flooring	Category 1 - Low (1% Category 2 - Med (5%	, , , , , , , , , , , , , , , , , , , ,	, , , , , ,		sework	LOWER OILIS		ION/TRANSACTION ER / CARE TEAM	LITH ITV SINK A	ND COUNTER UNIT		
FLOOR BASE LEGEND:		Category 3 - High (10	% or Greater)					STATIO	=	OTILITY SHAK A	ND COOKIEK ONLY		
FCB Flash Cove Ba RB Rubber Base													
	shioned Flooring												
MECHANICAL REQ	QUIREMENTS												
PLUMBING Hand		Seamless Utility /		Other Fixtures:	☐ Eyewash	Station	MED / NON-M	1ED GASES					Utility
	iink: Lavatory: Kitchen Sink: K	itchen Sink: Process Sink:	Scrub Sink: Floor Sink:	Shower		/Shower Station	(Quantity)		Medical Nitrou			A.*.	Laboratory Compressed
1				☐ Tub	Emergen		Oxyger	n: Medical Air	Vacuum: Oxide	: CO2:	AGSS: Nitrog	gen: Air:	Vacuum: Air:
Plumbing Remarks:				Ice Maker	Flush Rin								
nemarks.				Water Closet	Floor Dra		Gas Ren	narks:					
				Instantaneous Hot Water	☐ Water Bo	ottle Refill Station							
				not water	Other								

Appendix 1B Minimum Room Requirem	nents	Program Number(s):	1. W5.04 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Storage - IMIT - CC			3.	9. 10.	15.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
			4. 5.	11.	16. 17.	23.	29.	35.	41.	47.
			6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS										
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES	RO	OM ACCESSORIES		
	Finish: PT Type: RHIS	_	mper / Locator	☐ Interior Gla	zing	Material: Base:  VSF FCB	_   [	Coat Hooks Ceilir		Magnetic Whiteboard
	Finish: PF Height: 2185 mm Crash F	Rails Lair Rail				100			nt Change Table	Privacy Curtain
LEGEND: WALL AND CEILING LEGEND:	DOORS							Door Remarks:		
AC Architectural Ceiling	Types:		7 NO 2		708					Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom										☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A2 B B2	C C2 D D2		F2 G						strategy
IRGB Impact-Resistant Gypsum Board	A A2 B B2	2 2 2	E E2 F		TI NA	A to the life				
KLCT Kitchen Lay-in Ceiling Tile MMRGB Moisture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm): Material:	•	r & Frame Privacy rotect.: Film:		Card Mag eader: Lock: (	Auto Hold Opener: Open: Hin	res: Acc	essory 1: Accessory 2:	Accessory 3:	Closer:
SACT Security Acoustic Ceiling Tile	C2 1 1830 x 2135   Solid Core	FRL 2 Hi	gh Store		<b>✓</b>	Cont. Swir			Surfa	
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating										
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		St	orage Requirements:					FINISHES	
PT Paint  CEILING FINISHES LEGEND:	U1 U1	UPPER UNITS						Full-height	Cabinet: Plastic Lami	inate
ECC Epoxy Ceiling Coating	U2	!						Upper N	Millwork: Plastic Lam	inate
HPC High Performance Coating PF Prefinished		U5	U6 U7 U8	SHELF					untertop: Solid Surfac	
PT Paint			77	**************************************				Lower N	Millwork: Plastic Lami	inate
WALL PROTECTION LEGEND:				S1					5.1c	
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate		K		1					Remarks:	
FRP Fibreglass Reinforced Plastic										
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	90 200	Emmy		1						
WSSP Wetwall Solid Surface Panel	- 11	50	-							
WVW Wetroom Vinyl Wallcovering			= 17	on an analysis	=====	7				
FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer	C1 C2 C3 C4 C5 L1 L2						7	/	5-	
EFC Epoxy Floor Coating		L3 14		- 1	1==	-	_/ 4		<i>[</i>	
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L3 L4 L5 L6	L7 L8 19		1					
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring				L10 L11			7/			
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized	_		L12 M	TC1 TC2	V		is	
SDVF Static-Dissipative Vinyl Sheet Flooring  VSF Vinyl Sheet Flooring	Category 0 - None Min. L  Category 1 - Low (1% - 4%) Category (m	ength Adjustable Standing Spe	cialty	LOWER UNITS				UC1 U		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	,	ework	2011211011110		ION/TRANSACTION ER / CARE TEAM	LITILITY SINK A	.ND COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)	000			STATIO	=	O TILLIT OR SINGLE	and cooling and only		
FCB Flash Cove Base RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS										
PLUMBING Hand	Seamless Utility/ Other	Fixtures: Eyewash	Station	MED / NON-M	ED GASES					Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: I			Shower Station	(Quantity)		Medical Nitrous	_		A*.	Laboratory Compressed
				Oxygen	: Medical Air	: Vacuum: Oxide:	CO2:	AGSS: Nitrog	en: Air:	vacuum: Air:
Plumbing Remarks:		ce Maker								
nemans.		Water Closet Floor Dra		Gas Rem	arks:					
			ttle Refill Station							
		Hot Water Other								

•				Number(s):	2.	8.	14.	20.	26.	32.	38.	44.
Oters as I set sed Ferrel					3.	9.	15.	21.	27.	33.	39.	45.
Room Name: Storage - Lost-and-Found					4.	10.	16.	22.	28.	34.	40.	46.
					5.	11.	17.	23.	29.	35.	41.	47.
					6.	12.	18.	24.	30.	36.	42.	48.
					0.	12.	10.	24.	30.	30.	42.	40.
ARCHITECTURAL REQUIREMENTS												
WALL AND CEILING		WALL PROTECTION				GLAZING		FLOORING TYPES	RO	OOM ACCESSORIES		
	Finish: PT	Type: RHIS	✓ Corner Guards ☐ Hand Rails	Red Bur	nner / Locator			Material: Base:		Coat Hooks Cei	ing Lift	Magnetic Whiteboard
	Finish: PF		Crash Rails Chair Rail		ilper / Locator	☐ Interior Glaz	zing	VSF FCB				Privacy Curtain
Cennig Waterial. ACT		Height: 2185 mm	Crasii Naiis — Criaii Naii								int change rable	
LEGEND:	DOORS									Door Remarks:		
WALL AND CEILING LEGEND:	Туре	s:										☐ Security Grille
AC Architectural Ceiling												Security of the
ACT Acoustic Ceiling Tile ACT-C Cleanroom												☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board												strategy
GB Gypsum Board		A A2 B	B2 C C2 D	D2	E E2 F	F2 G	н	J				
IRGB Impact-Resistant Gypsum Board  KLCT Kitchen Lay-in Ceiling Tile				Integral Door	& Frame Privacy	C	ard Mag	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board		Гуре:Qty: Size (mm):	Material: Finish: Side Lt:	•	rotect.: Film:		•	Opener: Open: Hin	πος· Λ <i>ι</i>	cessory 1: Accessory 2	Vccessory 3:	Closer:
SACT Security Acoustic Ceiling Tile						Tarretion:				cessory 1. Accessory 2.		
WALL FINISHES LEGEND:		A 1 915 x 2135	Solid Core FRL	2 Hig	gn Stor	reroom [		Cont. Swir	ig Clear		Suri	ace
EWC Epoxy Wall Coating												
HPC High Performance Coating	MILLWORK AND SE	PECIALTY CASEWORK			C	taraga Daguiramantsı					FINISHES	
PT Paint	0.000.000.000		UPPI	ER UNITS	3	torage Requirements:						
CEILING FINISHES LEGEND:			U1							Full-heigh	t Cabinet:	
ECC Epoxy Ceiling Coating	( and a second	- 1/1/17	U2 U3 U4							Upper	Millwork:	
HPC High Performance Coating	Sangarana.	X-X-V	17 17 17	U5	U6 <sub>117</sub> $\square$					Co	ountertop:	
PF Prefinished PT Paint					U8	SHELF				Lower	Millwork:	
	7					<b>□</b>					Shelf:	
WALL PROTECTION LEGEND:	CHEST COLUMN			ılı Fr		S1						
ESRP Extruded Semi-Rigid PVCu Panel	Segmenter			-11		V					Remarks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic	-											
PVW Protective Vinyl Wallcovering		-		-	1 1	1 8						
RHIS Rigid High Impact Sheet	2000000		1		1	1						
WSSP Wetwall Solid Surface Panel	THE PERSON NAMED IN	-		Con Con	The state of the s	1						
WVW Wetroom Vinyl Wallcovering				-	20	On the party of the last of th	1 7	76				
FLOOR FINISHES LEGEND:	C1 C			mino.	-		7	-		-		
CFS Concrete Floor Sealer			12				K_			/	2	
EFC Epoxy Floor Coating  PFC Polyurethane Floor Coating			☐ L3 L4	L5		SKK	4	F-2-22		The same of the sa	1	
RAF Rubber Athletic Flooring	FULL-HEIGHT CAB	SINETS			L7 L8 L9		-	1 1 1				
RSF Rubber Sheet Flooring			ı		L7 L8 L9	L10 L11			7/			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:						L12	TC1 TC2	$\nu$	"   L	U	
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		Motorized Min. Length Adjustable St	anding Spe	cialty					UC1		
VSF Vinyl Sheet Flooring	Category 1 - Low (1	% - <b>4%)</b> Cate			ework	LOWER UNITS	DECENT	TION/TRANSACTION				
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5	5% - 9%)	, ,					ER / CARE TEAM	UTILITY SINK A	AND COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (1	.0% or Greater)						N DESK				
FCB Flash Cove Base												
RB Rubber Base												
SCF Seamless Cushioned Flooring												
MECHANICAL REQUIREMENTS												
PLUMBING Hand	Seamless Utility /		Other Fixtures:	☐ Evewash	Station	MED / NON-ME	ED GASES					
	Kitchen Sink: Process Sink:	Scrub Sink: Floor Sink:			Shower Station	(Quantity)		Medical Nitrous			Laboratory	Utility Laboratory Compressed
						Oxygen:	: Medical Ai		CO2:	AGSS: Nitro	A * ·	Vacuum: Compressed  Air:
Di saktar	<u> </u>		i <u>—</u>	Emergen		O.A.Berri	calcul All		332.	1,1000	0	All.
Plumbing Remarks:				Flush Rim								
Nemarks.				☐ Floor Dra		Gas Rema	arks:					
			Instantaneous	☐ Water Bo	ttle Refill Station	Gas kema	airs:					
			Hot Water		1							
				Other								
			1			1	1					l I

Program 1. W2.02

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Room Name: Vestibule - Loading Dock			3.	9. 15.	21.	27.	33.	39.	45. 46.
				10. 16. 11. 17.	22. 23.	28. 29.	34. 35.	40. 41.	46.
				12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS				1			1		
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM	ACCESSORIES		
Wall Material: MMRGB	Finish: PT Type: RHIS	✓ Corner Guards ☐ Hand Ra	ails 🗌 Bed Bumper / Locator	☐ Interior Glazing	Material: Base:		oat Hooks 🗌 Ceiling	Lift	Magnetic Whiteboard
Ceiling Material: ACT	Finish: PF Height: 2185 mm	Crash Rails Chair Ra	ail		EFC FCB		1irror 🗌 Infant	Change Table	Privacy Curtain
LEGEND:	DOORS			1			oor Remarks:		
WALL AND CEILING LEGEND:	Types:						ovide interior high-spe hedule 1.	ed service doors; refe	r to Security Grille
AC Architectural Ceiling  ACT Acoustic Ceiling Tile			[[]] [] [] [] [] [] [] [] [] [] [] [] []			30	nedule 1.		Jecurity Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom					6577				☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board									strategy
GB Gypsum Board IRGB Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D	D2 E E2 F	F2 G H	J				
KLCT Kitchen Lay-in Ceiling Tile			Integral Door & Frame Privacy	Card Mag	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side L	t: Blinds: Protect.: Film:	Tanction.	Opener: Open: Hinge		·	•	loser:
WALL FINISHES LEGEND:	C2 1 1830 x 2135	Hollow Metal Paint	Store	eroom 🗸 🗌	Cont. Swing	Clear Astragal	Flush Bolt	Surfac	ce
EWC Epoxy Wall Coating									
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		<u> </u>	orage Requirements:				FINISHES	
PT Paint	,		PPER UNITS	orage requirements.			Full-height C		
CEILING FINISHES LEGEND:	4 1/ 1/	U2					Upper Mi		
ECC Epoxy Ceiling Coating HPC High Performance Coating		U3 U4	U5 U6 U7					tertop:	
PF Prefinished			U7 U8	SHELF			Lower Mi		
PT Paint				†a □				Shelf:	
WALL PROTECTION LEGEND:	-			S1					
ESRP Extruded Semi-Rigid PVCu Panel		The same of the sa					F	Remarks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic									
PVW Protective Vinyl Wallcovering			Francis						
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel			1						
WVW Wetroom Vinyl Wallcovering	-	1 11 11		TRACE OF THE PARTY					
FLOOR FINISHES LEGEND:	<u>cı</u>	1	===	ON THE PERSONNELSE AND PERSONN	/ Comment				
CFS Concrete Floor Sealer	C4 C5					7/	F		
EFC Epoxy Floor Coating  PFC Polyurethane Floor Coating		]		RM		/ =			
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L5						
RSF Rubber Sheet Flooring		_		L10 L11		1/			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Matarizad		L12	TC1 TC2	V   "			
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized Min. Length Adjustable	Standing Specialty				<u>c1</u>		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring		gory (mm) Height	Height Casework	LOWER UNITS RECEI	TION/TRANSACTION				
	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)				, •	ITILITY SINK AND C	OUNTER UNIT		
FLOOR BASE LEGEND:  FCB Flash Cove Base	(1222)			STATI	ON DESK				
RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS				T					
PLUMBING Hand	Seamless Utility /	Other Fixtures:	Evewash Station	MED / NON-MED GASES					Utility
(33)	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower	Eyewash/Shower Station	(Quantity)	Medical Nitrous			A * ·	Laboratory Compressed
1 1		☐ Tub	Emergency Shower	Oxygen: Medical A	<sub>vir:</sub> Vacuum: Oxide:	CO2:	AGSS: Nitroge	n: Air:	Vacuum: Air:
Plumbing		✓ Ice Maker	Flush Rim Sink						
Remarks:		☐ Water Closet	☐ Floor Drain				I		
		✓ Instantaneous	☐ Water Bottle Refill Station	Gas Remarks:					
		Hot Water							
			Other						

Program 1. W1.01

Number(s): 2.

7.

8.

13.

14.

19.

20.

25.

26.

31.

32.

37.

38.

43.

44.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B Minimum Ro	om Requirements	Program Number(s):	1. W5.01 2.	7. 13. 8. 14.	19. 20.	25. 31. 26. 32.	37. 38.	43. 44.
Room Name: Workroom	- Configuration Lab - FH		3.	9. 15. 10. 16.	21. 22.	27. 33. 28. 34.	39. 40.	45. 46.
				11. 17. 12. 18.	23. 24.	29. 35. 30. 36.	41. 42.	47. 48.
ARCHITECTURAL REQUIREM	ENTS	L						
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES  Material: Base:	ROOM ACCESSO		
Wall Material: ARGB 1.2m Al Ceiling Material: ACT	F, GB above Finish: PT Type: FRP Corr Finish: PF Height: 2185 mm Cras	ner Guards	nper / Locator	☐ Interior Glazing	EFC RB	Coat Hooks  Mirror	<ul><li>☐ Ceiling Lift</li><li>☐ Infant Change Table</li></ul>	✓ Magnetic Whiteboard ☐ Privacy Curtain
LEGEND:	DOORS		,			Door Remark	(S:	
WALL AND CEILING LEGEND:	Types:							Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile								
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board	NAMANA				1. NN/4/4			Anti-barricade strategy
GB Gypsum Board	A A2 B B2	C C2 D D2 I	E2 F	F2 G H	J			Strategy
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile		Integral Door	& Frame Privacy	Card Ma	g Auto Hold			
MMRGB Moisture and Mould-Resistant G	ypsum Board	21: 1 2	otect.: Film:		k: Opener: Open: Hinges	s: Accessory 1: Acc	cessory 2: Accessory 3:	Closer:
SACT Security Acoustic Ceiling Tile	C2 1 2440 x 2135 Solid Core		th Store		■ Butt Hinge			Surface
WALL FINISHES LEGEND:								
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK							
PT Paint	WILLWORK AND STECRET CASEWORK	UPPER UNITS	Sto	rage Requirements:			FINISHE	.5
CEILING FINISHES LEGEND:	U1					F	Full-height Cabinet:	
ECC Epoxy Ceiling Coating HPC High Performance Coating	7 177	U4	U6				Upper Millwork: Countertop:	
PF Prefinished		7 7 7	U7 U8	SHELF			Lower Millwork:	
PT Paint	Enganesa		77	ta 🗆			Shelf:	
WALL PROTECTION LEGEND:				S1				
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate	Sugarana III	V					Remarks:	
FRP Fibreglass Reinforced Plastic								
PVW Protective Vinyl Wallcovering	10 10 10 10 10 10 10 10 10 10 10 10 10 1	Transport Property						
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel			1					
WVW Wetroom Vinyl Wallcovering			-	CO CONTRACTOR OF THE PERSON NAMED IN CON	7/			
FLOOR FINISHES LEGEND:	C1 C2 C3 C4				-			
CFS Concrete Floor Sealer EFC Epoxy Floor Coating						16		
PFC Polyurethane Floor Coating		L3 L4 L5 L6			-			
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L7 L8 L9	110				
SCF Seamless Cushioned Flooring				L10 L11 L12	TC1 TC2			
SDRF Static-Dissipative Rubber Sheet F SDVF Static-Dissipative Vinyl Sheet Flo	Catagoria C. None	Motorized  n. Length Adjustable Standing Spe	aialt.		ΓC1   TC2	UC1		
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category	- ,	cialty ework	LOWER UNITS	CEPTION/TRANSACTION		1,24,3	
WSVF Wetroom Safety Vinyl Sheet Floo	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)			CO	OUNTER / CARE TEAM U	TILITY SINK AND COUNTER U	INIT	
FLOOR BASE LEGEND: FCB Flash Cove Base	Category 3 - Tight (10% of dreater)			ST	ATION DESK			
RB Rubber Base								
SCF Seamless Cushioned Flooring								
MECHANICAL REQUIREMENT	TS			_				
PLUMBING Hand	Seamless Utility / Oth	ner Fixtures:	Station	MED / NON-MED GASES				Utility
(Quantity) Hygiene Sink: Lavatory	: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Shower Station	(Quantity)	Medical Nitrous		Laboratory	y Laboratory Compressed
		Tub Emergence		Oxygen: Medic	cal Air: Vacuum: Oxide:	CO2: AGSS:	Nitrogen: Air:	Vacuum: Air:
Plumbing		Ice Maker	Sink					
Remarks:		Water Closet Floor Dra	in	Gas Bamarks	1	1		
		Instantaneous Water Bo	ttle Refill Station	Gas Remarks:				
		Hot Water Other						
		Other						

Appendix 1B Minimum Room Requireme	ents	Program	1. W4.09	7. 13.		25.	31.	37.	43.
		Number(s):	2. 3.	8. 14. 9. 15.	20.	26. 27.	32. 33.	38. 39.	44. 45.
Room Name: Workroom - FMO			4.	10.		28.	34.	40.	46.
		_	5.	11. 17.	23.	29.	35.	41.	47.
			6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS									
WALL AND CEILING	WALL PROTECTION	_		GLAZING	FLOORING TYPE		M ACCESSORIES	_	
	1,760 1	d Rails Bed B	umper / Locator	✓ Interior Glazing	Material: Ba		Coat Hooks Ceiling L		agnetic Whiteboard
Ceiling Material: ACT Fir	ish: PF Height: 2185 mm Crash Rails 🗹 Chai	r Rail			NJF N	Ь	Mirror Infant Cl	nange Table	vacy Curtain
LEGEND:	DOORS						Door Remarks:		٦
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:								Security Grille
ACT Acoustic Ceiling Tile									☐ Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board									strategy
GB Gypsum Board IRGB Impact-Resistant Gypsum Board	A A2 B B2 C C2	D D2	E E2 F	F2 G	H J				
KLCT Kitchen Lay-in Ceiling Tile		•	or & Frame Privacy	Card	Mag Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile		ic 2t.	Protect.: Film:	Function: Reader:			ssory 1: Accessory 2: A		r:
WALL FINISHES LEGEND:	B 1 915 x 2135 Solid Core FRL [	2 F	ligh S	Storeroom 🗸	□ □ Bu	itt Hinge		Surface	
EWC Epoxy Wall Coating									
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS		Storage Requirements: Refe	er to Schedule 1 for Digital Devi	ice Locker requirements.		FINISHES	
CEILING FINISHES LEGEND:	U1							binet: Plastic Laminate	
ECC Epoxy Ceiling Coating	U2 U3	J4 U5		٦				work: Plastic Laminate	
HPC High Performance Coating PF Prefinished			U6 U7 U8					ertop: Hardwood work: Plastic Laminate	
PT Paint			77	72				Shelf:	
WALL PROTECTION LEGEND:		al al K		S1					
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate							Re	marks:	
FRP Fibreglass Reinforced Plastic		ii						Refer to Schedule 1, Se	
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	10 100000000000000000000000000000000000	Francis		1				12) for Specialty Casew are diagrammatic, prov	
WSSP Wetwall Solid Surface Panel		Sen Con	-	1				casework appropriate	for the specific and
WVW Wetroom Vinyl Wallcovering			1-17	CO ON CONTRACTOR OF THE PERSON	1	7		specialized functions to the space and to accon	
FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer	C1 C2 C3 C4 C5 L1 L2	-					/	Refer to Appendix 1A,	Section 2.23.4 W4.
EFC Epoxy Floor Coating		1		- MM-				FMO/AM for reception	requirements
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 19						
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring				L10 L11		/ 7/ 1			
SDRF Static-Dissipative Rubber Sheet Flooring	Legend: Motorized	i				TC2	.   .		
SDVF Static-Dissipative Vinyl Sheet Flooring  VSF Vinyl Sheet Flooring	Category 0 - None Min. Length Adjustable Category 1 - Low (1% - 4%) Category (mm) Height		ecialty	LOWER UNITS		•	UC1 U		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	Height Ca	sework		RECEPTION/TRANSACTION COUNTER / CARE TEAM		D COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater) 2 4200		✓		STATION DESK	2.1.2.1.2.1.1.1.1.1.1			
FCB Flash Cove Base RB Rubber Base									
SCF Seamless Cushioned Flooring									
							l		
MECHANICAL REQUIREMENTS				ı					
the control of the co	eamless Utility/ Other Fixtures:	☐ Evewas	h Station	MED / NON-MED GA	ASES				Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Kit	chen Sink: Process Sink: Scrub Sink: Floor Sink: Shower	☐ Eyewas	h/Shower Station	(Quantity)	.,	Nitrous		A*-	oratory Compressed
	Tub	Emerge	ncy Shower	Oxygen:	Medical Air: Vacuum:	Oxide: CO2:	AGSS: Nitrogen:	Air: Va	cuum: Air:
Plumbing Remarks:	☐ Ice Maker	Flush Ri							
	Water Closet	☐ Floor Di		Gas Remarks:					
	☐ Instantaneous Hot Water	□ Water E	Bottle Refill Station	_					
	not water	Other		_					

Appendix	x 1B Minimum Room Requireme	nts		Program Number(s):	1. W4.02	7.	13.	19.	25.	3:		37.	43.	
	Room Name: Workshop - Carpentry			vuiliber(s).	2. 3.	8. 9.	14. 15.	20. 21.	26. 27.	3:		38. 39.	44. 45.	
·	workshop - Carpentry					10. 11.	16. 17.	22. 23.	28. 29.	34		40. 41.	46. 47.	
						12.	18.	24.	30.	3.		42.	48.	
ARCHITEC	CTURAL REQUIREMENTS				·				·				·	
WALL AND		WALL PROTECTION				GLAZING	I	FLOORING TYPE: Material: Ba		ROOM ACCES				
		ish:         PT         Type:         RHIS           ish:         PF         Height:         2480 mm	Corner Guards Hand Rails Crash Rails Chair Rail	☐ Bed Bun	nper / Locator	☐ Interior Gla	zing	CFS FO		Coat Hoo	ks Ceiling Lif		<ul><li>Magnetic V</li><li>Privacy Cur</li></ul>	
LEGEND:		DOORS								Door Rem				
	CEILING LEGEND:	Types:												Security Grille
AC ACT	Architectural Ceiling Acoustic Ceiling Tile					AN ZE								
ACT-C	Cleanroom			WALE										Anti-barricade
ARGB GB	Abuse-Resistant Gypsum Board Gypsum Board	A A2 B	B2 C C2 D	D2 E	E2 F	F2 G	Н	J					5	trategy
IRGB KLCT	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		In	tegral Door	& Frame Privacy	C	ard Mag A	Auto Hold						
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):			otect.: Film:	Function: Rea	ader: Lock: Op	pener: Open:	Hinges:	Accessory 1:	Accessory 2: Ac	cessory 3:	Closer:	
	SHES LEGEND:	C2 1 1830 x 2440 F	ollow Metal Paint		Store	eroom [	<b>✓</b>		tt Hinge	Astragal F	ush Bolt	Surf	ace	
EWC	Epoxy Wall Coating													
HPC PT	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	<b>✓</b> UPPER	UNITS	Sto	orage Requirements:						FINISHES		
CEILING FIN	NISHES LEGEND:		U1 <u>V</u>								Full-height Cabi			
ECC HPC	Epoxy Ceiling Coating High Performance Coating	7 177	U2 U3 U4	U5	<b>√</b> □ □ □ □							ork: Plastic Lam top: Hardwood		
PF	Prefinished		T Z		U7 U8	SHELF						ork: Plastic Lam		
PT	Paint				7	<b>7</b> 🗆						nelf:		
WALL PRO	TECTION LEGEND:  Extruded Semi-Rigid PVCu Panel					S1					D			
FRL	Fibre Reinforced Laminate			-		1					Rem	narks:		
FRP PVW	Fibreglass Reinforced Plastic Protective Vinyl Wallcovering		-		1 1									
RHIS	Rigid High Impact Sheet		100	7										
WSSP WVW	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering		" "   11   1	- 50	-	Managaran Para	1	2						
FLOOR FIN	IISHES LEGEND:	C1 C2 C3		-	-7	-	-	-	7					
CFS EFC	Concrete Floor Sealer		12	- =		== ///					1			
PFC	Epoxy Floor Coating Polyurethane Floor Coating					- Ker	4			Tarana da				
RAF RSF	Rubber Athletic Flooring Rubber Sheet Flooring	FULL-HEIGHT CABINETS		] L6 ·	L7 L8 L9	110		/	>-/					
SCF	Seamless Cushioned Flooring					L10 L11	L12	TC1	_ V		U			
SDRF SDVF	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized Min. Length Adjustable Stan	ding Sner	cialty				TC2	UC1				
VSF WSVF	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categ	.,	• .	ework	LOWER UNITS	RECEPTIO	ON/TRANSACTION						
FLOOR BAS	SE LEGEND:	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	9000				COUNTER STATION	R / CARE TEAM	UTILITY S	INK AND COUNTE	R UNIT			
FCB	Flash Cove Base						SIATION	DESK						
RB SCF	Rubber Base Seamless Cushioned Flooring													
MECHANI	ICAL REQUIREMENTS													
		eamless Utility /	Other Fixtures:	Eyewash S	· ·	MED / NON-MI	FD GASES							
PILIMBING	the state of the s	chen Sink: Process Sink: Scrub Sink: Floor Sink:	· ·		Shower Station	(Quantity)	15 0/1010	Medical	Nitrous			Laboratory	Laboratory	Utility Compressed
PLUMBING (Quantity)	1 1	1		Emergeno		Oxygen	: Medical Air:	Vacuum:	Oxide: Co	D2: AGSS:	Nitrogen:	Air:	Vacuum:	Air:
	_										ı	1		
(Quantity) Plumbing			☐ Ice Maker	Flush Rim	Sink									2
(Quantity)						Cas Barre	arke:							2
(Quantity) Plumbing			☐ Water Closet	Floor Drai		Gas Rema	arks:							2

Appendix 1B	B Minimum Room Requireme	ents	Program Number(s):	1. W4.01 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room	Name: Workshop - Main			3.	9.	15.	21.	27.	33.	39.	45.
Room	Weller Wall			4.	10.	16.	22.	28.	34.	40.	46.
				5. 6.	11. 12.	17. 18.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.
ARCHITECTUR	RAL REQUIREMENTS		Į						301		.0.
WALL AND CEILI		WALL PROTECTION			GLAZING		FLOORING TYPES	ROOM	I ACCESSORIES		
		ish: PT Type: RHIS	✓ Corner Guards ☐ Hand Rails ☐ Bed Bur	nper / Locator	☐ Interior Glaz	ring	Material: Base:		Coat Hooks 🗹 Ceiling L	ift 🗸 Ma	gnetic Whiteboard
Ceiling Mat	terial: ACT Fin	ish: PF Height: 2480 mm	Crash Rails Chair Rail		micrior class	6	CFS FCB		Mirror Infant Ch		acy Curtain
LEGEND:		DOORS			1			D	oor Remarks:		¬
WALL AND CEILI		Types:									Security Grille
	nitectural Ceiling ustic Ceiling Tile										
ACT-C Clean	nroom		NA NA NA MUMA								Anti-barricade
	se-Resistant Gypsum Board sum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	Н	J				strategy
	act-Resistant Gypsum Board hen Lay-in Ceiling Tile		Integral Door	· & Frame Privacy	Ca	ard Mag	Auto Hold				
MMRGB Moist	sture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):		rotect.: Film:		•	Opener: Open: Hing	es: Accesso	ory 1: Accessory 2: A	ccessory 3: Close	r:
	urity Acoustic Ceiling Tile	C2 1 1830 x 2440	Hollow Metal Paint	Store	eroom	<b>v</b>	☐ Butt Hinge	Astragal	Flush Bolt	Surface	
EWC Epox	LEGEND: xy Wall Coating										
HPC High	Performance Coating	MILLWORK AND SPECIALTY CASEWORK		St	orage Requirements:	Refer to Sched	ule 1 for Digital Device Locker	requirements.		FINISHES	
PT Paint			UPPER UNITS				<b>0</b>		Full-height Cab		
CEILING FINISHE	xy Ceiling Coating	17.7	U1 U2 U3 U4							vork: Plastic Laminate	
	n Performance Coating		U5	U6					Counte	rtop: Hardwood	
PT Paint	inished it			U8	SHELF				Lower Milly	-	
WALL PROTECTION	ION LEGEND:				-   L				5	Shelf:	
ESRP Extru	uded Semi-Rigid PVCu Panel								Rei	marks:	
	e Reinforced Laminate eglass Reinforced Plastic										
PVW Prote	ective Vinyl Wallcovering		Part Part								
	d High Impact Sheet wall Solid Surface Panel		10 10 100 100 100 100 100 100 100 100 1								
WVW Wetr	room Vinyl Wallcovering				CO CO	1	75				
FLOOR FINISHES		C1 C2 C3 C4 C5				1	-				
	crete Floor Sealer xy Floor Coating		L2 L3 L4			K	4	/ 4	1		
	urethane Floor Coating ber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9		1 -		7			
RSF Rubb	ber Sheet Flooring		LG V		L10 L11	+		12 H			
	mless Cushioned Flooring ic-Dissipative Rubber Sheet Flooring	Legend:	Motorized	· ·		L12 %	TC1 TC2		,		
	ic-Dissipative Vinyl Sheet Flooring Il Sheet Flooring	Category 0 - None	Min. Length Adjustable Standing Spe	cialty	LOWER UNITS				JC1 U		
-	croom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Cate Category 2 - Med (5% - 9%)		ework	LOWER ONITS		ION/TRANSACTION				
FLOOR BASE LEG	GEND:	Category 3 - High (10% or Greater)	1 7200			STATIO	•	UTILITY SINK AND (	COUNTER UNIT		
	h Cove Base ber Base										
	mless Cushioned Flooring										
MECHANICAL	REQUIREMENTS										
		eamless Utility /	Other Fixtures: Evewash	Station	MED / NON-ME	D GASES					Utility
(Quantity) Hygi		chen Sink: Process Sink: Scrub Sink: Floor Sink:		Shower Station	(Quantity)		Medical Nitrous				ratory Compressed
	1	1	☐ Tub ☐ Emergen		Oxygen:	Medical Air	· Vacuum: Oxide:	CO2:	AGSS: Nitrogen:	Air: Va	uum: Air:
Plumbing Remarks:			☐ Ice Maker ☐ Flush Rim								6
nemarks:			☐ Water Closet ✓ Floor Dra		Gas Rema	arks:					
			Instantaneous Water Bo	ttle Refill Station							
			Other Other								

Appendix	1B Minimum Room Requireme	nts		Program Number(s):	1. W4.04	7.	13.	19.	25.	31.	37.	43.	
_	Model of an Marcel MArch Conference			Number(s).	2. 3.	8. 9.	14. 15.	20. 21.	26. 27.	32. 33.	38. 39.	44. 45.	
Re	oom Name: Workshop - Metal/Welding/Plur	mbing			4.	10.	16.	22.	28.	34.	40.	46.	
					5. 6.	11. 12.	17. 18.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.	
ARCHITECT	TURAL REQUIREMENTS									<u> </u>			
WALL AND O		WALL PROTECTION				GLAZING		FLOORING TYPES	RO	OM ACCESSORIES			
		ish: PT Type: RHIS	✓ Corner Guards ☐ Hand Rai		mper / Locator	☐ Interior Gla	zing	Material: Base:		✓ Coat Hooks ☐ Cei		✓ Magnetic W	
Ceiling	Material: ACT Fin	ish: PF Height: 2480 mm	Crash Rails Chair Rai	l				CFS FCB			ant Change Table	Privacy Curt	rtain
LEGEND:		DOORS								Door Remarks:			
WALL AND (	CEILING LEGEND:  Architectural Ceiling	Types:										□ s	Security Grille
ACT	Acoustic Ceiling Tile			MIN I									
ACT-C ARGB	Cleanroom Abuse-Resistant Gypsum Board							<u> </u>					Anti-barricade strategy
GB IRGB	Gypsum Board	A A2 B	B2 C C2 D	D2	E E2 F	F2 G	н	J					0,
KLCT	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile				or & Frame Privacy		•	Auto Hold					
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Type:Qty: Size (mm):	Material: Finish: Side Lt:	Blinds: P	Protect.: Film:		ader: Lock: Op				: Accessory 3:	Closer:	
	HES LEGEND:	C2 2 1830 x 2440 H	ollow Metal Paint		Sto	reroom		☐ Butt Hi	nge Astra	agal Flush Bolt	Sui	rface	
EWC	Epoxy Wall Coating												
HPC PT	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK		PER UNITS	S	storage Requirements:					FINISHES		
	IISHES LEGEND:									Full-heigl	nt Cabinet:		
ECC	Epoxy Ceiling Coating	7777	U2 U3 U4								Millwork: Plastic La		
HPC PF	High Performance Coating Prefinished		The state of the s	U5	U6 U7 U8	SHELF					ountertop: Hardwood		
PT	Paint			TH	77					Lowe	Millwork: Plastic La	ninate	
WALL PROT	ECTION LEGEND:			.l. K		S1					Sileii.		
ESRP FRL	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate			-11-12							Remarks:		
FRP	Fibreglass Reinforced Plastic	- L'V											
PVW RHIS	Protective Vinyl Wallcovering Rigid High Impact Sheet	100	A STREET, STRE	Parameter V	, i	1							
WSSP	Wetwall Solid Surface Panel	-		102 CO 100	***	1							
WVW	Wetroom Vinyl Wallcovering			-		On and activities	1	7					
CFS	SHES LEGEND:  Concrete Floor Sealer	C1 C2 C3 C4 C5 I1		-				_		/			
EFC	Epoxy Floor Coating		L2 L3 14			44	1=	Kana			7		
PFC RAF	Polyurethane Floor Coating  Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L5 L6	L7 L8		1						
RSF SCF	Rubber Sheet Flooring			<b>∠</b> L6	L/ L8 L9	L10 L11	7		$\neg$ /				
SDRF	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized				L12 M	TC1 TC2		] "   "	U		
SDVF VSF	Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Categ	Min. Length Adjustable S		ecialty	LOWER UNITS				UC1 U			
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	. ,		sework	2011211011110		ON/TRANSACTION R / CARE TEAM	LITH ITV SINK A	ND COUNTER UNIT			
FLOOR BASE	E LEGEND:	Category 3 - High (10% or Greater)	7200	✓			STATION		0112111 3114171	ND COOK LK CHIL			
FCB RB	Flash Cove Base Rubber Base												
SCF	Seamless Cushioned Flooring												
MECHANIC	CAL REQUIREMENTS												
PLUMBING		eamless Utility /	Other Fixtures:	<b>✓</b> Eyewash	Station	MED / NON-M	ED GASES						1.14:11:4
(Quantity)		chen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower		/Shower Station	(Quantity)		Medical Nitro			Laboratory	-	Utility Compressed
	1	1	☐ Tub	☐ Emergen		Oxygen	: Medical Air:	Vacuum: Oxio	le: CO2:	AGSS: Nitro	ogen: Air:	Vacuum:	Air:
Plumbing			Ice Maker	Flush Rin									2
Remarks:			Water Closet	✓ Floor Dra		Gas Rem	arks:						
			Instantaneous	☐ Water Bo	ottle Refill Station								
			Hot Water	Other									



# New Surrey Hospital & BC Cancer Centre

MINIMUM ROOM REQUIREMENTS

### X. Patient Food Services

Appendix 1	B Minimum Room Requ	uirements	Progran Number(s			.3. .4.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Roor	m Name: Blast Chilling/Blast Fre	ezer/Rapid Thaw		3.		.5. .6.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
						.7.	23.	29.	35.	41.	47.
				6.	12. 1	.8.	24.	30.	36.	42.	48.
ARCHITECTU	IRAL REQUIREMENTS				T						
WALL AND CEII		WALL PROTECTION	☐ Corner Guards ☐ Hand Rails ☐ Bed I		GLAZING		OORING TYPES  Material: Base:		ACCESSORIES		
	aterial: MMRGB aterial: KLCT	Finish:         HPC         Type:         FRP           Finish:         PF         Height:         2185 mm	Crash Rails Chair Rail	Bumper / Locator	☐ Interior Glazing	3	PFC FCB	]	oat Hooks		agnetic Whiteboard rivacy Curtain
	accitati.		Crash tall						oor Remarks:		- Vacy Cartain
LEGEND: WALL AND CEII	LING LEGEND:	DOORS							or remarks.		7_
	chitectural Ceiling	Types:	90 9 90 90 90 90 90 90 90 90 90 90 90 90			722 77					Security Grille
	oustic Ceiling Tile eanroom										☐ Anti-barricade
	ouse-Resistant Gypsum Board rpsum Board										strategy
	pact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	Н	J				
	chen Lay-in Ceiling Tile oisture and Mould-Resistant Gypsum Board	5 0 0 0		oor & Frame Privacy Protect.: Film:	Card Reade	•				2 0	_
	curity Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds:	Flotect Tilli.	Function: Reade	. Lock. Opene	er: Open: Hinge	s: Accessor	y 1: Accessory 2: Ac	cessory 3: Clos	er:
WALL FINISHES	S LEGEND:										
•	oxy Wall Coating gh Performance Coating	ANULVACEN AND SECOND TV CASSIMORY									
PT Pai		MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	St	orage Requirements:					FINISHES	
CEILING FINISH	HES LEGEND:		U1	_					Full-height Cab		
	oxy Ceiling Coating gh Performance Coating	7 17	U2 U3 U4 U5	U6 U7 🗆					Upper Millw Counter	-	
PF Pre	efinished		72	U7 U8	SHELF				Lower Millw		
PT Pai	int				ta □					nelf:	
WALL PROTECT		Engeneer .			S1						
	truded Semi-Rigid PVCu Panel ore Reinforced Laminate				1				Ren	narks:	
	oreglass Reinforced Plastic	7									
	otective Vinyl Wallcovering gid High Impact Sheet	-			i						
	etwall Solid Surface Panel etroom Vinyl Wallcovering		1 1000 1000	an Transmission		-					
FLOOR FINISHE		C1 C2			CO MA PERSONAL PROPERTY.	/	-				
	ncrete Floor Sealer		+ + + + + + + + + + + + + + + + + + + +		==	1		7/			
	oxy Floor Coating		L2		- MM			/ ===			
	lyurethane Floor Coating bber Athletic Flooring	FULL-HEIGHT CABINETS		17 L8 L9							
	bber Sheet Flooring amless Cushioned Flooring			1 1 18 19	L10 L11	142		7/			
SDRF Sta	atic-Dissipative Rubber Sheet Flooring	Legend:	Motorized			L12 h	TC1 TC2				
	atic-Dissipative Vinyl Sheet Flooring nyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category 1 - Low (1% - 4%)		Specialty	LOWER UNITS			- Ud	C1 "		
	etroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categ	gory (mm) Height Height C	Casework		RECEPTION/ COUNTER / C	TRANSACTION	JTILITY SINK AND C	OUNTER UNIT		
FLOOR BASE LE	EGEND:	Category 3 - High (10% or Greater)				STATION DES					
	ash Cove Base abber Base										
	amless Cushioned Flooring										
MECHANICA	L REQUIREMENTS										
	Hand	Seamless Utility /	Other Fixtures:	sh Station	MED / NON-MED	GASES					
(Quantity) Hy	rgiene Sink: Lavatory: Kitchen	Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Lycwa	sh/Shower Station	(Quantity)		Medical Nitrous				Utility coratory Compressed
				ency Shower	Oxygen:	Medical Air:	Vacuum: Oxide:	CO2:	AGSS: Nitrogen:	Air: Va	acuum: Air:
Plumbing			☐ Ice Maker ☐ Flush F								
Remarks:			☐ Water Closet ☐ Floor [	Orain	Cas Bamaria	. [	I .	1	·		
				Bottle Refill Station	Gas Remarks	S.					
			Hot Water Other								

ip p cc.				Number(s):	2.	8. 14.		20. 2	6.	32.	38.	44.	
_					3.	9. 15.		21. 2		33.	39.	45.	
Ro	oom Name: Cart Wash				4. 1	.0. 16.		22. 2	8.	34.	40.	46.	
					5. 1	.1. 17.		23. 2		35.	41.	47.	
					6. 1	.2. 18.	2	24. 3		36.	42.	48.	
ARCHITECT	TURAL REQUIREMENTS				<u> </u>	<u> </u>	<u> </u>						
WALL AND C		WALL PROTECTION	IN.			GLAZING	FLOOR	ING TYPES	ROOM ACCE	SSORIES			
	Material: MMRGB	Finish: HPC Type: FRP	Corner Guards Hand R	ails  Bed Bumpe		☐ Interior Glazing		aterial: Base:		oks   Ceiling Lif	t [	Magnetic Wh	niteboard
Ceiling	Material: KLCT	Finish: PF Height: 2185				interior diazing	PF	FC FCB	☐ Mirror	☐ Infant Cha		Privacy Curta	
LEGEND:		DOORS							Door Re	marks:			
	CEILING LEGEND:												
	Architectural Ceiling	Types:										□ Sec	curity Grille
	Acoustic Ceiling Tile	61613											iti-barricade
	Cleanroom Abuse-Resistant Gypsum Board							14					ategy
GB	Gypsum Board	A A2	B B2 C C2 D	D2 E	E2 F	F2 G	Н ј						87
	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile			Integral Door &	Frame Privacy	Card	Mag Auto	Hold					
	Moisture and Mould-Resistant Gypsum Board	Type:Qty: Size	mm): Material: Finish: Side l	•			· ·		Accessory 1:	Accessory 2: Ac	cessory 3.	Closer:	
SACT	Security Acoustic Ceiling Tile	Type.qcy. Size	ining. Waterial. Tillish. Side					Timges.	Accessory 1.	Accessory 2. Ac	cc3301 y 3.	Eloser.	
	HES LEGEND:  Epoxy Wall Coating												
HPC	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWO			Stor	rage Requirements:					FINISHES		
				PPER UNITS						Full-height Cabi	net:		
	ISHES LEGEND: Epoxy Ceiling Coating		U1 U2 U3 U4		] _					Upper Millw			
	High Performance Coating		04	U5 U6	U7 -					Counter	top:		
	Prefinished			7	U8	SHELF				Lower Millw	ork:		
PT	Paint				7	b □				SI	nelf:	-	
WALL PROTE	ECTION LEGEND:	Targer and		ıl ılı 15		S1						-	
	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate	II I I								Rem	narks:		
	Fibreglass Reinforced Plastic			1						F	loor depression	io accommodat	te custom
	Protective Vinyl Wallcovering			Francis		.~					abricated trench		
	Rigid High Impact Sheet Wetwall Solid Surface Panel				1 1						o suit design x 15 Appendix 11 [Foo		
wvw	Wetroom Vinyl Wallcovering				- Vandanian -	torongeneral process					Specifications.]	Tocivice Equipii	
FLOOR FINIS	SHES LEGEND:	C1 C2 C3		1 =		-	-	-					
	Concrete Floor Sealer	☐ ☐ C4	25 11 12						7 /	4			
	Epoxy Floor Coating Polyurethane Floor Coating		_	L5		RAM		Consumer of	Harleson.				
	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		☐ L6 L7	L8 10 1-								
	Rubber Sheet Flooring				L8 L9	L10 L11		/ ]	/				
	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized				_ '`	C1 TC2		u			
	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		Standing Special	ty				UC1	Ш			
	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%)	Category (mm) Height	Height Casewo	ork	LOWER UNITS	RECEPTION/TRAI	NSACTION					
FLOOR BASE	-	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)					COUNTER / CARE	TEAM UTIL	ITY SINK AND COUNT	ER UNIT			
	Flash Cove Base			l			STATION DESK						
	Rubber Base												
SCF	Seamless Cushioned Flooring												
										L			
MECHANIC	CAL REQUIREMENTS												
PLUMBING	Hand	Seamless Utility /	Other Fixtures:	Evewash Sta	tion	MED / NON-MED GA	ASES						
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sink	:: Kitchen Sink: Process Sink: Scrub Sink: Floo	r Sink: Shower	Eyewash/Sho		(Quantity)	Med	dical Nitrous			Laboratory	Laboratory (	Utility Compressed
			Tub	Emergency S		Oxygen: N	Medical Air: Vacu	uum: Oxide:	CO2: AGSS	S: Nitrogen:	Air:	Vacuum:	Air:
Plumbing	Trench drains to direct drain to grease tra	p.	Ice Maker	Flush Rim Sir									
Remarks:	and an east and the Breast tru	r	Water Closet	Floor Drain									
			Instantaneous	Water Bottle	Refill Station	Gas Remarks:							
			Hot Water	vvaler bullie	nemi station								
			1333333	Other									
						1							

Program 1. X3.02.03

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B	3 Minimum Room Requir	ements	Progra Number		7. 13. 8. 14.	19. 20.		3		37. 38.	43. 44.
Room	Name: Clean Cart Holding			3. 4.	9. 15. 10. 16.	21. 22.		3		39. 40.	45. 46.
				5.	11. 17.	23.	. 29.	3	5.	41.	47.
				6.	12. 18.	24.	. 30.	3	6.	42.	48.
ARCHITECTUI	RAL REQUIREMENTS					1					
	ING tterial: ARGB 1.2m AFF, GB above tterial: KLCT		Corner Guards Hand Rails Bed Crash Rails Chair Rail	d Bumper / Locator	GLAZING  Interior Glazing	FLOORIN Mate	erial: Base:	ROOM ACCES  Coat Hoo  Mirror	SORIES  oks Ceiling Lift Infant Cha		agnetic Whiteboard ivacy Curtain
LEGEND:		DOORS						Door Ren	narks:		
WALL AND CEIL	ING LEGEND:	Types:									Security Grille
	nitectural Ceiling ustic Ceiling Tile		an a an in in	i lai laini lav							Security Grille
ACT-C Clea	nroom						4				Anti-barricade
	se-Resistant Gypsum Board sum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	H J					strategy
	act-Resistant Gypsum Board hen Lay-in Ceiling Tile		Integral	Door & Frame Privacy	Card	Mag Auto Ho	old				
MMRGB Moi	sture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds:	Protect.: Film:		Lock: Opener: Op		Accessory 1:	Accessory 2: Acc	cessory 3: Clos	er:
	urity Acoustic Ceiling Tile	C2 1 1830 x 2135 H	ollow Metal Paint	2 High Store	room		Butt Hinge	Astragal F	lush Bolt Elec	. Strike Surface	
WALL FINISHES  EWC Epox	LEGEND: xy Wall Coating										
HPC High	Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Sto	orage Requirements:					FINISHES	
PT Pain			UPPER UNITS						Full-height Cabir		
CEILING FINISHE	ES LEGEND: xy Ceiling Coating	17.77	U1 U2 U3 U4						Upper Millwo		
HPC High	Performance Coating		U5	U6					Countert	top:	
PT Pain	inished It			U8 U8	SHELF				Lower Millwo		
WALL PROTECT	ION LEGEND:				S1				Sh	nelf:	
ESRP Extr	uded Semi-Rigid PVCu Panel								Rem	arks:	
	e Reinforced Laminate eglass Reinforced Plastic										
PVW Prot	ective Vinyl Wallcovering	10	The state of the s	- 1							
	d High Impact Sheet wall Solid Surface Panel		100	States Senten							
WVW Wet	croom Vinyl Wallcovering		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		On the second se	76					
FLOOR FINISHES		C1 C2 C3 C4 C5 11		===		-	-	7			
	crete Floor Sealer xy Floor Coating		12				4	4	1		
	rurethane Floor Coating ber Athletic Flooring	FULL-HEIGHT CABINETS	L3	L6 L7 18		- //					
RSF Rub	ber Sheet Flooring	TOLE HEIGHT GABINETS		L6 L7 L8 L9	L10 L11			/			
	mless Cushioned Flooring ic-Dissipative Rubber Sheet Flooring	Legend:	Motorized			. 101		l in	U   U		
SDVF Stat	ic-Dissipative Vinyl Sheet Flooring	Category 0 - None		Specialty				UC1	Ш		
	≀l Sheet Flooring troom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)	ory (mm) Height Height	Casework	LOWER UNITS	RECEPTION/TRANS					
FLOOR BASE LEG	GEND:	Category 3 - High (10% or Greater)				COUNTER / CARE TO STATION DESK	EAM UIILII	Y SINK AND COUNTE	RUNII		
	h Cove Base										
	ber Base mless Cushioned Flooring										
MECHANICAL	REQUIREMENTS										
	Hand	Seamless Utility /	Other Fixtures:	wash Station	MED / NON-MED GA	SES					
		k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	LYCH	wash/Shower Station	(Quantity)	Medica					Utility oratory Compressed
				ergency Shower	Oxygen: N	ledical Air: Vacuur	m: Oxide:	CO2: AGSS	Nitrogen:	Air: Va	cuum: Air:
Plumbing				h Rim Sink							
Remarks:			☐ Water Closet ✓ Floor	or Drain	Cas Damarks	l	1	1	1	1	
			☐ Instantaneous ☐ Wate	er Bottle Refill Station	Gas Remarks:						
			Hot Water Other								

		Number(s): 2.	8. 14.	20. 26.	32.	38. 44.
Room Name: Cold Production		3.	9. 15.	21. 27.	33.	39. 45.
		4.	10. 16.	22. 28.	34.	40. 46.
		5.	11. 17.	23. 29.	35.	41. 47.
		6.	12. 18.	24. 30.	36.	42. 48.
ARCHITECTURAL REQUIREMENTS						
WALL AND CEILING	WALL PROTECTION		GLAZING	FLOORING TYPES	ROOM ACCESSORIES	
Wall Material: MMRGB		ds Hand Rails Bed Bumper / Locator	☐ Interior Glazing	Material: Base:	☐ Coat Hooks ☐ Ceiling Lift	Magnetic Whiteboard
Ceiling Material: KLCT	Finish: PF Height: 2185 mm Crash Rails	☐ Chair Rail	interior Glazing	PFC FCB	☐ Mirror ☐ Infant Cha	
					Door Remarks:	,
LEGEND: WALL AND CEILING LEGEND:	DOORS					
AC Architectural Ceiling	Types:					Security Grille
ACT Acoustic Ceiling Tile						
ACT-C Cleanroom						Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board						strategy
IRGB Impact-Resistant Gypsum Board	A A2 B B2 C	C2 D D2 E E2	F F2 G H	J		
KLCT Kitchen Lay-in Ceiling Tile		Integral Door & Frame Privacy	Card Mag	g Auto Hold		
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Material:	inish: Side Lt: Blinds: Protect.: Film:	Function: Reader: Lock	k: Opener: Open: Hinges:	Accessory 1: Accessory 2: Acc	cessory 3: Closer:
SACT Security Acoustic Ceiling Tile						
WALL FINISHES LEGEND:						
EWC Epoxy Wall Coating						
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	LIDDED LIMITS	Storage Requirements:			FINISHES
		UPPER UNITS			Full-height Cabir	net:
CEILING FINISHES LEGEND:	L 1/ 77 U2	U3 114			Upper Millwo	
ECC Epoxy Ceiling Coating HPC High Performance Coating		U			Countert	
PF Prefinished		117	U8 SHELF			
PT Paint		7	Siller -		Lower Millwo	
WALL PROTECTION LECEND.			T-P		Sh	elf:
WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel			S1			
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate	Parameter				Rem	arks:
FRP Fibreglass Reinforced Plastic						
PVW Protective Vinyl Wallcovering	10 TO TO THE PERSON NAMED IN COLUMN NAMED IN C		1			
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel						
WVW Wetroom Vinyl Wallcovering	CONTRACTOR CONTRACTOR	-				
FLOOR FINISHES LEGEND:	C1 C2		ON THE PERSONNELSE OF THE PERSON	1		
CFS Concrete Floor Sealer	C2 C3 C4 cr				7	
EFC Epoxy Floor Coating					L. Karak	
PFC Polyurethane Floor Coating		L3 L4 L5				
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS			- L 15-1		
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring			L10 L11			
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized		TC1 TC2		
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None Min. Lengtl				UC1 U	
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm)	Height Height Casework	LOWER UNITS RE	CEPTION/TRANSACTION		
	Category 2 - Med (5% - 9%)				Y SINK AND COUNTER UNIT	
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)		STA	ATION DESK		
FCB Flash Cove Base RB Rubber Base						
SCF Seamless Cushioned Flooring						
· ·						
AACCHAAUCAL DEOLUDEAACATS						
MECHANICAL REQUIREMENTS						
PLUMBING Hand	Seamless Utility / Other Fixtu	res: Evewash Station	MED / NON-MED GASES			Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink: Show		(Quantity)	Medical Nitrous		Laboratory Laboratory Compressed
1	☐ Tub	Emergency Shower	Oxygen: Medic	al Air: Vacuum: Oxide:	CO2: AGSS: Nitrogen:	Air: Vacuum: Air:
Plumbing To accommodate stainless steel work table			-			
Remarks: Equipment Specifications.		_				
Equipment openitudions.	Water		Gas Remarks:			
	☐ Instan					
	Hot W	ater	$\neg$			
		Other				

Program 1. X2.01.05

7.

13.

19.

25.

31.

37.

43.

Room Name: Compressor Room			3. 4.	9. 15. 10. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				11. 17.	23.	29.	35. 36	41.	47.
ARCHITECTURAL REQUIREMENTS			6.	12. 18.	24.	30.	36.	42.	48.
	WALL PROTECTION			CLAZING	FLOODING TYPES	DO084.44	CCCCODICC		
WALL AND CEILING  Wall Material: MMRGB	Finish: HPC WALL PROTECTION  Type: FRP	✓ Corner Guards ☐ Hand Rails ☐	Red Rumner / Locator	GLAZING	FLOORING TYPES  Material: Base:		CCESSORIES : Hooks	ift M	lagnetic Whiteboard
	Finish: PF Height: 2185 mm	Crash Rails Chair Rail	bed bumper / Locator	☐ Interior Glazing	PFC FCB	☐ Mirr			rivacy Curtain
		Crush Num					Remarks:	lange rable == 11	
LEGEND:	DOORS					Door	Remarks:		
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:								☐ Security Grille
ACT Acoustic Ceiling Tile									
ACT-C Cleanroom		MUNDAMENTAL							Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H					strategy
IRGB Impact-Resistant Gypsum Board	A A2 B			F2 G 11	,				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board			al Door & Frame Privacy	Card Mag	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds		Function: Reader: Lock:			.: Accessory 2: A	ccessory 3: Clos	er:
WALL FINISHES LEGEND:	C 1 1220 x 2135 S	olid Core FRL	2 High Stor	eroom 🗸	Butt Hinge	!		Surface	
EWC Epoxy Wall Coating									
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		C	torago Poquiromento:				FINISHES	
PT Paint		UPPER UNI	TS S	torage Requirements:					
CEILING FINISHES LEGEND:		U1 U2 U2	_				Full-height Cab		
ECC Epoxy Ceiling Coating	7	U2 U3 U4 U5					Upper Milly		
HPC High Performance Coating PF Prefinished	Sagarana Anna Anna Anna Anna Anna Anna Anna	3	U6 U7 U8	SHELF			Counte		
PT Paint	Capacita		7	Jan D			Lower Milly		
WALL PROTECTION LEGEND:				S1			S	Shelf:	
ESRP Extruded Semi-Rigid PVCu Panel				31			Ror	marks:	
FRL Fibre Reinforced Laminate				1			Nei T	marks.	
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering	7		1 1						
RHIS Rigid High Impact Sheet		Transaction of the last of the	7	i					
WSSP Wetwall Solid Surface Panel	-		on the same of the						
WVW Wetroom Vinyl Wallcovering		1 11		Sen Contractor	7/				
FLOOR FINISHES LEGEND:	C1 C2 C3 C4 C5			-	-		000000000		
CFS Concrete Floor Sealer EFC Epoxy Floor Coating		12	-			//	F===7		
EFC Epoxy Floor Coating  PFC Polyurethane Floor Coating		L2 L3 L4 L5		Seek	-		-		
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L6 L7 L8 L9		1 15				
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring				L10 L11 L12					
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			TC1 TC2		u		
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring	Category 0 - None	Min. Length Adjustable Standing	Specialty	LOWER UNITS		UC1	" II		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)	ory (mm) Height Height	Casework	RECI	PTION/TRANSACTION				
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				NTER / CARE TEAM	UTILITY SINK AND COL	INTER UNIT		
FLOOR BASE LEGEND:  FCB Flash Cove Base	,			STA	TION DESK				
RB Rubber Base									
SCF Seamless Cushioned Flooring									
							L		
MECHANICAL REQUIREMENTS				1					
PLUMBING Hand	Seamless Utility /	Other Fixtures:	vewash Station	MED / NON-MED GASES					
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		yewash/Shower Station	(Quantity)	Medical Nitrous				Utility poratory Compressed
			mergency Shower	Oxygen: Medical	Air: Vacuum: Oxide:	CO2: A	GSS: Nitrogen:	Air: Va	acuum: Air:
Plumbing			ush Rim Sink						
Remarks:			oor Drain						
			/ater Bottle Refill Station	Gas Remarks:					
		Hot Water	rater buttle nemil station						
		Othe	er						

7. 8.

13.

14.

19.

20.

25.

26.

31.

32.

37.

38.

43.

44.

Program 1. X1.07

Number(s): 2.

Appendix 1I	B Minimum Room Requir	ements	Prograr Number(s	5): 2.	7. 13. 8. 14.	20.	25. 26.	31. 32.	37. 38.	43. 44.
Roon	m Name: Dishwashing			3. 4.	9. 15. 10. 16.		27. 28.	33. 34.	39. 40.	45. 46.
					11. 17.		29.	35.	41.	47.
				6.	12. 18.	24.	30.	36.	42.	48.
	RAL REQUIREMENTS	T								
WALL AND CEIL	LING aterial: MMRGB	WALL PROTECTION	✓ Corner Guards ☐ Hand Rails ☐ Bed	Durana / Lasatas	GLAZING	FLOORING T	_	OOM ACCESSORIES	.aa.	Magnetic Whiteboard
	aterial: KLCT	Finish:         HPC         Type:         FRP           Finish:         PF         Height:         2185 mm	☐ Crash Rails ☐ Chair Rail	Bumper / Locator	☐ Interior Glazing	PFC		☐ Coat Hooks ☐ Ceiling L☐ Mirror ☐ Infant C		Privacy Curtain
								Door Remarks:	iange rasie	
LEGEND: WALL AND CEIL	LING LEGEND:	DOORS								
	chitectural Ceiling	Types:	as a al al a							Security Grille
	oustic Ceiling Tile ranroom									☐ Anti-barricade
ARGB Abu	use-Resistant Gypsum Board									strategy
	psum Board pact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	Н ј				
KLCT Kito	chen Lay-in Ceiling Tile			oor & Frame Privacy	Card	Mag Auto Hold				
	oisture and Mould-Resistant Gypsum Board curity Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds:	Protect.: Film:	Function: Reader:	Lock: Opener: Open:	Hinges: Acc	cessory 1: Accessory 2: A	accessory 3:	Closer:
WALL FINISHES	S LEGEND:									
EWC Epo	oxy Wall Coating									
HPC Hig PT Pai	th Performance Coating int	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	St	orage Requirements:				FINISHES	
CEILING FINISH								Full-height Cal	oinet:	
	pxy Ceiling Coating	7777	U2 U3 U4 U					Upper Mill	work:	
	th Performance Coating efinished	-	US US	U6 U7 U8	SHELF			Counte	-	
PT Pai		-		7	SHELF			Lower Mill	work: Shelf:	
WALL PROTECT	TION LEGEND:				1 S1				ileli.	
	ruded Semi-Rigid PVCu Panel							Re	marks:	
	re Reinforced Laminate reglass Reinforced Plastic								 I	
PVW Pro	otective Vinyl Wallcovering		Francisco						I	
	id High Impact Sheet etwall Solid Surface Panel								I	
WVW We	etroom Vinyl Wallcovering				Wilderson State of the later of	7/	-		I	
FLOOR FINISHE	S LEGEND:	C1 C2 C3 C4				-		-	I	
	ncrete Floor Sealer oxy Floor Coating		12		K			F	I	
PFC Pol	lyurethane Floor Coating				Zerd.				I	
	bber Athletic Flooring bber Sheet Flooring	FULL-HEIGHT CABINETS		5 L7 L8 L9	L10 L11				I	
	amless Cushioned Flooring	Locardo			u		T <sub>C2</sub>		I	
	ntic-Dissipative Rubber Sheet Flooring ntic-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized  Min. Length Adjustable Standing S	Specialty				UC1   -	I	
	lyl Sheet Flooring etroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categ		Casework	LOWER UNITS	RECEPTION/TRANSACT	TION		I	
		Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)				COUNTER / CARE TEAM		AND COUNTER UNIT	I	
FLOOR BASE LE	sh Cove Base					STATION DESK			I	
RB Rub	bber Base								I	
SCF Sea	amless Cushioned Flooring								I	
	L REQUIREMENTS									
	Hand	Seamless Utility / k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		ash Station	MED / NON-MED GA					Utility
(Quantity)	gierie Sirik. Lavatory. Riterieri Sirik	K. KILCHEH SHIK. PTOCESS SHIK. SCIAD SHIK. TIOOT SHIK.		ash/Shower Station	(Quantity)	Medical  Medical Air: Vacuum:	Nitrous Oxide: CO2.	ACCC. Nitracan	Laboratory Air:	Laboratory Compressed
DII.			_	gency Shower	Oxygen: N	Medical Air: Vacuum:	Oxide: CO2:	AGSS: Nitrogen:		Air:
Plumbing To Remarks: Spe		t as noted in Appendix 1I Food Service Equipment	Ice Maker Flush							
			☐ Water Closet		Gas Remarks:					
			Instantaneous Water Hot Water	r Bottle Refill Station						
			Other							
						L				

Appendix 1B Minimum Room Requirer	nents	Program Number(s):		7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Hot Production/Main Cookin	g		3.	9. 15.	21.	27.	33.	39.	45.
			4.	10. 16.	22.	28.	34. 35.	40. 41.	46. 47.
			5. 6.	11. 17. 18.	23. 24.	29. 30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS									
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM	ACCESSORIES		
Wall Material: MMRGB	Finish: HPC Type: FRP ✓ Corner Guards ☐ H	and Rails 🔲 Bed B	umper / Locator	☐ Interior Glazing	Material: Base:		oat Hooks 🔲 Ceiling Li		Magnetic Whiteboard
Ceiling Material: KLCT		nair Rail			PFC FCB	Mi	irror 🔲 Infant Ch	nange Table	Privacy Curtain
LEGEND:	DOORS					Do	or Remarks:		
WALL AND CEILING LEGEND:	Types:								Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile		M MM							Security of the
ACT-C Cleanroom		BI BIJ			3 6677				☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board									strategy
GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	A A2 B B2 C C2	D D2	E E2	F F2 G H	J				
KLCT Kitchen Lay-in Ceiling Tile		•	or & Frame Privacy	Card Ma					
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile	Type:Qty: Size (mm): Material: Finish:	Side Lt: Blinds:	Protect.: Film:	Function: Reader: Loc	ck: Opener: Open: Hi	nges: Accessory	y 1: Accessory 2: A	ccessory 3: Clo	oser:
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating									
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK			Storage Requirements:				FINISHES	
PT Paint		UPPER UNITS		Storage Requirements.			Full haisht Cale		
CEILING FINISHES LEGEND:	V1 U2 U3						Full-height Cab		
ECC Epoxy Ceiling Coating HPC High Performance Coating	7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	U4 U5	U6 [				Upper Milly Counte		
PF Prefinished		ZZ		SHELF			Lower Milly	-	
PT Paint			77	- <del>!</del> a				Shelf:	
WALL PROTECTION LEGEND:		K	-	S1					
ESRP Extruded Semi-Rigid PVCu Panel		7-1-1		1			Rer	marks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic								Floor depression to	accommodate custom
PVW Protective Vinyl Wallcovering	100	1.6						•	ain(s), length and width
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel		-	1 1						mm deep as noted in
WVW Wetroom Vinyl Wallcovering		- 11						Appendix 1I [Food So Specifications.]	ervice Equipment
FLOOR FINISHES LEGEND:	C1 C2 C3	"  =	-1-1/1	ON THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF T	-	20.000			
CFS Concrete Floor Sealer	G C4 C5	-	- Property			7/	-		
EFC Epoxy Floor Coating		4 15		- KM					
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring		15 L6	L7 L8 L0						
RSF Rubber Sheet Flooring			L7 L8 L9	L10 L11	7 -1	7/ 11			
SCF Seamless Cushioned Flooring  SDRF Static-Dissipative Rubber Sheet Flooring	Legend: Motori	ad			TC1 TC2	V   "			
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None Min. Length Adjusta		pecialty			~ uc	1 4		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm) Heigh		sework	LOWER UNITS	ECEPTION/TRANSACTION				
FLOOR BASE LEGEND:	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)				OUNTER / CARE TEAM TATION DESK	UTILITY SINK AND CO	OUNTER UNIT		
FCB Flash Cove Base									
RB Rubber Base SCF Seamless Cushioned Flooring									
Seattless custilined Flooring									
MECHANICAL REQUIREMENTS									
	Consider HARITA. /			MED / NON TOTAL OF THE					
PLUMBING Hand (Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Seamless Utility / Other Fixtures: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	L Evewas		MED / NON-MED GASES				lobtr	Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Shower		h/Shower Station	(Quantity)	Medical Nitrou Gral Air: Vacuum: Oxide		AGCC: Nitrogs		aboratory Compressed Vacuum:
	Tub		ency Shower	Oxygen: Medic	cal Air: Vacuum: Oxide	CO2:	AGSS: Nitrogen:		Vacuum. Air:
Plumbing To accommodate equipment as noted in App		☐ Flush Ri							
Remarks: drains(s) - direct drain to grease trap. Provide HHS every 7m.	☐ Water Closet	Floor D	rain	Gas Remarks:	· · · · · · · · · · · · · · · · · · ·				
	☐ Instantaneous	☐ Water B	Bottle Refill Station	Gas Nellialks.					
	Hot Water	Other		7					
		Otilei		_					

Room Name: Ingredient Control Room			3.	9. 15.	21.	27.	33.	39.	45.
			4. 5.	10. 16. 11. 17.	22. 23.	28. 29.	34. 35.	40. 41.	46. 47.
			6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS									
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM AC	CESSORIES		
Wall Material: MMRGB	Finish: HPC Type: FRP	Corner Guards Hand I	Rails Bed Bumper / Locator	☐ Interior Glazing	Material: Base:		Hooks Ceiling Li	ft 🗹 M	agnetic Whiteboard
Ceiling Material: KLCT	Finish: PF Height: 2185 mm	Crash Rails Chair F	Rail		PFC FCB	☐ Mirro	or 🗌 Infant Ch	ange Table 🔲 Pr	ivacy Curtain
LEGEND:	DOORS					Door	Remarks:		
WALL AND CEILING LEGEND:	Types:								Security Grille
AC Architectural Ceiling									Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom									☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board									strategy
GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D	D2 E E2 F	F2 G H	J				
KLCT Kitchen Lay-in Ceiling Tile			Integral Door & Frame Privacy	Card Mag	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm	): Material: Finish: Side	Lt: Blinds: Protect.: Film:	Function: Reader: Lock:	Opener: Open: Hinge	es: Accessory 1	: Accessory 2: Ac	ccessory 3: Clos	er:
-	B 1 915 x 213	5 Hollow Metal Paint	Stor	reroom 🗸 🗌	Butt Hinge			Surface	
WALL FINISHES LEGEND:									
EWC Epoxy Wall Coating  HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		_						
PT Paint	WILLWORK AND SPECIALLY CASEWORK		JPPER UNITS	torage Requirements:				FINISHES	
CEILING FINISHES LEGEND:		U1	] _				Full-height Cab		
ECC Epoxy Ceiling Coating	7	U2 U3 U4					Upper Millw		
HPC High Performance Coating PF Prefinished			U5 U6 U7 U8	SHELF			Counter		
PT Paint			7 77	SHELF			Lower Milly		
WALL PROTECTION LEGEND.				71			S	helf:	
WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel		7		S1			Davi		
FRL Fibre Reinforced Laminate	7						ker	narks:	
FRP Fibreglass Reinforced Plastic	Tage 200	/	_						
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	***		Francis I	1					
WSSP Wetwall Solid Surface Panel			CONTROL OF THE PARTY OF THE PAR						
WVW Wetroom Vinyl Wallcovering		1 1 1		THE PERSON NAMED OF THE PE	7/-				
FLOOR FINISHES LEGEND:	C1 C2 C3 C4			On the Party of th	-				
CFS Concrete Floor Sealer	C4 C5	и и		==		7	F		
EFC Epoxy Floor Coating  PFC Polyurethane Floor Coating			LS	KKN	Transport .				
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		☐ L6 L7 L8 L9						
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring				L10 L11					
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			TC1 TC2	V "	u		
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Min. Length Adjustable	Standing Specialty			UC1	u [		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring		Category (mm) Height	Height Casework	LOWER UNITS RECEI	PTION/TRANSACTION				
	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	2 1200			, -	JTILITY SINK AND COU	INTER UNIT		
FLOOR BASE LEGEND:  FCB Flash Cove Base				STATI	ON DESK				
RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS									
PLUMBING Hand	Seamless Utility /	Other Fixtures:	Evewash Station	MED / NON-MED GASES					
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink: Scrub Sink: Floor Si	nk: Shower	Eyewash/Shower Station	(Quantity)	Medical Nitrous			Laboratory Lab	Utility oratory Compressed
1		Snower Tub	Emergency Shower	Oxygen: Medical		CO2: A	GSS: Nitrogen:		ncuum: Air:
Plumbing				,,,					
Remarks:		☐ Ice Maker	Flush Rim Sink						
		Water Closet	Floor Drain	Gas Remarks:					
		Instantaneous	Water Bottle Refill Station						
		Hot Water	Other						

Program 1. X2.02

Number(s): 2.

7.

8.

13.

14.

19.

20.

25.

26.

31.

32.

37.

38.

43.

44.

**Appendix 1B Minimum Room Requirements** 

Appendix :	1B Minimum Room Require	ements		Program Number(s):	1. X2.04 2.	7. 8.	13. 14.	19. 20.	25. 26.		31. 32.	37. 38.	43. 44.	
Ro	oom Name: Inventory Freezer				3.	9.	15.	21.	27.		33.	39. 40.	45.	
					4. 5.	10. 11.	16. 17.	22. 23.	28. 29.		34. 35.	40.	46. 47.	
					6.	12.	18.	24.	30.	:	36.	42.	48.	
ARCHITECT	URAL REQUIREMENTS									_				
WALL AND C		WALL PROTECTION				GLAZING	1	FLOORING TYPI		ROOM ACCE		_		
	Material: MMRGB	1,7,50	Corner Guards Hand Rails	☐ Bed Bun	nper / Locator	☐ Interior Glaz	ing	Material: E	FCB		oks Ceiling L		Magnetic Wh	
Ceiling	Material: KLCT		Crash Rails Chair Rail					iii e	СВ	Mirror	☐ Infant Ch	nange Table L	Privacy Curta	ıin
LEGEND:	THING I FORNID	DOORS								Door Re Refer to	marks: Appendix 31 [Food	l Services Equipm	ent	
	EILING LEGEND: Architectural Ceiling	Types:			7 MM C			11111		List]	Appendix of [1 ood	. oc. mees equip	☐ Sec	curity Grille
ACT	Acoustic Ceiling Tile													nti-barricade
	Cleanroom Abuse-Resistant Gypsum Board					4 N 4 BN		JAIAA:						rategy
GB	Gypsum Board	A A2 B B	2 C C2 D	D2 E	E2 F	F2 G	Н	J						61
	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		Ir	ntegral Door	& Frame Privacy	Ca	ard Mag A	Auto Hold						
MMRGB	Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): М		•	otect.: Film:		ider: Lock: Op		Hinges:	Accessory 1:	Accessory 2: A	ccessory 3:	Closer:	
SACT :	Security Acoustic Ceiling Tile			П							,	,		
WALL FINISH														
	Epoxy Wall Coating High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		•							·	·		
	Paint	WILLWORK AND SPECIALITY CASEWORK		UNITS	S	torage Requirements:						FINISHES		
CEILING FINIS	SHES LEGEND:	U1									Full-height Cab			
	Epoxy Ceiling Coating	THE	U2 U3 U4	U5							Upper Milly			
	High Performance Coating Prefinished	-			U6 U7 U8	SHELF					Counte	· •		
PT	Paint			TH	77						Lower Milly	work: Shelf:		
WALL PROTE	ECTION LEGEND:			L		S1					•	onen.		
	Extruded Semi-Rigid PVCu Panel				1 11						Rei	marks:		
	Fibre Reinforced Laminate Fibreglass Reinforced Plastic										[	Room constructe	d of nre-fahricat	ted walk in
	Protective Vinyl Wallcovering		SERENCE LA		1 1	1						panels (ceiling, w		
	Rigid High Impact Sheet		The state of the s		1.	1						with pre-fabricat		
	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering	-		9	The state of the s		1					wall protection, of enclosure panels		ıd
FLOOR FINISI	HFS LEGEND:	C1 C2		-	-17	The state of the s	/	Consession of the last of the	7_			Room complete		ession
	Concrete Floor Sealer	C2 C3 C4 C5		-						/		consisting of san		
	Epoxy Floor Coating		L2 L3 L4 L5			- 1944	1==		-	Hartenania.		fabricated floor profiles floor finish.	anel, poured sla	ab and
	Polyurethane Floor Coating Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L6	L7 18		1	1 I				noor minsii.		
	Rubber Sheet Flooring			L6 (	L7 L8 L9	L10 L11	1							
	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:	Matariand				L12	TC1	TC2	a	u    []			
	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized Min. Length Adjustable Star	nding Spec	cialty					UC1	Ш			
	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category			ework	LOWER UNITS	RECEPTIO	ON/TRANSACTION	N					
FLOOR BASE	-	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)						R / CARE TEAM	UTILITY	SINK AND COUNT	ER UNIT			
	Flash Cove Base	, , ,					STATION	DESK						
RB	Rubber Base													
SCF :	Seamless Cushioned Flooring													
MECHANIC.	AL REQUIREMENTS													
PLUMBING	Hand	Seamless Utility /	Other Fixtures:	Evewash S	Station	MED / NON-ME	D GASES							Utility
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sink	C: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		_	Shower Station	(Quantity)		Medical	Nitrous			Laboratory	Laboratory	Compressed
				Emergenc		Oxygen:	Medical Air:	Vacuum:	Oxide: (	CO2: AGS	S: Nitrogen:	Air:	Vacuum:	Air:
Plumbing	Provide indirect drain to funnel floor drain	n located outside of the walk in. Placement not to impede		Flush Rim										
	door, path of travel and cart movement.			Floor Drai										
			_	_	ttle Refill Station	Gas Rema	ırks:							
			Hot Water											
				Other										

Appendix	1B Minimum Room	n Requirements			Program Number(s):	1. X2.03 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.		37. 38.	43. 44.	
R	oom Name: Inventory Refr	igerator				3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.		39. 40.	45. 46.	
						5.	11.	17.	23.	29.	35.		41.	47.	
A DCLUTEC	TUDAL DECLUDEACN	TC				6.	12.	18.	24.	30.	36.		42.	48.	
	TURAL REQUIREMENT	13													
WALL AND	CEILING   Material: MMRGB	Finish UDC	WALL PROTECTION	✓ Corner Guards ☐ Hand Rai	:I_	//	GLAZING		FLOORING TYPES Material: Bas		ROOM ACCESS	ORIES  Ceiling Lift		Magnetic WI	h:+-hd
	Material: KLCT	Finish: HPC Finish: PF	Type: FRP	Crash Rails Chair Rai		mper / Locator	☐ Interior Gla	zing	PFC FC		Mirror	Infant Cha		Privacy Curta	
Celling	Material. RLC1	FIIIISII. FF	Height: 2185 mm	Cidsii Kalis Cidii Kal									alige lable	- Privacy Curta	dili
LEGEND:		DOORS									Door Rema		Services Equipme	ont	
AC AC	CEILING LEGEND:  Architectural Ceiling		Types:								List]	Jenaix 31 (100a .	services Equipme	□ Se	curity Grille
ACT	Acoustic Ceiling Tile			21B /4 /46 /1	WIN I										
ACT-C	Cleanroom			MALALAM	NE										nti-barricade
ARGB GB	Abuse-Resistant Gypsum Board Gypsum Board		A A2 B	B2 C C2 D	D2	E E2 F	F2 G	Н						Str	rategy
IRGB	Impact-Resistant Gypsum Board			•					A to Hold						
KLCT MMRGB	Kitchen Lay-in Ceiling Tile  Moisture and Mould-Resistant Gypsun	n Board	Francisco (Sing (man))	Material Finish Cide Lt		r & Frame Privacy Protect.: Film:	D -	0	Auto Hold Opener: Open:	Harra				Classic	
SACT	Security Acoustic Ceiling Tile		Type:Qty: Size (mm):	Material: Finish: Side Lt:			Function: Ke		perier. open.	Hinges:	Accessory 1: Ac	cessory 2: Acc	cessory 3:	Closer:	
WALL FINIS	HES LEGEND:														
EWC	Epoxy Wall Coating														
HPC PT	High Performance Coating Paint	MILLWORK A	IND SPECIALTY CASEWORK		DED LINUTC	S	torage Requirements:						FINISHES		
	ISHES LEGEND:				PER UNITS							Full-height Cabir	net:		
ECC ECC	Epoxy Ceiling Coating	-	VIII	U1 U2 U3 U4								Upper Millw	ork:		
HPC	High Performance Coating		THE KIND	1	U5	U6						Countert	top:		
PF PT	Prefinished Paint		7		7	U8	SHELF					Lower Millw	ork:		
			7       .  1				<b>→</b> □					Sh	nelf:		
ESRP	ECTION LEGEND:  Extruded Semi-Rigid PVCu Panel	-	뼥   누긕   -				S1					<b>D</b>			
FRL	Fibre Reinforced Laminate	7	4 "		-		1					_	narks:		
FRP	Fibreglass Reinforced Plastic	7	-										Room constructed		
PVW RHIS	Protective Vinyl Wallcovering Rigid High Impact Sheet	<del></del>	4       ~   ~	***	- Account		i						panels (ceiling, wa with pre-fabricate		
WSSP	Wetwall Solid Surface Panel				CALLES CAL	raman programme						v	wall protection, c		
WVW	Wetroom Vinyl Wallcovering				-	-	OR DESCRIPTIONS	1	76	,			enclosure panels.	ith floor door	asion
	SHES LEGEND:	C1 □	C2 C3 C4 C5					7	-				Room complete vonsisting of sand		
CFS EFC	Concrete Floor Sealer Epoxy Floor Coating			12				K			6		abricated floor p		
PFC	Polyurethane Floor Coating	51111 115161			L5 16	L7 18		4 1		- ASSESSED		f	loor finish.		
RAF RSF	Rubber Athletic Flooring Rubber Sheet Flooring	FOLL-REIGF	HT CABINETS				L10 L11		/	$\sim$					
SCF	Seamless Cushioned Flooring				_			L12	TC1	/					
SDRF SDVF	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - I	None	Motorized	Sandina C.	and the				TC2	UC1				
VSF	Vinyl Sheet Flooring		Low (1% - 4%) Cate			ecialty sework	LOWER UNITS	DECEDTI	ON/TRANSACTION						
WSVF	Wetroom Safety Vinyl Sheet Flooring		Med (5% - 9%)						R / CARE TEAM	UTILITY SIN	AND COUNTER	UNIT			
FLOOR BASI		Category 3 - I	High (10% or Greater)					STATION							
FCB RB	Flash Cove Base Rubber Base														
SCF	Seamless Cushioned Flooring														
MECHANIC	CAL REQUIREMENTS														
PLUMBING	•	Seamless Utilit	tv /	Other Fixtures:	Π	Challan	MED / NON-M	ED GASES							
(Quantity)		Kitchen Sink: Kitchen Sink: Process	s Sink: Scrub Sink: Floor Sink:	Shower	☐ Evewash	Station /Shower Station	(Quantity)	LD GAULU	Medical N	Nitrous			Laboratory	Laboratory	Utility
(				☐ Shower ☐ Tub			Oxygen	: Medical Air:	.,	Oxide: CO2:	AGSS:	Nitrogen:	Air:	Vacuum:	Compressed Air:
Plumbing	Provide indirect drain to form	el floor drain located outside of the w	valk in Placement not to impact		Emergen  Flush Rin										7.111
	door, path of travel and cart		raik iii. Fiacement not to impede	Ice Maker	☐ Flush Rin										
				Water Closet			Gas Rem	arks:							
				Instantaneous Hot Water		ottle Refill Station									
					Other										
Į							1								

		Number(s): 2.	8.	14. 20.	26.	32. 38.	44.
Mari Assembly		3.	9.	15. 21.	27.	33. 39.	45.
Room Name: Meal Assembly		4.	10.	16. 22.		34. 40.	46.
		5.	11.	17. 23.		35. 41.	47.
		6.	12.	18. 24.		36. 42.	48.
		0.	12.	10. 24.	30.	30. 42.	40.
ARCHITECTURAL REQUIREMENTS							
WALL AND CEILING	WALL PROTECTION		GLAZING	FLOORING TYPES	ROOM ACC	FSSORIES	
Wall Material: MMRGB		✓ Corner Guards ☐ Hand Rails ☐ Bed Bumper		Matarial, Dana			✓ Magnetic Whiteboard
Ceiling Material: KLCT		✓ Crash Rails ☐ Chair Rail	/ Locator	azing PFC FCB	☐ Mirror		Privacy Curtain
Centing Material. RECT	Finish: PF Height: 2185 mm	Crasii Naiis — Criaii Naii					Trivacy curtain
LEGEND:	DOORS				Door Re	emarks:	
WALL AND CEILING LEGEND:	Types:						☐ Security Grille
AC Architectural Ceiling							security crime
ACT Acoustic Ceiling Tile ACT-C Cleanroom							☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board							strategy
GB Gypsum Board	A A2 B	B2 C C2 D D2 E	E2 F F2 G	Н ј			
IRGB Impact-Resistant Gypsum Board  KLCT Kitchen Lay-in Ceiling Tile		Integral Door & Fr	ame Privacy	Card Mag Auto Hold			
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds: Protec	•	eader: Lock: Opener: Open:	Hinges: Accessory 1:	Accessory 2: Accessory 3:	Closer:
SACT Security Acoustic Ceiling Tile		Material. Tillish. Side Et.	T direction.			· · · · · · · · · · · · · · · · · · ·	
WALL FINISHES LEGEND:	B2 1 1830 x 2135 S	olid Core FRL 2 High	Push/Pull	Butt	Hinge Elec. Strike		oncealed
EWC Epoxy Wall Coating							
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Characa Danninana anta	[		FINICIE	
PT Paint		UPPER UNITS	Storage Requirements			FINISHES	'
CEILING FINISHES LEGEND:						Full-height Cabinet:	
ECC Epoxy Ceiling Coating	1777	-+- U3 U4 U	П			Upper Millwork:	
HPC High Performance Coating		U5 U6	U7 🗆			Countertop:	
PF Prefinished PT Paint			U8 SHELF			Lower Millwork:	
· · · · · · · · · · · · · · · · · · ·						Shelf:	
WALL PROTECTION LEGEND:	272222		S1				
ESRP Extruded Semi-Rigid PVCu Panel	Segment					Remarks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic							
PVW Protective Vinyl Wallcovering	1	1	1 1 1				
RHIS Rigid High Impact Sheet							
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering	THE PERSON NAMED IN CO.	5	Transport of the same of the s				
			100 mm	7			
FLOOR FINISHES LEGEND:	C1 C2 C3 C4 C5					29923	
CFS Concrete Floor Sealer EFC Epoxy Floor Coating		12	//			F	
PFC Polyurethane Floor Coating		L3 L4 L5	SEE SEE	4			
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L8 19		<del></del>		
RSF Rubber Sheet Flooring			L8 L9 L10 L11			4	
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Market and		L12 TC1 T	c2		
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized  Min. Length Adjustable Standing Specialty			UC1	4	
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category		IOWERIINITS	RECEPTION/TRANSACTION			
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)			COUNTER / CARE TEAM	UTILITY SINK AND COUN	TER UNIT	
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)			STATION DESK			
FCB Flash Cove Base							
RB Rubber Base SCF Seamless Cushioned Flooring							
Seamess easinoned Hooring							
MECHANICAL REQUIREMENTS							
PLUMBING Hand	Seamless Utility /	Other Fixtures: Eyewash Statio	mED / NON-M	MED GASES			
	k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower Eyewash/Show	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		trous	Laboratory	Utility Laboratory Compressed
1			ver station	\/··	xide: CO2: AGS		Vacuum: Air:
Dlumbing Trans.	According to the second		ower		1.00		All .
Plumbing Remarks: To accommodate equipment as noted in	Appenaix 11 Food Service Equipment Specifications.	☐ Ice Maker ☐ Flush Rim Sink					
nemarks.		☐ Water Closet	Gas Ren	narks:			
		☐ Instantaneous ☐ Water Bottle F	efill Station	nurks.			
		Hot Water					
		Other					
			I				

Program 1. X2.01.01

13.

19.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

25.

Appendix	1B Minimum	Room Requireme	ents		Program Number(s):	1. X2.01.07 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.		37. 38.	43. 44.	
Ro	oom Name: Packa	aging				3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.		39. 40.	45. 46.	
						5.	11.	17.	23.	29.	35.		41.	47.	
						6.	12.	18.	24.	30.	36.		42.	48.	
ARCHITECT	TURAL REQUIR	EMENTS					1								
WALL AND C			WALL PROTECTION	ON The second se	🗆		GLAZING		FLOORING TYPES  Material: Ba		OOM ACCESSO			¬	
	Material: MMRGB Material: KLCT		nish:         HPC         Type:         FRP           nish:         PF         Height:         2185	mm		mper / Locator	☐ Interior Gla	zing	PFC FC		Coat Hooks Mirror	☐ Ceiling Lift☐ Infant Cha		☐ Magnetic W☐ Privacy Cur	
Celling	Material: KLC1	FI		mm Crash Rails Chair Ra									ange rable L	Privacy Cur	LdIII
LEGEND:			DOORS								Door Remar	KS:			
	CEILING LEGEND: Architectural Ceiling		Types:						1 1 1 1					□ s	ecurity Grille
	Acoustic Ceiling Tile														
	Cleanroom Abuse-Resistant Gypsum B	Poard	NAM												inti-barricade trategy
	Gypsum Board	ooal u	A A2	B B2 C C2 D	D2	E E2 F	F2 G	Н	J					3	trategy
	Impact-Resistant Gypsum	Board			Intogral Doo	r & Frame Privacy		ard Mag	Auto Hold						
	Kitchen Lay-in Ceiling Tile Moisture and Mould-Resis	tant Gypsum Board	Type:Qty: Size	mm): Material: Finish: Side Lt		Protect.: Film:		•	pener: Open:	Hinges: A	ccessory 1: Acc	ressory 2: Aci	cessory 3:	Closer:	
SACT	Security Acoustic Ceiling Ti	ile	Type.qty. Size	min). Waterial. Tillish. Side Li			Tunction.			Tilliges.	ccessory 1. Acc	263301 y 2. ACI	CE3301 y 3.	Closer.	
WALL FINISH	HES LEGEND:														
	Epoxy Wall Coating High Performance Coating														
	Paint		MILLWORK AND SPECIALTY CASEWO	RK □ UP	PER UNITS	St	orage Requirements:						FINISHES		_
CEILING FINI	ISHES LEGEND:			U1							l i	Full-height Cabii	net:		
	Epoxy Ceiling Coating		7	U2 U3 U4								Upper Millw			
	High Performance Coating Prefinished		-		U5	U6 U7 U8	SHELF					Counter	-		
	Paint		K		-	77	JHELF					Lower Millw			
WALL PROTE	ECTION LEGEND:		-7				S1					Sr	nelf:		
	Extruded Semi-Rigid PVCu	Panel					1]					Rem	arks:		
	Fibre Reinforced Laminate						1								
	Fibreglass Reinforced Plast Protective Vinyl Wallcoveri					1 1									
RHIS	Rigid High Impact Sheet						1								
	Wetwall Solid Surface Pane Wetroom Vinyl Wallcoverii		CONTRACTOR OF THE PARTY OF THE		est and a second	an Transport									
	HES LEGEND:		C1 C2		" -	= 7	OR NO.	1	-	7					
	Concrete Floor Sealer		C2 C3 C4	C5 11		- 5				7	/				
EFC	Epoxy Floor Coating			¬ :: L2			- 444	1==		-	TI TI	7/			
	Polyurethane Floor Coating Rubber Athletic Flooring	g	FULL-HEIGHT CABINETS		L5 L6	L7 18		1_/							
RSF	Rubber Sheet Flooring						L10 L11	+							
	Seamless Cushioned Floori Static-Dissipative Rubber S		Legend:			— Ц		L12	TC1	TC2	0   1				
	Static-Dissipative Vinyl She		Category 0 - None	Motorized Min. Length Adjustable	Standing Spe	ecialty					UC1	1			
	Vinyl Sheet Flooring Wetroom Safety Vinyl Shee	et Flooring	Category 1 - Low (1% - 4%)	Category (mm) Height		sework	LOWER UNITS	RECEPTION	ON/TRANSACTION						
		ceriooning	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)						R / CARE TEAM	UTILITY SINK	AND COUNTER U	JNIT			
FLOOR BASE	: <b>LEGEND:</b> Flash Cove Base		category 5 mg/ (20% of createry					STATION	N DESK						
	Rubber Base														
SCF	Seamless Cushioned Floori	ing													
MECHANIC	AL REQUIREM	ENTS													
PLUMBING	Hand		Seamless Utility /	Other Fixtures:	☐ Eyewash	Station	MED / NON-M	ED GASES							114:179
(Quantity)	Hygiene Sink: Lav	ratory: Kitchen Sink: Ki	tchen Sink: Process Sink: Scrub Sink: Floo	or Sink: Shower		/Shower Station	(Quantity)			Nitrous			Laboratory	Laboratory	Utility Compressed
				Tub	☐ Emergen		Oxygen	: Medical Air:	Vacuum:	Oxide: CO2:	AGSS:	Nitrogen:	Air:	Vacuum:	Air:
Plumbing		<u> </u>		☐ Ice Maker	Flush Rin										
Remarks:				Water Closet	☐ Floor Dra				1						<u> </u>
				Instantaneous		ottle Refill Station	Gas Rem	arks:							
				Hot Water											
					Other										

Appendix	x 1B Minimum Room Require	ements	Program Number(s):	1. X3.01		13. 19.	25.	31.	37.	43.
_	B (W 1)		Number(5).	2. 3.		14. 20. 15. 21.	26. 27.	32. 33.	38. 39.	44. 45.
R	Room Name: Pot Washing			4.	10.	16. 22.	28.	34.	40.	46.
				5.		17. 23.	29.	35.	41.	47.
				6.	12.	18. 24.	30.	36.	42.	48.
ARCHITEC	CTURAL REQUIREMENTS									
WALL AND		WALL PROTECTION			GLAZING	FLOORING		ROOM ACCESSORIES	_	
	all Material: MMRGB	Finish: HPC Type: FRP	Corner Guards Hand Rails Bed Bu	mper / Locator	☐ Interior Glazing	g PFC	rial: Base:	Coat Hooks Ceili		Magnetic Whiteboard
Ceiling	g Material: KLCT	Finish: PF Height: 2185 mm	✓ Crash Rails ☐ Chair Rail			FIC	ТСВ		nt Change Table	Privacy Curtain
LEGEND:		DOORS						Door Remarks:		
	CEILING LEGEND:	Types:					<b>a</b>			☐ Security Grille
AC ACT	Architectural Ceiling Acoustic Ceiling Tile									
ACT-C	Cleanroom									☐ Anti-barricade
ARGB	Abuse-Resistant Gypsum Board						4			strategy
GB IRGB	Gypsum Board Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	Н ј				
KLCT	Kitchen Lay-in Ceiling Tile		Integral Doc	or & Frame Privacy	Card	d Mag Auto Ho	ld			
MMRGB	Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds: F	Protect.: Film:	Function: Reade	er: Lock: Opener: Ope	en: Hinges:	Accessory 1: Accessory 2:	Accessory 3:	Closer:
SACT	Security Acoustic Ceiling Tile				П		7			
WALL FINIS	SHES LEGEND:									
EWC HPC	Epoxy Wall Coating High Performance Coating				·	1 1	1	<u>'</u>	1	
PT	Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS		Storage Requirements:				FINISHES	
CEILING FIN	NISHES LEGEND:							Full-height	. Cabinet:	
ECC	Epoxy Ceiling Coating	17.77	U2 U3 U4 U					Upper	Millwork:	
HPC	High Performance Coating		U5	U6				Co	untertop:	
PF PT	Prefinished Paint			U8	SHELF			Lower	Millwork:	
									Shelf:	
	TECTION LEGEND:				S1					
ESRP FRL	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate								Remarks:	
FRP	Fibreglass Reinforced Plastic									
PVW	Protective Vinyl Wallcovering		- Constitution of the Cons	i i						
RHIS	Rigid High Impact Sheet			1						
WSSP WVW	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering			an Transporter		-				
	ISHES LEGEND:	C1 C2	<del>                                     </del>	= 17	on an extraction	1 60000	7			
CFS	Concrete Floor Sealer	C2 C3 C4		- 17-						
EFC	Epoxy Floor Coating		L2	-K-V)		-	4	6 A 7/	į.	
PFC	Polyurethane Floor Coating			L7 18			1	-		
RAF RSF	Rubber Athletic Flooring Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L9	140					
SCF	Seamless Cushioned Flooring				L10 L11	L12 TC1	=\frac{1}{2}			
SDRF	Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized				TC2		ES .	
SDVF VSF	Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring	Category 0 - None		ecialty	LOWER UNITS			UC1 U		
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categ  Category 2 - Med (5% - 9%)	ory (mm) Height Height Ca	sework	LOWER OIGHTS	RECEPTION/TRANS/		_		
FLOOR BAS	SE LEGEND:	Category 3 - High (10% or Greater)				COUNTER / CARE TE	AM UTILITY S	NK AND COUNTER UNIT		
FCB	Flash Cove Base					STATION DESK				
RB	Rubber Base									
SCF	Seamless Cushioned Flooring									
MECHANI	ICAL REQUIREMENTS									
PLUMBING		Seamless Utility /	Other Fixtures:	Chalian	MED / NON-MED	GASES				
(Quantity)		k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	L Lyewasi		(Quantity)	Medica	l Nitrous		Laboratory	Utility Laboratory Compressed
(~aarreity)	1			n/Shower Station	Oxygen:	Medical Air: Vacuum		)2: AGSS: Nitro	A * ·	Vacuum: Compressed  Air:
<b>.</b>			☐ Tub ☐ Emerger		Олуден.	ivicultui Ail .		A000. NILLO	,	AII:
		t as noted in Appendix 1I Food Service Equipment	☐ Ice Maker ☐ Flush Rir							
Kemarks:	Specifications. Trench Drains(s) - direct dr	aiii to grease trap.	☐ Water Closet ✓ Floor Dr	ain	Gas Remark					
			_	ottle Refill Station	Gas Keiliark					
			Hot Water		1					
			Other		]					

Appendix 1B Minimum Room Requirem	nents	Program Number(s)		7. 13. 8. 14.	19. 20.		31. 37. 32. 38.	43. 44.
Room Name: Preparation			3.	9. 15.	21.		33. 39.	45.
			4. 5.	10. 16. 17.	22. 23.		34. 40. 35. 41.	46. 47.
			6.	12. 18.	24.		36. 42.	48.
ARCHITECTURAL REQUIREMENTS					•		·	
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM ACCE	SSORIES	
	Finish: HPC Type: FRP Corner Guard		umper / Locator	☐ Interior Glazing	Material: Base:  PFC FCB		oks Ceiling Lift	✓ Magnetic Whiteboard
Ceiling Material: KLCT	Finish: PF Height: 2185 mm Crash Rails	Chair Rail			PFC FCB	Mirror	Infant Change Table	Privacy Curtain
LEGEND:	DOORS					Door Rer	marks:	
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:	ala I fel felel						Security Grille
ACT Acoustic Ceiling Tile		444 71 7117						
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board		NZIBIBIZ						Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B2 C	C2 D D2	E E2 F	: F2 G H	J			strategy
IRGB Impact-Resistant Gypsum Board								
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	Fig. Ot. (Control Material F		or & Frame Privacy Protect.: Film:	Card Mag			A	Classic
SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): Material: F	nish: Side Lt: Blinds:	Trotect Timi.	Function: Reader: Lock	: Opener: Open: Hing	es: Accessory 1:	Accessory 2: Accessory 3:	Closer:
WALL FINISHES LEGEND:								
EWC Epoxy Wall Coating								
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK			Storage Requirements:			FINISHI	ES
PT Paint		UPPER UNITS					Full-height Cabinet:	
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	U1 U2	U3					Upper Millwork:	
ECC Epoxy Ceiling Coating HPC High Performance Coating		U4 U5	U6 117 [	7			Countertop:	
PF Prefinished		77	U7 U8				Lower Millwork:	
PT Paint			- Z	-ta 🗆			Shelf:	
WALL PROTECTION LEGEND:			-	S1				
ESRP Extruded Semi-Rigid PVCu Panel				1			Remarks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic				-				
PVW Protective Vinyl Wallcovering	7	1	_	1				
RHIS Rigid High Impact Sheet			1 1					
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering		-	an Transport					
, ,		, , ,	- 7	CON MA PERSONAL PROPERTY.	1			
FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer	C1 C2 C3 C4 C5 11		- Property			7 /		
EFC Epoxy Floor Coating		1	-KV)			/ 6-	1	
PFC Polyurethane Floor Coating		3 L4 L5 L6						
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L7 L8 L9	110		-1 /		
SCF Seamless Cushioned Flooring				L10 L11 L12				
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			TC1 TC2		u u	
SDVF Static-Dissipative Vinyl Sheet Flooring  VSF Vinyl Sheet Flooring	Category 0 - None Min. Length Category 1 - Low (1% - 4%) Category (mm)		pecialty	LOWER UNITS		UC1	ш	
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm)  Category 2 - Med (5% - 9%)		asework	REC	CEPTION/TRANSACTION	UTILITY SINK AND COUNT	ED LIANT	
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				UNTER / CARE TEAM ITION DESK	UTILITY SINK AND COUNT	ER UNII	
FCB Flash Cove Base				5	WION DESK			
RB Rubber Base								
SCF Seamless Cushioned Flooring								
							L	
MECHANICAL REQUIREMENTS								
	Seamless Utility / Other Fixtur	s: Evewas	h Station	MED / NON-MED GASES				i iailia.
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: I	(itchen Sink: Process Sink: Scrub Sink: Floor Sink:		h/Shower Station	(Quantity)	Medical Nitrous		Laborator	. Collibressed
1			ency Shower	Oxygen: Medica	al Air: Vacuum: Oxide:	CO2: AGSS	S: Nitrogen: Air:	Vacuum: Air:
Plumbing To accommodate stainless steel work tables v								
Remarks: Equipment Specifications.	Water							
		_		Gas Remarks:				
	Instant Hot Wa		Bottle Refill Station	_				
	not we	Other	-					

Appendix 1B Minimum Room Requirement	ents	Program Number(s):	1. X1.01 2.	7. 13. 8. 14.		25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Receiving/De-casing			3.	9. 15.		27.	33.	39.	45.
Noon Name.			4.	10. 16.		28.	34.	40.	46.
			5. 6.	11. 17. 18.		29. 30.	35. 36.	41. 42.	47. 48.
ADCHITECTURAL REQUIREMENTS			0.	12.		36.	30.	12.	10.
ARCHITECTURAL REQUIREMENTS									
WALL AND CEILING  Wall Material: MMRGB Fi	wall protection  mish: HPC Type: FRP ✓ Corner Guards ☐ Ha	nd Rails 🔲 Bed Bu	ımner / Locator	GLAZING	FLOORING TYPE Material: B		OM ACCESSORIES  Coat Hooks Ceiling	a Lift ✓ N	lagnetic Whiteboard
	nish: HPC Type: FRP ✓ Corner Guards ☐ Ha nish: PF Height: 2185 mm ✓ Crash Rails ☐ Ch		imper / Locator	☐ Interior Glazing	PFC F				rivacy Curtain
							Door Remarks:		,
LEGEND: WALL AND CEILING LEGEND:	DOORS								
AC Architectural Ceiling	Types:		विविवि						Security Grille
ACT Acoustic Ceiling Tile									☐ Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board									strategy
GB Gypsum Board	A A2 B B2 C C2	D D2	E E2 F	F2 G	H J				
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile		Integral Doo	or & Frame Privacy	Card	Mag Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Material: Finish: S	de Lt: Blinds: I	Protect.: Film:	Function: Reader:	Lock: Opener: Open:	Hinges: Acce	ssory 1: Accessory 2:	Accessory 3: Clos	ser:
SACT Security Acoustic Ceiling Tile	C2 1 1830 x 2135 Solid Core FRL	2 H	igh :	Storeroom <b></b>		ont. Swing Clear Astrag	gal Flush Bolt	Surface	
WALL FINISHES LEGEND:									
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK			Characa Dannisamanta				FINICHEC	
PT Paint		UPPER UNITS		Storage Requirements:			5 111	FINISHES	
CEILING FINISHES LEGEND:	U1 U2 U3						Full-height (	Aillwork: Plastic Laminate	•
ECC Epoxy Ceiling Coating HPC High Performance Coating		U4 U5	U6	7				ntertop: Plastic Laminate	
PF Prefinished		7	U7 U					Aillwork: Plastic Laminate	
PT Paint			77				Lower IV	Shelf:	
WALL PROTECTION LEGEND:		al J. K	-	S1					
ESRP Extruded Semi-Rigid PVCu Panel		1111		1				Remarks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic		1							
PVW Protective Vinyl Wallcovering	to Propagation	Francis							
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel		-							
WVW Wetroom Vinyl Wallcovering		7		CONTRACTOR OF THE PARTY OF THE		100			
FLOOR FINISHES LEGEND:	C1 C2 C3	1 1 =	-7	- Maria	The same of the sa	7			
CFS Concrete Floor Sealer	C4 C5	=		== 1111		7		f .	
EFC Epoxy Floor Coating  PFC Polyurethane Floor Coating		L5		KAN-		Superior		f	
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9			<u> </u>			
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring				L10 L11		/ 1/			
SDRF Static-Dissipative Rubber Sheet Flooring	Legend: Motorize	d	_		_ 101	TC2	.	ž.	
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring	Category 0 - None Min. Length Adjustab		ecialty	LOWER UNITS			UC1 U		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm) Height Category 2 - Med (5% - 9%)	Height Ca	sework	LOWER UNITS	RECEPTION/TRANSACTION				
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater) 3 4500				COUNTER / CARE TEAM STATION DESK	UTILITY SINK AN	ID COUNTER UNIT		
FCB Flash Cove Base					STATION DESK				
RB Rubber Base  SCF Seamless Cushioned Flooring									
Seattless custilioned Flooting									
MECHANICAL REQUIREMENTS									
	Secondary 1989 /				****				
	Seamless Utility / Other Fixtures: tchen Sink: Process Sink: Scrub Sink: Floor Sink:	<b>✓</b> Eyewash		MED / NON-MED GA		Nitrous		laharatan 1-1	Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Ki	Shower		n/Shower Station	(Quantity)	Medical Medical Air: Vacuum:	Nitrous Oxide: CO2:	AGSS: Nitroge	A*: 1/	ooratory Compressed acuum:
	Tub	☐ Emergei		Oxygen: I	ivicultal All .	CO2:	AGSS. MILITOGE	an.	Air:
Plumbing Remarks:	Ice Maker	☐ Flush Ri							
nemarks.	Water Closet	<b>✓</b> Floor Dr		Gas Remarks:					
	Instantaneous	☐ Water B	ottle Refill Station						
	Hot Water	Other		7					
				_					

Appendix 1B Minimu	m Room Requirements	Program Number(s)		7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Soi	iled Cart Holding		3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
			5.	11.	17.	23.	29.	35.	41.	47.
			6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQU	IREMENTS			1						
WALL AND CEILING	WALL PROTECTION	🗆		GLAZING		LOORING TYPES Material: Base:		CCESSORIES		
Wall Material: ARGB Ceiling Material: KLCT		and Rails 🔲 Bed B nair Rail	umper / Locator	☐ Interior Glaz	ing	PFC FCB	Coa	t Hooks Ceiling Lif ror Infant Cha		agnetic Whiteboard vacy Curtain
		Tun Tun				,		r Remarks:	ange rable	vacy curtain
LEGEND: WALL AND CEILING LEGEND:	DOORS									]
AC Architectural Ceiling	Types:				744 2					Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom		N NZ				<u> </u>				☐ Anti-barricade
ARGB Abuse-Resistant Gypsu GB Gypsum Board	um Board  A A2 B B2 C C2	D D2	E E2 F	F2 G	H H					strategy
IRGB Impact-Resistant Gyps	sum Board		or & Frame Privacy			to Hold				
KLCT Kitchen Lay-in Ceiling T MMRGB Moisture and Mould-R		_	Protect.: Film:		ard Mag Au ader: Lock: Ope	to Hold ner: Open: Hinge	s: Accessory	1: Accessory 2: Ac	cessory 3: Close	er:
SACT Security Acoustic Ceilin	C 1 1220 x 2135 Hollow Metal Paint		Stor					7.000000.72. 7.0	Surface	
WALL FINISHES LEGEND:										
EWC Epoxy Wall Coating HPC High Performance Coa	MILLWORK AND SPECIALTY CASEWORK		St	corage Requirements:				]	FINISHES	
PT Paint		UPPER UNITS	3.	orage nequirements.				Full-height Cabi		
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	U1 U2 U3	U4 $\square$						Upper Millw		
HPC High Performance Coa		U5	U6 II7 🗌					Counter	top:	
PF Prefinished PT Paint		7	U8	SHELF				Lower Millw		
WALL PROTECTION LEGEND:				- L				SI	nelf:	
ESRP Extruded Semi-Rigid P	VCu Panel							Rem	narks:	
FRL Fibre Reinforced Lamir FRP Fibreglass Reinforced I								Г		
PVW Protective Vinyl Wallco	overing	Francis								
RHIS Rigid High Impact Shee WSSP Wetwall Solid Surface		-								
WVW Wetroom Vinyl Wallco		11	-	CO CONTRACTOR OF THE PERSON NAMED IN CON	1					
FLOOR FINISHES LEGEND:	C1 C2 C3 C4 C5 L1		1-1		7	-				
CFS Concrete Floor Sealer EFC Epoxy Floor Coating					K	2	/ -	1		
PFC Polyurethane Floor Co RAF Rubber Athletic Floorir	pating FULL-HEIGHT CABINETS	4 L5 L6	L7 18		1-1		7			
RSF Rubber Sheet Flooring			L/ L8 L9	L10 L11	1		1/	- 4,550		
SCF Seamless Cushioned Fl SDRF Static-Dissipative Rubb		and .			L12	TC1 TC2	V   "			
SDVF Static-Dissipative Vinyl	Sheet Flooring Category 0 - None Min. Length Adjusta		pecialty	LOWER LINES			UC1	u II		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl	Sheet Flooring Category 1 - Low (1% - 4%) Category (mm) Height Category 2 - Med (5% - 9%)	t Height Ca	asework	LOWER UNITS		N/TRANSACTION		INITED LINET		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				STATION D	,	ITILITY SINK AND CO	UNIER UNII		
FCB Flash Cove Base RB Rubber Base										
SCF Seamless Cushioned Fl	looring									
MECHANICAL REQUIRE	MENTS									
PLUMBING Hand	Seamless Utility / Other Fixtures:	☐ Evewas	h Station	MED / NON-ME	D GASES					i initia.
(Quantity) Hygiene Sink:	Lavatory: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:  Shower		h/Shower Station	(Quantity)		Medical Nitrous				Utility Oratory Compressed
	Tub	☐ Emerge	ency Shower	Oxygen:	Medical Air:	Vacuum: Oxide:	CO2:	AGSS: Nitrogen:	Air: Va	cuum: Air:
Plumbing	☐ Ice Maker	Flush Ri								
Remarks:	Water Closet	Floor D		Gas Rema	arks:					
	Instantaneous	☐ Water I	Bottle Refill Station							
	Hot Water	Other								

• •	•		Number(s):	2.	8. 14.	20.	26.	32.	38.	44.
				3.	9. 15.	21.	27.	33.	39.	45.
Ro	oom Name: Storage - Dry Goods				10. 16.	22.	28.	34.	40.	46.
					11. 17.	23.	29.	35.	41.	47.
				6.	12. 18.	24.	30.	36.	42.	48.
<b>ARCHITEC</b>	TURAL REQUIREMENTS									
WALL AND C		WALL PROTECTION			GLAZING	FLOORING TYPES  Material: Base:		ACCESSORIES		
	I Material: ARGB 1.2m AFF, GB above	Finish: HPC Type: FRP	Corner Guards Hand Rails Bed Bur	mper / Locator	☐ Interior Glazing	PFC FCB		oat Hooks 📙 Ceiling Lift		gnetic Whiteboard
Ceiling	Material: KLCT	Finish: PF Height: 2185 mm	Crash Rails Chair Rail			PFC FCB		irror 🗌 Infant Cha	inge Table 🔲 Priv	acy Curtain
LEGEND:		DOORS				·	Do	or Remarks:		
	CEILING LEGEND:									
AC	Architectural Ceiling	Types:	96 F F F F F F F F F F F F F F F F F F F							Security Grille
ACT	Acoustic Ceiling Tile									
ACT-C ARGB	Cleanroom					NUNNUU				Anti-barricade
GB	Abuse-Resistant Gypsum Board Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H					strategy
IRGB	Impact-Resistant Gypsum Board	A AL 2			12 5	•				
KLCT	Kitchen Lay-in Ceiling Tile		-	r & Frame Privacy		Mag Auto Hold				_
MMRGB	Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds: P	rotect.: Film:	Function: Reader: Lo	ock: Opener: Open: <sub>H</sub>	inges: Accessory	y 1: Accessory 2: Acc	cessory 3: Close	<i>:</i> :
SACT	Security Acoustic Ceiling Tile	B2 2 1830 x 2135 S	olid Core FRL 2 Hi	gh Push/	Pull	Cont. Sv	ring Clear Astragal	Flush Bolt	Surface	
WALL FINISH	HES LEGEND:									
EWC	Epoxy Wall Coating									
HPC PT	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK		Sto	rage Requirements:				FINISHES	
			UPPER UNITS					Full-height Cabir	net:	
	IISHES LEGEND:	4	U1					Upper Millwo		
ECC	Epoxy Ceiling Coating High Performance Coating		7	U6				Countert		
PF	Prefinished			U7 U8	SHELF			Lower Millwo		
PT	Paint	rapezaza		7	45 D					
WALL BROT	ECTION LEGEND:				N 🖁			Sn	elf:	
ESRP	Extruded Semi-Rigid PVCu Panel				S1			Daw.	- ul.a.	
FRL	Fibre Reinforced Laminate							Rem	arks:	
FRP	Fibreglass Reinforced Plastic									
PVW	Protective Vinyl Wallcovering	The same of the sa	Property Property							
RHIS WSSP	Rigid High Impact Sheet Wetwall Solid Surface Panel		100							
wvw	Wetroom Vinyl Wallcovering			an Property lies						
ELOOR EINIS	SHES LEGEND:	cı cı	<del></del>	- 7	ON THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF THE PERSONNELS OF T	/				
CFS	Concrete Floor Sealer	_		~ 1			7 /			
	Epoxy Floor Coating		L2				/ 6	1		
PFC	Polyurethane Floor Coating		☐ L3 L4 L5 L6			-		THE REAL PROPERTY.		
RAF	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9						
RSF SCF	Rubber Sheet Flooring Seamless Cushioned Flooring				L10 L11 L12					
SDRF	Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			TC1 TC2				
SDVF	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		cialty			UC	1 "		
VSF WSVF	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categ	ory (mm) Height Height Cas	ework	LOWER UNITS	RECEPTION/TRANSACTION		]		
		Category 2 - Med (5% - 9%)			(	COUNTER / CARE TEAM	UTILITY SINK AND CO	OUNTER UNIT		
FLOOR BASE		Category 3 - High (10% or Greater)			9	STATION DESK				
FCB RB	Flash Cove Base Rubber Base									
	Seamless Cushioned Flooring									
	<u> </u>									
<u>MECHANIC</u>	CAL REQUIREMENTS									
PLUMBING	Hand	Seamless Utility /	Other Fixtures: Evewash	Station	MED / NON-MED GASE	:S				
(Quantity)		nk: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Lyewasii	/Shower Station	(Quantity)	Medical Nitro	us		Laboratory Labo	Utility Ompressed
					1 ' ''	dical Air: Vacuum: Oxid		AGSS: Nitrogen:	-	cuum: Compressed Air:
DI	<u> </u>		Tub Emergen		5.755m		332.	- Intropolit		
Plumbing Remarks:			☐ Ice Maker ☐ Flush Rim							
nemarks:			☐ Water Closet ☐ Floor Dra	in	Gas Remarks:					
			☐ Instantaneous ☐ Water Bo	ottle Refill Station	Gas Kemarks:					
			Hot Water							
			Other							
	1	1			i l					

Program 1. X1.03

7.

13.

19.

25.

31.

37.

43.

Appendix 1B	3 Minimum Room Require	ements		Program Number(s):	1. X1.02 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.		37. 38.	43. 44.	
Room	Name: Storage - Non-Food Produ	ucts			3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.		39. 40.	45. 46.	
					5.	11.	17.	23.	29.	35.		41.	47.	
					6.	12.	18.	24.	30.	36.		42.	48.	
ARCHITECTU	RAL REQUIREMENTS					_								
WALL AND CEIL		WALL PROTECTION				GLAZING	I .	FLOORING TYPES Material: Ba		OOM ACCESSO		_	<b>a</b>	
	aterial: ARGB 1.2m AFF, GB above		Corner Guards Hand Rai Crash Rails Chair Rai		mper / Locator	☐ Interior Gla	zing	PFC FC		Coat Hooks Mirror	☐ Ceiling Lift☐ Infant Cha		<ul><li>Magnetic W</li><li>Privacy Curt</li></ul>	
	iteriai. KLC1		Clasif Rails Citali Rail							Door Remark		ilige l'able ==	Filvacy Curt	alli
LEGEND: WALL AND CEILI	ING LEGEND:	DOORS								Door Remain				
	nitectural Ceiling	Types:	761 CT CTC T	ford f	7 FI F		702							ecurity Grille
	ustic Ceiling Tile anroom												│ □ A	nti-barricade
ARGB Abus	se-Resistant Gypsum Board													rategy
**	sum Board act-Resistant Gypsum Board	A A2 B	B2 C C2 D	D2	E E2 F	F2 G	Н	J						
	hen Lay-in Ceiling Tile isture and Mould-Resistant Gypsum Board				r & Frame Privacy		0	Auto Hold						
	urity Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt:		rotect.: Film:	T direction:	ader: Lock: O	)pener: Open:		ccessory 1: Acc	cessory 2: Acc		Closer:	
WALL FINISHES	LEGEND:	C 1 915 x 2135 S	olid Core FRL	2 Hig	gh Pas	sage		Cor	nt. Swing Clear			Surf	ace	
•	xy Wall Coating													
HPC High PT Pain	n Performance Coating nt	MILLWORK AND SPECIALTY CASEWORK	LIPI	PER UNITS	S	torage Requirements:						FINISHES		
CEILING FINISHE	ES LEGEND:			_						ı	ull-height Cabir	net:		
	xy Ceiling Coating	7	U2 U3 U4								Upper Millwo			
	n Performance Coating finished	And the second		U5	U6 U7 U8	SHELF					Countert	· •		
PT Pain				7	77	SHELF					Lower Millwo	elf:		
WALL PROTECTI	ION LEGEND:					T S1					311	eii.		
ESRP Extru	ruded Semi-Rigid PVCu Panel				1 11						Rem	arks:		
	e Reinforced Laminate eglass Reinforced Plastic													
PVW Prote	tective Vinyl Wallcovering		BEREITERE STREET	655										
	d High Impact Sheet twall Solid Surface Panel			-										
	troom Vinyl Wallcovering			11 -	- 7		1	7						
FLOOR FINISHES	S LEGEND:	C1 C2 C3 C4				~ -	1	Constitution of						
	crete Floor Sealer		L2				K_		7	/	1			
•	xy Floor Coating rurethane Floor Coating			L5		- Seri	4		The same of		-			
	ber Athletic Flooring ber Sheet Flooring	FULL-HEIGHT CABINETS			L7 L8 L9				>-/					
SCF Sean	mless Cushioned Flooring					L10 L11	L12	TC1		U U				
	cic-Dissipative Rubber Sheet Flooring	Legend: Category 0 - None	Motorized						TC2	UC1				
VSF Viny	/I Sheet Flooring	Category 1 - Low (1% - 4%) Categ	- ,		ecialty ework	LOWER UNITS	DECEDI	ION/TRANSACTION						
WSVF Wet	troom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	, (min) Height					ER / CARE TEAM	UTILITY SINK	AND COUNTER U	JNIT			
FLOOR BASE LEG		Category 3 - High (10% or Greater)		Ц			STATION							
	h Cove Base ber Base													
SCF Sean	mless Cushioned Flooring													
MECHANICAL	REQUIREMENTS													
	Hand	Seamless Utility /	Other Fixtures:	☐ Evewash	Station	MED / NON-M	ED GASES							1 14:11:4
(Quantity) Hyg	giene Sink: Lavatory: Kitchen Sink	:: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower		/Shower Station	(Quantity)			Nitrous			Laboratory	Laboratory	Utility Compressed
			Tub	Emergen		Oxygen	: Medical Air:	· Vacuum:	Oxide: CO2:	AGSS:	Nitrogen:	Air:	Vacuum:	Air:
Plumbing			☐ Ice Maker	☐ Flush Rim										
Remarks:			☐ Water Closet	☐ Floor Dra	in	C = 5	arks.		1	1	1	1		
			Instantaneous	☐ Water Bo	ottle Refill Station	Gas Rem	di KS:							
			Hot Water	Other										
				Other										

Appendix	1B Minimum Room Require	ments	Program Number(s):	1. X1.04 2. X1.05	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Ro	oom Name: Walk-In Freezer			3.	9.	15.	21.	27.	33.	39. 40.	45.
				4. 5.	10. 11.	16. 17.	22. 23.	28. 29.	34. 35.	41.	46. 47.
				6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECT	TURAL REQUIREMENTS										
WALL AND C		WALL PROTECTION			GLAZING		FLOORING TYPES  Material: Base:		ACCESSORIES		
	MMRGB Material: KLCT	Finish: HPC Type: FRP Corner Guards Finish: PF Height: 2185 mm Crash Rails	and Rails 🔲 Bed Bi hair Rail	ımper / Locator	☐ Interior Glaz	ing	PFC FCB		Coat Hooks Ceiling L Mirror Infant Ch		agnetic Whiteboard ivacy Curtain
LEGEND:		DOORS							oor Remarks:		
	CEILING LEGEND:	Types:							efer to Appendix 31 [Food	Services Equipment	Security Grille
AC ACT	Architectural Ceiling Acoustic Ceiling Tile							Li	st]		Security Grille
ACT-C	Cleanroom		N. N. A			Foreign 1	<del></del>				☐ Anti-barricade
ARGB GB	Abuse-Resistant Gypsum Board Gypsum Board										strategy
IRGB	Impact-Resistant Gypsum Board	A A2 B B2 C C2	D D2	E E2 F	F2 G	н	J				
KLCT	Kitchen Lay-in Ceiling Tile			or & Frame Privacy	Ca	•	Auto Hold				
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): Material: Finish:	Side Lt: Blinds:	Protect.: Film:	Function: Rea	der: Lock: O	pener: Open: Hing	ges: Accesso	ory 1: Accessory 2: A	ccessory 3: Close	er:
EWC	HES LEGEND:  Epoxy Wall Coating										
HPC	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK			torage Requirements:					FINISHES	
PT	Paint		UPPER UNITS	3	torage nequirements.				E III bertele Cel		
CEILING FIN	ISHES LEGEND:	U1 U2 U3							Full-height Cab		
ECC	Epoxy Ceiling Coating High Performance Coating	U2 U3	U4 U5	U6 U7 🗆					Upper Milly Counte		
PF	Prefinished		77	U7 U8	SHELF				Lower Milly	· ·	
PT	Paint		K	77	5/1221 					shelf:	
WALL PROT	ECTION LEGEND:				S1					illell.	
ESRP	Extruded Semi-Rigid PVCu Panel				1]				Rei	narks:	
FRL	Fibre Reinforced Laminate				1				-		
FRP PVW	Fibreglass Reinforced Plastic Protective Vinyl Wallcovering	7								Refer to Schedule 1, Se 11) for Food Services a	
RHIS	Rigid High Impact Sheet	The state of the s	The same		i					11) for 1 ood 3ervices a	and Equipment
WSSP	Wetwall Solid Surface Panel		on Con	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAM							
WVW	Wetroom Vinyl Wallcovering		11		CONTRACTOR OF THE PERSON	1 1	75				
	SHES LEGEND:		-	-	_				-		
CFS EFC	Concrete Floor Sealer Epoxy Floor Coating	C4 (5	-			K_		//	A STATE OF THE PARTY OF THE PAR		
PFC	Polyurethane Floor Coating		4 L5	+	- SKKK	4	CONTRACTOR OF THE PARTY OF THE		The same of the sa		
RAF	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9			7 1 15	_			
RSF SCF	Rubber Sheet Flooring Seamless Cushioned Flooring				L10 L11	142					
SDRF	Static-Dissipative Rubber Sheet Flooring	Legend: Motori	zed			L12	TC1 TC2				
SDVF VSF	Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring	Category 0 - None Min. Length Adjusta		ecialty	LOWER UNITS			~ L	JC1		
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm) Heigl Category 2 - Med (5% - 9%)	nt Height Ca	sework	LOWER UNITS		ON/TRANSACTION	l			
FLOOR BASE	F LEGEND:	Category 3 - High (10% or Greater)					,	UTILITY SINK AND	COUNTER UNIT		
FCB	Flash Cove Base					STATION	N DESK				
	Rubber Base										
SCF	Seamless Cushioned Flooring										
MECHANIC	CAL REQUIREMENTS										
PLUMBING		Seamless Utility / Other Fixtures:	☐ Evewas	2 Station	MED / NON-ME	D GASES					
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:  Shower	_		(Quantity)	_ 0.00	Medical Nitrous			Laboratory Lab	Utility oratory Compressed
(		Snower	_	n/Shower Station	Oxygen:	Medical Air:		CO2:	AGSS: Nitrogen:		oratory Compressed icuum: Air:
Dlumbing	Duranida indianat during to Consul Grand Consul	Tub	☐ Emerge		5.7,6511.				7 0,6011		raii .
Remarks:	door, path of travel and cart movement.	ocated outside of the walk in. Placement not to impede	Flush Ri								
	acc., pain of date and care movement.	Water Closet	Floor Dr		Gas Rema	rks:					
		Instantaneous	☐ Water E	ottle Refill Station							
		Hot Water	Other								
			- Calci								

Appendix 1B M	linimum Room Requirements	Program Number(s):	1. X1.06 2.	7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Nan	me: Walk-In Refrigerator		3. 4.	9. 15. 10. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				11. 17.	23.	29.	35.	41.	47.
			6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL	REQUIREMENTS								
WALL AND CEILING		1		GLAZING	FLOORING	TYPES II: Base:	ROOM ACCESSORIES		
Wall Materia Ceiling Materia	1776. 1111	Corner Guards Hand Rails Bed Bu Crash Rails Chair Rail	mper / Locator	☐ Interior Glazing	WSVF	FCB	☐ Coat Hooks ☐ Ceiling ☐ Mirror ☐ Infant C		Magnetic Whiteboard Privacy Curtain
							Door Remarks:	——————————————————————————————————————	Tittacy cartain
LEGEND: WALL AND CEILING I	DOORS LEGEND:						Refer to Appendix 31 [Foo	d Services Equipmer	nt
AC Architectu	ural Ceiling	76 A AU 76 A					List]		Security Grille
ACT Acoustic Co ACT-C Cleanroom									☐ Anti-barricade
ARGB Abuse-Res GB Gypsum Bo	sistant Gypsum Board Board A A2 B	B2 C C2 D D2	E E2 F	F2 G					strategy
IRGB Impact-Res	esistant Gypsum Board		r & Frame Privacy		-				
	ay-in Ceiling Tile and Mould-Resistant Gypsum Board  Type:Qty: Size (mm):	6	Protect.: Film:	Card Reader:	Mag Auto Hold Lock: Opener: Open		Accessory 1: Accessory 2:	Accessory 3: Cl	loser:
SACT Security Ac	Acoustic Ceiling Tile					· · · · · · · · · · · · · · · · · · ·	7.000350.Y 2. 7.000350.Y 2. 7.		
WALL FINISHES LEGE									
	ormance Coating MILLWORK AND SPECIALTY CASEWORK		Str	prage Requirements:				FINISHES	
PT Paint		UPPER UNITS	360	rage nequirements.			Full-height Ca		
CEILING FINISHES LE  ECC Epoxy Ceili	EGEND: ling Coating	U1 U2 U3 U4					Upper Mil		
HPC High Perfo	ormance Coating	U5	U6				Count	ertop:	
PF Prefinished PT Paint			U8	SHELF			Lower Mil		
WALL PROTECTION I	LEGEND:			S1 L				Shelf:	
	Semi-Rigid PVCu Panel		1 11	)			Re	emarks:	
	iforced Laminate s Reinforced Plastic							Refer to Schedule 1	I, Section 6.11 (Division
PVW Protective	e Vinyl Wallcovering	Francis						11) for Food Service	
	Impact Sheet Solid Surface Panel	1	1						
WVW Wetroom	Vinyl Wallcovering			CON TRANSPORTER	7/				
FLOOR FINISHES LEG					70000				
CFS Concrete F EFC Epoxy Floo		1 12			-	2	6		
	nane Floor Coating thletic Flooring FULL-HEIGHT CABINETS		L7 18		-	1			
RSF Rubber She	neet Flooring		L7 L8 L9	L10 L11			1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		
	Cushioned Flooring sipative Rubber Sheet Flooring Legend:	Motorized			_ 101	TC2			
SDVF Static-Dissi	sipative Vinyl Sheet Flooring Category 0 - None		ecialty	LOWER HAITS			" UC1		
VSF Vinyl Sheet WSVF Wetroom S	et Flooring Category 1 - Low (1% - 4%) Cate Safety Vinyl Sheet Flooring Category 2 - Med (5% - 9%)	egory (mm) Height Height Cas	sework	LOWER UNITS	RECEPTION/TRANSAC				
FLOOR BASE LEGENE	Cotogony 2 High (10% or Creator)				COUNTER / CARE TEA	M UTILITY SINF	CAND COUNTER UNIT		
FCB Flash Cove									
	Cushioned Flooring								
MECHANICAL RE	QUIREMENTS								
PLUMBING Hand		Other Fixtures: Eyewash	Station	MED / NON-MED GA	ASES				17.11.
(Quantity) Hygiene	e Sink: Lavatory: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		/Shower Station	(Quantity)	Medical	Nitrous		•	Utility Laboratory Compressed
		☐ Tub ☐ Emerger		Oxygen: N	Medical Air: Vacuum:	Oxide: CO2:	AGSS: Nitrogen	: Air:	Vacuum: Air:
	indirect drain to funnel floor drain located outside of the walk in. Placement not to impede	☐ Ice Maker ☐ Flush Rin							
kemarks:   door, pa	ath of travel and cart movement.	☐ Water Closet		Gas Remarks:	,	•	•		
			ottle Refill Station	Gus nemarks.					
		Hot Water Other							



# New Surrey Hospital & BC Cancer Centre

MINIMUM ROOM REQUIREMENTS

#### Y. Staff Facilities

• •	•		Number(s):	2.	8. 14.	20.	26.	32.	38.	44.
				3.	9. 15.	21.	27.	33.	39.	45.
Ro	oom Name: Alcove - Lockers - UBC				10.	22.	28.	34.	40.	46.
					11. 17.	23.	29.	35.	41.	47.
				6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECT	TURAL REQUIREMENTS									
WALL AND C		WALL PROTECTION			GLAZING	FLOORING TYPES		ACCESSORIES		
Wall	Material: ARGB 1.2m AFF, GB above	1700	🗹 Corner Guards 🔲 Hand Rails 🗌 Bed Bu	mper / Locator	☐ Interior Glazing	Material: Base:		Coat Hooks 📙 Ceiling Lif		Magnetic Whiteboard
Ceiling	Material: ACT	Finish: PF Height: 2185 mm	Crash Rails Chair Rail			VSF FCB	L N	Airror 🗌 Infant Cha	ange Table	Privacy Curtain
LECEND.		DOORS				1	D	oor Remarks:		
LEGEND:	CEILING LEGEND:									
	Architectural Ceiling	Types:								Security Grille
	Acoustic Ceiling Tile			41   41 BL   Z 1 Y						
	Cleanroom		JA NENIA NENIA N							☐ Anti-barricade
	Abuse-Resistant Gypsum Board									strategy
	Gypsum Board Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	J				
	Kitchen Lay-in Ceiling Tile		Integral Doo	r & Frame Privacy	Card M	lag Auto Hold				
	Moisture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm):	Material: Finish: Side Lt: Blinds: P	rotect.: Film:	Function: Reader: Lo	ock: Opener: Open:	linges: Accesso	ry 1: Accessory 2: Ac	cessory 3: Cl	oser:
SACT	Security Acoustic Ceiling Tile							, ,	,	
WALL FINISH	HES LEGEND:									
EWC	Epoxy Wall Coating									
	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Sto	orage Requirements: Provide	(30) three tiered lockers			FINISHES	
PT	Paint	~	UPPER UNITS			(20)		Full baight Cabi		
CEILING FINI	ISHES LEGEND:		J1 U2 U2					Full-height Cabi		
	Epoxy Ceiling Coating	7-1-1	U2 U3 U4 U5					Upper Millw		
	High Performance Coating Prefinished			U6 U7 U8	SHELF			Counter		
	Paint			777	JHELF			Lower Millw		
					7			Sh	nelf:	
	ECTION LEGEND:				S1					
	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate	Segment			1			Rem	narks:	
	Fibreglass Reinforced Plastic									
PVW	Protective Vinyl Wallcovering		The second secon	i						
	Rigid High Impact Sheet		100	1 1						
	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering	CONTRACTOR OF THE PROPERTY OF	11 11 00	no Property	1					
	· -			- 7	CO MIC PERSONAL PROPERTY OF THE PERSON NAMED IN COLUMN NAMED I	1				
	SHES LEGEND:	C1 C2 C3 C4 C5								
	Concrete Floor Sealer Epoxy Floor Coating		12				1 4	Amen's		
	Polyurethane Floor Coating		L3 L4 L5		Zeki -	-1/1	The second	THE RESERVE		
	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9		-1/1 15				
	Rubber Sheet Flooring Seamless Cushioned Flooring			L7 L8 L9	L10 L11					
	Static-Dissipative Rubber Sheet Flooring	Legend:	Matarizad			TC1 TC2				
	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized Min. Length Adjustable Standing Spe	ecialty				IC1		
	Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Catego	•	sework	LOWER UNITS	RECEPTION/TRANSACTION				
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	_			COUNTER / CARE TEAM	UTILITY SINK AND (	COUNTER UNIT		
FLOOR BASE	E LEGEND:	Category 3 - High (10% or Greater)				STATION DESK				
	Flash Cove Base									
	Rubber Base Seamless Cushioned Flooring									
SCF	Seamess Cushioned Flooring									
<u>MECHANIC</u>	CAL REQUIREMENTS									
PLUMBING	Hand	Seamless Utility /	Other Fixtures: Evewash	Station	MED / NON-MED GASE	s				
(Quantity)		k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	LYCWd3ii		(Quantity)	Medical Nitro	us		Laboratory L	.aboratory Compressed
, ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~				/Shower Station	1	lical Air: Vacuum: Oxid		AGSS: Nitrogen:		Vacuum:
			☐ Tub ☐ Emergen		Oxygen. Weu	nou All.	CO2.	, 1000. MILLOGEII.		Air:
Plumbing			☐ Ice Maker ☐ Flush Rin						<u> </u>	
Remarks:			☐ Water Closet ☐ Floor Dra	ain	Can Barried :	-			<u> </u>	
			☐ Instantaneous ☐ Water Bo	ottle Refill Station	Gas Remarks:					
			Hot Water							
			Other							
		l I			1					

Program 1. Y3.02

7.

13.

19.

25.

31.

37.

43.

Appendix 1B N	Minimum Room Require	ements		rogram 1. Y1.13 nber(s): 2.	7. 13 8. 14		19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Na	ame: Exercise/Wellness Room			3.	9. 15 10. 16		21. 22.	<ul><li>27.</li><li>28.</li></ul>	33. 34.	39. 40.	45. 46.
				5.	11. 17	<b>'.</b>	23.	29.	35.	41.	47.
				6.	12. 18	i.	24.	30.	36.	42.	48.
ARCHITECTURA	AL REQUIREMENTS				1						
WALL AND CEILING Wall Mater Ceiling Mater	rial: ARGB 1.2m AFF, GB above	WALL PROTECTION           Finish:         PT         Type:         PVW           Finish:         PF         Height:         2185 mm	Crash Rails Hand Rails Chair Rail	Bed Bumper / Locator	GLAZING  Interior Glazing	FLO	ORING TYPES Material: Base: RAF FCB		ACCESSORIES at Hooks Ceiling Lif rror Infant Cha		gnetic Whiteboard vacy Curtain
LEGEND:		DOORS			1	l		Doo	or Remarks:		
WALL AND CEILING	G LEGEND:	Types:									Security Grille
	ctural Ceiling c Ceiling Tile		an la lab. In la								Security Grille
ACT-C Cleanro	om	MINISTRA									Anti-barricade
ARGB Abuse-R GB Gypsum	Resistant Gypsum Board n Board	A A2 B	B2 C C2 D D2	2 E E2 F	F2 G	H	1				strategy
· · · · · · · · · · · · · · · · · · ·	Resistant Gypsum Board Lay-in Ceiling Tile			gral Door & Frame Privacy	Card	Mag Auto	Hold				
	re and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blind:	-	Function: Reader:	0	r: Open: Hinges	s: Accessory	1: Accessory 2: Ac	cessory 3: Close	r:
SACT Security	Acoustic Ceiling Tile	B2 1 1830 x 2135 Sc		2 High Stor	eroom 🗸		Butt Hinge	Astragal	Flush Bolt	Surface	<u>·</u>
WALL FINISHES LEG											
	Vall Coating rformance Coating	MILLWORK AND SPECIALTY CASEWORK				facilia Cabarah Ia 4 f	h.b			FINICUES	
PT Paint		WILLIAM SI EGALIT CASEVONIK	UPPER UN	NITS ST		rer to Schedule 1 t ovide cubby storag	for cubby storage require ge for gym bags	ments.	5 111	FINISHES	
CEILING FINISHES I			11 U2 U3 U4	] —		,	, 0, 0		Full-height Cabi	ork: Plastic Laminate	
	Ceiling Coating rformance Coating		U3 U4 U5							top: Solid Surfacing	
PF Prefinish	hed			U7 U8	SHELF					ork: Plastic Laminate	
PT Paint				7					Sh	nelf:	
WALL PROTECTION					S1						
	d Semi-Rigid PVCu Panel einforced Laminate				1				Rem	arks:	
	ass Reinforced Plastic ive Vinyl Wallcovering										
	gh Impact Sheet			7	i						
	ll Solid Surface Panel ım Vinyl Wallcovering			on on							
FLOOR FINISHES LE		C1 C2		= = =	ON HAS DESCRIPTION OF THE PERSON NAMED IN COLUMN NAMED IN COLU	_ /	-				
	te Floor Sealer	C2 C3 C4		= -				7/			
	loor Coating		L2 L3 L4 L5					/ 1			
	thane Floor Coating Athletic Flooring	FULL-HEIGHT CABINETS		L6 L7 L8 L9							
	Sheet Flooring ss Cushioned Flooring				L10 L11			1/			
	Dissipative Rubber Sheet Flooring	Legend:	Motorized			.12	TC1 TC2		"		
	Dissipative Vinyl Sheet Flooring Dieet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category	Min. Length Adjustable Standing		LOWER UNITS			UC	1 "		
	m Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)		t Casework	2011211011110	RECEPTION/T COUNTER / C		TILITY SINK AND CO	NINTED LINIT		
FLOOR BASE LEGE	ND:	Category 3 - High (10% or Greater)	10000			STATION DES		TILITI SINK AND CC	JOHN EN ONLY		
FCB Flash Co RB Rubber	ove Base										
	ss Cushioned Flooring										
MECHANICAL R	REQUIREMENTS	•									
<b>PLUMBING</b> Ha		Seamless Utility /	Other Fixtures:	Francisch Chatian	MED / NON-MED G	ΔSFS					
		: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Evewash Station Eyewash/Shower Station	(Quantity)		Medical Nitrous			Laboratory Labo	Utility oratory Compressed
	1			Emergency Shower			/acuum: Oxide:	CO2:	AGSS: Nitrogen:		cuum: Air:
Plumbing	·			Flush Rim Sink							
Remarks:				Floor Drain					<u> </u>		
				Water Bottle Refill Station	Gas Remarks:						
			Hot Water								
			Othe	ner							

		and Bard, Collegion, URC	Number	7(s): 2. 3.	8. 14. 9. 15.	20. 21.	26. 27.	32. 33.	38. 39.	44. 45.
R	Room Name: Lounge - Study Stations	and Book Collection - UBC		4.	10. 16.	22.	28.	34.	40.	46.
					11. 17.	23.	29.	35.	41.	47.
				6.	12. 18.	24.	30.	36.	42.	48.
ARCHITEC	TURAL REQUIREMENTS				I	I				
WALL AND		WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM AC			_
	Il Material: GB	Finish: PT Type:	Corner Guards Hand Rails Be	d Bumper / Locator	✓ Interior Glazing	Material: Base:  VSF FCB	✓ Coat I	Hooks Ceiling Li r Infant Ch		Magnetic Whiteboard Privacy Curtain
Ceiling	g Material: ACT	Finish: PF Height:	Crash Rails Chair Rail			751   165			ange lable L	☐ Privacy Curtain
LEGEND:		DOORS					Door F	Remarks:		
WALL AND AC	CEILING LEGEND: Architectural Ceiling	Types:								Security Grille
ACT	Acoustic Ceiling Tile									
ACT-C ARGB	Cleanroom Abuse-Resistant Gypsum Board	ANAA	NATATATA MINA							Anti-barricade strategy
GB	Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	J				Strategy
IRGB KLCT	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		Integral	Door & Frame Privacy	Card Mag	Auto Hold				
MMRGB	Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds:	Protect.: Film:	5	Opener: Open: Hinge	s: Accessory 1:	Accessory 2: A	ccessory 3:	Closer:
SACT	Security Acoustic Ceiling Tile			1 Low Store	eroom 🗸	Butt Hinge			Surf	
WALL FINIS	SHES LEGEND:									
EWC HPC	Epoxy Wall Coating High Performance Coating	MILLWORK AND SPECIALTY CASEWORK								
PT	Paint	WILLWORK AND SPECIALITY CASEWORK	UPPER UNITS	St	orage Requirements:				FINISHES	
CEILING FIN	NISHES LEGEND:		U1					Full-height Cab		
ECC HPC	Epoxy Ceiling Coating High Performance Coating	7	U2 U3 U4 U5	U6					vork: Plastic Lam	
PF	Prefinished		7	U7 U8	SHELF				ork: Plastic Lam	-
PT	Paint			T Z	†a 🗆				helf:	muce
WALL PROT	TECTION LEGEND:				S1 S1				L	
ESRP	Extruded Semi-Rigid PVCu Panel							Rer	narks:	
FRL FRP	Fibre Reinforced Laminate Fibreglass Reinforced Plastic									
PVW	Protective Vinyl Wallcovering	-	The same of the sa	- 1						
RHIS WSSP	Rigid High Impact Sheet Wetwall Solid Surface Panel			ezes.						
WVW	Wetroom Vinyl Wallcovering			-	TRIPING THE PARTY OF THE PARTY	7/				
FLOOR FINI	ISHES LEGEND:	C1 C2 C3 C4 T3		===	THE REAL PROPERTY.	forman -		0.0000000000000000000000000000000000000		
CFS	Concrete Floor Sealer		12				7/	F==7		
EFC PFC	Epoxy Floor Coating Polyurethane Floor Coating		L3 L4 L5		AKK					
RAF	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L6 L7 L8 L9		12 15	4 1 11			
RSF SCF	Rubber Sheet Flooring Seamless Cushioned Flooring		l		L10 L11 L12					
SDRF	Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			TC1 TC2	1101			
SDVF VSF	Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Cate	Min. Length Adjustable Standing	Specialty	LOWER LINITS		UC1	п		
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	gory (mm) Height Height	Casework	RECEI	PTION/TRANSACTION ITER / CARE TEAM	 JTILITY SINK AND COUI	ITER LINIT		
FLOOR BAS	E LEGEND:	Category 3 - High (10% or Greater)	2 3000 🗌 🔽			ON DESK	TIETT SHAK AND COOL	TER OIL		
FCB	Flash Cove Base									
RB SCF	Rubber Base Seamless Cushioned Flooring									
MECHANI	CAL REQUIREMENTS	1								
PLUMBING	•	Seamless Utility /	Other Fixtures:		MED / NON-MED GASES					
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sir	ik: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		vash Station	(Quantity)	Medical Nitrous			Laboratory	Utility Laboratory Compressed
(	1 1			vash/Shower Station rgency Shower	Oxygen: Medical A		CO2: AG	SSS: Nitrogen:	Air:	Vacuum: Compressed Air:
Plumbing				rgency Shower n Rim Sink	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					7.11.
Remarks:			_							
				r Drain er Bottle Refill Station	Gas Remarks:					
			Hot Water	ei pottie veiiii 3fdfi0ii						
			Other							

Program 1. Y3.01

7.

13.

19.

25.

31.

37.

43.

Room Name: On-Call Room - Large			3. 4. 5. 6.	9. 15. 10. 16. 11. 17. 12. 18.	21. 22. 23. 24.	27.       33.         28.       34.         29.       35.         30.       36.	40. 41.	45. 46. 47. 48.
ARCHITECTURAL REQUIREMENTS								
WALL AND CEILING  Wall Material: GB Fit  Ceiling Material: ACT Fit  LEGEND:  WALL AND CEILING LEGEND:	mish: PT Type: Height: DOORS	☐ Corner Guards ☐ Hand Rails ☐ Crash Rails ☐ Chair Rail	Bed Bumper / Locator	GLAZING  Interior Glazing	FLOORING TYPES Material: Base: VSF FCB	Mirror  Door Rema Comply witl	S Ceiling Lift Infant Change Table	Magnetic Whiteboard Privacy Curtain  Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile ACT-C Cleanroom ARGB Abuse-Resistant Gypsum Board GB Gypsum Board IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile  WALL FINISHES LEGEND: EWC Epoxy Wall Coating	A A2 B  Type:Qty: Size (mm):  A 1 915 x 2135	Into	D2 E E2 F egral Door & Frame Privacy inds: Protect.: Film:  1 Low Othe	Function:  Card Mag Reader: Lock:  Pr Deadbolt	Auto Hold Opener: Open: Hinge		ccessory 2: Accessory 3:	Anti-barricade strategy  Closer:
HPC High Performance Coating PT Paint  CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering  FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Coating PFC Polyurethane Floor Coating RAF Rubber Athletic Flooring SCF Seamless Cushioned Flooring SDRF Static-Dissipative New Elooring SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring	MILLWORK AND SPECIALTY CASEWORK  C1  C2  C3  C4  C5  FULL-HEIGHT CABINETS  Legend: Category 0 - None	Motorized Min. Length Adjustable Stand	UNITS  US U6 U7 U8  U5 U6 L7 L8 L9  Uing Specialty	SHELF S1 L10 L11 L12 LOWER UNITS	rse lockers sized to accommodate		FINISHE Full-height Cabinet: Upper Millwork: Countertop: Lower Millwork: Shelf:  Remarks:  Provide a full h	aminate
WSVF Wetroom Safety Vinyl Sheet Flooring  FLOOR BASE LEGEND:  FCB Flash Cove Base  RB Rubber Base  SCF Seamless Cushioned Flooring	Category 2 - Med (5% - 9%)	gory (mm) Height Heig 1 450	ght Casework	RECEI COUN	PTION/TRANSACTION ITER / CARE TEAM U ON DESK	ITILITY SINK AND COUNTER	UNIT	
MECHANICAL REQUIREMENTS PLUMBING Hand	Seamless Utility /	Other Fixtures:	]	MED / NON-MED GASES				
	Seamless Utility / tchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower  Tub  Ice Maker  Water Closet  Instantaneous Hot Water	Evewash Station Eyewash/Shower Station Emergency Shower Flush Rim Sink Floor Drain Water Bottle Refill Station	MED / NON-MED GASES (Quantity) Oxygen: Medical A	Medical Nitrous Air: Vacuum: Oxide:	CO2: AGSS:	Laboratory Nitrogen: Air:	Laboratory Vacuum: Utility Compressed Air:

7. 8.

13.

14.

19.

20.

25.

26.

31.

32.

37.

38.

43.

44.

Program 1. Y3.06

Number(s): 2.

Appendix 1B Minimum Room Require	ements	Program Number(s):	1. Y1.01 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Vestibule - Staff Facilities	Entry		3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				11.	17.	23.	29.	35.	41.	47.
			6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS							1			
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES  Material: Base:		ACCESSORIES		
Wall Material: GB Ceiling Material: ACT	1,100	Corner Guards Hand Rails Bed Bur Crash Rails Chair Rail	nper / Locator	✓ Interior Glaz	zing	VSF FCB		Coat Hooks		Magnetic Whiteboard Privacy Curtain
		Crash Nans						Door Remarks:		Trivacy curtain
LEGEND: WALL AND CEILING LEGEND:	DOORS									
AC Architectural Ceiling ACT Acoustic Ceiling Tile	Types:									Security Grille
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board	NAMAI									Anti-barricade strategy
GB Gypsum Board IRGB Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	Н	J				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	Function (in the control of the cont		r & Frame Privacy rotect.: Film:			Auto Hold Opener: Open: Hins		1. A2. A		
SACT Security Acoustic Ceiling Tile		material into order		Tunction.	<b>✓</b> □	Dener: Open: Hing			Accessory 3: C	closer:
WALL FINISHES LEGEND:										
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		St	orage Requirements:					FINISHES	
PT Paint  CEILING FINISHES LEGEND:		UPPER UNITS						Full-height Cal		
ECC Epoxy Ceiling Coating	7777	U2 U3 U4 U						Upper Mills		
HPC High Performance Coating PF Prefinished		US US	U6 U7 U8	SHELF				Counte		
PT Paint			77	†a □				Lower Mills	Shelf:	
WALL PROTECTION LEGEND:				S1						
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate				1				Re	emarks:	
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering			1							
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel				1						
WVW Wetroom Vinyl Wallcovering	-		-7		1	7/-				
FLOOR FINISHES LEGEND:	C1 C2 C3 C4			~ -	7	Comment -				
CFS Concrete Floor Sealer  EFC Epoxy Floor Coating		12			K		16	1		
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	☐ L3 L4 L5 L6	L7 10		4		7			
RSF Rubber Sheet Flooring			L/ L8 L9	L10 L11	+		7/ 1			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized	ш		L12 N	TC1 TC2		.   [     [		
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category 1 - Low (1% - 4%)	Min. Length Adjustable Standing Spe	cialty	LOWER UNITS	_			UC1 U		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	, ,g 5	ework			ION/TRANSACTION ER / CARE TEAM	UTILITY SINK AND	_		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				STATIO	, -				
FCB Flash Cove Base RB Rubber Base										
SCF Seamless Cushioned Flooring										
NACCUANICAL DEOLUDENAENTS										
MECHANICAL REQUIREMENTS	Consider Hills /	Other Filters								
PLUMBING Hand (Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Seamless Utility / : Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures: Evewash  Shower Eyewash,	Station /Shower Station	MED / NON-ME (Quantity)	ED GASES	Medical Nitrous			Laboratory I	Utility Laboratory Compressed
1		☐ Tub ☐ Eyewash/☐ Emergen		Oxygen:	: Medical Air		CO2:	AGSS: Nitrogen:	A	Vacuum: Compressed  Air:
Plumbing		☐ Ice Maker ☐ Flush Rim								
Remarks:		Water Closet Floor Dra		C 2-	arker -			I		
		☐ Instantaneous ☐ Water Bo	ttle Refill Station	Gas Rema	arKS:					
		Hot Water Other								
			<u></u>							

Ceiling Material: ACT Finish: PF Height: 1350 mm Crash Rails Crash	Program 1. Y2.01 7. 13. 19. 25. 31. 37. 43. Number(s): 2. 8. 14. 20. 26. 32. 38. 44.	
S		
ARCHITECTURAL REQUIREMENTS  WALL AND CELLING  Would Marterial [ACR 1.27m APF, (B. Ablots)  Fried [ACR 1.27m APF, (B. Ablo		
March   California   Californ	6.     12.       18.     24.       30.     36.       42.     48.	
Mode   Marketia   Code   Cod		
Testing to the first and any source of the first and the f		
DOOR	Type: PVW Content Guards Content Gua	d
WALL MODE CLINES (LESPIN):  A plant for the control of the control		
A A AZ D BZ C CZ D DZ E D F72 GM I I I I I I I I I I I I I I I I I I	DOURS	
ACC CONTROL No. 10 ACCESSION TO A ALT B D D C CL D D D D D D D D D D D D D D D	Types:	ille
Mode Returned Sympos Mode	□ Anti-barrica	ade
Internal Properties of the Control Con	strategy	uuc
MALIA PRINCIPATION TO SERVICE THE PRINCIPATION OF THE PRINCIPATION	A A2 B B2 C C2 D D2 E E2 F F2 G H J	
Mode   Market was defined from the processor   Market fr	Integral Door & Frame Privacy Card Mag Auto Hold	
MILLWORK AND SPECIALTY CASEWORK  EVEN Experimente country Fund  MILLWORK AND SPECIALTY CASEWORK  WALL PRINTSHES LEGEND:  EXC Expery Value Casing Fund  MILLWORK AND SPECIALTY CASEWORK  WE top-free-more country Fund  MILLWORK AND SPECIALTY CASEWORK  WI UPER UNITS  For top-free-more country Fund  MILLWORK AND SPECIALTY CASEWORK  WI UPER UNITS  Fundamente Country Fund  MILLWORK AND SPECIALTY CASEWORK  WI UPER UNITS  Fundamente Country Fund  MILLWORK AND SPECIALTY CASEWORK  WI UPER UNITS  Fundamente Country Fundament Fundamente Country Fundamente Country Fundamente Country Fundamente Country Fundamente Country Fundamente Country Fundamente Country Fundamente Country Fundamente Country Fundamente Country Fundamente Country Fundamente Country Fundamente Country Fundamen		
WALL PROTECTION LEGEND: FIGURE Protection Conting Figure Protection Co		
INTERPRETATION FOR THE PROPERTY PARTY  FOR THE PARTY P		
FULL-HEIGHT CABINETS  LOWER UNITS  RECEPTION/TRANSACTION  COUNTRY LOWER UNITS  RECEPTION/TRANSACTION  COUNTRY LOWER UNITS  RECEPTION/TRANSACTION  COUNTRY LOWER UNITS  RECEPTION/TRANSACTION  COUNTRY LOWER UNITS  RECEPTION/TRANSACTION  COUNTRY LOWER UNITS  RECEPTION/TRANSACTION  COUNTRY LOWER UNITS  STATION DESK  FINCHTON  FULL-HEIGHT CABINETS  FULL-HE		
CELING FINISHES LEGEND:  FCC. Flog Profromance Counting FFC. Flog Profromance Counting FFC. Flog Profromance Counting FFC. Flog Profromance Counting FFC. Flog Profromance Counting FFC. Flog Flog Profromance Counting FFC. Flog Profromance Counting FFC. Flog Profromance Counting FFC. Flog Flog Flog Flog Flog Flog Flog Flog		
SEC. Epony Calling Carling. SPC High-Performance Course. SPC High-Performance Course. SPC High-Performance Course. SPC High-Performance Course. SP Performance Sheet.  WALL PROTECTION LEGEND: LOWER Millwords. Sheet. Shee	U1 ✓ Full-height Cabinet:	
Sept Perished Vision Plastic Laminate Pri Perished Vision Plastic Laminate Pri Perished Vision Plastic Laminate Pri Perished Vision Repetitive Vision Vision Plastic Laminate Pri Perished Sendord Plastic Prive Prive Proceed Vision Vision Plastic Prive Prive Proced Vision Vision Plastic Prive Prive Proced Vision Vision Plastic Prive Prive Proced Vision Vision Plastic Prive Prive Proced Vision Vision Plastic Prive Prive Prive Prive Vision Vision Plastic Prive Prive Prive Vision Vision Plastic Prive Prive Prive Prive Vision Vision Plastic Prive Prive Prive Prive Prive Prive Prive Plastic Laminate Prive Prive Prive Prive Prive Prive Prive Prive Plastic Laminate Prive Prive Prive Prive Prive Prive Prive Plastic Laminate Prive Prive Prive Prive Prive Prive Prive Prive Plastic Laminate Prive Prive Prive Prive Prive Prive Private Prive Prive Prive Prive Private Priva		
FUNDATION TO STATE TO BE SHEET STATE OF SHEET	Countertop: Solid Surfacing	
WALL PROTECTION LEGEND:  SSP Extured some rigid PICL Panel FIRE Pice Rendered Resize FIRE Pice Rendered Resize FIRE Pice Rendered Resize FIRE Pice Rendered Resize FIRE Pice Rendered Resize FIRE Pice Rendered Resize FIRE Pice Rendered Resize FIRE Pice Rendered Resize FIRE Pice Pice Pice Pice Pice Pice Pice Pice	U8 SHELF Lower Millwork: Plastic Laminate	
ESP Extruded Semi-Rigid PVLO Pated   File Reinforced Laminate   File Reinforced Laminate   File Reinforced Laminate   File Reinforced Resist   FVW Protective Viny Walknowning   File Reinforced Resist   FVW Protective Viny Walknowning   File Reinforced Resist   FVW Ware Ware Semi-Rigid PVLO Pated Reinforced Resist   File	Shelf:	
FRIL Fibre Reinforced Laminate FRP Fibre Reinforced Laminate FIBR Fibre Reinforced Laminate FIBR Fibre Reinforced Laminate FIBR Fibre Reinforced Laminate FIBR Fibre Reinforce Laminate FIBR Fibre Reinforced Laminate FIBR Fibre Reinforce FIBR Fibre Reinforce Reinforce FIBR Fibre Reinforce FIBR Fibre Reinforce Reinforce FIBR Fibre Reinforce Reinforce FIBR Fibre Reinforce FIBR Fibre Reinforce Reinforce FIBR Fibre Reinforce FIBR Fibre Reinforce Reinforce FIBR Fibre Reinforce Reinforce FIBR Fibre Reinforce Reinforce FIBR Fibre Reinforce Reinforce FIBR Fibre Reinforce Reinforce FIBR Fibre Reinf		
Find Protective May Mediconning RHS Rigid High Impact Sheet Wetword Solid Surface Planel Wow Wetword Winy Walkovering RHS Rigid High Impact Sheet Wetword Solid Surface Planel Wow Wetword Winy Walkovering RHS Rigid High Impact Sheet Rooming RHS Room Floor Coating RHS Room Floor Coating RHS Room Floor Coating RHS Room RhS Room RhS Coating RHS Room RhS Coating RHS Room RhS Coating RHS Room RhS Coating RHS Room RhS Coating RHS Room RhS Coating RHS Room RhS Coating RHS Room RhS Coating RHS Room RhS Coating RHS Room RhS Coating RhS Room RhS Coating RhS Room RhS Coating RhS Room RhS Coating RhS Room RhS Coating RhS Room RhS Coating RhS Room RhS Coating RhS Room RhS Coating RhS Room RhS Coating RhS Room RhS Coating RhS Room RhS Coating RhS Room RhS Coating RhS Room RhS Coating RhS Room RhS Coating RhS RhS Room RhS Coating RhS Room RhS Coating RhS RhS RhS RhS Room RhS RhS RhS RhS RhS RhS RhS RhS RhS RhS		
PVW Protective Vinyl Vallocovering RIIS RIIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallocovering  FLOOR FINISHES LEGEND: CFS Concrete Floor Sealer EFC Epoxy Floor Coating RAF Rubber Athletic Flooring RAF Rubber Athletic Flooring SORF Static Dissipative Rubber Sheet Flooring SORF Static Dissipative Rubber Sheet Flooring VSF Winyl Sheet Flooring VSF Winyl Sheet Flooring WSFF Wetroom Safety Vinyl Sheet Flooring Category 0 - None Category 1 - Low (1% - 4%) Category (mm) Height Height Casework Category 3 - High (10% or Greater)  FLOOR BASE LEGEND: FIG RISA Cove Base		
West of Side State Place Flooring Sopr State-Obsignative Rubber Flooring Sopr State-Obsignative Rubber Sheet Fl	15 Table 1 Tab	
FLOOR FINSHES LEGEND:  CFS Concrete Floor Sealer  EFC Epoxy Floor Coating  PFC Polywrethane Floor Coating  RAF Rubber Athletic Flooring  SOFF Seamless Cushloned Flooring  SOFF Static Dissipative Rubber Sheet Flooring  SOVE Static Dissipative Rubber Sheet Flooring  SOVE Static Dissipative Rubber Sheet Flooring  WSVF Vinyl Sheet Flooring  WSVF Wetroom Safety Vinyl Sheet Flooring  FLOOR BASE LEGEND:  FLOOR BASE LEGEND:  FEB Flash Cove Base		
FLOOR FINISHES LEGEND:  CT C2 C3 C4 C5 L1 L2 L3 L4 L5 L6 L7 L8 L9  PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring  SCF Seamless Cushloned Flooring  SCF Static-Obsignative Rubber Sheet Flooring  SDF Static-Obsignative Rubber Sheet Flooring  SDF Static-Obsignative Rubber Sheet Flooring  SDF Static-Obsignative Rubber Sheet Flooring  VSF Viny Sheet Flooring  WSVF Vertroom Safety Viny Sheet Flooring  WSVF Wetroom Safety Viny Sheet Flooring  Category 1 - Low (1% - 4%)  Category 2 - Med (5% - 9%)  Category 2 - Med (5% - 9%)  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  LOWER UNITS  RECEPTION/TRANSACTION  COUNTER / CARE TEAM  STATION DESK  UTILITY SINK AND COUNTER UNIT  STATION DESK	The state of the s	
CFS Concrete Floor Sealer EFC Epoxy Floor Coating PFC Polyurethane Floor Coating RAF Rubber Athletic Flooring RSF Rubber Athletic Flooring SSF Static-Dissipative Rubber Sheet Flooring SDRF Static-Dissipative Rubber Sheet Flooring VSF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring FLOOR BASE LEGEND: FCB Flash Cove Base  Cadegory 3 - High (10% or Greater)  Cadegory 4 - Molecondon 4 - Low 11 - Lo		
PFC Polyurethane Floor Coating RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring FLOOR BASE LEGEND: FCB Flash Cove Base  FULL-HEIGHT CABINETS  FULL-HEIGHT CAB		
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring SDF Static-Dissipative Rubber Sheet Flooring SDF Static-Dissipative Rubber Sheet Flooring VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  FLOOR BASE LEGEND: FCB Flash Cove Base  FULL-HEIGHT CABINETS  F		
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring SDF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring FLOOR BASE LEGEND: FCB Flash Cove Base  Legend:  Category 0 - None  Category 0 - None  Category (mm)  Min. Length Adjustable Adjustable Standing Specialty Height Casework  Category (mm)  Height Height Casework  LOWER UNITS  RECEPTION/TRANSACTION COUNTER / CARE TEAM STATION DESK  UTILITY SINK AND COUNTER UNIT STATION DESK	FULL-HEIGHT CARINETS	
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Rubber Sheet Flooring VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring FLOOR BASE LEGEND: FCB Flash Cove Base  Legend:  Category 0 - None  Category 1 - Low (1% - 4%) Category (mm) Min. Length Adjustable Adjustable Standing Specialty Height Height Casework  Category		
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  FLOOR BASE LEGEND:  FCB Flash Cove Base  Category 0 - None Min. Length Adjustable Standing Specialty Height Casework  Category (mm) Height Height Casework  Category (mm) Height Height Casework  Category 2 - Med (5% - 9%) COUNTER / CARE TEAM STATION DESK  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 1 - Low (1% - 4%) Category (mm) Height Height Casework  Category 1 - Low (1% - 4%) Category (mm) Height Height Casework  COUNTER / CARE TEAM STATION DESK		
VSF Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring  FLOOR BASE LEGEND:  FCB Flash Cove Base  Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 1 - Low (1% - 4%) Category 1 - Low (1% - 4%) Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) COUNTER / CARE TEAM COUNTER / CARE TEAM STATION DESK  COUNTER / CARE TEAM STATION DESK	Motorized V	
Category 2 - Med (5% - 9%)  FLOOR BASE LEGEND:  FCB Flash Cove Base  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  COUNTER / CARE TEAM UTILITY SINK AND COUNTER UNIT STATION DESK	Catagory 1 Law (19/ 49/)	
FLOOR BASE LEGEND:  FCB Flash Cove Base  Category 3 - High (10% or Greater)  Z 5555  STATION DESK	Category 2 - Med (5% - 9%)	
SCF Seamless Cushioned Flooring		
MECHANICAL REQUIREMENTS		
	Construction with the construction of the cons	-
PLUMBING Hand Seamless Utility / Other Fixtures: Evewash Station  (Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink: Floor Sink: Scrub Sink: Floor Sink: Scrub Sink: Floor Sink: Scrub Sink: Floor Sink: Scrub Sink: Floor Sink: Scrub Sink: Floor Sink: Scrub Sink: Floor Sink: Scrub Sink: Floor Sink: Scrub Sink: Floor Sink: Scrub Sink: Floor Sink: Scrub Sink: Floor Sink: Floor Sink: Scrub Sink: Floor S	Citchon Sink: Process Sink: Scrub Sink: Floor Sink: — Utility	.y
Shower Eyewash/Shower Station (causinity)	Shower Station Compress Compre	
Tub    Conver   Conve	Tub Emergency Shower Oxygen: Medical Air: Vacuum. Oxide. CO2: AGSS: Nitrogen: Air. Vacuum. Air:	l
Plumbing Ice Maker Flush Rim Sink	☐ Ice Maker ☐ Flush Rim Sink	
Remarks: Floor Drain	Water Closet Floor Drain	
✓ Instantaneous ✓ Water Bottle Refill Station Gas Remarks:		
	Hot Water	
HOU WALET	Other	I



# New Surrey Hospital & BC Cancer Centre

MINIMUM ROOM REQUIREMENTS

### Z. Recurring Rooms

				N	Number(s):	2. B1.22	8. D6.16	14. M2.20	20.	26.	32.		38.	44.	
						3. B2.30	9. F7.03	15.	21.	27.	33.		39.	45.	
í	Room Name: Alcove - Blanket Warmer					4. C3.34	10. G1.19	16.	22.	28.	34.		40.	46.	
						5. C4.28	11. 12.14	17.	23.	29.	35.		41.	47.	
								18.			36.		42.	48.	
						6. D2.22	12. L1.21	18.	24.	30.	30.		42.	46.	
ARCHITEC	CTURAL REQUIREMENTS														
WALL AND	CEILING		WALL PROTECTION				GLAZING		FLOORING TYPES		ROOM ACCESSO	ORIES			
Wa	Ill Material: ARGB 1.2m AFF, GB above	Finish: PT	Type: PVW	✓ Corner Guards ☐ Hand Rails	Bed Bun	nper / Locator	☐ Interior Glazi	ing	Material: Base:			Ceiling Lift		Magnetic W	Vhiteboard
Ceiling	g Material: ACT	Finish: PF	Height: 2185 mm	☐ Crash Rails ☐ Chair Rail			Interior Glazi	·····g	VSF FCB		Mirror	☐ Infant Chang		Privacy Cur	
LEGEND:		DOORS									Door Rema	rks:			
	CEILING LEGEND:														
AC	Architectural Ceiling	Туре													Security Grille
ACT	Acoustic Ceiling Tile													l	
ACT-C	Cleanroom			NELBLINELBLI	MELL		LINA BN.		NMMM						Anti-barricade
ARGB GB	Abuse-Resistant Gypsum Board Gypsum Board		A A2 B	B2 C C2 D	D2 E	E E2 F	F2 G	ш						5	trategy
IRGB	Impact-Resistant Gypsum Board		A AZ B	B2 C C2 D	D2 E	: E2 F	F2 G	"	,						
KLCT	Kitchen Lay-in Ceiling Tile				•	& Frame Privacy	Ca	0	Auto Hold						
MMRGB	Moisture and Mould-Resistant Gypsum Board		Type:Qty: Size (mm):	Material: Finish: Side Lt: B	linds: Pr	rotect.: Film:	Function: Rea	der: Lock: C	Opener: Open: H	inges:	Accessory 1: Ac	ccessory 2: Acces	ssory 3:	Closer:	
SACT	Security Acoustic Ceiling Tile				П		Г								
WALL FINIS	SHES LEGEND:  Epoxy Wall Coating														
HPC	High Performance Coating	MILLWORK AND SI	PECIALTY CASEWORK				torage Requirements:						FINISHES		
PT	Paint			UPPER	UNITS	3	torage nequirements.								
CEILING FII	NISHES LEGEND:			U1								Full-height Cabine			
ECC	Epoxy Ceiling Coating	Frank.	- 1/1/1/	7-1- U4								Upper Millworl	С:		
HPC PF	High Performance Coating	-	The Karl	7 7	U5	U6 U7						Countertor	):		
PT PT	Prefinished Paint	-			7-7	U8	SHELF					Lower Millworl	C:		
												Shel	f:		
WALL PRO	TECTION LEGEND:				ılı Fr	-	S1								
ESRP	Extruded Semi-Rigid PVCu Panel	-					V-					Remar	ks:		
FRL FRP	Fibre Reinforced Laminate Fibreglass Reinforced Plastic		1 1 1 1 1/2												
PVW	Protective Vinyl Wallcovering	-		1			1								
RHIS	Rigid High Impact Sheet	-		1	7		1								
WSSP	Wetwall Solid Surface Panel	THE PERSON NAMED IN COLUMN			CONTRACTOR CONTRACTOR	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAM									
WVW	Wetroom Vinyl Wallcovering					-	On the state of state of	1	76						
	ISHES LEGEND:		C2 C3 C4		***	-		7	-		-	24			
CFS	Concrete Floor Sealer		□ C4 C5 11	L2				K_			/				
EFC PFC	Epoxy Floor Coating Polyurethane Floor Coating			L3 L4 L5			- KKKK	1	France		Tank and the same				
RAF	Rubber Athletic Flooring	FULL-HEIGHT CAE	BINETS		L6	L7 L8		+							
RSF	Rubber Sheet Flooring				L6	L7 L8 L9	L10 L11	1		7/					
SCF	Seamless Cushioned Flooring	Language						L12	TC1 TC2		u	1			
SDRF SDVF	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None		Motorized							UC1				
VSF	Vinyl Sheet Flooring	Category 1 - None  Category 1 - Low (1	1% - 4%) Coto	Min. Length Adjustable Stan		cialty	LOWER UNITS					u			
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (		gory (mm) Height Hei	ignt Case	ework			ION/TRANSACTION						
FLOOR BAS	SE LEGEND:	Category 3 - High (1						STATIO	ER / CARE TEAM	UTILITY SI	NK AND COUNTER	UNII			
FCB	Flash Cove Base							SIAIIU	IN DESK						
RB	Rubber Base														
SCF	Seamless Cushioned Flooring														
MECHANI	ICAL REQUIREMENTS														
	•				_										
PLUMBING		Seamless Utility /	Comple Circles - Electricity		Evewash S	Station	MED / NON-ME	D GASES							Utility
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sink	kitchen Sink: Process Sink:	SCIUD SINK: FIOOT SINK:	Shower	Eyewash/	Shower Station	(Quantity)		Medical Nitro					Laboratory	Compressed
					Emergeno		Oxygen:	Medical Air	r: Vacuum: Oxide	e: co	2: AGSS:	Nitrogen:	Air:	Vacuum:	Air:
Plumbing		<u> </u>	· · · · · · · · · · · · · · · · · · ·	1 —	Flush Rim										
Remarks:				_											
				l .	Floor Drai		Gas Rema	ırks:							
				Instantaneous	☐ Water Bo	ttle Refill Station	- Cus nema								
				Hot Water	o.,										
					Other										

Program 1. A4.10

7. D3.06

13. L2.11

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Pre-			Nu	imber(s): 2. B1	08	8. D3.07	14. F6.03	20. N1.05	26.	32		38.	44.	
				3. B2		9. D6.17	15. G1.11	21. P4.05	27.	33		39.	45.	
Room Name: Alcove - Clean Linen				4. B3			16. 12.13	22. X2.01.8	28.	34		40.	46.	
				5. C3			17. K3.04	23.	29.	35		41.	47.	
				6. C4			18. K4.05	24.	30.	36		42.	48.	
				6. C4	10	12. F4.05	16. K4.05	24.	50.	30	•	42.	40.	
ARCHITECTURAL REQUIREMENTS														
WALL AND CEILING		WALL PROTECTION				GLAZING		FLOORING TYPES		ROOM ACCESS	ORIES			
Wall Material: ARGB 1.2m AFF, GB above	Finish: PT	Type: PVW	✓ Corner Guards ☐ Hand Rails ☐	Bed Bumper / Lo	ator	☐ Interior Glazi	ing	Material: Base:			s Ceiling Lift		☐ Magnetic \	Whiteboard
Ceiling Material: ACT	Finish: PF	Height: 2185 mm	✓ Crash Rails ☐ Chair Rail	-		Interior Glazi	'''B	VSF FCB		☐ Mirror	☐ Infant Char		Privacy Cui	
LEGEND:	DOORS					1	'			Door Rema	arks:			
WALL AND CEILING LEGEND:														
AC Architectural Ceiling	Тур	oes:					733						!	Security Grille
ACT Acoustic Ceiling Tile														
ACT-C Cleanroom			MEDALAH MIN			LINAISIN.								Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board		A A2 B	B2 C C2 D [	D2 E	2 F	F2 G	u							strategy
IRGB Impact-Resistant Gypsum Board		A A2 B	B2 C C2 D L	D2 E	EZ F	F2 G	-	J						
KLCT Kitchen Lay-in Ceiling Tile				gral Door & Frame	Privacy	Car		Auto Hold						
MMRGB Moisture and Mould-Resistant Gypsum Board		Γype:Qty: Size (mm):	Material: Finish: Side Lt: Blin	nds: Protect.:	Film:	Function: Read	der: Lock: (	Opener: Open:	linges:	Accessory 1: A	ccessory 2: Acce	essory 3:	Closer:	
SACT Security Acoustic Ceiling Tile				7										
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating														
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND S	SPECIALTY CASEWORK			C	D						FINISHES		
PT Paint			UPPER U	INITS	31	orage Requirements:								
CEILING FINISHES LEGEND:		7	U1	_							Full-height Cabin			
ECC Epoxy Ceiling Coating	(may make )	- 1/1/1/	U2 U3 U4								Upper Millwo	rk:		
HPC High Performance Coating	K		U. T. T. T. T. T. T. T. T. T. T. T. T. T.	5 U6	U7 -						Counterto	pp:		
PF Prefinished PT Paint	$\sim$			7	U8	SHELF					Lower Millwo	rk:		
	7				-	<b>7</b>					She	elf:		
WALL PROTECTION LEGEND:	Congression					S1								
ESRP Extruded Semi-Rigid PVCu Panel	-				111	1					Rema	rks:		
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic														
PVW Protective Vinyl Wallcovering		-	1			1								
RHIS Rigid High Impact Sheet	-		1	7		1								
WSSP Wetwall Solid Surface Panel	-			CON TRANSPORT	i :									
WVW Wetroom Vinyl Wallcovering			' '     1	= = = =	THE PERSONS	On the statement of the leading of t	1 7	75						
FLOOR FINISHES LEGEND:		C2 C3 C4					7	-			43			
CFS Concrete Floor Sealer EFC Epoxy Floor Coating			L2				K_			/	F7			
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating			L3 L4 L5			- SKKK	1		manuf.	The same of the sa				
RAF Rubber Athletic Flooring	FULL-HEIGHT CA	ABINETS		L6 L7 L8			1	/ 15						
RSF Rubber Sheet Flooring					L9	L10 L11	1		7/					
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:						L12	TC1 TC2		1 30	U			
SDVF Static-Dissipative Rubber Sheet Flooring  SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	1	Motorized Min. Length Adjustable Standii	na Cassisle						UC1				
VSF Vinyl Sheet Flooring	Category 1 - Low (	(40/ 40/)	Min. Length Adjustable Standii gory (mm) Height Heigh			LOWER UNITS	DE CED	-			1.000.0			
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med		601) (IIIII) Height Heigh					TION/TRANSACTION TER / CARE TEAM	LITHITY	NK AND COUNTER	LINIT			
FLOOR BASE LEGEND:	Category 3 - High (	(10% or Greater)					STATIO	=	OTILITY 3	INK AND COONTEN	ONII			
FCB Flash Cove Base														
RB Rubber Base														
SCF Seamless Cushioned Flooring														
MECHANICAL REQUIREMENTS														
PLUMBING Hand	Seamless Utility /		Other Fixtures:	Evewash Station		MED / NON-MEI	D GASES							
(Quantity) Hygiene Sink: Lavatory: Kitchen S		c: Scrub Sink: Floor Sink:				(Quantity)	_ GASES	Medical Nitro	IIC			Laboratory	Laboratory	Utility
(Scarincy)				Eyewash/Shower S		1	Madical A:-			12. 4.000-	Nitrogon	Air:	Vacuum:	compressed
			☐ Tub	Emergency Shower	-	Oxygen:	Medical Air	1.	le: CC	D2: AGSS:	Nitrogen:			Air:
Plumbing			☐ Ice Maker ☐	Flush Rim Sink									i	
Remarks:				Floor Drain			. [	<u> </u>	1	1	1			
			1	Water Bottle Refill	Station	Gas Remar	rks:							
			Hot Water		Julion									
			Ot	ther										

Program 1. A4.09

7. D2.23

13. F5.03

19. M2.19

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

		Number(s): 2. C4.1	7 8.	14. 20.	26.	32.	38.	44.
		3. C5.0	9 9.	15. 21.	27.	33.	39.	45.
Room Name: Alcove	- Clean Supplies	4. C7.0		16. 22.	28.	34.	40.	46.
		5. C3.2	1 11.	17. 23.	29.	35.	41.	47.
		6.	12.	18. 24.	30.	36.	42.	48.
ARCHITECTURAL REQUIR	MFNTS			-				
			CLAZING	FLOODING	VDEC DO	ON A COTTOODITO		
WALL AND CEILING	WALL PROTECTION		GLAZING	FLOORING TY Material:		OM ACCESSORIES	Г	¬
Wall Material: ARGB 1.2		rds Hand Rails Bed Bumper / Loca	ntor Interior Gla	7ing		Coat Hooks Ceiling L		Magnetic Whiteboard
Ceiling Material: ACT	Finish: PF Height: 2185 mm Crash Rails	Chair Rail		VSF	FCB [	☐ Mirror ☐ Infant C	hange Table	Privacy Curtain
LEGEND:	DOORS		1	1		Door Remarks:		
WALL AND CEILING LEGEND:								
AC Architectural Ceiling	Types:							Security Grille
ACT Acoustic Ceiling Tile								
ACT-C Cleanroom	MINDER N							Anti-barricade
ARGB Abuse-Resistant Gypsum B	ard Land Land							strategy
GB Gypsum Board	A A2 B B2 C	C2 D D2 E E2	2 F F2 G	Н ј				
IRGB Impact-Resistant Gypsum KLCT Kitchen Lay-in Ceiling Tile	oard	Integral Door & Frame	Privacy	ard Mag Auto Hold				
MMRGB Moisture and Mould-Resist	nt Gypsum Board	Director Developed	E'l	ader: Lock: Opener: Open:	Hingory Ass	accomula Accordana 2. /	\	Closer:
SACT Security Acoustic Ceiling Ti	TVDE,QLV. SIZE (IIIII). IVIALEITAI.	Finish: Side Lt: Blinds: Protect.:	Film: Function: Ke	Sec. 200m Spenier Spenie	Hinges: Acc	essory 1: Accessory 2: A	accessory 3:	Closer:
WALL FINISHES LEGEND:								
EWC Epoxy Wall Coating								
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK							
PT Paint	WILLWORK AND SPECIALLY CASEWORK	UPPER UNITS	Storage Requirements:				FINISHES	_
CEILING FINISHES LEGEND:	U1					Full-height Ca	oinet:	
ECC Epoxy Ceiling Coating	U2	112 _	$\neg$			Upper Mill	work:	
HPC High Performance Coating		U5 UE				Counte	ertop:	
PF Prefinished		The state of the s	17 U8 SHELF			Lower Mill		
PT Paint	Page 200 and a second						Shelf:	
WALL PROTECTION LEGEND:			S1				Jileii.	
ESRP Extruded Semi-Rigid PVCu			1 1 1 1 3			D <sub>O</sub>	emarks:	
FRL Fibre Reinforced Laminate						, ne	IIIdi KS.	
FRP Fibreglass Reinforced Plast							1	
PVW Protective Vinyl Wallcoveri		F	· 1				1	
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Pane							1	
WVW Wetroom Vinyl Wallcoverii	CONTRACTOR OF THE PROPERTY OF	11 - 17	- Parketon				1	
		-1-17	ON HE PERSONNELSEED	1	7		1	
FLOOR FINISHES LEGEND:	C1 C2 C3 C4 C5 L4		<b>{</b>				1	
CFS Concrete Floor Sealer EFC Epoxy Floor Coating			1 1/1/	K		( Amaz)	1	
PFC Polyurethane Floor Coating		L3 L4 L5	The second	4	THE PERSON NAMED IN	The same of the sa	1	
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		. 19				1	
RSF Rubber Sheet Flooring			L9 L10 L11		4/7/		1	
SCF Seamless Cushioned Floori SDRF Static-Dissipative Rubber S				L12 TC1	TC2	"   L	1	
SDVF Static-Dissipative Rubber S	Cotocom O. Nore	Motorized			102	UC1	1	
VSF Vinyl Sheet Flooring	Category 1 - None Min. Leng Category 1 - Low (1% - 4%) Category (mm)		LOWER UNITS				1	
WSVF Wetroom Safety Vinyl Shee	Flooring Category 2 - Med (5% - 9%)	Height Height Casework		RECEPTION/TRANSACT		ND COUNTER UNIT	1	
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)			COUNTER / CARE TEAM STATION DESK	UTILITY SINK A	ND COUNTER UNIT	1	
FCB Flash Cove Base				STATION DESK			1	
RB Rubber Base							1	
SCF Seamless Cushioned Floori	3						1	
MECHANICAL REQUIREM	INTC							
IVIECHANICAL REQUIRENI	NIO		T					
PLUMBING Hand	Seamless Utility / Other Fix	ures: Evewash Station	MED / NON-MI	ED GASES				r natitia.
(Quantity) Hygiene Sink: Lav	tory: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		/	Medical	Nitrous		Laboratory	Laboratory Compressed
		Emergency Shower	Oxygen	: Medical Air: Vacuum:	Oxide: CO2:	AGSS: Nitrogen	Λ:	Vacuum: Air:
Diumbing			7,84					7.41.
Plumbing Remarks:		_						
NEIHAINS.	□ Wat	r Closet Floor Drain	Cas Barre	arke:				<del></del>
		ntaneous Water Bottle Refill S	Gas Rema	di KS.				
		Vater						
		Other						
<u></u>				1				1

Program 1. B3.08

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B Minimum Room Requi	irements	Program Number(s):	1. A4.08	7. F4.16	13.	19.	25.	31.	37.	43.
		Number(s):		8. F5.06	14. 15.	20. 21.	26. 27.	32. 33.	38. 39.	44. 45.
Room Name: Alcove - Crash Cart			3. B2.21 4. B3.20	9. G1.17 10. I2.15	15. 16.	22.	28.	34.	40.	46.
			5. C3.27	11. L1.14	17.	23.	29.	35.	41.	47.
			6. C4.23	12. L2.12	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS										
·	WALL PROTECTION			CLAZING		FLOORING TYPES	BOOM	ACCECCODIEC		
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB above	WALL PROTECTION  Type: PVW  ✓ Corner (	Guards	ımner / Locator	GLAZING		Material: Base:		ACCESSORIES oat Hooks  Ceiling Lif	ft 🗸	Magnetic Whiteboard
Ceiling Material: ACT	Finish: PF Height: 2185 mm Crash Ri		imper / Locator	☐ Interior Glaz	zing	VSF FCB				Privacy Curtain
LEGEND:	DOORS							oor Remarks:		,
WALL AND CEILING LEGEND:										
AC Architectural Ceiling	Types:				702	7220				Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom		n Kana Kil Killari								☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board		7 172 18 186 1		9-18-4-18-1		3044				strategy
GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	A A2 B B2 C	C2 D D2	E E2 F	F2 G	н	J				
KLCT Kitchen Lay-in Ceiling Tile		Integral Doc	or & Frame Privacy			Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): Material:	Finish: Side Lt: Blinds: F	Protect.: Film:	Function: Rea	ader: Lock: C	pener: Open: Hin	ges: Accessor	ry 1: Accessory 2: Ac	ccessory 3: C	Closer:
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating										
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		,	Storage Requirements:					FINISHES	
PT Paint		UPPER UNITS	J	ntorage nequirements.				Full-height Cabi		
CEILING FINISHES LEGEND:	U1 U2	U3						Upper Millw		
ECC Epoxy Ceiling Coating HPC High Performance Coating		U4 U5	U6 117 🗆					Counter		
PF Prefinished			U7 U8	SHELF				Lower Millw	ork:	
PT Paint			7					SI	helf:	
WALL PROTECTION LEGEND:				S1						
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate	-			15				Ren	narks:	
FRP Fibreglass Reinforced Plastic										
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	10 100	Francis Francis		1						
WSSP Wetwall Solid Surface Panel		100	THE REAL PROPERTY.	1						
WVW Wetroom Vinyl Wallcovering				OR THE PERSONS NAMED IN COLUMN TWO	1 1	76				
FLOOR FINISHES LEGEND:	C1 C2 C3 C4 C5 14		- Property		1					
CFS Concrete Floor Sealer EFC Epoxy Floor Coating		13			K	2	/ 4	1		
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L3 L4 L5 L6	17		4		7   1			
RSF Rubber Sheet Flooring	TOLE-HEIGHT CABINETS		L7 L8 L9	L10 L11	1		7/ 11			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Loganda				L12	TC1 TC2				
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None Min. Le	Motorized ength Adjustable Standing Spe	ecialty				U	c1		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mr		sework	LOWER UNITS	RECEPTI	ION/TRANSACTION	L			
	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)					ER / CARE TEAM	UTILITY SINK AND C	OUNTER UNIT		
FLOOR BASE LEGEND: FCB Flash Cove Base	category of mgm (10% of creater)				STATIO	N DESK				
RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS										
PLUMBING Hand	Seamless Utility / Other I	ixtures: Evewash	n Station	MED / NON-ME	ED GASES					Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen S	ink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		n/Shower Station	(Quantity)		Medical Nitrous				Laboratory Compressed
		ıb Emerger	ncy Shower	Oxygen:	: Medical Air	· Vacuum: Oxide:	CO2:	AGSS: Nitrogen:	Air:	Vacuum: Air:
Plumbing	Ic	e Maker								
Remarks:		ater Closet		Gas Rema	arks.			<u> </u>		
			ottle Refill Station	Gas Nellis	uing.					
	н	ot Water Other								

Appendix 1B Minimum Room Requir	ements	Program Number(s):	1. C3.29 2. E2.01.05	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Alcove - Eyewash Station	1		3. E3.01.13 4. K3.15	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
			5.	11.	17.	23.	29.	35.	41.	47.
			6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS				T		I				
WALL AND CEILING	WALL PROTECTION	rner Guards		GLAZING		FLOORING TYPES  Material: Base:		M ACCESSORIES	.0	] Advanced to Addition of
Wall Material: ARGB 1.2m AFF, GB above Ceiling Material: ACT		rner Guards Hand Rails Bed Bur Ish Rails Chair Rail	nper / Locator	☐ Interior Gla	zing	WSVF FCB		Coat Hooks Ceiling L		Magnetic Whiteboard Privacy Curtain
LEGEND:	DOORS							Door Remarks:	. 0	,
WALL AND CEILING LEGEND:	Types:	The second secon								☐ Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile										Security Grille
ACT-C Cleanroom		ildim Ni Nizi								Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B2	C C2 D D2	E E2 F	F2 G	Н	J				strategy
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile		Integral Door	& Frame Privacy		Card Mag	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Materia	Diada. D	rotect.: Film:			Opener: Open: Hins	ges: Access	ory 1: Accessory 2: A	accessory 3:	Closer:
SACT Security Acoustic Ceiling Tile									-	
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating										
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		S	torage Requirements:					FINISHES	
PT Paint  CEILING FINISHES LEGEND:	U1	UPPER UNITS						Full-height Cal		
ECC Epoxy Ceiling Coating	17.7.7	U2 U3 U4 🗌						Upper Mill	work:	
HPC High Performance Coating PF Prefinished		US	U6 U7 U8					Counte	ertop:	
PT Paint			7 7 08	SHELF				Lower Mill	work: Shelf:	
WALL PROTECTION LEGEND:				S1					Sileii.	
ESRP Extruded Semi-Rigid PVCu Panel								Re	marks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic										
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet		Property Property		İ						
WSSP Wetwall Solid Surface Panel		50	-							
WVW Wetroom Vinyl Wallcovering		1 1 1		On STREET	1	76				
FLOOR FINISHES LEGEND:	C1									
CFS Concrete Floor Sealer EFC Epoxy Floor Coating				4	X==	-	/ 4	1		
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	] L3 L4 L5 L6	L7 10		4		7			
RSF Rubber Sheet Flooring			L/ L8 L9	L10 L11	+		7/			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			L12 M	TC1 TC2		.		
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring	Category 0 - None	in. Length Adjustable Standing Spe	cialty	LOWER UNITS				UC1 U		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category Category 2 - Med (5% - 9%)		ework	LOWER UNITS		TION/TRANSACTION	LITH ITY CINK AND			
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)					ER / CARE TEAM ON DESK	UTILITY SINK AND	COUNTER UNIT		
FCB Flash Cove Base RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS										
PLUMBING Hand	Seamless Utility / Ot	her Fixtures:	Station	MED / NON-M	ED GASES					1.0.20
(Quantity) Hygiene Sink: Lavatory: Kitchen Sin	k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Shower Station	(Quantity)		Medical Nitrous				Laboratory Compressed
		Tub Emergen		Oxygen	: Medical Air	r: Vacuum: Oxide:	CO2:	AGSS: Nitrogen:	Air:	Vacuum: Air:
Plumbing		Ice Maker Flush Rim								
Remarks:		■ Water Closet		Gas Rem	arks.	, 1	- '	'	- 1	
			ttle Refill Station	Gas Relli	iui NJ.					
		Hot Water Other								

	Room Name: Alcove - Eyewash/Showe	er Station	Number(s): 2. D4.01.08 3. Not Used 4. F7.12 5. I2.23 6. J2.02	8. M1.14 14. W1.05 9. M2.18 15. W6.04 10. M2.30 16. X3.02.06 11. P1.12 17. 12. R2.03 18.	20. 26. 27. 27. 28. 23. 29. 24. 30.	32.       38.         33.       39.         34.       40.         35.       41.         36.       42.	44. 45. 46. 47. 48.
WALL AND		WALL PROTECTION		GLAZING	FLOORING TYPES	ROOM ACCESSORIES	
	II Material: ARGB 1.2m AFF, GB above	1	Hand Rails Bed Bumper / Locator	☐ Interior Glazing	Material: Base: WSVF FCB		Magnetic Whiteboard
Ceiling	g Material: MMRGB	Finish: HPC Height: 2185 mm Crash Rails	Chair Rail		W3VI I'CB		Privacy Curtain
LEGEND:		DOORS				Door Remarks:	
WALL AND	CEILING LEGEND:	Types:					Security Grille
AC	Architectural Ceiling						Security Grille
ACT ACT-C	Acoustic Ceiling Tile Cleanroom						☐ Anti-barricade
ARGB	Abuse-Resistant Gypsum Board						strategy
GB	Gypsum Board	A A2 B B2 C C2	D D2 E E2 F	F2 G H	J		J
IRGB	Impact-Resistant Gypsum Board		Integral Deer & France Drivers	Cond. Man	A. da Hald		
KLCT MMRGB	Kitchen Lay-in Ceiling Tile Moisture and Mould-Resistant Gypsum Board		Integral Door & Frame Privacy Side It: Blinds: Protect.: Film:	Card Mag  Function: Reader: Lock:	Auto Hold Opener: Open: Hinges:		
SACT	Security Acoustic Ceiling Tile	Type:Qty: Size (mm): Material: Finish:	Side Lt: Blinds: Protect.: Film:	Function: Reader: Lock:	Opener: Open: Hinges:	Accessory 1: Accessory 2: Accessory 3:	Closer:
WALL FINIS	SHES LEGEND:						
EWC	Epoxy Wall Coating						
HPC	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Storage Requirements:		FINISHES	
PT	Paint		UPPER UNITS	Storage Requirements.			
CEILING FI	NISHES LEGEND:	U1 U1				Full-height Cabinet:	
ECC	Epoxy Ceiling Coating	U2 UI	U4			Upper Millwork:	
HPC	High Performance Coating					Countertop:	
PF PT	Prefinished Paint		U8	SHELF		Lower Millwork:	
						Shelf:	
WALL PRO	TECTION LEGEND:			S1			
ESRP	Extruded Semi-Rigid PVCu Panel	Supplement				Remarks:	
FRL FRP	Fibre Reinforced Laminate Fibreglass Reinforced Plastic						
PVW	Protective Vinyl Wallcovering	90 2200	1.6	1			
RHIS	Rigid High Impact Sheet	7		_1			
WSSP	Wetwall Solid Surface Panel	TATALOG ES		1			
WVW	Wetroom Vinyl Wallcovering			On the second second	76		
	ISHES LEGEND:	C1 C2 C3 C4					
CFS	Concrete Floor Sealer		-	1/1/4		<b>F</b>	
EFC PFC	Epoxy Floor Coating Polyurethane Floor Coating	□ □ □ □ I3	L4 L5	PERKY	- Comment		
RAF	Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L6 L7				
RSF	Rubber Sheet Flooring			L10 L11			
SCF SDRF	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend: Mc		L12	TC1 TC2	"   U	
SDVF	Static-Dissipative Number Sheet Flooring	Colores O Nove	torized			UC1 UC1	
VSF	Vinyl Sheet Flooring	Trinit Zerigeri Au	ustable Standing Specialty eight Height Casework	LOWER UNITS			
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)			TION/TRANSACTION TER / CARE TEAM UTILITY SIN	NK AND COUNTER UNIT	
FLOOR BAS	SE LEGEND:	Category 3 - High (10% or Greater)			ON DESK	MC/MID COOM EN OM	
FCB	Flash Cove Base						
RB	Rubber Base						
SCF	Seamless Cushioned Flooring						
MECHANI	CAL REQUIREMENTS						
PLUMBING	Hand	Seamless Utility / Other Fixtures:		MED / NON-MED GASES			
(Quantity)		le Vitaban Cinle Dunana Cinle Coreb Cinle Floor Cinle	Evewash Station	(Quantity)	Medical Nitrous	Laboratory	Utility
(Quantity)	, , , , , , , , , , , , , , , , , , , ,	Shower	Eyewash/Shower Station				Laboratory Compressed Vacuum:
			Emergency Shower	Oxygen: Medical Ai	ir: Vacuum: Oxide: CO2	2: AGSS: Nitrogen: AIr:	Vacuum. Air:
Plumbing		☐ Ice Maker	Flush Rim Sink				
Remarks:		☐ Water Close	✓ Floor Drain		1 1	1 1	
		☐ Instantaneou		Gas Remarks:			
		Hot Water					
			Other				

Program 1. D2.29

7. L1.19

13. R3.12

19.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

25.

Appendix 1B Minimum Room Requi	irements	Program Number(s		7. C3.24 8. C4.20	13. E2.01.06 14. E3.01.15	19. M2.37 20. P2.03.07	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Alcove - Hand Hygiene	Sink		3. B1.09	9. C5.05	15. G2.03	21. Q1.02	27.	33.	39.	45.
Noon Name. 7100ve Trand Tryglene	Onix		4. B2.11	10. D4.01.03	16. 12.12	22. R2.02	28.	34.	40.	46.
			5. B3.09 6. C1.10	11. D4.02.01 12. D6.09	17. M1.40 18. M2.36	23. R3.11 24.	29. 30.	35. 36.	41. 42.	47. 48.
			0. C1.10	12. 00.09	18. 1012.30	24.	30.	30.	42.	40.
ARCHITECTURAL REQUIREMENTS										
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB above	WALL PROTECTION  Finish: PT Type: WyW ✓ Corner Guards	☐ Hand Rails ☐ Bed E	Rumper / Locator	GLAZING		FLOORING TYPES  Material: Base:	_	OM ACCESSORIES  Coat Hooks Ceiling	, Lift	Magnetic Whiteboard
Ceiling Material: ACT		Chair Rail	bullipel / Locatol	☐ Interior Gla	azing	VSF FCB				Privacy Curtain
LEGEND:	DOORS							Door Remarks:		-
WALL AND CEILING LEGEND:	Types:									
AC Architectural Ceiling	турез.									Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom										☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board										strategy
GB Gypsum Board	A A2 B B2 C	C2 D D2	E E2 F	F2 G	н	J				
IRGB Impact-Resistant Gypsum Board  KLCT Kitchen Lay-in Ceiling Tile		Integral Do	oor & Frame Privacy	(	Card Mag	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Material: Fini	DI:l.	Protect.: Film:		eader: Lock: O	_	ges: Acce	ssory 1: Accessory 2:	Accessory 3:	Closer:
SACT Security Acoustic Ceiling Tile								,,		
WALL FINISHES LEGEND:										
EWC Epoxy Wall Coating										
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS		Storage Requirements:	:				FINISHES	
CEILING FINISHES LEGEND:	U1 U							Full-height C	abinet:	
ECC Epoxy Ceiling Coating	U2	U3 U4						Upper M	llwork:	
HPC High Performance Coating		U5	U6					Coun	itertop:	
PF Prefinished PT Paint			U8	SHELF				Lower M	llwork:	
			X						Shelf:	
WALL PROTECTION LEGEND:				S1						
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate	September 1			15				ļ f	Remarks:	
FRP Fibreglass Reinforced Plastic										
PVW Protective Vinyl Wallcovering	100 100 100 100 100 100 100 100 100 100	Francisco	i	1						
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel		ing Control of		1						
WVW Wetroom Vinyl Wallcovering			1	NAME OF THE PARTY	1	7				
FLOOR FINISHES LEGEND:	<u> </u>			000 000	1	Consessant	1000			
CFS Concrete Floor Sealer	C4 C5 11						7			
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating				KIN	4	- Company	/   #			
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	☐ <u></u> L6	L7 L8 L0		1					
RSF Rubber Sheet Flooring			L7 L8 L9	L10 L11			7/			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	NA a ta via a d			L12	TC1 TC2		.		
SDVF Static-Dissipative Vinyl Sheet Flooring	0.1	Motorized Adjustable Standing S	specialty					UC1		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm)	,	Casework	LOWER UNITS	RECEPTION	ON/TRANSACTION				
	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)					R / CARE TEAM	UTILITY SINK AN	ID COUNTER UNIT		
FLOOR BASE LEGEND:	Category 5 - night (10% of Greater)				STATION	I DESK				
FCB Flash Cove Base RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS										
	Coomless Heilite/			MED / NON TO	IED CASES					
PLUMBING Hand  (Ougatity) Hygiene Sink: Lavatory: Kitchen S	Seamless Utility / Other Fixtures ink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Lvcwa		MED / NON-M	IED GASES	Modical			(abar-te-	Utility
(Quantity) Hygiene Sink: Lavatory: Ritchen S	Shower		sh/Shower Station	(Quantity)	a. Madrida	Medical Nitrous Vacuum: Oxide:		ACCC. NII	Laboratory n. Air:	Laboratory Compressed Vacuum:
			ency Shower	Oxyger	n: Medical Air:	Tucuum. Oxide.	CO2:	AGSS: Nitroge	1: 7311	Air:
Plumbing	☐ Ice Make								1	
Remarks:	☐ Water Clo	oset	Drain	05			•			
	☐ Instantan		Bottle Refill Station	Gas Rem	iarks:					
	Hot Wate	r		1						
		Other		]						

			Number(s):	2. R3.10	8. 14.		20.	26.	32.	38.	44.	
				3. Y1.12	9. 15.		21.	27.	33.	39.	45.	
Room Name: Alcove - Lockers				4.	10. 16.		22.	28.	34.	40.	46.	
				5.	11. 17.		23.	29.	35.	41.	47.	
				6.	12. 18.		24.	30.	36.	42.	48.	
A DOLUTECTUDAL DEQUUDEA ASAITS												
ARCHITECTURAL REQUIREMENTS	T				I							
WALL AND CEILING	WALL PROTEC				GLAZING	FLC	OORING TYPES	_	OM ACCESSORIES			
Wall Material: ARGB 1.2m AFF, GB above	Finish: PT Type: P			mper / Locator	☐ Interior Glazing		Material: Base:		Coat Hooks Ce		Magnetic White	
Ceiling Material: ACT	Finish: PF Height: 2	185 mm Crash Rails Chair I	Rail				VSF FCB	_	☐ Mirror ☐ In	fant Change Table	Privacy Curtain	
LEGEND:	DOORS					·		•	Door Remarks:			
WALL AND CEILING LEGEND:	Types:										Secur	aite . Caille
AC Architectural Ceiling	1,463.										Secur	ity Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom	[6] [6]	)									☐ Anti-l	harricade
ARGB Abuse-Resistant Gypsum Board											strate	
GB Gypsum Board	A A2	B B2 C C2 D	D2	E E2 F	F2 G	Н	J					0.
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile			Integral Dec	r & Frame Privacy	Card	Mag Auto	) Hold					
MMRGB Moisture and Mould-Resistant Gypsum Board	FunciOtiu 6	iza (mm). Matarialı Finishı Çida		Protect.: Film:	2 1	Lock: Open		~~·· ^~	A 000000 m / 1	2. Assessment 2.	Clasori	
SACT Security Acoustic Ceiling Tile	Гуре:Qty: S	ize (mm): Material: Finish: Side	Lt: Dillias. 1	Totalini.	Function: Reader:	Lock. Open	er: Open: Hin	ges: Acce	essory 1: Accessory 2	2: Accessory 3:	Closer:	
WALL FINISHES LEGEND:												
EWC Epoxy Wall Coating												
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASE		IDDED LINITS	St	corage Requirements: D7.1	14 - (24) half loc	kers			FINISHES		
			JPPER UNITS			10 - (6) half locke			Full-heig	ght Cabinet:		
CEILING FINISHES LEGEND:		U2 U2			Y1.1	12 - (50) half lock	kers		_	er Millwork:		
ECC Epoxy Ceiling Coating HPC High Performance Coating		V 17 103 U4	U5	U6 U7					1	Countertop:		-
PF Prefinished			7	U7 U8	SHELF					er Millwork:		
PT Paint	Farguera.		1	77	-t-a -				Lowe	Shelf:		-
WALL PROTECTION LEGEND:	- Spanner				T 51					Jileii.		
ESRP Extruded Semi-Rigid PVCu Panel										Remarks:		
FRL Fibre Reinforced Laminate	7				1					Nemarks.		
FRP Fibreglass Reinforced Plastic	engreene.	VI I	1 1	- 1 1								
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	Varganza	No. Constitution of the last o	france of		1							
WSSP Wetwall Solid Surface Panel												
WVW Wetroom Vinyl Wallcovering			11 -		SO STATE OF THE PERSON NAMED IN COLUMN NAMED I	7						
FLOOR FINISHES LEGEND:	<u>cı</u>		-		on the second		Consession -	2000				
CFS Concrete Floor Sealer		C5 L1 L2	-					7	/			
EFC Epoxy Floor Coating					- 1444	-	Congress of the Congress of th	_/ 4		<b>//</b>		
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L5 L6	17						4		
RSF Rubber Sheet Flooring	TOLE HEIGHT CABINETS			L7 L8 L9	L10 L11		1	$\dashv$ $\downarrow$ $\mid$				
SCF Seamless Cushioned Flooring			_			12	TCI					
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized					TC1   TC2	50 N	1101	u s		
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%)	Min. Length Adjustable		ecialty	LOWER UNITS				UC1 U	<i>)</i>		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)	Category (mm) Height	Height Cas	sework	LOWER OWITS		TRANSACTION		_			
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)					COUNTER / C		UTILITY SINK A	ND COUNTER UNIT			
FCB Flash Cove Base						STATION DE	SK.					
RB Rubber Base												
SCF Seamless Cushioned Flooring												
MECHANICAL REQUIREMENTS												
PLUMBING Hand	Seamless Utility /	Other Fixtures:		S:	MED / NON-MED GA	ASES						
(Quantity) Hygiene Sink: Lavatory: Kitchen Si	ink: Kitchen Sink: Process Sink: Scrub Sink:	Floor Ciple	Evewash		-		Medical Nitrous			laharata		Utility
(Qualitity)		□ Snower		/Shower Station	(Quantity)		Medical Nitrous Vacuum: Oxide:		ACCC ****	Laboratory rogen: Air:	Laboratory Con	mpressed
		Tub	☐ Emerger	ncy Shower	Oxygen: I	Medical Air:	- CAIGE.	CO2:	AGSS: Niti	rogen: Air:	Tucuum.	Air:
Plumbing		☐ Ice Maker	Flush Rir	n Sink								
Remarks:		☐ Water Closet	☐ Floor Dra	ain			I	1	1 1			
		Instantaneous		ottle Refill Station	Gas Remarks:							
		Hot Water		othe Nemi Station								
		not water	Other									

Program 1. D7.14

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

PP				Number(s):	2. F6.04	8. 14	4.	20.	26.	32.	38.	1	14.
					3. K3.03	9. 15	5.	21.	27.	33.	39.	2	45.
Room Name: Alcove - Lockers - Patie	nt				4. K4.04	10. 16		22.	28.	34.	40.		46.
					5.	11. 17		23.	29.	35.	41.		47.
					6.	12. 18		24.	30.	36.	42.		48.
					0.	12.	0.	24.	30.	30.	42.	4	-0.
ARCHITECTURAL REQUIREMENTS													
WALL AND CEILING	\	WALL PROTECTION				GLAZING		FLOORING TYPES	RC	OOM ACCESSORIES	}		
Wall Material: ARGB 1.2m AFF, GB above	Finish: PT	Type: PVW	✓ Corner Guards ☐ Hand Ra	ils 🗌 Bed Bur	mper / Locator	☐ Interior Glazing	I .	Material: Base:		Coat Hooks		☐ Magneti	ic Whiteboard
Ceiling Material: ACT	Finish: PF	Height: 2185 mm	☐ Crash Rails ☐ Chair Ra			interior Glazing		VSF FCB	r		Infant Change Table	Privacy (	
		Height. 2103 Hilli											
LEGEND:	DOORS									Door Remarks:			
WALL AND CEILING LEGEND:	Types:												Security Grille
AC Architectural Ceiling  ACT Acoustic Ceiling Tile						VAN A							, occurry orme
ACT Acoustic Ceiling Tile  ACT-C Cleanroom								7077					Anti-barricade
ARGB Abuse-Resistant Gypsum Board													strategy
GB Gypsum Board		A A2 B	B2 C C2 D	D2	E E2 F	F2 G	н	J					
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile				Integral Door	r & Frame Privacy	Card	Mag A	Auto Hold					
MMRGB Moisture and Mould-Resistant Gypsum Board		Гуре:Qty: Size (mm):	Material: Finish: Side Lt		rotect.: Film:		r: Lock: Op	_	nges: Acc	cessory 1: Accessor	ry 2: Accessory 3:	Closer:	
SACT Security Acoustic Ceiling Tile		Type.Qty. 3ize (iliili).	iviateriai. Fillisii. Side Li			Turiction.			iges. Acc	Lessoly 1. Accessor	Ty 2. Accessory 3.	Closer.	٦
WALL FINISHES LEGEND:				$+$ $\vdash$ $\vdash$									=
EWC Epoxy Wall Coating													
HPC High Performance Coating	MILLWORK AND SPE	CIALTY CASEWORK				Storage Requirements: D6	5.10 - (50) half	lockers			FINISHE	ς.	
PT Paint	200			PPER UNITS	-		5.10 - (30) Half lo						
CEILING FINISHES LEGEND:			U1 U2				3.03 - (6) half lo				eight Cabinet:		
ECC Epoxy Ceiling Coating	The state of the s	-VIVI	U2 U3 U4			K4.	1.04 - (4) half lo	ockers		Up	per Millwork:		
HPC High Performance Coating PF Prefinished		T-X-V		U5	U6 U7						Countertop:		
PF Prefinished PT Paint	-				U8	SHELF				Lo	wer Millwork:		
					-						Shelf:		
WALL PROTECTION LEGEND:				ılı İT		S1							
ESRP Extruded Semi-Rigid PVCu Panel	Varganian I					V					Remarks:		
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic	enganger.	'  '  /											
PVW Protective Vinyl Wallcovering		100			. 1								
RHIS Rigid High Impact Sheet	7		1		1								
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering	Consessed to the Conses	-		Sep Sep	an Property								
,				-	20	On the Perfection	1	76					
FLOOR FINISHES LEGEND:	<u>C1</u>	C3 C4		mo.			7	-		-			
CFS Concrete Floor Sealer		C4 C5 11	12	-		/ / K	_			/	=7		
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating			L3 L4	L5		- KKKA.	~ ~	- Contractor		The same of the sa	<b>7</b> /		
RAF Rubber Athletic Flooring	FULL-HEIGHT CABIN	IETS			L7 L8 L0		/				$\mathbb{P}\mathbb{I}$		
RSF Rubber Sheet Flooring					L7 L8 L9	L10 L11			7/				
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:				— ⊔		L12	TC1 TC2	$\nu$	, U			
SDVF Static-Dissipative Kubber Sneet Flooring  SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		Motorized	Standing Spe	aialt.					UC1			
VSF Vinyl Sheet Flooring	Category 1 - Low (1%	- 4%) Cate	Min. Length Adjustable gory (mm) Height		ecialty ework	LOWER UNITS	DECEDA						
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5%		sor, (iiiii) Height					ON/TRANSACTION R / CARE TEAM	LITH ITY SINK A	AND COUNTER UNIT			
FLOOR BASE LEGEND:	Category 3 - High (109	% or Greater)					STATION	=	OTIENT SHEKA	NID COOKIEK ONLI			
FCB Flash Cove Base													
RB Rubber Base													
SCF Seamless Cushioned Flooring													
MECHANICAL REQUIREMENTS													
PLUMBING Hand	Seamless Utility /		Other Fixtures:			MED / NON-MED G	GASES						
(Quantity) Hygiene Sink: Lavatory: Kitchen Sin		Scrub Sink: Floor Sink:		Evewash		-	JAJEJ	Medical Nitrous			لحدد عام (	u labe	Utility
(Qualitity) 70			Shower		/Shower Station	(Quantity)	Mandie - LA:	Medical Nitrous Vacuum: Oxide		ACCC .	Laboratory	y Laborator Vacuum:	·
			☐ Tub	☐ Emergen	cy Shower	Oxygen:	Medical Air:	Zucuum. Oxide	CO2:	AGSS: N	Nitrogen: Air:	- acaum	· Air:
Plumbing			☐ Ice Maker	Flush Rim	n Sink								
Remarks:			☐ Water Closet	☐ Floor Dra	in			1 1	1	1 1	1		
			Instantaneous		ottle Refill Station	Gas Remarks:	:						
			Hot Water	vvaler BC	ACIC NEIIII SLALIUII								
			Tiot water	Other									

Program 1. D6.10

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B Minimum Room Req	uirements	Program Number(s):	1. W6.05 2. W1.12	7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Alcove - AGV Cart St	taging		3. 4.	9. 15. 10. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				11.	23.	29.	35.	41.	47.
			6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS									
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES Material: Bas		M ACCESSORIES		
Wall Material: ARGB 1.2m AFF, GB above ARGB 1.2m AFF, GB AFF,	e Finish: PT Type: PVW Corner Finish: PF Height: 2185 mm		nper / Locator	☐ Interior Glazing	EFC EFC		Coat Hooks Ceiling Lit  Mirror Infant Ch		agnetic Whiteboard ivacy Curtain
LEGEND:	DOORS					-	Door Remarks:		
WALL AND CEILING LEGEND:	Types:								Security Grille
AC Architectural Ceiling  ACT Acoustic Ceiling Tile									
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board	NAANA								Anti-barricade strategy
GB Gypsum Board	A A2 B B2	C C2 D D2	E E2 F	F2 G H	d J				Strategy
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile		Integral Door	& Frame Privacy	Card	Mag Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile	Type:Qty: Size (mm): Material:	Finish: Side Lt: Blinds: P	rotect.: Film:	Function: Reader:	Lock: Opener: Open:	Hinges: Acces	sory 1: Accessory 2: Ac	ccessory 3: Close	er:
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating									
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	orage Requirements: B3.21	- (1) alcove to support blanket	warmer		FINISHES	
CEILING FINISHES LEGEND:	U1 U1						Full-height Cabi	net:	
ECC Epoxy Ceiling Coating HPC High Performance Coating		2 U3 U4 U5	U6				Upper Millw Counter		
PF Prefinished		T Z Z	U7 U8	SHELF			Lower Millw	· ·	
PT Paint				<b>⊅</b> □			SI	helf:	
WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel				S1			Ren	narks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic									
PVW Protective Vinyl Wallcovering	200	Francis	1 1						
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel		12							
WVW Wetroom Vinyl Wallcovering		1 1 1		Managarana Managarana	76				
FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer						7			
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 L4		MM-					
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L3 L4 L5 L6	L7 L8 L9			<u></u>			
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring			L/ L8 L9 1	L10 L11 L12	TC1				
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None Min	Motorized Length Adjustable Standing Spe	oio ltu.			TC2	UC1		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (n		cialty ework	LOWER UNITS	RECEPTION/TRANSACTION				
FLOOR BASE LEGEND:	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)				COUNTER / CARE TEAM STATION DESK	UTILITY SINK AND	D COUNTER UNIT		
FCB Flash Cove Base RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS				<u> </u>					
PLUMBING Hand  (Ouggetist) Hygiene Sink: Layatory: Kitcher	Sink: Kitchen Sink: Brocess Sink: Scrub Sink: Floor Sink:	Fixtures: Evewash		MED / NON-MED GAS		itraus		laboratar	Utility
(Quantity) 178.5.1.2 5.11.1.	Traces sink. Seed sink. 1966 sink.		Shower Station	(Quantity) Oxygen: Me		itrous Oxide: CO2:	AGSS: Nitrogen:		oratory Compressed Air:
Plumbing		Tub Emergen Ice Maker Flush Rim							PHI.
Remarks:		Water Closet Floor Dra							
		Instantaneous	ttle Refill Station	Gas Remarks:					
		Hot Water Other							

Appendix 1B Minimum Room Ro	equirements		Program Number(s):	1. W1.13 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Alcove - AGV Cha	rging			3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				5.	11.	17.	23.	29.	35.	41.	47.
ADCULTECTURAL REQUIREMENTS				6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS											
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB ab	WALL PROTECT  ove Finish: PT Type: PV				GLAZING		FLOORING TYPES  Material: Base:		<b>Λ ACCESSORIES</b> Coat Hooks ☐ Ceiling Li	<b>.</b> $\Box$	Magnetic Whiteboard
Ceiling Material: ACT	ove         Finish:         PT         Type:         PV           Finish:         PF         Height:         218		□ Bed Bul	riper / Locator	☐ Interior Glaz	zing	EFC EFC		Mirror Infant Ch		Privacy Curtain
LEGEND:	DOORS	<u> </u>						1	Door Remarks:		<u> </u>
WALL AND CEILING LEGEND:	Types:		Territoria de la constanta de								Security Grille
AC Architectural Ceiling	1,700.		MM.								Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom	KIRD.		MAR			Folkalia II					☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	22	B B2 C C2 D	D2		F2 G						strategy
IRGB Impact-Resistant Gypsum Board	A A2	5 52 6 62 5	D2	E E2 F		н	J				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Boar	d Tool S		U	r & Frame Privacy rotect.: Film:	D -		Auto Hold pener: Open: <sub>Hing</sub>				
SACT Security Acoustic Ceiling Tile	Type:Qty: Siz	e (mm): Material: Finish: Side Lt:			Function: Rea		pener: Open: Hing	ges: Access	ory 1: Accessory 2: Ac	ccessory 3: Clo	oser:
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating					[						
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEW			S	torage Requirements:	B3.21 - (1) alcov	ve to support blanket warm	er		FINISHES	
CEILING FINISHES LEGEND:		U1	R UNITS						Full-height Cab	inet:	
ECC Epoxy Ceiling Coating	17:17	U2 U3 U4							Upper Milly	/ork:	
HPC High Performance Coating PF Prefinished	The state of the s	X X X X X X X X X X X X X X X X X X X	U5	U6 U7 U8					Counte	top:	
PT Paint			7	7 7 7 08	SHELF				Lower Milly		
WALL PROTECTION LEGEND:					S1				S	helf:	
ESRP Extruded Semi-Rigid PVCu Panel				1 11					Rer	narks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic					1						
PVW Protective Vinyl Wallcovering	Z	-	-	_							
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel					-						
WVW Wetroom Vinyl Wallcovering	-		5	-		1	3 /				
FLOOR FINISHES LEGEND:	C1 C2 C3		" =	-7		1	Comment -	257			
CFS Concrete Floor Sealer		C5 L1 L2	-					7/	F		
EFC Epoxy Floor Coating  PFC Polyurethane Floor Coating			15		RM	4==	- Francisco	-/ =			
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS			L7 L8 L9							
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring					L10 L11	L12					
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized					TC1 TC2				
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%)	- ,	-	cialty	LOWER UNITS	_			UC1 U		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)			ework			ON/TRANSACTION R / CARE TEAM	UTILITY SINK AND	COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)					STATION	, -				
FCB Flash Cove Base RB Rubber Base											
SCF Seamless Cushioned Flooring											
MECHANICAL REQUIREMENTS											
PLUMBING Hand	Seamless Utility /	Other Fixtures:	Evewash	Station	MED / NON-MI	ED GASES					Initia.
(Quantity) Hygiene Sink: Lavatory: Kitc	hen Sink: Kitchen Sink: Process Sink: Scrub Sink: Fl	oor Sink:		/Shower Station	(Quantity)		Medical Nitrous				Utility aboratory Compressed
			Emergen		Oxygen	: Medical Air:	Vacuum: Oxide:	CO2:	AGSS: Nitrogen:	Air: \	Vacuum: Air:
Plumbing			Flush Rim								
Remarks:		I	☐ Floor Dra	in	Carlos	arke:	1		I		
		☐ Instantaneous	☐ Water Bo	ottle Refill Station	Gas Rema	di KS.					
		Hot Water	Other								

Route Filter   Route	Appendix 1B Minimum Room Require	ments	Program Number(s):	1. A2.08 2. A3.13	7. C3.28 8. C4.24	13. F4.15 14. G1.18	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
## 15 - 19 - 19 - 19 - 19 - 19 - 19 - 19 -	Room Name: Alcove - Mobile Equipment										
ARCHITCHURA REQUIREMENTS  WALL PROTECTION  OF THE P											
MAIL PROPERTY   MAIL PROPERT				6. C3.04	12. F2.13	18.	24.	30.	36.	42.	48.
## MILLYOR ROO SPECIAL TO CRUMON    Milly   Mi	ARCHITECTURAL REQUIREMENTS										
Part   Part					GLAZING						
MAIL NOT CELL TO SEASON   Mail NOT CELL TO				nper / Locator	☐ Interior Glaz	zing					
Mill   Mill			SII NdiiS   Ciidii Ndii							alige lable	vacy curtain
AND ADVISIONAL FORM TO AND ADVISIONAL PROPERTY OF THE PROPERTY ADDRESS CONTROL OF THE PROPERTY											7
A	AC Architectural Ceiling	турез.			AN AA	744					Security Grille
General Section   Control   Telescope   Control   Telescope   Control   Telescope   Control   Telescope   Control   Telescope   Control   Telescope   Control   Telescope   Control   Telescope   Control   Telescope   Control   Telescope   Control   Telescope   Control   Telescope   Control   Telescope   Control   Telescope   Control   Telescope   Control   Telescope   Control   Telescope   Control   Telescope   Control   Telescope	ACT-C Cleanroom										
Geometry   Control   Con	••	A A2 B B2	C C2 D D2	E E2 F	F2 G	Н	J				strategy
MILLWORK AND SPECIALTY CASCWORK  FOR SPECIAL SERVICE  FOR SPECIAL SERVIC	•		Integral Doo	· & Frame Privacy	Ci	ard Mag	Auto Hold				
MAL PROFESS LIGENO  FINANCIAN PROPERTY  FINANC	•	Гуре:Qty: Size (mm): Materia	al: Finish: Side Lt: Blinds: P	rotect.: Film:	Function: Rea	ader: Lock: (	Opener: Open: Hinge	es: Accessor	y 1: Accessory 2: Ac	ccessory 3: Close	er:
Size State Communication  Whit					[						
THOUGH STANDARD SECRET CONTROL OF THE CONTROL OF TH	EWC Epoxy Wall Coating										
TOTAL PROPERTY OF THE PROPERTY	9	MILLWORK AND SPECIALTY CASEWORK		Sto	orage Requirements:	B3.21 - (1) alco	ove to support blanket warme	r			
Feet Contractions   Feet		UI	U2						_		
## PROPRIESE WALL PROTECTION LEGEND:			U4 □	116							
WALLESTON LIGHTS  Fig. 1  Fig.			Z Z	U8	SHELF				Lower Millw	ork:	
ESP Etypoda immost grift Co. Food In High Interface of Lamina In High Interface of Lam	WALL PROTECTION LEGEND:				7 .				S	helf:	
Fig File-Reference Interface  File - File-Reference Interface  File - File - File - File - File  File - File - File  File - File - File  File - File  File - File  File - File  File - File  File - File  File - File  File - File  File - File  File - File  File - File  File	ESRP Extruded Semi-Rigid PVCu Panel								Ren	narks:	
Ingeriely-ingeri											
We we will sold soften send why Wild Control May Nationality We will be some for the sender fore	,	10	The state of the s		i						
ACCOMPRISHES LEGEND:  CFS Concrete Road States  FFV Control Print Coding Supr Microbine Supr Road Road Road Road Road Supr Road Road Road Supr Road Road Supr Road Road Supr Road Road Supr Road Road Road Supr Road Supr Road Road Supr Roa	WSSP Wetwall Solid Surface Panel		100 TO THE REAL PROPERTY.								
GS C GS LI UZ B LI LI LI LI LI LI LI LI LI LI LI LI LI	, -	CI M			OR OTHER PROPERTY.	and and and and and	7				
FULL-BIGHT CABINETS  FULL-BIGH	CFS Concrete Floor Sealer	C3 C4 1	The same of the sa		==	V		7/			
Sign Registry Character Flooring Sign Static Disapable Rubber Flooring Sign Static Disapable Rubber Flooring Sign Static Disapable Rubber Sheet Flooring Sign Static Disapable Rubber Station Sign Static Disapable Rubber Station Sign Static Disapable Rubber Station Sign Static Disapable Rubber Station Sign Static Disapable Rubber Station Sign Static Disapable Rubber Static Rubber Static Rubber Station Sign Static Disapable Rubber Static Rubber Static Rubber St			L3 L4 L5			4==		<b>-/</b>   fin			
Soffer Seamless Customored Flooring Standing Specialty Soffer Seamless Customored Flooring Standing Specialty Soffer Seamless Customored Flooring Standing Specialty Soffer Seamless Customored Flooring Standing Specialty Soffer Seamless Customored Flooring Standing Specialty Soffer Seamless Customored Flooring Standing Specialty Soffer Seamless Customored Flooring Standing Specialty Soffer Seamless Customored Flooring Standing Specialty Soffer Seamless Customored Flooring Standing Specialty Soffer Seamless Customored Flooring Standing Specialty Specialty Specialty Specialty Specialty Specialty Specia	=	FULL-HEIGHT CABINETS	L6		110		1 - 15	4 / 11 11			
Solve Static-Obsignative Yary Sheet Flooring See From (1997) A Static-Obsignative Yary Sheet Flooring See From (1997) A Static-Obsignative Yary Sheet Flooring See From (1997) A Static-Obsignative Yary Sheet Flooring See From (1997) A Static-Obsignative Yary Sheet Flooring See From (1997) A Static-Obsignative Yary Sheet Flooring See From (1997) A Static-Obsignative Yary Sheet Flooring See From (1997) A Static-Obsignative Yary Sheet Flooring See From (1997) A Static-Obsignative Yary Sheet Flooring See From (1997) A Static-Obsignative Yary Sheet Flooring See From (1997) A Static-Obsignative Yary Sheet Flooring Seamless Standing Specialty Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  MECHANICAL REQUIREMENTS  PLUMBING Hand Seamless Utility / Seamless Utility / Shower Station Seamless Utility / Shower Station Seamless Utility / Shower Station Shower Show	SCF Seamless Cushioned Flooring	Logandi					TC1 TC2				
With State Flooring Wisy With State Flooring Wisy With State Flooring Wisy With State Flooring Wisy With State Flooring Wisy With State Flooring Wisy With State Flooring  Category 2 - Med (5% - 9%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  Category 3 - High (10% or Greater)  WECHANICAL REQUIREMENTS   MECHANICAL REQUIREMENTS  MECHANICAL REQUIREMENTS  MECHANICAL REQUIREMENTS  With Seamless Utility Wigh State Flooring With State Flooring With State Flooring  Well and the state of the Flooring with Station   State Flooring   Water Closet   Floor Drain    Plumbing Remarks:  Plumbing Remarks:  Plumbing Remarks:  Water Closet   Floor Drain    Water Closet   Floo	SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		cialty				μ	1		
FLOOR BASE LEGEND: FLOOR BASE RB RB RB RB RB RB RB RB RB RB RB RB RB R				ework	LOWER UNITS						
RECHANICAL REQUIREMENTS  PLUMBING (Quantity) Hyglene Sink: Lavatory: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink: Shower   Evewash/Shower Station   Quantity)   Medical Air: Vacuum: Oxide: CO2: AGSS: Nitrogen: Air: Vacuum: Plumbing Remarks:   Leb Maker   Floor Drain   Gas Remarks:   G	FLOOR BASE LEGEND:						•	UTILITY SINK AND C	DONTER UNIT		
MECHANICAL REQUIREMENTS  PLUMBING (Quantity) Hyglene Sink: Lavatory: Kitchen Sink: Scrub Sink: Scrub Sink: Scrub Sink: Floor Sink: Scrub Sink: Scrub Sink: Floor Sink: Scrub Sink: Scrub Sink: Floor Sink: Scrub S											
PLUMBING Hand Seamless Utility/ Other Fixtures: Evewash Station Evewash/Shower Station Evew											
PLUMBING Hand Seamless Utility/ Other Fixtures: Evewash Station Evewash/Shower Station Evew											
Hygiene Sink: Lavatory: Kitchen Sink: Laboratory Laboratory Laboratory Vacuum: Oxide: CO2: AGSS: Nitrogen: Air: Vacuum: Oxide: CO2: A											
Plumbing Remarks:    Tub	PLUMBING Hand  (Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Cinky Drococc Cinky Scrub Sinky Elear Sinky	LYCWU311		1	ED GASES	Medical Nitrous			Laboratory Lab	
Plumbing Remarks:    Ice Maker	(Quality)					: Medical Air		CO2:	AGSS: Nitrogen:		compressed
Remarks:  Water Closet Instantaneous Hot Water  Gas Remarks:  Gas Remarks:	Plumbing										
Instantaneous Water Bottle Refill Station Hot Water									<u> </u>		
			Instantaneous	ttle Refill Station	Gas Rema	arks:					

		Number(s):	2. B1.13	8. G1.09	14. V1.02	20.	26.	32.	38.	44.
Alassa Nasriaharasi Ota	d'a a		3. B2.12	9. 12.17	15.	21.	27.	33.	39.	45.
Room Name: Alcove - Nourishment Sta	ation			10. L2.20	16.	22.	28.	34.	40.	46.
				11. M1.07	17.	23.	29.	35.	41.	47.
				12. N3.07	18.	24.	30.	36.	42.	48.
			0. C4.22	12. N3.07	10.	24.	30.	30.	42.	46.
ARCHITECTURAL REQUIREMENTS										
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES	ROOM AC	CESSORIES		
Wall Material: ARGB 1.2m AFF, GB above	Finish: EWC Type: WVW	Corner Guards Hand Rails Bed Bur	mper / Locator	☐ Interior Glazi		Material: Base:		Hooks Ceiling Lift	t 🗆 M:	gnetic Whiteboard
Ceiling Material: ACT	Finish: PF Height: 2185 mm	Crash Rails Chair Rail		interior Giazi	ing	WSVF FCB	☐ Mirro			vacy Curtain
		_ = ===================================								racy cartain
LEGEND:	DOORS						Door	Remarks:		
WALL AND CEILING LEGEND:	Types:									Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile										
ACT Acoustic Ceiling Tile ACT-C Cleanroom										☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board										strategy
GB Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	н	J				
IRGB Impact-Resistant Gypsum Board  KLCT Kitchen Lay-in Ceiling Tile		Integral Door	r & Frame Privacy	Ca	rd Mag A	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	•	estant Ettan		•	pener: Open: Hinge	s: Accessory 1:	Accessory 2: Acc	cessory 3: Close	r:
SACT Security Acoustic Ceiling Tile	Type:Qty. Size (IIIII).	Waterial. Tillish. Side Lt.		Tunction.	-	- I - I IIIIge	s. Accessory 1.	Accessory 2. Acc	essory 3. Close	1.
WALL FINISHES LEGEND:										
EWC Epoxy Wall Coating				L						
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Cto	vaga Daguiramanta					FINISHES	
PT Paint	w 455 m is 455 m is	<b>✓</b> UPPER UNITS	310	orage Requirements:						
CEILING FINISHES LEGEND:		U1						Full-height Cabir		
ECC Epoxy Ceiling Coating	177	-Z-+ U3 U4 <b>∀</b>						Upper Millwo	ork: Plastic Laminate	
HPC High Performance Coating		US	U6 117 L						top: Solid Surfacing	
PF Prefinished PT Paint			U8	SHELF				Lower Millwo	ork: Plastic Laminate	
···				ta □				Sh	nelf:	
WALL PROTECTION LEGEND:	2072222		-	S1					·	_
ESRP Extruded Semi-Rigid PVCu Panel	Segment II I I	V		V				Rem	narks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic										
PVW Protective Vinyl Wallcovering			1 1	1						
RHIS Rigid High Impact Sheet				1						
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TW		an Paragraphic							
· -				On the Party of Street,	1	7				
FLOOR FINISHES LEGEND:	C1 C2 C3 C4 C5		-		1			2000000		
CFS Concrete Floor Sealer EFC Epoxy Floor Coating		11 12 13 14 15		//	K_		//	frame?		
PFC Polyurethane Floor Coating				SKKK	1	GENERAL PROPERTY.	-/ Time	-		
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9				.]			
RSF Rubber Sheet Flooring		<b>✓</b>	L7 L8 L9 I	L10 L11			1/			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Maria di ad			L12	TC1 TC2	V   "			
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized  Min. Length Adjustable Standing Spe	cialty	_	✓		UC1	u [		
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Cat		ework	LOWER UNITS	RECEDII	ON/TRANSACTION				
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)					=	JTILITY SINK AND COU	NTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)	3 3000			STATION					
FCB Flash Cove Base										
RB Rubber Base SCF Seamless Cushioned Flooring										
Seamess Cusmoned Flooring										
MECHANICAL REQUIREMENTS				_						
PLUMBING Hand	Seamless Utility /	Other Fixtures: Evewash	Station	MED / NON-ME	D GASES					
	k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Lyewasii	/Shower Station	(Quantity)		Medical Nitrous			Laboratory Labo	Utility oratory Compressed
1 1				Oxygen:	Medical Air:		CO2: AC	GSS: Nitrogen:	•	cuum: Compressed Air:
DI subtrac		Tub Emergeno		SA/BCII.			302. A	- Thirden	$\top$	All.
Plumbing		✓ Ice Maker ☐ Flush Rim								
Remarks:		☐ Water Closet ☐ Floor Dra	in	Can Daw	rke					
			ottle Refill Station	Gas Rema	IKS:					
		Hot Water								
		Other								
				1						

Program 1. A3.12

7. D6.14

13. T4.05

19.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

25.

rr-			Nur	mber(s): 2. B2.08	8. 14.	20.	26.	32.	38.	44.
				3. B3.06	9. 15.	21.	27.	33.	39.	45.
Room Name: Alcove - Observa	ation			4. C2.13	10. 16.	22.	28.	34.	40.	46.
				5. L2.08	11. 17.	23.	29.	35.	41.	47.
				6.	12. 18.	24.	30.	36.	42.	48.
				6.	12.	24.	30.	30.	42.	46.
ARCHITECTURAL REQUIREMENTS										
WALL AND CEILING		WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM	1 ACCESSORIES		
Wall Material: ARGB 1.2m AFF, GB a	above Finish: PT	Type: PVW	✓ Corner Guards ☐ Hand Rails ☐	Bed Bumper / Locator	✓ Interior Glazing	Material: Base:		Coat Hooks Ceiling L	ift 🗆 ı	Magnetic Whiteboard
Ceiling Material: ACT	Finish: PF	Height: 2185 mm	✓ Crash Rails Chair Rail		Interior Glazing	VSF FCB		Mirror Infant Cl		Privacy Curtain
LEGEND:	DOORS						C	Door Remarks:		
WALL AND CEILING LEGEND:										
AC Architectural Ceiling	Тур	pes:	alal al alal ala							Security Grille
ACT Acoustic Ceiling Tile										
ACT-C Cleanroom			NZININZININ			MUMMIZIZI:				Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board			B2 C C2 D D		-2 6 11					strategy
IRGB Impact-Resistant Gypsum Board		A A2 B	B2 C C2 D D	D2 E E2 F	F2 G H	J				
KLCT Kitchen Lay-in Ceiling Tile			Integ	gral Door & Frame Privacy	Card M	ag Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Bo	pard	Type:Qty: Size (mm):	Material: Finish: Side Lt: Blin	nds: Protect.: Film:	Function: Reader: Lo	ock: Opener: Open: Hi	nges: Accesso	ory 1: Accessory 2: A	ccessory 3: Clo	oser:
SACT Security Acoustic Ceiling Tile										
WALL FINISHES LEGEND:										
EWC Epoxy Wall Coating  HPC High Performance Coating	MILLWORK AND	SPECIALTY CASEWORK							FINICHES	
PT Paint	WILLEVOIK AND	SI ECIAETI CASEWONK	UPPER UI	NITS	torage Requirements:				FINISHES	
CEILING FINISHES LEGEND:		7	U1	_				Full-height Cal	vinet:	
ECC Epoxy Ceiling Coating	( and the second	- 1/1/	U2 U3 U4					Upper Mills	work:	
HPC High Performance Coating	San San San San San San San San San San	The state of the s	US	5 U6 🗔 🗌				Counte	rtop:	
PF Prefinished PT Paint	27			U8	SHELF			Lower Mills	work:	
T T T T T T T T T T T T T T T T T T T	7				<b>Ta</b> □			9	Shelf:	
WALL PROTECTION LEGEND:	Congresses			, 1	S1					
ESRP Extruded Semi-Rigid PVCu Panel	angeres.	11 1 1 1						Re	marks:	
FRL Fibre Reinforced Laminate									Crash rails to be con	rdinated with designer
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering	7	-		'					during design phase	
RHIS Rigid High Impact Sheet	-			7	1				apply protection	
WSSP Wetwall Solid Surface Panel				CON TRANSPORTER					1	
WVW Wetroom Vinyl Wallcovering			''     1		On the Party of th	76			I	
FLOOR FINISHES LEGEND:		C2 C3 C4				-			İ	
CFS Concrete Floor Sealer			12	+= 1	1		//	6-2	İ	
EFC Epoxy Floor Coating  PFC Polyurethane Floor Coating			L3 L4 L5		BEER -				İ	
RAF Rubber Athletic Flooring	FULL-HEIGHT CA	ABINETS		L6 L7 L8 L0					İ	
RSF Rubber Sheet Flooring				L6 L7 L8 L9	L10 L11	7	7/ 11		İ	
SCF Seamless Cushioned Flooring	Laganda					TC1 TC2			İ	
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	e	Motorized	og Cassiali			U	UC1	I	
VSF Vinyl Sheet Flooring	Category 1 - Low	(40) 40()	Min. Length Adjustable Standir gory (mm) Height Heigh		LOWER UNITS	FORDTION /TD			I	
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med		BOLY (IIIII) Height Heigh			ECEPTION/TRANSACTION COUNTER / CARE TEAM	UTILITY SINK AND	COLINTED LINIT	İ	
FLOOR BASE LEGEND:	Category 3 - High	(10% or Greater)				TATION DESK	OTILITY SINK AND	COONTER ONLI	I	
FCB Flash Cove Base									İ	
RB Rubber Base									İ	
SCF Seamless Cushioned Flooring									İ	
MECHANICAL REQUIREMENTS										
PLUMBING Hand	Seamless Utility /		Other Fixtures:	Evewash Station	MED / NON-MED GASES	<u> </u>				
	tchen Sink: Kitchen Sink: Process Sinl	k: Scrub Sink: Floor Sink:			(Quantity)	Medical Nitrou	ıc		Laboratory La	Utility aboratory Compressed
(Qualitity)				Eyewash/Shower Station	1 1			AGCC Mitrogram	A*:	/acuum:
				Emergency Shower	Oxygen: Med	ical Air: Vacuum: Oxide	CO2:	AGSS: Nitrogen:		Air:
Plumbing			☐ Ice Maker ☐	Flush Rim Sink						
Remarks:				Floor Drain		1		I .		
				Water Bottle Refill Station	Gas Remarks:					
			Hot Water	ater bottle heim station						
			Oth	her						

Program 1. B1.07

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B Minimum Room Requi	irements	Program Number(s):	1. D2.25 2. D3.10	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.	
Room Name: Alcove - Oxygen Tank S	Storage		3. F7.05 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.	
				11.	17.	23.	29.	35.	41.	47.	
			6.	12.	18.	24.	30.	36.	42.	48.	
ARCHITECTURAL REQUIREMENTS											_
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES  Material: Base:		M ACCESSORIES	Г	_	
Wall Material: ARGB 1.2m AFF, GB above Ceiling Material: ACT		✓ Corner Guards ☐ Hand Rails ☐ Bed Bur ✓ Crash Rails ☐ Chair Rail	nper / Locator	☐ Interior Glaz	zing	VSF FCB		Coat Hooks Ceiling Mirror Infant C	_	<ul><li>Magnetic Whiteboard</li><li>Privacy Curtain</li></ul>	
		Crasii Naii						Door Remarks:			—
LEGEND: WALL AND CEILING LEGEND:	DOORS							Door Remarks.			
AC Architectural Ceiling	Types:	alol (al (alol ) al (alol (a	a do da		722					Security Grille	
ACT Acoustic Ceiling Tile ACT-C Cleanroom			計 指開 长儿							☐ Anti-barricade	;
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G						strategy	
IRGB Impact-Resistant Gypsum Board	A AZ B				П ! М	A to Hold					
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	9	r & Frame Privacy rotect.: Film:		ard Mag ader: Lock: (	Auto Hold Opener: Open: <sub>Hing</sub>	. Δrres: Δ	sory 1: Accessory 2:	Accessory 3:	Closer:	
SACT Security Acoustic Ceiling Tile	17pc.qty. 3/20 (11111).	Waterial: Side Et.		Tunction:			Acces.	Jory 1. Accessory 2.	4ccc3301 y 3.	Closer.	
WALL FINISHES LEGEND:											
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		C+	orage Requirements:					FINISHES		
PT Paint		UPPER UNITS	310	orage Requirements.				Full-height Ca			
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating		U1 U2 U3 U4						Upper Mil			
HPC High Performance Coating		U4 U5	U6 U7 U8					Count	ertop:		
PF Prefinished PT Paint			U8	SHELF				Lower Mil	lwork:		
WALL PROTECTION LEGEND:				- L					Shelf:		
ESRP Extruded Semi-Rigid PVCu Panel				31				Re	emarks:		
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic				1						e 1, Section 6.11 (Division	1
PVW Protective Vinyl Wallcovering		Francisco Francisco							11) for Medical G		
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel		-		-							
WVW Wetroom Vinyl Wallcovering					1	7/-					
FLOOR FINISHES LEGEND:	C1 C2 C3 C4				7	-					
CFS Concrete Floor Sealer EFC Epoxy Floor Coating		L2			K		16	A STATE OF THE PARTY OF THE PAR			
PFC Polyurethane Floor Coating	FULL-HEIGHT CABINETS	☐ L3 L4 L5 L6	17		4						
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FOLL-REIGHT CABINETS		L7 L8 L9 <sup>3</sup>	L10 L11	+		471				
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:				L12	TC1 TC2		u   [			
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized Min. Length Adjustable Standing Spe	cialty					UC1			
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)		ework	LOWER UNITS		ION/TRANSACTION					
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				COUNT STATIO	ER / CARE TEAM N DESK	UTILITY SINK AND	O COUNTER UNIT			
FCB Flash Cove Base											
RB Rubber Base SCF Seamless Cushioned Flooring											
MECHANICAL REQUIREMENTS											
PLLIMBING Hand	Seamless Utility /	Other Fixtures: Eyewash	Station	MED / NON-ME	ED GASES						
(Quantity) Hygiene Sink: Lavatory: Kitchen S	ink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Lyewasii	/Shower Station	(Quantity)	•	Medical Nitrous				Laboratory Compresse	d
		☐ Tub ☐ Emergence		Oxygen:	: Medical Air	: Vacuum: Oxide:	CO2:	AGSS: Nitrogen	n: Air:	Vacuum: Air:	
Plumbing		☐ Ice Maker ☐ Flush Rim									
Remarks:		☐ Water Closet ☐ Floor Dra	in	Gas Rema	arks:			'		·	
			ttle Refill Station	das kema	ai NS.						
		Hot Water Other									

Appendix 1B Minimum Room Re	quirements	Program Number(s):	1. D2.14 2. E1.01.02		13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Alcove - Pneumatic	Tube Station		3. E4.01.02	9.	15.	21.	27.	33.	39.	45.
			4. R2.04 5. R3.01		16. 17.	22. 23.	28. 29.	34. 35.	40. 41.	46. 47.
			6.		18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS		L								
WALL AND CEILING	WALL PROTECTION			GLAZING	ı	FLOORING TYPES	ROOM A	CCESSORIES		
Wall Material: ARGB 1.2m AFF, GB abo Ceiling Material: ACT	ve Finish: PT Type: PVW Corner Finish: PF Height: 2185 mm	Guards Hand Rails Bed Bur	mper / Locator	☐ Interior Glazin	g	Material: Base:  VSF FCB	Coa	t Hooks Ceiling Lif		Magnetic Whiteboard Privacy Curtain
LEGEND:	DOORS							Remarks:		
WALL AND CEILING LEGEND:	Types:									Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile				I MILEA	744 12					Security Grille
ACT-C Cleanroom		이 되고 씨 씨고 !		4 1914 1919	Felfille S					☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B2	C C2 D D2	E E2 F	F2 G	u u	4-16-1				strategy
IRGB Impact-Resistant Gypsum Board	A A2 D D2				п	,				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board			r & Frame Privacy rotect.: Film:	Card	d Mag Ai er: Lock: Op	uto Hold				
SACT Security Acoustic Ceiling Tile	Type:Qty: Size (mm): Material:	Finish: Side Lt: Blinds: P	Totect Fillii.	Function: Kead	er. Lock. Op	ener: Open: Hingo	es: Accessory	1: Accessory 2: Ac	ccessory 3: Clos	er:
WALL FINISHES LEGEND:										
EWC Epoxy Wall Coating										
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	S	torage Requirements:					FINISHES	
CEILING FINISHES LEGEND:	U1							Full-height Cabi	net:	
ECC Epoxy Ceiling Coating	U2	U3 U4						Upper Millw	ork:	
HPC High Performance Coating	The state of the s		U6					Counter	top: Plastic Laminate	e
PF Prefinished PT Paint			U8	SHELF					ork: Plastic Laminat	е
WALL PROTECTION LEGEND:				7				Sł	helf:	
ESRP Extruded Semi-Rigid PVCu Panel				S1				Rem	narks:	
FRL Fibre Reinforced Laminate				-				_		Section 6.6 (Division 6)
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering		1	1 1							Station requirements.
RHIS Rigid High Impact Sheet		The state of the s						]	Provide millwork adja	acent to the pneumatic
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering		11 1	an Parketon			-		t	tube station	
FLOOR FINISHES LEGEND:	C1 C2		- 7	Control of the last of the las	/	-				
CFS Concrete Floor Sealer	C2 C3 C4 C5 11		- 5				7 /			
EFC Epoxy Floor Coating		L3 L4 L5		- 1						
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L0		/					
RSF Rubber Sheet Flooring			L7 L8 L9	L10 L11			7/ 11			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			L12	TC1 TC2		u		
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None Min. L		ecialty	LOWER HAUTS			UC1	u II		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (m Category 2 - Med (5% - 9%)	m) Height Height Cas	ework	LOWER UNITS		N/TRANSACTION				
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)	00			COUNTER STATION	,	UTILITY SINK AND CO	JNTER UNIT		
FCB Flash Cove Base					SIATION	DLJK				
RB Rubber Base SCF Seamless Cushioned Flooring										
SCF Seamless Cushioned Flooring										
AACCUA NUCA L DEQUUDEA AENTC										
MECHANICAL REQUIREMENTS										
PLUMBING Hand	on Sink: Vitchon Sink: Drocoss Sink: Scrub Sink: Eloar Sink:	Fixtures: Evewash	Station	MED / NON-MED	GASES					Utility
(Quantity) Hyglene Sink: Lavatory: Kitchi			/Shower Station	(Quantity)		Medical Nitrous Vacuum: Oxide:	600			boratory Compressed
				Oxygen:	Medical Air:	vacadin. Oxide.	CO2: A	AGSS: Nitrogen:	7.11. V	Air:
Plumbing		ce Maker								
Remarks:		Vater Closet		Gas Remark	ve.	·	<u> </u>			
			ottle Refill Station	Gas Neillalk						
	H	lot Water Other								

Ph				Number(s):	2. D4.01.02	8. 14	.4.	20.	26.	32.	38.		44.
					3. E1.01.03	9. 15	.5.	21.	27.	33.	39.		45.
Room Name: Alcove - PPE					4. E3.01.14	10.		22.	28.	34.	40.		46.
					5. E4.01.03	11.		23.	29.	35.	41.		47.
						12.				36.	42.		48.
					6. Not Used	12.	.8.	24.	30.	30.	42.	4	ro.
ARCHITECTURAL REQUIREMENTS													
WALL AND CEILING	WALL	PROTECTION				GLAZING		FLOORING TYPES	RC	OOM ACCESSORIES			
Wall Material: ARGB 1.2m AFF, GB above	Finish: PT	Type: PVW	✓ Corner Guards ☐ Hand Ra	ails 🗌 Bed Bu	mper / Locator	☐ Interior Glazing	,	Material: Base:	[	✓ Coat Hooks □ C	eiling Lift	☐ Magneti	ic Whiteboard
Ceiling Material: ACT	<del> </del>	eight: 2185 mm	☐ Crash Rails ☐ Chair Ra	ail		Interior Glazing		VSF FCB	_		nfant Change Table	Privacy C	
LEGEND:	DOORS								I	Door Remarks:			
WALL AND CEILING LEGEND:													_
AC Architectural Ceiling	Types:						7117	A SILE OF					Security Grille
ACT Acoustic Ceiling Tile	101												٦
ACT-C Cleanroom			MALNENIAN	LIMBLI				MM					Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	1	42	R2 C C2 D	D2									strategy
IRGB Impact-Resistant Gypsum Board	A	A2 B	B2 C C2 D	D2	E E2 F	F2 G	н	J					
KLCT Kitchen Lay-in Ceiling Tile				Integral Doo	r & Frame Privacy	Card	Mag A	Auto Hold					
MMRGB Moisture and Mould-Resistant Gypsum Board	Гур	e:Qty: Size (mm):	Material: Finish: Side Lt	t: Blinds: P	rotect.: Film:	Function: Reader	er: Lock: Op	pener: Open: Hir	iges: Acc	cessory 1: Accessory	2: Accessory 3:	Closer:	
SACT Security Acoustic Ceiling Tile											,	-	٦
WALL FINISHES LEGEND:													
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALT	V CASEMODK											
PT Paint	WILLWORK AND SPECIALI	CASEWORK		PPER UNITS	5	storage Requirements:					FINISHE	5	
CEILING FINISHES LEGEND:			U1							Full-hei	ght Cabinet:		
ECC Epoxy Ceiling Coating	(magnessed )	7.7.7	U2 U3 U4							Upp	er Millwork:		
HPC High Performance Coating	-	-K-K-V	1	U5	U6						Countertop:		
PF Prefinished PT Paint					U8	SHELF				Low	er Millwork:		
PT Paint	7					72					Shelf:		
WALL PROTECTION LEGEND:	Congresses			l .l. K	-	S1							
ESRP Extruded Semi-Rigid PVCu Panel					11						Remarks:		
FRL Fibre Reinforced Laminate		1 1 1 /	- ·			1					Dunida all and		f (10)t
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering				i	1 1							aces with 2 sets	Department E.
RHIS Rigid High Impact Sheet	Farguerez-		THE RESERVE THE PARTY OF THE PA	- American		i						maining spaces	
WSSP Wetwall Solid Surface Panel		-		*******		1					hook.	iaiiiiig spaces	With (1) coat
WVW Wetroom Vinyl Wallcovering				11 -	- 7	SO SO		7					
FLOOR FINISHES LEGEND:	<u>C1</u>	3 (4		-	-21	~ -	-	Consessant					
CFS Concrete Floor Sealer		C4 C5 11							7	/			
EFC Epoxy Floor Coating			L2 L3 L4	-		KAM	~ ~	Graph and Control of the Control of		The same of the sa			
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS			L5 L6	17 10		_ /			L. Transition	21		
RSF Rubber Sheet Flooring	TOLE HEIGHT GABIAETS			L6	L7 L8 L9	L10 L11		7					
SCF Seamless Cushioned Flooring				_			L12						
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:		Motorized					TC1 TC2	353	U III	u .		
SDVF Static-Dissipative Vinyl Sheet Flooring  VSF Vinyl Sheet Flooring	Category 0 - None		- ,		cialty	LOWER UNITS				UC1			
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%)	Categ	ory (mm) Height	Height Cas	ework	LOWER UNITS	RECEPTIO	ON/TRANSACTION					
	Category 2 - Med (5% - 9%) Category 3 - High (10% or G	reater)						R / CARE TEAM	UTILITY SINK A	AND COUNTER UNIT			
FLOOR BASE LEGEND:	category 5 mgm (10% of Gr	cutcij					STATION	DESK					
FCB Flash Cove Base RB Rubber Base													
SCF Seamless Cushioned Flooring													
NATCHANICAL DECLUDERATERE													
MECHANICAL REQUIREMENTS													
PLUMBING Hand	Seamless Utility /		Other Fixtures:	☐ Eyewash	Station	MED / NON-MED	GASES						1.14:174
(Quantity) Hygiene Sink: Lavatory: Kitchen Sin	k: Kitchen Sink: Process Sink: Scrub	Sink: Floor Sink:	Shower		/Shower Station	(Quantity)		Medical Nitrous	i		Laboratory	y Laborator	Utility ry Compressed
			☐ Tub				Medical Air:	Vacuum: Oxide:		AGSS: Ni	trogen: Air:	, Vacuum:	
Diumbia	1	1		Emergen							-		7
Plumbing Remarks:			Ce Maker	☐ Flush Rin									
nemans.			Water Closet	☐ Floor Dra		Gas Remarks	r. [						
			Instantaneous	☐ Water Bo	ottle Refill Station	Gas Keiliarks	o.						
			Hot Water	_									
				Other									
		l l				1	- 1						1

Program 1. C3.01

7. R2.01

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

					Number(s):	2. B3.26	8. 14	l.	20.	26.	32.	38.	ļ	44.
						3. C8.07	9. 15		21.	27.	33.	39.	ļ	45.
Room Na	ame: Alcove - Purse Lockers					4. N3.08	10. 16		22.	28.	34.	40.	ļ	46.
						5.	11. 17		23.	29.	35.	41.	ļ	47.
						6.	12. 18		24.	30.	36.	42.	ļ	48.
						0.	12.	).	24.	30.	30.	42.		40.
ARCHITECTURAL	L REQUIREMENTS													
WALL AND CEILING	3		WALL PROTECTION				GLAZING		FLOORING TYPES	R	OOM ACCESSOR	IES		
		Finish: PT	Type: PVW	✓ Corner Guards ☐ Hand Ra	ails 🗌 Bed Bui	mper / Locator	☐ Interior Glazing		Material: Base:		Coat Hooks	_	☐ Mag	netic Whiteboard
Ceiling Materia		Finish: PF	Height: 2185 mm	☐ Crash Rails ☐ Chair Ra		,	interior Glazing		VSF FCB			Infant Change Tab		acy Curtain
			11016111.						<u> </u>		Door Remarks			•
LEGEND:		DOORS									Door Remarks	•	<del></del>	
WALL AND CEILING		Туре	s:										ļ	Security Grille
	tural Ceiling Ceiling Tile			MILHE MENT									ļ	
ACT-C Cleanroo									35177				ļ	Anti-barricade
	esistant Gypsum Board												ļ	strategy
GB Gypsum B			A A2 B	B2 C C2 D	D2	E E2 F	F2 G	н	J				ļ	
-	Resistant Gypsum Board Lay-in Ceiling Tile				Integral Doo	r & Frame Privacy	Card	Mag A	Auto Hold				ļ	
	e and Mould-Resistant Gypsum Board		FunciOtiu Cita (mm)	Material: Finish: Side Li		rotect.: Film:	D I	•	_	nges: Ao			: Closer:	
SACT Security A	Acoustic Ceiling Tile		Гуре:Qty: Size (mm):	Material: Finish: Side Li	i. 5		Function: Reader:	. 200 0,	Series Openii Hii	iges: At	ccessory 1: Acce	ssory 2: Accessory 3	. Closer.	
WALL FINISHES LEG	SEND:													
	/all Coating													
	formance Coating	MILLWORK AND SE	PECIALTY CASEWORK			S	torage Requirements: B2.	.26 - (20) purs	se lockers			FIN	ISHES	
PT Paint		1922			PPER UNITS	· ·		.26 - (20) purs						
CEILING FINISHES LI	EGEND:	/ 17	7	U1 U2		_	C8.	.07 - (20) purs	se lockers		Fu	II-height Cabinet:		
	eiling Coating	The same of the sa	-V 1/1/1/	U2 U3 U4			N3.	.08 - (30) pur	se lockers			Upper Millwork:		
HPC High Performance PF Prefinishe	formance Coating	Sugarana	K-Y		U5	U6 U7 U8	a					Countertop:		
PT Paint	ieu	-				17-17-18	SHELF					Lower Millwork:		
		7				- K						Shelf:		
WALL PROTECTION	I LEGEND:	-			l li fr	-	S1							
	d Semi-Rigid PVCu Panel	Segmenter	11 1 1 1 1		- "I		1					Remarks:		
	inforced Laminate ss Reinforced Plastic		1 1 1 1 1/2											
	ve Vinyl Wallcovering	-	-	-		1 1	1							
	th Impact Sheet	***		***************************************			1							
WSSP Wetwall S	Solid Surface Panel	CHARLES THE			Con Con	THE PERSON								
WVW Wetroom	n Vinyl Wallcovering				11	200	CO TRANSPORTATION OF THE PERSO		7/					
FLOOR FINISHES LEG	GEND:	<u>C1</u>	2 C3 C4		700		-	-			100 <u></u> 411-01-11-11-11			
	e Floor Sealer		C4 C5 11							7	F	-		
	oor Coating			L2 L3 L4	-		KAM:	-	Courses.	/	The state of the s			
	hane Floor Coating Athletic Flooring	FULL-HEIGHT CAB	BINETS		L5 L6	L7 10		_ /						
	Sheet Flooring					L7 L8 L9	L10   111		1	$\dashv$ $\nearrow$				
SCF Seamless	s Cushioned Flooring				_			.12	TC1 TC2					
	ssipative Rubber Sheet Flooring	Legend:		Motorized					TC2	25725	ll llc1	- U		
	ssipative Vinyl Sheet Flooring eet Flooring	Category 0 - None	0/ 40/\	- ,		cialty	LOWER UNITS	_			UC1	II.		
•	n Safety Vinyl Sheet Flooring	Category 1 - Low (1 Category 2 - Med (5		gory (mm) Height	Height Cas	ework	LOWEROMIS		ON/TRANSACTION					
FLOOD BASE LECEN	ID.	Category 3 - High (1							R / CARE TEAM	UTILITY SINK	AND COUNTER UN	IIT		
FLOOR BASE LEGEN FCB Flash Cov			,					STATION	DESK					
RB Rubber B														
	s Cushioned Flooring													
MECHANICAL RE	FOLUREMENTS	I												
	•						_							
PLUMBING Han		Seamless Utility /	Corub Ciple Flage Cial	Other Fixtures:	Eyewash	Station	MED / NON-MED G	SASES						Utility
(Quantity) Hygiene	e Sink: Lavatory: Kitchen Sink:	KITCHEN SINK: Process Sink:	SCRUD SINK: FIOOR SINK:	Shower	Eyewash,	Shower Station	(Quantity)		Medical Nitrou			Labor		atory Compressed
				☐ Tub	Emergen		Oxygen:	Medical Air:	Vacuum: Oxide	CO2:	AGSS:	Nitrogen: Ai	r: Vacu	ıum: Air:
Plumbing				☐ Ice Maker	Flush Rim									
Remarks:														
				Water Closet	☐ Floor Dra		Gas Remarks:							
				Instantaneous	☐ Water Bo	ttle Refill Station								
				Hot Water	Othor									
					Other									

Program 1. B2.26

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B Minimum Room Requireme	ents	Program Number(s):	1. D2.11 2. D3.15	7. 13. 8. 14.		25. 26.	31. 37. 32. 38.	43. 44.
Room Name: Alcove - Scrub Station			3. F4.12	9. 15.		27.	33. 39.	45.
ROOM Name. Alcove - Octub Station			4. F5.07	10. 16.		28.	34. 40.	46.
			5. 6.	11. 17. 18.		29. 30.	35. 41. 36. 42.	47. 48.
			0.	12.	24.	30.	30. 42.	40.
ARCHITECTURAL REQUIREMENTS								
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES  Material: Base:	ROOM AC		
	nish: PT Type: WVW Corner Guards Hand R nish: PF Height: 2185 mm Crash Rails Chair R	ails 🗌 Bed Bu ail	mper / Locator	✓ Interior Glazing	VSF FCB	Coat		Magnetic Whiteboard Privacy Curtain
LEGEND:	DOORS						Remarks:	
WALL AND CEILING LEGEND:								
AC Architectural Ceiling	Types:		7 FID 6					Security Grille
ACT Acoustic Ceiling Tile								☐ Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board								strategy
GB Gypsum Board	A A2 B B2 C C2 D	D2	E E2 F	F2 G	Н			Strategy
IRGB Impact-Resistant Gypsum Board	-				·			
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board			r & Frame Privacy	Card	Mag Auto Hold			
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile	Type:Qty: Size (mm): Material: Finish: Side	t: Blinds: F	rotect.: Film:	Function: Reader:	Lock: Opener: Open:	linges: Accessory 1:	Accessory 2: Accessory 3:	Closer:
WALL FINISHES LEGEND:								
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK							
PT Paint		PPER UNITS		Storage Requirements:			FINISHES	
CEILING FINISHES LEGEND:	U1	_					Full-height Cabinet:	
ECC Epoxy Ceiling Coating	U2 U3 U4						Upper Millwork:	
HPC High Performance Coating		U5	U6				Countertop:	
PF Prefinished PT Paint			U8	SHELF			Lower Millwork:	
ri ranit							Shelf: Plastic Lam	inate
WALL PROTECTION LEGEND:		ılı. Ka	-	S1				
ESRP Extruded Semi-Rigid PVCu Panel			7				Remarks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic		1 1		-				
PVW Protective Vinyl Wallcovering		-	1 1	1				
RHIS Rigid High Impact Sheet	22222			_1				
WSSP Wetwall Solid Surface Panel		Con Con	-					
WVW Wetroom Vinyl Wallcovering		11		CO CO	7/			
FLOOR FINISHES LEGEND:	C1 C2 C3 C4	70			-			
CFS Concrete Floor Sealer	C4 C5	=		L		7 /	Farmer 1	
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		1		KAN.		Secretary Contracts		
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L5 L6	L7 18		0   L			
RSF Rubber Sheet Flooring			L7 L8 L9	L10 L11		7/ 11		
SCF Seamless Cushioned Flooring	Land				12 TC1 TC2			
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Motorized Category 0 - None Min Length Adjustable	C: !: -				UC1		
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%)  Category 1 - Low (1% - 4%)  Category (mm)  Height	-	ecialty ework	LOWER UNITS				
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)				RECEPTION/TRANSACTION COUNTER / CARE TEAM	UTILITY SINK AND COU	NTER LINIT	
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				STATION DESK	0112111 011111 71110 0001		
FCB Flash Cove Base								
RB Rubber Base								
SCF Seamless Cushioned Flooring								
MECHANICAL REQUIREMENTS								
	seamless Utility / Other Fixtures:	Π.	Challer	MED / NON-MED G	ASFS			
	sahan Cinter Dunanas Cinter Correb Cinter Floor Cinter	☐ Evewash		(Quantity)	Medical Nitro	IIC	Laboratory	Utility Laboratory Compressed
(Quality)	Shower	_	/Shower Station					Vacuum:
	L Tub	Emerger	cy Shower	Oxygen:	Medical Air: Vacuum: Oxid	e: CO2: AC	GSS: Nitrogen: Air:	Vacuum. Air:
Plumbing D2.11 - Provide (2) scrub stations serving with (		☐ Flush Rin	n Sink					
Remarks: Operating Room and (1) Scrub station serving F	IDR OR with (2) sinks. Water Closet	☐ Floor Dra	ain			1 1	1 1	
D3.15 - Provide (3) scrub sinks	☐ Instantaneous		ottle Refill Station	Gas Remarks:				
F4.12 - Provide (2) scrub sinks F5.07 - Provide (1) scrub sink	Hot Water	water be	Jene Neim Jeation	_				
F3.07 - PTOVIGE (1) SCIUD SITIK	not water	Other		]				

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

Appendix 1B Minimum Room Require	ements		rogram 1. C1.06 nber(s): 2. F1.03	7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Alcove - Self-Registration	Kiosk		3. T1.02.06 4. T2.01.04 5. 6.	9.     15.       10.     16.       11.     17.       12.     18.	21. 22. 23. 24.	27. 28. 29. 30.	33. 34. 35. 36.	39. 40. 41. 42.	45. 46. 47. 48.
ARCHITECTURAL REQUIREMENTS					· · · · · · · · · · · · · · · · · · ·				
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM	ACCESSORIES		
Wall Material: ARGB 1.2m AFF, GB above	Finish: PT Type: PVW	✓ Corner Guards ☐ Hand Rails ☐	Bed Bumper / Locator	✓ Interior Glazing	Material: Base:	Co	oat Hooks 🔲 Ceiling Lif		agnetic Whiteboard
Ceiling Material: ACT	Finish: PF Height: 2185 mm	Crash Rails Chair Rail		_	VSF FCB		irror Infant Cha	ange Table	ivacy Curtain
LEGEND:	DOORS					Do	oor Remarks:		٦
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:								Security Grille
ACT Acoustic Ceiling Tile									
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board									Anti-barricade strategy
GB Gypsum Board	A A2 B	B2 C C2 D D2	2 E E2 F	F2 G H	d j				0,
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile			ral Door & Frame Privacy		Mag Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile	Type:Qty: Size (mm):	Material: Finish: Side Lt: Blind	ds: Protect.: Film:	Function: Reader:	Lock: Opener: Open:	Hinges: Accessory	y 1: Accessory 2: Acc	ccessory 3: Close	er:
WALL FINISHES LEGEND:									
EWC Epoxy Wall Coating									
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UN	NITS S	torage Requirements:				FINISHES	
CEILING FINISHES LEGEND:			1				Full-height Cabi		
ECC Epoxy Ceiling Coating HPC High Performance Coating	7 177	U2 U3 U4 U5					Upper Millw Counter		
PF Prefinished			U7 U8	SHELF			Lower Millw		
PT Paint			7				Sł	helf:	
WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel				S1					
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate				1			Rem	narks:	
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering									
RHIS Rigid High Impact Sheet		THE REAL PROPERTY AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN C	7	1			_		
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering		1 1 1 1	00 00 TO TO TO TO TO TO TO TO TO TO TO TO TO	CALLES THE PARTY OF THE PARTY O					
FLOOR FINISHES LEGEND:	C1 C2 C3				-				
CFS Concrete Floor Sealer EFC Epoxy Floor Coating	_ C3 C4	L2		III		7/	1		
PFC Polyurethane Floor Coating		□ L3 L4 L5 □		FERT -					
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L6 L7 L8 L9	L10 111		~			
SCF Seamless Cushioned Flooring	Locando			L12	TC1 TC	, /   "			
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized Min. Length Adjustable Standin	g Specialty				<u></u>		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categ Category 2 - Med (5% - 9%)			LOWER UNITS	RECEPTION/TRANSACTION		_		
FLOOR BASE LEGEND:	Category 2 - Med (3% - 9%) Category 3 - High (10% or Greater)				COUNTER / CARE TEAM STATION DESK	UTILITY SINK AND CO	OUNTER UNIT		
FCB Flash Cove Base					STATION DESK				
RB Rubber Base SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS									
PLUMBING Hand	Seamless Utility /	Other Fixtures:	Evewash Station	MED / NON-MED GAS	SES				
	k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Evewash Station Eyewash/Shower Station	(Quantity)	Medical Nit	rous			Utility oratory Compressed
			Emergency Shower	Oxygen: M	edical Air: Vacuum: Ox	ide: CO2:	AGSS: Nitrogen:	Air: Va	icuum: Air:
Plumbing			Flush Rim Sink						
Remarks:			Floor Drain	Gas Remarks:					
			Water Bottle Refill Station	Gas Keiliaiks:					
		Hot Water Oth	ner						
1	I I			1					1

Appendix 1B Minimum Room Requ	irements	Program Number(s):	1. F7.04 2. W6.03		13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Alcove - Stretcher/Whe	eelchair Storage		3. W4.22 4.	9.	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
			5.	11.	17.	23.	29.	35.	41.	47.
			6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS				1						
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB above Ceiling Material: ACT	WALL PROTECTION  Finish: PT Type: PVW Corner Gu  Finish: PF Height: 1600 mm ✓ Crash Rail	ards Hand Rails Bed Bu	umper / Locator	GLAZING  Interior Glazin		FLOORING TYPES Material: Base:  VSF FCB	_   0	1 ACCESSORIES Coat Hooks Ceiling Li Mirror Infant Ch		Magnetic Whiteboard Privacy Curtain
LEGEND:	DOORS							oor Remarks:		
WALL AND CEILING LEGEND:	Types:									
AC Architectural Ceiling ACT Acoustic Ceiling Tile ACT-C Cleanroom ARGB Abuse-Resistant Gypsum Board	Types.									Security Grille  Anti-barricade strategy
GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	A A2 B B2 C	C2 D D2	E E2 F	F2 G	Н	J				
KLCT Kitchen Lay-in Ceiling Tile			or & Frame Privacy	Car		Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): Material:	Finish: Side Lt: Blinds:	Protect.: Film:	Function: Read	der: Lock: Op	pener: Open: Hin	ges: Accesso	ory 1: Accessory 2: Ac	ccessory 3: C	Closer:
WALL FINISHES LEGEND:				L						
EWC Epoxy Wall Coating										
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS		Storage Requirements:					FINISHES	
CEILING FINISHES LEGEND:	U1 U1							Full-height Cab		
ECC Epoxy Ceiling Coating	7 7 7 7 7	U3 U4 U5						Upper Millw		
HPC High Performance Coating PF Prefinished		7 7 33	U6 U7 U8	SHELF				Counter		
PT Paint	Corporate							Lower Millw	helf:	
WALL PROTECTION LEGEND:				S1				,	ieii.	
ESRP Extruded Semi-Rigid PVCu Panel			7111					Rer	narks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic										
PVW Protective Vinyl Wallcovering	100	Emy .								
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel		THE RESERVED TO SERVED THE PARTY OF THE PART								
WVW Wetroom Vinyl Wallcovering			1	THE STREET WAS DESCRIBED TO STREET	-	7				
FLOOR FINISHES LEGEND:	C1 C2 C3		t 1/1	00 000	/	Consession -				
CFS Concrete Floor Sealer				==	$\vee$		7 /	Karal K		
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 L4 L5	1	KKK		6797777				
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9			7   15				
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring				L10 L11	L12	1		]		
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend:	Motorized				TC1 TC2	, I	JC1 U		
VSF Vinyl Sheet Flooring	Category 0 - None Min. Len Category 1 - Low (1% - 4%) Category (mm)		ecialty sework	LOWER UNITS						
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)		Sework			ON/TRANSACTION R / CARE TEAM	UTILITY SINK AND	COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				STATION					
FCB Flash Cove Base RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS										
PLUMBING Hand	Seamless Utility / Other Fix	tures: Evewasł	h Station	MED / NON-MEI	D GASES					
(Quantity) Hygiene Sink: Lavatory: Kitchen S	Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Lycwasi	h/Shower Station	(Quantity)	-	Medical Nitrous				Laboratory Compressed
				Oxygen:	Medical Air:	Vacuum: Oxide:	CO2:	AGSS: Nitrogen:	Air:	Vacuum: Air:
Plumbing										
Remarks:		er Closet								
			Sottle Refill Station	Gas Remar	·ks:					
		Water		1						
		Other								

Appendix 1	LB Minimum Room Requir	ements	Program Number(s):	1. M2.40 2. Y1.14		13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Roc	om Name: Alcove - Water Station			3. 4.		15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
						17.	23.	29.	35.	41.	47.
				6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTU	URAL REQUIREMENTS										
	ARGB 1.2m AFF, GB above Material: ACT	WALL PROTECTION           Finish:         PT         Type:         WVW         Finish:         PF         Height:         2185 mm	✓ Corner Guards ☐ Hand Rails ☐ Bed Bu☐ Crash Rails ☐ Chair Rail	mper / Locator	GLAZING  Interior Glazin		Material: Base:  VSF FCB		ACCESSORIES  Pat Hooks		agnetic Whiteboard ivacy Curtain
LEGEND:		DOORS						Do	or Remarks:		
	EILING LEGEND:	Types:									Security Grille
	rchitectural Ceiling coustic Ceiling Tile				AN 46						
	leanroom .buse-Resistant Gypsum Board										Anti-barricade strategy
GB G	Sypsum Board mpact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	Н	J				0,
KLCT K	itchen Lay-in Ceiling Tile			r & Frame Privacy	Car	•					
	Noisture and Mould-Resistant Gypsum Board ecurity Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds: P	rotect.: Film:	Function: Read	der: Lock: Ope	ner: Open: Hinge	es: Accessory	y 1: Accessory 2: Ac	cessory 3: Clos	er:
WALL FINISHE	ES LEGEND:										
	poxy Wall Coating ligh Performance Coating	MILLWORK AND SPECIALTY CASEWORK						l .		l .	
	aint	WILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	orage Requirements:				5 111	FINISHES	
CEILING FINIS			U2 112 🗀 🗎						Full-height Cabi Upper Millw		
	poxy Ceiling Coating ligh Performance Coating		US U4 U5	U6 U7					Counter		
	refinished aint			U8	SHELF				Lower Millw		
WALL PROTEC	CTION LEGEND:				₹				SI	nelf:	
	xtruded Semi-Rigid PVCu Panel			1 11	J 31				Ren	narks:	
	ibre Reinforced Laminate ibreglass Reinforced Plastic										
PVW P	rotective Vinyl Wallcovering	-	The state of the s								
	igid High Impact Sheet Vetwall Solid Surface Panel										
	Vetroom Vinyl Wallcovering		"   1	1	ON THE PERSONS NAMED IN	1	6				
FLOOR FINISH CFS C	HES LEGEND: Concrete Floor Sealer	C1 C2 C3 C4 C5 11						7 /			
EFC E	poxy Floor Coating		L2 L3 L4			-	-	/ -			
	olyurethane Floor Coating subber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9				T			
	subber Sheet Flooring eamless Cushioned Flooring			L7 L8 L9	L10 L11	112		7/			
SDRF S	tatic-Dissipative Rubber Sheet Flooring	Legend:	Motorized			L12 M	TC1 TC2	V			
	tatic-Dissipative Vinyl Sheet Flooring 'inyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Catego		ecialty sework	LOWER UNITS			UC	.1		
WSVF W	Vetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	(y (mm) Height Height Cas				N/TRANSACTION / CARE TEAM	JTILITY SINK AND CO	OUNTER UNIT		
FLOOR BASE L	LEGEND: lash Cove Base	Category 3 - High (10% or Greater)				STATION D	DESK				
	ubber Base										
SCF S	eamless Cushioned Flooring										
NAECHANICA	AL DECLUDEMENTS										
	AL REQUIREMENTS	Consider Hills /	Other Side and		1455 / 1461 1455						
PLUMBING (Quantity) H	Hand lygiene Sink: Lavatory: Kitchen Sin	Seamless Utility / k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures: Evewash		MED / NON-MED (Quantity)	J GASES	Medical Nitrous			Laboratory Lab	Utility oratory Compressed
(~~~)			Shower Eyewash Tub Emergen	/Shower Station	Oxygen:	Medical Air:	Vacuum: Oxide:	CO2:	AGSS: Nitrogen:		oratory Compressed icuum: Air:
Plumbing			☐ Ice Maker ☐ Flush Rin								
Remarks:			☐ Water Closet ☐ Floor Dra								
				ottle Refill Station	Gas Remark	·ks:					
			Hot Water Other								
			Galer								

The state of the s				Number(s):	2. G1.05	8.	14.	20.	26.	32		38.	44.	
Alassia Mairib Casla					3. 12.11	9.	15.	21.	27.	33		39.	45.	
Room Name: Alcove - Weigh Scale					4. L2.09	10.	16.	22.	28.	34		40.	46.	
					5.	11.	17.	23.	29.	35		41.	47.	
					6.	12.	18.	24.	30.	36		42.	48.	
ARCHITECTURAL REQUIREMENTS														
·		WALL DROTECTION				CLATING		FLOODING TYPES		DOOM ACCES	CODIFC			
WALL AND CEILING	State DT	WALL PROTECTION	✓ Corner Guards ☐ Hand Ra	nils 🗌 Bed Bu		GLAZING		FLOORING TYPES Material: Base:		ROOM ACCESS		Г	☐ Magnetic Whi	that are all
Wall Material: ARGB 1.2m AFF, GB above	Finish: PT	Type: PVW	Crash Rails Chair Ra		mper / Locator	☐ Interior Glaz	zing	VSF FCB			s		Privacy Curtai	
Ceiling Material: ACT	Finish: PF	Height: 2185 mm	▼ Crash Rails	III				[131 ]132		☐ Mirror		nge rable L	Privacy Curtain	n
LEGEND:	DOORS									Door Rema	arks:			
WALL AND CEILING LEGEND:	Туре	es:		1 [ [ ]	= =====================================								Seci	curity Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile														uncy orme
ACT-C Cleanroom		K K 2 K					For 1978	<u>55577</u>					☐ Anti	ti-barricade
ARGB Abuse-Resistant Gypsum Board													stra	ategy
GB Gypsum Board  IRGB Impact-Resistant Gypsum Board		A A2 B	B2 C C2 D	D2	E E2 F	F2 G	н	J						
KLCT Kitchen Lay-in Ceiling Tile				Integral Doo	r & Frame Privacy	Ca	ard Mag	Auto Hold						
MMRGB Moisture and Mould-Resistant Gypsum Board		Гуре:Qty: Size (mm):	Material: Finish: Side Lt	:: Blinds: P	rotect.: Film:	Function: Rea	ader: Lock: (	Opener: Open: Hi	nges:	Accessory 1: A	ccessory 2: Acc	essory 3:	Closer:	
SACT Security Acoustic Ceiling Tile														
WALL FINISHES LEGEND:														
EWC Epoxy Wall Coating HPC High Performance Coating														
PT Paint	MILLWORK AND S	PECIALTY CASEWORK		PER UNITS	S	torage Requirements:						FINISHES		
CEILING FINISHES LEGEND:		7		1 ER OIIII3							Full-height Cabin	iet:		
ECC Epoxy Ceiling Coating	fragram.	17.77	U2 U3 U4								Upper Millwo	ork:		
HPC High Performance Coating	-	THEY		U5	U6 U7						Countert	op:		
PF Prefinished PT Paint					U8	SHELF					Lower Millwo	ork:		
PT Paint	-					70					Sh	elf:		
WALL PROTECTION LEGEND:	Congramme			l de Fr	-	S1								
ESRP Extruded Semi-Rigid PVCu Panel	Sugarana.					V					Rema	arks:		
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic														
PVW Protective Vinyl Wallcovering		-	Tanana I I	_	. ; ;									
RHIS Rigid High Impact Sheet			1		1	1								
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering	CONTRACTOR			- Col	an Property									
, ,	-		_	-	- 7	On man personal state of the st	1 7	76						
FLOOR FINISHES LEGEND:		C2		-			7	-			45			
CFS Concrete Floor Sealer  EFC Epoxy Floor Coating			LZ .	-	-KV		K			/	(			
PFC Polyurethane Floor Coating			L3 L4	L5		Zeki	4	-	and a	THE	The state of the s			
RAF Rubber Athletic Flooring	FULL-HEIGHT CA	BINETS		L6	L7 L8 L9		1	7 1 15						
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring						L10 L11			1/					
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:		Motorized		_		L12	TC1 TC2	$\nu$		u			
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		Motorized  Min. Length Adjustable	Standing Spe	ecialty					UC1	Ш			
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1		gory (mm) Height		ework	LOWER UNITS	RECEPT	TION/TRANSACTION						
wave well-both safety villyl sheet ribbillig	Category 2 - Med (							ER / CARE TEAM	UTILITY SIN	NK AND COUNTER	UNIT			
FLOOR BASE LEGEND:	Category 3 - High (	10% or Greater)					STATIO	N DESK						
FCB Flash Cove Base RB Rubber Base														
SCF Seamless Cushioned Flooring														
MECHANICAL REQUIREMENTS														
·						T								
PLUMBING Hand (Ouantity) Hygiene Sink: Lavatory: Kitchen Sink:	Seamless Utility /	· Scrub Sink: Floor Sink:	Other Fixtures:	Evewash		MED / NON-ME	ED GASES							Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	MILLINETI SITIK: PROCESS SINK	. JULIU JIIK. FIOOI SIIK:	Shower	Eyewash	/Shower Station	(Quantity)		Medical Nitrou					Laboratory C	Compressed
			☐ Tub	☐ Emergen	cy Shower	Oxygen:	: Medical Ai	r: Vacuum: Oxide	: co2	2: AGSS:	Nitrogen:	Air:	Vacuum:	Air:
Plumbing			☐ Ice Maker	☐ Flush Rin										
Remarks:			☐ Water Closet	☐ Floor Dra								1		
			Instantaneous		ottle Refill Station	Gas Rema	arks:							
			Hot Water	water Bo	סננוכ תכוווו שנמנוטוו									
			Tiot water	Other										
				· <u> </u>	_									

Program 1. B4.04

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B Minimu	m Room Requirements	Program Number(s):	1. A1.05 2. C1.02	7. 13. 8. 14.	19. 20.	25. 33 26. 32			43. 44.
Room Name: Ald	ove - Wheelchair Storage			9. 15.	21.	27.			45.
				10. 16. 11. 17.	22. 23.	28. 3 <sup>4</sup> 29. 3 <sup>5</sup>			46. 47.
				12. 18.	24.	30.			48.
ARCHITECTURAL REQU	IREMENTS								
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM ACCES			
Wall Material: ARGE Ceiling Material: ACT		✓ Corner Guards ☐ Hand Rails ☐ Bed Bur ✓ Crash Rails ☐ Chair Rail	nper / Locator	☐ Interior Glazing	Material: Base:  VSF FCB	Coat Hoo	oks Ceiling Lift Infant Change		netic Whiteboard cy Curtain
LEGEND:	DOORS					Door Rem	arks:		
WALL AND CEILING LEGEND	Types:								Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile									
ACT-C Cleanroom		MANA MINIMAN							Anti-barricade
ARGB Abuse-Resistant Gyps GB Gypsum Board		B2 C C2 D D2	E E2 F	F2 G H					strategy
IRGB Impact-Resistant Gyp	um Board				. A I. Hald				
KLCT Kitchen Lay-in Ceiling  MMRGB Moisture and Mould-	locistant Cuncum Board	<u> </u>	r & Frame Privacy rotect.: Film:	Card Ma Function: Reader: Loc	ag Auto Hold ck: Opener: Open: <sub>Hing</sub>	es: Accessory 1: /	Accessory 2: Accesso	ory 3: Closer:	
SACT Security Acoustic Ceil	Type.Qtv. Size (IIIII).	viateriai: Firiisri: Side Lt.		Function:	The special open.	es. Accessory 1: 7	Accessory 2: Accesso	iry 3. Closer:	
WALL FINISHES LEGEND:									
EWC Epoxy Wall Coating	<i>h</i>								
HPC High Performance Co PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	rage Requirements:				FINISHES	
CEILING FINISHES LEGEND:	U	ī U n n					Full-height Cabinet:		
ECC Epoxy Ceiling Coating		U2 U3 U4 U					Upper Millwork:		
HPC High Performance Co PF Prefinished	ting	US US	U6 U7 U8	CHELE			Countertop:		
PT Paint			77	SHELF			Lower Millwork:		
WALL PROTECTION LEGEND				S1			Shelf:		
ESRP Extruded Semi-Rigid I	VCu Panel			]			Remarks:	:	
FRL Fibre Reinforced Lam									
FRP Fibreglass Reinforced PVW Protective Vinyl Walle	/ /		1 1						
RHIS Rigid High Impact She	et et			1					
WSSP Wetwall Solid Surface WVW Wetroom Vinyl Wallo			an Transport						
FLOOR FINISHES LEGEND:			= 7	CO NO DESCRIPTION OF THE PERSO	1				
CFS Concrete Floor Sealer	C C3 C4 cc					7 /	-		
EFC Epoxy Floor Coating		L2 L3 L4		- 1	Total Contraction				
PFC Polyurethane Floor C RAF Rubber Athletic Floor	ating	15	17 18			7			
RSF Rubber Sheet Flooring			L7 L8 L9	L10 L11	7	7/			
SCF Seamless Cushioned SDRF Static-Dissipative Rub				L12	TC1 TC2		u II II		
SDVF Static-Dissipative Vin		Motorized  Min. Length Adjustable Standing Spe	cialty			UC1	1		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Viny	Category 1 - Low (1% - 4%) Category	- ,	ework	LOWER UNITS	ECEPTION/TRANSACTION				
	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)				· · · · · · · · · · · · · · · · · · ·	UTILITY SINK AND COUNTE	R UNIT		
FLOOR BASE LEGEND:  FCB Flash Cove Base				Sī	TATION DESK				
RB Rubber Base									
SCF Seamless Cushioned	looring								
MECHANICAL REQUIRE	MENTS								
PLUMBING Hand	Seamless Utility /	Other Fixtures:	Station	MED / NON-MED GASES	3				Utility
(Quantity) Hygiene Sink:	Lavatory: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		/Shower Station	(Quantity)	Medical Nitrous		La	aboratory Labora	itory Compressed
		☐ Tub ☐ Emergen		Oxygen: Medi	cal Air: Vacuum: Oxide:	CO2: AGSS:	Nitrogen:	Air: Vacuu	um: Air:
Plumbing		☐ Ice Maker ☐ Flush Rim							
Remarks:		☐ Water Closet ☐ Floor Dra							
		_	ttle Refill Station	Gas Remarks:					
		Hot Water							
		Other							

Appendix 1	1B Minimum Room Requir	rements	Program Number(s):	1. A2.10 2. A3.15	7. 13. 8. 14.			25. 26.	31. 32.	37. 38.	43. 44.
Roc	om Name: Alcove - Workstation-on-	Wheels			9. 15.			27.	33.	39.	45.
					10. 16. 11. 17.			28. 29.	34. 35.	40. 41.	46. 47.
					12. 18.			30.	36.	42.	48.
ARCHITECT	URAL REQUIREMENTS			,	,						
WALL AND CE	EILING	WALL PROTECTION			GLAZING	FLOO	ORING TYPES	ROOM AG	CCESSORIES		
	Material: ARGB 1.2m AFF, GB above		Corner Guards Hand Rails Bed Bur	mper / Locator	☐ Interior Glazing		Material: Base: VSF FCB		t Hooks Ceiling Lif		agnetic Whiteboard
Ceiling N	Material: ACT	Finish: PF Height: 2185 mm	Crash Rails Chair Rail				VSF FCB	☐ ☐ Mirr		ange Table	vacy Curtain
LEGEND:	SULING LEGEND	DOORS						Door	Remarks:		
	EILING LEGEND: Architectural Ceiling	Types:	76 F F F F F F F F F F F F F F F F F F F								Security Grille
	Acoustic Ceiling Tile Cleanroom		2181 (24 (245) KO KOD) (4								Anti-barricade
ARGB A	Abuse-Resistant Gypsum Board		74 M DA 19 199 1								strategy
	Gypsum Board mpact-Resistant Gypsum Board	A A2 B		E E2 F	F2 G	Н ј					
	Kitchen Lay-in Ceiling Tile Moisture and Mould-Resistant Gypsum Board			r & Frame Privacy	Card	Mag Auto	Hold				
	Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds: P	rotect.: Film:	Function: Reader:	Lock: Opener:	Open: Hinges	: Accessory 1	l: Accessory 2: Ac	cessory 3: Close	er:
WALL FINISHE	ES LEGEND:										
	Epoxy Wall Coating High Performance Coating	MILLWORK AND SPECIALTY CASEWORK							1		
	Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	rage Requirements:					FINISHES	
CEILING FINIS			U1 U2 U3 U4						Full-height Cabi Upper Millw		
	Epoxy Ceiling Coating High Performance Coating		U3 U4 U5	U6					Counter	-	
	Prefinished Paint			U7 U8	SHELF				Lower Millw		
					<b>a</b> □				SI	nelf:	
	CTION LEGEND:  Extruded Semi-Rigid PVCu Panel				S1				Pom	narks:	
FRL F	Fibre Reinforced Laminate								_		in a to all mittle all a signs an
	Fibreglass Reinforced Plastic Protective Vinyl Wallcovering		1	1 1						Crash rails to be coord during design phase to	
	Rigid High Impact Sheet Wetwall Solid Surface Panel				1					apply protection	
	Wetroom Vinyl Wallcovering	-	"	-	Carrier and Carrie						
FLOOR FINISH	HES LEGEND:	C1 C2 C3 C4		-7	~ ~	-	-				
	Concrete Floor Sealer Epoxy Floor Coating	_ 65 6	L2		<del></del> ////			7/	A A		
PFC P	Polyurethane Floor Coating		L3 L4 L5 L6		- Serry.	- = /	CONTRACTOR OF THE PARTY OF THE				
	Rubber Athletic Flooring Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L7 L8 L9	L10 L11						
	Seamless Cushioned Flooring	t a sendo				12	TC1 TC2				
	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized Min. Length Adjustable Standing Spe	ecialty	L			UC1	l [ -		
	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Adv. (15% - 20%)	- ,	ework	LOWER UNITS	RECEPTION/TR	RANSACTION				
FLOOR BASE I		Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)				COUNTER / CA STATION DESK		TILITY SINK AND COL	JNTER UNIT		
FCB F	Flash Cove Base					STATION DESK	•				
	Rubber Base Seamless Cushioned Flooring										
	-										
MECHANICA	AL REQUIREMENTS										
PLUMBING	Hand	Seamless Utility /	Other Fixtures:	Station	MED / NON-MED G	ASES					
(Quantity) H	lygiene Sink: Lavatory: Kitchen Sin	k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Lycwasii	/Shower Station	(Quantity)	М	ledical Nitrous				Utility oratory Compressed
			☐ Tub ☐ Emergen		Oxygen:	Medical Air: Va	acuum: Oxide:	CO2: A	AGSS: Nitrogen:	Air: Va	cuum: Air:
Plumbing			☐ Ice Maker ☐ Flush Rim								
Remarks:			Water Closet Floor Dra		Gas Remarks:		1		l .	<u> </u>	
			☐ Instantaneous ☐ Water Bo	ottle Refill Station	Gas Keiliai KS:						
			Hot Water Other								

	1		Number(s): 2. C4.	10 8.	14.	20.	26.	32.	38.	44.	
_	Automore AID		3. G1.		15.	21.	27.	33.	39.	45.	
R	Room Name: Anteroom - AIR		4. G2.		16.	22.	28.	34.	40.	46.	
			5. 12.0		17.	23.	29.	35.	41.	47.	
			6. L2.0		18.	24.	30.	36.	42.	48.	
			J. 12.	12.	10.	2	<b>30.</b>	30.	12.	10.	
ARCHITEC	TURAL REQUIREMENTS										
WALL AND	CEILING	WALL PROTECTION		GL	LAZING	FLOORING TYPES	ROOM A	CCESSORIES			
Wal	II Material: ARGB 1.2m AFF, GB above	Finish: EWC Type: ESRP Corner G	ards  Hand Rails  Bed Bumper / Loc	ator	☐ Interior Glazing	Material: Base:	_ Coa	t Hooks 🗌 Ceiling Lift		☐ Magnetic Whi	
Ceiling	g Material: GB	Finish: ECC Height: 1350 mm Crash Rai	s Chair Rail			VSF FCB	Mirr	ror 🗌 Infant Cha	nge Table	Privacy Curtai	in
LEGEND:	-	DOORS		I		I .	Door	r Remarks:			
	CEILING LEGEND:										
AC	Architectural Ceiling	Types:	[							□ Sec	curity Grille
ACT	Acoustic Ceiling Tile										ti-barricade
ACT-C ARGB	Cleanroom Abuse-Resistant Gypsum Board										ategy
GB	Gypsum Board	A A2 B B2 C	C2 D D2 E E	2 F	F2 G H	J				36.4	2008)
IRGB	Impact-Resistant Gypsum Board		Integral Deer 9 Frame	Drivoov	Cord Moa	Auto Hold					
KLCT MMRGB	Kitchen Lay-in Ceiling Tile  Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Material:	Integral Door & Frame Finish: Side Lt: Blinds: Protect.:	Ett.	Card Mag notion: Reader: Lock:	Auto Hold Opener: Open: Hing		1		Classes	
SACT	Security Acoustic Ceiling Tile		Tillisti. Side Et.	. Tuli			es: Accessory	1: Accessory 2: Acc	•	Closer:	
WALL FINIS	SHES LEGEND:	B 2 1065 x 2135 Solid Core	RL 2 High	Push/Pull		☐ Butt Hinge			Con	cealed	
EWC	Epoxy Wall Coating										
HPC	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Storage	e Requirements:			]	FINISHES		
PT	Paint		UPPER UNITS	Storage	e nequirements.			E III bereke Geler			
CEILING FIN	NISHES LEGEND:	U1 U2						Full-height Cabir			
ECC	Epoxy Ceiling Coating	7 17 17 17	U3 U4 U5 U6					Upper Millwo			
PF PF	High Performance Coating Prefinished		U5 U6	J7 U8	SHELF			Countert	· -		
PT	Paint			7	JIILLI			Lower Millwo			
WALL DROT	TECTION LEGEND:				S1			Sn	elf:		
ESRP	Extruded Semi-Rigid PVCu Panel			1 1 1	31			Pom	arks:		
FRL	Fibre Reinforced Laminate			11/6				Kelli	aiks.		
FRP	Fibreglass Reinforced Plastic										
PVW RHIS	Protective Vinyl Wallcovering Rigid High Impact Sheet		Promoney .					]			
WSSP	Wetwall Solid Surface Panel		The same of the sa	1							
WVW	Wetroom Vinyl Wallcovering			**********	PERSONAL PROPERTY.	7/-					
FLOOR FINI	ISHES LEGEND:	C1 C2 C2	1 1 === 2	1   -	-	Constitution	20				
CFS	Concrete Floor Sealer			1/ =			7	E			
EFC PFC	Epoxy Floor Coating Polyurethane Floor Coating		L3 L4 L5		KAN	CONTRACTOR OF THE PARTY OF THE					
RAF	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		·							
RSF	Rubber Sheet Flooring			L9 L10	0 L11		7/				
SCF SDRF	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:			L12 🖔	TC1 TC2	V   "				
SDVF	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None Min. Ler	Motorized gth Adjustable Standing Specialty				UC1	u I			
VSF	Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm	Height Height Casework	LC	OWER UNITS	TION/TRANSACTION					
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)				-	UTILITY SINK AND COL	JNTER UNIT			
FLOOR BAS	SE LEGEND:	Category 3 - High (10% or Greater)				ON DESK					
FCB RB	Flash Cove Base Rubber Base										
SCF	Seamless Cushioned Flooring										
NAECHANII	CAL DECLUDEMENTS										
	CAL REQUIREMENTS			I							
PLUMBING	Hand	Seamless Utility / Other Fi	Lyewasii Statioii		MED / NON-MED GASES						Utility
(Quantity)		nk: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		ation	(Quantity)	Medical Nitrous			-	Laboratory C	Compressed
	1		☐ Emergency Shower		Oxygen: Medical Ai	ir: Vacuum: Oxide:	CO2: A	AGSS: Nitrogen:	Air:	Vacuum:	Air:
Plumbing		☐ Ice									
Remarks:			ter Closet Floor Drain								
			antaneous Water Bottle Refill S	Station	Gas Remarks:						
			Water								
			Other								
											_i

Program 1. A3.06

7.

13.

19.

25.

31.

37.

43.

Appendia	x 1B Minimum Room Requ	uirements	Program Number(s):	1. B1.06 2. B2.07		13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
ı	Room Name: Anteroom - AIR - Baria	atric		3. B3.05		15.	21.	27.	33.	39.	45.
				4. C3.15 5. D6.08		16. 17.	22. 23.	28. 29.	34. 35.	40. 41.	46. 47.
				6. G2.10		18.	24.	30.	36.	42.	48.
ARCHITEC	CTURAL REQUIREMENTS										
WALL AND	CEILING	WALL PROTECTION			GLAZING	F	LOORING TYPES		M ACCESSORIES	_	
	all Material: ARGB 1.2m AFF, GB above	Finish: EWC Type: ESRP	Corner Guards Hand Rails Bed Bu	mper / Locator	☐ Interior Glazir	ng	Material: Base:  VSF FCB		Coat Hooks Ceiling	Lift $\Box$	Magnetic Whiteboard
Ceiling	g Material: GB	Finish: ECC Height: 1350 mm	Crash Rails Chair Rail				VSF FCB			Change Table	Privacy Curtain
LEGEND:		DOORS							Door Remarks:		
AC AC	CEILING LEGEND:  Architectural Ceiling	Types:	an a aa e aa								Security Grille
ACT	Acoustic Ceiling Tile	K1K13 M									☐ Anti-barricade
ACT-C ARGB	Cleanroom Abuse-Resistant Gypsum Board					NMMLX	MU				strategy
GB IRGB	Gypsum Board Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	н	J				
KLCT	Kitchen Lay-in Ceiling Tile		Integral Doo	r & Frame Privacy	Car	rd Mag Au	ito Hold				
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Type:Qty: Size (mm):	Waterial. Tillish. Side Et.	rotect.: Film:	Function: Read	der: Lock: Ope	ener: Open: Hing	es: Acces	ssory 1: Accessory 2:	•	oser:
	SHES LEGEND:	B 2 1065 x 2135 S	olid Core FRL 2 Hi	gh Dush	n/Pull		■ Butt Hinge			Concea	aled
EWC	Epoxy Wall Coating										
HPC PT	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	St	torage Requirements:					FINISHES	
CEILING FII	NISHES LEGEND:								Full-height (	abinet:	
ECC	Epoxy Ceiling Coating	(m) / 1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/	U2 U3 U4 U						Upper M		
HPC PF	High Performance Coating Prefinished		U5	U6 U7 U8	SHELF					tertop:	
PT	Paint			77					Lower M	Shelf:	
WALL PRO	TECTION LEGEND:	-			S1 S1					5.1c	
ESRP FRL	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate	Seguence II I								Remarks:	
FRP	Fibreglass Reinforced Plastic										
PVW RHIS	Protective Vinyl Wallcovering Rigid High Impact Sheet	30	Emmy		1						
WSSP	Wetwall Solid Surface Panel			Total September 1							
wvw	Wetroom Vinyl Wallcovering				OO NO PERSONAL PROPERTY.	1	-				
CFS	ISHES LEGEND: Concrete Floor Sealer	C1 C2 C3 C4 C5 L1						7			
EFC	Epoxy Floor Coating		L2		44		Lagrana	/ 4			
PFC RAF	Polyurethane Floor Coating Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8		-		T			
RSF	Rubber Sheet Flooring Seamless Cushioned Flooring			L7 L8 L9	L10 L11	1		7/			
SCF SDRF	Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			L12 M	TC1 TC2		.   .		
SDVF VSF	Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category 1 - Low (1% - 4%)	Min. Length Adjustable Standing Spe	ecialty	LOWER UNITS				UC1 U		
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categ	ory (mm) Height Height Cas	ework	2011211 011113		N/TRANSACTION / CARE TEAM	LITH ITV SINK AN	D COUNTER UNIT		
FLOOR BAS	SE LEGEND:	Category 3 - High (10% or Greater)				STATION	,	OTILITI SINK AN	D COOKTER OWN		
FCB RB	EL 1.0. B										
	Flash Cove Base Rubber Base										
SCF	Rubber Base Seamless Cushioned Flooring										
SCF	Rubber Base										
	Rubber Base										
MECHANI	Rubber Base Seamless Cushioned Flooring  ICAL REQUIREMENTS  Hand	Seamless Utility /	Other Fixtures:	Station	MED / NON-MED	D GASES					l Hilito
	Rubber Base Seamless Cushioned Flooring  ICAL REQUIREMENTS  Hand Hygiene Sink: Lavatory: Kitchen	Seamless Utility / Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower Eyewash	Station /Shower Station	(Quantity)		Medical Nitrous				Utility aboratory Compressed
MECHANI PLUMBING (Quantity)	Rubber Base Seamless Cushioned Flooring  ICAL REQUIREMENTS  Hand	Seamless Utility / Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower Eyewash  Tub Emergen	/Shower Station cy Shower			Medical Nitrous Vacuum: Oxide:	CO2:	AGSS: Nitroge	Λ:	
MECHANI PLUMBING (Quantity) Plumbing	Rubber Base Seamless Cushioned Flooring  ICAL REQUIREMENTS  Hand Hygiene Sink: Lavatory: Kitchen  1	Seamless Utility / Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower Eyewash  Tub Emergen  Ice Maker Flush Rin	/Shower Station cy Shower n Sink	(Quantity)			CO2:	AGSS: Nitroge	Λ:	aboratory Compressed
MECHANI PLUMBING (Quantity)	Rubber Base Seamless Cushioned Flooring  ICAL REQUIREMENTS  Hand Hygiene Sink: Lavatory: Kitchen  1	Seamless Utility / Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower Eyewash Tub Emergen Ice Maker Flush Rin Water Closet Floor Dra	/Shower Station cy Shower n Sink nin	(Quantity) Oxygen:	Medical Air:		CO2:	AGSS: Nitroge	Λ:	aboratory Compressed
MECHANI PLUMBING (Quantity) Plumbing	Rubber Base Seamless Cushioned Flooring  ICAL REQUIREMENTS  Hand Hygiene Sink: Lavatory: Kitchen  1	Seamless Utility / Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower Eyewash Tub Emergen Ice Maker Flush Rin Water Closet Floor Dra	/Shower Station cy Shower n Sink	(Quantity)	Medical Air:		CO2:	AGSS: Nitroge	Λ:	aboratory Compressed

			Number(s):	2. C1.09	8. G3.07 14.	U1.05 20.	26.	32.		38.	44.	
_	Don's as a Mark Area			3. D1.02	9. H1.09 15.	U2.03 21.	27.	33.		39.	45.	
R	Room Name: Business Work Area			4. E7.04		U6.03 22.	28.	34.		40.	46.	
						Y4.03 23.	29.	35.		41.	47.	
				6. F1.02	12. N3.02 18.	24.	30.	36.		42.	48.	
ARCHITEC	TURAL REQUIREMENTS											
WALL AND	CEILING	WALL PROTECTION			GLAZING	FLOORING TY	PES F	OOM ACCESSO	RIES			
	Il Material: ARGB 1.2m AFF, GB above		Corner Guards	mper / Locator	✓ Interior Glazing	Material:		Coat Hooks		•	Magnetic W	/hiteboard
	g Material: ACT		Crash Rails Chair Rail		■ Interior Glazing	VSF	RB	Mirror	Infant Chan		Privacy Curt	
CCIIIIS	, waterial.	Height: 1330 mm	Crush Nulls							ige rable =	- Trivacy Care	Lum
LEGEND:		DOORS						Door Remark	s: ndix 1A [Clinical	Cassifications		
	CEILING LEGEND:	Types:							ace Requirement			ecurity Grille
AC	Architectural Ceiling							that do not re		to, for open for		,
ACT ACT-C	Acoustic Ceiling Tile Cleanroom								•		□ A	nti-barricade
ARGB	Abuse-Resistant Gypsum Board											trategy
GB	Gypsum Board	A A2 B	32 C C2 D D2	E E2 F	F2 G	H J						
IRGB KLCT	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		Integral Doc	r & Frame Privacy	Card	Mag Auto Hold						
MMRGB	Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): N	<del>-</del>	Protect.: Film:		•	Hinges: A	ccessory 1: Acce	ossoni 2: Acco	occony 2:	Closer:	
SACT	Security Acoustic Ceiling Tile		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		T direction:			ccessory 1. Acco	essory 2. Acce			
WALL FINIS	SHES LEGEND:	B 1 1065 x 2135 Soli	d Core FRL 1 Lc	ow Classi	oom	][	Butt Hinge			Surfa	ice	
EWC	Epoxy Wall Coating											
HPC	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Cto	roas Doguiromants					FINISHES		
PT	Paint	<u>✓</u>	UPPER UNITS	310	rage Requirements:							
CEILING FIN	NISHES LEGEND:	U1						F	ull-height Cabine			
ECC	Epoxy Ceiling Coating	1777	U2 U3 U4						Upper Millwor	k: Plastic Lam	nate	
HPC	High Performance Coating		U5	U6 II7 L					Counterto	p: Plastic Lam	nate	
PF PT	Prefinished Paint		Z	U8	SHELF				Lower Millwor	k: Plastic Lam	nate	
					□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □				She	lf:		
WALL PROT	FECTION LEGEND:	-			S1							
ESRP	Extruded Semi-Rigid PVCu Panel	Sequences							Remai	rks:		
FRL FRP	Fibre Reinforced Laminate Fibreglass Reinforced Plastic											
PVW	Protective Vinyl Wallcovering		Access Ac	_ i								
RHIS	Rigid High Impact Sheet			1 1								
WSSP WVW	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering	Enanger and										
					CO ON PARTICIPATIONS	1	7					
	ISHES LEGEND:	C1 C2 C3 C4 C5				-						
CFS EFC	Concrete Floor Sealer Epoxy Floor Coating		12					1	/			
PFC	Polyurethane Floor Coating		L3 L4 L5		Zerri -	• =	CONTRACTOR OF THE PARTY OF THE	The same of the same	-			
RAF	Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L6	L7 L8 19								
RSF SCF	Rubber Sheet Flooring Seamless Cushioned Flooring			L7 L8 L9	L10 L11		/ /					
SDRF	Static-Dissipative Rubber Sheet Flooring	Legend:	Matarizad				TC2	"   U				
SDVF	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized  Min. Length Adjustable Standing Spi	ecialty				UC1				
VSF	Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category	•	sework	LOWER UNITS	RECEPTION/TRANSACTION	ON					
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 3 - High (10% or Greater)				COUNTER / CARE TEAM		AND COUNTER U	NIT			
FLOOR BAS	E LEGEND:	Category 3 - High (10% or Greater)	1800			STATION DESK						
FCB	Flash Cove Base											
RB SCF	Rubber Base Seamless Cushioned Flooring											
301	Seamess cusmoned Hooming											
<u>MECHANI</u>	CAL REQUIREMENTS											
PLUMBING		Seamless Utility /	Other Fixtures: Eyewash	Station	MED / NON-MED GA	ASES						
		k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		/Shower Station	(Quantity)	Medical	Nitrous			Laboratory	Laboratory	Utility
						Medical Air: Vacuum:	Oxide: CO2:	AGSS:	Nitrogen:	Air:	Vacuum:	Compressed Air:
Divertit			☐ Tub ☐ Emerger	=	3.760		302.					Air.
Plumbing Remarks:			☐ Ice Maker ☐ Flush Rir									
nemalks.			Water Closet Floor Dr	ain	Gas Remarks:							
			☐ Instantaneous ☐ Water B	ottle Refill Station	Gas nemarks.							
			Hot Water									
			Other									<b> </b>

Program 1. A1.02

7. F8.07

13. S2.01

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B	Minimum Room Require	ements	Program Number(s):	2. A3.14	7. C4.18 13. 8. C5.02 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room N	Name: Care Team Station				9. D6.12 15. 0. I2.02 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
					1. L2.10 17. 2. 18.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.
ARCHITECTURA	AL REQUIREMENTS					-			1	
WALL AND CEILIN	•	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM A	CCESSORIES		
	erial: ARGB 1.2m AFF, GB above		✓ Corner Guards ☐ Hand Rails ☐ Bed Bu		✓ Interior Glazing	Material: Base:		t Hooks		agnetic Whiteboard
Ceiling Mate	erial: ACT	Finish: PF Height: 1350 mm	☐ Crash Rails			VSF FCB	Mirr	ror 🗌 Infant Ch	ange Table 🔲 Pri	ivacy Curtain
LEGEND:		DOORS		-			Doo	r Remarks:		_
WALL AND CEILIN	NG LEGEND:	Types:								Security Grille
	rectural Ceiling									Security Grille
ACT Acoust ACT-C Cleanre	tic Ceiling Tile room									☐ Anti-barricade
	e-Resistant Gypsum Board um Board	A A2 B	B2 C C2 D D2		F2 G H					strategy
	ct-Resistant Gypsum Board	A A2 B		E E2 F		,				
	en Lay-in Ceiling Tile ure and Mould-Resistant Gypsum Board			r & Frame Privacy Protect.: Film:	Deceler 1	lag Auto Hold ock: Opener: Open: <sub>H</sub>				_
	ity Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds: P	Totect Filli.	Function: Reader: Lo	ock. Opener. Open. H	inges: Accessory	1: Accessory 2: Ac	cessory 3: Close	er:
WALL FINISHES LE										
	Wall Coating Performance Coating	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Stor	rage Requirements: L2.10 -	(50) Purse Lockers		]	FINISHES	
CEILING FINISHES	STEGEND:							Full-height Cabi	net:	
	Ceiling Coating	( T. T. T. T. T. T. T. T. T. T. T. T. T.	U2 U3 U4 L					Upper Millw	ork:	
HPC High Po	Performance Coating		U5	U6 U7 U8				Counter	· •	
PT Paint	isileu			7 7 7 8	SHELF			Lower Millw		
WALL PROTECTIO	ON LEGEND:				S <sub>1</sub>			Si	nelf:	
	ded Semi-Rigid PVCu Panel			1 11	3.			Ren	narks:	
	Reinforced Laminate glass Reinforced Plastic								Refer to Schedule 1, S	ection 6.12 (Division
	ctive Vinyl Wallcovering		16		8					work and Section 5.20
	High Impact Sheet rall Solid Surface Panel									lwork and Healthcare
	oom Vinyl Wallcovering	-			The state of the s				Casework. tems indicated are dia	agrammatic, provide
FLOOR FINISHES L	LEGEND:	C1 C2 C3	<del></del>		No. of the Party o	-	BARRY.	5	pecialty casework app	propriate for the
	ete Floor Sealer	_ C3 C4	12				7/		specific and specialized performed in the space	
	Floor Coating rethane Floor Coating				- RANT-				accommodate Equipm	
RAF Rubber	er Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9		-1/2 1 1 5				
	er Sheet Flooring less Cushioned Flooring				L10 L11 L12					
SDRF Static-I	-Dissipative Rubber Sheet Flooring	Legend:	Motorized			TC1 ⊤C2	lies.			
	-Dissipative Vinyl Sheet Flooring Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category 1 - Low (1% - 4%)	- ,	ecialty	LOWER UNITS	•	UC1	ш		
WSVF Wetro	oom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	, , , , ,	sework		RECEPTION/TRANSACTION COUNTER / CARE TEAM	UTILITY SINK AND CO	UNTER UNIT		
FLOOR BASE LEGE	END:	Category 3 - High (10% or Greater)		•		TATION DESK				
	Cove Base er Base									
	less Cushioned Flooring									
MECHANICAL I	REQUIREMENTS									
	land	Seamless Utility /	Other Fixtures: Evewash	Station	MED / NON-MED GASE	S				
		: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Lycwasii	/Shower Station	(Quantity)	Medical Nitro	us		Laboratory Labo	Utility oratory Compressed
			☐ Tub ☐ Emergen			lical Air: Vacuum: Oxid		AGSS: Nitrogen:		cuum: Air:
Plumbing			☐ Ice Maker ☐ Flush Rin							
Remarks:			☐ Water Closet ☐ Floor Dra							
				ottle Refill Station	Gas Remarks:					
			Hot Water							
			Other							

Appendix 1	B Minimum Room Requir	ements	Program Number(s):	1. G2.04 2. I2.03		13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Rooi	m Name: Care Team Station - Dist	ributed		3.		15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
						17.	23.	29.	35.	41.	47.
				6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTU	JRAL REQUIREMENTS										
	ILLING  Material: ARGB 1.2m AFF, GB above  Material: ACT	WALL PROTECTION	✓ Corner Guards ☐ Hand Rails ☐ Bed Bu☐ Crash Rails ✓ Chair Rail	umper / Locator	GLAZING  ✓ Interior Glazing		OORING TYPES  Material: Base:  VSF FCB		ACCESSORIES  Pat Hooks		agnetic Whiteboard ivacy Curtain
LEGEND:	100	DOORS					-		or Remarks:		Taby cartain
WALL AND CEI	ILING LEGEND:	Types:									Security Grille
	rchitectural Ceiling coustic Ceiling Tile										
	eanroom buse-Resistant Gypsum Board										Anti-barricade strategy
GB Gy	ypsum Board npact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	Н	J				331287
KLCT Kit	tchen Lay-in Ceiling Tile			or & Frame Privacy	Card	•					
	loisture and Mould-Resistant Gypsum Board ecurity Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds:	Protect.: Film:	Function: Reade	er: Lock: Open	ner: Open: Hinge	s: Accessory	y 1: Accessory 2: Ac	cessory 3: Close	:r:
WALL FINISHES	S LEGEND:						Butt Hinge			Surface	
	poxy Wall Coating igh Performance Coating	MILLWORK AND SPECIALTY CASEWORK						<u> </u>	<del></del>		
PT Pa	aint	~	UPPER UNITS	Sto	orage Requirements:				Full-height Cabi	FINISHES	
CEILING FINISH	HES LEGEND: poxy Ceiling Coating		U1 U2 U3 U4						Upper Millw		
HPC Hig	gh Performance Coating		U5	U6					Counter		
	efinished aint			U8	SHELF				Lower Millw	ork: nelf:	
WALL PROTECT	TION LEGEND:	-			S1 S1				31	neir.	
	ctruded Semi-Rigid PVCu Panel bre Reinforced Laminate				1				Ren	narks:	
FRP Fib	breglass Reinforced Plastic									Refer to Schedule 1, S	
	otective Vinyl Wallcovering gid High Impact Sheet				<u> </u>					Care Team Station Mil	vork and Section 5.20 lwork and Healthcare
	etwall Solid Surface Panel etroom Vinyl Wallcovering			- V	1	-				Casework. tems indicated are dia	agramatic, provide
FLOOR FINISHI	ES LEGEND:	C1	+	+=-/7	~ -	- Comment	-	<u> </u>	5	specialty casework app	propriate for the
	oncrete Floor Sealer poxy Floor Coating		12					7 /		specific and specialized performed in the space	
PFC Po	olyurethane Floor Coating  ubber Athletic Flooring	FULL-HEIGHT CABINETS	L3 L4 L5 L6	L7 18	7	/		7   []	3	accommodate Equipm	ent.
RSF Ru	ubber Sheet Flooring	TOLE HEIGHT CASHETS		L7 L8 L9 1	L10 L11			1/	1		
	eamless Cushioned Flooring atic-Dissipative Rubber Sheet Flooring	Legend:	Motorized			L12	TC1 TC2				
	atic-Dissipative Vinyl Sheet Flooring nyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Categ	Min. Length Adjustable Standing Sp	ecialty	LOWER UNITS			UC	1 "		
WSVF W	etroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	, ,	sework			/TRANSACTION CARE TEAM	ITILITY SINK AND CO	OUNTER UNIT		
FLOOR BASE LI	EGEND: ash Cove Base	Category 3 - High (10% or Greater)		•		STATION DE					
RB Ru	ubber Base										
SCF Se	eamless Cushioned Flooring										
MECHANICA	AL REQUIREMENTS	L									
PLUMBING	Hand	Seamless Utility /	Other Fixtures: Evewas	h Ctation	MED / NON-MED	GASES					
(Quantity) Hy		k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Lycwas	n Station h/Shower Station	(Quantity)	<del></del>	Medical Nitrous				Utility oratory Compressed
				ncy Shower	Oxygen:	Medical Air:	Vacuum: Oxide:	CO2:	AGSS: Nitrogen:	Air: Va	cuum: Air:
Plumbing Remarks:			☐ Ice Maker ☐ Flush Ri								
nemarks.			Water Closet Floor Dr		Gas Remark	cs:					
			Hot Water	Bottle Refill Station							
			Other								

			Number(s):	2. A3.08	8. 14.	20.	26.	32. 38.	. 44.	
Do	om Name: Chair Bay - Exam/Treatme	nt		3. C4.14	9. 15.	21.	27.	33. 39.	. 45.	
KU	om Name. Chair Bay - Exam/ Heatine	TIL.		4. C5.04 1	16.	22.	28.	34. 40.	. 46.	
				5. 1	17.	23.	29.	35. 41.	. 47.	
					12.			36. 42.	. 48.	
ARCHITECT	URAL REQUIREMENTS									
WALL AND C		WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM ACCE			
Wall	Material: ARGB 1.2m AFF, GB above	Finish: PT Type: PVW	✓ Corner Guards ☐ Hand Rails ☐ Bed Bur	nper / Locator	✓ Interior Glazing	Material: Base:	Coat Ho	ooks 🗹 Ceiling Lift	☐ Magnetic V	
Ceiling	Material: ACT	Finish: PF Height: 1600 mm	Crash Rails Chair Rail		3	VSF FCB	Mirror	☐ Infant Change Ta	able 🗹 Privacy Cur	rtain
LEGEND:		DOORS					Door Re	marks:		
	EILING LEGEND:									
AC	Architectural Ceiling	Types:		7 66 6					🗆 9	Security Grille
	Acoustic Ceiling Tile	61613 8								
	Cleanroom Abuse-Resistant Gypsum Board					MNUNNAA				Anti-barricade strategy
	Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	H I			3	strategy
IRGB	Impact-Resistant Gypsum Board	A								
	Kitchen Lay-in Ceiling Tile			& Frame Privacy	Card	Mag Auto Hold				
	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Type:Qty: Size (mm):	Material: Finish: Side Lt: Blinds: Pr	rotect.: Film:	Function: Reader:	Lock: Opener: Open:	Hinges: Accessory 1:	Accessory 2: Accessory	y 3: Closer:	
WALL FINISH										
	Epoxy Wall Coating High Performance Coating	MAILLING DIV AND CDECIALTY CASEINODIV								
	Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	rage Requirements:			F	INISHES	
CEILING FINIS	SHES LEGEND:							Full-height Cabinet:		
	Epoxy Ceiling Coating	fragment 17.77	U2 U3 U4					Upper Millwork:		
	High Performance Coating	Z X X X	7	U6 U7				Countertop:		
	Prefinished			U8	SHELF			Lower Millwork:		
PT	Paint	7		7	a 🗆			Shelf:		
WALL PROTE	CTION LEGEND:			- Contract	S1			<u> </u>		
ESRP	Extruded Semi-Rigid PVCu Panel			- 1				Remarks:		
	Fibre Reinforced Laminate				-			For A2	OF Chair Day Fyam /Tr	antmont .
	Fibreglass Reinforced Plastic Protective Vinyl Wallcovering	7							.05 Chair Bay - Exam/Tre ements refer to Schedul	
	Rigid High Impact Sheet	-			i				ry Ceiling Lift Systems.	c 1. ratare x
	Wetwall Solid Surface Panel			THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TW					o Appendix 1H [Equipme	ent and
wvw	Wetroom Vinyl Wallcovering			-	CO CONTRACTOR OF THE PERSON NAMED IN CON	17/			ire] for ceiling lift quanti	
FLOOR FINIS	HES LEGEND:	C1 C2 C3			-	-			e a fixed, modular partit	
	Concrete Floor Sealer	C2 C3 C4 C5 L1	L2				7/	control.	between recliners for ir	nection
	Epoxy Floor Coating Polyurethane Floor Coating		L3 L4		- KKKN -		Tarana Tarana	Control	•	
	Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L6	L7 L8 L0 1						
	Rubber Sheet Flooring			L/ L8 L9 1	L10 L11	/	7/ 11			
	Seamless Cushioned Flooring	Logandi								
	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized				UC1			
	Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Cate	•	cialty ework	LOWER UNITS	DESCRIPTION /TDANSACTION				
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	, , , , ,			RECEPTION/TRANSACTION COUNTER / CARE TEAM	UTILITY SINK AND COUNT	rer unit		
FLOOR BASE	LEGEND:	Category 3 - High (10% or Greater)				STATION DESK				
	Flash Cove Base									
	Rubber Base									
SCr .	Seamless Cushioned Flooring									
MECHANIC.	AL REQUIREMENTS									
PLUMBING	Hand	Seamless Utility /	Other Fixtures:	Station	MED / NON-MED GA	ASES				1
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	LYCW03II	Shower Station	(Quantity)	Medical Nitro	ous	Lab	oratory Laboratory	Utility Compressed
**						Medical Air: Vacuum: Oxi			Air: Vacuum:	Air:
Dlumbing	A2 OF Provide (1) III Conne Chair B		<u></u>	=	1	1 1				
	A2.05 - Provide (1) HHS near Chair Bay A3.08 - Provide (1) HHS to serve (3) bays		☐ Ice Maker ☐ Flush Rim							
	C4.14 - Provide (1) HHS to serve (3) bays		Water Closet Floor Dra		Gas Remarks	Medical gases to Patient's right.				
	C5.04 - Provide (1) HHS to serve (2) bays		☐ Instantaneous ☐ Water Bo	ttle Refill Station	GGS Nemarks.					
			Hot Water							
			Other							
					1					

Program 1. A2.05

7.

13.

19.

25.

31.

37.

43.

Room Name: Change Room		Number(s): 2. F2.04 3. F3.02 4. F4.02 5. F5.02 6. F6.02	8. K4.03 14. 9. L1.08 15. 10. M2.08 16. 11. R3.08 17. 12. Y1.11 18.	20.       26.         21.       27.         22.       28.         23.       29.         24.       30.	32. 33. 34. 35. 36.	38.       44.         39.       45.         40.       46.         41.       47.         42.       48.
ARCHITECTURAL REQUIREMENTS						
WALL AND CEILING  Wall Material: MMRGB  Ceiling Material: ACT	WALL PROTECTION  Finish: PT Type: FRL Corner Guards Har Finish: PF Height: 1350 mm Crash Rails Cha	nd Rails	GLAZING  Interior Glazing	FLOORING TYPES Material: Base: WSVF FCB	ROOM ACCESSORIES  Coat Hooks Ceiling Lift Mirror Infant Chang	☐ Magnetic Whiteboard ge Table ☐ Privacy Curtain
LEGEND:	DOORS				Door Remarks:	
WALL AND CEILING LEGEND:	Types:					☐ Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile ACT-C Cleanroom ARGB Abuse-Resistant Gypsum Board GB Gypsum Board IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile  WALL FINISHES LEGEND:	A A2 B B2 C C2    Type:Qty: Size (mm): Material: Finish: Si   A 1 1065 x 2135   Solid Core   FRL	D D2 E E2 F  Integral Door & Frame Privacy ide Lt: Blinds: Protect.: Film:  1 Low Privacy Priv	Tunetion:	Auto Hold Opener: Open: Hinges:  Butt Hinge	Accessory 1: Accessory 2: Acce	☐ Anti-barricade strategy
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK					
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering  FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Coating PFC Polyurethane Floor Coating RAF Rubber Athletic Flooring SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Rubber Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring FLOOR BASE LEGEND: FCB Flash Cove Base RB Rubber Base SCF Seamless Cushioned Flooring	U1 U2 U2	U4 U5 U6 U7 U8  L5 L6 L7 L8 L9  ed ole Standing Specialty	COUN	TION/TRANSACTION TER / CARE TEAM ON DESK  UTILITY S	Full-height Cabine Upper Millwor Counterto Lower Millwor Shel Remar	k: p: k: Stainless Steel
MECHANICAL REQUIREMENTS						
PLUMBING Hand (Quantity) Hygiene Sink: Lavatory: Kitchen Sink:  Plumbing Remarks:	Seamless Utility / Other Fixtures:  Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:  Shower  Tub  Ice Maker  Water Closet  Instantaneous Hot Water	Eyewash Station  Eyewash/Shower Station  Emergency Shower  Flush Rim Sink  Floor Drain  Water Bottle Refill Station  Other	MED / NON-MED GASES (Quantity) Oxygen: Medical A Gas Remarks:	Medical Nitrous ir: Vacuum: Oxide: C	O2: AGSS: Nitrogen:	Laboratory Laboratory Compressed Air: Vacuum: Air:

Program 1. C7.10

7. K3.02

13.

19.

25.

31.

37.

43.

		Number(s)	: 2. L1.20	8. 14.	20.	26.	32.	38.	44.
Room Name: Change Room - Bariatric			3. M2.35	9. 15.	21.	27.	33.	39.	45.
Noom Name.			4.	10. 16.	22.	28.	34.	40.	46.
				11. 17.	23.	29.	35.	41.	47.
			6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS								•	•
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM	M ACCESSORIES	•	•
	Finish: PT Type: FRL	✓ Corner Guards ☐ Hand Rails ☐ Bed B	umper / Locator	☐ Interior Glazing	Material: Base:		Coat Hooks Ceilin	g Lift	Magnetic Whiteboard
	Finish: PF Height: 1350 m		•	Interior Grazing	WSVF FCB				Privacy Curtain
LEGEND:	DOORS						Door Remarks:	-	-
WALL AND CEILING LEGEND:					Note: f	or Type F doors,			
AC Architectural Ceiling	Types:					or panels will be			Security Grille
ACT Acoustic Ceiling Tile	616131					kimately 065 unless			☐ Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board						vise rquired by			strategy
GB Gypsum Board	A A2	B B2 C C2 D D2	E E2 F	F2 G H	j the Au				31.41387
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile		Integral Do	or & Frame Privacy	Card M	1ag Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Type:Qty: Size (m		Protect.: Film:		0	nges: Access	ory 1: Accessory 2:	Accessory 3: Cl	loser:
SACT Security Acoustic Ceiling Tile	F 1 1530 x	iii. Material. Tillisii. Side Et.			Butt Hing			Surface	
WALL FINISHES LEGEND:	1 1 1330 X					,c Astrugu	1 Tushi boit	Juriace	
EWC Epoxy Wall Coating									
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	St	orage Requirements:				FINISHES	
CEILING FINISHES LEGEND:		U1					Full-height	Cabinet:	
ECC Epoxy Ceiling Coating	( I I I	U2 U3 U4					Upper N	1illwork:	
HPC High Performance Coating		U5	U6 117 L				Cou	ntertop:	
PF Prefinished PT Paint			U8	SHELF			Lower N	1illwork:	
TT Tunk				<b>7</b>				Shelf: Stainless Stee	اد
WALL PROTECTION LEGEND:				S1					
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate	-			16				Remarks:	
FRP Fibreglass Reinforced Plastic	-								
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	-	Property.	1 1	1					
WSSP Wetwall Solid Surface Panel	-	1 1	-						
WVW Wetroom Vinyl Wallcovering			1	CON CONTRACTOR OF THE PERSON	7/				
FLOOR FINISHES LEGEND:	C1 C2 C3 C4		1=1		-				
CFS Concrete Floor Sealer		L1 L2		- = 1/1/4		7 /	F	Ē.	
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 L4 L5		KKK -				Î	
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9		-1/ 15				
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring				L10 L11	7				
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			TC1 TC2			ž.	
SDVF Static-Dissipative Vinyl Sheet Flooring  VSF Vinyl Sheet Flooring	Category 0 - None	Min. Length Adjustable Standing Sp	pecialty	LOWER UNITS			UC1		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)	Category (mm) Height Height Ca	asework	F	RECEPTION/TRANSACTION		<del></del>		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)	2 600			COUNTER / CARE TEAM STATION DESK	UTILITY SINK AND	COUNTER UNIT		
FCB Flash Cove Base				3	STATION DESK				
RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS									
PLUMBING Hand	Seamless Utility /	Other Fixtures: Evewas	h Station	MED / NON-MED GASE	S				Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink: Scrub Sink: Floor	ink	h/Shower Station	(Quantity)	Medical Nitrou				-aboratory Compressed
		Tub Emerge		Oxygen: Med	lical Air: Vacuum: Oxide	:: CO2:	AGSS: Nitrog	en: Air:	Vacuum: Air:
Plumbing		☐ Ice Maker ☐ Flush R							
Remarks:		☐ Water Closet ☐ Floor D							
			Bottle Refill Station	Gas Remarks:					
		Hot Water							
		Other							
								-	

Program 1. F4.22

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendi	x 1B Minimum Room Requir	ements	Program Number(s):	1. W6.02 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
1	Room Name: Cleaning and Disinfection	n Room		3.	9.	15.	21.	27.	33.	39.	45.
				4. 5.	10. 11.	16. 17.	22. 23.	28. 29.	34. 35.	40. 41.	46. 47.
				6.	12.	18.	24.	30.	36.	42.	48.
ARCHITEC	CTURAL REQUIREMENTS										
WALL AND		WALL PROTECTION			GLAZING	FLO	ORING TYPES	ROOM	ACCESSORIES		
	all Material: ARGB 1.2m AFF, GB above		er Guards	mper / Locator	Interior Glaz		Material: Base:		oat Hooks	ift $\square$	Magnetic Whiteboard
Ceilin	g Material: ACT	Finish: PF Height: 2185 mm Crash	Rails Chair Rail		Interior Glaz	6	WSVF FCB	_	1irror Infant C	hange Table	Privacy Curtain
LEGEND:		DOORS						Do	oor Remarks:		
	CEILING LEGEND:	Types:									Security Grille
AC ACT	Architectural Ceiling  Acoustic Ceiling Tile					4					
ACT-C	Cleanroom	N N N N N N N	N N M N N M			5000 BIS					☐ Anti-barricade
ARGB GB	Abuse-Resistant Gypsum Board Gypsum Board	A A2 B B2	C C2 D D2	E E2 F	F F2 G						strategy
IRGB	Impact-Resistant Gypsum Board	A AZ B BZ			F F2 G	п	j				
KLCT MMRGB	Kitchen Lay-in Ceiling Tile Moisture and Mould-Resistant Gypsum Board		9	r & Frame Privacy	_	ord Mag Auto					
SACT	Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): Material:	Timon. Side Et.	rotect.: Film:	T direction:	ider: Lock: Opene	1111)5		ry 1: Accessory 2: A		oser:
MALL FINIS	SHES LEGEND:	C 1 1220 x 2135 Solid Core	FRL 2 Hi	gh 🗸 :	Storeroom		<b>✓</b> Butt Hinge			Surfac	е
EWC	Epoxy Wall Coating										
HPC	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK			Storage Requirements:				$\neg$	FINISHES	
PT	Paint		UPPER UNITS		Storage nequirements.				Full balaba Cal		
	NISHES LEGEND:		J2 U3 U4 🗆						Full-height Cal		
ECC HPC	Epoxy Ceiling Coating High Performance Coating		U4 U5	U6	٦				Counte		
PF	Prefinished		777	U7 U:	SHELF				Lower Mills		
PT	Paint	Cargonal		77						Shelf:	
WALL PRO	OTECTION LEGEND:				S1						
ESRP	Extruded Semi-Rigid PVCu Panel	Segment II I		7	1				Re	marks:	
FRL FRP	Fibre Reinforced Laminate Fibreglass Reinforced Plastic										
PVW	Protective Vinyl Wallcovering	100	1 1	1 1	1						
RHIS	Rigid High Impact Sheet			1							
WSSP WVW	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering		11 1	and The second							
ELOOP EIN	VISHES LEGEND:	ci c		- 7	ON NO COLUMNICATION	/	-				
CFS	Concrete Floor Sealer	C2 C3 C4 C5		- 5				7/			
EFC	Epoxy Floor Coating		L3 L4		144	1=-	6	/ 400	- 1/		
PFC RAF	Polyurethane Floor Coating Rubber Athletic Flooring	FULL-HEIGHT CABINETS		17 10				7     1			
RSF	Rubber Sheet Flooring	TOLE HEIGHT CASHETS		L/ L8 L9	L10 L11	1	7	4 / 11	- 40-500-700		
SCF	Seamless Cushioned Flooring	11				L12	TC1 TC2				
SDRF SDVF	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None Min	Motorized	-1-1			TC2	U	cı l		
VSF	Vinyl Sheet Flooring	0.1		cialty ework	LOWER UNITS	DECEDITION /	TRANSACTION	•	C1		
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)				COUNTER / C		UTILITY SINK AND C	OUNTER UNIT		
FLOOR BAS	SE LEGEND:	Category 3 - High (10% or Greater)	1800			STATION DES					
FCB	Flash Cove Base										
RB SCF	Rubber Base Seamless Cushioned Flooring										
	, and the second										
MECHANI	ICAL REQUIREMENTS										
PLUMBING		k: Kitchan Sink: Dracass Sink: Scrub Sink: Floor Sink:	er Fixtures: Evewash		MED / NON-ME						. Utility
(Quantity)	1	1		/Shower Station	(Quantity)		Medical Nitrous Vacuum: Oxide:	663	A CCC	A * -	aboratory Compressed
			Tub Emergen		Oxygen:	Medical Air:	vacaum. Oxiue.	CO2:	AGSS: Nitrogen:	All.	Air:
Plumbing			Ice Maker								
Remarks:	:		Water Closet Floor Dra	in	G D -	velen.	1	1	·		
				ottle Refill Station	Gas Rema	IFKS:					
			Hot Water		¬						
			Other		_						

Room Name: Computer Room - CT			3. 4.	9. 15. 10. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
			5.	11. 17.	23.	29.	35.	41.	47.
			6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS				1	1				
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	RO	OOM ACCESSORIES		
Wall Material: ARGB 1.2m AFF, GB above	Finish: PT Type: RHIS	Corner Guards Hand Rails Bed	Bumper / Locator	☐ Interior Glazing	Material: Base:	[	🗌 Coat Hooks 🔲 Ceilii	ng Lift	☐ Magnetic Whiteboard
Ceiling Material: ACT	Finish: PF Height: 1350 mm	Crash Rails Chair Rail		interior oldzing	SDVF FCB		☐ Mirror ☐ Infar	it Change Table	Privacy Curtain
LEGEND:	DOORS	J					Door Remarks:		
WALL AND CEILING LEGEND:									
AC Architectural Ceiling	Types:								☐ Security Grille
ACT Acoustic Ceiling Tile	616134								
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board		NZ NJAZINIME							Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H					strategy
IRGB Impact-Resistant Gypsum Board	A 75			,,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	•				
KLCT Kitchen Lay-in Ceiling Tile			oor & Frame Privacy	Card Ma	=				
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile	Type:Qty: Size (mm):	Material: Finish: Side Lt: Blinds:	Protect.: Film:	Function: Reader: Loc	ck: Opener: Open: Hi	nges: Acc	essory 1: Accessory 2:	Accessory 3:	Closer:
•	A 1 1220 x 2135	Solid Core FRL	. Low Sto	reroom 🗸	Butt Hing	ge		S	urface
WALL FINISHES LEGEND:									
EWC Epoxy Wall Coating HPC High Performance Coating			·			·			
PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	9	Storage Requirements:				FINISHE	S
CEILING FINISHES LEGEND:							Full-height	Cabinet:	
ECC Epoxy Ceiling Coating	( 17.7 T	U2 U3 U4					Upper I	Millwork:	
HPC High Performance Coating		U5	U6 U7				Cou	intertop:	
PF Prefinished			7 U8	SHELF			Lower f	Millwork:	
PT Paint				-ta 🗆				Shelf:	
WALL PROTECTION LEGEND:	Carpenna I			S1 S1					
ESRP Extruded Semi-Rigid PVCu Panel								Remarks:	
FRL Fibre Reinforced Laminate				-					
FRP Fibreglass Reinforced Plastic  PVW Protective Vinyl Wallcovering	7		1 1						
RHIS Rigid High Impact Sheet		The state of the s		i					
WSSP Wetwall Solid Surface Panel		1	responses to	1					
WVW Wetroom Vinyl Wallcovering									
FLOOR FINISHES LEGEND:	C1 C2 C3		+-7	CO NO CONTRACTOR OF THE PERSON NAMED IN COLUMN					
CFS Concrete Floor Sealer						7	/	2	
EFC Epoxy Floor Coating		] [2] L3 L4		- KM					
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		5 <u>L7</u> L8 L9						
RSF Rubber Sheet Flooring				L10 111		$\neg$			
SCF Seamless Cushioned Flooring					TC1 TC2				
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend:	Motorized			TC2	2000	UC1	is .	
VSF Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category 1 - Low (1% - 4%)		Specialty	LOWER UNITS					
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	egory (mm) Height Height	Casework	RI	ECEPTION/TRANSACTION	LITH ITV CIAIV A			
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				OUNTER / CARE TEAM TATION DESK	UTILITY SINK A	ND COUNTER UNIT		
FCB Flash Cove Base				31					
RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS									
PLUMBING Hand	Seamless Utility /	Other Fixtures:	ach Chatian	MED / NON-MED GASES					
	nk: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	□ LYCW	ash Station	(Quantity)	Medical Nitrou	ς.		Laborator	Utility y Laboratory Compressed
(Scanney)			ash/Shower Station				AGSS: Nitrog		Vacuum
		_	gency Shower	Oxygen: Medi	Lai Alli.	(02:	AGOO. INITION	Jen	Air:
Plumbing		☐ Ice Maker ☐ Flush							
Remarks:		☐ Water Closet ☐ Floor	Drain	C. D. I	· · · · · ·	·		•	
			r Bottle Refill Station	Gas Remarks:					
		Hot Water							
		Other							

Program 1. C7.09

Number(s): 2. F5.12

7.

8.

13.

14.

19.

20.

25.

26.

31.

32.

37.

38.

43.

44.

**Appendix 1B Minimum Room Requirements** 

Appendix	1B Minimum Room Require	ements	Program Number(s):	1. B3.10 2. D1.05	7. I2.10 8. J3.03	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	4	43. 44.
Ro	oom Name: Consult Room			3. F2.08 4. F3.05	9. K3.06 10. L1.10	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.		45. 46.
					11. L2.07	17.	23.	29.	35.	41.		47.
				6. I1.03	12. M2.05	18.	24.	30.	36.	42.		48.
ARCHITECT	TURAL REQUIREMENTS											
WALL AND C		WALL PROTECTION			GLAZING		FLOORING TYPES  Material: Base:		M ACCESSORII			
	Material: ARGB 1.2m AFF, GB above Material: ARGB	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	✓ Corner Guards ☐ Hand Rails ☐ Bed Bu☐ Crash Rails ✓ Chair Rail	mper / Locator	✓ Interior Glazi	ing	RSF FCB		Coat Hooks	」Ceiling Lift ]Infant Change Tabl		ic Whiteboard
	Iviateriai. ANGB		Crasii Naiis 😉 Criaii Naii						Door Remarks:	Illiant Change Tabl	FIIVACY (	Curtain
LEGEND:	CEILING LEGEND:	DOORS							Door Hemarks.			
	Architectural Ceiling	Types:	an a an a an	न निर्वाचित्र		739	7 7 8 N					Security Grille
	Acoustic Ceiling Tile		2									Anti-barricade
	Cleanroom Abuse-Resistant Gypsum Board											strategy
	Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	Н	J					
	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		Integral Doo	or & Frame Privacy	Ca	rd Mag	Auto Hold					
	Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds: F	Protect.: Film:	Function: Rea	der: Lock: O	pener: Open:	linges: Acce	ssory 1: Access	sory 2: Accessory 3	Closer:	
	Security Acoustic Ceiling Tile	C 1 1220 x 2135 S	olid Core FRL 1 Lo	ow Stor	eroom		Butt Hir	ge			Surface	
	HES LEGEND:  Epoxy Wall Coating	C 1 915 x 2135 S	olid Core FRL	ow Stor	eroom		Butt Hir	ge			Surface	
HPC	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		St.	orage Requirements:					FINI	SHES	
	Paint	~	UPPER UNITS	3.	orage nequirements.				Eull	-height Cabinet:		
	ISHES LEGEND:	6 17 17	U1							Upper Millwork:		
	Epoxy Ceiling Coating High Performance Coating		U3 U4 U5	U6 U7						Countertop:		
	Prefinished			U7 U8	SHELF				1	Lower Millwork:		
PT	Paint									Shelf:		
	ECTION LEGEND:				S1							
	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate				1/2					Remarks:		
	Fibreglass Reinforced Plastic										.03 with interior w	vindow with
	Protective Vinyl Wallcovering Rigid High Impact Sheet	-	Francisco Property		1					privacy filr	1.	
	Wetwall Solid Surface Panel		100 100 100 100 100 100 100 100 100 100	-								
WVW	Wetroom Vinyl Wallcovering				Con Contraction of the Contracti	1	7/					
FLOOR FINIS	SHES LEGEND:	C1 C2 C3 C3			-	1						
	Concrete Floor Sealer Epoxy Floor Coating		L2			K		/ /	F=			
	Polyurethane Floor Coating				Zekk	4			The same of the sa			
	Rubber Athletic Flooring Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L7 L8 L9	140		/ - 17	$\dashv$ $\downarrow$ $\parallel$		71		
	Seamless Cushioned Flooring				L10 L11	L12	TC1 TC2		U II L			
	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Legend:	Motorized				TC2	- U	UC1			
	Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category	•	ecialty sework	LOWER UNITS					, u		
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	, , , , ,				ON/TRANSACTION ER / CARE TEAM	UTILITY SINK AN	ID COUNTER UNI	т		
FLOOR BASE	E LEGEND:	Category 3 - High (10% or Greater)				STATION						
	Flash Cove Base Rubber Base											
	Seamless Cushioned Flooring											
MECHANIC	CAL REQUIREMENTS											
PLUMBING		Seamless Utility /	Other Fixtures: Fyewash	Challer	MED / NON-ME	D GASES						
(Quantity)		k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:			(Quantity)	D UNJEJ	Medical Nitro	us		Labora	tory Laborator	Utility
(Qualitity)				/Shower Station	Oxygen:	Medical Air:			AGSS:	Nitrogen: Air	•	
Plumbing	Dravida IIIC for Consult	ny ambulatany assa (C1 07)	☐ Tub ☐ Emerger		5.7,6011			332.				OII.
Remarks:	Provide HHS for Consult rooms in oncolog	gy ambulatory care (G1.07)	☐ Ice Maker ☐ Flush Rin									
			Water Closet Floor Dra		Gas Rema	rks:						
			Instantaneous Water Be	ottle Refill Station								
			Other									
					1							

Appendix 1I	B Minimum Room Requir	ements	Program Number(s):	1. C7.06 2. F4.08	7. 13. 8. 14.		19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Roon	n Name: Control Booth - Gen Rad				9. 15. 10. 16.		21. 22.	<ul><li>27.</li><li>28.</li></ul>	33. 34.	39. 40.	45. 46.
					11. 17.		23.	29.	35.	41.	47.
				6.	12. 18.		24.	30.	36.	42.	48.
ARCHITECTU	RAL REQUIREMENTS										
	ARGB 1.2m AFF, GB above aterial: ACT		✓ Corner Guards ☐ Hand Rails ☐ Bed Bui ☐ Crash Rails ✓ Chair Rail	mper / Locator	GLAZING  ✓ Interior Glazing	1	RING TYPES  Material: Base:  SDVF FCB		ACCESSORIES at Hooks		agnetic Whiteboard vacy Curtain
LEGEND:		DOORS						Doc	or Remarks:		_
WALL AND CEIL	LING LEGEND:	Types:									Security Grille
	chitectural Ceiling Dustic Ceiling Tile										
	anroom use-Resistant Gypsum Board						44				Anti-barricade strategy
GB Gyp	psum Board pact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	H J					,
KLCT Kito	chen Lay-in Ceiling Tile		_	r & Frame Privacy	Card	Mag Auto	Hold				
	oisture and Mould-Resistant Gypsum Board curity Acoustic Ceiling Tile		Material. Tillisti. Side Et.		Function: Reader:	Lock: Opener:	·	: Accessory	1: Accessory 2: Ac	cessory 3: Close	er:
WALL FINISHES	LEGEND:	C 1 1065 x 2135 Sol	id Core FRL  1 Lo	w Passa	ge		Butt Hinge			Surface	
	oxy Wall Coating th Performance Coating	MULLWORK AND SPECIALTY CASEWORK		🔲				<u> </u>	<u> </u>		
PT Pai		MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	rage Requirements:					FINISHES	
CEILING FINISH		C IV	U2 🗀 📗						Full-height Cabi Upper Millw		
	oxy Ceiling Coating th Performance Coating		U3 U4 U5	U6 U7						top: Solid Surfacing	
PF Pre PT Pai	rfinished nt			U8	SHELF				Lower Millw	ork:	
WALL PROTECT					7				SI	nelf:	
	ruded Semi-Rigid PVCu Panel				S1				Rem	narks:	
	re Reinforced Laminate reglass Reinforced Plastic										
PVW Pro	stective Vinyl Wallcovering	-	-	! !	8						
	id High Impact Sheet etwall Solid Surface Panel										
WVW We	etroom Vinyl Wallcovering				CO TOTAL PROPERTY.	17/					
FLOOR FINISHE		C1 C2 C3 C4 C5 L1				7	-				
	ncrete Floor Sealer oxy Floor Coating		L2			-	4	1 6	1		
	yurethane Floor Coating bber Athletic Flooring	FULL-HEIGHT CABINETS	L6	L7 L8 19				<b>1</b>			
RSF Rub	bber Sheet Flooring				L10 L11			1/			
	amless Cushioned Flooring tic-Dissipative Rubber Sheet Flooring	Legend:	Motorized	•		12	TC1 TC2	V   "	u   U		
	tic-Dissipative Vinyl Sheet Flooring lyl Sheet Flooring	Category 0 - None	Min. Length Adjustable Standing Spe	ecialty	LOWER UNITS			UC	1 4		
	etroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categor Category 2 - Med (5% - 9%)	, ,	ework	LOWER CHITS	RECEPTION/TR COUNTER / CAI		TILITY SINK AND CO	NUNTER LINIT		
FLOOR BASE LE	GEND:	Category 3 - High (10% or Greater)	900			STATION DESK		TIETT SINK AND CC	ONIER ONII		
	sh Cove Base bber Base										
	amless Cushioned Flooring										
MECHANICA	L REQUIREMENTS										
	Hand	Seamless Utility /	Other Fixtures: Evewash	Station	MED / NON-MED G						Utility
(Quantity) Hy	giene Sink: Lavatory: Kitchen Sin	k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		/Shower Station	(Quantity)		edical Nitrous cuum: Oxide:	663	ACCC. All:		Compressed
			☐ Tub ☐ Emergen		Oxygen:	Medical Air: Va	Oxide.	CO2:	AGSS: Nitrogen:	All. Vd	Air:
Plumbing Remarks:			☐ Ice Maker ☐ Flush Rim								
			Water Closet Floor Dra		Gas Remarks:						
			Instantaneous Water Bo	ottle Refill Station							
			Other								

-pp			Number(s):	2. F5.11	8. 14.	20.	26.	32.	38.	44.
_	Room Name: Control Room - CT			3.	9. 15.	21.	27.	33.	39.	45.
ŀ	Room Name:   Control Room - C1			4.	10. 16.	22.	28.	34.	40.	46.
				5.	11. 17.	23.	29.	35.	41.	47.
				6.	12. 18.	24.	30.	36.	42.	48.
ARCHITEC	CTURAL REQUIREMENTS				<u> </u>					
		WALL PROTECTION			CLATING	FLOODING TYPES	2001	ACCECCODIEC		
WALL AND	all Material: ARGB 1.2m AFF, GB above	WALL PROTECTION	✓ Corner Guards ☐ Hand Rails ☐ Bed Bu		GLAZING	FLOORING TYPES  Material: Base:		I ACCESSORIES Coat Hooks		Magnetic Whiteboard
	g Material: ACT	1,750 1	Crash Rails Chair Rail	imper / Locator	✓ Interior Glazing	SDVF FCB		Mirror Infant Cha		Privacy Curtain
Cening	g Material: ACT	Finish: PF Height: 1600 mm	☐ Crasii Raiis						inge rable $\Box$	Privacy Curtain
LEGEND:		DOORS						oor Remarks: reference is for design to no	at racuira da ara fr	
	CEILING LEGEND:	Types:						ontrol room to imaging roo		
AC ACT	Architectural Ceiling Acoustic Ceiling Tile							re required, doors need to		
ACT-C	Cleanroom		JA NENIA NENIALI			I MMZZ				☐ Anti-barricade
ARGB GB	Abuse-Resistant Gypsum Board Gypsum Board		D2 D D2							strategy
IRGB	Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	J				
KLCT	Kitchen Lay-in Ceiling Tile		9	or & Frame Privacy	Card Mag	Auto Hold				
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile		viaterial. Fillion. Side Et.	Protect.: Film:	Function: Reader: Lock:	Opener: Open: Hing	es: Accesso	ory 1: Accessory 2: Acc	cessory 3: Cl	oser:
		C 1 1065 x 2135 So	id Core FRL 1 Lo	ow Store	eroom 🗸 🗌	Butt Hinge			Surface	2
	SHES LEGEND:	B 2 1065 x 2135 Sh	elded Prefinished	ow Pass	age 🗌 🗎	Butt Hinge			Surface	2
EWC HPC	Epoxy Wall Coating High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		C+	orage Requirements:				FINISHES	
PT	Paint		UPPER UNITS	31	orage kequirements.					
CEILING FIN	NISHES LEGEND:							Full-height Cabir		
ECC	Epoxy Ceiling Coating	7	U2 U3 U4 U5						ork: Plastic Lamina	
HPC PF	High Performance Coating Prefinished	Samuel Control		U6 U7 U8	SHELF				solid Surfacin	•
PT	Paint			77	JILLY				ork: Plastic Lamina	ite
WALL DOO:	TECTION LEGEND:				S1			Sn	nelf:	
ESRP	Extruded Semi-Rigid PVCu Panel				31			Pom	arks:	
FRL	Fibre Reinforced Laminate			1	1			Keiii	di KS.	
FRP	Fibreglass Reinforced Plastic	7		i						
PVW RHIS	Protective Vinyl Wallcovering Rigid High Impact Sheet	-	Property Property		i					
WSSP	Wetwall Solid Surface Panel		1	- Constant						
WVW	Wetroom Vinyl Wallcovering				September 1	7/				
FLOOR FIN	IISHES LEGEND:	C1 C2 C3 C4 T		4-1/1	-	The same of the sa	222			
CFS	Concrete Floor Sealer	□ □ □ C4 C5 11	L2		= =		7 /	<i>F</i>		
EFC PFC	Epoxy Floor Coating Polyurethane Floor Coating		L3 14		KKKN	-	-/ 17			
RAF	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9						
RSF	Rubber Sheet Flooring			17 L8 L9	L10 L11		7/ II			
SCF SDRF	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized	•	L12	TC1 TC2	V   '			
SDVF	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		ecialty				JC1		
VSF WSVF	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Catego	- ,	sework	LOWER UNITS REC	EPTION/TRANSACTION	L			
		Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	900		cou	INTER / CARE TEAM	UTILITY SINK AND	COUNTER UNIT		
	SE LEGEND:	Category 3 - Trigit (1078 of Greater)			STA	TION DESK				
FCB RB	Flash Cove Base Rubber Base									
SCF	Seamless Cushioned Flooring									
MECHANI	ICAL REQUIREMENTS									
PLUMBING		Seamless Utility /	Other Fixtures: Fyewash		MED / NON-MED GASES					
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sink	: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Lycwasi		(Quantity)	Medical Nitrous			Laboratory L	Utility aboratory Compressed
(Qualitity)				h/Shower Station	Oxygen: Medica		CO2:	AGSS: Nitrogen:		Vacuum
DI ''			☐ Tub ☐ Emerger		Oxygen. Ivieulea			7.000. Nitrogen.		Air:
Plumbing Remarks:			☐ Ice Maker ☐ Flush Rir							
nemarks.			Water Closet Floor Dr.		Gas Remarks:					
			☐ Instantaneous ☐ Water B	Sottle Refill Station	Gus nemarks.					
			Hot Water Other							
			Other							

Program 1. C7.08

7.

13.

19.

25.

31.

37.

43.

Appendix	1B Minimum Room Requi	rements	Program Number(s):	1. A3.05 2. C4.09	7. 13. 8. 14.	20	). 26.	31. 32.		37. 38.	43. 44.
Ro	pom Name: Ensuite - AIR			3. G2.06 4. I2.08	9. 15. 10. 16.	22	2. 28.	33. 34.		39. 40.	45. 46.
					11.     17.       12.     18.			35. 36.		41. 42.	47. 48.
ARCHITECT	TURAL REQUIREMENTS										
WALL AND C		WALL PROTECTION			GLAZING		NG TYPES	ROOM ACCESSO			
	Material: MMRGB	Finish: HPC Type: WSSP	Corner Guards Hand Rails Bed Bu	mper / Locator	☐ Interior Glazing	WS	erial: Base: VF FCB	✓ Coat Hooks			agnetic Whiteboard
	Material: MMRGB	Finish: HPC Height: 2185 mm	Crash Rails Chair Rail			WS	VI ICD	✓ Mirror	Infant Change	e Table 🔲 Pr	ivacy Curtain
LEGEND:	CEILING LEGEND:	DOORS						Door Remark Staff will be a	s: ble to unlock from	the outside.	¬_
	Architectural Ceiling	Types:	alal (al (ala) (al (ala) (	7 FID (7)				Door to swing			Security Grille
	Acoustic Ceiling Tile Cleanroom						릨				☐ Anti-barricade
ARGB	Abuse-Resistant Gypsum Board						4				strategy
	Gypsum Board Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	Н ј					
	Kitchen Lay-in Ceiling Tile  Moisture and Mould-Resistant Gypsum Board			r & Frame Privacy Protect.: Film:	Card	•	lold				
	Security Acoustic Ceiling Tile	Fype:Qty: Size (mm):  A 1 1065 x 2135	Waterial. Tillisti. Side Et.		Function: Reader:	Lock: Opener: 0	Butt Hinge	Accessory 1: Acc	essory 2: Access	Sory 3: Close Surface	er:
WALL FINISH	HES LEGEND:	A 1 1003 x 2133 3	Solid Core FRL	JW PIIV						Surface	
	Epoxy Wall Coating High Performance Coating	ANULUMORIA AND SPECIALTY CASEMORY									
	Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	St	orage Requirements:					FINISHES	
CEILING FINI	ISHES LEGEND:							F	ull-height Cabinet:		
	Epoxy Ceiling Coating High Performance Coating		U2 U3 U4 U5	U6 U7					Upper Millwork: Countertop:		
PF	Prefinished			U7 U8	SHELF				Lower Millwork:		
	Paint			7					Shelf:	Solid Surfacing	
	ECTION LEGEND:				S1						
	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate				1				Remark		
	Fibreglass Reinforced Plastic Protective Vinyl Wallcovering									r to Schedule 1, Se try Ceiling Lift Syst	ection 11 73 00 – X-Y
RHIS	Rigid High Impact Sheet				i				Guin	iry centing the syst	
	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering		" " " " " " " " " " " " " " " " " " " "	The state of the s							
FLOOR FINIS	SHES LEGEND:	C1 C2 C2	<del></del>	-7	San San San San San San San San San San	-	-				
CFS	Concrete Floor Sealer	C3 C4			==			7 /			
	Epoxy Floor Coating Polyurethane Floor Coating				RMA			The same of the sa			
RAF	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9		-// _	15	]			
	Rubber Sheet Flooring Seamless Cushioned Flooring				L10 L11 L1	12 TC1					
	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized					UC1	u		
VSF	Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categ	•	ecialty sework	LOWER UNITS	RECEPTION/TRAN	SACTION				
	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)				COUNTER / CARE		Y SINK AND COUNTER U	NIT		
FLOOR BASE	Flash Cove Base	Category 3 - High (10% of Greater)				STATION DESK					
RB	Rubber Base										
SCF	Seamless Cushioned Flooring										
	241 DEQUIDENCE										
	CAL REQUIREMENTS										
PLUMBING	Hand Hygiene Sink: Lavatory: Kitchen Si	Seamless Utility / nk: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures: Evewash		MED / NON-MED GA	ASES Medio	nal Nitraus			aharatan: I-L	Utility
(Quantity)	1			/Shower Station	(Quantity) Oxygen:	Medical Air: Vacuu		CO2: AGSS:	Nitrogen:		oratory Compressed Air:
Plumbing [	Provide bedpan disinfector for C4.09		☐ Tub ☐ Emerger		Олуден.	medical All .		. A033.	Microgen.		AII:
Remarks:	riovide bedpail disinfector for C4.09		☐ Ice Maker ☐ Flush Rin  ✓ Water Closet ☐ Floor Dra								
				ain ottle Refill Station	Gas Remarks:						
			Hot Water	Jean Neim Jeanon							
			Other								

Appendix	1B Minimum Room	Requirements	Progran Number(s	s): 2. D6.07	8. 1	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Ro	oom Name: Ensuite - AIR -	Bariatric		3. G2.09 4.		15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				5. 6.		17. 18.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.
ARCHITECT	TURAL REQUIREMENTS	S									
WALL AND C	EILING	WALL PROTECTION			GLAZING	F	LOORING TYPES	ROO	M ACCESSORIES		
	Material: MMRGB	Finish: HPC Type: WSSP	Corner Guards Hand Rails Bed	Bumper / Locator	☐ Interior Glazing	I .	Material: Base:		Coat Hooks 🗹 Ceilir	g Lift	Magnetic Whiteboard
Ceiling	Material: MMRGB	Finish: HPC Height: 2185 mm	Crash Rails Chair Rail		menor diazing	<b>b</b>	WSVF FCB		Mirror Infan	t Change Table	Privacy Curtain
LEGEND:		DOORS	_						Door Remarks:		
	CEILING LEGEND:	Types:							Staff will be able to unlo	ck from the outside.	
	Architectural Ceiling	турез.	as a as a fast			72267	the doo approxi		Door to swing out		Security Grille
	Acoustic Ceiling Tile Cleanroom							55 unless			☐ Anti-barricade
ARGB	Abuse-Resistant Gypsum Board						otherwi	se rquired by			strategy
	Gypsum Board Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	н	J the Auti	nority			
	Kitchen Lay-in Ceiling Tile		•	oor & Frame Privacy	Card	l Mag Au	uto Hold				
	Moisture and Mould-Resistant Gypsum Security Acoustic Ceiling Tile	Soard Γγρε:Qty: Size (mm):	Material: Finish: Side Lt: Blinds:	Protect.: Film:	Function: Reade	er: Lock: Ope	ener: Open: Hin	ges: Acces	ssory 1: Accessory 2:	Accessory 3:	Closer:
		F 1 1530 x 2135	Solid Core FRL	Low Priv	racy		Butt Hinge			Surf	ace
WALL FINISH EWC	HES LEGEND: Epoxy Wall Coating										
	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		C	torago Doguiromanto					FINISHES	
PT	Paint	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	UPPER UNITS	3	torage Requirements:						
CEILING FINI	ISHES LEGEND:		U1						Full-height		
	Epoxy Ceiling Coating High Performance Coating		U2 U3 U4 U5	U6 117 🗆					Upper N	ntertop:	
	Prefinished			U6 U7 U8	SHELF					fillwork:	
PT	Paint	Angeles and the second		T Z	<b>7</b>				Lower	Shelf: Solid Surfa	ring
WALL PROTE	ECTION LEGEND:	Congression			S1					Silen. Solid Sairta	51116
	Extruded Semi-Rigid PVCu Panel									Remarks:	
	Fibre Reinforced Laminate Fibreglass Reinforced Plastic									Refer to Schedule	e 1, Section 11 73 00 – X-Y
	Protective Vinyl Wallcovering		- F							Gantry Ceiling Lif	
	Rigid High Impact Sheet Wetwall Solid Surface Panel			1 1 1							
	Wetroom Vinyl Wallcovering	CO	1 1 1 1 1 1 1 1 1 1 1	200	THE REAL PROPERTY.						
FLOOR FINIS	SHES LEGEND:	C1 C2 C2	<del></del>		CO NO CONTRACTOR	/	Consessant	225			
CFS	Concrete Floor Sealer	_ C3 C4 '		- Proper				7	/	ē	
	Epoxy Floor Coating Polyurethane Floor Coating		11 12 13 L4 L5		- KMM	~ ~		-/ 4			
	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L0		//					
	Rubber Sheet Flooring			1 1 18 19	L10 L11			7/ 1			
	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			L12 %	TC1 TC2		.	\$	
	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		Specialty					UC1		
	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)	egory (mm) Height Height (	Casework	LOWER UNITS	RECEPTIO	N/TRANSACTION				
FLOOR BASE			2 600				/ CARE TEAM	UTILITY SINK AN	D COUNTER UNIT		
	Flash Cove Base					STATION I	DESK				
RB	Rubber Base										
SCF	Seamless Cushioned Flooring										
MECHANIC	CAL REQUIREMENTS										
PLUMBING	Hand	Seamless Utility /	Other Fixtures: Evewa	sh Station	MED / NON-MED	GASES					
(Quantity)	Hygiene Sink: Lavatory: I	Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		sh/Shower Station	(Quantity)		Medical Nitrous			Laboratory	Laboratory Compressed
	1			ency Shower	Oxygen:	Medical Air:	Vacuum: Oxide:	CO2:	AGSS: Nitrog	en: Air:	Vacuum: Air:
Plumbing	Provide bedpan disinfector for	C3.14 and D6.07	lce Maker								
Remarks:			✓ Water Closet ☐ Floor I								
				· Bottle Refill Station	Gas Remarks	s:					
			Hot Water	Dottie Neim Station							
			Other _								

Appendix 1B	Minimum Room Require	ements		Program Number(s):	<ol> <li>B1.03</li> <li>B2.02</li> </ol>	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.		37. 38.	43. 44.	
Room	Name: Ensuite - Patient Room				3. 4.	9. 10.	15. 16.	21. 22.	27.	33. 34.		39. 40.	45. 46.	
					5.	11.	17.	23.	28. 29.	35.		41.	47.	
					6.	12.	18.	24.	30.	36.		42.	48.	
ARCHITECTUR	RAL REQUIREMENTS													
WALL AND CEILI		WALL PROTECTION				GLAZING		FLOORING TYPES		ROOM ACCESSO		_	¬	
	terial: MMRGB	Finish: HPC Type: WSSP	Crash Rails Hand Rai		nper / Locator	☐ Interior Gla	zing	Material: Ba		✓ Coat Hooks ✓ Mirror	Ceiling Lif		<ul><li>✓ Magnetic W</li><li>✓ Privacy Curt</li></ul>	
	terial: MMRGB	Finish: HPC Height: 2185 mm	Crash Rails Chair Rai	I						Door Remai		ange lable L	□ Privacy Curt	ain
LEGEND:	INC LECEND.	DOORS										rom the outside.		
AC Archit	ING LEGEND: itectural Ceiling	Types:								Door to swir			☐ Se	ecurity Grille
	ustic Ceiling Tile			WIII B									l	
	nroom se-Resistant Gypsum Board		MALIN NA IN											inti-barricade trategy
	sum Board	A A2 B	B2 C C2 D	D2	E E2 F	F2 G	Н	J					30	lategy
	act-Resistant Gypsum Board			Lateral Bar	0.5			A La Hald						
	nen Lay-in Ceiling Tile sture and Mould-Resistant Gypsum Board	Fire a Object Cine (see as)	Material Finish Cide Lt.		· & Frame Privacy rotect.: Film:	D -	•	Auto Hold pener: Open:	History	A 1			Classin	
	rity Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt:			Tunction.				Accessory 1: Ac	cessory 2: Ac	Surf	Closer:	
WALL FINISHES L	LEGEND:	A 1 1005 X 2135 S	Solid Core FRL	1 Lo	w	rivacy [			tt Hinge			Suri	ace	
EWC Epoxy	xy Wall Coating					Į Į								
HPC High   PT Paint	Performance Coating	MILLWORK AND SPECIALTY CASEWORK				Storage Requirements:						FINISHES		
				PER UNITS							Full-height Cabi	net:		
CEILING FINISHES  ECC Epoxy	:S LEGEND: xy Ceiling Coating		U2								Upper Millw			
	Performance Coating		U3 U4			]					Counter	top:		
	inished			7	U7 U8						Lower Millw	ork:		
PT Paint		7			7						Sł	nelf: Solid Surfa	cing	
WALL PROTECTION	ON LEGEND:	Engrava		ıl. Kr	-	S1								
	uded Semi-Rigid PVCu Panel	II I I									Rem	narks:		
	e Reinforced Laminate eglass Reinforced Plastic		· i l								F	Refer to Schedule	1, Section 11	73 00 – X-Y
	ective Vinyl Wallcovering		- I	6	i ;							Gantry Ceiling Lif		
	High Impact Sheet		70		1.									
	wall Solid Surface Panel room Vinyl Wallcovering		" " 11 11	9	an Transporter									
FLOOR FINISHES		C1 C2	<del></del>	" =	- 7	On the party of th	1	-	7					
	crete Floor Sealer	C2 C3 C4 C5			- 17-				7	/				
	y Floor Coating		L2 L3 14				1			4				
	urethane Floor Coating	FULL-HEIGHT CABINETS	_	L5 16	17		9 - 1							
	per Athletic Flooring per Sheet Flooring	FOLL-HEIGHT CADINETS			L7 L8 L9	L10 L11		-	7-1/					
SCF Seam	nless Cushioned Flooring						L12	TC1						
	ic-Dissipative Rubber Sheet Flooring ic-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized						TC2	UC1	u			
	I Sheet Flooring	Category 0 - None  Category 1 - Low (1% - 4%)  Categ	- ,		cialty	LOWER UNITS		_			, u			
WSVF Wetro	room Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	, ,g		ework			ON/TRANSACTION R / CARE TEAM	HTH ITV SIN	K AND COUNTER	LINIT			
FLOOR BASE LEG	SEND:	Category 3 - High (10% or Greater)	600				STATION	-	OTILITY SIN	KAND COOKIEK				
	n Cove Base													
	ber Base nless Cushioned Flooring													
SCF Sealii	ness cusmoned Flooring													
<u>MECHANICAL</u>	REQUIREMENTS													
PLUMBING +	Hand	Seamless Utility /	Other Fixtures:	☐ Evewash	Station	MED / NON-MI	ED GASES							Utility
(Quantity) Hygi	ene Sink: Lavatory: Kitchen Sink	k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	<b>✓</b> Shower	_	Shower Station	(Quantity)			Nitrous			Laboratory	Laboratory	Compressed
	1		Tub	Emergen		Oxygen	: Medical Air:	Vacuum:	Oxide: CO2	: AGSS:	Nitrogen:	Air:	Vacuum:	Air:
Plumbing			☐ Ice Maker	Flush Rim										
Remarks:			✓ Water Closet	✓ Floor Dra				<u> </u>		<u></u> _		<u> </u>		<u></u>
					ın ttle Refill Station	Gas Rema	arks:						·	
			Instantaneous Hot Water	□ water Bo	ttie Keiiii Station	_								
			HOL WALEI	Other		]								

Appendix 1B Minimum	Room Requirements			Program Number(s):	1. B1.05 2. B2.06	7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Poom Namo: Ensuit	e - Patient Room - AIR - Bariatric				3. B3.04	9. 15.	21.	27.	33.	39.	45.
ROOM Name.	2 - Fation Room - Airy - Danatho				4.	10. 16.	22.	28.	34.	40.	46.
					5.	11. 17.	23.	29.	35.	41.	47.
					6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIRE	EMENTS									,	
WALL AND CEILING		WALL PROTECTION				GLAZING	FLOORING TYPES		OM ACCESSORIES		
Wall Material: MMRGB	Finish: HPC	Type: WSSP		tails 🗌 Bed Bu	mper / Locator	☐ Interior Glazing	Material: Base:		Coat Hooks 🗹 Ceiling L		Magnetic Whiteboard
Ceiling Material: MMRGB	Finish: HPC	Height: 2185 mm	Crash Rails Chair R	ail			WSVF FCB		Mirror Infant C	hange Table	Privacy Curtain
LEGEND:	DOORS								Door Remarks:		
WALL AND CEILING LEGEND:	Ту	pes:							Staff will be able to unlock Door to swing out	from the outside.	Security Grille
AC Architectural Ceiling	,					VIAVIA DA		door panels will be roximately	Door to swing out		Security drille
ACT Acoustic Ceiling Tile ACT-C Cleanroom								/1065 unless			☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Bo	pard							erwise rquired by			strategy
GB Gypsum Board		A A2 B	B2 C C2 D	D2	E E2 F	F2 G H	J the	Authority			
IRGB Impact-Resistant Gypsum B	loard			Internal Dec	. 0 F D-i	Cond. N	Man Auto Hald				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resist	ant Gynsum Board			. •.	r & Frame Privacy rotect.: Film:	Decile 1	Mag Auto Hold Lock: Opener: Open:				
SACT Security Acoustic Ceiling Tile		Гуре:Qty: Size (mm):	Material: Finish: Side I			Turiculori.			ssory 1: Accessory 2: A	ccessory 3: Clo	oser:
		F 1 1530 x 2135 S	olid Core FRL	1 Lo	w Pri	vacy	Butt H	inge Astrag	gal Flush Bolt		
WALL FINISHES LEGEND:											
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND	SPECIALTY CASEWORK									
PT Paint	WILLWORK AND	SPECIALITY CASEWORK	<b>U</b>	PPER UNITS		Storage Requirements:				FINISHES	
CEILING FINISHES LEGEND:		7							Full-height Cal	oinet:	
ECC Epoxy Ceiling Coating	F-V	17.77	U2 U3 U4						Upper Mill	work:	
HPC High Performance Coating	V T	T X X X	7	U5	U6				Counte	ertop:	
PF Prefinished				7	U7 U8	SHELF			Lower Mill	work:	
PT Paint	-		-		7					Shelf: Solid Surfacing	σ
WALL PROTECTION LEGEND:	Congression				-	S1 S1					5
ESRP Extruded Semi-Rigid PVCu F					- 1	1]			Re	emarks:	
FRL Fibre Reinforced Laminate		1 1 1 1			-						
FRP Fibreglass Reinforced Plasti	/			<u>.                                      </u>	1 1						Section 11 73 00 – X-Y
PVW Protective Vinyl Wallcoverin RHIS Rigid High Impact Sheet	<sup>18</sup>	-	THE PERSON NAMED IN COLUMN	Promond.		i				Gantry Ceiling Lift Sy	ystem
WSSP Wetwall Solid Surface Pane	<u></u>			202020202 = 0202		1				1	
WVW Wetroom Vinyl Wallcoverin	g			111	-	Section 20 Section 20				1	
FLOOR FINISHES LEGEND:	C1	C	<del> </del>	1 20	-7	On the latest the late	-	221.000			
CFS Concrete Floor Sealer		C2 C3 C4 C5 11			77			7	/	1	
EFC Epoxy Floor Coating			L2 L3 L4		( )			/ 4	1	1	
PFC Polyurethane Floor Coating				L5			-			1	
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT C	ABINEIS			L7 L8 L9			— I		1	
RSF Rubber Sheet Flooring SCF Seamless Cushioned Floorin	ng					L10 L11			J	1	
SDRF Static-Dissipative Rubber Sh			Motorized				TC1 TC	2			
SDVF Static-Dissipative Vinyl Shee				Standing Spe	ecialty			]	UC1 U		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Shee	Category 1 - Low				ework	LOWER UNITS	RECEPTION/TRANSACTION				
	Category 2 - Iviet		600				COUNTER / CARE TEAM	<b>UTILITY SINK AN</b>	ID COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High	(10% or Greater)	-30	ш			STATION DESK				
FCB Flash Cove Base										1	
RB Rubber Base SCF Seamless Cushioned Floorir	ng.									1	
Seamess Cusmoned Flooring	15										
MECHANICAL REQUIREM	ENTS										
PLUMBING Hand	Seamless Utility /		Other Fixtures:	☐ Evewash	Station	MED / NON-MED GASE	ES				
(Quantity) Hygiene Sink: Lava	atory: Kitchen Sink: Kitchen Sink: Process Sir	k: Scrub Sink: Floor Sink:				(Quantity)		ous		Laboratory La	Utility aboratory Compressed
(3,3,1,1,1)	1		Shower		/Shower Station		.,		AGCC: Nitro	A	Vacuum: Compressed
			☐ Tub	☐ Emerger		Oxygen: Me	edical Air: Vacuum: Ox	de: CO2:	AGSS: Nitrogen:		Vacuum. Air:
Plumbing Provide floor mounte	ed water closet and bedpan disinfector		☐ Ice Maker	☐ Flush Rin	n Sink						
Remarks:			✓ Water Closet	✓ Floor Dra	in		1 1	I	1 <b>I</b>		
			Instantaneous		ottle Refill Station	Gas Remarks:					
			Hot Water	water be	Actic Neim JuditUII						
			not water	Other							

F	Room Name: Ensuite - Patient Roo	m - HAU		Number(s): 2. 3. 4. 5.	9. 1 10. 1	14.     20.       15.     21.       16.     22.       17.     23.	26. 27. 28. 29.	32. 33. 34. 35.	38. 39. 40. 41.	44. 45. 46. 47.
				6.	12. 1	18. 24.	30.	36.	42.	48.
ARCHITEC	TURAL REQUIREMENTS				1					
	CEILING  Ill Material: MMRGB g Material: MMRGB		e: WSSP Corner Guards	Hand Rails  Bed Bumper / Locator Chair Rail	GLAZING  Interior Glazing	FLOORING TYI Material: WSVF	Base: [	OOM ACCESSORIES  Coat Hooks  Mirror		Magnetic Whiteboard Privacy Curtain
LEGEND: WALL AND AC ACT ACT-C ARGB GB IRGB KLCT MMRGB SACT  WALL FINIS EWC HPC PT  CEILING FIN ECC HPC PF PT	Architectural Ceiling Acoustic Ceiling Tile Cleanroom Abuse-Resistant Gypsum Board Gypsum Board Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile SHES LEGEND: Epoxy Wall Coating High Performance Coating Paint NISHES LEGEND: Epoxy Ceiling Coating High Performance Coating Prefinished Paint	DOORS Types:	A2 B B2 C C2  tty: Size (mm): Material: Finish:  1 1065 x 2135   Solid Core   FRL	D D2 E E2  Integral Door & Frame Privace Side Lt: Blinds: Protect.: Film:  1 Low  UPPER UNITS		er: Lock: Opener: Open:	Hinges: Acc Butt Hinge	Door Remarks:  Staff will be able to Door to swing out  essory 1: Accessory  Full-hei, Upp	unlock from the outside	Security Grille Anti-barricade strategy  Closer:
ESRP FRL FRP PVW RHIS WSSP WVW	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate Fibreglass Reinforced Plastic Protective Vinyl Wallcovering Rigid High Impact Sheet Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering  ISHES LEGEND: Concrete Floor Sealer Epoxy Floor Coating Polyurethane Floor Coating Rubber Athletic Flooring Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring SE LEGEND: Flash Cove Base Rubber Base Seamless Cushioned Flooring	FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Great	Mot Min. Length Adju Category (mm) He	orized stable Standing Specialty Casework	S1	RECEPTION/TRANSACTION COUNTER / CARE TEAM STATION DESK		UC1 UC1 UNIT	Remarks:	e 1, Section 11 73 00 – X-Y
MECHANI	CAL REQUIREMENTS									
PLUMBING (Quantity) Plumbing Remarks:	Hygiene Sink: Lavatory: Kitcher  1  Provide bedpan disinfector	Seamless Utility / Sink: Kitchen Sink: Process Sink: Scrub Sink:	Other Fixtures:  Shower  Tub  Ice Maker  Water Closet	Evewash Station  Eyewash/Shower Station  Emergency Shower  Flush Rim Sink  Floor Drain	MED / NON-MED (Quantity) Oxygen:	Medical Vacuum:	Nitrous Oxide: CO2:	AGSS: Nit	Laboratory crogen: Air:	Laboratory Utility Vacuum: Compressed Air:
			Instantaneous Hot Water		Gas Remark:	s:				

Program 1. B3.02

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix	c 1B Minimum Room Requir	ements		Program 1. B2.04 Number(s): 2.	8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
R	Room Name: Ensuite - Patient Room -	Shielded		3. 4.		15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				5.		17.	23.	29.	35.	41.	47.
40000750	TUDAL DEGLUDEAGENTS			6.	12.	18.	24.	30.	36.	42.	48.
	TURAL REQUIREMENTS										
WALL AND	CEILING  II Material: MMRGB	Finish: HPC WALL PROT		Rails Bed Bumper / Locator	GLAZING		FLOORING TYPES  Material: Base:		M ACCESSORIES  Coat Hooks  Ceiling	ı: <del>tı</del>	Magnetic Whiteboard
	g Material: MMRGB	1,75	WSSP		☐ Interior Glazir	ng	WSVF FCB				Privacy Curtain
LEGEND:		DOORS							Door Remarks:		
	CEILING LEGEND:	Types:							Staff will be able to unloc	k from the outside.	
AC	Architectural Ceiling	турсз.							Door to swing out		Security Grille
ACT ACT-C	Acoustic Ceiling Tile Cleanroom	212					<del>dd</del>				☐ Anti-barricade
ARGB GB	Abuse-Resistant Gypsum Board Gypsum Board	13/13									strategy
IRGB	Impact-Resistant Gypsum Board	A A	.2 B B2 C C2 D	D D2 E E2	F F2 G	Н	J				
KLCT MMRGB	Kitchen Lay-in Ceiling Tile Moisture and Mould-Resistant Gypsum Board			Integral Door & Frame Privac			Auto Hold	L			
SACT	Security Acoustic Ceiling Tile		: Size (mm): Material: Finish: Side		Tunction.	der: Lock: O			sory 1: Accessory 2:		ser:
WALL FINIS	SHES LEGEND:	A   1	1065 x 2135 Hollow Metal Paint	1 Low	Privacy		Butt Hing	ge		Surface	
EWC	Epoxy Wall Coating										
HPC PT	High Performance Coating Paint	MILLWORK AND SPECIALTY CAS			Storage Requirements:					FINISHES	
	VISHES LEGEND:		U1	UPPER UNITS					Full-height Ca	abinet:	
ECC ECC	Epoxy Ceiling Coating	( ) I	7.7.7 U2 U3 U						Upper Mi	lwork:	
HPC	High Performance Coating		Y V	4 U5 U6 U7					Count	ertop:	
PF PT	Prefinished Paint			7	U8 SHELF				Lower Mi	lwork:	
				X	<b>✓</b>					Shelf: Stainless Steel	
	TECTION LEGEND:	7			S1						
ESRP FRL	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate	-							R	emarks:	
FRP	Fibreglass Reinforced Plastic	-									Section 11 73 00 – X-Y
PVW RHIS	Protective Vinyl Wallcovering Rigid High Impact Sheet		NO CONTRACTOR DESCRIPTION OF THE PARTY NAMED IN COLUMN TWO	Francis I	- 1					Gantry Ceiling Lift Sy	stem
WSSP	Wetwall Solid Surface Panel										
WVW	Wetroom Vinyl Wallcovering				ON THE PERSONNELSE OF THE PERSON	1	7/				
FLOOR FINI	ISHES LEGEND:	C1 C2 C3				1	-				
CFS EFC	Concrete Floor Sealer Epoxy Floor Coating		C4 C5 L1 L2	- /	==	K_		/ /	1		
PFC	Polyurethane Floor Coating			L5	- Erry		-				
RAF	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		☐ L6 L7 L8			7   15				
RSF SCF	Rubber Sheet Flooring Seamless Cushioned Flooring					L12			aU		
SDRF	Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized				TC1 TC2				
SDVF VSF	Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%)	Min. Length Adjustable		LOWER UNITS				UC1 U		
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	Category (mm) Height	Height Casework			ION/TRANSACTION	UTILITY SINK AND			
FLOOR BAS	SE LEGEND:	Category 3 - High (10% or Greater	2 600			STATION	ER / CARE TEAM N DESK	OTILITY SINK AND	COUNTER UNIT		
FCB	Flash Cove Base										
RB SCF	Rubber Base Seamless Cushioned Flooring										
361	Scarriess cusmoned Flooring										
AAECHA AH	ICAL DECLUDENCENTS										
	CAL REQUIREMENTS										
PLUMBING	Hand	Seamless Utility /	Other Fixtures:	Eyewash Station	MED / NON-MED	D GASES					Utility
(Quantity)	nygierie Sirik: Lavatory: Kitchen Sin	k: Kitchen Sink: Process Sink: Scrub Sink:	▼ Snower	☐ Eyewash/Shower Station	(Quantity)		Medical Nitrou . Vacuum: Oxide			A*	boratory Compressed
	1		☐ Tub	☐ Emergency Shower	Oxygen:	Medical Air:	· Vacuum: Oxide	CO2:	AGSS: Nitroger	n: All.	/acuum: Air:
	All fixtures to be stainless steel. Wall mou	unted prison water closet.	☐ Ice Maker	Flush Rim Sink							
Remarks:			<b>✓</b> Water Closet	✓ Floor Drain	Gas Remar	·kc·	. 1	. 1	•		
			☐ Instantaneous	☐ Water Bottle Refill Station	Gas kemar	v2.					
			Hot Water	Other							
				Oulei							

Appendix 1B N	Ainimum Room Require	ments	Program Number(s)	: 2. G1.03	7. 13 8. 14	. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Na	ame: Exam Room			3. I2.06 4. L2.02	9. 15. 10. 16		27. 28.	33. 34.	39. 40.	45. 46.
					11.     17.       12.     18.		29. 30.	35. 36.	41. 42.	47. 48.
ARCHITECTURA	L REQUIREMENTS									
WALL AND CEILING	3	WALL PROTECTION			GLAZING	FLOORING TYPES		CCESSORIES		
	ial: ARGB 1.2m AFF, GB above	1,754	Corner Guards Hand Rails Bed B	Sumper / Locator	☐ Interior Glazing	Material: Base VSF FCB		at Hooks 🗹 Ceiling Lif		gnetic Whiteboard
Ceiling Materi	ial: ACT	Finish: PF Height: 1600 mm	Crash Rails Chair Rail			VSF FCB	<b>✓</b> Mir		ange Table 🗹 Priv	acy Curtain
LEGEND:		DOORS				No	te: for Type F doors,	or Remarks:		1
WALL AND CEILING  AC Architect	G LEGEND: tural Ceiling	Types:					door panels will be			Security Grille
	: Ceiling Tile						proximately			
ACT-C Cleanroo ARGB Abuse-Re	om esistant Gypsum Board	AANAA					5/1065 unless serwise rquired by			Anti-barricade strategy
GB Gypsum		A A2 B B	2 C C2 D D2	E E2 F	F2 G		Authority			Strategy
	Resistant Gypsum Board Lay-in Ceiling Tile		Integral Do	oor & Frame Privacy	Card	Mag Auto Hold				
	e and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): М	9	Protect.: Film:	Function: Reader:	9	Hinges: Accessory	1: Accessory 2: Acc	cessory 3: Closer	:
SACT Security	Acoustic Ceiling Tile	F 1 1530 x 2135 Solice		High Passa		Butt		Flush Bolt		·
WALL FINISHES LEG										
	/all Coating formance Coating	MILLWORK AND SPECIALTY CASEWORK		-	,		,		<u>'</u>	
PT Paint		WILLWORK AND SPECIALITY CASEWORK	UPPER UNITS	Sto	orage Requirements:				FINISHES	
CEILING FINISHES L	EGEND:	U1		_				Full-height Cabi		
	eiling Coating formance Coating	7	U2 U3 U4 U5	U6 U7				Upper Millw		
PF Prefinish				U6 U7 U8	SHELF			Countern Lower Millw	· _	
PT Paint		Angeles		77	ta 🗆				nelf:	
WALL PROTECTION	I LEGEND:	F			S1 S1					
	d Semi-Rigid PVCu Panel							Rem	arks:	
	inforced Laminate ss Reinforced Plastic								or A2.03 Exam Rooms	
	ve Vinyl Wallcovering	100	-						o Schedule 1: Future X	-Y Gantry Ceiling
	sh Impact Sheet Solid Surface Panel			Table 1					ift Systems Refer to Appendix 1H [E	guipment and
WVW Wetroom	m Vinyl Wallcovering				CO CONTRACTOR OF THE PERSON NAMED IN CO.	7/		F	urniture] for ceiling lift	quantities
FLOOR FINISHES LE		C1 C2 C3 C3						P	rovide I2.06 with inter	or window.
	e Floor Sealer oor Coating		L2	+KV			1 4	1		
PFC Polyureth	hane Floor Coating		L3 L4 L5 L6			7 / 1 / 1				
	Athletic Flooring Sheet Flooring	FULL-HEIGHT CABINETS	L6		L10 L11		<del></del>			
SCF Seamless	s Cushioned Flooring					12 TC1	/			
	ssipative Rubber Sheet Flooring ssipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized	a a sia la .			C2			
VSF Vinyl She	eet Flooring	Category 1 - Low (1% - 4%) Category	- ,	pecialty asework	LOWER UNITS	RECEPTION/TRANSACTION				
WSVF Wetroom	m Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	900			COUNTER / CARE TEAM	UTILITY SINK AND CO	UNTER UNIT		
FLOOR BASE LEGEN		Category 3 - High (10% or Greater)				STATION DESK				
FCB Flash Cov RB Rubber B										
SCF Seamless	s Cushioned Flooring									
								L		
MECHANICAL RI	EQUIREMENTS									
PLUMBING Har		Seamless Utility /	Other Fixtures: Evews	sh Station	MED / NON-MED G	ASES				Utility
( =====================================		Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		sh/Shower Station	(Quantity)		rous		Laboratory Labor	ratory Compressed
1	1			ency Shower	Oxygen:	Medical Air: Vacuum: O	xide: CO2:	AGSS: Nitrogen:	Air: Vac	uum: Air:
Plumbing			☐ Ice Maker ☐ Flush R	im Sink	1	1 1				
Remarks:			☐ Water Closet ☐ Floor D	rain	Cas Damaries	Medical gases to Patient's right.	1		1	
				Bottle Refill Station	Gas Remarks:	12.06, G1.03, L2.02 does not requ	ire Medical Vacuum			
			Hot Water Other							
			oulei _							

Appendix 1	B Minimum Room Require	ements		Program Number(s):	<ol> <li>A2.04</li> <li>G1.04</li> </ol>		13. 14.	19. 20.	25. 26.	31. 32.		37. 38.	43. 44.	
Roor	m Name: Exam Room - Bariatric				3. L2.03		15.	21.	27.	33.		39.	45.	
					4. 5.		16. 17.	22. 23.	28. 29.	34. 35.		40. 41.	46. 47.	
					6.		18.	24.	30.	36.		42.	48.	
ARCHITECTU	IRAL REQUIREMENTS			L					1	1			1	
WALL AND CEI	LING	WALL PROTECTION				GLAZING	F	LOORING TYPES		ROOM ACCESSO	RIES			
	laterial: ARGB 1.2m AFF, GB above	.,per	Corner Guards Hand Rail		nper / Locator	☐ Interior Glazin	ng	Material: Base:		✓ Coat Hooks			Magnetic W	
Ceiling M	laterial: ACT	Finish: PF Height: 1600 mm	Crash Rails Chair Rail					KSF FCB		Mirror	Infant Cha	ange Table	Privacy Curt	ain
LEGEND:		DOORS						Note	: for Type F door	Door Remar	ks:			
AC Arc	ILING LEGEND: rchitectural Ceiling	Types:			<b>a</b>				loor panels will b				☐ Se	ecurity Grille
	coustic Ceiling Tile					N AN AN		appr	oximately					
	eanroom		MUNALALA						1065 unless rwise rquired by					nti-barricade
	ouse-Resistant Gypsum Board ypsum Board	A A2 B	B2 C C2 D	D2 I	E E2 F	F2 G	Н		authority				St	rategy
	ppact-Resistant Gypsum Board	, , , , ,						_	,					
	tchen Lay-in Ceiling Tile oisture and Mould-Resistant Gypsum Board				& Frame Privacy rotect.: Film:	Care Function: Read	•	uto Hold						
	curity Acoustic Ceiling Tile		Material: Finish: Side Lt:			Turiction:	der. Lock. Ope				-	cessory 3:	Closer:	
WALL FINISHES	S LEGEND:	F 1 1530 x 2135 Sol	id Core FRL	2 Hig	gh Pa	ssage		Butt Hi	nge A	stragal Flus	h Bolt			
	poxy Wall Coating													
	gh Performance Coating	MILLWORK AND SPECIALTY CASEWORK				Storage Requirements:						FINISHES		
PT Pai				PER UNITS							Full-height Cabi			
CEILING FINISH			U2								Upper Millw			
	poxy Ceiling Coating gh Performance Coating		V3 U4		U6						Counter			
	efinished			7	U7 U8	SHELF					Lower Millw	-		
PT Pai	int	-	-	1	77							nelf:		
WALL PROTECT	TION LEGEND:	Cargeona				S1 S1					51			
	truded Semi-Rigid PVCu Panel				1 11						Rem	arks:		
	bre Reinforced Laminate													
	breglass Reinforced Plastic otective Vinyl Wallcovering			i	1 1									
	gid High Impact Sheet		THE REAL PROPERTY AND ADDRESS OF			i								
	etwall Solid Surface Panel	Taranta and		COLUMN TO SERVICE SERV	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TW									
WVW We	etroom Vinyl Wallcovering			-		CO CONTRACTOR OF THE PERSON	1	1						
FLOOR FINISHE		C1 C2 C3 C4			-		1	-		_	-			
	oncrete Floor Sealer boxy Floor Coating	_	12				K_			/	1			
	olyurethane Floor Coating		☐ L3 L4	L5		- Sekk	1		THE PERSON NAMED IN	The same of the sa	THE REAL PROPERTY.			
	ubber Athletic Flooring	FULL-HEIGHT CABINETS		L6	L7 L8 L9			1   5						
	ubber Sheet Flooring Pamless Cushioned Flooring				L7 L8 L9	L10 L11								
	atic-Dissipative Rubber Sheet Flooring	Legend:	Motorized				L12 *	TC1 TC2						
	atic-Dissipative Vinyl Sheet Flooring	Category 0 - None		tanding Spe	cialty					UC1	Ш			
	nyl Sheet Flooring etroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categor	y (mm) Height	Height Case	ework	LOWER UNITS	RECEPTIO	N/TRANSACTION						
		Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	900					/ CARE TEAM	UTILITY SINI	AND COUNTER I	JNIT			
FLOOR BASE LE	EGEND: ash Cove Base	category of mgm (2000 of category					STATION I	DESK						
	ubber Base													
SCF Sea	ramless Cushioned Flooring													
											L			
MECHANICA	L REQUIREMENTS													
	Hand	Seamless Utility /	Other Fixtures:			MED / NON-MED	DCASES							
	папи vgiene Sink: Lavatorv: Kitchen Sink	: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		L Evewash		-	D GASES	Madical Nitr				Laboratory	Laboratory	Utility
(Quantity) Hy	1	3.5.5.5	Shower		Shower Station	(Quantity)	Modical Air	Medical Nitro		ACCC-	Nitro	Laboratory Air:	Laboratory Vacuum:	Compressed
	-		☐ Tub	Emergeno		Oxygen:	Medical Air:		de: CO2:	AGSS:	Nitrogen:			Air:
Plumbing			☐ Ice Maker	Flush Rim				1						
Remarks:			☐ Water Closet	☐ Floor Dra	in	Can Da	des Madical acco	os to Dationt's visht		•				<u> </u>
			Instantaneous		ttle Refill Station	Gas Remark		es to Patient's right. 2.03 does not require N	Aedical Vacuum					
			Hot Water				G1.04 allu L2	L.OS GOES HOLFEHUITE	ncuicui vacuuili					
				Other										

			Number(s)	2. C3.16	8. 14.	20.	26.	32.	38.	44.	
				3. C4.12	9. 15.	21.	27.	33.	39.	45.	
Ro	oom Name: Exam/Treatment Room				10. 16.	22.	28.	34.	40.	46.	
					11. 17.	23.	29.	35.	41.	47.	
				6. G2.02	12. 18.	24.	30.	36.	42.	48.	
ARCHITECT	TURAL REQUIREMENTS										
		WALL PROTECTION			CLAZING	ELOODING TYPES	DOOM AC	CECCODIEC			
WALL AND C		WALL PROTECTION			GLAZING	FLOORING TYPES  Material: Base:	ROOM ACC			ā]	
		/ / / / / / / / / / / / / / / / / / / /	Corner Guards Hand Rails Bed B	umper / Locator	☐ Interior Glazing		_	Hooks Ceiling Lift		Magnetic Wh	
Ceiling	Material: ACT	Finish: PF Height: 2185 mm	Crash Rails Chair Rail			VSF FCB		r 🗌 Infant Chang	ge Table 💆	Privacy Curta	ain
LEGEND:		DOORS					Door F	Remarks:			
	CEILING LEGEND:										
	Architectural Ceiling	Types:								☐ Ser	curity Grille
	Acoustic Ceiling Tile										
	Cleanroom									☐ An	iti-barricade
	Abuse-Resistant Gypsum Board									str	ategy
	Gypsum Board	A A2 B B	2 C C2 D D2	E E2 F	F2 G H	J					
	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		Integral Do	or & Frame Privacy	Card Ma	g Auto Hold					
	Moisture and Mould-Resistant Gypsum Board	Fire Other Circ (mars):	DI:l.	Protect.: Film:	Deceler tee			Accessory 2: Acces		Closer:	
	Security Acoustic Ceiling Tile				Function: Reader: Loc	k: Opener: Open: Hing	ges: Accessory 1:	Accessory 2: Acces	essory 5:	Lioser:	
WALL FINISH	HES LEGEND:	H 1 1340 x 2135 Alun	ninum Prefinished								
	Epoxy Wall Coating										
	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		_			1				
	Paint	WILLWORK AND SPECIALLY CASEWORK	UPPER UNITS	Sto	orage Requirements:				FINISHES		
CEILING FINI	ISHES LEGEND:	/ U1						Full-height Cabine	et:		
_	Epoxy Ceiling Coating	(m) 17.77	U2 U3 U4 🗌					Upper Millworl	·k:		
	High Performance Coating	V X X	U5	116				Counterton	p:		
PF	Prefinished		7	U7 U8	SHELF			Lower Millworl			
PT	Paint	Pagenessa.		7	4			Shel			
WALL DROTE	ECTION LEGEND:				1			Silei			
	Extruded Semi-Rigid PVCu Panel				31				4.		
	Fibre Reinforced Laminate	222222			1			Remar	rks:		
	Fibreglass Reinforced Plastic										
PVW	Protective Vinyl Wallcovering		- Francisco		1						
	Rigid High Impact Sheet			1 1							
	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering	CONTRACTOR NO.	1		1	22.7					
				20 1	On the statement of the	76					
	SHES LEGEND:	C1 C2 C3	-	- Person				20000000			
	Concrete Floor Sealer		12		- =		//	F			
	Epoxy Floor Coating Polyurethane Floor Coating		□ L3 L4		KKKN						
	Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L6	L7 18							
	Rubber Sheet Flooring			L7 L8 L9	L10   111	7	7/				
	Seamless Cushioned Flooring					TC1 TC2					
	Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			TC2	575 UC4				
	Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring	Category 0 - None		ecialty	LOWER UNITS		UC1	u			
	Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category Category 2 - Med (5% - 9%)	(mm) Height Height Ca	sework	RE	CEPTION/TRANSACTION					
		Category 3 - High (10% or Greater)				OUNTER / CARE TEAM	UTILITY SINK AND COU	ITER UNIT			
FLOOR BASE		category 5 mgm (1970 or createry			ST	ATION DESK					
	Flash Cove Base Rubber Base										
	Seamless Cushioned Flooring										
<u>MECHANIC</u>	CAL REQUIREMENTS										
PLUMBING	Hand	Seamless Utility /	Other Fixtures: Fyewas	h Chatian	MED / NON-MED GASES						
(Quantity)		Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Lycwas		(Quantity)	Medical Nitrous			Laboratory	Laboratory	Utility
(Qualitity)	1			h/Shower Station					Air:	Vacuum:	Compressed
L	-		☐ Tub ☐ Emerge	ncy Shower	Oxygen: Medic	ai Aii .	CO2: AG	GSS: Nitrogen:			Air:
Plumbing			☐ Ice Maker ☐ Flush Ri	m Sink	4 2	2 4					
Remarks:			☐ Water Closet ☐ Floor Di				1				<u> </u>
			_	Bottle Refill Station	Gas Remarks: Provi	ide (2) O2, (1) Medical Air and (2)	Medical Vacuum on each	side of bed.			<b> </b>
				DOLLIE KEIIII SLATION							<b> </b>
			Hot Water Other								<b> </b>
			23.00								

Program 1. A3.03

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B	Minimum Room Require	ements		Program lumber(s):	1. A3.04 2. C4.08	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.		43. 44.
Room	Name: Exam/Treatment Room - A	AIR			3. G1.26	9.	15.	21.	27.	33.	39.		45.
Room	Tune.				4. G2.05	10.	16.	22.	28.	34.	40.		46.
					5. I2.07 6. L2.04	11. 12.	17. 18.	23. 24.	29. 30.	35. 36.	41. 42.		47. 48.
					0. LZ.04	IZ.	10.	24.	30.	30.	42.		46.
ARCHITECTUR	RAL REQUIREMENTS					ı							
WALL AND CEILI		WALL PROTECTION				GLAZING		FLOORING TYPES  Material: Ba		ROOM ACCESSORI			
	terial: ARGB 1.2m AFF, GB above	1,750.	Corner Guards Hand Rails Chair Rails Chair Rail	☐ Bed Bum	nper / Locator	☐ Interior Glaz	ring		CB	Coat Hooks			gnetic Whiteboard racy Curtain
Ceiling Mat	recial: GB	Finish: ECC Height: 2185 mm	Crash Rails Chair Rail								Infant Change Ta	ble Priv	acy Curtain
LEGEND:		DOORS						,	Note: for Type F doo	Door Remarks:	2 door with a half w	indow/sim to	1
AC Archit	ING LEGEND: itectural Ceiling	Types:							the door panels will		2 door with a half w	ndow (siin to	Security Grille
	ustic Ceiling Tile								approximately		ith H type door.		
	nroom								465/1065 unless otherwise rquired by				Anti-barricade
	se-Resistant Gypsum Board sum Board	A A2 B	B2 C C2 D	D2 E	E2 F	F2 G	Н		the Authority				strategy
-	act-Resistant Gypsum Board							- H-1-1	•				
	nen Lay-in Ceiling Tile sture and Mould-Resistant Gypsum Board	Fire Ot is Gira (man)		•	& Frame Privacy otect.: Film:	D	•	Auto Hold pener: Open:	History	A			_
	rity Acoustic Ceiling Tile	Fype:Qty: Size (mm): N F2 1 1530 x 2135 Sol	viateriai. Tillisti. Side Et.			Turiction.					ssory 2: Accessory	/ 3: Closer Surface	<u>:</u>
WALL FINISHES L	LEGEND:	FZ 1 1530 X 2135 501	lid Core FRL	2 Hig	gh Pass	age [		Bu	tt Hinge	stragal Flush B	SOIL	Surface	
	ky Wall Coating												
HPC High I PT Paint	Performance Coating	MILLWORK AND SPECIALTY CASEWORK		LINUTC	St	orage Requirements:					F	NISHES	
CEILING FINISHES		U	UPPER	UNIIS						Full	Il-height Cabinet:		
	cy Ceiling Coating	Comment 17.77	1 U2 U3 U4								Upper Millwork:		
HPC High I	Performance Coating			U5	U6						Countertop:	-	
PF Prefin PT Paint	inished +			7		SHELF					Lower Millwork:		
				T		<b>⊅</b> □					Shelf:		
WALL PROTECTION						S1							
	uded Semi-Rigid PVCu Panel e Reinforced Laminate			- K		15					Remarks:		
FRP Fibres	eglass Reinforced Plastic			1									ior window with
	ective Vinyl Wallcovering I High Impact Sheet	300	Francisco Francisco	- Assess		1					privacy	rilm.	
	wall Solid Surface Panel			dent seres	-								
WVW Wetro	room Vinyl Wallcovering		1 1 1		-	CO CO	1	7/	,				
FLOOR FINISHES	LEGEND:	C1 C2 C3 C4				-	1	THE REAL PROPERTY.		-			
	crete Floor Sealer xy Floor Coating	_ (4 (5	L2			///	K			/ F			
	urethane Floor Coating					Zekk	4		THE PERSON NAMED IN	100000000000000000000000000000000000000	-		
	ber Athletic Flooring	FULL-HEIGHT CABINETS		L6	L7 L8 L9			2	<b>5</b>				
	per Sheet Flooring nless Cushioned Flooring					L10 L11	L12						
	c-Dissipative Rubber Sheet Flooring	Legend:	Motorized					TC1	TC2		ll u		
	ic-Dissipative Vinyl Sheet Flooring I Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category	Min. Length Adjustable Stand		cialty	LOWER UNITS		_		UC1	ш		
	room Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categor Category 2 - Med (5% - 9%)			ework			ON/TRANSACTION R / CARE TEAM	LITH ITV CIA	K AND COUNTER UNI	IT.		
FLOOR BASE LEG	SEND:	Category 3 - High (10% or Greater)					STATION	-	OTILITI SIN	K AND COONTER ON			
	n Cove Base												
	per Base nless Cushioned Flooring												
MECHANICAL	REQUIREMENTS												
				_									
	Hand  Javatory: Kitchen Sink	Seamless Utility / : Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Evewash S		MED / NON-ME	D GASES		•••				Utility
(Quantity) Hygi	1	Medicinalism. Process Silik. Scrap Silik. Proci Silik.		_	Shower Station	(Quantity)	NAC decident		Nitrous Oxide: CO2				ratory Compressed
				Emergenc		Oxygen:			Oxide: CO2	: AGSS:	Nitrogen:		Air:
Plumbing				Flush Rim		4	2	4					
Remarks:			_	Floor Drai	in	Gas Roma	arks: Provide (2)	O2 (1) Medical Air	and (2) Medical Vac	uum on each side of b	ned		
				☐ Water Bot	ttle Refill Station	Jas nellia		oz, (z) Miculcai All	and (2) ivicultal vac	on cach side of b			
			Hot Water	Other									

Appendix 1	LB Minimum Room Require	ements	Program Number(s		7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Roor	om Name: Exam/Treatment Room - /	AIR - Bariatric		3. G2.08	9. 15.	21.	27.	33.	39.	45.
		-			10. 16. 11. 17.	22. 23.	28. 29.	34. 35.	40. 41.	46. 47.
					12. 18.	24.	30.	36.	42.	48.
ARCHITECTU	URAL REQUIREMENTS									
WALL AND CEI		WALL PROTECTION			GLAZING	FLOORING TYPES		CESSORIES		
	Material: ARGB 1.2m AFF, GB above		Corner Guards Hand Rails Bed	d Bumper / Locator	☐ Interior Glazing	Material: Base:  VSF FCB		Hooks Ceiling L		Magnetic Whiteboard
Ceiling M	Material: GB		Crash Rails Chair Rail			V3F TCD	Mirro		Change Table	Privacy Curtain
LEGEND:		DOORS				Note		Remarks: de Type F2 door with	a half window (sim	a to
	CILING LEGEND: Architectural Ceiling	Types:				the o	door panels will be Type F		a nan window (5	Security Grille
ACT Acc	Acoustic Ceiling Tile						oximately /1065 unless			A sais becoming the
	Cleanroom Nbuse-Resistant Gypsum Board						rwise rquired by			Anti-barricade strategy
GB Gy	Sypsum Board	A A2 B B2	. C C2 D D2	E E2 F	F2 G I		Authority			30,4156,
· ·	mpact-Resistant Gypsum Board Litchen Lay-in Ceiling Tile		Integral [	Door & Frame Privacy	Card	Mag Auto Hold				
MMRGB Mc	Noisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Mat	terial: Finish: Side Lt: Blinds:	Protect.: Film:		1	Hinges: Accessory 1	: Accessory 2: A	Accessory 3:	Closer:
SACT Sec	ecurity Acoustic Ceiling Tile	F2 1 1530 x 2135   Solid C		2 High Passa		Butt H		Flush Bolt		cealed
WALL FINISHES										
•	poxy Wall Coating ligh Performance Coating	AND COLORED CONTRACTOR								
	Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	orage Requirements:				FINISHES	
CEILING FINISH	HES LEGEND:	U1						Full-height Cal		
	poxy Ceiling Coating	7 / / / / /	U3 U4 L					Upper Mill		
	ligh Performance Coating Prefinished		U5	U6 U7 U8	SHELF			Counte	· .	
	Paint			7	JALLE			Lower Mill		
WALL PROTECT	CTION LEGEND:				S1 S1				Shelf:	
	extruded Semi-Rigid PVCu Panel							Re	emarks:	
	ibre Reinforced Laminate				1					
	ibreglass Reinforced Plastic Protective Vinyl Wallcovering			1 1						
RHIS Rig	tigid High Impact Sheet			7	<u> </u>					
	Vetwall Solid Surface Panel Vetroom Vinyl Wallcovering		1	on on						
FLOOR FINISHE		ci c	_		ON THE PERSONAL PROPERTY.	1 manuary				
	Concrete Floor Sealer	C2 C3 C4 C5		====			7			
EFC Epo	poxy Floor Coating		L2 L3 L4		444			1		
	olyurethane Floor Coating Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L6 L7 L8 L0						
	tubber Sheet Flooring	TOLE MEION. E. E		16 L7 L8 L9	L10 L11	7	$-1$ / $\parallel$ $\parallel$			
	eamless Cushioned Flooring	Logandi			L12		, V   "			
	tatic-Dissipative Rubber Sheet Flooring tatic-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized  Min. Length Adjustable Standing	Specialty						
	/inyl Sheet Flooring	Category 1 - Low (1% - 4%) Category	•	Casework	LOWER UNITS	RECEPTION/TRANSACTION				
	Vetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)				COUNTER / CARE TEAM	UTILITY SINK AND COU	NTER UNIT		
FLOOR BASE LE		Category 3 - High (10% or Greater)				STATION DESK				
	lash Cove Base lubber Base									
	eamless Cushioned Flooring									
								<u></u> .		
MECHANICA	AL REQUIREMENTS									
	Hand	Seamless Utility /	Other Fixtures:		MED / NON-MED GAS	CEC				
(Quantity) Hy	ygiene Sink: Lavatory: Kitchen Sink	ik: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	□ Lyewa	vash Station	(Quantity)	Medical Nitr	niis		Laboratory	Utility Laboratory Compressed
(200,	1			wash/Shower Station		1edical Air: Vacuum: Oxi		GSS: Nitrogen:	A * ·	Vacuum: Compressed Air:
Plumbing				rgency Shower	4	2 4		333.	·	
Remarks:				h Rim Sink						
			Water Closet Floor		Gas Remarks:	Provide (2) O2, (1) Medical Air, (2)	Medical Vacuum on each sig	le of bed.		
				er Bottle Refill Station						
			Hot Water Other							
					L					

Appendix 1B Mii	nimum Room Requiremen	ts		Program Number(s):	1. A3.07 2. C3.18	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name	e: Exam/Treatment Room - Bariatri	С			3. C4.13 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
					5.	11.	17.	23.	29.	35.	41.	47.
					6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL I	REQUIREMENTS					1						
WALL AND CEILING		WALL PROTECTION				GLAZING	FLOC	ORING TYPES		ACCESSORIES	r	
Wall Material: Ceiling Material:		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	✓ Corner Guards ☐ Hand Rail ☐ Crash Rails ☐ Chair Rail		nper / Locator	☐ Interior Glazi	ing	Material: Base:  VSF FCB		Coat Hooks 🗹 Ceilin Mirror 🗌 Infan		✓ Magnetic Whiteboard ✓ Privacy Curtain
LEGEND:		DOORS				1				Door Remarks:	<del>-</del>	·
WALL AND CEILING LE	EGEND:	Types:										
AC Architectural	_	турез.		Mal I			722 72					Security Grille
ACT Acoustic Ceil ACT-C Cleanroom	lling Tile							<del>                                      </del>				☐ Anti-barricade
	tant Gypsum Board											strategy
GB Gypsum Boa IRGB Impact-Resis		A A2 B	B2 C C2 D	D2 I	E E2 F	F2 G	H J					
· · · · · · · · · · · · · · · · · · ·	stant Gypsum Board in Ceiling Tile			Integral Door	& Frame Privacy	Ca	rd Mag Auto	Hold				
	d Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt:	Blinds: Pr	rotect.: Film:	Function: Rea	der: Lock: Opener	: Open: Hing	es: Access	ory 1: Accessory 2:	Accessory 3:	Closer:
SACT Security Aco	oustic Ceiling Tile	H 1 1340 x 2135 Alu	uminum Prefinished									
WALL FINISHES LEGEN	ND:											
EWC Epoxy Wall C HPC High Perform	Coating mance Coating	ANULUMORY AND CRECIALTY CASEMORY	1		1 1	-		1	1		1	
PT Paint	manice coating	MILLWORK AND SPECIALTY CASEWORK	UPP	ER UNITS	St	orage Requirements:					FINISHES	
CEILING FINISHES LEG	GEND:									Full-height	Cabinet:	
ECC Epoxy Ceiling		1777	U2 U3 U4							Upper N	1illwork:	
	mance Coating		1 7	U5	U6					Cou	ntertop:	
PF Prefinished PT Paint					U8	SHELF				Lower N	1illwork:	
						<b>⊅</b> □					Shelf:	
WALL PROTECTION LE		7				S1						
	mi-Rigid PVCu Panel rced Laminate			-11-		1/2					Remarks:	
	einforced Plastic		- 1									
	rinyl Wallcovering	-	1	-		i						
RHIS Rigid High Im WSSP Wetwall Soli	npact Sheet id Surface Panel			allegate	1 1							
	inyl Wallcovering	-	. 11	111		THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAM	1	/				
FLOOR FINISHES LEGE	END:	C1 C2		" =	-7	on the second	-	-				
CFS Concrete Flo		C2 C3 C4 C5		-					7 /	-	=	
EFC Epoxy Floor (			L2 L3 14			- 144	1==	Samuel Contraction of the Contra	/ 4-			
PFC Polyurethane RAF Rubber Athle	e Floor Coating	FULL-HEIGHT CABINETS		L5 L6	L7 10				7			
RSF Rubber Shee	-				L7 L8 L9	L10 L11	1	7	7 / 1			
	ushioned Flooring	l					L12	TC1 TC2		,   [		
	native Rubber Sheet Flooring native Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized						U	UC1		
VSF Vinyl Sheet F		Category 1 - Low (1% - 4%) Category	- ,		cialty ework	LOWER UNITS	RECEPTION/TI	- ANGACTION				
WSVF Wetroom Sa	afety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)					COUNTER / CA		UTILITY SINK AND	COUNTER UNIT		
FLOOR BASE LEGEND:	:	Category 3 - High (10% or Greater)					STATION DESK					
FCB Flash Cove B												
RB Rubber Base SCF Seamless Cu:	shioned Flooring											
AACCUANUCAL DEC	DUDEN ACNITC											
MECHANICAL REC	QUIREMEN IS					1						
PLUMBING Hand	Sea	mless Utility /	Other Fixtures:	☐ Eyewash	Station	MED / NON-ME	D GASES					Utility
(-4:	ыпк: Lavatory: Kitchen Sink: Kitch	en Sink: Process Sink: Scrub Sink: Floor Sink:	Shower	☐ Eyewash/	Shower Station	(Quantity)	.,	Medical Nitrous			Laboratory	Laboratory Compressed
1			Tub	Emergeno		Oxygen:	Medical Air:	acuum: Oxide:	CO2:	AGSS: Nitrog	en: Air:	Vacuum: Air:
Plumbing			☐ Ice Maker	☐ Flush Rim		4	2	4				
Remarks:			☐ Water Closet	☐ Floor Dra								
			Instantaneous		ttle Refill Station	Gas Rema	rks:   Provide (2) O2, (3	1) Medical Air, (2) Med	lical Vacuum on ea	ch side of bed.		
			Hot Water	water 50	THE NETHI STATION							
			<del></del>	Other								
						1						

Room Name: Group Room			5.	9. 15. 10. 16. 11. 17. 12. 18.	21. 22. 23. 24.	28. 3 29. 3	34.	39. 40. 41. 42.	45. 46. 47. 48.
ARCHITECTURAL REQUIREMENTS									
WALL AND CEILING  Wall Material: GB	Finish: PF Type: Height: DOORS	Corner Guards Hand Rails E Crash Rails Chair Rail	Bed Bumper / Locator	GLAZING  Interior Glazing	FLOORING TYPES Material: Base: RSF FCB	ROOM ACCE Coat Ho Mirror Door Rer	ooks Ceiling Lift Infant Change		netic Whiteboard acy Curtain
WALL AND CEILING LEGEND:  AC Architectural Ceiling  ACT Acoustic Ceiling Tile  ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board  GB Gypsum Board  IRGB Impact-Resistant Gypsum Board  KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board  SACT Security Acoustic Ceiling Tile  WALL FINISHES LEGEND:  EWC Epoxy Wall Coating	Types:  A A2 B  Type:Qty: Size (mm):  C 1 1065 x 2135	Material: Finish: Side Lt: Blinds		Function: Reader: Lock		es: Accessory 1:	Accessory 2: Access		Security Grille  Anti-barricade strategy
HPC High Performance Coating PT Paint  CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering  FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Coating PFC Polyurethane Floor Coating RAF Rubber Athletic Flooring SCF Seamless Cushioned Flooring SDVF Static-Dissipative Rubber Sheet Flooring VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring FLOOR BASE LEGEND: FCB Flash Cove Base RB Rubber Base SCF Seamless Cushioned Flooring	FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	Min. Length Adjustable Standing gory (mm) Height Height	L6 L7 L8 L9	CO	TC1 TC2  CEPTION/TRANSACTION UNTER / CARE TEAM ATION DESK	UTILITY SINK AND COUNT	Full-height Cabinet: Upper Millwork: Countertop: Lower Millwork: Shelf: Remark:	:	
PLUMBING (Quantity)  Plumbing Remarks:    Plumbing Remarks:	Seamless Utility / Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower Ey  Tub En  Ice Maker Flu  Water Closet Flu	ewash Station ewash/Shower Station nergency Shower ush Rim Sink por Drain ater Bottle Refill Station	MED / NON-MED GASES (Quantity) Oxygen: Medica	Medical Nitrous al Air: Vacuum: Oxide:	CO2: AGSS		Laboratory Labora Air: Vacuu	

Program 1. G1.10

Number(s): 2. V1.01

7.

8.

13.

14.

19.

20.

25.

26.

31.

32.

37.

38.

43.

44.

Appendix 1B Minimum Room Requirem	ents	Program Number(s):	1. M2.14 2. M2.29	7. 13. 8. 14.	19. 20.	25. 26.		37. 38.	43. 44.
Room Name: Hot Lab			3.	9. 15.	21.	27.		39.	45.
			4.	10. 16.	22.	28.	34.	40.	46.
			5. 6.	11. 17. 18.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.
ARCHITECTURAL REQUIREMENTS									
	WALL PROTECTION			CI AZINIC	FI CODING TYPES	20014.40	OCCOORICS		
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB above Fi	nish: PT	Rails Bed Bu	ımper / Locator	GLAZING	FLOORING TYPES Material: Base:		CESSORIES  Hooks  Ceiling Lift	Ma	gnetic Whiteboard
	nish: PF Height: 1600 mm Crash Rails Chair			☐ Interior Glazing	VSF FCB	Mirro			vacy Curtain
LEGEND:	DOORS						Remarks:		
WALL AND CEILING LEGEND:	Types:					Provid	de keypad card reader		Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile				AN IAN IAH IAH					Security Grine
ACT-C Cleanroom									☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board									strategy
GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	A A2 B B2 C C2 [	D2	E E2	F F2 G H	J				
KLCT Kitchen Lay-in Ceiling Tile		Integral Doo	or & Frame Privacy	Card Mag	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Material: Finish: Side	Lt: Blinds: F	Protect.: Film:	Function: Reader: Lock:	:: Opener: Open: Hing	es: Accessory 1	: Accessory 2: Acces	essory 3: Closer	r:
SACT Security Acoustic Ceiling Tile	A 1 1065 x 2135 Solid Core FRL	]   2 Hi	igh	Storeroom 🗸	Butt Hinge			Surface	
WALL FINISHES LEGEND:									
EWC Epoxy Wall Coating									
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS		Storage Requirements:				FINISHES	
CEILING FINISHES LEGEND:	U1 V	T TOPPER UNITS					Full-height Cabine	et:	
ECC Epoxy Ceiling Coating	U2 U3 U							rk: Stainless Steel	
HPC High Performance Coating		4 U5	U6					p: Stainless Steel	
PF Prefinished		7 7		U8 SHELF				rk: Stainless Steel	
PT Paint			7				Shel		
WALL PROTECTION LEGEND:		1 .l. K	-	Si					
ESRP Extruded Semi-Rigid PVCu Panel		1 11					Remar	rks:	
FRL Fibre Reinforced Laminate							Po'	fer to Schedule 1, Sec	ction 6.12 (Division
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering			1 1					) for shielded chambe	
RHIS Rigid High Impact Sheet			1	i				ovide hole to allow fo	
WSSP Wetwall Solid Surface Panel		CAN CAN	THE REAL PROPERTY.				Cal	librator below the L9	counter. Counter to
WVW Wetroom Vinyl Wallcovering		-		Sen market and a service of the second	17/			thstand excessive we	
FLOOR FINISHES LEGEND:	C1 C2 C3 C4	-					Pro	ovide single track lift t	for M2.14
CFS Concrete Floor Sealer		-		==		//	A STATE OF THE PARTY OF THE PAR		
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L5 IS		PERM	-				
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	<b>✓</b> L6	L7 L8 L9						
RSF Rubber Sheet Flooring			L7 L8 L9	L10 L11		7/ 11			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend: Motorized		V	L12	TC1 TC2	V   "			
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None Min. Length Adjustable	Standing Spe	ecialty			UC1	u [		
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%)  Category (mm)  Category		sework	LOWER UNITS	CEPTION/TRANSACTION				
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)					UTILITY SINK AND COU	NTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater) 3 2700				ATION DESK				
FCB Flash Cove Base									
RB Rubber Base  SCF Seamless Cushioned Flooring									
Scaliness easiloried Flooring									
MECHANICAL REQUIREMENTS									
	Seamless Utility / Other Fixtures:	☐ Evewash	n Station	MED / NON-MED GASES					Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: K	itchen Sink: Process Sink: Scrub Sink: Floor Sink:		n/Shower Station	(Quantity)	Medical Nitrous				oratory Compressed
	1	☐ Emerger		Oxygen: Medica	al Air: Vacuum: Oxide:	CO2: A	GSS: Nitrogen:	Air: Vac	cuum: Air:
Plumbing Provide integral sink for M2.14 and M2.29	☐ Ice Maker	Flush Rir							
Remarks:	_	_							
	Water Closet	☐ Floor Dra		Gas Remarks:					
	Instantaneous	☐ Water B	ottle Refill Station						
	Hot Water	Other		$\neg$   $ $					
		Other							

Appendix 1B Minimum Room Requirements	Program Number(s):	1. A4.11 2. B1.16	7. D3.13 8. D6.22	13. I2.22 14. J4.07	19. P1.09 20. P2.04	25. T2.0 26. U7.0			37. 38.	43. 44.
Room Name: Housekeeping Room		3. B2.23	9. D7.16	15. L1.18	21. P4.10	27. V1.1			39.	45.
Room Name. Trouserceping Room		4. B3.23	10. E6.04	16. M1.12	22. Q2.01	28. X3.0	5 34.		40.	46.
		5. C6.03	11. F7.11	17. M1.21	23. R3.09	29. Y1.1			41.	47.
		6. D2.27	12. G1.20	18. M2.12	24. R4.08	30. Y4.0	5 36.		42.	48.
ARCHITECTURAL REQUIREMENTS										
WALL AND CEILING WALL PROTECTION			GLAZING		FLOORING TYPES		ROOM ACCESSO			
Wall Material: ARGB 1.2m AFF, GB above Finish: EWC Type: WVW Corner Guards Ha		umper / Locator	☐ Interior Gla	azing	Material: Bas			Ceiling Lift		Magnetic Whiteboard
Ceiling Material: ACT Finish: PF Height: 2185 mm Crash Rails Ch	air Rail				W3VF FCE	<b>)</b>	Mirror	Infant Char	nge Table L	Privacy Curtain
LEGEND: DOORS							Door Remar	·ks:		
WALL AND CEILING LEGEND:  AC Architectural Ceiling  Types:										Security Grille
ACT Acoustic Ceiling Tile										
ACT-C Cleanroom	N NZ									Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board A A2 B B2 C C2	D D2	E E2 F	F2 G	Н						strategy
IRGB Impact-Resistant Gypsum Board										
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board  FunciOth: Size (mm): Material: Einich: 6		or & Frame Privacy Protect.: Film:	_	•	Auto Hold Opener: Open:					
SACT Security Acoustic Ceiling Tile	nac Et.		T direction:				Accessory 1: Ac	cessory 2: Acce		Closer:
WALL FINISHES LEGEND:  C 1 1065 x 2135 Solid Core FRL	2 H	ligh 🗸 S	Storeroom		☐	Hinge			Surfa	ice
EWC Epoxy Wall Coating										
HPC High Performance Coating MILLWORK AND SPECIALTY CASEWORK			Storage Requirements:	:					FINISHES	
PT Paint	UPPER UNITS							Full-height Cabin		
CEILING FINISHES LEGEND:  U1  U2  U3								Upper Millwo		
HPC High Performance Coating	U4 U5	U6 U7 [	7					Counterto		
PF Prefinished	7	U7 U8						Lower Millwo	·	
PT Paint		7	72					She	elf:	
WALL PROTECTION LEGEND:	ıl .l. K	-	S1							
ESRP Extruded Semi-Rigid PVCu Panel	7-11-12		1					Rema	arks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic	1									
PVW Protective Vinyl Wallcovering	· Francisco	i ;								
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel	-	1 1 1								
WVW Wetroom Vinyl Wallcovering	- 11	-	The state of the s	1	-					
FLOOR FINISHES LEGEND: C1 C2	1 1 =		On the Party of th	-	1					
CFS Concrete Floor Sealer C2 C3 C4 C5		- Personal				7	/			
EFC Epoxy Floor Coating			- 144	1==	K		Transaction A	7/		
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring  FULL-HEIGHT CABINETS	L5 L6	L7 18		7/						
RSF Rubber Sheet Flooring		L7 L8 L9	L10 L11	1	-					
SCF Seamless Cushioned Flooring				L12	TC1	TC2	n   [			
SDRF Static-Dissipative Rubber Sheet Flooring Legend: Motoriz  SDVF Static-Dissipative Vinyl Sheet Flooring Category 0 - None Min Length Adjustable							UC1			
VSF Vinyl Sheet Flooring Category 1 - Low (1% - 4%) Category (mm) Height		ecialty Isework	LOWER UNITS	DECEDI	ION/TRANSACTION	_				
WSVF Wetroom Safety Vinyl Sheet Flooring Category 2 - Med (5% - 9%)					ER / CARE TEAM	UTILITY SINI	AND COUNTER I	UNIT		
FLOOR BASE LEGEND: Category 3 - High (10% or Greater)				STATION	-					
FCB Flash Cove Base  RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS										
PLUMBING     Hand     Seamless     Utility /     Other Fixtures:       (Quantity)     Hygiene Sink: Lavatory: Kitchen Sink: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Si	Evewas		MED / NON-M	IED GASES						Utility
1 Snower		h/Shower Station	(Quantity)		.,	itrous Oxide: CO2-			Laboratory Air:	Laboratory Compressed Vacuum:
	☐ Emerge	ncy Shower	Oxygen	n: Medical Air:	· vacuum.	Dxide: CO2:	AGSS:	Nitrogen:	AII.	vacuum: Air:
Plumbing Wall mounted hose bib to be provided. Provide floor mounted mop basin.	☐ Flush Ri									
Remarks: Water Closet	<b>✓</b> Floor Dr	rain				1	'	•	1	<u> </u>
☐ Instantaneous		Bottle Refill Station	Gas Rem	narks:						
Hot Water			¬							
	Other		_							

Appendix 1B Minimu	m Room Requirements	Program Number(s):	2. F5.09	8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Ima	ging Room - CT		4.	10.	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
					17. 18.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.
ARCHITECTURAL REQU	IREMENTS									
WALL AND CEILING	WALL PROTECTION			GLAZING	FLO	ORING TYPES	ROOM AC	CESSORIES		
Wall Material: ARGB			mper / Locator	☐ Interior Glazin	ng	Material: Base:	Coat	Hooks 🗹 Ceiling Lift		netic Whiteboard
Ceiling Material: ACT	Finish: PF Height: 1350 mm Crash Rails Chair Ra	ail				SDVF FCB	☐ Mirro	or 🗌 Infant Cha	nge Table Priva	acy Curtain
LEGEND:	DOORS							Remarks:		1
WALL AND CEILING LEGEND:	Types:						Type F doors, Provide anels will be	e wave opener on doo	r	Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile		MM		MV MA		approxim				Security of the
ACT - ACOUSTIC Ceiling Tile  ACT-C Cleanroom					Foreign Fore	465/1065	unless			Anti-barricade
ARGB Abuse-Resistant Gyps	_						rquired by			strategy
GB Gypsum Board IRGB Impact-Resistant Gyps	A A2 B B2 C C2 D	D2	E E2 F	F2 G	н .	the Autho	rity			
KLCT Kitchen Lay-in Ceiling		•	or & Frame Privacy	Card	•	Hold				
MMRGB Moisture and Mould-I SACT Security Acoustic Ceili	esistant Gypsum Board  Type:Qty: Size (mm): Material: Finish: Side L			Function: Read		r: Open: Hinge			cessory 3: Closer	
WALL FINISHES LEGEND:	F 1 1530 x 2135 Shielded FRL	2 H	igh Store	room		Butt Hinge	Astragal	Flush Bolt Elec	. Strike Concealed	
EWC Epoxy Wall Coating										
HPC High Performance Coa	WILLEWOLK AND SI ECIAET I CASEVOLK		Sto	rage Requirements:					FINISHES	
PT Paint		PPER UNITS						Full-height Cahir	net: Plastic Laminate	
CEILING FINISHES LEGEND:	U1 U2 U3 U4							=	ork: Plastic Laminate	
ECC Epoxy Ceiling Coating HPC High Performance Coa	ing	U5	U6 U7						op: Solid Surfacing	
PF Prefinished		7	U7 U8	SHELF					ork: Plastic Laminate	
PT Paint			7	ta □				Sh	elf:	
WALL PROTECTION LEGEND:		l de Fr		S1						
ESRP Extruded Semi-Rigid P FRL Fibre Reinforced Lami		1		1				Rem	arks:	
FRP Fibreglass Reinforced										
PVW Protective Vinyl Wallo RHIS Rigid High Impact She	Electric 1 1	promoted in								
WSSP Wetwall Solid Surface	4 1 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	********								
WVW Wetroom Vinyl Wallco		11 =		Con Contraction of the Contracti	1					
FLOOR FINISHES LEGEND:					7			2000		
CFS Concrete Floor Sealer EFC Epoxy Floor Coating					K		1 4	1 minus		
PFC Polyurethane Floor Co	esting FULL-HEIGHT CABINETS	L5		Zek	7	TO THE PERSON		1		
RAF Rubber Athletic Floori RSF Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L7 L8 L9			_   >-	4 / 11 11			
SCF Seamless Cushioned F	poring			L10 L11	L12	TC1 TC2				
SDRF Static-Dissipative Rub SDVF Static-Dissipative Viny	Chart Floring	c. !:				TC2	UC1			
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm) Leight		ecialty sework	LOWER UNITS	RECEPTION/T	DANGACTION		200		
WSVF Wetroom Safety Vinyl	Category 2 - Med (5% - 9%)				COUNTER / C		ITILITY SINK AND COU	NTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater) 1 2100	✓			STATION DES					
FCB Flash Cove Base RB Rubber Base										
SCF Seamless Cushioned F	poring									
MECHANICAL REQUIRE	MENTS									
PLUMBING Hand	Seamless Utility / Other Fixtures:	Π.	Challe	MED / NON-MED	) GASES					
	avatory: Kitchen Sink: Kitchen Sink: Brocoss Sink: Scrub Sink: Floor Sink:	☐ Evewash		(Quantity)		Medical Nitrous			Laboratory Labor	Utility atory
1	Shower  Tub		/Shower Station	Oxygen:		acuum: Oxide:	CO2: A	GSS: Nitrogen:	Air: Vacu	
Plumbing		☐ Emerger☐ Flush Rir		2	1	2				7.411
Remarks:	☐ Ice Maker	Flush Rir								
	Water Closet		ain ottle Refill Station	Gas Remark	ks: Medical gasses t	o be on boom.				
	Instantaneous Hot Water	vvaler B	ottie neiiii Statioil							
		Other								
					L					

Appendix 1B Minimum Room Requirem	ents	Program Number(s):	1. C7.05 2. F4.07	7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Imaging Room - Gen Rad			3.	9. 15.	21.	27.	33.	39.	45.
			4. 5.	10. 16. 11. 17.	22. 23.	28. 29.	34. 35.	40. 41.	46. 47.
			6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS						l			
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM A	CCESSORIES	•	
		l Rails 🗌 Bed Bu	ımper / Locator	☐ Interior Glazing	Material: Base:		: Hooks 🗹 Ceiling Lift		agnetic Whiteboard
Ceiling Material: ACT Fi	nish: PF Height: 1350 mm Crash Rails Chai	r Rail			SDVF FCB	Mirr		nge Table  Priv	vacy Curtain
LEGEND:	DOORS						Remarks:		٦
WALL AND CEILING LEGEND:	Types:					Type F doors, panels will be			Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile		a an			approxir	nately			
ACT-C Cleanroom		M. IMAL			465/106				Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B2 C C2	D D2	E E2	F F2 G H	otherwis the Auth	e rquired by			strategy
IRGB Impact-Resistant Gypsum Board	A A2 B B2 C C2				-	Only			
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board			or & Frame Privacy	Card Mag					
SACT Security Acoustic Ceiling Tile		C 20.	Protect.: Film:		Opener: Open: Hing				
WALL FINISHES LEGEND:	F 1 1530 x 2135 Solid Core FRL	2 H	ligh	Storeroom 🗸	☐ ☐ Butt Hinge	Astragal	Flush Bolt	Concealed	<u>i</u>
EWC Epoxy Wall Coating									
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK			Storage Requirements:				FINISHES	
PT Paint		UPPER UNITS		storage nequirements.			Full boight Cabin		
CEILING FINISHES LEGEND:	U2 U2						Full-height Cabir	ork: Plastic Laminate	
ECC Epoxy Ceiling Coating  HPC High Performance Coating		∪ U5	U6 [					top: Solid Surfacing	
PF Prefinished		7		J8 SHELF				ork: Plastic Laminate	
PT Paint			77	- <del>-</del>				nelf:	
WALL PROTECTION LEGEND:		.l .l. K	-	S1 S1			3.1		
ESRP Extruded Semi-Rigid PVCu Panel		-1111	- 1	1			Rem	arks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic				-			Г		
PVW Protective Vinyl Wallcovering	100 (100 (100 (100 (100 (100 (100 (100		_	1					
RHIS Rigid High Impact Sheet			1 1						
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering		500	an Transport						
FLOOR FINISHES LEGEND:	C1 C2	=	= 7	ON ME	1				
CFS Concrete Floor Sealer	C3 C4	+  =	- 5-		7   1	7 /			
EFC Epoxy Floor Coating		+				/ Grayes	1		
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L5 L6	17 10						
RSF Rubber Sheet Flooring	TOTAL HEIGHT CADINETS		L7 L8 L9	L10 L11	1/ /	7 / 11			
SCF Seamless Cushioned Flooring				☐ L12	TC1 TC2				
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Motorized Category 0 - None Min Length Adjustable				TC2	UC1			
VSF Vinyl Sheet Flooring	Category 1 - None Min. Length Adjustable Category 1 - Low (1% - 4%) Category (mm) Height		ecialty sework	LOWER UNITS	EPTION/TRANSACTION		240		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)				•	UTILITY SINK AND COL	JNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater) 2 2100	<b>✓</b>			TION DESK				
FCB Flash Cove Base									
RB Rubber Base  SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS									
the College College College	Seamless Utility / Other Fixtures: tchen Sink: Process Sink: Scrub Sink: Floor Sink:	L Evewash		MED / NON-MED GASES	Ada direct Arre			Labarette	Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: K	Shower		n/Shower Station	(Quantity)	Medical Nitrous Δir: Vacuum: Oxide:	CO2:	CCC. Nitrana		oratory Compressed
	Tub	Emerger	ncy Shower	Oxygen: Medical	All:	CO2:	AGSS: Nitrogen:	7	Air:
Plumbing	☐ Ice Maker	Flush Ri			1				
Remarks:	☐ Water Closet	☐ Floor Dr	ain	Gas Remarks:					
	Instantaneous	☐ Water B	ottle Refill Station	Gas reliidiks.					
	Hot Water	Other		¬					
		Other		_					

Appendix	1B Minimum Room Require	ments	Program Number(s):	1. D7.09 2. P4.08	8. 1	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
R	loom Name: Locker Room - Female			3. W4.18 4. Y1.06		15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				5. 6.		17. 18.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.
ARCHITEC	TURAL REQUIREMENTS						1	1		1	
WALL AND		WALL PROTECTION			GLAZING		FLOORING TYPES		ACCESSORIES		
_	Material: MMRGB   MATERIAL   MMRGB	Finish:         EWC         Type:         WSSP           Finish:         ECC         Height:         2185 mm	Corner Guards Hand Rails Bed Bu Crash Rails Chair Rail	ımper / Locator	☐ Interior Glazing	g	Material: Base: WSVF FCB		oat Hooks		Magnetic Whiteboard Privacy Curtain
	WWW.GD								oor Remarks:	change rable	Trivacy cartain
LEGEND: WALL AND	CEILING LEGEND:	DOORS									
AC	Architectural Ceiling	Types:	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	निविवि		700					Security Grille
ACT ACT-C	Acoustic Ceiling Tile Cleanroom										☐ Anti-barricade
ARGB	Abuse-Resistant Gypsum Board										strategy
GB IRGB	Gypsum Board Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2	F F2 G	Н	J				
KLCT	Kitchen Lay-in Ceiling Tile		9	or & Frame Privacy	Card	d Mag	Auto Hold				
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Type:Qty: Size (mm):	Material: Finish: Side Lt: Blinds:	Protect.: Film:	Function: Reade	er: Lock: O	Opener: Open: Hin	ges: Accessor	y 1: Accessory 2:	Accessory 3: C	loser:
	HES LEGEND:	A 1 1065 x 2135	Solid Core FRL 1 Lo	ow	Storeroom 🗸		☐ Butt Hinge			Surfac	ce
EWC	Epoxy Wall Coating										
HPC	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK			Storage Requirements: D	07.09 - (78) hal	If lockers and (12) stacked sl	oe cubbies, each witl	h	FINISHES	
PT	Paint		UPPER UNITS		a	stack of (6) sh	noe cubbies	•	Full-height C	abinet:	
CEILING FIN ECC	IISHES LEGEND:  Epoxy Ceiling Coating		U1 U2 U3 U4			. ,	If lockers and shoe rack Ill height lockers, (10) half lo	ckors	Upper Mi		
HPC	High Performance Coating		U4 U5	U6 U7		/1.06 - (254) ha		LKC13	Coun	tertop: Solid Surfacii	ng
PF PT	Prefinished Paint					Refer to Schedu	ule 1 , Section 5.7.14 for sho	e storage information	Lower Mi	llwork:	
rı .	raiit			7						Shelf:	
	ECTION LEGEND:				S1						_
ESRP FRL	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate								F	emarks:	
FRP	Fibreglass Reinforced Plastic										change cubicle, shower
PVW RHIS	Protective Vinyl Wallcovering Rigid High Impact Sheet	100	Transmitted of the last of the		1						d vanity with lavatory ed to be accessible for
WSSP	Wetwall Solid Surface Panel		1	-							ilities in each Locker
WVW	Wetroom Vinyl Wallcovering				CON THE PROPERTY OF THE PERSON NAMED IN COLUMN	1	7/			Room.	
FLOOR FINI	SHES LEGEND:	C1 C2 C3 C4				-	-		44-10-15-0-1		ire a change cubicle, ilet stall designed to be
CFS EFC	Concrete Floor Sealer Epoxy Floor Coating		L1 L2			_		//	America A		ons with Disabilities.
PFC	Polyurethane Floor Coating				Zekk	~ ~					ity requirements, refer
RAF	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9			7 6 15			to Schedule 1, Sect 00 - Architectural V	ion 6.6.2 - Section 06 40
RSF SCF	Rubber Sheet Flooring Seamless Cushioned Flooring				L10 L11	L12				D7.09 - Provide (4)	
SDRF	Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized				TC1 TC2	, I		P4.08 - Provide (2)	change cubicles
SDVF VSF	Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Ca	- ,	ecialty	LOWER UNITS				1 33	W4.18 - Provide (1	
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	. ,	sework			ION/TRANSACTION ER / CARE TEAM	UTILITY SINK AND C	OLINTER LINIT	Y1.06 - Provide (4)	change cubicles
FLOOR BAS	E LEGEND:	Category 3 - High (10% or Greater)	3 4500			STATION	-	O TIETT ON WATER	oom za om z		
FCB	Flash Cove Base										
RB SCF	Rubber Base Seamless Cushioned Flooring										
	Ü										
MECHANIA	CAL REQUIREMENTS										
PLUMBING		Seamless Utility / Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures: Evewash		MED / NON-MED	GASES	Advilled to the second			1-1	Utility
(Quantity)	1	RECEIVED SHIRE. FIGURESS SHIRE. SCIUD SHIRE.	Shower L Eyewash	h/Shower Station	(Quantity)	Modia-LA:	Medical Nitrous  . Vacuum: Oxide:	CO3:	ACCC. Aller	A * ·	Laboratory Compressed Vacuum:
			Tub Emerger		Oxygen:	Medical Air	: Vacadiii Oxide.	CO2:	AGSS: Nitroge	n: 2011	Air:
		stalls, and (2) vanities each with sink and mirror	☐ Ice Maker ☐ Flush Rii								
кеттагку:	P4.08 - Provide (1) toilet stall, (1) shower st W4.18 - Provide (1) toilet stall, (1) shower st		✓ Water Closet ✓ Floor Dr	ain	Gas Remarks	·c.					
	Y1.06 - Provide (6) toilet stalls, (4) showers			Bottle Refill Station	Jas nemark:						
			Hot Water Other								
			Otilel								

Appendix 1B Minimum Room Requirem	ents	Program	1. D7.05	7. 13.	19.	25.	31.	37.	43.
		Number(s):	2. P4.06	8. 14.	20.	26.	32.	38.	44.
Room Name: Locker Room - Male			3. W4.14	9. 15.	21.	27.	33.	39.	45.
			4. Y1.02	10. 16.	22.	28.	34.	40.	46.
			5. 6.	11. 17. 12. 18.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.
			0.	10.		30.	30.	12.	10.
ARCHITECTURAL REQUIREMENTS				T					
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES  Material: Base:		M ACCESSORIES		
	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Corner Guards  Hand Rails  Bed Bur	nper / Locator	☐ Interior Glazing	WSVF FCB		Coat Hooks Ceiling Li Mirror Infant Ch		agnetic Whiteboard
Ceiling Material: MMRGB	inish: ECC Height: 2185 mm	Crash Rails			W3VI TEB			ange Table  Priv	vacy Curtain
LEGEND:	DOORS					Г	Door Remarks:		7
WALL AND CEILING LEGEND:	Types:								Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile									
ACT-C Cleanroom		ALNENDA NUNDI							Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B2	C C2 D D2	E E2 F	F2 G H	J				strategy
IRGB Impact-Resistant Gypsum Board					- Ada Hald				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Ма	9	& Frame Privacy rotect.: Film:	Card Mag Function: Reader: Lock	•	τος: Λιτοςς 	sory 1: Accessory 2: Ac	ccessory 3: Close	
SACT Security Acoustic Ceiling Tile	A 1 1065 x 2135 Solid	teriai. Tillisti. Side Et.		eroom 🔽 🗆	Butt Hinge		Soly 1. Accessory 2. Ac	Surface	1.
WALL FINISHES LEGEND:	7. 2 2000 X 2200 00M2 Y								
EWC Epoxy Wall Coating HPC High Performance Coating						l		<u> </u>	
PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	St		<ul><li>B) half lockers and (8) stacked sh</li><li>) shoe cubbies</li></ul>	oe cubbies, each wi	th a	FINISHES	
CEILING FINISHES LEGEND:	U1				) half lockers and shoe rack		Full-height Cab		
ECC Epoxy Ceiling Coating	7	U3 U4		W4.14 - (2	0) full height lockers, (10) half lo	ckers	Upper Millw		
HPC High Performance Coating PF Prefinished			U6 U7 U8		56) half locker chedule 1 , Section 5.7.14 for sho	e storage informat		rtop: Solid Surfacing	
PT Paint	-		77	13	Siledule 1, Section 5.7.14 for sile	e storage imorniat	201101111111	Shelf:	
WALL PROTECTION LEGEND:				S1					
ESRP Extruded Semi-Rigid PVCu Panel							Rer	marks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic								Minimum one (1) chang	ge cubicle, shower
PVW Protective Vinyl Wallcovering	100	F-19						stall, toilet stall, and var	
RHIS Rigid High Impact Sheet  WSSP Wetwall Solid Surface Panel		No. No. of Concession, Name of Street, or other Persons, Name of Street, o						sink will be designed to Persons with Disabilitie	
WVW Wetroom Vinyl Wallcovering				TRICICIONI DE LA CONTRACTION DEL CONTRACTION DE LA CONTRACTION DE LA CONTRACTION DE LA CONTRACTION DE LA CONTRACTION DE LA CONTRACTION DE LA CONTRACTION DE LA CONTRACTION DE LA CONTRACTION DE LA CONTRACTION DE LA CONTRACTION DE LA CONTRACTION DE LA CONTRACTION DE LA CONTRACTION DE LA CONTRACTION DE LA CONTRACTION DE LA CONTRACTION DE LA CONTRACTION DE LA CONTRACTION DE	7/			Room.	
FLOOR FINISHES LEGEND:	C1 C2 C3 C4				-			P4.06 will not require a shower stall and toilet s	
CFS Concrete Floor Sealer  EFC Epoxy Floor Coating		L2				1 1		accessible for Persons v	
PFC Polyurethane Floor Coating				Zekk				For washroom vanity re	
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L7 L8 L9	110		-1 / 1		to Schedule 1, Section 6 00 - Architectural Wood	
SCF Seamless Cushioned Flooring					TC1 TC2			D7.05 - Provide (2) char	
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized	h		TC2	U	IIC1 W	P4.06 - Provide (2) char	9
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category		cialty ework	LOWER UNITS	CEPTION/TRANSACTION			W4.14 - Provide (1) cha Y1.02 - Provide (4) char	
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	_			UNTER / CARE TEAM	UTILITY SINK AND			
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)			STA	ATION DESK				
FCB Flash Cove Base RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS									
	Seamless Utility /	Other Fixtures: Evewash	Station	MED / NON-MED GASES					Utility
(Quartery)	itchen Sink: Process Sink: Scrub Sink: Floor Sink:	<b>✓</b> Shower	Shower Station	(Quantity)	Medical Nitrous			•	oratory Compressed
		☐ Tub ☐ Emergence	cy Shower	Oxygen: Medica	al Air: Vacuum: Oxide:	CO2:	AGSS: Nitrogen:	Air: Vac	cuum: Air:
Plumbing D7.05 - Provide (2) toilet stalls, (2) shower sta		☐ Ice Maker ☐ Flush Rim							
Remarks: P4.06 - Provide (1) toilet stall, (1) shower stall W4.14 - Provide (1) toilet stall, (1) shower stall		☐ Water Closet ✔ Floor Dra	in	Gas Remarks:	- '	, ,			
Y1.02 - Provide (6) toilet stalls, (4) shower sta			ttle Refill Station	Gas Rellidiks.					
		Hot Water Other							
		Guiei							

.pp =					Number(s):	2. M1.01	8.	14.	20.	26.	32.		38.	44.	
Daniel Nove	Looker Doom Heisered					3.	9.	15.	21.	27.	33.		39.	45.	
Room Name:	Locker Room - Universal					4.	10.	16.	22.	28.	34.		40.	46.	
						5.	11.	17.	23.	29.	35.		41.	47.	
						6.	12.	18.	24.	30.	36.		42.	48.	
ARCHITECTURAL RI	EQUIREMENTS										l				
WALL AND CEILING	•	WΔI	LL PROTECTION				GLAZING		FLOORING TYPES		ROOM ACCESS	ORIFS			
Wall Material:	MMRGB Fir	nish: PT		✓ Corner Guards ☐ Hand Ra	ils 🔲 Bed Bum	nper / Locator	☐ Interior Glaz		Material: Base			s Ceiling Lif	t 🗸	Magnetic W	/hiteboard
Ceiling Material:			7,60.	☐ Crash Rails ☐ Chair Ra			interior Giaz	ring	WSVF FCB		✓ Mirror	Infant Cha		Privacy Curt	
LEGEND:		DOORS									Door Rema				
WALL AND CEILING LEG	GEND:														
AC Architectural C	Ceiling	Types:	4 4 5 6			a lala (20)		722							ecurity Grille
ACT Acoustic Ceiling	ng Tile	(													nti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistar	nt Gypsum Board								MAICA						trategy
GB Gypsum Board		A	A A2 B	B2 C C2 D	D2 E	E2 F	F2 G	н	J						3,
IRGB Impact-Resista KLCT Kitchen Lay-in	ant Gypsum Board				Integral Door	& Frame Privacy	Ca	ard Mag	Auto Hold						
· · · · · · · · · · · · · · · · · · ·	Mould-Resistant Gypsum Board	,	Type:Qty: Size (mm):	Material: Finish: Side Lt	•	otect.: Film:		0	pener: Open:	Hinges:	Accessory 1: A	rcessory 2: Ac	cessony 3.	Closer:	
SACT Security Acous	stic Ceiling Tile		A 1 1065 x 2135 S		1 Lov		Turiction.		Butt		Accessory 1.	CC3301 y Z. AC	Surfa		
WALL FINISHES LEGEND	D:		A 1 1003 X 2133 3	olid core TRE		3.010	[		D Dutt	iiige			Julia	ce	
EWC Epoxy Wall Coa HPC High Performan	=	MULLWORK AND SDECIAL	LTV CASEWORK												
PT Paint	ce essening	MILLWORK AND SPECIA	ILIY CASEWORK	UP	PER UNITS	St	orage Requirements:	J5.01 - (20) half	lockers If lockers and 24 shoe	hhioo			FINISHES		
CEILING FINISHES LEGEI	ND:			U1					ile 1 , Section 5.7.14 fo		information.	Full-height Cabi			
ECC Epoxy Ceiling C		Consultation of the last of th	VIVI	U2 U3 U4					,	J		Upper Millw			
HPC High Performan PF Prefinished	ance Coating	-	T-K-V		U5	U6 <sub>117</sub> $\square$							top: Solid Surfac	ing	
PT Paint					7	U8	SHELF					Lower Millw			
							<b>⊅</b> □					Sł	nelf:		
WALL PROTECTION LEG		2020222	1 1-4 17				S1					_			
ESRP Extruded Semi- FRL Fibre Reinforce	i-Rigid PVCu Panel ed Laminate	and a second			- Kanada		1					Rem	narks:		
FRP Fibreglass Rein	nforced Plastic		1 L'V			1 1							5.01 - Provide (3)		
PVW Protective Viny RHIS Rigid High Impa	yl Wallcovering	-	100	STREET, STREET	(Property)		1					ľ	M1.01 - Provide (2	2) change cubi	icles
WSSP Wetwall Solid S															
WVW Wetroom Viny	/I Wallcovering		+		11 -	-	- Carpen	1	7						
FLOOR FINISHES LEGEN	ID:	C1 C2		<del>_</del>	-	-71		-	Comment.						
CFS Concrete Floor	r Sealer		C3 C4 C5 L1		-		==			7		-			
EFC Epoxy Floor Co				L2 L3 L4			KM	1==	1 6		Tanana and				
PFC Polyurethane F RAF Rubber Athletic		FULL-HEIGHT CABINETS			L5 L6	L7 18		1							
RSF Rubber Sheet F						L7 L8 L9	L10 L11	1		7					
	nioned Flooring	Logand						L12	TC1 T	<sub>2</sub> /	W				
•	tive Rubber Sheet Flooring tive Vinyl Sheet Flooring	Legend: Category 0 - None		Motorized Min. Length Adjustable	Standing Spec	cialty					UC1				
VSF Vinyl Sheet Flo		Category 1 - Low (1% - 4%	%) Catego	- ,		ework	LOWER UNITS	DECEDIA	ON/TRANSACTION						
WSVF Wetroom Safe	ety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%	%)	, (·····) Height					R / CARE TEAM	UTILITY S	SINK AND COUNTER	UNIT			
FLOOR BASE LEGEND:		Category 3 - High (10% or	r Greater)					STATION	I DESK						
FCB Flash Cove Bas RB Rubber Base	se														
	nioned Flooring														
MECHANICAL REQU	IIIDEMENTS														
PLUMBING Hand	S nk: Lavatory: Kitchen Sink: Kit	Seamless Utility /	uh Sink: Floor Sink:	Other Fixtures:	Eyewash S		MED / NON-ME	ED GASES							Utility
(Quantity) Hygiene Sin	in. Lavatory. Nitchell Silik. Ni	TOUCESS SHIK. SCIU	ab Silik. 1 1001 Silik.	Shower	Eyewash/	Shower Station	(Quantity)		.,	rous (ide: උ(				Laboratory	Compressed
				Tub	☐ Emergence	cy Shower	Oxygen:	Medical Air:	Vacuum: O	iue. C	O2: AGSS:	Nitrogen:	Air:	Vacuum:	Air:
Plumbing				☐ Ice Maker	☐ Flush Rim	Sink									
Remarks:				☐ Water Closet	☐ Floor Drai	in		. [	1 1		1	1			
				Instantaneous		ttle Refill Station	Gas Rema	arks:							
				Hot Water											
					Other										
							I								

Program 1. J5.01

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix	x 1B Minimum Room Requi	rements		Program Number(s):	1. B4.09 2. C8.06	7. U7.01 8. W4.13	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
ı	Room Name: Lounge - Staff				3. D7.15 4. E7.06	9. Y1.16	15.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
					4. E7.06 5. F8.10	10. Y5.01 11.	16. 17.	23.	29.	35.	41.	47.
					6. R4.05	12.	18.	24.	30.	36.	42.	48.
ARCHITEC	CTURAL REQUIREMENTS											
WALL AND		WALL PROTECT				GLAZING		FLOORING TYPES		M ACCESSORIES		
	all Material: GB g Material: ACT	Finish:   PT   Type:   PV	···	s Bed Bum	per / Locator	✓ Interior Gl	azing	Material: Base:  VSF FCB		Coat Hooks Ceiling  Mirror Infant		Magnetic Whiteboard Privacy Curtain
	g Material. ACT		50 mm Crash Rails 🖭 Chair Rail							Door Remarks:		Privacy Curtain
LEGEND: WALL AND	CEILING LEGEND:	DOORS								Door Hemarks.		
AC ACT ACT-C ARGB GB IRGB	Architectural Ceiling Acoustic Ceiling Tile Cleanroom Abuse-Resistant Gypsum Board Gypsum Board Impact-Resistant Gypsum Board	Types:	B B2 C C2 D	D2 E	E2 1	F F2 G	H					Security Grille  Anti-barricade strategy
KLCT MMRGB	Kitchen Lay-in Ceiling Tile Moisture and Mould-Resistant Gypsum Board	5015	(mm) Material State State	. •.	& Frame Privacy otect.: Film:	_	Card Mag eader: Lock:	Auto Hold Opener: Open: Hin				
SACT	Security Acoustic Ceiling Tile	Гуре:Qty: Siz		1 Lov		Function: R	✓ □	Opener: Open: Hin		ssory 1: Accessory 2:	Accessory 3: Clo	oser:
	SHES LEGEND:											
EWC HPC	Epoxy Wall Coating High Performance Coating	MILLWORK AND SPECIALTY CASEW	ORK			Storage Requirements	: B4.09 - (20) pt	urse lockers			FINISHES	
PT CELLING FIL	Paint NISHES LEGEND:		UPF	PER UNITS		otorage negaments	E7.06 - (40) pt	urse lockers		Full-height C		
ECC HPC PF PT  WALL PRO ESRP FRL FRP PVW RHIS WSSP WVW  FLOOR FIN CFS EFC PFC RAF RSF SCF SDRF SDVF VSF WSVF  FLOOR BAS FCB RB SCF	Epoxy Ceiling Coating High Performance Coating Prefinished Paint  ITECTION LEGEND:  Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate Fibreglass Reinforced Plastic Protective Vinyl Wallcovering Rigid High Impact Sheet Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering  IISHES LEGEND:  Concrete Floor Sealer Epoxy Floor Coating Polyurethane Floor Coating Rubber Athletic Flooring Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring SE LEGEND: Flash Cove Base Rubber Base Seamless Cushioned Flooring	FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	CS L1 L2 L3 L4  Motorized  Min. Length Adjustable St	L5 L6 V	17 L8 L9	8 SHELF S1 LOWER UNITS	COUNT	urse lockers	UTILITY SINK ANI	Coun Lower Mi	Shelf:	te  A, Section 3.1 Recurring
	ICAL REQUIREMENTS	Saamlass Litility /	Other Eivtures			MED / NON S	AED CACEC					
PLUMBING (Quantity) Plumbing Remarks:	Hygiene Sink: Lavatory: Kitchen Si  1 1 1	Seamless Utility / nk: Kitchen Sink: Process Sink: Scrub Sink: Fl	Other Fixtures:  Oor Sink:  Shower  Tub  Ice Maker  Water Closet  Instantaneous Hot Water	Evewash S  Eyewash/S  Emergenc  Flush Rim  Floor Drai  Water Bot  Other	Shower Station y Shower Sink	MED / NON-N (Quantity) Oxyge	n: Medical Ai	Medical Nitrous ir: Vacuum: Oxide:		AGSS: Nitroge	A*- 1	aboratory Vacuum: Utility Compressed Air:

Room Name:   Medication Room	pard
## A # 83.15   10.   16.   22.   28.   34.   40.   46.   47.   47.   47.   48.   48.   49.   48.   49.   48.   49.   48.   49.   48.   49.   48.   49.   48.   49.   48.   49.   48.   49.   48.   49.   48.   49.   48.   49.   48.   49.   48.   49.   48.   49.   48.   49.	pard
ARCHITECTURAL REQUIREMENTS  WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB above Ceiling Material: ACT  Wall Material: ACT  Wall PROTECTION  Type: FRP Corner Guards Hand Rails Bed Bumper / Locator Height: 1350 mm Crash Rails Chair Rail  Magnetic White Crash Rails Chair Rail  12. 18. 24. 30. 36. 42. 48.  GLAZING  FLOORING TYPES Material: Base: VSF FCB  Material: Bas	pard
ARCHITECTURAL REQUIREMENTS  WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB above Ceiling Material: ACT  Wall Material: ACT  Wall PROTECTION  Type: FRP Height: 1350 mm	oard
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB above Ceiling Material: ACT  Wall Material: ACT  WALL PROTECTION  Type: FRP Height: 1350 mm  Wall PROTECTION  Type: FRP Height: 1350 mm  Crash Rails  Corner Guards Hand Rails Bed Bumper / Locator Chair Rail  Chair Rail  GLAZING  FLOORING TYPES  Material: Base:  VSF FCB  ROOM ACCESSORIES  Coat Hooks Ceiling Lift  Mirror Infant Change Table  Privacy Curtain	card
Wall Material: ARGB 1.2m AFF, GB above Ceiling Material: ACT Finish: PT Type: FRP Height: 1350 mm Type: Glazing Crash Rails Chair Rail Chair Rail Sed Bumper / Locator Crash Rails Chair Rail Sed Bumper / Locator Sed Bed Bu	oard
Ceiling Material: ACT Finish: PF Height: 1350 mm Crash Rails Chair Rail VSF FCB Interior Glazing	oard
Ceiling Material: ACT Finish: PF Height: 1350 mm Crash Rails Chair Rail	
LEGEND: DOORS DOORS	
WALL AND CEILING LEGEND:  AC Architectural Ceiling  Types:	, Grille
ACT Acquetic Ceiling Tile	
ACT-C Cleanroom ARGB Abuse-Resistant Gypsum Board  Strate	
GB Gypsum Board A A2 B B2 C C2 D D2 E E2 F F2 G H J	
IRGB Impact-Resistant Gypsum Board  KLCT Kitchen Lay-in Ceiling Tile  Integral Door & Frame Privacy Card Mag Auto Hold  Integral Door & Frame Privacy Card Mag Auto Hold	
MMRGB Moisture and Mould-Resistant Gypsum Board  SACT Security Acoustic Ceiling Tile  Function: Reader: Lock: Opener: Open: Hinges: Accessory 1: Accessory 2: Accessory 3: Closer:  Film: Function: Reader: Lock: Opener: Open: Hinges: Accessory 1: Accessory 2: Accessory 3: Closer:	
B 1 1065 x 2135 Solid Core FRL	
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating	
HPC High Performance Coating MILLWORK AND SPECIALTY CASEWORK Storage Requirements: FINISHES	
PT Paint  UPPER UNITS  CEILING FINISHES LEGEND:  Full-height Cabinet:	7
ECC Epoxy Ceiling Coating U2 U3 U4 V Upper Millwork:	
HPC High Performance Coating  US U6 U7 U9  Countertop:	
PT Paint Lower Willwork:	-
WALL PROTECTION LEGEND:  Shelf:  Shelf:	J
ESRP Extruded Semi-Rigid PVCu Panel Remarks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic  Refer to Schedule 1, Section 6.12 (D	vision
PVW Protective Vinyl Wallcovering  21) for Specialty Casework. Items inc	cated
WSSP Wetwall Solid Surface Panel	and
WVW Wetroom Vinyl Wallcovering specialized functions to be performe	d in
FLOOR FINISHES LEGEND:  C1  C2  C3  C3  C4  C3  C4  C5  C5  C6  C7  C7  C7  C7  C7  C8  C7  C8  C9  C9  C9  C9  C9  C9  C9  C9  C9	ment.
FFC From Floor Coating	
PFC Polyurethane Floor Coating RAF Rubber Athletic Flooring FULL-HEIGHT CABINETS    I3	
RSF Rubber Sheet Flooring L10 L11	
SCF Seamless Cushioned Flooring  L12  TC1  TC2	
SDVF Static-Dissipative Vinyl Sheet Flooring Category 0 - None Min. Length Adjustable Standing Specialty	
WSVF Wetroom Safety Vinyl Sheet Flooring Category 2 - Med (5% - 9%)  Category 2 - Med (5% - 9%)  RECEPTION/TRANSACTION	
FLOOR BASE LEGEND:  Category 2 - Inied (5% - 9%)  Category 3 - High (10% or Greater)  3 3900  COUNTER / CARE TEAM UTILITY SINK AND COUNTER UNIT STATION DESK	
FCB Flash Cove Base	
RB Rubber Base SCF Seamless Cushioned Flooring	
MECHANICAL REQUIREMENTS	*
PLUMBING Hand Seamless Utility / Other Fixtures: Fyewash Station MED / NON-MED GASES	
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink: Shower Evewash/Shower Station (Quantity) Medical Nitrous Laboratory Laboratory Con	tility pressed
1	Air:
Plumbing Provide portable eyewash station in all Medication Room	
Remarks:  Water Closet Floor Drain  Gas Remarks:	
☐ Instantaneous ☐ Water Bottle Refill Station	
Hot Water Other	

Appendix 1B Minimum Room Requirem	nents	Program Number(s):	1. B2.17 2. C5.06	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Medication Room - Small			3. L2.18	9.	15.	21.	27.	33.	39.	45.
			4.	10.	16.	22.	28.	34.	40.	46.
			5. 6.	11. 12.	17. 18.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.
			0.	12.	16.	24.	30.	30.	42.	40.
ARCHITECTURAL REQUIREMENTS							1			
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES		M ACCESSORIES		
	1,750	Corner Guards Hand Rails Bed Bu	nper / Locator	✓ Interior Glaz	ing	Material: Base:  VSF FCB		Coat Hooks Ceiling L		Magnetic Whiteboard
Ceiling Material: ACT	Finish: PF Height: 1350 mm	Crash Rails Chair Rail				V31 1 CD		Mirror Infant Cl	nange Table	Privacy Curtain
LEGEND:	DOORS						[	Door Remarks:		
WALL AND CEILING LEGEND:	Types:									Security Grille
AC Architectural Ceiling  ACT Acoustic Ceiling Tile										
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board	AANAA			1 N/4 BN						Anti-barricade strategy
GB Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	Н	J				Strategy
IRGB Impact-Resistant Gypsum Board  KLCT Kitchen Lay-in Ceiling Tile		Integral Doo	· & Frame Privacy	Ca	ard Mag	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): N	<u> </u>	rotect.: Film:		•	Opener: Open: Hing	es: Accesso	ory 1: Accessory 2: A	ccessory 3: Clc	oser:
SACT Security Acoustic Ceiling Tile	B 1 1065 x 2135 Soli	id Core FRL 2 Hi	gh Stor	reroom	/	<b>✓</b> Butt Hinge	Elec. Str	rike	Surface	
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating										
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		S	torage Requirements:					FINISHES	
PT Paint		UPPER UNITS	J	co.ageeqaeee.				Full-height Cab		
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	U	1 U2 U3 U4 🗸						Upper Mills		
HPC High Performance Coating		U5	U6					Counte	ertop:	
PF Prefinished PT Paint			U8	SHELF				Lower Mills		
WALL PROTECTION LEGEND:									Shelf:	
ESRP Extruded Semi-Rigid PVCu Panel			1 11	1)				Re	marks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic				1					Refer to Schedule 1.	Section 6.12 (Division
PVW Protective Vinyl Wallcovering	100	- Francisco	_						12) for Specialty Case	ework. Items indicated
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel				-					are diagrammatic, pr	rovide specialty te for the specific and
WVW Wetroom Vinyl Wallcovering			-	THE PERSON NAMED IN COLUMN	1	7/			specialized functions	
FLOOR FINISHES LEGEND:	C1 C2 C3 C4			~ -	7	Comment -			the space and to acc	commodate Equipment.
CFS Concrete Floor Sealer EFC Epoxy Floor Coating	☐ G C4 C5 L1 ☐ ☑ ☑ ☑	12			K_		1/	1		
PFC Polyurethane Floor Coating		<b>✓</b> L3 L4 L5 L6	$\rightarrow$	Zerv	4		7   1			
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L7 L8 L9	L10 111		/	4 / 1			
SCF Seamless Cushioned Flooring	Larand	_			L12	TC1 TC2		u    [		
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized  Min. Length Adjustable Standing Spe	cialty					UC1		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category Category 2 - Med (5% - 9%)		ework	LOWER UNITS	RECEPT	TION/TRANSACTION				
FLOOR BASE LEGEND:	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	2700	✓		COUNT		UTILITY SINK AND	COUNTER UNIT		
FCB Flash Cove Base					SIAIIO	IN DESK				
RB Rubber Base SCF Seamless Cushioned Flooring										
Seamess cushioned Flooring										
MECHANICAL REQUIREMENTS										
	Consider Hallian /	Other Fishers		MED (NON ME	D CACEC					
PLUMBING Hand (Quantity) Hygiene Sink: Lavatory: Kitchen Sink: I	Seamless Utility / Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures: Evewash		MED / NON-ME (Quantity)	D GASES	Medical Nitrous			Laboratory La	Utility aboratory Compressed
1			/Shower Station	Oxygen:	Medical Air	V 0 !d-	CO2:	AGSS: Nitrogen:		Vacuum: Compressed  Vacuum: Air:
Plumbing Provide portable eyewash station in all Medic	ration Room - Small	☐ Tub ☐ Emergen☐ Ice Maker ☐ Flush Rim		7,0,5						730.
Remarks:	Sinding Sinding	☐ Water Closet ☐ Floor Dra								
			ttle Refill Station	Gas Rema	rks:					
		Hot Water								
		Other								

pp.		Number(s):	2. C8.01	8. W4.12 14.	20.	26.	32.	38.	44.
			3. D7.01	9. 15.	21.	27.	33.	39.	45.
Room Name: Meeting Room - 12-Seat			4. E7.07	10. 16.	22.	28.	34.	40.	46.
			5. F8.08			29.	35.		47.
				11. 17.	23.			41.	
			6. H1.05	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS									
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES		ROOM ACCESSORIES		
Wall Material: GB	Finish: PT Type: FRP	✓ Corner Guards ☐ Hand Rails ☐ Bed Bur	mper / Locator	☐ Interior Glazing	Material: Base:		☐ Coat Hooks ✓ Ce	iling Lift	Magnetic Whiteboard
Ceiling Material: ACT	Finish: PF Height: 1350 mm	✓ Crash Rails ✓ Chair Rail		interior Glazing	RSF RB			_	Privacy Curtain
LECEND							Door Remarks:		
LEGEND:	DOORS							n on middle floor to have	a
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:							, and F2 door (1530 x 213	
ACT Acoustic Ceiling Tile			4 4 8 2				opening) with hold or	pen hardware	
ACT-C Cleanroom		NIA NI NIA NI NIA							☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board									strategy
GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	l j				
KLCT Kitchen Lay-in Ceiling Tile		Integral Door	& Frame Privacy	Card	Mag Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm):	<u> </u>	rotect.: Film:		1	Hinges: A	Accessory 1: Accessory 2	2: Accessory 3: C	Closer:
SACT Security Acoustic Ceiling Tile		Solid Core FRL	u Sto	reroom 🗸	Butt H		7 (ccc3301 y 2	Surfac	
WALL FINISHES LEGEND:	C 1 913 X 2133	Solid Core TRE 110	W 310	Teroom 🗸		lige		Surrac	
EWC Epoxy Wall Coating									
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	S	Storage Requirements:				FINISHES	
CEILING FINISHES LEGEND:		U1					Full-heig	ht Cabinet:	
ECC Epoxy Ceiling Coating	6-V 17.7	U2 112 $\square$						r Millwork:	
HPC High Performance Coating		U4					1	Countertop:	
PF Prefinished			U7 U8	SHELF				r Millwork:	
PT Paint	Fragments			n			Lowe	Shelf:	
WALL PROTECTION LEGEND:				S1 S1				Jileii.	
ESRP Extruded Semi-Rigid PVCu Panel				11 31				Remarks:	
FRL Fibre Reinforced Laminate	"			1					
FRP Fibreglass Reinforced Plastic									oom - 12-Seat located on
PVW Protective Vinyl Wallcovering	-	Promote Promot	i	1				the middle floor of	` '
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel			1						Il include a ceiling lift for
WVW Wetroom Vinyl Wallcovering		"   11	an The State of th						will allow a stretcher Room F8.08 will require
FLOOR FINISHES LEGEND:	cı cı	+	- 7	On the state of th	1			interior glazing with	
CFS Concrete Floor Sealer	C2 C3 C4 C7		- 17-			7	/		
EFC Epoxy Floor Coating		L2					( A	7	
PFC Polyurethane Floor Coating		]			-   <i> </i>     T	- Paragraf	The state of the s	A	
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9						
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring				L10 L11					
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized				2		U	
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		cialty	_		]	UC1		
VSF Vinyl Sheet Flooring			ework	LOWER UNITS	RECEPTION/TRANSACTION				
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)				COUNTER / CARE TEAM	UTILITY SINK	AND COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				STATION DESK				
FCB Flash Cove Base									
RB Rubber Base  SCF Seamless Cushioned Flooring									
Seamless cusmoned Hooming									
MECHANICAL REQUIREMENTS									
PLUMBING Hand	Seamless Utility /	Other Fixtures:	Station	MED / NON-MED GAS	SES				1 14:11:4
(Quantity) Hygiene Sink: Lavatory: Kitchen Sin	k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		/Shower Station	(Quantity)	Medical Nitr	ous		Laboratory l	Laboratory Compressed
					edical Air: Vacuum: Ox		AGSS: Nitr	ogen: Air:	Vacuum: Air:
Diambing		¬		,5=				-	7 11 1
Plumbing Remarks:		☐ Ice Maker ☐ Flush Rim							
nemarks.		☐ Water Closet ☐ Floor Dra	in	Gas Remarks:				<del></del>	
		☐ Instantaneous ☐ Water Bo	ttle Refill Station	Gas Reilidiks.					
		Hot Water							
		Other							
				1					

Program 1. B4.06

7. R4.06

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Room Name: Meeting Room - 15-Sea	t		3. 4.	9. 15. 10. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.	
			5.	11. 17.	23.	29.	35.	41.	47.	
			6.	12. 18.	24.	30.	36.	42.	48.	
ARCHITECTURAL REQUIREMENTS										
WALL AND CEILING Wall Material: GB	WALL PROTECTION Finish: PT Type:	✓ Corner Guards ☐ Hand Rails ☐	Red Rumner / Locator	GLAZING	FLOORING TYPES  Material: Base:		OOM ACCESSORIES  Coat Hooks Ceilin	σ l ift	✓ Magnetic Whiteboard	
Ceiling Material: ACT	Finish: PF Type: Height:	☐ Crash Rails ☑ Chair Rail	bed bullipel / Locatol	☐ Interior Glazing	RSF RB			t Change Table	Privacy Curtain	
	DOORS						Door Remarks:		·	
LEGEND: WALL AND CEILING LEGEND:										
AC Architectural Ceiling	Types:		न निन्निनि	0 00 00 00					Security Grille	
ACT Acoustic Ceiling Tile	6161318								Anti-barricade	_
ACT-C Cleanroom ARGB Abuse-Resistant Gypsum Board					N NN44				strategy	:
GB Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	J				Strategy	
IRGB Impact-Resistant Gypsum Board		lutare	al Dans C. France Driver	Cand M	laa Austa Hald					
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	Fire Ohii Cina (mar)		al Door & Frame Privacy s: Protect.: Film:	Decide to	lag Auto Hold ock: Opener: Open: <sub>Hi</sub>			A 2.	Classic	
SACT Security Acoustic Ceiling Tile	Type:Qty: Size (mm)	material mism ordered		Turicuon.			cessory 1: Accessory 2:	-	Closer:	
WALL FINISHES LEGEND:	C 1 915 x 2135	Solid Core FRL	1 Low St	oreroom 🗸 [	Butt Hing	ge		5	urface	
EWC Epoxy Wall Coating										
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNI	TS	Storage Requirements:				FINISHE	S	
CEILING FINISHES LEGEND:							Full-height	Cabinet:		
ECC Epoxy Ceiling Coating	17.7	U2 U3 U4 U					Upper N	1illwork:		
HPC High Performance Coating		U5	U6				Cou	ntertop:		
PF Prefinished PT Paint			U8	SHELF			Lower N	1illwork:		
T Tunk								Shelf:		
WALL PROTECTION LEGEND:	20322222			S1						
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate	F-9							Remarks:		
FRP Fibre Reinforced Laminate  FRP Fibreglass Reinforced Plastic										1
PVW Protective Vinyl Wallcovering		Contract of the Contract of th								
RHIS Rigid High Impact Sheet			7							
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering	CONTRACTOR OF THE PROPERTY OF	" "   111   1	on in							
, ,	ci ci			On the Party Control of the Pa	1					
FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer	_						/			
EFC Epoxy Floor Coating				W	<b></b>		L Amel			
PFC Polyurethane Floor Coating				2	-1/1					
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L6 L7 L8 L9		-1/L 15					
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring				L10 L11 L12						
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			TC1 TC2			\$		
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Min. Length Adjustable Standing	Specialty				UC1 U			
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)	ategory (mm) Height Height	Casework		RECEPTION/TRANSACTION					
	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)				COUNTER / CARE TEAM	UTILITY SINK A	AND COUNTER UNIT			
FLOOR BASE LEGEND:  FCB Flash Cove Base	3(25.7.5.5.5.5.5.7.7.7.7.7.7.7.7.7.7.7.7.7			S	TATION DESK					
RB Rubber Base										
SCF Seamless Cushioned Flooring										
										J
MECHANICAL REQUIREMENTS										_
PLUMBING Hand	Seamless Utility /	Other Fixtures:		MED / NON-MED GASE	c					_
	nk: Kitchen Sink: Process Sink: Scrub Sink: Floor Sinl		vewash Station	(Quantity)	Medical Nitrou	ıc		Laboratory	Utility	
(Quantity)		Shower L E	yewash/Shower Station		ical Air: Vacuum: Oxide		AGSS: Nitrog		Vacuum: Compresse	d
			mergency Shower	Oxygen: Med	ilical All : Salatini Salati	CO2:	AGSS: Nitrog	en: ''''	Air:	$\neg$
Plumbing			ush Rim Sink							
Remarks:		☐ Water Closet ☐ FI	oor Drain			•	. '	,	<u>'</u>	
			ater Bottle Refill Station	Gas Remarks:						
		Hot Water								
		Othe	r							

7. 8.

13.

14.

19.

20.

Program 1. V1.07

Number(s): 2.

25. 26. 31.

32.

37.

38.

43.

44.

**Appendix 1B Minimum Room Requirements** 

Room Name: Meeting	Room - 20-Seat			3. 4.	9. 15. 10. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.	
				5.	11. 17.	23.	29.	35.	41.	47.	
				6.	12. 18.	24.	30.	36.	42.	48.	
ARCHITECTURAL REQUIREN	MENTS										
WALL AND CEILING  Wall Material: GB	Finish: PT	WALL PROTECTION Type:	✓ Corner Guards ☐ Hand R	tails   Bed Bumper / Locator	GLAZING  Interior Glazing	FLOORING TYPES Material: Base:		OOM ACCESSORIES  Coat Hooks Ceili	ng Lift	✓ Magnetic Whit	eboard
Ceiling Material: ACT	Finish: PF	Height:	☐ Crash Rails ✓ Chair R		interior Glazing	RSF RB			nt Change Table	Privacy Curtain	
LEGEND:	DOORS				1			Door Remarks:			
WALL AND CEILING LEGEND:	Тур	۵6.									
AC Architectural Ceiling	Тур			1 199 9 9 9						□ Secu	ırity Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom										☐ Anti-	-barricade
ARGB Abuse-Resistant Gypsum Boar	rd .									strat	
GB Gypsum Board  IRGB Impact-Resistant Gypsum Boa	ard .	A A2 B	B2 C C2 D	D2 E E2 F	F2 G H	J					
KLCT Kitchen Lay-in Ceiling Tile				Integral Door & Frame Privacy	Card I	Mag Auto Hold					
MMRGB Moisture and Mould-Resistant SACT Security Acoustic Ceiling Tile	t Gypsum Board	Type:Qty: Size (mm):	Material: Finish: Side L	Lt: Blinds: Protect.: Film:	Function: Reader: I	ock: Opener: Open: H	inges: Ac	ccessory 1: Accessory 2:	Accessory 3:	Closer:	
		C 1 915 x 2135 S	olid Core FRL	1 Low Sto	reroom 🗸	Butt Hin	ge		9	Surface	
WALL FINISHES LEGEND:											
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND S	PECIALTY CASEWORK			N				FINISHE		
PT Paint	WILLIAM S	TEIRETT CASEVORK		PPER UNITS	Storage Requirements:				FINISHE	:5	
CEILING FINISHES LEGEND:		7	U1					Full-height			_
ECC Epoxy Ceiling Coating HPC High Performance Coating	7	TVVIZ	U2 U3 U4	U5 U6 U7				1	Millwork:		_
PF Prefinished	-			U5 U6 U7 U8	SHELF				untertop: Millwork:		
PT Paint	-							Lower	Shelf:		
WALL PROTECTION LEGEND:	- congression				Si				Silcii.		
ESRP Extruded Semi-Rigid PVCu Pan	nel								Remarks:		
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic		/									
PVW Protective Vinyl Wallcovering		100	Distance	6							
RHIS Rigid High Impact Sheet			*** **********************************								
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering	Samuel Control of the			50 TO TO TO TO TO TO TO TO TO TO TO TO TO							
FLOOR FINISHES LEGEND:	C1		$+$ $\perp$ $\mid$ $\mid$ $\mid$ $\mid$		ON ME PERSONAL PROPERTY.	1					
CFS Concrete Floor Sealer		C2 C3 C4 C5 L1	+				7	/	-		
EFC Epoxy Floor Coating			L2 L3 L4		WW-		_/	4	7		
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CA			L6 L7 L8			7				
RSF Rubber Sheet Flooring	TOLE HEIGHT GA	5.142.10		□ □ □ <u>ιο</u> ι9	L10 111	7	-1	1 - 1 - 1			
SCF Seamless Cushioned Flooring						TC1 TC2		u   [			
SDRF Static-Dissipative Rubber Shee SDVF Static-Dissipative Vinyl Sheet F	-		Motorized	Standing County				UC1			
VSF Vinyl Sheet Flooring	Category 1 - Low (		- ,	Standing Specialty Height Casework	LOWER UNITS	DECERTION /TRANSACTION					
WSVF Wetroom Safety Vinyl Sheet Fl	Category 2 - Ivieu	5% - 9%)	, (, neight			RECEPTION/TRANSACTION COUNTER / CARE TEAM	UTILITY SINK	AND COUNTER UNIT			
FLOOR BASE LEGEND:	Category 3 - High (	10% or Greater)				STATION DESK					
FCB Flash Cove Base RB Rubber Base											
SCF Seamless Cushioned Flooring											
MECHANICAL REQUIREMEN	VTS										
•			Othor Finture		MED / NON MED COO						
PLUMBING Hand (Quantity) Hygiene Sink: Lavato	Seamless Utility / ory: Kitchen Sink: Kitchen Sink: Process Sink	: Scrub Sink: Floor Sink:	Other Fixtures:	Eyewash Station	MED / NON-MED GAS		10		l aharat -	y Jahoratan	Utility
(Quantity) Hygiene Sink: Lavato	,		Shower	Eyewash/Shower Station	(Quantity)	Medical Nitro dical Air: Vacuum: Oxid		AGSS: Nitrog	Laborator <sub>zen</sub> . Air:	y Laboratory <sub>Co</sub> Vacuum:	ompressed
			Tub	Emergency Shower	Oxygen: Me	uical All:	CO2:	AGSS: Nitrog	gen.	1 2000	Air:
Plumbing Remarks:			☐ Ice Maker	Flush Rim Sink							
nemarks:			Water Closet	Floor Drain	Gas Remarks:						
			Instantaneous	☐ Water Bottle Refill Station	Gas Reliidiks:						l
			Hot Water	Othor							i
				Other							i

7. 8.

13.

14.

19.

20.

Program 1. K1.12

Number(s): 2.

25. 26. 31.

32.

37.

38.

43.

44.

**Appendix 1B Minimum Room Requirements** 

			Number(s):	2.	8.	14.	20.	26.	32.	38.	44.	
Danie Names Not Lload				3.	9.	15.	21.	27.	33.	39.	45.	
Room Name: Not Used				4.	10.	16.	22.	28.	34.	40.	46.	
				5.	11.	17.	23.	29.	35.	41.	47.	
				6.	12.	18.	24.	30.	36.	42.	48.	
ARCHITECTURAL REQUIREMENTS			'		,		-		1	1		
WALL AND CEILING	WALL	PROTECTION			GLAZING		FLOORING TYPES	R	OOM ACCESSORIES			
Wall Material: GB		Type: ✓ Corner Guards ☐ Hand R	ails 🗌 Bed Bu	mper / Locator	☐ Interior Glaz	-in-c	Material: Base:		Coat Hooks	eiling Lift	✓ Magnetic Whiteboard	1
Ceiling Material: ACT		Height: ☐ Crash Rails ✓ Chair R		,	interior Glaz	zirig	RSF RB				Privacy Curtain	
LEGEND:	DOORS				1				Door Remarks:			
WALL AND CEILING LEGEND:												
AC Architectural Ceiling	Types:			7 FIG (2)		723					Security Gril	ile
ACT Acoustic Ceiling Tile	16										Anti-barrica	ndo
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board											strategy	ue
GB Gypsum Board	A	A2 B B2 C C2 D	D2	E E2 F	F2 G	н	J				5	
IRGB Impact-Resistant Gypsum Board  KLCT Kitchen Lay-in Ceiling Tile			Integral Doo	r & Frame Privacy	C	ard Mag	Auto Hold					
MMRGB Moisture and Mould-Resistant Gypsum Board	F <sub>V</sub>	/pe:Qty: Size (mm): Material: Finish: Side L	•	rotect.: Film:			2	ges: A	ccessory 1: Accessory	2. Accessory 3.	Closer:	
SACT Security Acoustic Ceiling Tile	_	C 2 915 x 2135 Solid Core FRL	1 Lo			<b>7</b>	Butt Hing		cccssory 1. Accessory		face	
WALL FINISHES LEGEND:		C 2 313 X 2133 Solid Core THE						-		341	dec	
EWC Epoxy Wall Coating  HPC High Performance Coating	MILLWORK AND SPECIALT	TY CASEWORK		Si	orage Requirements:					FINISHES		
PT Paint	-	U	PPER UNITS	3	orage Requirements.				5 H b . :			
CEILING FINISHES LEGEND:	/ ./	U1 U2 U3								ght Cabinet:		
ECC Epoxy Ceiling Coating HPC High Performance Coating		U4	U5	U6					1	er Millwork: Countertop: Solid Surfa	ncing	
PF Prefinished	-		7	U7 U8	SHELF					rer Millwork: Plastic Lan		
PT Paint	K		1	77	+3 <b></b>				Low	Shelf:	illate	
WALL PROTECTION LEGEND:			.  K		S1 S1					Jileii.		
ESRP Extruded Semi-Rigid PVCu Panel										Remarks:		
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic										Refer to Annend	lix 1A, Section 2.22 V.	$\neg$
PVW Protective Vinyl Wallcovering	The same of the sa	30	-		1						ucation for operable	
RHIS Rigid High Impact Sheet				1	1					partition require	ments	
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering	Contract of the last of the la		Gel	no Transport								
FLOOR FINISHES LEGEND:	C1 C2		" =	= 7	OR HAD RESERVED		1 600000					
CFS Concrete Floor Sealer		C3 C4 C5 11	-	- 7		1		7				
EFC Epoxy Floor Coating					141	1	K		The state of the s	7/		
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	- L3 L4 V	L5 16	17		1 -		7	The same of the sa	211		
RSF Rubber Sheet Flooring	TOLE HEIGHT CABINETS		□ L6	L7 L8 L9	L10 L11	1		$\dashv$ $\nearrow$				
SCF Seamless Cushioned Flooring						L12	TC1 TC2		U   [	-		
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized	Chanding C.				TC1 TC2		UC1			
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%)	Min. Length Adjustable Category (mm) Height	-	ecialty sework	LOWER UNITS	DECEDT	TION/TRANSACTION					
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	)					ER / CARE TEAM	UTILITY SINK	AND COUNTER UNIT			
FLOOR BASE LEGEND:	Category 3 - High (10% or G	Greater)				STATIO						
FCB Flash Cove Base RB Rubber Base												
SCF Seamless Cushioned Flooring												
MECHANICAL REQUIREMENTS	I .											
PLUMBING Hand	Seamless Utility /	Other Fixtures:	☐ Eyewash	Station	MED / NON-ME	ED GASES						
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink	: Kitchen Sink: Process Sink: Scrub	Sink: Floor Sink: Shower		Station /Shower Station	(Quantity)	0.010	Medical Nitrous			Laboratory	Utility Laboratory Compress	
, , , , , , , , , , , , , , , , , , , ,		Shower Tub			Oxygen:	: Medical Air			AGSS: Ni	trogen: Air:	Vacuum: Compress  Air:	
Plumbing			Emergen						1	<u> </u>	All.	
Remarks:		☐ Ice Maker	Flush Rin									
		Water Closet	Floor Dra		Gas Rema	arks:						
		Instantaneous	☐ Water Bo	ottle Refill Station								
		Hot Water	Other									

Program 1. V1.06

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

The state of the s				Number(s):	2. U5.02	8.	14.	20.	26.	32.	3	38.	44.	
Neeting Doom 4 Cost					3. U6.02	9.	15.	21.	27.	33.	3	39.	45.	
Room Name: Meeting Room - 4-Seat					4.	10.	16.	22.	28.	34.	4	40.	46.	
					5.	11.	17.	23.	29.	35.	4	41.	47.	
					6.	12.	18.	24.	30.	36.	4	12.	48.	
ARCHITECTURAL REQUIREMENTS														
·	WALL	PROTECTION				GLAZING		FLOORING TYPES		ROOM ACCESSOR	DIEC			
WALL AND CEILING  Wall Material: GB			✓ Corner Guards ☐ Hand Ra	ils 🗌 Bed Bu	mnor / Locator			Material: Base:		Coat Hooks		<b>√</b> ,	lagnetic Whiteboo	ard
Ceiling Material: ACT		71	☐ Crash Rails ☐ Chair Rai		imper / Locator	✓ Interior Glaz	ing	RSF RB			Infant Change		rivacy Curtain	iiu
		eight.								Door Remarks				
LEGEND:	DOORS									Door Remark	3.			
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:												☐ Security	Grille
ACT Acoustic Ceiling Tile														
ACT-C Cleanroom			MENALNIN			4 N/4 NN.		MMAA					☐ Anti-barr	
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A	A2 B	B2 C C2 D	D2	E E2 F	F2 G	н						strategy	
IRGB Impact-Resistant Gypsum Board	^	A2 0	52 € €2 5			72 0		,						
KLCT Kitchen Lay-in Ceiling Tile				•	r & Frame Privacy	Ca	0	Auto Hold						
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile	_		Material: Finish: Side Lt	: Blinds: P	rotect.: Film:	Function: Rea	der: Lock: (			Accessory 1: Acce	essory 2: Access			
· -		C 1 915 x 2135 So	olid Core FRL	1 Lo	w Sto	reroom		Butt Hing	e			Surface		
WALL FINISHES LEGEND:														
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIAL	V CVCEMUDK			_									
PT Paint	WILLWORK AND SPECIAL	CASEVVORK	UP	PER UNITS	S	torage Requirements:						FINISHES		
CEILING FINISHES LEGEND:			U1	_						Fi	ull-height Cabinet:			
ECC Epoxy Ceiling Coating	(my	17.77	U2 U3 U4								Upper Millwork:			
HPC High Performance Coating	-	C-K-V	Y 17	U5	U6 U7						Countertop:			
PF Prefinished PT Paint					U8	SHELF					Lower Millwork:			
					-	<b>→</b> □					Shelf:			
WALL PROTECTION LEGEND:	7	<u> </u>				S1								
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate	Sugaran			- I		1/2					Remark	S:		
FRP Fibreglass Reinforced Plastic														
PVW Protective Vinyl Wallcovering	-	100		F										
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel			200	-	1									
WVW Wetroom Vinyl Wallcovering		_   ~		111	an The section is not the second		1							
FLOOR FINISHES LEGEND:	C1 C2		<del></del>	" =	- 7	on an extrapolation	-	/ Commence						
CFS Concrete Floor Sealer		C3 C4 C5 L1			- 5-		1		7	/				
EFC Epoxy Floor Coating			L2 L3 L4		-K-V)	44	1	K		4				
PFC Polyurethane Floor Coating	EIIII HEICHT CADINETS			L5 16	17		1 -		7					
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT CABINETS				L7 L8 L9	L10 L11	-	/ - 17	$\dashv$		2.			
SCF Seamless Cushioned Flooring				_			L12	TC1 TC2						
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend:		Motorized					TC2	200	UC1	u .			
SDVF Static-Dissipative Vinyl Sheet Flooring  VSF Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%)	Catego	- ,		ecialty	LOWER UNITS					2.0			
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)		ory (mm) Height		ework			TION/TRANSACTION	LITH ITV CINI	K AND COUNTER UI	NIT			
FLOOR BASE LEGEND:	Category 3 - High (10% or G	ireater)					STATIO	ER / CARE TEAM N DESK	OTILITI SINI	K AND COUNTER OF	INIT			
FCB Flash Cove Base							2.7.1.10							
RB Rubber Base														
SCF Seamless Cushioned Flooring														
MECHANICAL REQUIREMENTS														
PLUMBING Hand	Seamless Utility /		Other Fixtures:	☐ Eyewash	Station	MED / NON-ME	D GASES							
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink	:: Kitchen Sink: Process Sink: Scrub	Sink: Floor Sink:	Shower		/Shower Station	(Quantity)		Medical Nitrou	S		L	aboratory La	Uti poratory Compi	
			☐ Tub	Emergen		Oxygen:	Medical Air			AGSS:	Nitrogen:		acilim.	ir:
Plumbing	1 1					10								
Remarks:			☐ Ice Maker	Flush Rin										
			Water Closet	Floor Dra		Gas Rema	arks:							
			Instantaneous	☐ Water Bo	ottle Refill Station									
			Hot Water	Other										
				oaner										

Program 1. K2.02

7.

13.

19.

25.

31.

37.

43.

Appendix 1B	Minimum Room Require	ements		Program 1. V1.05 mber(s): 2.	7. 13 8. 14		19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room N	Name: Meeting Room - 50-Seat			3.	9. 15 10. 16		21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				5.	11. 17		23.	29.	35.	41.	47.
				6.	12. 18	3.	24.	30.	36.	42.	48.
ARCHITECTURA	AL REQUIREMENTS				I			T			
WALL AND CEILIN		WALL PROTECTION	✓ Corner Guards ☐ Hand Rails ☐	] B. (B / L	GLAZING		ORING TYPES  Material: Base:		ACCESSORIES		and the Marketten bearing
Wall Mate Ceiling Mate		Finish: PT Type: Height:	Crash Rails Chair Rail	□ Bed Bumper / Locator	☐ Interior Glazing		RSF RB	]	at Hooks		gnetic Whiteboard vacy Curtain
LEGEND:		DOORS							or Remarks:		
WALL AND CEILIN	NG LEGEND:	Types:									
	ectural Ceiling	Types.	as a as a								Security Grille
ACT-C Cleans			TZ KI KIZ N N								☐ Anti-barricade
	e-Resistant Gypsum Board Im Board	A A2 B	B2 C C2 D D2	D2 E E2 F	F2 G	H					strategy
	t-Resistant Gypsum Board en Lay-in Ceiling Tile			gral Door & Frame Privacy	Card	Mag Auto	Hold				
MMRGB Moistu	ure and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blind		Function: Reader	0	r: Open: Hinge	s: Accessory	1: Accessory 2: Ac	cessory 3: Close	r:
	ity Acoustic Ceiling Tile	C 2 915 x 2135	Solid Core FRL	1 Low Stor	eroom 🗸		Butt Hinge			Surface	
EWC Epoxy	EGEND: Wall Coating										
HPC High Po	Performance Coating	MILLWORK AND SPECIALTY CASEWORK		NUTC St	orage Requirements:					FINISHES	
CEILING FINISHES	S LEGEND:		UPPER UN	NIIS					Full-height Cabi	net:	
ECC Epoxy	Ceiling Coating	7	U2 U3 U4						Upper Millw		
HPC High Po	Performance Coating ished		US V	5 U6 U7 U8	SHELF					top: Solid Surfacing ork: Plastic Laminate	
PT Paint				77	†a 🗆					nelf:	
WALL PROTECTIO	ON LEGEND:	-			S1 S1						
	ded Semi-Rigid PVCu Panel Reinforced Laminate				1				Rem	arks:	
FRP Fibregl	lass Reinforced Plastic	7								Refer to Appendix 1A,	
	ctive Vinyl Wallcovering High Impact Sheet		The same of the sa	7	i					Meeting and Education partition requirements	-
	all Solid Surface Panel oom Vinyl Wallcovering	-		on on							
FLOOR FINISHES L		CI CI	<del></del>	===	On the supplemental supplementa		-				
	ete Floor Sealer				==			7/	F		
	Floor Coating rethane Floor Coating		L2 L3 L4 L5					/ -			
RAF Rubbe	er Athletic Flooring	FULL-HEIGHT CABINETS		L6 L7 L8 L9		/		] ]			
	er Sheet Flooring less Cushioned Flooring		_		L10 L11	L12					
	-Dissipative Rubber Sheet Flooring	Legend:	Motorized				TC1 TC2	UC			
VSF Vinyl S	-Dissipative Vinyl Sheet Flooring Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category	Min. Length Adjustable Standing gory (mm) Height Height		LOWER UNITS	RECEPTION/T			ш		
	oom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	, ,	- Casework		COUNTER / CA		ITILITY SINK AND CO	OUNTER UNIT		
FCB Flash C	END: Cove Base	Category 3 - High (10% or Greater)				STATION DESI	K				
RB Rubbe											
SCF Seamle	less Cushioned Flooring										
***********	DEGLUDENSENTS								L		
	REQUIREMENTS										
Llucio	land ene Sink: Lavatory: Kitchen Sinl	Seamless Utility /  K: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Evewash Station	MED / NON-MED G		Madical ATT			lahasita.	Utility
(Quantity)	2 Sink 23vatory. Reterior Sink	- Interior Shire 170003 Shire Strad Shire 17001 Shire		Eyewash/Shower Station	(Quantity) Oxygen:		Medical Nitrous /acuum: Oxide:	CO2:	AGSS: Nitrogen:		Compressed
Plumbing				Emergency Shower	Олуден.	Wicaldal All.			, 1000. Milliogell.		Air:
Remarks:			_	Flush Rim Sink Floor Drain							
			_	Water Bottle Refill Station	Gas Remarks:	:					
			Hot Water								
			Oth	her							

					Number(s):	2. N3.04	8.	14.	20.	26.	32.	38		44.
_	M ( D 00 )					3.	9.	15.	21.	27.	33.	39		45.
R	Room Name: Meeting Room - 6-Seat					4.		16.	22.	28.	34.	40		46.
						5.		17.	23.	29.	35.	41		47.
						6.		18.	24.	30.	36.	42		48.
						0.		10.	2	30.	30.	'2	•	10.
ARCHITEC	TURAL REQUIREMENTS													
WALL AND	CEILING	, w	VALL PROTECTION				GLAZING		FLOORING TYPES		ROOM ACCESSOR	RIES		
	ll Material: GB	Finish: PT		✓ Corner Guards ☐ Hand Ra	ils 🗌 Bed Bu	mper / Locator	☐ Interior Glazin	_	Material: Base:		☐ Coat Hooks		<b>✓</b> Ma	gnetic Whiteboard
	g Material: ACT	Finish: PF	Height:	☐ Crash Rails ✓ Chair Ra		•	Interior Glazini	g	RSF RB			Infant Change T		acy Curtain
			ricigitt.											
LEGEND:		DOORS									Door Remarks	•		7
	CEILING LEGEND:	Types:												Security Grille
AC ACT	Architectural Ceiling Acoustic Ceiling Tile													security since
ACT-C	Cleanroom								9977					☐ Anti-barricade
ARGB	Abuse-Resistant Gypsum Board	9		كالمتعامل المتعاملات										strategy
GB	Gypsum Board		A A2 B	B2 C C2 D	D2	E E2 F	F2 G	н	J					
IRGB KLCT	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile				Integral Doo	r & Frame Privacy	Card	d Mag	Auto Hold					
MMRGB	Moisture and Mould-Resistant Gypsum Board		Гуре:Qty: Size (mm):	Material: Finish: Side Lt	•	Protect.: Film:		U		nges:	Accessory 1: Acce	ssory 2: Accessor	y 3: Close	··
SACT	Security Acoustic Ceiling Tile			olid Core FRL	. 1 Lo				Butt Hing		Accessory 1. Acce	3301 y 2. Accessor	Surface	•
WALL FINIS	SHES LEGEND:		C 1 915 X 2135 3	olid core FRL		JW 510	reroom 🗸		Butt ning	ge			Surface	
EWC	Epoxy Wall Coating													
HPC	High Performance Coating	MILLWORK AND SPEC	CIALTY CASEWORK			•	Storage Requirements:					F	INISHES	
PT	Paint	_		_	PER UNITS	·	ntorage medamementor				F.	E		
CEILING FIN	NISHES LEGEND:	/ 1/		U1							FL	Ill-height Cabinet:		
ECC	Epoxy Ceiling Coating	7	VV1717	U2 U3 U4	U5							Upper Millwork:		
HPC PF	High Performance Coating Prefinished	E-green	1		7	U6 U7 U8	SHELF					Countertop:		
PT	Paint					7 7	SHELF					Lower Millwork:		
							7 -					Shelf:		
	TECTION LEGEND:					1 1	S1							
ESRP FRL	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate	angeres.			- K		1000					Remarks:		
FRP	Fibreglass Reinforced Plastic		'  ' /				-							
PVW	Protective Vinyl Wallcovering		No Francisco	dense de la constante de la co	6									
RHIS	Rigid High Impact Sheet			100		1								
WSSP WVW	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAM	_   ~	" " 11 1		an Paragraphic								
	-	CI.			-	- 7	OD DIE STREET	- 1	1					
	ISHES LEGEND:	C1 C2 □	C3 C4 C5	+		~		1						
CFS EFC	Concrete Floor Sealer Epoxy Floor Coating			L2				K			L F	1		
PFC	Polyurethane Floor Coating			☐ L3 L4	L5		Z	~ ~			The same of the same of			
RAF	Rubber Athletic Flooring	FULL-HEIGHT CABINE	ETS		L6	L7 L8 L9			7   15					
RSF SCF	Rubber Sheet Flooring Seamless Cushioned Flooring						L10 L11							
SDRF	Static-Dissipative Rubber Sheet Flooring	Legend:		Motorized		_		L12 %	TC1 TC2			ll U		
SDVF	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None			Standing Spe	ecialty					UC1	II.		
VSF WSVF	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% -		- ,		sework	LOWER UNITS	RECEPT	ION/TRANSACTION					
WSVF	Wetroom safety villyi sheet Flooring	Category 2 - Med (5%							ER / CARE TEAM	UTILITY SIN	K AND COUNTER U	NIT		
FLOOR BAS	SE LEGEND:	Category 3 - High (10%	or Greater)					STATIO	N DESK					
FCB RB	Flash Cove Base													
SCF	Rubber Base Seamless Cushioned Flooring													
	g The state of the													
A456::44::	1041 DE0111DE4453176													
MECHANIC	CAL REQUIREMENTS													
PLUMBING	Hand	Seamless Utility /		Other Fixtures:	☐ Eyewash	Station	MED / NON-MED	GASES						1.12.111
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink: S	Scrub Sink: Floor Sink:	Shower		/Shower Station	(Quantity)		Medical Nitrou	S		Lab	oratory Labo	Utility ratory Compressed
				☐ Tub	Emergen		Oxygen:	Medical Air	·: Vacuum: Oxide	: CO2:	: AGSS:			uum: Air:
Dlumbing							70-11							7.111
Plumbing Remarks:				☐ Ice Maker	☐ Flush Rin									
nemarks.				Water Closet	☐ Floor Dra		Gas Remark	cs:						
				Instantaneous	☐ Water Bo	ottle Refill Station	Gas Kemark							
				Hot Water	Out.									
					Other									

Program 1. G3.08

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Room Name:	Meeting Room - 8-Seat			3. P4.02	9. 15.	21.	27.	33.	39.	45.
Noom Nume.				4. P4.04	10. 16.	22.	28.	34.	40.	46.
				5. S2.02	11. 17.	23.	29.	35.	41.	47.
				6. U2.06	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REC	QUIREMENTS									
WALL AND CEILING		WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM A	CCESSORIES		
Wall Material: GB	Finish: PT		✓ Corner Guards ☐ Hand Rai	ls Bed Bumper / Locator	☐ Interior Glazing	Material: Base:		t Hooks Ceiling L	.ift 🖢	✓ Magnetic Whiteboard
Ceiling Material: AC		Height:	☐ Crash Rails ✓ Chair Rail		interior Glazing	RSF RB	☐ Mir			Privacy Curtain
		ricigiit.						r Remarks:		
LEGEND:	DOORS						D00	r Kemarks:		
WALL AND CEILING LEGEN	Typ	es:								☐ Security Grille
AC Architectural Ceilir ACT Acoustic Ceiling Til				IMINI MIMIMIMIMIMIMIMIMIMIMIMIMIMIMIMIMI						,
ACT-C Cleanroom										☐ Anti-barricade
ARGB Abuse-Resistant G	ypsum Board									strategy
GB Gypsum Board IRGB Impact-Resistant G	Sungum Board	A A2 B	B2 C C2 D	D2 E E2 F	F2 G H	J				
IRGB Impact-Resistant G KLCT Kitchen Lay-in Ceili				Integral Door & Frame Privacy	Card Ma	ag Auto Hold				
	ld-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt:				iges: Accessory	1: Accessory 2: A	accessory 3:	Closer:
SACT Security Acoustic C	Ceiling Tile	C 1 915 x 2135 S			reroom 🗸	Butt Hing		,	Surf	
WALL FINISHES LEGEND:										
EWC Epoxy Wall Coating										
HPC High Performance PT Paint	Coating MILLWORK AND S	SPECIALTY CASEWORK		S	torage Requirements:			1	FINISHES	
				PER UNITS				Full-height Cal		
CEILING FINISHES LEGEND	/ 1/	7	U2 112 U					Upper Mills		
ECC Epoxy Ceiling Coat HPC High Performance		TYVIZ	U4	U5 U6 U7				Counte		
PF Prefinished	7			U7 U8	SHELF			Lower Mills		
PT Paint	Angeres .		-		n				Shelf:	
WALL PROTECTION LEGEN	D:				S1 S1			,	Sileii.	
ESRP Extruded Semi-Rigi	id DVCu Panel							Re	marks:	
FRL Fibre Reinforced La			- 1		-					
FRP Fibreglass Reinford	/								with integral blin	require interior glazing
PVW Protective Vinyl W RHIS Rigid High Impact S		*-	1	The state of the s	i			]	with integral blin	us.
WSSP Wetwall Solid Surfa				ACCOUNT OF THE PARTY OF THE PAR						
WVW Wetroom Vinyl Wa	allcovering				The state of the s					
FLOOR FINISHES LEGEND:	cı .	C2 C3			On the Party of th					
CFS Concrete Floor Sea		C2 C3 C4 C5 L1					7			
EFC Epoxy Floor Coatin	g		L2 L3 L4		_ KM -	-				
PFC Polyurethane Floor RAF Rubber Athletic Flo				L5 L6 L7 L8 L9						
RSF Rubber Sheet Floo				L6 L7 L8 L9	L10 111		7/			
SCF Seamless Cushione SDRF Static-Dissipative F	ed Flooring Rubber Sheet Flooring Legend:					TC1 TC2				
SDVF Static-Dissipative N	-		Motorized	tanding Cassialts			UC1	l l		
VSF Vinyl Sheet Floorin	Category 1 - Low (		- ,	tanding Specialty Height Casework	LOWER UNITS	ECEPTION/TRANSACTION				
WSVF Wetroom Safety V	Category 2 - Ivieu	(5% - 9%)	, (, Height			OUNTER / CARE TEAM	UTILITY SINK AND CO	UNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High	(10% or Greater)				TATION DESK				
FCB Flash Cove Base										
RB Rubber Base SCF Seamless Cushione	ed Flooring									
Sci Scanness Cushione										
MECHANICAL REQUI	REMENTS				1					
PLUMBING Hand	Seamless Utility /		Other Fixtures:	Evewash Station	MED / NON-MED GASES	S				
(Quantity) Hygiene Sink:		: Scrub Sink: Floor Sink:	Shower	Eyewash/Shower Station	(Quantity)	Medical Nitrous	i		Laboratory	Laboratory Compressed
			☐ Tub	Emergency Shower	1 1	ical Air: Vacuum: Oxide:		AGSS: Nitrogen:	A	Vacuum: Air:
Plumbing										
Remarks:			☐ Ice Maker	Flush Rim Sink						
				Floor Drain	Gas Remarks:					
			Instantaneous	☐ Water Bottle Refill Station						
			Hot Water	Other						
				Ouici						

Program 1. A4.02

Number(s): 2. L3.06

7.

8.

13.

14.

19.

20.

25.

26.

31.

32.

37.

38.

43.

44.

**Appendix 1B Minimum Room Requirements** 

Room Name: Office - Private			3. C8.02	9. G3.04	15. M1.05	21. Q3.02	27. U3.01	33. W4.11	39.	45.	
noom name.			4. D7.03	10. H1.01	16. M2.06	22. R4.01	28. U5.04	34. X4.01	40.	46.	
			5. E2.04	11. I3.01	17. N1.04	23. S2.03	29. U6.05	35. Y3.04	41.	47.	
			6. Not Used	12. J5.04	18. N2.03	24. T1.06	30. W2.01	36. Y4.01	42.	48.	
ARCHITECTURAL REQUIREMENTS									•		
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES	ROC	OM ACCESSORIES			
Wall Material: GB	Finish: PT Type:	Corner Guards □ Hand Rails □ E	Bed Bumper / Locator	✓ Interior GI		Material: Base:		Coat Hooks Ceiling I	Lift	✓ Magnetic Whitebo	oard
Ceiling Material: ACT	Finish: PF Height:	☐ Crash Rails ✓ Chair Rail	, , , , , , , , , , , , , , , , , , , ,	■ Interior Gi	lazirig	VSF RB			hange Table	Privacy Curtain	
								Door Remarks:			
LEGEND:	DOORS							Door Remarks:			
WALL AND CEILING LEGEND:	Types:									☐ Security	v Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile				N MN ZF						,	
ACT Acoustic ceiling file  ACT-C Cleanroom						5577				Anti-ba	rricade
ARGB Abuse-Resistant Gypsum Board										strategy	y
GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	н	J					
KLCT Kitchen Lay-in Ceiling Tile		Integra	l Door & Frame Privacy		Card Mag	Auto Hold					
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds		Function: R		Opener: Open: Hin	ges: Acce	ssory 1: Accessory 2:	Accessory 3:	Closer:	
SACT Security Acoustic Ceiling Tile	C 1 915 x 2135		1 Low St	toreroom		Butt Hinge		, ,	-	urface	
WALL FINISHES LEGEND:											
EWC Epoxy Wall Coating											
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK			Storage Requirements	s:				FINISHE	S	
		UPPER UNIT	rs					Full-height Ca	hinet:		٦
CEILING FINISHES LEGEND:	6 17 17	U2						Upper Mill	-		-
ECC Epoxy Ceiling Coating HPC High Performance Coating		U4 U5	U6 U7					Counte	-		-
PF Prefinished	7		U7 U8	SHELF				Lower Mill			-
PT Paint	Congression		7						Shelf:		-
WALL PROTECTION LEGEND:	Congression			S1 S1					Silen.		
ESRP Extruded Semi-Rigid PVCu Panel				11				Re	emarks:		
FRL Fibre Reinforced Laminate										iah DCE	
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering	7								Provide W4.11	. WITH KSF. with interior window wi	ith
RHIS Rigid High Impact Sheet	-   -   -	-	7	i					privacy film.	with interior willdow wi	
WSSP Wetwall Solid Surface Panel			Con Contraction of the Contracti						,		
WVW Wetroom Vinyl Wallcovering				On the state of th	1	7/					
FLOOR FINISHES LEGEND:	C1 C2 C3 C4 c7			- 1	1	Consessant -		100 <u>11</u> 40.000 (1000.00)			
CFS Concrete Floor Sealer		11 12	= //				7	F 3			
EFC Epoxy Floor Coating  PFC Polyurethane Floor Coating		L3 14		- KKK	1	Graph and	/ 1	The same of the sa			
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L6 L7 L8 L9								
RSF Rubber Sheet Flooring				L10 L11	1		7/				
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Marke 4 - 4			L12 🐰	TC1 TC2		[ [ ]			
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized Min. Length Adjustable Standing	Specialty					UC1 U			
VSF Vinyl Sheet Flooring		tegory (mm) Height Height	Casework	LOWER UNITS	RECEPTI	ION/TRANSACTION					
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)					ER / CARE TEAM	UTILITY SINK AN	ID COUNTER UNIT			
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				STATION						
FCB Flash Cove Base RB Rubber Base											
SCF Seamless Cushioned Flooring											
-											
MECHANICAL DECLUDERACETS											
MECHANICAL REQUIREMENTS											
PLUMBING Hand	Seamless Utility /	Other Fixtures:	ewash Station	MED / NON-N	MED GASES					LIE	tility
(Quantity) Hygiene Sink: Lavatory: Kitchen	Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink		ewash/Shower Station	(Quantity)		Medical Nitrous			Laboratory	Laboratory Comp	pressed
			nergency Shower	Oxyge	en: Medical Air:	· Vacuum: Oxide:	CO2:	AGSS: Nitrogen	: Air:		Air:
Plumbing	-		ısh Rim Sink								
Remarks:		_	oor Drain								
				Gas Rer	marks:						
			ater Bottle Refill Station								
		Hot Water Other	r	]							
				_							

Program 1. A4.06

Number(s): 2. B4.07

7. E7.01

8. F8.01

13. K1.07

14. L3.01

19. N3.05

20. P4.01

25. T1.09

26. U2.01

31. W2.05

32. W3.02

37.

38.

43.

44.

**Appendix 1B Minimum Room Requirements** 

				Number(s):	2. B2.25	8. D7.04	14. G3.03	20. U4.01	26. W	5.02 3	2.	38.	44.	
					3. B3.25	9. F2.03	15. L3.02	21. U4.03	27. W		3.	39.	45.	
Room Name: Office - Sha	ared				4. B4.08	10. F7.07	16. N3.06	22. U5.05	28. X4.		4.	40.	46.	
					5. C8.03	11. F8.02	17. P2.06	23. U6.06	29. Y3.		5.	41.	47.	
					6. D2.18	12. F8.03	18. Q3.01	24. W1.10	30.		6.	42.	48.	
					0. D2.10	12. 16.03	10. Q3.01	24. W1.10	30.	3	o.	42.	40.	
ARCHITECTURAL REQUIREME	NTS													
WALL AND CEILING		WALL PROTECTION				GLAZING		FLOORING TYPES		ROOM ACCES	SORIES			
Wall Material: GB	Finish: PT	Type:	✓ Corner Guards ☐ Hand Rai	ls Bed Bu	mper / Locator	✓ Interior Glaz	zina	Material: Base:			oks   Ceiling Li	ft •	Magnetic W	√hiteboard
Ceiling Material: ACT	Finish: PF	Height:	☐ Crash Rails ✓ Chair Rail		•	interior diaz	ZIIIg	VSF RB		☐ Mirror	☐ Infant Ch		Privacy Curt	
LECENIA	DOORS									Door Ren	narks:			
LEGEND: WALL AND CEILING LEGEND:											2) doors for D2.18			
AC Architectural Ceiling	Тур	oes:	elel (a) (a)() (e)							,	,		☐ Sf	ecurity Grille
ACT Acoustic Ceiling Tile				RIPLE										
ACT-C Cleanroom			MEDINIMI	INMI										Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board													st	trategy
IRGB Impact-Resistant Gypsum Board		A A2 B	B2 C C2 D	D2	E E2 F	F2 G	н	J						
KLCT Kitchen Lay-in Ceiling Tile				Integral Doo	r & Frame Privacy	Ca	Card Mag	Auto Hold						
MMRGB Moisture and Mould-Resistant Gyp	psum Board	Type:Qty: Size (mm):	Material: Finish: Side Lt:	Blinds: P	rotect.: Film:	Function: Rea	ader: Lock: C	Opener: Open: Hin	ges:	Accessory 1:	Accessory 2: Ac	ccessory 3:	Closer:	
SACT Security Acoustic Ceiling Tile			olid Core FRL	1 Lo	w Sto			Butt Hinge				Surfa		
WALL FINISHES LEGEND:		C 1 313 x 2133 3	ond core			[						3411	100	
EWC Epoxy Wall Coating						L								
HPC High Performance Coating PT Paint	MILLWORK AND	SPECIALTY CASEWORK		DED LIMITS	S	torage Requirements:						FINISHES		
			_	PER UNITS							Full-height Cab	inet:		
CEILING FINISHES LEGEND:	( V	177	U2 112 U								Upper Millw			
ECC Epoxy Ceiling Coating HPC High Performance Coating	7	TVVVZ	U4	U5	116						Counter			
PF Prefinished	2292222			7	U7 U8	SHELF					Lower Milly			
PT Paint	- Company			-	77									
WALL PROTECTION LEGEND.	-					1 !					5	helf:		
WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel	7				1 11	S1					_			
FRL Fibre Reinforced Laminate	OTHER PERSON.	" [ ] [ ] [ ] [ ] [ ]		-		V					Ren	marks:		
FRP Fibreglass Reinforced Plastic		1 1/	1	1								Provide W4.24 w	ith RSF	
PVW Protective Vinyl Wallcovering	2		Consequences !	6	i i									
RHIS Rigid High Impact Sheet					1									
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering	Contractor	-	" "	Col Col	an Property and Persons									
· · ·			T	-	- 7	CO MISSESSED PROPERTY.		7						
FLOOR FINISHES LEGEND:	C1	C2 C3 C4		-	-1 -3-1		7				E9253			
CFS Concrete Floor Sealer EFC Epoxy Floor Coating			L2		-KN		K			/	F			
PFC Polyurethane Floor Coating			□ L3 L4	L5		- Seri	4	F-7-7-72		Taller	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAM			
RAF Rubber Athletic Flooring	FULL-HEIGHT CA	ABINETS			L7 L8 L0		1							
RSF Rubber Sheet Flooring				□ L6	L7 L8 L9	L10 L11	1		7/					
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flo	l agand:						L12	TC1 TC2		, u	U			
SDRF Static-Dissipative Rubber Sheet Flo SDVF Static-Dissipative Vinyl Sheet Floor		<b>a</b>	Motorized	tandia- C	atala.					UC1				
VSF Vinyl Sheet Flooring	Category 1 - Low		.,		ecialty sework	LOWER UNITS					2,40,00			
WSVF Wetroom Safety Vinyl Sheet Floori	Category 2 - Med		ory (mm) Height					ION/TRANSACTION	LITH ITV CH	IV AND COUNT	DUNIT			
FLOOR BASE LEGEND:	Category 3 - High						STATIO	ER / CARE TEAM N DESK	UTILITY 3II	NK AND COUNTE	IN OINIT			
FCB Flash Cove Base														
RB Rubber Base														
SCF Seamless Cushioned Flooring														
MECHANICAL REQUIREMENTS	S													
PLUMBING Hand	Seamless Utility /		Other Fixtures:	☐ Eyewash	Station	MED / NON-MI	ED GASES							
(Quantity) Hygiene Sink: Lavatory:	Kitchen Sink: Kitchen Sink: Process Sinl	k: Scrub Sink: Floor Sink:				(Quantity)		Medical Nitrous				Laboratory	Laboratory	Utility
(Quantity)			Shower	_	/Shower Station		. Madical Air		CO		. Nitrogo-	Air:	Vacuum:	Compressed
			Tub	Emergen	icy Shower	Oxygen:	: Medical Air		10.	2: AGSS	: Nitrogen:			Air:
Plumbing			☐ Ice Maker	☐ Flush Rin	n Sink								,	
Remarks:			Water Closet	☐ Floor Dra	ain			1 1		I	1			
			Instantaneous	_	ottle Refill Station	Gas Rema	arks:							
			Hot Water	□ water bo	Jule Velili Station									
			HOL WALEI	Other										

Program 1. A3.16

7. D2.19

13. F8.04

19. R4.02

25. W4.24

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Room Name: On-Call Room			3. Y3.03 4. 5. 6.	9. 15. 10. 16. 11. 17. 12. 18.	22. 23.	27.       33.         28.       34.         29.       35.         30.       36.	39. 40. 41. 42.	45. 46. 47. 48.
ARCHITECTURAL REQUIREMENTS								
WALL AND CEILING  Wall Material: Ceiling Material: ACT  LEGEND: WALL AND CEILING LEGEND: AC Architectural Ceiling ACT Acoustic Ceiling Tile ACT-C Cleanroom ARGB Abuse-Resistant Gypsum Board GB Gypsum Board IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile	Finish: PT THE DOORS  Types:	ight: Crash Rails Chai	D D2 E E2 F  Integral Door & Frame Privacy Blinds: Protect.: Film:	GLAZING  Interior Glazing  F2 G H  Card Mag Reader: Lock: ther Deadbolt	FLOORING TYPES Material: Base:  VSF FCB  Auto Hold Opener: Open: Hinges	Door Remarks:  Comply with Appen Guidelines and Fund Provide deadbolt w	nfant Change Table Printer Pri	agnetic Whiteboard ivacy Curtain  Security Grille Anti-barricade strategy
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating  HPC High Performance Coating  PT Paint  CEILING FINISHES LEGEND:	MILLWORK AND SPECIALTY	U1 U2 U2	UPPER UNITS	Storage Requirements: Provide a se	cured purse locker sized to accom	Full-hei	FINISHES ight Cabinet:	
ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering			U4 U5 U6 U7 U8	SHELF S1			Countertop: ver Millwork: Shelf:  Remarks:  Provide a full height mi	irror.
FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer  EFC Epoxy Floor Coating  PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring  RSF Rubber Sheet Flooring  SCF Seamless Cushioned Flooring  SDRF Static-Dissipative Rubber Sheet Flooring  SDVF Static-Dissipative Vinyl Sheet Flooring  VSF Vinyl Sheet Flooring  WSVF Wetroom Safety Vinyl Sheet Flooring  FLOOR BASE LEGEND:  FCB Flash Cove Base  RB Rubber Base  SCF Seamless Cushioned Flooring	FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Gr	Min. Length Adjustable Category (mm) Height	L5 L6 L7 L8 L9	LOWER UNITS  RECE COUR	PTION/TRANSACTION NTER / CARE TEAM UT	TILITY SINK AND COUNTER UNIT		
Plumbing (Quantity) Plumbing Remarks:	Seamless Utility / hen Sink: Kitchen Sink: Process Sink: Scrub S	Other Fixtures:  Shower  Tub  Ice Maker  Water Closet  Instantaneous	Evewash Station  Eyewash/Shower Station  Emergency Shower  Flush Rim Sink  Floor Drain  Water Bottle Refill Station	MED / NON-MED GASES (Quantity) Oxygen: Medical	Medical Nitrous Air: Vacuum: Oxide:	CO2: AGSS: Ni		oratory Compressed cuum: Air:
		Hot Water	Other					

Program 1. C8.04

Number(s): 2. Y2.03

7.

8.

13.

14.

19.

20.

25.

26.

31.

32.

37.

38.

43.

44.

Ro	oom Name: Patient Check-In		Number(s	3. E8.01	8. L1.02 14. 9. M2.02 15. 10. 16.	20. 21. 22.	26. 27. 28.	32. 33. 34.	38. 39. 40.	44 45 46	5.
				5. F2.02	10. 16. 17. 17. 12. 18.	23. 24.	29. 30.	35. 36.	41. 42.	47	7.
ARCHITECT	TURAL REQUIREMENTS					<u> </u>					
WALL AND O	·	WALL PROTECTION			GLAZING	FLOORING TYPI	ES RO	OM ACCESSOR	IES		
Wall	Material: ARGB 1.2m AFF, GB above ACT	Finish: PT Type: FRP	Corner Guards Hand Rails Bed B Crash Rails ✓ Chair Rail	Bumper / Locator	✓ Interior Glazing	Material: E	Base:	Coat Hooks		☐ Magnetic Privacy Cu	
LEGEND:		DOORS					1	Door Remarks:	:		
	CEILING LEGEND:	Types:								•	Security Grille
ACT ACT-C	Architectural Ceiling Acoustic Ceiling Tile Cleanroom				K) (4 4						Anti-barricade
ARGB GB	Abuse-Resistant Gypsum Board Gypsum Board	A A2 B B2	C C2 D D2	E E2 F	F2 G H	J					strategy
IRGB KLCT	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		Integral Do	oor & Frame Privacy	Card I	Mag Auto Hold					
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): Маt	_	Protect.: Film:	Function: Reader: I	Lock: Opener: Open:	Hinges: Acc	cessory 1: Acces	ssory 2: Accessory 3:	Closer:	
	HES LEGEND:	C 2 915 x 2135 Solid 0	Core FRL1	Low Store	eroom		utt Hinge			Concealed	-
EWC	Epoxy Wall Coating										J
HPC PT	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	LIBBER HAUTS	St	orage Requirements:				FINIS	HES	
	IISHES LEGEND:	U1	UPPER UNITS					Ful	ll-height Cabinet:		
ECC	Epoxy Ceiling Coating	7777	U2 U3 <u></u>						Upper Millwork: Plasti		
HPC PF	High Performance Coating Prefinished		US US	U6 U7 U8	SHELF				Countertop: Solid		
PT	Paint			77	+3				Lower Millwork: Plasti Shelf:	Laminate	
WALL PROT	ECTION LEGEND:	Engeneer I I			S1 S1				Silen.		
ESRP	Extruded Semi-Rigid PVCu Panel								Remarks:		
FRL FRP	Fibre Reinforced Laminate Fibreglass Reinforced Plastic	7								pendix 1A, Section	
PVW RHIS	Protective Vinyl Wallcovering Rigid High Impact Sheet	-	Francis Francis	- i	1				Rooms for F	Patient Check-In re	quirements
WSSP	Wetwall Solid Surface Panel		2 2	raparameters.							
WVW	Wetroom Vinyl Wallcovering				On the state of th	1	7				
CFS	SHES LEGEND:  Concrete Floor Sealer			- Person		And the same of th					
EFC	Epoxy Floor Coating		12		4		/	-			
PFC RAF	Polyurethane Floor Coating Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 10							
RSF	Rubber Sheet Flooring			L7 L8 L9 J	L10 L11						
SCF SDRF	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized		<b>✓</b> □ L12	TC1 ✓	TC2	u   [	l U		
SDVF	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		pecialty		✓	TC2 ✓	UC1	L.		
VSF WSVF	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category Category 2 - Med (5% - 9%)	(mm) Height Height C	asework		RECEPTION/TRANSACTION					
FLOOR BASE	E LEGEND:	Category 3 - High (10% or Greater)	3600			COUNTER / CARE TEAM STATION DESK	UTILITY SINK A	ND COUNTER UN	ШТ		
FCB	Flash Cove Base										
RB SCF	Rubber Base Seamless Cushioned Flooring										
MECHANIC	CAL REQUIREMENTS										
PLUMBING	•	Seamless Utility /	Other Fixtures: Eyewa	sh Station	MED / NON-MED GAS	SES					
		K: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		sh/Shower Station	(Quantity)	Medical	Nitrous		Laborat	ory Laboratory	Utility Compressed
				ency Shower		edical Air: Vacuum:	Oxide: CO2:	AGSS:	Nitrogen: Air:		Air:
Plumbing			☐ Ice Maker ☐ Flush F								1
Remarks:			☐ Water Closet ☐ Floor □				l				
				Bottle Refill Station	Gas Remarks:						
			Hot Water Other								
			Other								

Program 1. A1.01

7. 11.01

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B Min	nimum Room Requireme	nts			Program Number(s):	1. B1.04 2. B2.05	7. 8.	13. 14.	19. 20.	25. 26.		31. 32.	37. 38.	43. 44.
Doore Nove	e: Patient Room - AIR - Bariatric					3.	9.	15.	21.	27.		33.	39.	45.
Room Name	e: Patient Room - AIR - Banatiic					4.	10.	16.	22.	28.		34.	40.	46.
						5.	11.	17.	23.	29.		35.	41.	47.
						6.	12.	18.	24.	30.		36.	42.	48.
ARCHITECTURAL F	REQUIREMENTS	1					T							
WALL AND CEILING			WALL PROTECTION		<b>-</b>	4.	GLAZING		FLOORING TYPES  Material: Base:		ROOM ACC			
Wall Material: Ceiling Material:		sh: PT sh: ECC	Type: PVW Height: 1350 mm	Crash Rails  Crash Rails  Chair Rail	■ Bed Bui	mper / Locator	✓ Interior Gla	izing	VSF FCB		Coat F	Hooks 🗹 Ceiling Lif		gnetic Whiteboard vacy Curtain
_		DOORS	Height. 1330 Hilli									Remarks:	uge 1421e — 111	
LEGEND: WALL AND CEILING LE	EGEND:									r Type F doo	ors, F2 doo	r to have a half wind	ow	]
AC Architectural	I I	Types:	D D D			0 00 6	V MV MA	742	the doo approxi	r panels will mately	be			Security Grille
ACT Acoustic Ceil ACT-C Cleanroom	_				MAR			February 1	465/106	5 unless				☐ Anti-barricade
ARGB Abuse-Resist GB Gypsum Boa	stant Gypsum Board		A A2 B	B2 C C2 D	D2	E E2 F	F2 G	ц	otherwi the Aut	se rquired b	У			strategy
IRGB Impact-Resis	istant Gypsum Board		A AZ B					п		ioney				
	-in Ceiling Tile nd Mould-Resistant Gypsum Board		Type:Qty: Size (mm):			r & Frame Privacy rotect.: Film:		Card Mag eader: Lock: (	Auto Hold Opener: Open: <sub>Hin</sub>	TOC:	Accossory 1:	Accessory 2: Ac	ccessory 3: Close	
SACT Security Acor	oustic Ceiling Tile		F2 1 1530 x 2135	Waterial. Tillisti. Side Et.	2 Hi		ssage		Butt Hinge	-	Astragal	Flush Bolt	Surface	· ·
WALL FINISHES LEGEN														
EWC Epoxy Wall C HPC High Perform	Coating mance Coating	MILLWORK AND SPE	CIALTY CASEWORK	· · · · · · · · · · · · · · · · · · ·	•		St						FINICIES	
PT Paint		WILLEWOOK AND SILE	CIALITICASEWONK		R UNITS		Storage Requirements:					E II bereita Gebr	FINISHES	
CEILING FINISHES LEG		1	77	U1 U2 U3 U4								Full-height Cabi Upper Millw		
ECC Epoxy Ceiling HPC High Perform	mance Coating	Z	Y X X	V V V V V V V V V V V V V V V V V V V	U5	U6 U7						Counter		
PF Prefinished PT Paint		Z		7	7	U7 U8	SHELF					Lower Millw	ork:	
		7										Sł	helf: Plastic Laminate	
WALL PROTECTION LE  ESRP Extruded Ser	EGEND: emi-Rigid PVCu Panel	7					S1					Pom	narks:	
FRL Fibre Reinfor	orced Laminate	7				1	1					_		
_	Reinforced Plastic Vinyl Wallcovering	7	<del>     </del>	September 6		_							Provide flip up shelf	
RHIS Rigid High Im WSSP Wetwall Soli	mpact Sheet lid Surface Panel			-										
	rinyl Wallcovering		-		11	-7	2022222222222	1	7					
FLOOR FINISHES LEGE	END:	<u>C1</u>	C3 C4	1	" =	-7	00 00	-	-					
CFS Concrete Flo EFC Epoxy Floor (			L4 CF	L2				K		7		K		
PFC Polyurethane	ne Floor Coating				L5 L6		Zek	4			1			
RAF Rubber Athle RSF Rubber Shee	letic Flooring et Flooring	FULL-HEIGHT CABII	NETS		L6	L7 L8 L9	L10 111			$\dashv$ $\downarrow$				
SCF Seamless Cu	ushioned Flooring	Lacando						L12	TC1 TC2	$\vee$	l n			
	pative Rubber Sheet Flooring pative Vinyl Sheet Flooring	Legend: Category 0 - None		Motorized Min. Length Adjustable Sta	anding Spe	ecialty					UC1	U [ -		
VSF Vinyl Sheet F WSVF Wetroom Sa	Flooring afety Vinyl Sheet Flooring	Category 1 - Low (1%				ework	LOWER UNITS	RECEPT	TION/TRANSACTION					
FLOOR BASE LEGEND:		Category 2 - Med (5% Category 3 - High (10	·	1500					ER / CARE TEAM IN DESK	UTILITY SI	NK AND COUN	NTER UNIT		
FCB Flash Cove B								SIAIIO	IN DESK					
RB Rubber Base SCF Seamless Cu:	e ushioned Flooring													
MECHANICAL REC	QUIREMENTS													
PLUMBING Hand		eamless Utility /		Other Fixtures:	Evewash	Station	MED / NON-M	ED GASES						
(Quantity) Hygiene S		then Sink: Process Sink:	Scrub Sink: Floor Sink:			Station /Shower Station	(Quantity)		Medical Nitrous				Laboratory Lab	Utility ratory Compressed
1					Emergen		Oxyger	n: Medical Air	r: Vacuum: Oxide:	СО	2: AG	SSS: Nitrogen:		uum: Air:
Plumbing				i .	Flush Rim		4	2	4					
Remarks:					☐ Floor Dra		0	orker Drawit	andical cocces as best and	f + h o h = -1 //2	1) 02 (4) 54: 1	ical Air /2\ AA - dr - dr	account of a section of the A	
				Instantaneous	☐ Water Bo	ottle Refill Station	Gas Kem	iarks:   Provide m	nedical gases on both sides o	the bed ((2	2) U2, (1) Med	ıcaı Air, (2) ivledical V	acuum on each side)	
				Hot Water	Other									
														[

Appendix	1B Minimum Room Require	ements		Program 1. B3.03 Number(s): 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
R	oom Name: Patient Room - AIR - Baria	atric - HAU		3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				5.		17.	23.	29.	35.	41.	47.
				6.	12.	18.	24.	30.	36.	42.	48.
ARCHITEC	TURAL REQUIREMENTS										
WALL AND		WALL PROTECTION	<b>─</b>		GLAZING		FLOORING TYP Material:	-	ROOM ACCESSORIES		
	Material: ARGB 1.2m AFF, GB above  Material: GB	Finish:         PT         Type:         PVW           Finish:         ECC         Height:         1350 mr	Crash Rails Chair Rail	■ Bed Bumper / Locator	✓ Interior Glazii	ng		FCB	Coat Hooks Mirror		<ul><li>✓ Magnetic Whiteboard</li><li>✓ Privacy Curtain</li></ul>
	Widterial.		1 Crasii Naiis — Criaii Naii						Door Remarks:	initiant change rable	- Trivacy curtain
LEGEND: WALL AND	CEILING LEGEND:	DOORS						Note: for Type F door	s, F2 door to have a	half window	
AC	Architectural Ceiling	Types:	a (als) (al (ala) (al (			7221		the door panels will b approximately	e		Security Grille
ACT ACT-C	Acoustic Ceiling Tile Cleanroom							465/1065 unless			☐ Anti-barricade
ARGB GB	Abuse-Resistant Gypsum Board Gypsum Board							otherwise rquired by the Authority			strategy
IRGB	Impact-Resistant Gypsum Board	A A2 E	B2 C C2 D	D2 E E2	F F2 G	Н	J	the Authority			
KLCT MMRGB	Kitchen Lay-in Ceiling Tile  Moisture and Mould-Resistant Gypsum Board	5 0 0 1		ntegral Door & Frame Privacy Blinds: Protect.: Film:	,	U	Auto Hold  Opener: Open:			• • •	
SACT	Security Acoustic Ceiling Tile	Гуре:Qty: Size (mr F2 1 1530 x 2	ij. ividiciidi. Tillisii. Side Et.	2 High	Function: Read	1 D	· · ·		Accessory 1: Accessory stragal Flush Bolt		Closer: rface
WALL FINIS	HES LEGEND:	12 1 1330 X 2	133 Solid Core TRE	ZIIIgii	rassage			Sutt Hinge A	stragai Trusii Boit	30	ITace
EWC HPC	Epoxy Wall Coating High Performance Coating										
PT	Paint	MILLWORK AND SPECIALTY CASEWORK		R UNITS	Storage Requirements:					FINISHES	
CEILING FIN	IISHES LEGEND:		U1 U2							eight Cabinet: Plastic La	minate
ECC HPC	Epoxy Ceiling Coating High Performance Coating		UZ U3 U4	U5 U6					Upi	per Millwork: Countertop:	
PF	Prefinished			U7	U8 SHELF				Lov	wer Millwork:	
PT	Paint			T Z						Shelf: Plastic La	minate
WALL PROT	ECTION LEGEND:	Engana			S1						
ESRP FRL	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate									Remarks:	
FRP	Fibreglass Reinforced Plastic									Provide flip up s	shelf
PVW RHIS	Protective Vinyl Wallcovering Rigid High Impact Sheet	-	THE STREET, INC.	The state of the s	1						
WSSP	Wetwall Solid Surface Panel		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	on seasons							
WVW	Wetroom Vinyl Wallcovering				On the state of th	1	76	-			
	SHES LEGEND:	C1 C2 C3 C4 C5	1			1					
CFS EFC	Concrete Floor Sealer Epoxy Floor Coating	☐ <b>∠</b>	11 12			K			( A	71	
PFC RAF	Polyurethane Floor Coating Rubber Athletic Flooring	FULL-HEIGHT CABINETS		16 917 94		1 -	<i>a</i> I		The state of the s	01	
RSF	Rubber Sheet Flooring	TOLE-HEIGHT CADINETS		L6 L7 L8 L9		1	/				
SCF SDRF	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:				L12	TC1	T <sub>C2</sub>	n   [		
SDVF	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized Min. Length Adjustable Stan	nding Specialty					UC1		
VSF WSVF	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)		eight Casework	LOWER UNITS	RECEPT	ION/TRANSACTIO	N			
FLOOR BAS		Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	1 1500 [				ER / CARE TEAM	UTILITY SINI	K AND COUNTER UNIT		
FCB	Flash Cove Base					STATIO	N DESK				
RB	Rubber Base										
SCF	Seamless Cushioned Flooring										
MECHANI	CAL DECLUDENTENTS										
	CAL REQUIREMENTS			_							
PLUMBING		Seamless Utility / : Kitchen Sink: Process Sink: Scrub Sink: Floor S	nk:	Evewash Station	MED / NON-MEI	D GASES	Madiasi	Nitrous		laht-	Utility
(Quantity)	1	110015	L Shower L	Eyewash/Shower Station	(Quantity) Oxygen:	Medical Air	Medical Vacuum:	Nitrous Oxide: CO2:	AGSS: N	Laboratory itrogen: Air:	Vacuum: Compressed  Air:
Plumbing				Emergency Shower	5	3	5		A000. N	360	AII:
Remarks:				Flush Rim Sink							
				Floor Drain Water Bottle Refill Station	Gas Remar				Air, (2)Medical Vacuum a	and 1 set of wall outlets (	((1) O2, (1)
			Instantaneous Hot Water	water bottle kerili Station		I	ir, (1) Medical Vacu	uum) of bed ((1) nursing and	(1) recniratory		
				Other		i Tovide DC	John on either side	or near ((1) marshing dha	(±) respiratory)		

Appendix 1B Minimum Room Require	ements		Program Number(s):	1. B1.02 2.	7. 8.	13. 14.	19. 20.	25. 26.	31.		37. 38.	43. 44.	
Detient Deem Double				3.	9.	15.	21.	27.	33.		39.	45.	
Room Name: Patient Room - Double				4.	10.	16.	22.	28.	34.		40.	46.	
				5.	11.	17.	23.	29.	35.		41.	47.	
				6.	12.	18.	24.	30.	36.		42.	48.	
ARCHITECTURAL REQUIREMENTS													
WALL AND CEILING	WALL PROTECTION				GLAZING		FLOORING TYP	ES	ROOM ACCESSO	ORIES			
Wall Material: ARGB 1.2m AFF, GB above	Finish: PT Type: PVW	Corner Guards Hand Ra		nper / Locator	✓ Interior Glaz	ing	Material:		<b>✓</b> Coat Hooks		· _	Magnetic W	/hiteboard
Ceiling Material: ACT	Finish: PF Height: 1350 mm	Crash Rails Chair Ra	ail				VSF	FCB	☐ Mirror	☐ Infant Cha	nge Table	Privacy Curt	tain
LEGEND:	DOORS								Door Remar				
WALL AND CEILING LEGEND:	Types:			-				Note: for Type F doo the door panels will		ave a half windo	)W		ecurity Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile					V MINIMA			approximately	be				
ACT-C Cleanroom			l Nati			fylyfbg (		465/1065 unless					inti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B	2 C C2 D	D2 E	E2 F	F2 G	ш		otherwise rquired b the Authority	<b>/</b>			st	trategy
IRGB Impact-Resistant Gypsum Board	7 72 5 5	2 ( (2 )						and reading inch					
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	5 Ot - St - () - A4	and the color		& Frame Privacy otect.: Film:	Ca Facility Rea		Auto Hold Opener: Open:	11				Classa	
SACT Security Acoustic Ceiling Tile	Type:Qty: Size (mm): M:   F2	aterial: Finish: Side L	t: Billids. 11		Function: Kea	7   D		Hinges: Butt Hinge		cessory 2: Acc	Surf	Closer:	
WALL FINISHES LEGEND:	F2 1 1330 X 2133 30110	TCOIE FRE	Z FIIS		ssage			butt Hillge	Astragar Flus	SII DUIL	Sulli	ice	
EWC Epoxy Wall Coating													
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	UI	PPER UNITS	:	Storage Requirements:						FINISHES		
CEILING FINISHES LEGEND:	U1		_							Full-height Cabir	net: Plastic Lam	inate	
ECC Epoxy Ceiling Coating	- VIVI	U2 U3 U4								Upper Millwo			
HPC High Performance Coating PF Prefinished			U5	U6 U7 U8	SHELF					Countert	-		
PT Paint			-	7						Lower Millwo			
WALL PROTECTION LEGEND:					<b>₹</b>					311	elf: Plastic Lam	пасе	
ESRP Extruded Semi-Rigid PVCu Panel				1 11						Rema	arks:		
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic					-					P	rovide flip up sh	elf	
PVW Protective Vinyl Wallcovering	-	Name of the last o	6	1 1									
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel		70 100	-	1 1									
WVW Wetroom Vinyl Wallcovering	-	.   11	11 - 2	-	-	1	7	1					
FLOOR FINISHES LEGEND:	C1 C2 C3		" =	=7	On the Contract	The same of	Consession.	7					
CFS Concrete Floor Sealer	☐ G C4 C5 11	L2				V		7					
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 L4	L5		KKK	1							
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L6	L7 L8 L9		1	2 L						
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring					L10 L11	L12	-	1/					
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend:	Motorized					TC1	ТС2 °	UC1	u			
VSF Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Category	Min. Length Adjustable (mm) Height		cialty ework	LOWER UNITS								
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	3300					ION/TRANSACTIO ER / CARE TEAM		NK AND COUNTER	UNIT			
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)	5500				STATIO							
FCB Flash Cove Base RB Rubber Base													
SCF Seamless Cushioned Flooring													
MECHANICAL REQUIREMENTS													
PLUMBING Hand	Seamless Utility /	Other Fixtures:	☐ Eyewash S	Station	MED / NON-ME	D GASES							
	:: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower		Shower Station	(Quantity)		Medical	Nitrous			Laboratory	Laboratory	Utility Compressed
1		☐ Tub	Emergence		Oxygen:	Medical Air	·: Vacuum:	Oxide: CO	2: AGSS:	Nitrogen:	Air:	Vacuum:	Air:
Plumbing		☐ Ice Maker	Flush Rim		8	4	8						
Remarks:		☐ Water Closet	☐ Floor Drai										<u> </u>
		Instantaneous		ttle Refill Station	Gas Rema	rks: Each bed	to provide medical	gases on both sides of	f the bed ((2) O2, (1	L) Medical Air, (2	) Medical Vacuu	m on each sid	e)
		Hot Water											
			Other										

Appendix	1B Minimum Room Requireme	nts		Program	1. B3.01	7.	13.	19.	25.	31.		37.	43.	
_	Defeat Decree HALL			Number(s):	2. 3.	8. 9.	14. 15.	20. 21.	26. 27.	32. 33.		38. 39.	44. 45.	
Ro	oom Name: Patient Room - HAU				4.	10.	16.	22.	28.	34.		40.	46.	
					5. 6.	11. 12.	17. 18.	23. 24.	29. 30.	35. 36.		41. 42.	47. 48.	
ARCHITECT	TURAL REQUIREMENTS					1			1		1			
WALL AND C		WALL PROTECTION				GLAZING	I .	FLOORING TYPES		OOM ACCESSOF			1	
		Sh:   PT	Corner Guards Hand Ra Crash Rails Chair Rai		imper / Locator	✓ Interior Glazi	ing	Material: Base:  VSF FCB		✓ Coat Hooks  Mirror	<ul><li>Ceiling Lift</li><li>Infant Chan</li></ul>	ge Table	Magnetic W Privacy Curt	Vhiteboard tain
LEGEND:		DOORS					1		1	Door Remarks	::			
	CEILING LEGEND:  Architectural Ceiling	Types:											☐ S <sub>ℓ</sub>	ecurity Grille
ACT	Acoustic Ceiling Tile		46 46 46 7											anti-barricade
	Cleanroom Abuse-Resistant Gypsum Board					<u> 1 N 1 DN</u>		<u> </u>						trategy
	Gypsum Board Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D	D2	E E2 F	F2 G	Н	J						
	Kitchen Lay-in Ceiling Tile			Integral Doo	or & Frame Privacy	Ca	rd Mag A	Auto Hold						
	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt	Blinds: F	Protect.: Film:	Function: Rea	der: Lock: Op	pener: Open:	linges: Ad	ccessory 1: Acce	essory 2: Acce	essory 3:	Closer:	
	HES LEGEND:	H 1 1340 x 2135 A	luminum Prefinished				=							
	Epoxy Wall Coating													
	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK		PER UNITS	S	torage Requirements:						FINISHES		
CEILING FIN	ISHES LEGEND:									Fu	ıll-height Cabine	et: Plastic Lami	nate	
ECC	Epoxy Ceiling Coating	7	U2 U3 U4								Upper Millwor			
	High Performance Coating Prefinished			U5	U6 U7 U8	SHELF					Counterto Lower Millwor	-		
PT	Paint			TH		J						If: Plastic Lamii	 nate	
WALL PROT	ECTION LEGEND:	F		.l. K		S1					5			
	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate	II I I		-II-K		1					Rema	rks:		
	Fibreglass Reinforced Plastic										Pro	ovide flip up she	If	
	Protective Vinyl Wallcovering Rigid High Impact Sheet	-	THE REAL PROPERTY AND PERSONS ASSESSED.	processory.		1								
WSSP	Wetwall Solid Surface Panel	-		CALCULATE CALL	-									
	Wetroom Vinyl Wallcovering			-		On the particularies	1	7						
	SHES LEGEND:  Concrete Floor Sealer	C1 C2 C3 C4 C5 L1					1		7					
EFC	Epoxy Floor Coating		L2 L3 L4	-		1	-	Kara		The state of the s	7/			
	Polyurethane Floor Coating Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L5 L6	L7 L8 L9									
	Rubber Sheet Flooring Seamless Cushioned Flooring				L/ L8 L9	L10 L11			7/					
SDRF	Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized				L12 N	TC1 TC2	V		l U			
	Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Categ	.,		ecialty	LOWER UNITS				UC1	Ш			
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	. ,	Height Cas	sework			ON/TRANSACTION R / CARE TEAM	UTILITY SINK	AND COUNTER UI	NIT			
FLOOR BASE		Category 3 - High (10% or Greater)	1500				STATION							
	Flash Cove Base Rubber Base													
SCF	Seamless Cushioned Flooring													
MECHANIC	CAL REQUIREMENTS													
PLUMBING		eamless Utility /	Other Fixtures:	☐ Eyewash	Station	MED / NON-ME	D GASES							Utility
(Quantity)		chen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower		/Shower Station	(Quantity)		Medical Nitro				-	Laboratory	Compressed
_	1		Tub	Emerger		Oxygen:		Vacuum: Oxio	le: CO2:	AGSS:	Nitrogen:	Air:	Vacuum:	Air:
Plumbing Remarks:			☐ Ice Maker	Flush Rin		5	3	5						
nemarks.			Water Closet	☐ Floor Dra		Gas Rema	rks: Provide med	dical gases (each boom	with (2) O2, (1) M	ledical Air, (2) Med	ical Vacuum and	d 1 set of wall o	utlets ((1) O2,	,
			Instantaneous Hot Water	□ Water B	ottle Refill Station			Medical Vacuum)		•				
			HOL WALEI	Other										

Appendix 1B Mini	ppendix 1B Minimum Room Requirements					1. B1.01 2. B2.01	7. 8.	13. 14.	19. 20.	25. 26.		31. 32.	37. 38.	43. 44.
Dan or Name	Patient Room - Private				ımber(s):	3.	9.	15.	21.	27.		33.	39.	45.
Room Name:	Patient Room - Private					4.	10.	16.	22.	28.		34.	40.	46.
						5.	11.	17.	23.	29.		35.	41.	47.
						6.	12.	18.	24.	30.		36.	42.	48.
ARCHITECTURAL RE	EQUIREMENTS													
WALL AND CEILING			ALL PROTECTION		7		GLAZING		FLOORING TYPES			CCESSORIES		
Wall Material: A Ceiling Material: A		sh: PT	71	Corner Guards Hand Rails Crash Rails Chair Rail	Bed Bun	mper / Locator	✓ Interior Gla	zing	Material: Base		✓ Coat	t Hooks 🗹 Ceiling Lifer		gnetic Whiteboard vacy Curtain
	ACI FIIII		Height: 1350 mm	Crasii Raiis								Remarks:	ange rable 💌 Pri	vacy curtain
LEGEND: WALL AND CEILING LEG	SEND:	DOORS							No	e: for Type F d		oor to have a half wind	low	1_
AC Architectural Co		Types:				7 HID 62		703	the	door panels w				Security Grille
ACT Acoustic Ceiling ACT-C Cleanroom	ng Tile									roximately 5/1065 unless				☐ Anti-barricade
ARGB Abuse-Resistan	nt Gypsum Board	9								erwise rquired	by			strategy
GB Gypsum Board IRGB Impact-Resistar	ant Gypsum Board		A A2 B		D2 E	E E2 F	F2 G	н		Authority				
KLCT Kitchen Lay-in ( MMRGB Moisture and N	Ceiling Tile Mould-Resistant Gypsum Board		Type:Qty: Size (mm):	_ •-		R & Frame Privacy rotect.: Film:	_	ard Mag ader: Lock: (	Auto Hold Opener: Open:		A			
SACT Security Acoust	**		F2 1 1530 x 2135 S	Waterial. Tillisti. Side Et.	2 Hig		Tanction.		Butt	Hinges:	Astragal	L: Accessory 2: Ac	ccessory 3: Close Surface	r:
WALL FINISHES LEGEND	D:		12 2 2550 × 2255 5			,	5666			80	7.55.484.	114511 2611		
EWC Epoxy Wall Coa HPC High Performar		MILLWORK AND SPEC	IAITY CASEWORK									]		
PT Paint		WILLEWOOK AND SI EC	IALIT CASEWORK	UPPER U	INITS	3	storage Requirements:					E II bereke Cek	FINISHES	
CEILING FINISHES LEGEN		6	77	U1								Full-height Cabi Upper Millw		
ECC Epoxy Ceiling C HPC High Performar			XXX	U3 U4 U5	5	U6 U7						Counter		
PF Prefinished PT Paint					-2	U8	SHELF					Lower Millw	ork:	
WALL PROTECTION LEG	SEND:						<b>₹</b>					SI	helf: Plastic Laminate	
	i-Rigid PVCu Panel						31					Ren	narks:	
FRL Fibre Reinforce FRP Fibreglass Rein			/	- 1			1					Ī	Provide flip up shelf	
PVW Protective Viny	yl Wallcovering	-	-	Property of the last of the la										
RHIS Rigid High Impa WSSP Wetwall Solid S					222	1								
WVW Wetroom Vinyl	/l Wallcovering			1 1		-	CONTRACTOR OF TAXABLE	1 7	7 (					
FLOOR FINISHES LEGEN		C1 C2	C3 C4 C5					1	-					
CFS Concrete Floor EFC Epoxy Floor Coa	pating			L2 L3 L4	===		4	K		/	The same	1		
PFC Polyurethane F RAF Rubber Athletic		FULL-HEIGHT CABINE			L6	L7 L8 L9		4	<i>a</i>					
RSF Rubber Sheet F	Flooring				L6		L10 L11	1		$\sim$				
SCF Seamless Cushi SDRF Static-Dissipation	ive Rubber Sheet Flooring	Legend:		Motorized				L12 M	TC1 1	2 /		n   n		
SDVF Static-Dissipation VSF Vinyl Sheet Floor	ive Vinyl Sheet Flooring poring	Category 0 - None Category 1 - Low (1% -	1%) Catao	Min. Length Adjustable Standir	• .	cialty	LOWER UNITS				UC1	ч п		
	ety Vinyl Sheet Flooring	Category 2 - Med (5% -	9%)	. , ,		ework			TON/TRANSACTION ER / CARE TEAM	UTILITY	SINK AND COL	JNTER UNIT		
FLOOR BASE LEGEND:		Category 3 - High (10%	or Greater) 2	1650				STATIO	-					
FCB Flash Cove Base  RB Rubber Base	se													
SCF Seamless Cushi	nioned Flooring													
MECHANICAL REQU	UIREMENTS						1							
PLUMBING Hand (Quantity) Hygiene Sin		eamless Utility / then Sink: Process Sink: S	crub Sink: Floor Sink:		Evewash		MED / NON-M	ED GASES						Utility
(Quantity) Hygiene Sin	ik. Lavatory. Kitchen Sink. Kitch	AIGH JIHK. FIUCESS JIHK. J	CIUD SIIIK. TIOUI SIIIK.	_		Shower Station	(Quantity)	: Medical Air		rous (ide: c	O2: A	AGSS: Nitrogen:		compressed
Plumbing					Emergend		Oxygen 4	2	4		02. A	Noos. Nitrogen:		Air:
Remarks:					Flush Rim Floor Drai									
						ın ettle Refill Station	Gas Rem	arks: Provide m	nedical gases on both si	les of the bed (	(2) O2, (1) Me	dical Air, (2) Medical V	acuum per side)	
				Hot Water		Table Neim Station								
				Oti	ther									

Appendix 1B Minimum Room Require	ements		Program Number(s):	1. B2.03 2.	7. 8.	13. 14.	19. 20.	25. 26.	31.		37. 38.	43. 44.	
Room Name: Patient Room - Private - S	Shioldod			3.	9.	15.	21.	27.	33.		39.	45.	
Room Name: Patient Room - Private - S	Snielded			4.	10.	16.	22.	28.	34.		40.	46.	
				5.	11.	17.	23.	29.	35.		41.	47.	
				6.	12.	18.	24.	30.	36.		42.	48.	
ARCHITECTURAL REQUIREMENTS													
WALL AND CEILING	WALL PROTECTION				GLAZING		FLOORING TYP		ROOM ACCESSO		_		
Wall Material: ARGB 1.2m AFF, GB above		Corner Guards Hand Ra		nper / Locator	✓ Interior Glaz	ing	Material: E	FCB	Coat Hooks		: <u>*</u>	<ul><li>Magnetic W</li><li>Privacy Curt</li></ul>	/hiteboard
Ceiling Material: ACT		Crash Rails Chair Ra	ail				V 31	TEB	Mirror	Infant Cha	nge Table	Privacy Curt	cain
LEGEND:	DOORS							Note: for Type F dod	Door Remar	ks: ave a half windo			
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:			न जिल्ला				the door panels will		ave a nan winac	•••	☐ S <sup>r</sup>	ecurity Grille
ACT Acoustic Ceiling Tile								approximately					
ACT-C Cleanroom ARGB Abuse-Resistant Gypsum Board							MMMM	465/1065 unless otherwise rquired b	,				Anti-barricade trategy
GB Gypsum Board	A A2 B B	32 C C2 D	D2 E	E2 F	F2 G	Н	J	the Authority	<b>'</b>			30	indicay
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile			Integral Door	& Frame Privacy	Ca	ard Mag	Auto Hold						
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): М	aterial: Finish: Side L		otect.: Film:			Opener: Open:	Hinges:	Accessory 1: Ac	cessory 2: Acc	cessory 3:	Closer:	
SACT Security Acoustic Ceiling Tile	F2 1 1530 x 2135 Holl		2 Hig	h Pa	ssage					sh Bolt	Surfa		
WALL FINISHES LEGEND:								0-					
EWC Epoxy Wall Coating HPC High Performance Coating										I			
PT Paint	MILLWORK AND SPECIALTY CASEWORK	UI	PPER UNITS	:	Storage Requirements:						FINISHES		
CEILING FINISHES LEGEND:	U1										net: Stainless St	eel	
ECC Epoxy Ceiling Coating	7	U2 U3 U4								Upper Millwo			
HPC High Performance Coating PF Prefinished			U5	U6 U7 U8	SHELF					Countert	-		
PT Paint			7	77						Lower Millwo			
WALL PROTECTION LEGEND:					<b>✓</b> s <sub>1</sub>					Sh	nelf: Stainless St	eei	
ESRP Extruded Semi-Rigid PVCu Panel					1]					Rem	arks:		
FRL Fibre Reinforced Laminate					-					_	rovide flip up sh	olf.	
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering			-	1 1							Tovide IIIp up sin	211	
RHIS Rigid High Impact Sheet		***											
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering			Con	an Transporter		-							
FLOOR FINISHES LEGEND:	ci ci		-	- 7	on my contracts	-	/ Commence	7					
CFS Concrete Floor Sealer	C2 C3 C4 C5			- 7				7					
EFC Epoxy Floor Coating		L3 L4			- 144	1==		-	Transport A				
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L5 L6	L7 18		1							
RSF Rubber Sheet Flooring				L7 L8 L9	L10 L11	1							
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Matarizad				L12 🛝	TC1	TC2	"   L	1 11			
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized Min. Length Adjustable	Standing Spec	cialty					UC1	Ш			
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category			work	LOWER UNITS	RECEPT	ION/TRANSACTIO	N					
FLOOR BASE LEGEND:	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	1500					ER / CARE TEAM	UTILITY SII	NK AND COUNTER	UNIT			
FCB Flash Cove Base			I			STATIO	N DESK						
RB Rubber Base													
SCF Seamless Cushioned Flooring													
MECHANICAL REQUIREMENTS													
PLUMBING Hand	Seamless Utility /	Other Fixtures:	☐ Eyewash S	Station	MED / NON-ME	D GASES							Utility
(Quartity)	k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower		Shower Station	(Quantity)		Medical	Nitrous				Laboratory	Compressed
1		☐ Tub	☐ Emergend	y Shower	Oxygen:	Medical Air	r: Vacuum:	Oxide: CO	2: AGSS:	Nitrogen:	Air:	Vacuum:	Air:
Plumbing		☐ Ice Maker	☐ Flush Rim	Sink	4	2	4					ŀ	
Remarks:		Water Closet	☐ Floor Drai	n		1. 0	- disales - 1 -	U	102 (4) 11 11 11	(2) 84. 11. 11.		.1.1	
		Instantaneous		ttle Refill Station	Gas Rema	irks:   Provide m	iedical gases on bot	th sides of the bed ((2	) O2, (1) Medical Ai	r, (2) Medical Va	cuum on each si	ae)	
		Hot Water											
			Other										

Dhara Daara 2 Cast				3. F8.05	9.	15.	21.	27.	33.	39.	45.
Room Name: Phone Room - 2-Seat				4. M2.28	10.	16.	22.	28.	34.	40.	46.
				5. N3.03		17.	23.	29.	35.	41.	47.
				6. S1.02		18.	24.	30.	36.	42.	48.
				0. 31.02	12.	10.	24.	30.	30.	42.	40.
ARCHITECTURAL REQUIREMENTS											
WALL AND CEILING	WALL DE	ROTECTION			GLAZING		FLOORING TYPES		ROOM ACCESSORII	FC	
Wall Material: GB			ds Hand Rails Bed E	Pumper / Locator			Material: Base:		Coat Hooks	_	✓ Magnetic Whiteboard
				Bumper / Locator	☐ Interior Glazi	ing	RSF FCB				
Ceiling Material: ACT	Finish: PF Heig	ht: Crash Rails	✓ Chair Rail				Not 100		☐ Mirror ☐	Infant Change Table	Privacy Curtain
LEGEND:	DOORS								Door Remarks:		
WALL AND CEILING LEGEND:											
AC Architectural Ceiling	Types:										☐ Security Grille
ACT Acoustic Ceiling Tile	(61)										
ACT-C Cleanroom	[54]		NM MEAN			for high					☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board	1										strategy
GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	A	A2 B B2 C	C2 D D2	E E2 F	F2 G	н	J				
KLCT Kitchen Lay-in Ceiling Tile			Integral Do	oor & Frame Privacy	Cai	ard Mag	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Type	Qty: Size (mm): Material: F		Protect.: Film:		•	pener: Open: Hin	aec.	Accessory 1: Access	sory 2. Accessory 3.	Closer:
SACT Security Acoustic Ceiling Tile		1 915 x 2135 Solid Core FRL	mism. Side Et.						Accessory 1. Access		Surface
WALL FINISHES LEGEND:	C	1 915 X 2135 Solid Core FRL		Low Pas	sage		Butt Hinge	!			Surface
EWC Epoxy Wall Coating											
HPC High Performance Coating	MILLWORK AND SPECIALTY	CASEWORK			taraga Darmina					FIAITO	
PT Paint	WILLIAM SI LUALITY		UPPER UNITS	5	Storage Requirements:					FINISH	<u> </u>
CEILING FINISHES LEGEND:		<u>u</u>							Full	-height Cabinet:	
ECC Epoxy Ceiling Coating	francis 17	U2	U3 U4							Upper Millwork:	
HPC High Performance Coating	V	Y V	U5	116						Countertop:	
PF Prefinished				U7 U8	SHELF					Lower Millwork:	
PT Paint				7	-4-2					Shelf:	
WALL PROTECTION LEGEND:					S1 S1					Jileii.	
ESRP Extruded Semi-Rigid PVCu Panel					1 31					Domorks	
FRL Fibre Reinforced Laminate	-				1					Remarks:	
FRP Fibreglass Reinforced Plastic	raspensaria.			1 1							
PVW Protective Vinyl Wallcovering	<u> </u>	No. CONTRACTOR OF STREET	1		1						
RHIS Rigid High Impact Sheet			-	1 1							
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering	CONTRACTOR OF THE PARTY OF THE	- "		an or other party of the last	1						
, ,		<del></del>	1. 1. 1		CO CONTRACTOR OF THE PERSON NAMED IN COLUMN 1	1 7	76				
FLOOR FINISHES LEGEND:	C1 C2 C3				-	1	-		140 <u>442</u> 0.000 0100 410		
CFS Concrete Floor Sealer		C4 C5				V		1	/ E		
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating			L3 L4 L5		KAN	1==	Granus .	/	The same of the same		
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS			L7 L8 L9		- /					
RSF Rubber Sheet Flooring				յ 🗀 📙 ւց	L10 L11			7			
SCF Seamless Cushioned Flooring			_			L12	TC1 TC2		l l		
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:		Motorized				ΓC2	818	U LICA		
SDVF Static-Dissipative Vinyl Sheet Flooring  VSF Vinyl Sheet Flooring	Category 0 - None	Min. Length	,	Specialty	LOWER UNITS	_			UC1	u .	
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)	Category (mm)	Height Height C	Casework	FOATU OMIS		ION/TRANSACTION		_		
	Category 2 - Med (5% - 9%) Category 3 - High (10% or Grea	ater)					ER / CARE TEAM	UTILITY SIN	NK AND COUNTER UNI	Т	
FLOOR BASE LEGEND:		,				STATION	N DESK				
FCB Flash Cove Base RB Rubber Base											
SCF Seamless Cushioned Flooring											
MECHANICAL REQUIREMENTS					ı						
PLUMBING Hand	Seamless Utility /	Other Fixtur	es: Eyewa	sh Station	MED / NON-ME	D GASES					
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink: Scrub Sin	k: Floor Cink:	Lyewa		(Quantity)	-	Medical Nitrous			Laborato	Utility ry Laboratory Compressed
(3.5		□ Snowe		sh/Shower Station	Oxygen:	Medical Air:		CO2	2: AGSS:	Nitrogen: Air:	Vacuum
		Tub		ency Shower	Oxygen:	ivicultal All		(0)	. A033.	MILLOGEII.	Air:
Plumbing		☐ Ice Ma	ker 🗌 Flush R	Rim Sink							
Remarks:		☐ Water		Drain			1				
		☐ Instan		Bottle Refill Station	Gas Remai	irks:					
		Hot W		Dottie Neilli Station							
		l lot w	Other								

Program 1. A2.02

Number(s): 2. A3.02

7. U2.05

8. Y5.02

13.

14.

19.

20.

25.

26.

31.

32.

37.

38.

43.

44.

**Appendix 1B Minimum Room Requirements** 

Appendix	1B Minimum Room Req	uirements	Program Number(s):	1. E6.03 2. J4.06	8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
R	oom Name: Soiled Holding			3. M1.11 4. P1.08		15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
						17.	23.	29.	35.	41.	47.
				6.	12.	18.	24.	30.	36.	42.	48.
ARCHITEC	TURAL REQUIREMENTS			1	,		'				
WALL AND (	CEILING	WALL PROTECTION			GLAZING	F	LOORING TYPES	ROOM	1 ACCESSORIES		
	Material: ARGB 1.2m AFF, GB above	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Corner Guards Hand Rails Bed But	mper / Locator	☐ Interior Glazin	g	Material: Base:		Coat Hooks 🔲 Ceiling Li		Magnetic Whiteboard
Ceiling	Material: MMRGB	Finish: ECC Height: 1600 mm	✓ Crash Rails ☐ Chair Rail				WSVF FCB		Mirror Infant Ch	nange Table	Privacy Curtain
LEGEND:		DOORS							oor Remarks: or E6.03, J4.06 and M1.11	provido Puch/Pul	Lwith
AC AC	CEILING LEGEND: Architectural Ceiling	Types:							old open, no card reader o		
ACT	Acoustic Ceiling Tile							re	equired.		
ACT-C ARGB	Cleanroom Abuse-Resistant Gypsum Board	ANAA									Anti-barricade strategy
GB	Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	Н	J				Strategy
IRGB KLCT	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		Integral Doo	r & Frame Privacy	Card	d Mag Au	uto Hold				
MMRGB	Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	•	rotect.: Film:	Function: Reade	•	ener: Open: Hing	ges: Accesso	ory 1: Accessory 2: A	ccessory 3:	Closer:
SACT	Security Acoustic Ceiling Tile	C 1 1220 x 2135		Store	eroom		✓ Butt Hinge			Surfa	
WALL FINIS	HES LEGEND:										
EWC HPC	Epoxy Wall Coating High Performance Coating	AND CONTRACT CASE IN C			'	1 1	1 1			1	
PT	Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	St	orage Requirements:					FINISHES	
CEILING FIN	IISHES LEGEND:		U1						Full-height Cab		
ECC	Epoxy Ceiling Coating	7	U2 U3 U4 U5						Upper Milly		
HPC PF	High Performance Coating Prefinished		3	U6 U7 U8	SHELF				Counte	-	
PT	Paint			77	JHLLF				Lower Milly	vork: helf:	
WALL PROT	ECTION LEGEND:	Congression			S1				3	meii:	
ESRP	Extruded Semi-Rigid PVCu Panel								Rer	marks:	
FRL	Fibre Reinforced Laminate				1						
FRP PVW	Fibreglass Reinforced Plastic Protective Vinyl Wallcovering		-								
RHIS	Rigid High Impact Sheet			111	1						
WSSP WVW	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering	50		an Transporter		-					
FLOOR FINIS	SHES LEGEND:	cı cı	+	- 7	On the Contraction	/	Consessed !				
CFS	Concrete Floor Sealer	C2 C3 C4 1			==			7/	-		
EFC	Epoxy Floor Coating		L2 L3 L4 L5		- 1		-	/ 4-			
PFC RAF	Polyurethane Floor Coating Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 18		- /		T       1			
RSF	Rubber Sheet Flooring			L7 L8 L9	L10 L11			7/ 11			
SCF SDRF	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:				L12	TC1 TC2	V   '	, 11 11		
SDVF	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized Min. Length Adjustable Standing Spe	ecialty					JC1		
VSF WSVF	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Cate		ework	LOWER UNITS	RECEPTIO	N/TRANSACTION	l			
		Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)					/ CARE TEAM	UTILITY SINK AND	COUNTER UNIT		
FLOOR BASI	E LEGEND: Flash Cove Base	catagory of mgm (20% of catalory				STATION [	DESK				
RB	Rubber Base										
SCF	Seamless Cushioned Flooring										
									L		
MECHANIC	CAL REQUIREMENTS										
PLUMBING	Hand	Seamless Utility /	Other Fixtures: Evewash	Station	MED / NON-MED	GASES					
(Quantity)	Hygiene Sink: Lavatory: Kitchen	Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		/Shower Station	(Quantity)		Medical Nitrous			Laboratory	Laboratory Compressed
	1		☐ Tub ☐ Emergen		Oxygen:	Medical Air:	Vacuum: Oxide:	CO2:	AGSS: Nitrogen:	Air:	Vacuum: Air:
Plumbing	Provide HHS for E6.03 and W6.01	<u> </u>	☐ Ice Maker ☐ Flush Rim								
Remarks:			Water Closet Floor Dra								
				ottle Refill Station	Gas Remark	ks:					
			Hot Water	otto Neim Station							
			Other								

Appendix 1B Minimum Room Requi	rements	Program Number(s):	1. J4.05 2. R1.03		13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Soiled Holding - Hazard	ous Waste		3.	9.	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
			5.		17.	23.	29.	35.	41.	47.
			6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS										
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB above	WALL PROTECTION  Finish: EWC Type: ESRP ✓ Corner Guard	ds	umper / Locator	GLAZING  Interior Glazin		FLOORING TYPES Material: Base:		ACCESSORIES at Hooks	t 🗆 1	Magnetic Whiteboard
Ceiling Material: GB	Finish: ECC Height: 2185 mm Crash Rails	Chair Rail		interior Glazir	ng	WSVF FCB	Mir			Privacy Curtain
LEGEND:	DOORS						Doc	or Remarks:		
WALL AND CEILING LEGEND:	Types:									Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile										
ACT-C Cleanroom		NZ N NZ		4 [N/4 [SIN]						Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B2 C	C2 D D2	E E2 F	F2 G	Н					strategy
IRGB Impact-Resistant Gypsum Board	A AL 5 SL C									
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board			or & Frame Privacy Protect.: Film:	Car	•	Auto Hold				
SACT Security Acoustic Ceiling Tile		IIIISII. SIGC Et.		Function: Read	der: Lock: Op	pener: Open: Hing		1: Accessory 2: Ac		ser:
WALL FINISHES LEGEND:	C 1 1220 x 2135 Solid Core FRL		igh Pas	sage		Cont. Swin	g Clear		Surface	
EWC Epoxy Wall Coating										
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		S	Storage Requirements:					FINISHES	
PT Paint		UPPER UNITS						Full-height Cabi		
CEILING FINISHES LEGEND:	U1 U2	U3 U4						Upper Millw		
ECC Epoxy Ceiling Coating HPC High Performance Coating		U4 U5	U6 117 🗆					Counter		
PF Prefinished		777	U7 U8	SHELF				Lower Millw	·	
PT Paint				-ta 🗆					nelf:	
WALL PROTECTION LEGEND:			-	S1						
ESRP Extruded Semi-Rigid PVCu Panel	Segment III							Rem	arks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic										
PVW Protective Vinyl Wallcovering	10 000000000000000000000000000000000000	F								
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel				-						
WVW Wetroom Vinyl Wallcovering			-	to the state of th	1					
FLOOR FINISHES LEGEND:	C1 C2		t 1 / 1	on my	/	-				
CFS Concrete Floor Sealer	C2 C3 C4 C5 L1		- Property	= -			7/	-		
EFC Epoxy Floor Coating		L3 L4 L5		- 1944		Constant of the last of the la	-/ 17-77-			
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 18		- /					
RSF Rubber Sheet Flooring			L7 L8 L9	L10 L11	+		7/ 11			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Maria			L12	TC1 TC2	V   "			
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None Min. Length	Motorized Adjustable Standing Sp	ecialty				UCI	ı U		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm)		sework	LOWER UNITS	RECEPTIO	ON/TRANSACTION				
	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)				COUNTER	R / CARE TEAM	UTILITY SINK AND CO	OUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - Tight (10% of Greater)				STATION	DESK				
FCB Flash Cove Base RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS										
PLUMBING Hand	Seamless Utility / Other Fixture	res·	6	MED / NON-MED	O GASES					
(Quantity) Hygiene Sink: Lavatory: Kitchen Si	nk: Vitchan Cink: Bracocc Cink: Scrub Cink: Eloar Cink:	Lycwasi		(Quantity)	J GASES	Medical Nitrous			Laboratory La	Utility boratory Compressed
(Country)	□ Snowe		n/Shower Station	Oxygen:	Medical Air:	Vacuum: Oxide:	CO2:	AGSS: Nitrogen:		/acuum: Compressed Air:
Diumbing	Tub	Emerge		Олуден.	Triculcul All .					AII:
Plumbing Remarks:	☐ Ice Ma									
	Water	_		Gas Remar	·ks:					
	☐ Instan		ottle Refill Station							
	Hot W	ater Other								

<b>Appendix</b>	1B Minimum Ro	oom Requirements	<b>;</b>		rogram 1. A4.05	7. C5.11	13. 12.19	19.	25.	31.	37.	43.
				Nun	nber(s): 2. B1.15	8. D6.19	14. L1.16	20.	26.	32.	38.	44.
R	oom Name: Soiled Ut	lity Room			3. B2.19 4. B3.17	9. F3.14 10. F4.21	15. L2.15 16. M2.11	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
					5. C3.32	11. F5.18	17. M2.33	23.	29.	35.	41.	47.
					6. C4.27	12. G1.15	18.	24.	30.	36.	42.	48.
ARCHITEC	TURAL REQUIREM	IENTS										
WALL AND	CEILING		WALL PROTECTION			GLAZING		FLOORING TYPES	ROC	M ACCESSORIES		
	Material: ARGB 1.2m A	FF, GB above Finish:			Bed Bumper / Locato		ilazing	Material: Base:		Coat Hooks Ceil		Magnetic Whiteboard
Ceiling	Material: GB	Finish:		✓ Crash Rails				WSVF FCB		Mirror	ant Change Table	Privacy Curtain
LEGEND:		ι	DOORS							Door Remarks:		
	CEILING LEGEND:		Types:									☐ Security Grille
AC ACT	Architectural Ceiling Acoustic Ceiling Tile					9 KAN MIN M						_
ACT-C	Cleanroom			MZININZANIN				55077				☐ Anti-barricade
ARGB	Abuse-Resistant Gypsum Board											strategy
GB IRGB	Gypsum Board Impact-Resistant Gypsum Board	4	A A2 B	B2 C C2 D D	2 E E2	F F2 G	Н	J				
KLCT	Kitchen Lay-in Ceiling Tile			Integ	ral Door & Frame P	rivacy	Card Mag	Auto Hold				
MMRGB	Moisture and Mould-Resistant	Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blind		•			Hinges: Acces	sory 1: Accessory 2:	: Accessory 3:	Closer:
SACT	Security Acoustic Ceiling Tile		C 1 1220 x 2135		2 High	Storeroom	<b>7</b>	<b>✓</b> Butt Hi			Surf	
WALL FINIS	HES LEGEND:		C 1 1220 X 2133 .	Solid Core TRE	ZIIIgii	Storeroom		<b>✓</b> □ Butt III	lige Liec. 3	uike	3011	lace
EWC	Epoxy Wall Coating											
HPC	High Performance Coating	l r	MILLWORK AND SPECIALTY CASEWORK			Storage Requirement	·c·				FINISHES	
PT	Paint		14E-14	UPPER UN	NITS	Storage Requirement						
CEILING FIN	ISHES LEGEND:			U1 U2	٦					Full-heigh		
ECC	Epoxy Ceiling Coating		11/1/			] _					Millwork:	
HPC	High Performance Coating			U5	U6 U7					Co	ountertop: Stainless S	teel
PF PT	Prefinished Paint				7	U8 SHELF				Lower	Millwork: Stainless St	teel
											Shelf:	
WALL PROT	ECTION LEGEND:		Cargonara		-	S1						
ESRP	Extruded Semi-Rigid PVCu Pane	I			1						Remarks:	
FRL	Fibre Reinforced Laminate											
FRP PVW	Fibreglass Reinforced Plastic Protective Vinyl Wallcovering				_'							
RHIS	Rigid High Impact Sheet		-		7	i						
WSSP	Wetwall Solid Surface Panel			111111111111111111111111111111111111111	m - 7							
WVW	Wetroom Vinyl Wallcovering					CONTRACTOR OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN	1	7/				
FLOOR FINIS	SHES LEGEND:		C1 C2 C3	1-1-1-1		00 00	The same of	-				
CFS	Concrete Floor Sealer				- 7	1 = 11			7			
EFC	Epoxy Floor Coating			L2 L3 14	- Francis	/   - 144	11==	-	/		1	
PFC RAF	Polyurethane Floor Coating Rubber Athletic Flooring		FULL-HEIGHT CABINETS		L6 L7 L8						1	
RSF	Rubber Sheet Flooring		TOLE-HEIGHT CADINETS		L6 L7 L8	L10 L11		/ - 17				
SCF	Seamless Cushioned Flooring						L12			U		
SDRF	Static-Dissipative Rubber Sheet	-	Legend:	Motorized				TC1 TC	<u> </u>		U.S.	
SDVF VSF	Static-Dissipative Vinyl Sheet Flo Vinyl Sheet Flooring	poring	Category 0 - None	Min. Length Adjustable Standin	ng Specialty	LOWER UNITS				UC1 U		
WSVF	Wetroom Safety Vinyl Sheet Flo	oring	Category 1 - Low (1% - 4%) Categ	gory (mm) Height Heigh	t Casework	LOWER UNITS	RECEPT	TION/TRANSACTION				
			Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	3600				TER / CARE TEAM	UTILITY SINK AN	D COUNTER UNIT		
FLOOR BASI			category of ringin (2070 or executery				STATIO	ON DESK				
FCB RB	Flash Cove Base Rubber Base											
SCF	Seamless Cushioned Flooring											
8456114811	CA	7.0										
MECHANIC	CAL REQUIREMEN	15										
PLUMBING	Hand	Seam		Other Fixtures:	Evewash Station	MED / NON-I	MED GASES					111111
(Quantity)	Hygiene Sink: Lavator	ry: Kitchen Sink: Kitchen	Sink: Process Sink: Scrub Sink: Floor Sink:		Eyewash/Shower Stat			Medical Nitr	ous		Laboratory	Utility Laboratory Compressed
. , , , , ,	1		1			Oxygo	en: Medical Ai	.,		AGSS: Nitro	A * ·	Vacuum: Air:
S					Emergency Shower	SAY6				1.135. 11110	0	All.
			n/drench hose unit, where recessed wall-mounted		Flush Rim Sink							
кеmarks:	bedpan disintectors are	required, refer to Schedule :	1 and Appendix 1H [Equipment and Furniture].	☐ Water Closet	Floor Drain							
				_	Water Bottle Refill Sta	Gas Re	marks:					
				Hot Water								
				Oth	ner							

Appendix 1B Minimum Room Requirements	Program Number(s):	1. M1.10 2. X3.04		3. 19. 4. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Storage - Chemical		3.		5. 21.	27.	33.	39.	45.
		4. 5.		.6. 22. 7. 23.	28. 29.	34. 35.	40. 41.	46. 47.
		6.		8. 24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS			,	1	1	1	<u> </u>	
WALL AND CEILING WALL PROTECTION			GLAZING	FLOORING T	YPES	ROOM ACCESSORIES		
	Hand Rails 🔲 Bed B	umper / Locator	☐ Interior Glazing	Material		Coat Hooks C		✓ Magnetic Whiteboard
Ceiling Material: ACT Finish: PF Height: 1350 mm Crash Rails	Chair Rail			EFC	FCB		fant Change Table	Privacy Curtain
LEGEND: DOORS						Door Remarks:		
WALL AND CEILING LEGEND:  AC Architectural Ceiling  Types:								Security Grille
ACT Acoustic Ceiling Tile								
ACT-C Cleanroom	albible.							Anti-barricade
ARGB Abuse-Resistant Gypsum Board  GB Gypsum Board  A A2 B B2 C C2	D D2	E E2 F	F2 G	Н				strategy
IRGB Impact-Resistant Gypsum Board				_				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board  FunciOty: Size (mm): Material: Finish:		or & Frame Privacy Protect.: Film:	Card Function Reade	•				
SACT Security Acoustic Ceiling Tile	Side Et.		Tanetion.	i. Lock. Opener. Open.	,	Accessory 1: Accessory		Closer:
C   1   1220 x 2135   Solid Core   FRL	2 H	ligh D	sh/Pull		Cont. Swing Clear		Suri	ace
EWC Epoxy Wall Coating								
HPC High Performance Coating MILLWORK AND SPECIALTY CASEWORK			Storage Requirements:				FINISHES	
PT Paint	UPPER UNITS					Full-heid	ght Cabinet:	
CEILING FINISHES LEGEND:  U1  U2  U1  U2  U1	, – 🗆						er Millwork:	
HPC High Performance Coating	9 U4 U5	U6				''	Countertop:	
PF Prefinished	77	U7 U8	SHELF				er Millwork:	
PT Paint		7	-ta 🗆				Shelf:	
WALL PROTECTION LEGEND:	=	-	S1					
ESRP Extruded Semi-Rigid PVCu Panel	V						Remarks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic	_							
PVW Protective Vinyl Wallcovering	1							
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel	THE REAL PROPERTY.	1 1 1						
WVW Wetroom Vinyl Wallcovering	1 11 2	an Property	2020202020		_ 1			
FLOOR FINISHES LEGEND:		t 1/1	on the supplemental	The same of the sa				
CFS Concrete Floor Sealer	-	- Personal			7			
EFC Epoxy Floor Coating	L4 15		- 1944	~ ~	-		<b>7</b>	
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring FULL-HEIGHT CABINETS	L4 L5 <u>L6</u>	L7 18		/			2	
RSF Rubber Sheet Flooring		L7 L8 L9	L10 L11		17/			
SCF Seamless Cushioned Flooring  SDRF Static-Dissipative Rubber Sheet Flooring Legend:				L12 TC1	TC2	u   [		
CDVIII Chable Dissipative Mind Chapt Floration	otorized justable Standing Sp	ecialty				UC1		
VSF Vinyl Sheet Flooring Category 1 - Low (1% - 4%) Category (mm)		sework	LOWER UNITS	RECEPTION/TRANSACT	TION			
WSVF Wetroom Safety Vinyl Sheet Flooring Category 2 - Med (5% - 9%)				COUNTER / CARE TEAM		K AND COUNTER UNIT		
FLOOR BASE LEGEND: Category 3 - High (10% or Greater)				STATION DESK				
FCB Flash Cove Base  RB Rubber Base								
SCF Seamless Cushioned Flooring								
MECHANICAL REQUIREMENTS								
			T 1 -					
PLUMBING     Hand     Seamless     Utility /     Other Fixtures:       (Quantity)     Hygiene Sink:     Lavatory:     Kitchen Sink:     Kitchen Sink:     Process Sink:     Scrub Sink:     Floor Sink:	<b>✓</b> Eyewasi	h Station	MED / NON-MED					Utility
Snower		h/Shower Station	(Quantity)	Medical Air: Vacuum:	Nitrous Oxide: CO2		Laboratory rogen: Air:	Laboratory Compressed
Tub	☐ Emerge	ncy Shower	Oxygen:	Medical Air: Vacuum:	Oxide: CO2	: AGSS: Nit	rogen: Air:	Vacuum. Air:
Plumbing	☐ Flush Ri							
Remarks: Water Close	t 🗹 Floor Dr	rain					I	
Instantaneo		Bottle Refill Station	Gas Remarks	5:				
Hot Water		<u> </u>						
	Other							

Appendix 1B Minimum Room Requirem	ents	Program Number(s):	1. A4.03 2. B2.27		F7.10 19. N1.02 G1.22 20. N3.09	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Storage - Clean Equipment			3. B3.18		G1.23 21. P3.05	27.	33.	39.	45.
			4. B4.03 5. C3.31	10. D6.21 16. 11. F5.16 17.	12.16 22. \$2.05 L1.13 23. V1.03	28. 29.	34. 35.	40. 41.	46. 47.
			6. C4.26		L1.17 24. W1.11	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS									
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES		ROOM ACCESSORIES		
		Hand Rails Bed Bu	umper / Locator	☐ Interior Glazing	Material: Bas		Coat Hooks Ce		Magnetic Whiteboard
Ceiling Material: ACT	Tieight. 2103 min	Chair Rail			V31 1 CE	<u>′</u>		fant Change Table	Privacy Curtain
LEGEND:	DOORS						Door Remarks:		
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:								Security Grille
ACT Acoustic Ceiling Tile									☐ Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board									strategy
GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	A A2 B B2 C C2	D D2	E E2 F	F2 G I	H J				
KLCT Kitchen Lay-in Ceiling Tile			or & Frame Privacy	Card	Mag Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile	Type:Qty: Size (mm): Material: Finish:	Side Et.	Protect.: Film:	Tunction.	Lock: Opener: Open:	Hinges:	Accessory 1: Accessory 2		Closer:
WALL FINISHES LEGEND:	C 1 1220 x 2135 Solid Core FRL	2 H	ligh Stor	reroom 🗸	Coni	. Swing Clear		Su	urface
EWC Epoxy Wall Coating									
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	S	torage Requirements:				FINISHES	i
CEILING FINISHES LEGEND:	U1 U	_					Full-heig	ht Cabinet:	
ECC Epoxy Ceiling Coating	U2 U3							r Millwork:	
HPC High Performance Coating PF Prefinished		77	U6 U7 U8	SHELF				countertop: er Millwork:	
PT Paint			77	†a 🗆			Lowe	Shelf:	
WALL PROTECTION LEGEND:				S1 S1					
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate				1				Remarks:	
FRP Fibreglass Reinforced Plastic									vill require C2 type door.
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	**************************************	Emmy		i				Door size to be include an auto	2440 x 2440 mm and will opener.
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering		by Con	-						
, ,	CI CI			ON ME	1				
FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer	C2 C3 C4	+	- Francis			7			
EFC Epoxy Floor Coating		L4 L5		- MM-	<u> </u>			7	
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9			_			
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring			L/ L8 L9	L10 L11 L12		/ 7/			
SDRF Static-Dissipative Rubber Sheet Flooring	Legend: Mo	otorized			τ <b>c</b> 1	TC2		Ш	
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring			ecialty	LOWER UNITS	_		UC1 U		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	leight Height Ca	sework		RECEPTION/TRANSACTION COUNTER / CARE TEAM	UTILITY S	SINK AND COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				STATION DESK				
FCB Flash Cove Base  RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS									
PLUMBING Hand	Seamless Utility/ Other Fixtures:	☐ Eyewasi	h Station	MED / NON-MED GAS	SES				Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: k	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink: Shower	☐ Eyewas	n/Shower Station	(Quantity)	.,	itrous Oxide:		Laboratory Air:	Laboratory Compressed
	Tub	Emerge		Oxygen: M	ledical Air: Vacuum: (	CI	O2: AGSS: Nitr	ogen: Air:	Air:
Plumbing Remarks:	☐ Ice Maker	☐ Flush Ri							
	☐ Water Close			Gas Remarks:					
	Instantaneou Hot Water	us	Sottle Refill Station						
	sc water	Other							

Appendix 1	1B Minimum Room Require	ements		rogram 1. B3.1 mber(s): 2. C6.0		13. 14.	19. 20.	25. 26.	31. 32.		37. 38.	43. 44.	
_	N. Change Class Fruinses	4. Deer Theren.		3.	9.	15.	20.	26.	33.		38. 39.	44.	
Roo	om Name: Storage - Clean Equipmer	it - Kesp Therapy		4.	10.	16.	22.	28.	34.		40.	46.	
				5. 6.	11. 12.	17. 18.	23. 24.	29. 30.	35. 36.		41. 42.	47. 48.	
				0.	12.	16.	24.	30.	30.		42.	40.	
ARCHITECT	URAL REQUIREMENTS								I				
WALL AND CE	EILING  Material: ARGB 1.2m AFF, GB above	WALL PROTECTION Finish: PT Type: PVW	Corner Guards Hand Rails	] Dad D	GLAZIN		FLOORING TYPES Material: Base	:	ROOM ACCESSO  Coat Hooks			☐ Magnetic Whit	t a la a a a al
	Material: ACT AFF, GB above	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Crash Rails Chair Rail	Bed Bumper / Loca	tor I	nterior Glazing	VSF FCB		☐ Mirror	Infant Cha		Privacy Curtain	
LEGEND:		DOORS							Door Remark			<u>,                                      </u>	
	EILING LEGEND:	Types:											
	Architectural Ceiling	турез.				74 744						☐ Secu	ırity Grille
	Acoustic Ceiling Tile Cleanroom						HHH					☐ Anti-	-barricade
ARGB A	Abuse-Resistant Gypsum Board											strat	tegy
	Gypsum Board mpact-Resistant Gypsum Board	A A2 B B2	2 C C2 D D2	)2 E E2	F F2	G H	J						
	Kitchen Lay-in Ceiling Tile			gral Door & Frame	•	Card Mag	Auto Hold						
	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile		aterial: Finish: Side Lt: Blind		Film: Function:		Opener: Open:	Hinges:	Accessory 1: Acc	essory 2: Acc		Closer:	
WALL FINISHI	ES LEGEND:	C 1 1220 x 2135 Solid	Core FRL	2 High	Storeroom	<b>✓</b> □	Cont	. Swing Clear			Surf	ace	
	Epoxy Wall Coating												
	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK			Storage Requ	irements:					FINISHES		
	SHES LEGEND:	U1	UPPER UN	NITS					F	ull-height Cabin	net:		
	Epoxy Ceiling Coating	17.77	U2 U3 U4		7					Upper Millwo			
HPC F	High Performance Coating		U5	U6 U						Countert	op:		
	Prefinished Paint			7 7	U8 SI	IELF				Lower Millwo	ork:		
WALL DOOTS	OTION LEGEND				1					Sh	elf:		
	CTION LEGEND:  Extruded Semi-Rigid PVCu Panel				S1	1.7				Rema	arke		
FRL F	Fibre Reinforced Laminate					7				Kemi	aiks.		
	Fibreglass Reinforced Plastic Protective Vinyl Wallcovering			ii									
	Rigid High Impact Sheet			7									
	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering				-								
FLOOR FINISH		C1 C2			ON THE	- Carried States	1						
	Concrete Floor Sealer	C2 C3 C4 C5 14			1			7	/				
	Epoxy Floor Coating		L2 L3 L4 L5			MM = =			The state of the s	1/			
	Polyurethane Floor Coating Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L6 L7 L8									
	Rubber Sheet Flooring			L6 L7 L8	L9 L10	111							
	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized				TC1	.c2	"   "				
	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Min. Length Adjustable Standing	ng Specialty	LOWER				UC1	Ш			
	/inyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category Category 2 - Med (5% - 9%)	(mm) Height Height	t Casework	LOWER	RECEP	TION/TRANSACTION						
FLOOR BASE	LEGEND:	Category 3 - High (10% or Greater)					TER / CARE TEAM ON DESK	UTILITY S	INK AND COUNTER U	INIT			
	Flash Cove Base					JIAIN	ON DESK						
	Rubber Base Seamless Cushioned Flooring												
301	Scanness casmoned Hoofing												
MECHANIC	AL REQUIREMENTS												
		a la sum /	01 5: .		T								
PLUMBING	Hand Hygiene Sink: Lavatory: Kitchen Sink	Seamless Utility / Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Evewash Station		NON-MED GASES	Modissl	tra			lahar-t	Labaratarı	Utility
(Quantity)	7,5 =	33.22.23		Eyewash/Shower Sta	tion (Quai	ntity) Oxygen: Medical A	.,	trous xide: CO	D2: AGSS:	Nitrogen:	Laboratory Air:	Laboratory Co	ompressed
Dloveshire				Emergency Shower		OAYSEII. WIEUICH A			72. AU33.	ivitiogen.			Air:
Plumbing Remarks:				Flush Rim Sink									
			_	Floor Drain		Gas Remarks:							
			Instantaneous Hot Water	Water Bottle Refill S	ation								
			Oth	ner									

				Number(s):	2. D3.09	8. 1	.4.	20.	26.	32.	38.	44	4.
Stores	Class Cassas				3. G1.24	9. 1	.5.	21.	27.	33.	39.	45	j.
Room Name: Storag	e - Clean Scopes				4.	10.	.6.	22.	28.	34.	40.	46	š.
					5.	11.	.7.	23.	29.	35.	41.	47	1.
					6.	12.	.8.	24.	30.	36.	42.	48	3.
ARCHITECTURAL REQUIRE	EMENTS			L									
	- INILIATS	WALL DROTECTION				CLATING		EL CODINO TYPES		0014 40050000	FC		
WALL AND CEILING  Wall Material: ARGB 1.2	as AFF CD shows Finish DT	WALL PROTECTION	✓ Corner Guards ☐ Hand Rails		/ 1	GLAZING		FLOORING TYPES  Material: Base:	K	OOM ACCESSORI	_	<b>✓</b> Magnetic	14/h:t-h
Ceiling Material: ACT	m AFF, GB above Finish: PT Finish:	.,,	Crash Rails Chair Rail	□ Bea Bur	nper / Locator	☐ Interior Glazing	3	VSF FCB			Infant Change Table		
LEGEND:	DOORS									Door Remarks:			
WALL AND CEILING LEGEND:		ypes:	make a summary and a summary a										Security Grille
AC Architectural Ceiling			alsi ini inin i ini				70000						Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom													Anti-barricade
ARGB Abuse-Resistant Gypsum Bo	oard												strategy
GB Gypsum Board		A A2 B	B2 C C2 D	D2 E	E E2 F	F2 G	н	J					
IRGB Impact-Resistant Gypsum B KLCT Kitchen Lay-in Ceiling Tile	Board			Integral Door	& Frame Privacy	Card	Mag A	uto Hold					
MMRGB Moisture and Mould-Resist.	ant Gypsum Board	Гуре:Qty: Size (mm):		•	rotect.: Film:	Function: Reade	0	ener: Open: Hin	TOS: A	coccoru 1: Accoru	sory 2: Accessory 3:	Closer:	
SACT Security Acoustic Ceiling Tile	e					runction.		- 11111		ccessory 1: Access	sory 2: Accessory 3:		]
WALL FINISHES LEGEND:		C 1 1220 x 2135 S	olid Core FRL	2 Hig	gh Stor	eroom 🗸		Cont. Swir	g Clear			Surface	-
EWC Epoxy Wall Coating													J
HPC High Performance Coating	MILLWORK AND	SPECIALTY CASEWORK			St	orage Requirements:					FINIS	HES	
PT Paint		9		R UNITS						E.III	-height Cabinet:	<del></del>	
CEILING FINISHES LEGEND:	/ 1	7	U1 U2 U3								Upper Millwork:		
ECC Epoxy Ceiling Coating HPC High Performance Coating	7	VVIZ	U3 U4	U5									
PF Prefinished	Say-		7		U6 U7 U8	SHELF					Countertop:		
PT Paint	-			1	77	JILLI					Lower Millwork:		
WALL PROTECTION LECEND.	-					1					Shelf:		
WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu F	nanol Carrol			业区		S1					D		
FRL Fibre Reinforced Laminate	Parier			- Kanada		1					Remarks:		
FRP Fibreglass Reinforced Plasti	ic			1	1 1								
PVW Protective Vinyl Wallcoverin	ng	100	Francisco III	Description 2	i	1							
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Pane			10 10 10 10 10 10 10 10 10 10 10 10 10 1	-	1								
WVW Wetroom Vinyl Wallcoverin			, , , , ,	- 5	an Property lies		-						
FLOOR FINISHES LEGEND:	C1		<del> </del>	-	-17	On the Party of th	/	Consessed -					
CFS Concrete Floor Sealer		C2 C3 C4 C5 L1			77				7	/			
EFC Epoxy Floor Coating			L2 L3 L4			WW	-	K		- A	-7/		
PFC Polyurethane Floor Coating				.5	17		- /		7	100000			
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT C	ADINETS			L7 L8 L9	140		/ - I	$\dashv$ $\downarrow$				
SCF Seamless Cushioned Flooring	ng					L10 L11	L12		/				
SDRF Static-Dissipative Rubber St	heet Flooring Legend:		Motorized					TC1 TC2		U U	U U		
SDVF Static-Dissipative Vinyl Sheet VSF Vinyl Sheet Flooring		(40/ 40/)	Min. Length Adjustable Sta		cialty	LOWER UNITS				UC1	II .		
WSVF Wetroom Safety Vinyl Shee	Category 1 - Low et Flooring Category 2 - Med		ory (mm) Height H	eight Case	ework	LOWER UNITS		N/TRANSACTION					
FLOOR BASE LEGEND:	Category 2 - Ivie	h (10% or Greater)						R / CARE TEAM	UTILITY SINK	AND COUNTER UNI	Т		
FCB Flash Cove Base							STATION	DESK					
RB Rubber Base													
SCF Seamless Cushioned Flooring	ng												
												<u></u>	
MECHANICAL REQUIREM	ENTS												
PLUMBING Hand	Seamless Utility /		Other Fixtures:			MED / NON-MED	GVZEZ						*
(Quantity) Hygiene Sink: Lava	atory: Kitchen Sink: Kitchen Sink: Process Sin	nk: Scrub Sink: Floor Sink:		Evewash :		-	UMJEJ	Medical Nitrous			Laberra	tory Laborate	Utility
(Quantity)	,				Shower Station	(Quantity)	Nandicel At	Medical Nitrous Vacuum: Oxide:	600	A.C.C.C	Labora Nitrogen: Air		compressed
				Emergeno	cy Shower	Oxygen:	Medical Air:	Jucquiii. Oxide.	CO2:	AGSS:	Nitrogen: Air	74004111.	Air:
Plumbing			☐ Ice Maker	Flush Rim	Sink								
Remarks:				Floor Drai	in			1	1		I		
					ttle Refill Station	Gas Remarks	s:						
			Hot Water	vvater b0	ttie neim station								
			not water	Other									
				·			1						

Program 1. C3.30

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

		Number(s):	2. A2.12	8. D2.28	14. F4.20	20. J4.04	26. M2.10	32.	38.	44.
Storage Clean Cumply			3. B1.14	9. D6.18	15. F5.17	21. K3.14	27. M2.32	33.	39.	45.
Room Name: Storage - Clean Supply			4. B2.18	10. Not Used	16. F6.11	22. K4.10	28. P2.02	34.	40.	46.
			5. B3.16	11. E2.05	17. G1.14	23. L1.15	29. U2.04	35.	41.	47.
			6. C2.05	12. E6.02	18. H1.08	24. L2.14	30. W1.03	36.	42.	48.
ARCHITECTURAL REQUIREMENTS			1							
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES	ROOM	ACCESSORIES		
Wall Material: ARGB 1.2m AFF, GB above		Corner Guards	per / Locator	☐ Interior Glaz	zina	Material: Base:		oat Hooks Ceiling L	ift 🗸	Magnetic Whiteboard
Ceiling Material: ACT		Crash Rails Chair Rail		Interior Glaz	ziiig	VSF FCB	П			Privacy Curtain
LEGEND:	DOORS						Do	or Remarks:		
WALL AND CEILING LEGEND:	Types:									Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile										Security drine
ACT Acoustic Ceiling Tile ACT-C Cleanroom										☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board										strategy
GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	A A2 B B	2 C C2 D D2 E	E2 F	F2 G	н	J				
KLCT Kitchen Lay-in Ceiling Tile		Integral Door	& Frame Privacy	Ca	ard Mag	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board  SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): М	iterial: Finish: Side Lt: Blinds: Pr	otect.: Film:	Function: Rea	ader: Lock: C	Opener: Open: Hir	ges: Accessory	y 1: Accessory 2: A	.ccessory 3: C	loser:
	C 1 1220 x 2135 Solid	Core FRL 2 Hig	h Stor	eroom	<b>v</b>	☐ Cont. Swi	ng Clear		Surfac	e
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating										
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	110050 111175	St	torage Requirements:					FINISHES	
CEILING FINISHES LEGEND:	U1	UPPER UNITS						Full-height Cab	oinet:	
ECC Epoxy Ceiling Coating	(m) 17.77	U2 U3 U4						Upper Milly	work:	
HPC High Performance Coating			U6					Counte	rtop:	
PF Prefinished PT Paint			U8	SHELF				Lower Milly	work:	
				<b>T</b>				9	Shelf:	
WALL PROTECTION LEGEND:				S1						
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate				1				Rei	marks:	
FRP Fibreglass Reinforced Plastic										
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	10 10 10 10 10 10 10 10 10 10 10 10 10 1			1						
WSSP Wetwall Solid Surface Panel		No. of the last of								
WVW Wetroom Vinyl Wallcovering				CO CO	1	7/				
FLOOR FINISHES LEGEND:	C1 C2 C3 C4		=	~ -	-	Consessant		A-1-100-110-110-110-110-110-110-110-110-		
CFS Concrete Floor Sealer		L2			$\vee$		7/	F 7		
EFC Epoxy Floor Coating  PFC Polyurethane Floor Coating		L3 L4 15		- SKK	4	- Comment				
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9			2   15-				
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring			L7 L8 L9	L10 L11						
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized	_		L12 M	TC1 TC2		u     u		
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		ialty				UC			
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category		work	LOWER UNITS	RECEPT	ION/TRANSACTION				
, , ,	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)					ER / CARE TEAM	UTILITY SINK AND CO	OUNTER UNIT		
FLOOR BASE LEGEND:  FCB Flash Cove Base	category 5 mgm (25% of Greatery				STATIO	N DESK				
RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS										
PLUMBING Hand	Seamless Utility /	Other Fixtures:	itation	MED / NON-ME	ED GASES					1 14:114
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Shower Station	(Quantity)		Medical Nitrous				Utility Laboratory Compressed
		☐ Tub ☐ Emergence		Oxygen:	: Medical Air	: Vacuum: Oxide	CO2:	AGSS: Nitrogen:	A * .	Vacuum: Air:
Plumbing		☐ Ice Maker ☐ Flush Rim								
Remarks:		Water Closet Floor Drai								
		_	n tle Refill Station	Gas Rema	arks:					
		Instantaneous Water Bot	ue Keriii Station							
		Other								
				1						

Program 1. A4.04

7. C6.02

13. F3.13

19. 12.18

25. M1.08

31. X3.02.05

37.

43.

**Appendix 1B Minimum Room Requirements** 

	- <b>-</b>		Number(s):	2. M1.06	8. 14	4.	20.	26.	32.	38.	44.	
Ctarana Dagarda	/[:las		7	3. U5.03	9. 15	5.	21.	27.	33.	39.	45.	
Room Name: Storage - Records	S/FIIES			4. U5.09	10. 16	6.	22.	28.	34.	40.	46.	
			_	5.	11. 17	7.	23.	29.	35.	41.	47.	
				6.	12. 18	8.	24.	30.	36.	42.	48.	
ARCHITECTURAL REQUIREMENTS												
	pp	075071011			01.471110			-	2014 10050000150			
WALL AND CEILING		OTECTION  De: PVW Corner Guards Hand			GLAZING		OORING TYPES  Material: Base:		OOM ACCESSORIES			
Wall Material: ARGB 1.2m AFF, GB ab Ceiling Material: ACT	· · · · · · · · · · · · · · ·	ne: PVW		imper / Locator	☐ Interior Glazing		VSF FCB		☐ Coat Hooks ☐ C☐ Mirror ☐ II		☐ Magnetic Wh☐ Privacy Curta	
LEGEND:	DOORS								Door Remarks:			
WALL AND CEILING LEGEND:												
AC Architectural Ceiling	Types:					700 7					☐ Se	ecurity Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom	KIK	지의 번 번번 연기면이									Δn	nti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board												rategy
GB Gypsum Board	A	A2 B B2 C C2	D D2	E E2 F	F2 G	н	J					
IRGB Impact-Resistant Gypsum Board  KLCT Kitchen Lay-in Ceiling Tile			Integral Doc	or & Frame Privacy	Card	Mag Auto	o Hold					
MMRGB Moisture and Mould-Resistant Gypsum Boar	rd [vne:C	Qty: Size (mm): Material: Finish: Sid	•	Protect.: Film:	Function: Reader:	0		ges: Acc	cessory 1: Accessory	2: Accessory 3:	Closer:	
SACT Security Acoustic Ceiling Tile		1 915 x 2135   Solid Core   FRL	☐ ☐ 2 H	igh Sto	reroom 🗸		Cont. Swir		7 (ccssory 1. 7 (cccssory		face	
WALL FINISHES LEGEND:		2 929 × 2200 90110 9012 1112	<del></del>					.g c.cu.				
EWC Epoxy Wall Coating												
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY C	CASEWORK	UPPER UNITS	S	torage Requirements:					FINISHES		
CEILING FINISHES LEGEND:		U1	T THE TOTAL						Full-hei	ght Cabinet:		
ECC Epoxy Ceiling Coating	( ) I	U2 U2							Upp	er Millwork:		
HPC High Performance Coating		Y V V	U5	U6 U7						Countertop:		
PF Prefinished			-77	U8	SHELF				Low	er Millwork:		
PT Paint	7			7	72 🗆					Shelf:		
WALL PROTECTION LEGEND:	-		ıl ıl. 1 <del>6</del>	-	S1							
ESRP Extruded Semi-Rigid PVCu Panel	Sugarana III I		7 11 1		V					Remarks:		
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic												
PVW Protective Vinyl Wallcovering		100	-	_ 1 1								
RHIS Rigid High Impact Sheet			1	1								
WSSP Wetwall Solid Surface Panel  WVW Wetroom Vinyl Wallcovering			Con Con									
•	ci c		=	-	On the party of the Party of th	- 7	-					
FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer	☐ C3	C4 C5 L1 L2	1 -			1			/			
EFC Epoxy Floor Coating				- K-V)			2		L	28		
PFC Polyurethane Floor Coating		L4	L5				722		The state of the s	<b>3</b> 11		
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L6	L7 L8 L9			L 15	$\dashv$ $\downarrow$				
SCF Seamless Cushioned Flooring					L10 L11 L	L12						
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized					TC1 TC2	**************************************	U    "	U		
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring	Category 0 - None	Min. Length Adjustable	Standing Sp	ecialty	LOWER UNITS	_			UC1 U	1		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)	Category (mm) Height	Height Ca	sework	LOWER ONLY		TRANSACTION		_			
FLOOR BASE LEGEND:	Category 3 - High (10% or Great	ter)				COUNTER / ( STATION DE		UTILITY SINK A	AND COUNTER UNIT			
FCB Flash Cove Base						STATION DE.	JK.					
RB Rubber Base												
SCF Seamless Cushioned Flooring												
MECHANICAL REQUIREMENTS												
PLUMBING Hand	Seamless Utility /	Other Fixtures:	☐ Eyewash	Station	MED / NON-MED G	GASES						
(Quantity) Hygiene Sink: Lavatory: Kito	chen Sink: Kitchen Sink: Process Sink: Scrub Sinl			1 Station 1/Shower Station	(Quantity)		Medical Nitrous			Laboratory	Laboratory	Utility
		☐ Snower ☐ Tub					Vacuum: Oxide:	CO2:	AGSS: Ni	trogen: Air:	Vacuum:	Compressed Air:
Plumbing			Emerger		78							
Remarks:		lce Maker	☐ Flush Rin									
		Water Closet	Floor Dr		Gas Remarks:	:						
		☐ Instantaneous	☐ Water B	ottle Refill Station	Cas nemarks.							
		Hot Water	Other									
			Other									

Program 1. H1.07

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix	1B Minimum Room Requireme	nts			7. L2.01 13.	19.	25. 31.	37.	43.
			Nu	umber(s): 2. C7.02	8. M2.09 14.	20.	26. 32.	38.	44.
R	oom Name: Stretcher Bay - Holding			3. F3.04 4. F4.05	9. 15. 10. 16.	21. 22.	27. 33. 28. 34.	39. 40.	45. 46.
					11. 17.	23.	29. 35.	41.	47.
				6. K4.02	12. 18.	24.	30. 36.	42.	48.
ARCHITEC	TURAL REQUIREMENTS				1	1		1	
WALL AND	·	WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM ACCESSO	)RIFS	
		sh: PT Type: ESRP	✓ Corner Guards ☐ Hand Rails 🖳	✓ Bed Bumper / Locator	☐ Interior Glazing	Material: Base:	Coat Hooks		Magnetic Whiteboard
		sh: PF Height: 1600 mm	✓ Crash Rails ☐ Chair Rail		interior Glazing	VSF FCB	☐ Mirror		Privacy Curtain
LEGEND:		DOORS					Door Remar	ks:	
	CEILING LEGEND:	Types:							
AC	Architectural Ceiling	Types.	del di dil idi i	76 0 0 0 0 0					Security Grille
ACT ACT-C	Acoustic Ceiling Tile Cleanroom								☐ Anti-barricade
ARGB	Abuse-Resistant Gypsum Board								strategy
GB IRGB	Gypsum Board Impact-Resistant Gypsum Board	A A2 B	B2 C C2 D	D2 E E2 F	F2 G	Н Ј			
KLCT	Kitchen Lay-in Ceiling Tile			egral Door & Frame Privacy	Card	Mag Auto Hold			
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Type:Qty: Size (mm):	Material: Finish: Side Lt: Blii	inds: Protect.: Film:	Function: Reader:		nges: Accessory 1: Acc	cessory 2: Accessory 3: C	loser:
	HES LEGEND:								
EWC	Epoxy Wall Coating								
HPC	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK	_	Sto	rage Requirements:			FINISHES	
PT	Paint		UPPER U	UNITS				Full-height Cabinet:	
ECC ECC	IISHES LEGEND:  Epoxy Ceiling Coating		U1 U2 U3 U4					Upper Millwork:	
HPC	High Performance Coating			U5 U6 U7				Countertop:	
PF PT	Prefinished Paint			U8	SHELF			Lower Millwork:	
								Shelf:	
WALL PROT ESRP	ECTION LEGEND:  Extruded Semi-Rigid PVCu Panel				S1			D	
FRL	Fibre Reinforced Laminate	7						Remarks:	
FRP	Fibreglass Reinforced Plastic Protective Vinyl Wallcovering			_					ordinated with designer
PVW RHIS	Rigid High Impact Sheet		The same of the sa	-				apply protection	e to see how best to
WSSP	Wetwall Solid Surface Panel			on on the particular of the second					
wvw	Wetroom Vinyl Wallcovering		1 1 1 1 1	= = =	CO MA PERSONAL PROPERTY.	1			
CFS	SHES LEGEND:  Concrete Floor Sealer	C1 C2 C3 C4 C5 11		1 - 1			7	9	
EFC	Epoxy Floor Coating		L2 L3 L4		WW		1		
PFC RAF	Polyurethane Floor Coating Rubber Athletic Flooring	FULL-HEIGHT CABINETS	_	L6 L7 18					
RSF	Rubber Sheet Flooring	TOLE HEIGHT CADINETS		L6 L7 L8 L9	L10 L11		7 / 11 11		
SCF SDRF	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:							
SDVF	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized Min. Length Adjustable Standi	ling Specialty			UC1		
VSF WSVF	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Cate	.,	9 ,	LOWER UNITS	RECEPTION/TRANSACTION			
		Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)				COUNTER / CARE TEAM	UTILITY SINK AND COUNTER U	UNIT	
FLOOR BAS	E LEGEND: Flash Cove Base	category 5 mgm (10% of Greater)				STATION DESK			
RB	Rubber Base								
SCF	Seamless Cushioned Flooring								
MECHANIC	CAL REQUIREMENTS								
PLUMBING		amless Utility /	Other Fixtures:	Evewash Station	MED / NON-MED GA	ASES			patta.
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sink: Kitch	hen Sink: Process Sink: Scrub Sink: Floor Sink:		Eyewash/Shower Station	(Quantity)	Medical Nitrous		· · · · · · · · · · · · · · · · · · ·	.aboratory Compressed
	1			Emergency Shower	Oxygen: I	Medical Air: Vacuum: Oxide	CO2: AGSS:	Nitrogen: Air:	Vacuum: Air:
	C2.03 - Provide (1) HHS to serve (4) stretcher bar			Flush Rim Sink	1	1 1 1			
	F3.04 - Provide (1) HHS per every (2) stretcher be	ays. (2 total)		Floor Drain		1 10 10 10 10 10 10 10 10 10 10 10 10 10			
	F4.05 - Provide (1) HHS per (2) stretcher bays (1 F5.08 - Provide (1) HHS per (2) stretcher bays (2			Water Bottle Refill Station	Gas Remarks:	Provide (1) set of gases ((1) O2, (1) M Stretcher Bay L2.01 and K4.02 does n		per bay to Patient's right.	
	L2.01 - Provide (1) HHS per (2) stretcher bays (2		Hot Water			Stretcher Day LZ.O1 and N4.UZ 4085 II	ocrequire ivicultar vatuulli		
	M2.09 - Provide (1) HHS per (2) stretcher bays (1		Ot	ther					

Appendix 1B Minimum Room Requireme	ents	Program Number(s):		7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Stretcher Bay - Holding - Baria	atric		3.	9. 15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
			5.	11. 17.	23.	29.	35.	41.	47.
			6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS									
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES  Material: Base:		ACCESSORIES		
	nish: PT Type: ESRP ☐ Corner Guards ☐ Har nish: PF Height: 1600 mm ☐ Crash Rails ☐ Cha	id Rails 🗹 Bed Bu ir Rail	ımper / Locator	☐ Interior Glazing	VSF FCB	Coa	at Hooks 🗹 Ceiling Lift rror 🗌 Infant Char		Magnetic Whiteboard Privacy Curtain
LEGEND:	DOORS				-		or Remarks:		
WALL AND CEILING LEGEND:	Types:								Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile		MINIS		41 AN 24 24					Security office
ACT-C Cleanroom	NAMANANA M	M. N.Z.							Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B2 C C2	D D2	E E2 I	F F2 G H	J				strategy
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile		Integral Do	or & Frame Privacy	Card N	Mag Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm): Material: Finish: Si	•	Protect.: Film:			linges: Accessory	1: Accessory 2: Acce	cessory 3: Clos	ser:
SACT Security Acoustic Ceiling Tile	The state of the s					1.00000.1	7.000550.7 2.7 7.005		
WALL FINISHES LEGEND:									
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK			Storage Requirements:				FINISHES	
PT Paint		UPPER UNITS		Storage Requirements:			Full beight Cabin		
CEILING FINISHES LEGEND:	U2 U2						Full-height Cabin Upper Millwo		
ECC Epoxy Ceiling Coating HPC High Performance Coating		U4 U5	U6 U7 [				Counterto		
PF Prefinished PT Paint		7 7					Lower Millwo	ork:	
							She	elf:	
WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel		4 11 12		S1				- 4 -	
FRL Fibre Reinforced Laminate							Rema		
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering			1 1					rash rails to be coor uring design phase t	dinated with designer
RHIS Rigid High Impact Sheet	***************************************			_i				pply protection	o see now best to
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering		Con Con	-						
FLOOR FINISHES LEGEND:	ci ci	"   =	1-1-	ON NO PERSONAL PROPERTY OF THE PERSONS ASSESSED.	7				
CFS Concrete Floor Sealer	C2 C3 C4 C5		- Property			7/	-		
EFC Epoxy Floor Coating				- MM-					
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L5 L6	L7 L8 L0						
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring			L7 L8 L9	L10 L11		7/ 11			
SDRF Static-Dissipative Rubber Sheet Flooring	Legend: Motorize	d			TC1 TC2		n   1		
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring	Category 0 - None Min. Length Adjustabl	e Standing Sp	pecialty	LOWER UNITS		UC1	1 4 1		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm) Height Category 2 - Med (5% - 9%)	Height Ca	asework		RECEPTION/TRANSACTION	LITUITY CINIC AND CC	NINTED LINIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				COUNTER / CARE TEAM STATION DESK	UTILITY SINK AND CO	ONTER UNIT		
FCB Flash Cove Base									
RB Rubber Base SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS									
	Seamless Utility / Other Fixtures:	П.		MED / NON-MED GASE	FC				
	tchen Sink: Process Sink: Scrub Sink: Floor Sink: Shower	☐ Evewash	h Station h/Shower Station	(Quantity)	Medical Nitro	us		Laboratory Lal	Utility boratory Compressed
	Snower Tub				edical Air: Vacuum: Oxid		AGSS: Nitrogen:		doratory Compressed /acuum: Air:
Plumbing Provide (2) HHS per treatment pod cluster	☐ Ice Maker	☐ Emerge		2	2 2				
Remarks:	☐ Vater Closet	Floor Dr							
	☐ Instantaneous		Bottle Refill Station	Gas Remarks: Pro	rovide one set of gases ((1) O2, (1)	Medical Air, (1) Medical	√acuum) per on each side	e of the bed.	
	Hot Water			_					
		Other		_					

Appendix 1B Minimum Room Requireme	ents	Program	1. F4.06	7.	13.	19.	25.	31.	37.	43.
		Number(s):	2. F6.08 3. F7.02	8. 9.	14. 15.	20. 21.	26. 27.	32. 33.	38. 39.	44. 45.
Room Name: Stretcher Bay - Patient Prep			4. K4.07	10.	16.	22.	28.	34.	40.	46.
			5.	11.	17.	23.	29.	35.	41.	47.
			6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS										
WALL AND CEILING	WALL PROTECTION	_		GLAZING		FLOORING TYPES	R	OOM ACCESSORIES		
		Corner Guards Hand Rails 🗹 Bed Bu	mper / Locator	☐ Interior	Glazing	Material: Base:  VSF FCB		Coat Hooks		✓ Magnetic Whiteboard
Ceiling Material: ACT Fi	nish: PF Height: 1600 mm	Crash Rails Chair Rail				VSF FCB			Infant Change Table	✓ Privacy Curtain
LEGEND:	DOORS							Door Remarks:		
WALL AND CEILING LEGEND:  AC Architectural Ceiling	Types:									☐ Security Grille
ACT Acoustic Ceiling Tile										D Authorities
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board						MM44				Anti-barricade strategy
GB Gypsum Board	A A2 B	B2 C C2 D D2	E E2	F F2 G	н	J				
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile		Integral Doo	or & Frame Privacy		Card Mag	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds: P	Protect.: Film:	Function:	Reader: Lock: O	pener: Open:	Hinges: Ac	cessory 1: Accessor	ry 2: Accessory 3:	Closer:
WALL FINISHES LEGEND:										
EWC Epoxy Wall Coating										
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS		Storage Requiremer	nts:				FINISHES	
CEILING FINISHES LEGEND:	U							Full-he	eight Cabinet:	
ECC Epoxy Ceiling Coating	7777	U2 U3 U4						Up	per Millwork:	
HPC High Performance Coating PF Prefinished		U5	U6 117 L	J8 SHELF					Countertop:	
PT Paint			77	SILLY				Lo	wer Millwork: Shelf:	
WALL PROTECTION LEGEND:				S1					Jileii.	
ESRP Extruded Semi-Rigid PVCu Panel	11 1								Remarks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic				-						
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	-	F-7		i						
WSSP Wetwall Solid Surface Panel			-							
WVW Wetroom Vinyl Wallcovering		"		ON THE PERSONS NAMED IN COLUMN	_ 1 1	75				
FLOOR FINISHES LEGEND:	C1 C2 C3 C4 C5 14					-				
CFS Concrete Floor Sealer EFC Epoxy Floor Coating		L2 L3 L4		4	1/-	4		A	7/	
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	15	17 10					Transaction	101	
RSF Rubber Sheet Flooring	TOLE HEIGHT GASINETS		L7 L8 L9	L10 L11			$\neg$			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			L12	TC1 TC2		n   [		
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None		ecialty	LOWERLINITS				UC1		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Categor Category 2 - Med (5% - 9%)	y (mm) Height Height Cas	sework	LOWER UNITS	RECEPTI	ON/TRANSACTION				
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				COUNTE	R / CARE TEAM I DESK	UTILITY SINK	AND COUNTER UNIT		
FCB Flash Cove Base			·							
RB Rubber Base SCF Seamless Cushioned Flooring										
·										
MECHANICAL REQUIREMENTS										
	Seamless Utility /	Other Fixtures:	Station	MED / NON-	-MED GASES					
	tchen Sink: Process Sink: Scrub Sink: Floor Sink:	L Eyewasii	/Shower Station	(Quantity)		Medical Nitro	ous		Laboratory	Utility Laboratory Compressed
1		☐ Tub ☐ Emergen		Оху	gen: Medical Air:	Vacuum: Oxio	de: CO2:	AGSS: N	litrogen: Air:	Vacuum: Air:
Plumbing F4.06 - Provide (1) HHS		☐ Ice Maker ☐ Flush Rin			1 1	1				
Remarks: F6.08 - Provide (1) HHS to be shared with 2 bay		☐ Water Closet ☐ Floor Dra	ain		omorker Dur 11	o set of a //4\ 02 //	\	Andinal Various 1	Double Datie at la chi la	
F7.02 - Provide (1) HHS to be shared with 3 bay K4.07 - Provide (1) HHS.	ys.	☐ Instantaneous ☐ Water Bo	ottle Refill Station	Gas R		e set of gases ((1) O2, (1 Bay K4.07 does not requi			ay to Patient's right.	
		Hot Water Other		$\neg$ $\mid$		,				
		Other								

Roc	om Name: Waiting Area		Number	3. C7.01 4. D1.03	8. F3.01 14. K: 9. F4.01 15. K: 10. F5.01 16. M	74.01 21. 72.01 22.	26. 27. 28.	32. 33. 34.	38. 39. 40.	44. 45. 46.
						1.02.08     23.       2.01.02     24.	29. 30.	35. 36.	41. 42.	47. 48.
ARCHITECTU	JRAL REQUIREMENTS				· · · · · · · · · · · · · · · · · · ·	·	•	·		
	ILING Material: ARGB 1.2m AFF, GB above Material: ACT	WALL PROTECTION   Type:   FRL   Height:   1350 mm	☐ Corner Guards ☐ Hand Rails ☐ Bed ☐ Crash Rails ☑ Chair Rail	Bumper / Locator	GLAZING  Interior Glazing	FLOORING TYPE  Material: B  VSF F	lase: [	Coat Hooks  Mirror	_	☐ Magnetic Whiteboard ☐ Privacy Curtain
LEGEND:	THING LECEND.	DOORS						Door Remarks:	:	
AC A ACT A ACT-C C ARGB A GB G IRGB In KLCT KI MMRGB N	ILING LEGEND:  rchitectural Ceiling coustic Ceiling Tile leanroom buse-Resistant Gypsum Board bypsum Board mpact-Resistant Gypsum Board itchen Lay-in Ceiling Tile Moisture and Mould-Resistant Gypsum Board ecurity Acoustic Ceiling Tile	Types:  A A2 B  Type:Qty: Size (mm):	B2 C C2 D D2  Material: Finish: Side Lt: Blinds:	E E2 F  Door & Frame Privacy Protect.: Film:	Function: Reader: L	Mag Auto Hold Open:	Hinges: Acc	tessory 1: Acces	ssory 2: Accessory 3:	Security Grille  Anti-barricade strategy  Closer:
EWC E	poxy Wall Coating ligh Performance Coating	MILLWORK AND SPECIALTY CASEWORK								
CEILING FINIS  ECC EI HPC H PF P PT P  WALL PROTEC  ESRP EI FRL FI FRP FI FRP FI WSSP W WVW W  FLOOR FINISH  CFS C EFC EI PFC P RAF R SCF S SDVF SI SDVF SI SDVF SI WSVF W  FLOOR BASE L FCB FI RB R	poxy Ceiling Coating ligh Performance Coating refinished aint  CTION LEGEND:  extruded Semi-Rigid PVCu Panel libre Reinforced Laminate libreglass Reinforced Plastic rotective Vinyl Wallcovering ligid High Impact Sheet Vetwall Solid Surface Panel Vetroom Vinyl Wallcovering  IES LEGEND:  oncrete Floor Sealer poxy Floor Coating olyurethane Floor Coating ubber Athletic Flooring ubber Athletic Flooring eamless Cushioned Flooring tatic-Dissipative Rubber Sheet Flooring inyl Sheet Flooring Vetroom Safety Vinyl Sheet Flooring	~	L2 L3 L4 L5	U6 U7 U8		RECEPTION/TRANSACTION COUNTER / CARE TEAM STATION DESK			II-height Cabinet: Upper Millwork: Countertop: Lower Millwork: Shelf:  Remarks:	
<i>MECHANICA</i> PLUMBING	AL REQUIREMENTS Hand	Seamless Utility /	Other Fixtures:		MED / NON-MED GASE	FC				
(Quantity) H		k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower Eyew	vash Station vash/Shower Station rgency Shower	(Quantity)	Medical dical Air: Vacuum:	Nitrous Oxide: CO2:	AGSS:	Laboratory Nitrogen: Air:	y Laboratory Compressed Vacuum: Air:
Plumbing Remarks:			☐ Ice Maker ☐ Flush ☐ Water Closet ☐ Floor	Rim Sink	Gas Remarks:					

Program 1. A1.03

7. F2.01

13. 11.02

19. U1.02

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

	4.		Number(s):	2. F6.01	8. 14.	20.	26.	32.	38.	44.
				3. L1.09	9. 15.	21.	27.	33.	39.	45.
Roo	om Name: Waiting Area - Gowned				10. 16.	22.	28.	34.	40.	46.
					11.	23.	29.	35.	41.	47.
				6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECT	URAL REQUIREMENTS									
WALL AND CE	FILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROC	OM ACCESSORIES		
	Material: ARGB 1.2m AFF, GB above		iards  Hand Rails  Bed Bui	mner / Locator		Material: Base:	_	Coat Hooks C	piling Lift	Magnetic Whiteboard
	Material: ACT	17,500		inper / Locator	☐ Interior Glazing	VSF FCB				Privacy Curtain
Cennig	Material. ACT	Finish: PF Height: 1350 mm Crash Rai	S Chair Nan						iant change rable	- Filvacy Curtain
LEGEND:		DOORS						Door Remarks:		
	EILING LEGEND:	Types:								Security Grille
	Architectural Ceiling Acoustic Ceiling Tile									
	Cleanroom									☐ Anti-barricade
	Abuse-Resistant Gypsum Board				الالقافا الأفار الأمام					strategy
	Gypsum Board	A A2 B B2 C	C2 D D2	E E2 F	F2 G H	J				
	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		Integral Doo	r & Frame Privacy	Card Mag	Auto Hold				
	Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Material:	•	rotect.: Film:	8		Hinges: Acce	ssory 1: Accessory	2: Accessory 3:	Closer:
SACT S	Security Acoustic Ceiling Tile	Type:Qty. Size (IIIII). Waterial.	Tillisti. Side Lt.		Tunction.		Tilliges. Acce	SSULY I. ACCESSULY	z. Accessory 5.	Closer.
WALL FINISHI	ES LEGEND:									
	Epoxy Wall Coating									
	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		C+.	orage Requirements:				FINISHES	
PT P	Paint		UPPER UNITS	30	orage requirements.					
CEILING FINIS	SHES LEGEND:	U1							tht Cabinet:	
ECC E	Epoxy Ceiling Coating	V2	U3 <sub>U4</sub> $\square$					Uppe	er Millwork:	
	High Performance Coating		U5	U6					Countertop:	
	Prefinished Paint			U8	SHELF			Lowe	er Millwork:	
					<b>ta</b> □				Shelf:	
WALL PROTE	CTION LEGEND:	20202020		-	S1					
	Extruded Semi-Rigid PVCu Panel	Sugarana III II II II	V						Remarks:	
	Fibre Reinforced Laminate Fibreglass Reinforced Plastic		_		1					
	Protective Vinyl Wallcovering	7	1 . 5		1					
	Rigid High Impact Sheet				1					
	Wetwall Solid Surface Panel		1							
wvw v	Wetroom Vinyl Wallcovering			-	NATURAL PROPERTY AND ADDRESS OF THE PARTY AND	76				
FLOOR FINISH	1ES LEGEND:	C1 C2 C3 C4			7	-		VOLUME OF STREET		
	Concrete Floor Sealer		=		1111		7		57	
	Epoxy Floor Coating Polyurethane Floor Coating		L3 L4 L5		KKKN	4	anneard T	The same of the sa	1	
	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8					'll	
	Rubber Sheet Flooring			L7 L8 L9	L10 L11	1/	7/			
	Seamless Cushioned Flooring	Lacondo			☐ ☐ L12	TC1 TC		"   L		
	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None Min Ler	Motorized				<u> </u>	UC1		
	Vinyl Sheet Flooring	Cotogon 4   Love (40/ 40/)	,	ecialty	LOWER UNITS		_	200		
WSVF V	Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm		ework		PTION/TRANSACTION	LITH ITV CINIV AN	ID COUNTED UNIT		
FLOOR BASE	LEGEND:	Category 3 - High (10% or Greater)				NTER / CARE TEAM ION DESK	OTILITY SINK AN	ID COUNTER UNIT		
	Flash Cove Base				317.1	ION DESK				
RB F	Rubber Base									
SCF S	Seamless Cushioned Flooring									
MECHANICA	AL REQUIREMENTS	·								
		Consideration (1999)			MED / N.O					
PLUMBING	Hand	Seamless Utility / Other Fi : Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Lyewasii		MED / NON-MED GASES					Utility
(Quantity)	yBiene Sink. Lavatory. Kitchen Sink	□ Sno		/Shower Station	(Quantity)	Medical Nitr			Laboratory	Laboratory Compressed
			☐ Emergen	cy Shower	Oxygen: Medical	Air: Vacuum: Oxi	de: CO2:	AGSS: Nit	rogen: Air:	Vacuum: Air:
Plumbing	-									
Remarks:			ter Closet Floor Dra							
			_		Gas Remarks:			<del></del>	<del></del>	
				ottle Refill Station						
		НО	Water Other							
			2 2.1.2.							

Program 1. F2.07

7.

13.

19.

25.

31.

37.

43.

The state of the s			Number(	s): 2. C3.17	8. F2.05	14. 12.20	20. N1.07	26.	3	2.	38.	44.	
Washington Before				3. C4.04	9. F3.06	15. K3.05	21.	27.	3	3.	39.	45.	
Room Name: Washroom - Patient				4. C5.08	10. F4.04	16. K4.06	22.	28.	3	4.	40.	46.	
				5. D3.14	11. F5.04	17. L1.11	23.	29.	3	5.	41.	47.	
				6. D6.11	12. F6.05	18. L2.16	24.	30.	3	6.	42.	48.	
ARCHITECTURAL REQUIREMENTS													
WALL AND CEILING	WALLE	ROTECTION			GLAZING		FLOORING TYPES		ROOM ACCES	SORIES			
Wall Material: MMRGB		pe: FRP Corner G	uards Hand Rails Bed	Bumper / Locator	☐ Interior Gla		Material: Base:			oks Ceiling Li	ft	Magnetic Whiteb	oard
Ceiling Material: MMRGB		ht: 1350 mm Crash Rai		, , , , , , , , , , , , , , , , , , , ,	interior dia	azırıg	WSVF FCB		<b>✓</b> Mirror	☐ Infant Ch		Privacy Curtain	
LEGEND:	DOORS								Door Ren	narks:			
WALL AND CEILING LEGEND:	Types:										for M2.17 located		C ::!!-
AC Architectural Ceiling	Types.				VI DAIN DE				within PE	T CT Functional Im	naging.	Security	y Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom	[0.11]											<b>✓</b> Anti-ba	arricade
ARGB Abuse-Resistant Gypsum Board												strategy	
GB Gypsum Board	A	A2 B B2 C	C2 D D2	E E2 F	F2 G	н	J						
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile			Integral [	Ooor & Frame Privacy	(	Card Mag	Auto Hold						
MMRGB Moisture and Mould-Resistant Gypsum Board	Гурез	Qty: Size (mm): Material:	Finish: Side Lt: Blinds:	Protect.: Film:	Function: Re	eader: Lock: (	0	nges:	Accessory 1:	Accessory 2: Ac	ccessory 3:	Closer:	
SACT Security Acoustic Ceiling Tile	A			Low Pri	vacy				Safety Stop	,	Surfac		
WALL FINISHES LEGEND:								J	, .				
EWC Epoxy Wall Coating													
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY	CASEWORK	UPPER UNITS	:	Storage Requirements	:					FINISHES		
CEILING FINISHES LEGEND:		U1 U								Full-height Cab	inet:		7
ECC Epoxy Ceiling Coating	(married 1)	U2	U3 U4							Upper Millw	/ork:		1
HPC High Performance Coating	-	Y V	V5	U6						Counter	rtop:		
PF Prefinished PT Paint				Z U8	SHELF					Lower Millw	vork:		
										S	helf: Solid Surfaci	ng	
WALL PROTECTION LEGEND:					S1								
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate					1					Ren	narks:		
FRP Fibreglass Reinforced Plastic	-				-								
PVW Protective Vinyl Wallcovering		-	1	- 1									
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel													
WVW Wetroom Vinyl Wallcovering			-1. III 1 1 1 1 -1 -1 -1	-		1	1						
FLOOR FINISHES LEGEND:	C1 C2		1 1		ON THE PERSONS	- Commence	/ Comment						
CFS Concrete Floor Sealer	☐ C2 C3	C4 C5	-	7				7	/				
EFC Epoxy Floor Coating			13 14		- 4	1==	Variable Variable	_/	Harman	1			
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS			5 17 10									
RSF Rubber Sheet Flooring	TOLE HEIGHT GREATERS			6 L7 L8 L9	L10 L11			$\dashv$ $/$					
SCF Seamless Cushioned Flooring						L12	TC1 TC2		ll n	U			
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	***	Motorized	Caratali			TC2		UC1				
VSF Vinyl Sheet Flooring	Category 1 - None  Category 1 - Low (1% - 4%)	Min. Len Category (mm		Specialty Casework	LOWER UNITS	BE0555	TION /TDANS ACTION			2,440,43			
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	2 500					TION/TRANSACTION TER / CARE TEAM	UTILITY SI	INK AND COUNTE	R UNIT			
FLOOR BASE LEGEND:	Category 3 - High (10% or Grea	ater) 2 600					ON DESK						
FCB Flash Cove Base													
RB Rubber Base  SCF Seamless Cushioned Flooring													
AACCHANICAL DEGLESSASSASSASSASSASSASSASSASSASSASSASSASSA													
MECHANICAL REQUIREMENTS													
PLUMBING Hand	Seamless Utility /	Other Fix	xtures: Eyew	ash Station	MED / NON-W	IED GASES						11	Jtility
(2,22.1.1.1)	k: Kitchen Sink: Process Sink: Scrub Sir	nk: Floor Sink:	ower Eyew	ash/Shower Station	(Quantity)		Medical Nitrou					Laboratory Com	pressed
1		Tub		gency Shower	Oxyger	n: Medical Ai	r: Vacuum: Oxide	: сс	D2: AGSS	: Nitrogen:	Air:	Vacilim:	Air:
Plumbing													
Remarks:			ter Closet Floor							I			
				r Bottle Refill Station	Gas Ren	narks:							
			tantaneous	DOLLIE NEIIII SLALIUII									
			Other										
					1								

Program 1. A3.11

7. E8.04

13. G1.12

19. M2.17

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1	B Minimum Roo	om Requirements			Program Number(s):	1. A2.07 2. C3.19	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.		37. 38.	43. 44.	
Roo	m Name: Washroom	- Patient - Bariatric				3. C4.15 4. I2.21	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.		39. 40.	45. 46.	
						5.	11.	17.	23.	29.	35.		41.	47.	
						6.	12.	18.	24.	30.	36.		42.	48.	
ARCHITECTU	JRAL REQUIREME	NTS					1		ı						
WALL AND CEI			WALL PROTECTION				GLAZING		FLOORING TYP		ROOM ACCESSO		_	$\neg$	
	MARGB	Finish: EWC	Type: FRP	Crash Rails Hand Rai		mper / Locator	☐ Interior Gla	zing	Material: E	FCB	✓ Coat Hooks ✓ Mirror	Ceiling Lif ☐ Infant Cha		☐ Magnetic W☐ Privacy Cur	
Celling IV	1aterial: MMRGB	Finish: ECC	Height: 1350 mm	Crash Rails Chair Rai	I				[]				ange lable L	→ Privacy Cur	tain
LEGEND:		DOORS								Note: for Type F do	Door Rema	rks:			
	ILING LEGEND: rchitectural Ceiling		Types:							the door panels will				□ s	Security Grille
	coustic Ceiling Tile									approximately					
	eanroom buse-Resistant Gypsum Board				NE				MMMM	465/1065 unless otherwise rquired b	v				Anti-barricade trategy
GB Gy	ypsum Board		A A2 B	B2 C C2 D	D2	E E2 F	F2 G	Н	J	the Authority	,				er acc <sub>B</sub> y
	npact-Resistant Gypsum Board tchen Lay-in Ceiling Tile				Integral Doo	or & Frame Privacy	C	ard Mag	Auto Hold						
MMRGB M	loisture and Mould-Resistant Gy	osum Board	Type:Qty: Size (mm):	Material: Finish: Side Lt:		Protect.: Film:		•	Opener: Open:	Hinges:	Accessory 1: Ac	ccessory 2: Ac	cessory 3:	Closer:	
SACT Se	ecurity Acoustic Ceiling Tile		F 1 1530 x 2135 S		1 Lo	ow Priv							ety Stop Surf		
WALL FINISHE															
	poxy Wall Coating igh Performance Coating	MILLWORK	AND SPECIALTY CASEWORK												
PT Pa	aint	MILEWORK	AND STECIALTY CASEWORK		PER UNITS	5	torage Requirements:						FINISHES		
CEILING FINISH	HES LEGEND:		1/	U1								Full-height Cabi			
	poxy Ceiling Coating igh Performance Coating		Y V V V	U2 U3 U4	U5	U6 U7						Upper Millw Counter			
PF Pr	refinished		-		7	U7 U8	SHELF					Lower Millw			
PT Pa	aint				T	77	<b>I</b>						nelf: Solid Surfac	cing	
WALL PROTEC	TION LEGEND:	-	=		ılı K		S1						<u> </u>		
	ktruded Semi-Rigid PVCu Panel bre Reinforced Laminate	K	a		-11		1					Rem	narks:		
	breglass Reinforced Plastic	K	-												
	rotective Vinyl Wallcovering gid High Impact Sheet	K	500	december of the second	P12121212		1								
WSSP W	etwall Solid Surface Panel	<u> </u>			Service Service	taracapa.									
wvw w	etroom Vinyl Wallcovering	_			-		CO CONTRACTOR OF THE PERSON	1 1	75	5					
FLOOR FINISH		C1   □	C2 C3 C4 C5					1	The state of the s			3			
	oncrete Floor Sealer Doxy Floor Coating			12				K		2 /	6	1			
	olyurethane Floor Coating	EIIII HEI	GHT CABINETS		L5 16	L7 18		4	<i>A</i> I	1					
	ubber Athletic Flooring ubber Sheet Flooring	POLL-HER	INI CADINETS				L10 L11		/						
	eamless Cushioned Flooring	. Lamanda						L12	TC1	TC2		1 11 11			
	atic-Dissipative Rubber Sheet Floor atic-Dissipative Vinyl Sheet Floor		- None	Motorized Min. Length Adjustable S	Standing Spe	ecialty					UC1				
	inyl Sheet Flooring /etroom Safety Vinyl Sheet Floori		- Low (1% - 4%) Categ	- ,		sework	LOWER UNITS	RECEPT	TION/TRANSACTIO	N					
		Category 2	- Med (5% - 9%) - High (10% or Greater)	600					TER / CARE TEAM	UTILITY SI	NK AND COUNTER	UNIT			
FLOOR BASE LI	EGEND: ash Cove Base	category 5	ingli (10% of Creater)					STATIO	ON DESK						
RB Ru	ubber Base														
SCF Se	eamless Cushioned Flooring														
<u>MECHANICA</u>	L REQUIREMENT	S					1								
PLUMBING	Hand	Seamless Uti	lity/	Other Fixtures:	☐ Eyewash	Station	MED / NON-M	ED GASES							Utility
(Quantity) Hy		Kitchen Sink: Kitchen Sink: Proce	ess Sink: Scrub Sink: Floor Sink:	Shower		/Shower Station	(Quantity)		Medical	Nitrous			Laboratory	Laboratory	Compressed
	1			☐ Tub	☐ Emergen	ncy Shower	Oxygen	: Medical Air	r: Vacuum:	Oxide: CO	2: AGSS:	Nitrogen:	Air:	Vacuum:	Air:
	rovide floor mounted wa	ter closet.		☐ Ice Maker	☐ Flush Rin	n Sink									
Remarks:				<b>✓</b> Water Closet	☐ Floor Dra	ain	Gas Rem	arks:		1	1	•			
				Instantaneous	☐ Water Bo	ottle Refill Station	Gas Rem	aiks.							
				Hot Water	Other										

Appendix 1B N	Minimum Room Requir	ements	Pro Numb	51.21	7. D1.04 8. F1.05	13. T4.06 14. U1.03	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Na	ame: Washroom - Public			3. B2.13 4. B3.12 5. B4.02	9. I1.04 10. M2.04 11. T1.03	15. V1.04 16. 17.	21. 22. 23.	27. 28. 29.	33. 34. 35.	39. 40. 41.	45. 46. 47.
ARCHITECTI IR A	AL REQUIREMENTS			6. C1.05	12. T2.02	18.	24.	30.	36.	42.	48.
		ppo======			0.470.0		EL CODINIO ENDES	2001			
WALL AND CEILING	rial: MMRGB	Finish: EWC Type: FRP	Corner Guards Hand Rails I	Pod Pumpor / Locator	GLAZING		FLOORING TYPES  Material: Base:		I ACCESSORIES Coat Hooks	ft Na	agnetic Whiteboard
Ceiling Mater		Finish:         EWC         Type:         FRP           Finish:         ECC         Height:         1350 mm	Crash Rails Chair Rail	bed builiper / Locator	☐ Interior Gla	izing	WSVF FCB		Mirror Infant Ch		vacy Curtain
	Idi. IVIIVIIGD									unge rubie rri	vacy curtain
LEGEND:		DOORS						_	oor Remarks: utomatic operator with do	uple acting arm	
AC Architec	G LEGEND: ctural Ceiling	Types:							apable of being pulled ope		Security Grille
	c Ceiling Tile				N MIN ME				de.		
ACT-C Cleanro			IMMININAMININAMI								✓ Anti-barricade
ARGB Abuse-R GB Gypsum	Resistant Gypsum Board n Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	Н					strategy
	Resistant Gypsum Board	, . <u>.</u>									
	Lay-in Ceiling Tile re and Mould-Resistant Gypsum Board	5 00 00 ( )		al Door & Frame Privacy s: Protect.: Film:			Auto Hold pener: Open: Hind	_		2 0	
	Acoustic Ceiling Tile	Type:Qty: Size (mm)	. Material. Tillisti. Side Et.		Turiction:					ccessory 3: Close	er:
WALL FINISHES LEG	GEND:	A 1 1065 x 21	35 Solid Core FRL	2 High P	rivacy [		Cont. Doub	ole-Acting Safety St	op Elec. Strike	Surface	
EWC Epoxy W	Vall Coating										
HPC High Per PT Paint	rformance Coating	MILLWORK AND SPECIALTY CASEWORK			Storage Requirements:					FINISHES	
	LECEND.		UPPER UNI	115					Full-height Cab	inet:	
CEILING FINISHES L	LEGEND: Ceiling Coating	- VIII	U1 U2 U3 U4						Upper Millw		
	rformance Coating		U5	U6 U7					Counter	top:	
PF Prefinish PT Paint	hed			U8	SHELF				Lower Millw	ork:	
					<b>✓</b>				S	helf: Solid Surfacing	
WALL PROTECTION		-			S1						
	d Semi-Rigid PVCu Panel einforced Laminate				15				Rer	narks:	
FRP Fibregla	ss Reinforced Plastic	-									
	ive Vinyl Wallcovering gh Impact Sheet	-	Transaction of the last of the	-	1						
	l Solid Surface Panel		1 11	E-mercanismos	1						
WVW Wetroor	m Vinyl Wallcovering		1 1		Con Contraction	1	7/				
FLOOR FINISHES LE	EGEND:	C1		= = <		1	-				
	e Floor Sealer loor Coating		11 12	-		K		//	(mar)		
	thane Floor Coating				Zer	4	-				
	Athletic Flooring Sheet Flooring	FULL-HEIGHT CABINETS		L6 L7 L8 L9			7 - 15				
	ss Cushioned Flooring				L10 L11	L12			]		
	issipative Rubber Sheet Flooring	Legend:	Motorized				τ <b>c</b> 1 τ <b>c</b> 2	ľ	101		
	issipative Vinyl Sheet Flooring leet Flooring	Category 0 - None Category 1 - Low (1% - 4%)	Min. Length Adjustable Standing		LOWER UNITS			[	JC1 "		
WSVF Wetroor	m Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	Category (mm) Height Height	Casework			ON/TRANSACTION ER / CARE TEAM	UTILITY SINK AND	COLINTER LINIT		
FLOOR BASE LEGEN	ND:	Category 3 - High (10% or Greater)	2 600			STATION	•	OTILITY SHIRK AND	COOKIEK OILI		
FCB Flash Co											
RB Rubber I SCF Seamles	Base ss Cushioned Flooring										
MECHANICAL D	DECLUDEMENTS										
	REQUIREMENTS										
PLUMBING Ha		Seamless Utility / k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sin	k·	vewash Station	MED / NON-M	ED GASES					Utility
(Quantity) Hygien	ne Sink: Lavatory: Kitchen Sin	n. Nitchen Sink. Process Sink. Schud Sink. Proof Sin	Snower Ey	yewash/Shower Station	(Quantity)		Medical Nitrous Vacuum: Oxide:				Compressed
	1		Tub En	mergency Shower	Oxygen	n: Medical Air:	Vacuum: Oxide:	CO2:	AGSS: Nitrogen:	AII. Va	cuum: Air:
Plumbing			☐ Ice Maker ☐ Flu	ush Rim Sink							
Remarks:			<b>✓</b> Water Closet ☐ Flo	loor Drain	Gas Rem	arks:	•		•	1	
				/ater Bottle Refill Station	Gas Rem	iai KS.					
			Hot Water Othe	ar .	1						
			Othe	ii [	]						

PP -		Number(s):	2. B1.20	8. Not Used	14. G1.13	20. Not Used	26. M2.34	32. Not Used	38. Y4.04	44.
Room Name: Washroom - Staff			3. B2.22	9. Not Used	15. H1.10	21. Not Used	27. N3.10	33. U5.10	39. Y5.03	45.
Room Name: Washiooni - Stail			4. B3.22	10. D7.02	16. 13.03	22. L3.07	28. P4.03	34. U7.02	40.	46.
			5. Not Used	11. E7.05	17. J5.03	23. M1.03	29. R4.07	35. W1.07	41.	47.
			6. C4.25	12. Not Used	18. Not Used	I 24. Not Used	30. S2.04	36. X4.04	42.	48.
ARCHITECTURAL REQUIREMENTS										<u> </u>
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES	ROC	OM ACCESSORIES		
	Finish: EWC Type: FRP	Corner Guards Hand Rails Bed Bu	mper / Locator	☐ Interior Gla	-in-	Material: Base:		Coat Hooks Ceiling L	.ift 🗆 N	agnetic Whiteboard
	Finish: ECC Height: 1350 mm	<del>_</del>	p - 7	interior Gia	zirig	WSVF FCB		Mirror Infant C		ivacy Curtain
LEGEND:	DOORS			I.			I	Door Remarks:		
WALL AND CEILING LEGEND:										
AC Architectural Ceiling	Types:	7 (20) (2) (2) (2) (2) (2) (3) (4) (4) (4) (4)	a aa ta		700					Security Grille
ACT Countries Classified	K   K   K   K									✓ Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board										strategy
GB Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	н	J				
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile		Integral Dec	r & Frame Privacy	_	Card Mag	Auto Hold				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mn		rotect.: Film:				ann Ann	accomula Accossomala A	accessory 3: Clos	
SACT Security Acoustic Ceiling Tile		ij. Material. Timon. Side Et.		ranction.					Accessory 3: Clos	er:
WALL FINISHES LEGEND:	A 1 1065 x 2	135 Solid Core FRL	w Priv	acy		Cont. Dou	ble-Acting Safety	ystop	Surrace	
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK						I			
PT Paint	WILLWORK AND SPECIALLY CASEWORK	UPPER UNITS	St	torage Requirements:					FINISHES	
CEILING FINISHES LEGEND:		U1 U2 U2						Full-height Cal		
ECC Epoxy Ceiling Coating	7	U2 U3 U4 U5						Upper Mill		
HPC High Performance Coating PF Prefinished	Says and the says and the says are the says	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	U6 U7 U8	SHELF				Counte	•	
PT Paint			7 7					Lower Mill		
WALL PROTECTION LECEND.				<b>→</b>					Shelf: Solid Surfacing	
WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel				S1						
FRL Fibre Reinforced Laminate	1			1				Ke	marks:	
FRP Fibreglass Reinforced Plastic	-		1 1	1						
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	-	Emmy		1						
WSSP Wetwall Solid Surface Panel										
WVW Wetroom Vinyl Wallcovering				Section 200	1	7				
FLOOR FINISHES LEGEND:	C1 C2 C3		-7	On 100	- Caragament	Commence -				
CFS Concrete Floor Sealer	☐ ☐ <u>C4</u> C5	11 12					7			
EFC Epoxy Floor Coating				- 1944	4==		_/ 6			
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 10		1					
RSF Rubber Sheet Flooring			L7 L8 L9	L10 L11	1		7/ 1			
SCF Seamless Cushioned Flooring	Language				L12	TC1 TC2		u   [		
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized	-:-le.				U	UC1		
VSF Vinyl Sheet Flooring	4 1 (40) 40()		ecialty ework	LOWER UNITS	DECEDE					
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	- ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '				ION/TRANSACTION ER / CARE TEAM	UTILITY SINK AN	ID COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)	2 600			STATIO	=				
FCB Flash Cove Base										
RB Rubber Base  SCF Seamless Cushioned Flooring										
2.5. Connect Connect Flooring										
MECHANICAL REQUIREMENTS										
•	Coomless Hallan /	Other Fintures:		MED / NON SE	ED CACEC					
PLUMBING Hand (Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Seamless Utility / Kitchen Sink: Process Sink: Scrub Sink: Floor Si	Other Fixtures: Evewash		MED / NON-M	ED GASES	Manadi I Ann			laborete : 1	Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:		☐ Shower ☐ Eyewash	/Shower Station	(Quantity)		Medical Nitrous Vacuum: Oxide:		A CCC	A*: 1/	oratory Compressed
		Tub Emergen	cy Shower	Oxygen	: Medical Air	· vacuum. Oxide:	CO2:	AGSS: Nitrogen:	All. V	Air:
Plumbing		☐ Ice Maker ☐ Flush Rin	n Sink							
Remarks:		✓ Water Closet ☐ Floor Dra	ain			1			1	
			ottle Refill Station	Gas Rem	arks:					
		Hot Water								
		Other								

Program 1. A4.07

7. Not Used

13. F8.09

19. K1.13

25. Not Used

31. T2.07

37. Y2.02

43.

Appendix	1B Minimum Room Requi	rements	Progra Number(	(s): 2. B1.23	7. E7.08 13. J5.08 8. F4.17 14. K1.06	19. M1.20 20. M2.13	25. U3.03 26. U5.11	31. 32.	37. 38.	43. 44.
R	Noom Name: Washroom - Staff - Non	i-Acc		4. D6.20 1 5. D2.26 1	9. F8.11     15. L1.12       10. G1.28     16. L2.17       11. H1.11     17. L3.09	21. N3.11 22. P4.11 23. R4.09	27. U7.04 28. Y4.06 29. W3.07	<ul><li>33.</li><li>34.</li><li>35.</li></ul>	39. 40. 41.	45. 46. 47.
ARCHITEC'	TURAL REQUIREMENTS			6. D3.12	12. I3.04 18. M1.41	24. T2.09	30. W4.25	36.	42.	48.
WALL AND	Il Material: MMRGB	Finish: EWC WALL PROTECTION  Type: FRP	✓ Corner Guards ☐ Hand Rails ☐ Bed	Bumner / Lecator	GLAZING	FLOORING TYPES  Material: Base:	ROOM ACC	JESSORIES Hooks	. [	Magnetic Whiteboard
	MMRGB	7,700	Crash Rails Chair Rail	Bulliper / Locator	☐ Interior Glazing	WSVF FCB	Mirror			Privacy Curtain
	, Waterial. Wildings		_ crasii kaii					emarks:	ange rable .	
LEGEND:		DOORS					Doork	emarks:		
AC	CEILING LEGEND: Architectural Ceiling	Types:								Security Grille
ACT	Acoustic Ceiling Tile									
ACT-C	Cleanroom		MALINEN MEDINE			NNAA				Anti-barricade strategy
ARGB GB	Abuse-Resistant Gypsum Board Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	J				Strategy
IRGB	Impact-Resistant Gypsum Board					A 1- 11-14				
KLCT MMRGB	Kitchen Lay-in Ceiling Tile  Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds:	Door & Frame Privacy Protect.: Film:	Card Mag Function: Reader: Lock:	Auto Hold Opener: Open: Hinge		Accessory 2: Ac	coccony 2:	Closer:
SACT	Security Acoustic Ceiling Tile		Waterial. Tillish. Side Et.	1 Low Privac	Tanction:		s: Accessory 1: e-Acting Safety Stop	Accessory 2. Ac	Sur	
WALL FINIS	HES LEGEND:	A 1 515 X 2133 50	Mid Core TRE	T LOW	· <b>y</b>	Cont. Bouble	SACTING SALETY STOP		Juli	ace
EWC	Epoxy Wall Coating									
HPC PT	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	rage Requirements:				FINISHES	
CEILING FIN	IISHES LEGEND:							Full-height Cabi	net:	
ECC	Epoxy Ceiling Coating	17.7.7	U2 U3 U4 U					Upper Millw	ork:	
HPC	High Performance Coating	Karan Karan	U5	U6				Counter	top:	
PF PT	Prefinished Paint			U8	SHELF			Lower Millw		
WALL DOOT	FECTION LEGEND.				7			SI	nelf: Solid Surfa	cing
ESRP	FECTION LEGEND:  Extruded Semi-Rigid PVCu Panel				S1			Por	narks:	
FRL	Fibre Reinforced Laminate							Ken	iaiks.	
FRP PVW	Fibreglass Reinforced Plastic Protective Vinyl Wallcovering									
RHIS	Rigid High Impact Sheet		-		<u> </u>					
WSSP WVW	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO IS NAMED IN COLUMN TW	The second of th	on on						
					too and transportation	7				
CFS	SHES LEGEND:  Concrete Floor Sealer	C1 C2 C3 C4 C5 11		3-1-			7			
EFC	Epoxy Floor Coating		12		444	6	/	1		
PFC RAF	Polyurethane Floor Coating Rubber Athletic Flooring	FULL-HEIGHT CABINETS		6 L7 L8			7         "			
RSF	Rubber Sheet Flooring	TOLE-HEIGHT CADINETS		7 7 2 19	L10   111		1 /			
SCF SDRF	Seamless Cushioned Flooring	Locandi			☐ L12	TC1 TC2				
SDVF	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized  Min. Length Adjustable Standing	Specialty			UC1	U [ -		
VSF	Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category		Casework	LOWER UNITS RECEPT	TION/TRANSACTION				
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	600			•	ITILITY SINK AND COUN	ITER UNIT		
FLOOR BASI		Category 5 - night (10% of Greater)			STATIC	ON DESK				
FCB RB	Flash Cove Base Rubber Base									
SCF	Seamless Cushioned Flooring									
MECHANIC	CAL REQUIREMENTS									
PLUMBING		Seamless Utility /	Other Fixtures:	ash Station	MED / NON-MED GASES					
(Quantity)		nk: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:			(Quantity)	Medical Nitrous			Laboratory	Utility Laboratory Compressed
(	1			ash/Shower Station	Oxygen: Medical Ai		CO2: AG	SS: Nitrogen:	Air:	Vacuum: Compressed  Vacuum: Air:
Plumbing				gency Shower						
Remarks:										
					Gas Remarks:					
			Instantaneous Wate	r Bottle Refill Station						
			Other							

Appendix 1B Mir	nimum Room Requirements		Program Number(s):	1. C2.14 2. C8.05	7. 13. 8. 14.	20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name	e: Washroom/Shower - Staff			3. D7.13 4. Y1.10	9. 15. 10. 16.		27. 28.	33. 34.	39. 40.	45. 46.
					11. 17.		29.	35.	41.	47.
				6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL R	REQUIREMENTS									
WALL AND CEILING		WALL PROTECTION			GLAZING	FLOORING T Material		ROOM ACCESSORIES		
Wall Material: Ceiling Material:			Corner Guards Hand Rails Bed Bu Crash Rails Chair Rail	umper / Locator	☐ Interior Glazing	WSVF	FCB	✓ Coat Hooks ☐ Ceiling ✓ Mirror ☐ Infant C		Magnetic Whiteboard Privacy Curtain
			_ Classificatio					Door Remarks:	nange rable	- Invacy curtain
LEGEND: WALL AND CEILING LEG	DOORS GEND:	Types:								
AC Architectural	_	Types.		d do d						Security Grille
ACT Acoustic Ceilin ACT-C Cleanroom										✓ Anti-barricade
ARGB Abuse-Resista GB Gypsum Boar	ant Gypsum Board rd	A A2 B	B2 C C2 D D2	E E2 F	F2 G	H J				strategy
IRGB Impact-Resist KLCT Kitchen Lay-ir	stant Gypsum Board			or & Frame Privacy	Card	Mag Auto Hold				
MMRGB Moisture and	d Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	•	Protect.: Film:		•	: Hinges: A	ccessory 1: Accessory 2:	Accessory 3: Clo	oser:
	ustic Ceiling Tile	A 1 1065 x 2135 Sol	id Core FRL 1 L	ow Priva	су		Cont. Double-Acting Sa	fety Stop	Surface	5
WALL FINISHES LEGEN  EWC Epoxy Wall Co										
HPC High Perform	-	ORK AND SPECIALTY CASEWORK	_	Sto	orage Requirements:				FINISHES	
PT Paint  CEILING FINISHES LEGE	END:		UPPER UNITS					Full-height Ca	binet:	
ECC Epoxy Ceiling		11111	U2 U3 U4 U					Upper Mil	work:	
HPC High Perform PF Prefinished	nance Coating		U5	U6 U7 U8	SHELF			Count	-	
PT Paint	K	<del></del>		77	<b>⅓</b> ✓			Lower Mil	Shelf: Solid Surfacing	σ
WALL PROTECTION LEG	GEND:				S1				Silen. Solid Surfacing	5
	mi-Rigid PVCu Panel rced Laminate	II I I I I			1			Re	emarks:	
FRP Fibreglass Rei	einforced Plastic									
PVW Protective Vir RHIS Rigid High Im	inyl Wallcovering spact Sheet	7			<u> </u>					
	d Surface Panel nyl Wallcovering									
FLOOR FINISHES LEGEN		C1 C2		1-1/1	OD SHEET STREET, STREE	/	7			
CFS Concrete Floo		C2 C3 C4		- Property	==		7	F		
EFC Epoxy Floor C PFC Polyurethane	Coating e Floor Coating		L2 L3 L4 L5		- KM		-			
RAF Rubber Athle	etic Flooring FULL	L-HEIGHT CABINETS		L7 L8 L9						
SCF Seamless Cus	shioned Flooring					12 TC1	= V			
	ative Rubber Sheet Flooring Legen ative Vinyl Sheet Flooring Catego	d: ory 0 - None	Motorized Min. Length Adjustable Standing Sp	ecialty			1 τc2	UC1		
VSF Vinyl Sheet FI WSVF Wetroom Safe	Category Control Category Cate	ory 1 - Low (1% - 4%) Categor		sework	LOWER UNITS	RECEPTION/TRANSACT	TION			
FLOOR BASE LEGEND:	Catego	ory 2 - Med (5% - 9%) ory 3 - High (10% or Greater)	600			COUNTER / CARE TEAM	M UTILITY SINK	AND COUNTER UNIT		
FCB Flash Cove Ba						STATION DESK				
RB Rubber Base SCF Seamless Cus	shioned Flooring									
Sea Seamess eas	3									
MECHANICAL REQ	QUIREMENTS									
PLUMBING Hand	Seamless	Utility /	Other Fixtures: Eyewasi	o Ctation	MED / NON-MED GA	ASFS				
(Quantity) Hygiene Si	ink: Lavatory: Kitchen Sink: Kitchen Sink:	Process Sink: Scrub Sink: Floor Sink:	Lyewasi	h/Shower Station	(Quantity)	Medical	Nitrous			aboratory Compressed
	1		☐ Tub ☐ Emerger		Oxygen: N	Medical Air: Vacuum:	Oxide: CO2:	AGSS: Nitrogen	: Air: '	Vacuum: Air:
Plumbing			☐ Ice Maker ☐ Flush Rin	m Sink						
Remarks:			✓ Water Closet ✓ Floor Dr		Gas Remarks:		,			
				Sottle Refill Station	Cas Activates					
			Hot Water Other							

Room Name: Work Hub - Technologists			5. F5.14	9. 15. 10. 16. 11. 17. 12. 18.	22. 23.	27.       33.         28.       34.         29.       35.         30.       36.	39. 40. 41. 42.	45. 46. 47. 48.
ARCHITECTURAL REQUIREMENTS				'		,		
WALL AND CEILING Wall Material: GB	Finish: PT Type: PVW Height: 1350 mm  DOORS  Types:  A A2 B  Fype:Qty: Size (mm):  C 1 915 x 2135	Corner Guards Hand Rails Crash Rails Chair Rail  B2 C C2 D  Material: Finish: Side Lt:  Solid Core FRL	D2 E E2 F Integral Door & Frame Privacy		FLOORING TYPES Material: Base:  VSF FCB  Auto Hold Opener: Open: Hinges:	Door Remarks:  Quantities of door is	nfant Change Table Pi	
WALL FINISHES LEGEND:	0 1 313 × 2133						Surface	
EWC Epoxy Wall Coating HPC High Performance Coating PT Paint  CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering  FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Coating PFC Polyurethane Floor Coating RAF Rubber Athletic Flooring SCF Seamless Cushioned Flooring SDVF Static-Dissipative Rubber Sheet Flooring VSF Winyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring FLOOR BASE LEGEND: FCB Flash Cove Base RB Rubber Base SCF Seamless Cushioned Flooring	FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	U1 U2 U3 U4  L2 L3 L4  Motorized Min. Length Adjustable St	U5 U6 U7 U8	COUN	TC1 TC2  DTION/TRANSACTION	Uppe	FINISHES ght Cabinet: er Millwork: Countertop: er Millwork: Shelf:  Remarks:	
PLUMBING (Quantity) Hand Hygiene Sink: Lavatory: Kitchen Sink:  Plumbing Remarks:	Seamless Utility / Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower  Tub  Ice Maker  Water Closet	Eyewash Station Eyewash/Shower Station Emergency Shower Flush Rim Sink Floor Drain Water Bottle Refill Station Other	MED / NON-MED GASES (Quantity) Oxygen: Medical A	Medical Nitrous Air: Vacuum: Oxide:	CO2: AGSS: Nit		boratory Compressed /acuum: Air:

Program 1. C7.04

Number(s): 2. F2.14

7.

8.

13.

14.

19.

20.

25.

26.

31.

32.

37.

38.

43.

44.

Appendix 1B Minimum Room Requ	uirements		Program Number(s):		7. 13. 8. 14.	19. 20.	25. 26.	31. 32.		37. 38.	43. 44.	
Room Name: Workroom - CC Admir	nistration			4. 5. 2	9. 15. 10. 16. 11. 17. 12. 18.	21. 22. 23. 24.	27. 28. 29. 30.	33. 34. 35. 36.		39. 40. 41. 42.	45. 46. 47. 48.	
ARCHITECTURAL REQUIREMENTS					1	1	<u>'</u>	<u> </u>			-	
WALL AND CEILING	WALL PROTECTION				GLAZING	FLOORING TYPES	R	OOM ACCESSO	RIES			
Wall Material: ARGB 1.2m AFF, GB above		Corner Guards Hand Ra		mper / Locator	✓ Interior Glazing	Material: Base:		<b>✓</b> Coat Hooks	☐ Ceiling Lift		Magnetic Whit	
Ceiling Material: ACT	Finish: PF Height: 1350 mm	Crash Rails Chair Rai	I			VSF RB		Mirror	☐ Infant Char	nge Table	Privacy Curtain	n
LEGEND:	DOORS							Door Remark	S:			
WALL AND CEILING LEGEND:	Types:										☐ Secu	urity Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile					AN 46 466							
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board			NZ								│	i-barricade
GB Gypsum Board	A A2 B	B2 C C2 D	D2	E E2 F	F2 G H	J					Strat	tegy
IRGB Impact-Resistant Gypsum Board  KLCT Kitchen Lay-in Ceiling Tile			Integral Doo	or & Frame Privacy	Card Mag	Auto Hold						
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt:		Section Files	Function: Reader: Lock:		Hinges: A	ccessory 1: Acc	essory 2: Acc	essory 3:	Closer:	
SACT Security Acoustic Ceiling Tile	B 1 915 x 2135 Sol	id Core FRL	1 Lo	ow Store	room 🗸 🗌	Butt F	linge			Surf	ace	
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating												
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK			Sto	rage Requirements:					FINISHES		
PT Paint		, U —	PER UNITS		0.00			F	ull-height Cabin			
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating		U2 U3 U4							Upper Millwo			
HPC High Performance Coating PF Prefinished		* T	U5	U6					Counterto	op:		
PT Paint			7	U8	SHELF				Lower Millwo			
WALL PROTECTION LEGEND:					S1				She	eit:		
ESRP Extruded Semi-Rigid PVCu Panel									Rema	arks:		
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic												
PVW Protective Vinyl Wallcovering		THE PERSON NAMED IN COLUMN TWO	france of		300							
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel	1	11	200000000000000000000000000000000000000	-								
WVW Wetroom Vinyl Wallcovering			11 ==	1	toronous proposes	75						
FLOOR FINISHES LEGEND:	C1											
CFS Concrete Floor Sealer EFC Epoxy Floor Coating		L2 L3 14			W			A.	/			
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L5 L6	L7 18								
RSF Rubber Sheet Flooring	TOLE MEIGHT O'IDINETS			L7 L8 L9	L10 L11	*						
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			L12	TC1 TO	<sub>22</sub>	n   [				
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring	Category 0 - None	Min. Length Adjustable S	Standing Spe	ecialty				UC1	Ш			
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)	y (mm) Height	Height Cas	sework		EPTION/TRANSACTION	LITH ITV CINIV					
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)					NTER / CARE TEAM FION DESK	UTILITY SINK	AND COUNTER U	NII			
FCB Flash Cove Base												
RB Rubber Base SCF Seamless Cushioned Flooring												
MECHANICAL REQUIREMENTS												
PLUMBING Hand	Seamless Utility /	Other Fixtures:	☐ Evewash	Station	MED / NON-MED GASES							Likilis
(Quantity) Hygiene Sink: Lavatory: Kitchen	Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower		/Shower Station	(Quantity)		rous			Laboratory	Laboratory Co	Utility ompressed
		Tub	Emerger		Oxygen: Medical	Air: Vacuum: Ox	ride: CO2:	AGSS:	Nitrogen:	Air:	Vacuum:	Air:
Plumbing		☐ Ice Maker	☐ Flush Rin	m Sink								
Remarks:		☐ Water Closet	Floor Dra		Gas Remarks:		'	•	*		· '	
		Instantaneous	☐ Water B	ottle Refill Station	Gus nemuro.							
		Hot Water	Other									

			Number(s): 2.	8. 14.	20. 26.	32. 38.	44.
R	oom Name: Workroom - CC Medical	Staff Facilities	3.	9. 15. 10. 16.	21. 27. 22. 28.	33. 39. 34. 40.	45. 46.
			5.	11.	23. 29.	35. 41.	47.
			6.	12. 18.	24. 30.	36. 42.	48.
ARCHITEC	TURAL REQUIREMENTS			<u> </u>			
WALL AND		WALL PROTECTION		GLAZING	FLOORING TYPES	ROOM ACCESSORIES	
	l Material: ARGB 1.2m AFF, GB above		Hand Rails Bed Bumper / Locator	✓ Interior Glazing	Material: Base:	Coat Hooks Ceiling Lift	✓ Magnetic Whiteboard
	Material: ACT		Chair Rail	interior Glazing	VSF RB	☐ Mirror ☐ Infant Change Tab	
LEGEND:		DOORS				Door Remarks:	
	CEILING LEGEND:	Types:					Security Grille
ACT	Architectural Ceiling		<u> </u>				Security Grille
ACT ACT-C	Acoustic Ceiling Tile Cleanroom						Anti-barricade
ARGB	Abuse-Resistant Gypsum Board						strategy
GB IRGB	Gypsum Board Impact-Resistant Gypsum Board	A A2 B B2 C C2	D D2 E E2 F	F2 G H	J		
KLCT	Kitchen Lay-in Ceiling Tile		Integral Door & Frame Privacy	Card Mag	Auto Hold		
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): Material: Finish:	Side Lt: Blinds: Protect.: Film:		Opener: Open: Hinges:	Accessory 1: Accessory 2: Accessory	
	HES LEGEND:	B2 1 1830 x 2440 Solid Core FRL	2 High Sto	oreroom 🗸	Butt Hinge	Astragal Flush Bolt	Surface
EWC	Epoxy Wall Coating						
HPC	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Storage Requirements:		FIN	NISHES
PT	Paint		UPPER UNITS	otorage riedamements.		Full-height Cabinet:	
_	IISHES LEGEND:	U1 U2 U3				Upper Millwork:	
ECC HPC	Epoxy Ceiling Coating High Performance Coating		U5 IIE			Countertop:	
PF	Prefinished		U7 U8	SHELF		Lower Millwork:	
PT	Paint			-ta 🗆		Shelf:	
WALL PROT	ECTION LEGEND:			S1		_	
ESRP	Extruded Semi-Rigid PVCu Panel					Remarks:	
FRL FRP	Fibre Reinforced Laminate Fibreglass Reinforced Plastic						
PVW	Protective Vinyl Wallcovering	10	F				
RHIS WSSP	Rigid High Impact Sheet Wetwall Solid Surface Panel		-				
WVW	Wetroom Vinyl Wallcovering			- Caracacacacacacacacacacacacacacacacacaca			
FLOOR FINIS	SHES LEGEND:	C1 C2 C3	"   =   =	on the second	/		
CFS	Concrete Floor Sealer	C3 C4					
EFC PFC	Epoxy Floor Coating Polyurethane Floor Coating	L3	14	- 844			
RAF	Rubber Athletic Flooring						
RSF	Rubber Sheet Flooring			L10 L11 L12			
SCF SDRF	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend: Moto			TC1 TC2	"   L	
SDVF	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None Min. Length Adjus				UC1 U	
VSF WSVF	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm) Hei		LOWER UNITS RECEP	PTION/TRANSACTION		
		Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)			•	INK AND COUNTER UNIT	
FLOOR BAS	Flash Cove Base			STATIO	ON DESK		
RB	Rubber Base						
SCF	Seamless Cushioned Flooring						
MECHANI	CAL REQUIREMENTS						
PLUMBING	Hand	Seamless Utility / Other Fixtures:	Evewash Station	MED / NON-MED GASES			
(Quantity)		k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink: Shower	Eyewash/Shower Station	(Quantity)	Medical Nitrous	Labo	ratory Laboratory Compressed
		Tub	Emergency Shower	Oxygen: Medical A	Air: Vacuum: Oxide: Co	D2: AGSS: Nitrogen:	Air: Vacuum: Air:
Plumbing		☐ Ice Maker	Flush Rim Sink				
Remarks:		☐ Water Closet	Floor Drain		1 1	<u> </u>	
		☐ Instantaneous	Water Bottle Refill Station	Gas Remarks:			
		Hot Water					
			Other				

Program 1. Y4.02

13.

19.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

25.

			1	Number(s): 2.	8. 14.	20. 2	6.	32.	38.	44.	
				3.	9. 15.	21. 2	7.	33.	39.	45.	
F	Room Name: Workroom - CH Administ	ration		1	10. 16.		8.	34.	40.	46.	
				-							
				5.	11. 17.		9.	35.	41.	47.	
				6.	12. 18.	24. 3	0.	36.	42.	48.	
A D C UITE C	TURAL REQUIREMENTS						•				
	•					1					
WALL AND		WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM ACC		_	_	
Wa	ll Material: ARGB 1.2m AFF, GB above	Finish: PT Type: PVW	Corner Guards Hand Rails	☐ Bed Bumper / Locator	✓ Interior Glazing	Material: Base:	✓ Coat H	łooks 🗌 Ceiling Lif	ft	🖊 Magnetic Wh	
Ceiling	g Material: ACT	Finish: PF Height: 1350 mm	Crash Rails Chair Rail			VSF RB	☐ Mirror	r Infant Cha	ange Table	Privacy Curta	in
LECEND.							Door R	lemarks:			
LEGEND:		DOORS									
	CEILING LEGEND:	Types:								☐ Sec	curity Grille
AC ACT	Architectural Ceiling Acoustic Ceiling Tile										-
ACT-C	Cleanroom									☐ Ant	ti-barricade
ARGB	Abuse-Resistant Gypsum Board		الفاد الفلاما للبادات							stra	ategy
GB	Gypsum Board	A A2 B B2	2 C C2 D	D2 E E2 F	F2 G H	J					
IRGB KLCT	Impact-Resistant Gypsum Board		In	ntegral Door & Frame Privacy	Card Mag	Auto Hold					
MMRGB	Kitchen Lay-in Ceiling Tile  Moisture and Mould-Resistant Gypsum Board	5 0: 5: / )	-	Blinds: Protect.: Film:	Card Mag  Function: Reader: Lock:	0					
SACT	Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): Ма	terial: Finish: Side Lt: E		1 0.100.0111	,	Accessory 1:	Accessory 2: Ac		Closer:	
MANALL FIRM	CHECK ECCAID.				toreroom 🗸 🗌	Butt Hinge			Surf	ace	
	SHES LEGEND:										
EWC HPC	Epoxy Wall Coating High Performance Coating	MILLWORK AND SPECIALTY CASEWORK									
PT	Paint	WILLWORK AND SPECIALTY CASEWORK	UPPFR	RUNITS	Storage Requirements:				FINISHES		
CELLING EIN	NISHES LEGEND:	U1						Full-height Cabi	net:		
ECC	Epoxy Ceiling Coating	- V 17.7	U2 U3 U4					Upper Millw	ork:		
HPC	High Performance Coating		Z 17 04	U5 116 -	1			Counter	top: Plastic Lan	ninate	
PF	Prefinished	7			SHELF				ork: Plastic Lan		
PT	Paint	Company	-	T					helf:	illate	
WALL DRO	TECTION LEGEND:				S <sub>1</sub>			31	nen.		
ESRP	Extruded Semi-Rigid PVCu Panel				31			Da.			
FRL	Fibre Reinforced Laminate				1			Kem	narks:		
FRP	Fibreglass Reinforced Plastic		1	1 1 1							
PVW	Protective Vinyl Wallcovering	100	1.60								
RHIS	Rigid High Impact Sheet		-								
WSSP WVW	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering	TAX TAX TAX TAX TAX TAX TAX TAX TAX TAX		On on Transport							
				= = =	On any organization	1					
	ISHES LEGEND:	C1 C2 C3 C4 C5					-				
CFS EFC	Concrete Floor Sealer Epoxy Floor Coating		L2				/ /	1			
PFC	Polyurethane Floor Coating		L3 L4 L5		Jekk	-	1200	-			
RAF	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L6 L7							
RSF	Rubber Sheet Flooring				L10 L11		/				
SCF SDRF	Seamless Cushioned Flooring	Logand			L12	TC1 TC2	(   u				
SDVF	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized	ding Castali			UC1	U .			
VSF	Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category	Min. Length Adjustable Stan (mm) Height He	9 ,	LOWER UNITS			2. <b>M</b> (1)			
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	(mm) Height He	ight Casework	RECER	PTION/TRANSACTION	ITY CINIK AND COLIN	ITED LIAUT			
FLOOR BAS	SE LEGEND:	Category 3 - High (10% or Greater)	2400			ITER / CARE TEAM UTIL ON DESK	ITY SINK AND COUN	ILA OMII			
FCB	Flash Cove Base				JIAII	ON DESK					
RB	Rubber Base										
SCF	Seamless Cushioned Flooring										
								L			
MECHANI	CAL REQUIREMENTS	l de la companya de la companya de la companya de la companya de la companya de la companya de la companya de									
	•			_							
PLUMBING	Hand	Seamless Utility /	Other Fixtures:	Evewash Station	MED / NON-MED GASES						Utility
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sinl	k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		Eyewash/Shower Station	(Quantity)	Medical Nitrous			Laboratory	Laboratory (	Compressed
				Emergency Shower	Oxygen: Medical A	Air: Vacuum: Oxide:	CO2: AG	SS: Nitrogen:	Air:	Vacuum:	Air:
Plumbing											
Remarks:			_	Flush Rim Sink							
cmarks.			_	Floor Drain	Gas Remarks:						¬ I
			Instantaneous	Water Bottle Refill Station	Gas nemarks.						<b> </b>
			Hot Water		7						[
			(	Other	]						<b> </b>

Program 1. U2.02

13.

19.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

25.

Appendix 1B Minimum Room Requir	rements	Program Number(s):		7. 13.	19.	25.	31.		37.	43.
		number(s).	2. 3.	8. 14. 9. 15.	20. 21.	26. 27.	32. 33.		38. 39.	44. 45.
Room Name: Workroom - Clerical - CO			4.	10. 16.	22.	28.	34.		40.	46.
L			5.	11. 17.	23.	29.	35.		41.	47.
			6.	12. 18.	24.	30.	36.		42.	48.
ARCHITECTURAL REQUIREMENTS				<u> </u>			l l	<u> </u>		
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES		ROOM ACCESSOR	IES		
Wall Material: ARGB 1.2m AFF, GB above		rds 🗌 Hand Rails 🔲 Bed Bu	umper / Locator	✓ Interior Glazing	Material: Base:		<b>✓</b> Coat Hooks	Ceiling Lift		Magnetic Whiteboard
Ceiling Material: ACT	Finish: PF Height: 1350 mm Crash Rails	✓ Chair Rail			VSF RB		Mirror	Infant Chan	ige Table	Privacy Curtain
LEGEND:	DOORS						Door Remarks	:		
WALL AND CEILING LEGEND:	Types:									Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile				N MN MA MAA						
ACT-C Cleanroom		NA NAMA								Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B2 C	C2 D D2	E E2 F	F2 G H						strategy
IRGB Impact-Resistant Gypsum Board	,				A to Hold					
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm): Material:	•	or & Frame Privacy Protect.: Film:	Card Mag Function: Reader: Lock:	Auto Hold Opener: Open: Hi	nges:	Accessory 1: Acce	conu 2: Acco	occony 2:	Closer:
SACT Security Acoustic Ceiling Tile	B 1 915 x 2135 Solid Core FRI	Tillisti. Side Et.		oreroom 🗸	Butt Hing		Accessory 1. Acce	5501 y 2. Acce	Surf	
WALL FINISHES LEGEND:	5 2 55 82 55 85 85 85 85 85 85 85 85 85 85 85 85					,-				
EWC Epoxy Wall Coating  HPC High Performance Coating	ANULWORK AND CRECIALTY CASTWORK									
PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS		Storage Requirements:					FINISHES	
CEILING FINISHES LEGEND:	U1 U2						Fu	ll-height Cabine		
ECC Epoxy Ceiling Coating HPC High Performance Coating	7	U3 U4 U5	U6					Upper Millwor		
PF Prefinished		777	U7 U8	SHELF				Lower Millwor	p: Plastic Lam	
PT Paint			77	-ta 🗆				She		mate
WALL PROTECTION LEGEND:			-	S1 S1						
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate			111					Rema	rks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic										
PVW Protective Vinyl Wallcovering	200	- Francis								
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel		to the state of th	1	1						
WVW Wetroom Vinyl Wallcovering			-	SO SO STATE OF THE PERSON NAMED IN COLUMN NAME	7/					
FLOOR FINISHES LEGEND:	C1 C2 C3 C4				1					
CFS Concrete Floor Sealer EFC Epoxy Floor Coating		-	1		1     2		L F			
PFC Polyurethane Floor Coating		L3 L4 L5 L6					Total Land			
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L7 L8 L9	110	1	$\dashv$ $\downarrow$				
SCF Seamless Cushioned Flooring				L10 L11 L12	TC1 TC2					
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None Min. Lengt	Motorized n Adjustable Standing Sp	a aialta				UC1			
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm)	,	ecialty sework	LOWER UNITS	PTION/TRANSACTION					
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  1 2400			cou	NTER / CARE TEAM	UTILITY SIN	K AND COUNTER UN	IIT		
FLOOR BASE LEGEND:  FCB Flash Cove Base	Category 3 - High (10% of Greater)			STAT	TION DESK					
RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS										
PLUMBING Hand	Seamless Utility / Other Fixtu	res: Eyewasi	h Station	MED / NON-MED GASES						Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sir	nk: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink: Show	er 🗌 Eyewasl	h/Shower Station	(Quantity)	Medical Nitrou				Laboratory	Laboratory Compressed
	Tub	☐ Emerge	ncy Shower	Oxygen: Medical	Air: Vacuum: Oxide	: CO2	: AGSS:	Nitrogen:	Air:	Vacuum: Air:
Plumbing	☐ Ice M	aker 🔲 Flush Ri	m Sink							
Remarks:	☐ Wate	Closet	rain	Gas Remarks:				<u> </u>		
	☐ Instar		Bottle Refill Station	Gas Rellidiks.						
	Hot V	/ater Other								

Pp.				Number(s):	2. M2.03	8.	14.	20.	26.	32.	38.		44.
Room Name: Workroom - Clerks					3.	9.	15.	21.	27.	33.	39.		45.
Room Name: Workfootti - Clerks					4.	10.	16.	22.	28.	34.	40.		46.
					5.	11.	17.	23.	29.	35.	41.		47.
					6.	12.	18.	24.	30.	36.	42.		48.
ARCHITECTURAL REQUIREMENTS						l		1					
WALL AND CEILING		WALL PROTECTION				GLAZING		FLOORING TYPES		ROOM ACCESSORI	ES	•	•
	Finish: PT	Type: PVW	✓ Corner Guards ☐ Hand Ra	ils 🗌 Bed Bu	mper / Locator	✓ Interior Gla	zina	Material: Base:	-	✓ Coat Hooks		<b>✓</b> Magne	tic Whiteboard
	Finish: PF	Height: 1350 mm	☐ Crash Rails ✓ Chair Rai			interior dia.	zirig	VSF RB			Infant Change Table		
LEGEND:	DOORS									Door Remarks:			
WALL AND CEILING LEGEND:													$\neg$
AC Architectural Ceiling	Туре		rated tal taled tal				702					L	Security Grille
ACT Acoustic Ceiling Tile												lΓ	Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board						4-184-188	MAN						strategy
GB Gypsum Board		A A2 B	B2 C C2 D	D2	E E2 F	F2 G	н	J					· ·
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile				Integral Doo	r & Frame Privacy	C	ard Mag	Auto Hold					
MMRGB Moisture and Mould-Resistant Gypsum Board		Гуре:Qty: Size (mm):	Material: Finish: Side Lt:	•	rotect.: Film:			0	nges: A	accessory 1: Access	sory 2: Accessory 3:	Closer:	
SACT Security Acoustic Ceiling Tile			Solid Core FRL	1 Lo	w Sto		<b>√</b>	Butt Hing				Surface	
WALL FINISHES LEGEND:									,-				
EWC Epoxy Wall Coating													
HPC High Performance Coating PT Paint	MILLWORK AND S	PECIALTY CASEWORK		PER UNITS	9	storage Requirements:					FINISH	IES	
CEILING FINISHES LEGEND:				I EN OITHIS						Full	-height Cabinet:		
ECC Epoxy Ceiling Coating	(magazza)	17.7	U2 U3 U4								Upper Millwork:		
HPC High Performance Coating	San San San San San San San San San San	K-K-V	Y 17	U5	U6						Countertop:		
PF Prefinished PT Paint	-			7	U8	SHELF					Lower Millwork:		
						<b>→</b> □					Shelf:		
WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel	The same of the sa					S1							
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate	Sugar Service	"		K		16					Remarks:		
FRP Fibreglass Reinforced Plastic	***		1		1 1								
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	Sugarana .	~   ~	A CONTRACTOR OF THE PROPERTY OF THE PARTY OF	Promote of the last		i							
WSSP Wetwall Solid Surface Panel				CHECKEL CHECK	range of the same								
WVW Wetroom Vinyl Wallcovering				11 =	-	CONTRACTOR OF TAXABLE	1	7/					
FLOOR FINISHES LEGEND:	C1 C	C2 C3 C4					7	-		NAME AND DESCRIPTION OF			
CFS Concrete Floor Sealer EFC Epoxy Floor Coating		□ <u>□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ </u>	L2				K			/ F	==7		
EFC Epoxy Floor Coating  PFC Polyurethane Floor Coating			L3 L4	L5		Ser	4	-	zezed				
RAF Rubber Athletic Flooring	FULL-HEIGHT CAI	BINETS			L7 L8 L9			1 15					
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring						L10 L11	L12						
SDRF Static-Dissipative Rubber Sheet Flooring	Legend:		Motorized					TC1 TC2		U    "	U		
SDVF Static-Dissipative Vinyl Sheet Flooring  VSF Vinyl Sheet Flooring	Category 0 - None Category 1 - Low (1	10/ 10/\	Min. Length Adjustable S		ecialty	LOWER UNITS				UC1	u		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (		gory (mm) Height	Height Cas	ework	2017211 011110		TION/TRANSACTION	LITH ITV CIAN		_		
FLOOR BASE LEGEND:	Category 3 - High (							TER / CARE TEAM ON DESK	UTILITY SINK	AND COUNTER UNI	1		
FCB Flash Cove Base							314110	2011					
RB Rubber Base													
SCF Seamless Cushioned Flooring													
											<u>.</u>		
MECHANICAL REQUIREMENTS													
PLUMBING Hand	Seamless Utility /		Other Fixtures:	☐ Eyewash	Station	MED / NON-M	ED GASES						Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink:	Scrub Sink: Floor Sink:	Shower		/Shower Station	(Quantity)		Medical Nitrou			Laborato		Ory Compressed
			☐ Tub	Emergen		Oxygen	: Medical Ai	r: Vacuum: Oxide	: CO2:	AGSS:	Nitrogen: Air:	Vacuun	n: Air:
Plumbing			☐ Ice Maker	☐ Flush Rin									
Remarks:			☐ Water Closet	☐ Floor Dra									
			Instantaneous		ottle Refill Station	Gas Rem	arks:						
			Hot Water										
				Other									
			-			1							

Program 1. L1.03

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1	B Minimum Room Requir	ements	Program Number(s)	, l	7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Roor	m Name: Workroom - Clerks - CC			3. 4. 1	9.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				5. 1		23.	29.	35.	41.	47.
				6. 1	2. 18.	24.	30.	36.	42.	48.
ARCHITECTU	IRAL REQUIREMENTS									
	aterial: ARGB 1.2m AFF, GB above		✓ Corner Guards ☐ Hand Rails ☐ Bed B☐ Crash Rails ✓ Chair Rail		GLAZING  ✓ Interior Glazing	FLOORING TYPES Material: Base: VSF RB	Coa	ACCESSORIES at Hooks Ceiling Lif		gnetic Whiteboard vacy Curtain
	aterial: ACT	Finish: PF Height: 1350 mm	☐ Crash Rails ☑ Chair Rail			V31   N0	Mii	or Remarks:	ange lable L Priv	vacy Curtain
LEGEND: WALL AND CEI	LING LEGEND:	DOORS					500	or remarks.		]_
AC Arc	chitectural Ceiling oustic Ceiling Tile eanroom	Types:								Security Grille  Anti-barricade
	use-Resistant Gypsum Board psum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H					strategy
IRGB Im	pact-Resistant Gypsum Board Ichen Lay-in Ceiling Tile	7 72		oor & Frame Privacy	Card Mag	Auto Hold				
MMRGB Mc	pisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	=		Function: Reader: Lock	0	ges: Accessory	1: Accessory 2: Ac	cessory 3: Close	r:
	curity Acoustic Ceiling Tile	B 1 915 x 2135 S	olid Core FRL1	Low Storer	oom 🗸 🗌	Butt Hinge	2		Surface	
EWC Epo	oxy Wall Coating									
HPC Hig PT Pai	gh Performance Coating int	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Stor	age Requirements:				FINISHES	
CEILING FINISH	IES LEGEND:							Full-height Cabi		
ECC Epp HPC Hig PF Pre PT Pai  WALL PROTECT  ESRP Ext FRL Fib FRP Fib PVW Prc RHIS Rig WSSP We WVW We  FLOOR FINISHE  CFS Coi EFC Epc PFC Poi RAF Ruil SCF Sea SDVF Sta SDVF Sta VSF Vin WSVF We  FLOOR BASE LE	oxy Ceiling Coating gh Performance Coating efinished int  TION LEGEND: truded Semi-Rigid PVCu Panel ore Reinforced Laminate oreglass Reinforced Plastic otective Vinyl Wallcovering gid High Impact Sheet etwall Solid Surface Panel etroom Vinyl Wallcovering etroom Vinyl Wallcovering etroom Vinyl Wallcovering etroom Sealer oxy Floor Coating lyurethane Floor Coating beer Athletic Flooring amless Cushioned Flooring atic-Dissipative Rubber Sheet Flooring atic-Dissipative Vinyl Sheet Flooring etroom Safety Vinyl Sheet Flooring etroom Safety Vinyl Sheet Flooring	FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  Category 1	Motorized  Min. Length Adjustable Standing S	17 L8 L9	CO	TC1 TC2 TC1 TC2 TEPTION/TRANSACTION UNTER / CARE TEAM UTION DESK	UTILITY SINK AND CO	Upper Millw Counter Lower Millw St		
	bber Base amless Cushioned Flooring									
MECHANICA	L REQUIREMENTS									
	Hand rgiene Sink: Lavatory: Kitchen Sin	Seamless Utility / k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		sh/Shower Station	MED / NON-MED GASES (Quantity) Oxygen: Medica	Medical Nitrous		AGSS: Nitrogen:		Utility ratory Compressed uum: Air
Plumbing				ency Shower	Oxygen. Wedica	11 7311 .	CO2.	AGGG. INITIOGETT.		Air:
Remarks:			☐ Water Closet ☐ Floor D		Gas Remarks:					

			Number(s): 2.	8. 14. 9. 15.	20. 26. 21. 27.	32. 38. 39.	44. 45.
Ro	oom Name:   Workroom - Clinical Rese	earch Nursing	3.	10.	22. 28.	33. 39. 40.	46.
			5.	11. 17.	23. 29.	35. 41.	47.
			6.	12. 18.	24. 30.	36. 42.	48.
ARCHITECT	TURAL REQUIREMENTS						
WALL AND C	EILING	WALL PROTECTION		GLAZING	FLOORING TYPES	ROOM ACCESSORIES	
Wall	Material: ARGB 1.2m AFF, GB above		Hand Rails  Bed Bumper / Locator	✓ Interior Glazing	Material: Base:	Coat Hooks Ceiling Lift	✓ Magnetic Whiteboard
Ceiling	Material: ACT	Finish: PF Height: 1350 mm Crash Rails	Chair Rail		VSF RB	☐ Mirror ☐ Infant Change Table	e Privacy Curtain
LEGEND:		DOORS				Door Remarks:	
	CEILING LEGEND:	Types:					Security Grille
AC ACT	Architectural Ceiling Acoustic Ceiling Tile			N MN 44 444			
	Cleanroom						Anti-barricade
ARGB GB	Abuse-Resistant Gypsum Board Gypsum Board	A A2 B B2 C C2	D D2 E E2 F	F2 G H	1		strategy
IRGB	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile	· ·	Integral Door & Frame Privacy		Auto Hold		
KLCT MMRGB	Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Material: Finish:	Side Lt: Blinds: Protect.: Film:	Card Mag Function: Reader: Lock:	Opener: Open: Hinges:	Accessory 1: Accessory 2: Accessory 3:	: Closer:
SACT	Security Acoustic Ceiling Tile	B 1 915 x 2135   Solid Core   FRL		oreroom 🗸	Butt Hinge	necessory I. necessory I. necessory S.	Surface
WALL FINISH	HES LEGEND:						
EWC HPC	Epoxy Wall Coating High Performance Coating	MILLWORK AND SPECIALTY CASEWORK					
	Paint		UPPER UNITS	Storage Requirements:			SHES
CEILING FIN	ISHES LEGEND:	U1 U2 U2				Full-height Cabinet:	
ECC HPC	Epoxy Ceiling Coating High Performance Coating	V V V V	U4			Upper Millwork: Countertop:	
PF	Prefinished		U7 U8			Lower Millwork:	
PT	Paint					Shelf:	
	ECTION LEGEND:			S1			
ESRP FRL	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate					Remarks:	
FRP	Fibreglass Reinforced Plastic						
PVW RHIS	Protective Vinyl Wallcovering Rigid High Impact Sheet	-		1			
WSSP WVW	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering		50 50 7				
		ci C	===	on an experience	7		
CFS CFS	SHES LEGEND:  Concrete Floor Sealer	C2 C3 C4					
EFC	Epoxy Floor Coating			444			
	Polyurethane Floor Coating Rubber Athletic Flooring	FULL-HEIGHT CABINETS	☐ L6 L7				
RSF	Rubber Sheet Flooring			L10 L11 L12			
SCF SDRF	Seamless Cushioned Flooring Static-Dissipative Rubber Sheet Flooring	Legend:	torized		TC1 TC2		
SDVF VSF	Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring	Category 0 - None Min. Length Adj	ustable Standing Specialty	LOWER UNITS		UC1 U	
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm) F	eight Height Casework	RECER	PTION/TRANSACTION		
FLOOR BASE	ELEGEND:	Category 3 - High (10% or Greater)			NTER / CARE TEAM UTILITY SI ION DESK	INK AND COUNTER UNIT	
FCB	Flash Cove Base						
	Rubber Base Seamless Cushioned Flooring						
MECHANIC	CAL REQUIREMENTS						
PLUMBING	•	Seamless Utility / Other Fixtures:	Evewash Station	MED / NON-MED GASES			
(Quantity)		k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink: Shower	Eyewash/Shower Station	(Quantity)	Medical Nitrous	Labora	utory Laboratory Compressed
		☐ Tub	Emergency Shower	Oxygen: Medical A	Air: Vacuum: Oxide: CC	02: AGSS: Nitrogen: Air	r: Vacuum: Compressed Air:
Plumbing		☐ Ice Maker	Flush Rim Sink				
Remarks:		Water Close	_		1 1	ı I	
		☐ Instantaneou		Gas Remarks:			
		Hot Water	Other	]			
				ا			

Program 1. H1.02

13.

19.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

25.

Appendix 1B Mi	inimum Room Requiren	nents		Program Number(s):	1. H1.03 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.		37. 38.	43. 44.	
Room Nam	ne: Workroom - Data Coordinato	ors		,,	3.	9.	15.	21.	27.	33.		39.	45.	
					4. 5.	10. 11.	16. 17.	22. 23.	28. 29.	34. 35.		40. 41.	46. 47.	
					6.	12.	18.	24.	30.	36.		42.	48.	
ARCHITECTURAL I	REQUIREMENTS													
WALL AND CEILING Wall Material: Ceiling Material:		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	✓ Corner Guards ☐ Hand Rails ☐ Crash Rails ✓ Chair Rail	☐ Bed Bun	nper / Locator	GLAZING  ✓ Interior Glaz		FLOORING TYPES Material: Base: VSF RB	•	OM ACCESSORI Coat Hooks Mirror			Magnetic Wh	
LEGEND:	i. Aci	DOORS	Crush Nulls							Door Remarks:		ige rubic	Trivacy curte	uiii
WALL AND CEILING LI	.EGEND:	Types:												
AC Architectura ACT Acoustic Cei ACT-C Cleanroom	eiling Tile	Types.											☐ An	curity Grille
ARGB Abuse-Resis GB Gypsum Boa	istant Gypsum Board oard	A A2 B	B2 C C2 D	D2 E	E2 F	F2 G	H	J					str	rategy
	sistant Gypsum Board y-in Ceiling Tile		ı	ntegral Door	& Frame Privacy	C	ard Mag	Auto Hold						
MMRGB Moisture an	nd Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):			otect.: Film:		•		nges: Acce	essory 1: Access	sory 2: Acce	essory 3:	Closer:	
WALL FINISHES LEGEI		B 1 915 x 2135 Sc	olid Core FRL	2 Hig	th Stor	reroom [		Butt Hing	e			Surfa	ce	
EWC Epoxy Wall	Coating					Į Į								
HPC High Perform PT Paint	rmance Coating	MILLWORK AND SPECIALTY CASEWORK	UPPE	R UNITS	S	torage Requirements:						FINISHES		
CEILING FINISHES LEG	GEND:		J1 U2								-height Cabin	-		
ECC Epoxy Ceilin HPC High Perfori	ng Coating rmance Coating		U2 U3 U4	U5	U6						Upper Millwor Counterto			
PF Prefinished PT Paint	i		7	7-7	U7 U8	SHELF					Lower Millwo	rk:		
WALL PROTECTION LE	EGEND:					→ □ S1					She	elf:		
	emi-Rigid PVCu Panel			11	1 11	31					Rema	ırks:		
	orced Laminate Reinforced Plastic													
	Vinyl Wallcovering Impact Sheet	-	E	· Venezue										
WSSP Wetwall Sol	olid Surface Panel			1000	and the same of th									
	/inyl Wallcovering			-	=	on an extended	1	7						
FLOOR FINISHES LEGE CFS Concrete Flo									7	/				
EFC Epoxy Floor PFC Polyurethan	r Coating ine Floor Coating		L2 L3 L4 L	-		- 544	4==	Karan	_/ 4	THE REAL PROPERTY.	1/			
RAF Rubber Athl	nletic Flooring	FULL-HEIGHT CABINETS		L6 [	L7 L8 L9		1	21 15			71			
RSF Rubber Shee SCF Seamless Cu	eet Flooring Cushioned Flooring					L10 L11	L12	TC1						
	ipative Rubber Sheet Flooring ipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized Min. Length Adjustable Sta	nding Spec	oio lto.			TC2	- I	UC1				
VSF Vinyl Sheet WSVF Wetroom Sa	t Flooring Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category	- ,		cialty ework	LOWER UNITS	RECEPTI	ON/TRANSACTION						
FLOOR BASE LEGEND		Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)					COUNTE	ER / CARE TEAM	UTILITY SINK AN	ND COUNTER UNI	т			
FCB Flash Cove E	Base						STATION	N DESK						
RB Rubber Base SCF Seamless Cu	se Cushioned Flooring													
MECHANICAL REC	QUIREMENTS													
PLUMBING Hand		Seamless Utility /	Other Fixtures:	Evewash S	Station	MED / NON-MI	ED GASES							Utility
(Quantity) Hygiene S	Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower		Shower Station	(Quantity)		Medical Nitrou . Vacuum: Oxide		. =		Laboratory Air:	Laboratory Vacuum:	Compressed
			_	Emergeno		Oxygen	: Medical Air:	Vacuum: Oxide	: CO2:	AGSS:	Nitrogen:	AII.	vacuuiii.	Air:
Plumbing Remarks:				Flush Rim										
			_	Floor Drai	in ttle Refill Station	Gas Rema	arks:							
			Hot Water		ttie neiiii StatiOII									
				Other										

R	Room Name: Workroom - Diet		Number(s):			20. 21. 22. 23.	26. 27. 28. 29.	32. 33. 34. 35.	38. 39. 40. 41.	44. 45. 46. 47.
				6. 1	2. 18.	24.	30.	36.	42.	48.
ARCHITEC	TURAL REQUIREMENTS									
	CEILING  II Material: ARGB 1.2m AFF, GB above  g Material: KLCT	Finish: HPC Type: FRP Finish: PF Height: 2185 mm	Corner Guards Hand Rails Bed Bu Crash Rails Chair Rail		GLAZING  ✓ Interior Glazing	FLOORING TYPES Material: Base: PFC RB		ACCESSORIES  pat Hooks Ceiling Li lirror Infant Ch		Magnetic Whiteboard Privacy Curtain
LEGEND:		DOORS		,			Do	oor Remarks:		
WALL AND	CEILING LEGEND: Architectural Ceiling	Types:								Security Grille
ACT ACT-C ARGB GB	Acoustic Ceiling Tile Cleanroom Abuse-Resistant Gypsum Board Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H					Anti-barricade strategy
IRGB KLCT	Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile		Integral Doo	or & Frame Privacy	Card Mag	Auto Hold				
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile		Waterial. Fillish. Side Et.		Function: Reader: Lock:	Opener: Open: Hir	nges: Accessor	y 1: Accessory 2: Ac	ccessory 3:	Closer:
	SHES LEGEND:	B 1 915 x 2135 Sc	olid Core FRL 2 H	igh Passag		☐ Butt Hing	e		Surfa	ce
EWC	Epoxy Wall Coating									
HPC PT	High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Stor	rage Requirements: Refer to Sch	edule 1 for Digital Device Lock	er requirements.		FINISHES	
ECC HPC PF PT  WALL PROT ESRP FRL FRP PVW RHIS WSSP WVW  FLOOR FINI CFS EFC PFC RAF RSF SCF	Epoxy Ceiling Coating High Performance Coating Prefinished Paint  TECTION LEGEND:  Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate Fibreglass Reinforced Plastic Protective Vinyl Wallcovering Rigid High Impact Sheet Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering ISHES LEGEND:  Concrete Floor Sealer Epoxy Floor Coating Polyurethane Floor Coating Rubber Athletic Flooring Rubber Sheet Flooring Seamless Cushioned Flooring	C1 C2 C3 C4 C5 L1  FULL-HEIGHT CABINETS	U1 U2 U3 U4 U5 U5 U4 U5 U5 U4 U5 U5 U6 U6 U6 U6 U6 U6 U6 U6 U6 U6 U6 U6 U6	17 L8 L9	SHELF S1 L10 L11 L12	TC1 TC2		Upper Millw Counte Lower Millw S Rer	inet: Plastic Lami vork: Plastic Lami rtop: Solid Surfac vork: Plastic Lami shelf: marks: Work surfaces to sheight and seating	inate ing inate support both standing
SDRF SDVF VSF WSVF FLOOR BAS FCB RB SCF	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring SE LEGEND: Flash Cove Base Rubber Base Seamless Cushioned Flooring	Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  3	•	ecialty sework	LOWER UNITS RECE	PTION/TRANSACTION NTER / CARE TEAM TION DESK	UTILITY SINK AND CO			
MFCHANI	CAL REQUIREMENTS									
PLUMBING	•	Seamless Utility /	Other Fixtures:	Station	MED / NON-MED GASES					
		Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		n/Shower Station	(Quantity) Oxygen: Medical	Medical Nitrous Air: Vacuum: Oxide		AGSS: Nitrogen:	Laboratory Air:	Laboratory Compressed Vacuum: Air:
Plumbing			☐ Ice Maker ☐ Flush Rin							
Remarks:			☐ Water Closet ☐ Floor Dr	ain ottle Refill Station	Gas Remarks:	1 1		·I	1 1	

Program 1. X4.03

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

Appendix 1B Minimum Room Requ	uirements	Program Number(s):		7. 13. 8. 14.		19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Workroom - Dosimetr	у			9. 15. 10. 16.		21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				11. 17.		23.	29.	35.	41.	47.
			6.	12. 18.		24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS							T			
WALL AND CEILING	WALL PROTECTION			GLAZING		ORING TYPES Material: Base:		CESSORIES		
Wall Material: ARGB 1.2m AFF, GB above ACT		Corner Guards Hand Rails Bed Bur Crash Rails	nper / Locator	✓ Interior Glazing		VSF RB	Coat	Hooks Ceiling Lif		lagnetic Whiteboard rivacy Curtain
		riasii Naiis 🖭 Ciiaii Naii						Remarks:	inge rable — Fi	
LEGEND: WALL AND CEILING LEGEND:	DOORS						2001	nemarks.		
AC Architectural Ceiling	Types:		7 NO 120							Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom										Anti-barricade
ARGB Abuse-Resistant Gypsum Board										strategy
GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	A A2 B B2	C C2 D D2	E E2 F	F2 G	н ј	ı				
KLCT Kitchen Lay-in Ceiling Tile		·	& Frame Privacy	Card	Mag Auto	Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): Mat	andi. Timani. Side Et.		Function: Reader:	Lock: Opener	· · · · · · · · · · · · · · · · · · ·	s: Accessory 1	.: Accessory 2: Ac	ccessory 3: Clos	er:
WALL FINISHES LEGEND:	B 1 1830 x 2440 Solid C	ore FRL 2 Hig	gh Store	room 🗸		Butt Hinge			Surface	
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Str	prage Requirements:					FINISHES	
PT Paint		UPPER UNITS	310	ruge nequirements.				Full-height Cahi	inet: Plastic Laminate	<u> </u>
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	UI	U2 U3 U4						Upper Millw		,
HPC High Performance Coating		U5 U5	U6 U7 U8					Counter	top:	
PF Prefinished PT Paint			U8	SHELF				Lower Millw	ork:	
WALL PROTECTION LEGEND:				7				SI	helf:	
ESRP Extruded Semi-Rigid PVCu Panel				S1				Rem	narks:	
FRL Fibre Reinforced Laminate								Γ		
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering			_							
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel			TI							
WVW Wetroom Vinyl Wallcovering	-		-	SECOND STREET	-					
FLOOR FINISHES LEGEND:	C1 C2 C3 C4		-7	~ -	-	-	<u> </u>			
CFS Concrete Floor Sealer EFC Epoxy Floor Coating		12		<del></del> ////			7/	Ames 1		
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 L4 L5		- KKKI.		CONTRACTOR OF THE PARTY OF THE	1 1			
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L7 L8 L9	110		- 1	4 / 11 11			
SCF Seamless Cushioned Flooring					12	TC1 TC2				
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized  Min. Length Adjustable Standing Spe	cialty			TC2	UC1			
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category	- ,	ework	LOWER UNITS	RECEPTION/TE	RANSACTION				
FLOOR BASE LEGEND:	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	1200			COUNTER / CA STATION DESK		ITILITY SINK AND COL	INTER UNIT		
FCB Flash Cove Base					STATION DESK	`				
RB Rubber Base SCF Seamless Cushioned Flooring										
Seamess cusmoned mooning										
MECHANICAL REQUIREMENTS										
PILIMBING Hand	Seamless Utility /	Other Fixtures: Eyewash	Station	MED / NON-MED GA	ASES					
(Quantity) Hygiene Sink: Lavatory: Kitchen	Sink: Kitchan Sink: Brocass Sink: Scrub Sink: Floor Sink:	Lyewasii	Station /Shower Station	(Quantity)		Medical Nitrous			Laboratory Lab	Utility poratory Compressed
		☐ Tub ☐ Emergence		Oxygen:	Medical Air:	acuum: Oxide:	CO2: A	GSS: Nitrogen:	Air: Va	acuum: Air:
Plumbing		☐ Ice Maker ☐ Flush Rim								
Remarks:		☐ Water Closet ☐ Floor Dra		65		I	1 1	I		
			ttle Refill Station	Gas Remarks:						
		Hot Water Other								
		Guiel								

• •	•		Number(s):	2. 8.	14.	20. 2	5.	32.	38.	44.
				3. 9.	15.	21. 2		33.	39.	45.
í	Room Name:   Workroom - HIM - FH			4. 10.	16.		3.	34.	40.	46.
				5. 11.	17.		9.	35.	41.	47.
				6. 12.	18.		). D.	36.	42.	48.
				0. 12.	16.	24.	J.	30.	42.	40.
ARCHITEC	CTURAL REQUIREMENTS									
WALL AND	CEILING	WALL PROTECTION		GLAZ	ZING	FLOORING TYPES	ROOM ACC	ESSORIES		
Wa	all Material: ARGB 1.2m AFF, GB above	Finish: PT Type: PVW Co	rner Guards 🔲 Hand Rails 🔲 Bed Bump	er / Locator	Interior Glazing	Material: Base:	<b>✓</b> Coat H	looks Ceiling Lift	<b>✓</b> Ma	gnetic Whiteboard
Ceiling	g Material: ACT		ash Rails Chair Rail		s interior oldzing	VSF RB	☐ Mirro	Infant Chan	ge Table 🔲 Pri	vacy Curtain
LEGEND:		DOORS		I			Door R	emarks:		
	CEILING LEGEND:									
AC	Architectural Ceiling	Types:								Security Grille
ACT	Acoustic Ceiling Tile									
ACT-C	Cleanroom				ALISM ANNU	NMIAIA!				Anti-barricade
ARGB GB	Abuse-Resistant Gypsum Board Gypsum Board	A A2 B B2	C C2 D D2 E	E2 F F2	е н	1				strategy
IRGB	Impact-Resistant Gypsum Board	A A2 D 02				,				
KLCT	Kitchen Lay-in Ceiling Tile		Integral Door &	•	· ·	Auto Hold				
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Type:Qty: Size (mm): Materi	ial: Finish: Side Lt: Blinds: Prof	ect.: Film: Functi	on: Reader: Lock: O	pener: Open: Hinges:	Accessory 1:	Accessory 2: Acce		r:
		B 1 915 x 2135 Solid Cor	re FRL 2 High	Storeroom	<b>✓</b>	Butt Hinge			Surface	
	SHES LEGEND:									
EWC HPC	Epoxy Wall Coating High Performance Coating	MILLWORK AND SPECIALTY CASEWORK								
PT	Paint	WILLWORK AND SPECIALLY CASEWORK	UPPER UNITS	Storage R	equirements:				FINISHES	
CEILING FII	NISHES LEGEND:	U1						Full-height Cabine	et:	
ECC	Epoxy Ceiling Coating	( ) / / / / / / / / / / / / / / / / / /	U2 U3 U4					Upper Millwor	k:	
HPC	High Performance Coating		U5 U	5 <u> </u>				Counterto	p:	
PF PT	Prefinished Paint			U8	SHELF			Lower Millwor	k:	
rı .	raiit							She	lf:	
WALL PRO	TECTION LEGEND:	Enganesa III			S1					
ESRP	Extruded Semi-Rigid PVCu Panel							Remai	rks:	
FRL FRP	Fibre Reinforced Laminate Fibreglass Reinforced Plastic									
PVW	Protective Vinyl Wallcovering		-	1 )	55					
RHIS	Rigid High Impact Sheet									
WSSP WVW	Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering	CONTRACTOR CONTRACTOR	1	NEW PROPERTY.	1					
				-	CHESCHOLD CONTRACTOR	7				
	ISHES LEGEND:	C1 C2 C3 C4 C5		21 -32	1		-			
CFS EFC	Concrete Floor Sealer Epoxy Floor Coating			-	- ////		1 /	1		
PFC	Polyurethane Floor Coating		L3 L4 L5		Zerri			The state of the s		
RAF	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L8 L9			, II II			
RSF SCF	Rubber Sheet Flooring Seamless Cushioned Flooring			L8 L9 L10	111		/			
SDRF	Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			TC1 TC2		u		
SDVF	Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	inotorized lin. Length Adjustable Standing Specia	ltv			UC1	u []		
VSF WSVF	Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category	(mm) Height Height Casew		/ER UNITS RECEPTI	ON/TRANSACTION				
WSVF	wetroom salety vinyi sheet Flooring	Category 2 - Med (5% - 9%)				=	ITY SINK AND COUN	ITER UNIT		
FLOOR BAS	SE LEGEND:	Category 3 - High (10% or Greater)			STATION	N DESK				
FCB RB	Flash Cove Base Rubber Base									
SCF	Seamless Cushioned Flooring									
	-									
NAECUANI	ICAL REQUIREMENTS									
IVIECHAINI	ICAL REQUIREIVIENTS									
PLUMBING			ther Fixtures: Eyewash Sta		D / NON-MED GASES					Utility
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sink	:: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Shower Eyewash/Sł		uantity)	Medical Nitrous			•	oratory Compressed
			☐ Tub ☐ Emergency		Oxygen: Medical Air:	Vacuum: Oxide:	CO2: AG	SS: Nitrogen:	Air: Va	cuum: Air:
Plumbing			lce Maker Flush Rim S							
Remarks:				III						
			Water Closet Floor Drain	- 600 600 00	Gas Remarks:					
		L L	Instantaneous Water Bottl	e Kefill Station						
			Hot Water Other							

Program 1. U5.01

7.

13.

19.

25.

31.

37.

43.

Appendix 1	B Minimum Room Requir	rements	Program Number(s):	1	7. 13. 8. 14.		19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Roor	m Name: Workroom - IPT				9. 15. 10. 16.		21. 22.	<ul><li>27.</li><li>28.</li></ul>	33. 34.	39. 40.	45. 46.
					11. 17.		23.	29.	35.	41.	47.
				6.	12. 18.		24.	30.	36.	42.	48.
ARCHITECTU	IRAL REQUIREMENTS										
	laterial: ARGB 1.2m AFF, GB above laterial: ACT	WALL PROTECTION           Finish:         PT         Type:         PVW           Finish:         PF         Height:         1350 mm	✓ Corner Guards ☐ Hand Rails ☐ Bed Bo	umper / Locator	GLAZING  ✓ Interior Glazing	<u> </u>	Material: Base: VSF RB		ACCESSORIES at Hooks		agnetic Whiteboard vacy Curtain
LEGEND:		DOORS						Doo	or Remarks:		
WALL AND CEI		Types:									Security Grille
	chitectural Ceiling coustic Ceiling Tile										
	eanroom ouse-Resistant Gypsum Board						44				Anti-barricade strategy
-	ypsum Board npact-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	H J					
KLCT Kit	tchen Lay-in Ceiling Tile			or & Frame Privacy	Card	Mag Auto	Hold				
	oisture and Mould-Resistant Gypsum Board curity Acoustic Ceiling Tile	Type:Qty: Size (mm):   C   1   1065 x 2135   So	Material. Tillisti. Side Et.		Function: Reader:	Lock: Opener:	Open: Hinges  Butt Hinge	: Accessory	1: Accessory 2: Ac	cessory 3: Close Surface	er:
WALL FINISHES	S LEGEND:	C 1 1003 x 2133 30		ligii Store			Butt Hillge			Surface	
•	poxy Wall Coating gh Performance Coating	MILLWORK AND SPECIALTY CASEWORK						-	<del>'</del>	FINISHES	
PT Pa			UPPER UNITS	Sto	rage Requirements:				Full-height Cabi	FINISHES	
CEILING FINISH	HES LEGEND: poxy Ceiling Coating		U2 U3 U4						Upper Millw		
HPC Hig	gh Performance Coating		U5 U5	U6					Counter	top:	
PT Pa	efinished aint			U8	SHELF				Lower Millw	ork: nelf:	
WALL PROTECT	TION LEGEND:				S1				31	ieii.	
	truded Semi-Rigid PVCu Panel bre Reinforced Laminate								Rem	narks:	
FRP Fib	breglass Reinforced Plastic										
	otective Vinyl Wallcovering gid High Impact Sheet										
	etwall Solid Surface Panel etroom Vinyl Wallcovering										
FLOOR FINISHE	ES LEGEND:	C1 C2 C3		+=-1	-	-		2			
	oncrete Floor Sealer boxy Floor Coating		L2		<del></del> ////			7/	F		
PFC Po	olyurethane Floor Coating	FULL-HEIGHT CABINETS	L3 L4 L5 L6	17 18	ZEEN.						
RSF Ru	ubber Athletic Flooring ubber Sheet Flooring	FULL-HEIGHT CABINETS		L7 L8 L9	L10 L11	- V		1/			
	ramless Cushioned Flooring atic-Dissipative Rubber Sheet Flooring	Legend:	Motorized				TC1 TC2	V ["			
	atic-Dissipative Vinyl Sheet Flooring nyl Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Catego	Min. Length Adjustable Standing Sp	ecialty	LOWER UNITS			UC1	u []		
	etroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	ry (mm) Height Height Ca	sework	2011211 011110	RECEPTION/TR COUNTER / CA		TILITY SINK AND CO	UNTER UNIT		
FLOOR BASE LE		Category 3 - High (10% or Greater)				STATION DESK					
	ash Cove Base ubber Base										
SCF Sea	ramless Cushioned Flooring										
	L REQUIREMENTS										
	Hand ygiene Sink: Lavatory: Kitchen Sin	Seamless Utility / k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures: Evewas		MED / NON-MED GA (Quantity)		edical Nitrous			Laboratory Lab	Utility oratory Compressed
(Quantity)				h/Shower Station ncy Shower	1		cuum: Oxide:	CO2:	AGSS: Nitrogen:		cuum: Compressed Air:
Plumbing	1 1		☐ Ice Maker ☐ Flush Ri								
Remarks:			☐ Water Closet ☐ Floor Dr						<u> </u>		
				Bottle Refill Station	Gas Remarks:						
			Hot Water Other								
					1	1					

Appendix 1B Minimum Room Requirem	ents	Program 1. W3.03 Number(s): 2.	7. 13. 8. 14.	19. 25. 20. 26.	31. 37. 32. 38.	43. 44.
Room Name: Workroom - Materials Manag	ement	3.	9. 15.	21. 27.		45.
Norm Name.		4.	10. 16.	22. 28.	34. 40.	46.
		5. 6.	11. 17. 18.	23. 29. 24. 30.	35. 41. 36. 42.	47. 48.
ARCHITECTURAL REQUIREMENTS						
WALL AND CEILING	WALL PROTECTION		GLAZING	FLOORING TYPES	ROOM ACCESSORIES	
	inish: PT WALL PROTECTION  Type: RHIS ✓ Corner Guards ☐ Har	nd Rails Bed Bumper / Locator	✓ Interior Glazing	Material: Base:	Coat Hooks Ceiling Lift	✓ Magnetic Whiteboard
	inish: PF Height: 2185 mm ☐ Crash Rails ✔ Cha		■ Interior Glazing	EFC RB	☐ Mirror ☐ Infant Change Tab	
LEGEND:	DOORS				Door Remarks:	
WALL AND CEILING LEGEND:	Types:					Security Grille
AC Architectural Ceiling  ACT Acoustic Ceiling Tile			IZN IAN IAA IAA			Sceamy drine
ACT Acoustic Ceiling Tile ACT-C Cleanroom			KUKUH <del>ad ad</del>			☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board						strategy
GB Gypsum Board IRGB Impact-Resistant Gypsum Board	A A2 B B2 C C2	D D2 E E2	F F2 G H	J		
KLCT Kitchen Lay-in Ceiling Tile		Integral Door & Frame Priva	cy Card Mag	Auto Hold		
MMRGB Moisture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm): Material: Finish: Si	de Lt: Blinds: Protect.: Film		: Opener: Open: Hinges:	Accessory 1: Accessory 2: Accessory	3: Closer:
SACT Security Acoustic Ceiling Tile	B 1 915 x 2135 Solid Core FRL	2 High	Storeroom 🗸	Butt Hinge		Surface
WALL FINISHES LEGEND:	5 2 525 X 2255 55.10 55.10					
EWC Epoxy Wall Coating						
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK		Storage Requirements:		FIN	NISHES
		UPPER UNITS			Full-height Cabinet: Pla	astic Laminate
CEILING FINISHES LEGEND:	U2 U2				Upper Millwork: Pla	
ECC Epoxy Ceiling Coating HPC High Performance Coating		U4 U5 U6			Countertop: So	
PF Prefinished		U7	U8 SHELF		Lower Millwork: Pla	
PT Paint		7			Shelf:	istic Laitillate
WALL PROTECTION LEGEND:			S1		Shen.	
ESRP Extruded Semi-Rigid PVCu Panel			1 1 3		Remarks:	
FRL Fibre Reinforced Laminate					Remarks.	
FRP Fibreglass Reinforced Plastic			1			
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	Supercon to Contract	Francis .	1			
WSSP Wetwall Solid Surface Panel						
WVW Wetroom Vinyl Wallcovering			CONTRACTOR OF THE PROPERTY OF			
FLOOR FINISHES LEGEND:	ci ci		ON THE PERSON NAMED IN COLUMN TWO	/		
CFS Concrete Floor Sealer	C C3 C4	+		7	7	
EFC Epoxy Floor Coating				-     - /		
PFC Polyurethane Floor Coating		L5 16 17				
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT CABINETS	16 L7 L8 L				
SCF Seamless Cushioned Flooring			L10 L11 L12			
SDRF Static-Dissipative Rubber Sheet Flooring	Legend: Motorize	d		TC1 TC2		
SDVF Static-Dissipative Vinyl Sheet Flooring  VSF Vinyl Sheet Flooring	Category 0 - None Min. Length Adjustabl	e Standing Specialty	LOWER UNITS		UC1 U	
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (mm) Height Category 2 - Med (5% - 9%)	Height Casework	REC	EPTION/TRANSACTION		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater) 2 3000				Y SINK AND COUNTER UNIT	
FCB Flash Cove Base			SIA	TION DESK		
RB Rubber Base						
SCF Seamless Cushioned Flooring						
MECHANICAL REQUIREMENTS						
	Seamless Utility / Other Fixtures:		MED / NON-MED GASES			
the first tender which a Cid w	itchen Cinky Dracocc Cinky Coruh Cinky Elpor Cinky	Eyewash Station		Modical Nitrous	1-6-	Utility Utility
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: K	Shower	Eyewash/Shower Station	(Quantity)	Medical Nitrous NAI Air· Vacuum: Oxide:		oratory Laboratory Compressed Air: Vacuum:
	Tub	Emergency Shower	Oxygen: Medica	II AIF: Tacaaiii. Oxide.	CO2: AGSS: Nitrogen:	Air: Air:
Plumbing	☐ Ice Maker	Flush Rim Sink				
Remarks:	Water Closet	☐ Floor Drain			1 [	
	☐ Instantaneous	Water Bottle Refill Station	Gas Remarks:			
	Hot Water	- water bottle hellil station				
	not water	Other				

Appendix 1B Minimum Room Requirem	nents	Program Number(s):	1. G1.08 2. M2.27	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Workroom - MDT			3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				11.	17.	23.	29.	35.	41.	47.
			6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS									,	
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES		OM ACCESSORIES		
·	Finish: PT Type: PVW ✓ Corne Finish: PF Height: 1350 mm Crash		mper / Locator	✓ Interior Gla	zing	Material: Base:  VSF FCB		Coat Hooks Ceilin		Magnetic Whiteboard Privacy Curtain
		Kalis 🖭 Chair Kali							Change Table	J Privacy Curtain
LEGEND: WALL AND CEILING LEGEND:	DOORS							DOOI REITIAIRS.		
AC Architectural Ceiling	Types:	त विच नि निव	7 NO 120		700					Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom										☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board										strategy
IRGB Impact-Resistant Gypsum Board	A A2 B B2	C C2 D D2	E E2 F	F2 G	н	J				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	Func Oty ( Size /mm) Meterials		r & Frame Privacy rotect.: Film:		Card Mag Pader: Lock: (	Auto Hold Opener: Open: <sub>Hins</sub>				Closer:
SACT Security Acoustic Ceiling Tile	Type:Qty:         Size (mm):         Material:           C         2         1065 x 2135         Solid Core	FRL		Tunction:		Opener: Open: Hing		essory 1: Accessory 2:	Accessory 3: Surfa	
WALL FINISHES LEGEND:										
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK									
PT Paint		UPPER UNITS	St	orage Requirements:				E II bereke	FINISHES	
CEILING FINISHES LEGEND:								Full-height ( Upper N		
ECC Epoxy Ceiling Coating HPC High Performance Coating		U4 U5	U6 U7 U8						ntertop: Plastic Lami	inate
PF Prefinished PT Paint		7	U8	SHELF				Lower N	Aillwork: Plastic Lami	nate
				7					Shelf:	
WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel				S1					Remarks:	
FRL Fibre Reinforced Laminate				-					Terrario.	
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering			_							
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel			111	-						
WVW Wetroom Vinyl Wallcovering			-		1	7				
FLOOR FINISHES LEGEND:	C1 C2 C3 C4	+1     =	-7	~ -	-	-		NA 4.000 (00000)		
CFS Concrete Floor Sealer EFC Epoxy Floor Coating				= =	K		7	F	į.	
PFC Polyurethane Floor Coating		L3 L4 L5 L6		C ZEE	4	-	/ l î			
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT CABINETS	L6	L7 L8 L9	L10 111			471			
SCF Seamless Cushioned Flooring	Lacando				L12	TC1 TC2				
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None Min.	Motorized Length Adjustable Standing Spe	cialty					UC1	,	
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category (r	•	ework	LOWER UNITS	RECEPT	TION/TRANSACTION				
FLOOR BASE LEGEND:	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)  1 1	.800			COUNT STATIO	ER / CARE TEAM	UTILITY SINK A	ND COUNTER UNIT		
FCB Flash Cove Base					JIAIIO	N DL3K				
RB Rubber Base  SCF Seamless Cushioned Flooring										
Ç										
MECHANICAL REQUIREMENTS										
PILIMBING Hand	Seamless Utility / Othe	r Fixtures: Evewash	Chatian	MED / NON-M	FD GASES					
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Drocoss Sink: Scrub Sink: Floor Sink:	Lyewasii	Station /Shower Station	(Quantity)		Medical Nitrous			Laboratory	Laboratory Utility Compressed
1				Oxygen	: Medical Air	r: Vacuum: Oxide:	CO2:	AGSS: Nitroge	A*.	Vacuum: Air:
Plumbing Provide HHS for G1.08		Ice Maker Flush Rin								
Remarks:		Water Closet Floor Dra		6		1		1 1		
		_	ottle Refill Station	Gas Rem	arks:					
		Hot Water Other								

Appendix	( 1B Minimum	Room Require	ments			Program Number(s):	1. G3.02 2. I3.02	7. 8.	13. 14.	19. 20.	25. 26.	3		37. 38.	43. 44.
R	Room Name: Workro	oom - Nursing					3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	3.		39. 40.	45. 46.
							5.	11.	17.	23.	29.	3.		41.	47.
							6.	12.	18.	24.	30.	3	6.	42.	48.
ARCHITEC	TURAL REQUIRE	EMENTS													
	CEILING  Il Material: ARGB 1.2  g Material: ACT	m AFF, GB above	Finish: PT	L PROTECTION  Type: PVW  Height: 1350 mm	Crash Rails Chair Ra	ils 🔲 Bed Bu	mper / Locator	GLAZING  Interior Gla	azing	FLOORING TYPES Material: Base:  VSF RB		ROOM ACCES Coat Hoo Mirror	SORIES  oks Ceiling Lif		Magnetic Whiteboard Privacy Curtain
LEGEND:			DOORS									Door Ren	narks:		
	CEILING LEGEND:		Types:				= === ==								Security Grille
AC ACT	Architectural Ceiling Acoustic Ceiling Tile		100					N MIN ME							
ACT-C ARGB	Cleanroom Abuse-Resistant Gypsum B	oard			M NA A A N			4 N4 N		MMM					Anti-barricade strategy
GB IRGB	Gypsum Board Impact-Resistant Gypsum E		A	A2 B	B2 C C2 D	D2	E E2 F	F2 G	Н	J					0,
KLCT	Kitchen Lay-in Ceiling Tile						r & Frame Privacy	_	Card Mag	Auto Hold					
MMRGB SACT	Moisture and Mould-Resist Security Acoustic Ceiling Til		_		Material: Finish: Side Lt lid Core FRL	Blinds: P	rotect.: Film:	Tanction.	eader: Lock: (	Opener: Open:	Hinges:	Accessory 1:	Accessory 2: Ac	cessory 3: Cl	oser:
WALL FINIS	SHES LEGEND:			B 1 915 X 2155 30	lid Cole FRL		gii St	Dielooni			rige			Surrac	=
EWC HPC	Epoxy Wall Coating High Performance Coating		MILLWORK AND SPECIAL	TY CASEWORK			-	Clarate Base in the state of	62.02 (50)					FINICIPE	
PT	Paint		WILLWORK AND SI ECIAL			PER UNITS		Storage Requirements:	: G3.02 - (50) pu				Full-height Cabi	FINISHES	
CEILING FIN	NISHES LEGEND: Epoxy Ceiling Coating		Garage V	7.7	1 U2 U3 U4								Upper Millw		
HPC	High Performance Coating		- Species	KKKK	7 7 7	U5	U6						Counter		
PT PT	Prefinished Paint		-			7	U8	SHELF					Lower Millw	ork: nelf:	
WALL PROT	TECTION LEGEND:		- September			.l. K		S1					31	ieii:	
ESRP FRL	Extruded Semi-Rigid PVCu I Fibre Reinforced Laminate	Panel				-11-12							Rem	narks:	
FRP	Fibreglass Reinforced Plasti		anguara.												nterior window with
PVW RHIS	Protective Vinyl Wallcoveri Rigid High Impact Sheet	ng	-		***************************************			i					ŀ	orivacy film.	
WSSP WVW	Wetwall Solid Surface Pane Wetroom Vinyl Wallcoverin		CONTRACTO	'		On The Party of th			-						
FLOOR FINI	ISHES LEGEND:		<u>C1</u>			" =	-7	OR OTHER PERSONS	- Constitution	1					
CFS EFC	Concrete Floor Sealer Epoxy Floor Coating			C3 C4 C5 L1	L2	=		==	K		7		1		
PFC	Polyurethane Floor Coating		FULL-HEIGHT CABINETS			L5 16	L7 18		4		The same		-		
RAF RSF	Rubber Athletic Flooring Rubber Sheet Flooring		FOLL-HEIGHT CADINETS				L/ L8 L9	L10 L11	-		$\dashv$				
SCF SDRF	Seamless Cushioned Floorin Static-Dissipative Rubber Sl	-	Legend:		Motorized				L12	TC1 TC	V	J .u	1   1		
SDVF VSF	Static-Dissipative Vinyl She Vinyl Sheet Flooring	et Flooring	Category 0 - None Category 1 - Low (1% - 4%	1	Min. Length Adjustable		ecialty	LOWER UNITS				UC1	Ш		
WSVF	Wetroom Safety Vinyl Shee	et Flooring	Category 2 - Med (5% - 9%	6)	ry (mm) Height	Height Cas	ework	2011211 011113		TION/TRANSACTION TER / CARE TEAM	UTILITY S	NK AND COUNTE	R UNIT		
FLOOR BAS			Category 3 - High (10% or	Greater)						N DESK					
FCB RB	Flash Cove Base Rubber Base														
SCF	Seamless Cushioned Flooring	ng													
24564424	CAL DECLUDEA	FAITC													
	CAL REQUIREM	ENIS													
PLUMBING (Quantity)	Hand Hygiene Sink: Lava	atory: Kitchen Sink:	Seamless Utility / Kitchen Sink: Process Sink: Scru	b Sink: Floor Sink:	Other Fixtures:	☐ Evewash		MED / NON-M (Quantity)	IED GASES	Medical Nitr	ous			Laboratory L	Utility aboratory Compressed
(Quartity)					Shower Tub	☐ Eyewash.	/Shower Station	Oxyger	n: Medical Air			02: AGSS:	Nitrogen:		Vacuum: Compressed Air:
Plumbing		,			☐ Ice Maker	Flush Rin									
Remarks:					☐ Water Closet	☐ Floor Dra		C D	andre.	1	1				
					Instantaneous	☐ Water Bo	ottle Refill Station	Gas Rem	iai KS.						
					Hot Water	Other									

Appendix 1B Minimum Room Requirem	nents	Program Number(s):	1. J5.05 2.	7. 8.	13. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Workroom - Pharmacists			3. 4.	9. 10.	15. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
				11.	17.	23.	29.	35.	41.	47.
			6.	12.	18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS					1					
WALL AND CEILING	WALL PROTECTION			GLAZING		FLOORING TYPES  Material: Base:		OM ACCESSORIES		•
	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Corner Guards Hand Rails Bed Bur  Crash Rails Chair Rail	nper / Locator	☐ Interior Glaz	zing	VSF RB		✓ Coat Hooks ☐ Ceilin ☐ Mirror ☐ Infan		✓ Magnetic Whiteboard  Privacy Curtain
		Crusi Nulls						Door Remarks:	- Change Table	
LEGEND: WALL AND CEILING LEGEND:	DOORS									
AC Architectural Ceiling	Types:	o a al al ala	a (a) (a)		722					Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom										☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B B	2 C C2 D D2	E2 F	F2 G	H					strategy
IRGB Impact-Resistant Gypsum Board	A AL 5				ard Mag	Auto Hold				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	Type:Qty: Size (mm): Ma	<u> </u>	& Frame Privacy otect.: Film:		ard Mag ader: Lock: (	Auto Hold Opener: Open: <sub>Hing</sub>	es: Acce	essory 1: Accessory 2:	Accessory 3:	Closer:
SACT Security Acoustic Ceiling Tile		Core FRL 2 High	th Pass		пІпІ	☐ Butt Hinge	- 7,000	7.0003301 y 2.	Surf	
WALL FINISHES LEGEND:				[						
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		C+	orage Requirements:					FINISHES	
PT Paint		UPPER UNITS	30	orage Requirements.				Full-height		
CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating	U1	U2 U3 U4						Upper N		
HPC High Performance Coating			U6 U7 U8					Cou	ntertop:	
PF Prefinished PT Paint			U8	SHELF				Lower N		
WALL PROTECTION LEGEND:				- L					Shelf:	
ESRP Extruded Semi-Rigid PVCu Panel				1					Remarks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic				1						
PVW Protective Vinyl Wallcovering		6	! !							
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel			1 1							
WVW Wetroom Vinyl Wallcovering			-7		1	7/				
FLOOR FINISHES LEGEND:	C1 C2 C3 C4				7	-				
CFS Concrete Floor Sealer  EFC Epoxy Floor Coating		12			K		/	( American )	Ē	
PFC Polyurethane Floor Coating		L3 L4 L5 L6			4		7   ]			
RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring	FULL-HEIGHT CABINETS		L/ L8 L9	L10 L11		1	471			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:				L12	TC1 TC2	V	U	Į.	
SDVF Static-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized  Min. Length Adjustable Standing Spe	cialty					UC1   -		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category	- ,	ework	LOWER UNITS	RECEPT	TON/TRANSACTION				
FLOOR BASE LEGEND:	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)				COUNT STATIO	, -	UTILITY SINK AI	ND COUNTER UNIT		
FCB Flash Cove Base					JIAIIO	N DESK				
RB Rubber Base SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS										
PLUMBING Hand	Seamless Utility /	Other Fixtures:		MED / NON-MI	ED GASES					
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: k	Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Lyewasii.	Station Shower Station	(Quantity)	LD GAULU	Medical Nitrous			Laboratory	Laboratory Compressed
·		☐ Tub ☐ Emergence		Oxygen	: Medical Air		CO2:	AGSS: Nitrog	A.*.	Vacuum: Compressed Air:
Plumbing		☐ Ice Maker ☐ Flush Rim								
Remarks:		☐ Water Closet ☐ Floor Drai			. [			<u> </u>		
		_	ttle Refill Station	Gas Rema	arks:					
		Hot Water Other								
		Other								

Appendix 1B Minimum Room Re	quirements	Program Number(s):	1. R4.03 2.		13. 14.	19. 20.	25.	31. 32.	37. 38.	43. 44.
Washington Dhama			3.		. <del>4</del> . L5.	21.	26. 27.	33.	39.	45.
Room Name: Workroom - Pharma	acy		4.	10. 1	16.	22.	28.	34.	40.	46.
			5. 6.		17. 18.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.
			0.	12.	10.	24.	30.	30.	42.	40.
ARCHITECTURAL REQUIREMENTS				ı						
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB above	we Finish: EWC WALL PROTECTION  Type: ESRP ✓ Corr	er Guards	mper / Locator	GLAZING  Interior Glazing		OORING TYPES  Material: Base:		CESSORIES  Hooks Ceiling Lif	ft 🗸	Magnetic Whiteboard
Ceiling Material: ACT	Finish: PF Height: 2185 mm Cras		pe. / Locato.	interior Glazing	8	VSF RB	]			Privacy Curtain
LEGEND:	DOORS						Door	Remarks:		
WALL AND CEILING LEGEND:	Types:									Security Grille
AC Architectural Ceiling ACT Acoustic Ceiling Tile										Security Grine
ACT-C Cleanroom						577				☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board										strategy
GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	A A2 B B2	C C2 D D2	E E2 F	F2 G	н	J				
KLCT Kitchen Lay-in Ceiling Tile			r & Frame Privacy	Card	•					
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile	Гуре:Qty: Size (mm): Material	: Finish: Side Lt: Blinds: P	rotect.: Film:	Function: Reade	er: Lock: Oper	ner: Open: Hinge	s: Accessory 1	: Accessory 2: Ac	ccessory 3: C	loser:
WALL FINISHES LEGEND:										
EWC Epoxy Wall Coating HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		-							
PT Paint	WILLWORK AND STECRET CASEWORK	UPPER UNITS	St	corage Requirements:					FINISHES	
CEILING FINISHES LEGEND:	U1							Full-height Cabi		
ECC Epoxy Ceiling Coating	7	U3 U4						Upper Millw		
HPC High Performance Coating PF Prefinished	Superior Control of the Control of t	U5	U6 U7 U8	SHELF				Counter		
PT Paint			7 7 7 00	SHELF				Lower Millw		
WALL PROTECTION LECEND.				7				SI	helf:	
WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel				S1				Dow	narks:	
FRL Fibre Reinforced Laminate			1	1				Keli	idiks.	
FRP Fibreglass Reinforced Plastic			1 1							
PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet	anguages and an anguages	Emmy		1						
WSSP Wetwall Solid Surface Panel		No. Des Contraction and Contraction of Contraction	Taraga I							
WVW Wetroom Vinyl Wallcovering		"		Con Con Contract Con Con Con Con Con Con Con Con Con Con						
FLOOR FINISHES LEGEND:	C1 C2 C3 C4			~ -	-		3			
CFS Concrete Floor Sealer		-		==	_		7	K-WA		
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 L4 L5		- RKKN		GENERAL SERVICES				
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 'L8 'L9							
RSF Rubber Sheet Flooring			L7 L8 L9	L10 L11	-		1/			
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			L12 M	TC1 TC2	V   "			
SDVF Static-Dissipative Vinyl Sheet Flooring	Cotocomo O. Nomo		ecialty				<sup>™</sup> UC1	u II		
VSF Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category	- ,	ework	LOWER UNITS	RECEPTION	/TRANSACTION				
	Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)						ITILITY SINK AND COU	NTER UNIT		
FLOOR BASE LEGEND:	category 3 - High (10% of Greater)				STATION DE	ESK				
FCB Flash Cove Base RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS										
	Coomless 114:14:1	or Fintures.		MED / NON ASS	CASES					
PLUMBING Hand  (Output: In ) Hygiene Sink: Lavatory: Kitche	on Ciple - Kitaban Ciple - Dragges Ciple - Corub Ciple - Elgar Ciple	er Fixtures: Evewash		MED / NON-MED	GASES	Madical			lob	Utility
(Quantity) Hygiene Sink: Lavatory: Kitche			/Shower Station	(Quantity)	Madia LAT	Medical Nitrous Vacuum: Oxide:	CO2: *	CCC. NULS		Laboratory Compressed Vacuum:
		Tub Emergen		Oxygen:	Medical Air:	- CAIGE.	CO2: A	GSS: Nitrogen:		Air:
Plumbing		Ice Maker Flush Rim								
Remarks:		Water Closet Floor Dra	iin	G. B. C.		ſ		•		
			ottle Refill Station	Gas Remarks	5:					
		Hot Water								
		Other								

Appendix 1B	Minimum Room Require	ements	Prog Numb	ngram 1. K1.08 ber(s): 2.	7. 13. 8. 14.	19. 20.		31. 32.		37. 38.	43. 44.
Room N	Name: Workroom - Physics Assi	stants		3. 4.	9. 15. 10. 16.	21. 22.		33. 34.		39. 40.	45. 46.
				5.	11. 17.	23.	29.	35.		41.	47.
				6.	12. 18.	24.	30.	36.		42.	48.
ARCHITECTUR	AL REQUIREMENTS							T			
WALL AND CEILIN Wall Mate Ceiling Mate	erial: ARGB 1.2m AFF, GB above	WALL PROTECTION   Finish:   PT	✓ Corner Guards ☐ Hand Rails ☐ B ☐ Crash Rails ✓ Chair Rail	Bed Bumper / Locator	GLAZING  Interior Glazing	FLOORING Mate	erial: Base:	ROOM ACCESS Coat Hooks Mirror	ORIES Ceiling Lift Infant Cha		agnetic Whiteboard vacy Curtain
LEGEND:		DOORS				l .		Door Rema	rks:		
WALL AND CEILIN	NG LEGEND:	Types:					==				Security Grille
	ectural Ceiling tic Ceiling Tile										
ACT-C Cleann							4				Anti-barricade strategy
GB Gypsu	ım Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	Н Ј					Strategy
•	rt-Resistant Gypsum Board en Lay-in Ceiling Tile		Integra	al Door & Frame Privacy	Card	Mag Auto Ho	old				
	ure and Mould-Resistant Gypsum Board ity Acoustic Ceiling Tile	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds:		Function: Reader:	Lock: Opener: Op	en: Hinges:	Accessory 1: Acces	ccessory 2: Acc	essory 3: Close	er:
WALL FINISHES LE	-	B 1 915 x 2135 S	olid Core FRL	2 High Store	eroom 🗸		Butt Hinge			Surface	
	Wall Coating										
HPC High P PT Paint	Performance Coating	MILLWORK AND SPECIALTY CASEWORK		-c St	orage Requirements:					FINISHES	
CEILING FINISHES	STEGEND:		UPPER UNIT	15					Full-height Cabin	et:	
	Ceiling Coating	7777	U2 U3 U4 U						Upper Millwo	ork:	
HPC High P PF Prefini	Performance Coating ished		U5	U6 U7 U8	SHELF				Countert		
PT Paint				7	SHELF				Lower Millwo	ork: elf:	
WALL PROTECTIO	ON LEGEND:				1 51 I				311	en.	
	ded Semi-Rigid PVCu Panel	11							Rema	arks:	
	Reinforced Laminate plass Reinforced Plastic										
	ctive Vinyl Wallcovering	-	Printer of the last of the las		1						
	High Impact Sheet all Solid Surface Panel		11								
WVW Wetro	oom Vinyl Wallcovering		"" " "		On the second se	76					
FLOOR FINISHES I		C1 C2 C3 C4 C5 11		==		1	-	,	3		
	ete Floor Sealer Floor Coating		12				4	6			
	rethane Floor Coating er Athletic Flooring	FULL-HEIGHT CABINETS	_	L6 L7 18		-	1				
RSF Rubbe	er Sheet Flooring	TOLE-TEIGHT CABINETS		L6 L7 L8 L9	L10 L11			/          1			
	less Cushioned Flooring -Dissipative Rubber Sheet Flooring	Legend:			☐ ☐ L12				U   U		
SDVF Static-	-Dissipative Vinyl Sheet Flooring	Category 0 - None	Motorized  Min. Length Adjustable Standing	Specialty				UC1	II.		
	Sheet Flooring oom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)		Casework	LOWER UNITS	RECEPTION/TRANS					
FLOOR BASE LEGI		Category 2 - Hick (5% 5%) Category 3 - High (10% or Greater)				COUNTER / CARE TE STATION DESK	EAM UTILITY	SINK AND COUNTER	UNIT		
FCB Flash C	Cove Base					517K11G14 B25K					
	er Base less Cushioned Flooring										
	-										
MECHANICAL I	REQUIREMENTS										
	land	Seamless Utility /	Other Fixtures:	vewash Station	MED / NON-MED GA	SFS					
		k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		/ewash/Shower Station	(Quantity)	Medica	al Nitrous			Laboratory Labo	Utility oratory Compressed
				nergency Shower	Oxygen: M	ledical Air: Vacuur	n: Oxide:	CO2: AGSS:	Nitrogen:		cuum: Air:
Plumbing				ush Rim Sink							
Remarks:				oor Drain	0	I	1		1	1	
				ater Bottle Refill Station	Gas Remarks:						
			Hot Water Other	r							
			Strict								

			Number(s):	2.	8. 14.	20.	26.	32.	38.	44.	
				3.	9. 15.	21.	27.	33.	39.	45.	
R	oom Name:   Workroom - Physics Com	nputer Technologist			10. 16.	22.	28.	34.	40.	46.	
					11. 17.	23.	29.	35.	41.	47.	
				6.	12. 18.	24.	30.	36.	42.	48.	
VDC MILLEU.	TURAL REQUIREMENTS				1		-			1	
WALL AND		WALL PROTECTION			GLAZING	FLOORING TYPES	ROOM AC			_	
Wal	l Material: ARGB 1.2m AFF, GB above	1,750.	ner Guards 🔲 Hand Rails 🔲 Bed Bum	per / Locator	✓ Interior Glazing	Material: Base:		Hooks 🔲 Ceiling Li	ft	Magnetic Whi	
Ceiling	Material: ACT	Finish: PF Height: 1350 mm Cras	h Rails Chair Rail		_	VSF RB	☐ Mirro	r 🗌 Infant Ch	ange Table	Privacy Curtain	.n
LEGEND:		DOORS		l			Door	Remarks:			-
	CEILING LEGEND:										
AC AC	Architectural Ceiling	Types:								│	curity Grille
ACT	Acoustic Ceiling Tile										
ACT-C	Cleanroom		ALINI MENDER							│	ti-barricade
ARGB	Abuse-Resistant Gypsum Board									stra	ategy
GB IRGB	Gypsum Board Impact-Resistant Gypsum Board	A A2 B B2	C C2 D D2 E	E2 F	F2 G H	J					
KLCT	Kitchen Lay-in Ceiling Tile		Integral Door	& Frame Privacy	Card Mag	Auto Hold					
MMRGB	Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm): Material	ni de ne	aran etta	•	Opener: Open: Hinge	s. Accessory 1:	Accessory 2: Ac	cessory 3.	Closer:	
SACT	Security Acoustic Ceiling Tile	B 1 915 x 2135 Solid Core				Butt Hinge	J. 7.0003301 y 1.	710003301 7 2. 710	Sur		
WALL FINIS	HES LEGEND:	B 1 913 X 2133 3011d COTE	FRL 2 High	31016	100111	Butt Hillge			Sui	ace	
EWC	Epoxy Wall Coating										
HPC	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Cto	uraga Daguiramanta				FINISHES		
PT	Paint		UPPER UNITS	310	orage Requirements:						
CEILING FIN	IISHES LEGEND:								inet: Plastic Lan	ninate	
ECC	Epoxy Ceiling Coating	17.7	U2 U3 U4 🗌					Upper Millw	ork:		
HPC	High Performance Coating			U6 U7				Counter	top:		
PF	Prefinished			U8	SHELF			Lower Millw	ork:		
PT	Paint	-		7	ta 🗆			S	helf:		
WALL PROT	ECTION LEGEND:	243522222		-	S1						
ESRP	Extruded Semi-Rigid PVCu Panel				]			Ren	narks:		
FRL	Fibre Reinforced Laminate							T.C.	nuns.		
FRP	Fibreglass Reinforced Plastic	-		1 1							
PVW RHIS	Protective Vinyl Wallcovering Rigid High Impact Sheet	and the same of th	Emmy .		1						
WSSP	Wetwall Solid Surface Panel		THE RESERVED TO SERVED THE PARTY OF THE PART								
wvw	Wetroom Vinyl Wallcovering		) 10	an The second	REFERENCE .	7					
FLOOR FINIS	SHES LEGEND:	C1 C2	<del>                   </del>	-17	on my	/ Commence					
CFS	Concrete Floor Sealer			~ 5			7 /-				
EFC	Epoxy Floor Coating			-K-V)			/ 6	1			
PFC	Polyurethane Floor Coating		L3 L4 L5		7		7	Transmit			
RAF	Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9			4 1 11				
RSF SCF	Rubber Sheet Flooring Seamless Cushioned Flooring				L10 L11 L12						
SDRF	Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized	_		TC1 TC2	V   "	u			
SDVF	Static-Dissipative Vinyl Sheet Flooring	Cotonomia Nome	Motorized n. Length Adjustable Standing Spec	ialtv			UC1	u [[			
VSF	Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category	(mm) Height Height Case		LOWER UNITS	TION/TRANSACTION					
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)					ITILITY SINK AND COU	ITER UNIT			
FLOOR BASE	E LEGEND:	Category 3 - High (10% or Greater)	1800		STATIO	•					
FCB	Flash Cove Base										
RB	Rubber Base										
SCF	Seamless Cushioned Flooring										
								L			
<b>MECHANIC</b>	CAL REQUIREMENTS										
PLUMBING	Hand	Seamless Utility / Oth	ner Fixtures: Evewash S		MED / NON-MED GASES						
(Quantity)	Hygiene Sink: Lavatory: Kitchen Sinl	ku Kitahan Cinlu Dunana Cinlu Coruh Cinku Floor Cinku	Lycwasii s		(Quantity)	Medical Nitrous			Laboratory	Laboratory	Utility
(Qualitity)	,5			Shower Station			602	YCC. \$111	Air:	Laboratory Contract C	Compressed
			Tub Emergence	y Shower	Oxygen: Medical Ai	II: Vacadiii. Oxide.	CO2: AC	iSS: Nitrogen:	Δ	vacaum.	Air:
Plumbing			Ice Maker Flush Rim	Sink							
Remarks:			Water Closet Floor Drain					1	1		
				tle Refill Station	Gas Remarks:						
				ue Keriii Station							
			Hot Water Other								

Program 1. K1.03

13.

19.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

25.

Appendix 1B	Minimum Room Require	ements	Program Number(s)		7. 13 8. 14		19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room N	Name: Workroom - Physics Stud	dents		3. 4.	9. 15 10. 16		21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
					11. 17		23.	29.	35.	41.	47.
				6.	12. 18	3.	24.	30.	36.	42.	48.
ARCHITECTUR)	AL REQUIREMENTS										
WALL AND CEILIN Wall Mate Ceiling Mate	erial: ARGB 1.2m AFF, GB above	WALL PROTECTION           Finish:         PT         Type:         RHIS           Finish:         PF         Height:         1350 mm	✓ Corner Guards ☐ Hand Rails ☐ Bed B☐ Crash Rails ✓ Chair Rail	Bumper / Locator	GLAZING  Interior Glazing		ORING TYPES  Material: Base:  VSF RB		ACCESSORIES at Hooks		agnetic Whiteboard vacy Curtain
LEGEND:		DOORS						Do	or Remarks:		_
WALL AND CEILIN		Types:									Security Grille
	tectural Ceiling stic Ceiling Tile										
ACT-C Cleans ARGB Abuse-	room e-Resistant Gypsum Board										Anti-barricade strategy
GB Gypsui	um Board ct-Resistant Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	H J	I				,
KLCT Kitcher	en Lay-in Ceiling Tile			oor & Frame Privacy	Card	Mag Auto	Hold				
	ure and Mould-Resistant Gypsum Board ity Acoustic Ceiling Tile		viateriai: Tillisti: Side Et:	Protect.: Film:	Function: Reader	: Lock: Opener	r: Open: Hinge	s: Accessory	/ 1: Accessory 2: Ac	cessory 3: Close	er:
WALL FINISHES LE	EGEND:	B 1 915 x 2135 So	lid Core FRL 2 1	High Store	eroom 🗸		Butt Hinge			Surface	
	Wall Coating Performance Coating	MILLWORK AND SPECIALTY CASEWORK						l .	<del></del>		
PT Paint		WILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	St	orage Requirements:				Full-height Cabi	FINISHES	
CEILING FINISHES  ECC Epoxy	S LEGEND:  ( Ceiling Coating		U2 112 🗀 🗎						Upper Millw		
HPC High P	Performance Coating		U4 U5	U6					Counter		
PF Prefini PT Paint	ished			U8	SHELF				Lower Millw		
WALL PROTECTIO	ON LEGEND:				S1 S1				Si	nelf:	
	ded Semi-Rigid PVCu Panel Reinforced Laminate	11 1 1							Rem	narks:	
FRP Fibregl	glass Reinforced Plastic										
	ctive Vinyl Wallcovering High Impact Sheet				<u> </u>						
	vall Solid Surface Panel oom Vinyl Wallcovering										
FLOOR FINISHES L	LEGEND:	C1 C2 C3		+=-1		-	-	2			
	rete Floor Sealer / Floor Coating		L2		<del></del> ////			7/	1		
PFC Polyur	rethane Floor Coating	FULL-HEIGHT CABINETS	13 L4 L5 L6	L7 18	- Zer		********	7   11			
RSF Rubbe	er Athletic Flooring er Sheet Flooring	FOLL-HEIGHT CABINETS		L7 L8 L9	L10 L11	1		12 11			
	less Cushioned Flooring -Dissipative Rubber Sheet Flooring	Legend:	Motorized			L12	TC1 TC2				
	-Dissipative Vinyl Sheet Flooring Sheet Flooring	Category 0 - None Category 1 - Low (1% - 4%) Catego	Min. Length Adjustable Standing S	pecialty	LOWER UNITS			UC	1 4		
	oom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	ry (mm) Height Height C	asework	20WZN ONNO	RECEPTION/TI COUNTER / CA		TILITY SINK AND CO	DUNTER UNIT		
FLOOR BASE LEGE		Category 3 - High (10% or Greater)				STATION DESI					
	Cove Base er Base										
SCF Seamle	less Cushioned Flooring										
NATCUA NUCA L	DECLUDENTENTS										
	REQUIREMENTS	Consider the f	Other St. Law		1455 / 1461 1455 6						
	land ene Sink: Lavatory: Kitchen Sink	Seamless Utility / k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	Other Fixtures: Eyewas		MED / NON-MED G (Quantity)		Medical Nitrous			Laboratory Lab	Utility oratory Compressed
, , , , , , , , , , , , , , , , , , , ,				sh/Shower Station ency Shower	1 1		acuum: Oxide:	CO2:	AGSS: Nitrogen:		cuum: Compressed Air:
Plumbing			☐ Ice Maker ☐ Flush R								
Remarks:			☐ Water Closet ☐ Floor D	Drain	Gas Remarks:		I	1	I		
				Bottle Refill Station	Gas Reiliarks:						
			Hot Water Other								

		Num	mber(s): 2. K4.11	8. 14.	20.	26.	32.	38.	44.
Room Name: Workroom - Planning			3.	9. 15.	21.	27.	33.	39.	45.
Room Name: Workfoom - Flaming			4.	10. 16.	22.	28.	34.	40.	46.
			5.	11. 17.	23.	29.	35.	41.	47.
			6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMENTS				-1	1	1	1	-	
WALL AND CEILING	WALL PROTECTION			GLAZING	FLOORING TYPES	ROC	OM ACCESSORIES		
	Finish: PT Type: RHIS	Corner Guards Hand Rails	Bed Bumper / Locator	✓ Interior Glazing	Material: Base:		Coat Hooks Ceiling	Lift 🗸	Magnetic Whiteboard
	Finish: PF Height: 1350 m			Interior Glazing	VSF RB				Privacy Curtain
	DOORS						Door Remarks:		
LEGEND: WALL AND CEILING LEGEND:							Room K4.11 to have two	Type B doors insalled	
AC Architectural Ceiling	Types:	a aa a aa a							Security Grille
ACT Acoustic Ceiling Tile	KI KIBU								A sit be established
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board									Anti-barricade strategy
GB Gypsum Board	A A2	B B2 C C2 D D2	)2 E E2 F	F2 G H	J				Strategy
IRGB Impact-Resistant Gypsum Board		Integ	gral Door & Frame Privacy	Card Mag	Auto Hold				
KLCT Kitchen Lay-in Ceiling Tile  MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (m			-	: Opener: Open: Hin	70C: ACCO	ssory 1: Accessory 2:	Accessory 2: Cl	oser:
SACT Security Acoustic Ceiling Tile		135 Solid Core FRL					SSOTY 1: Accessory 2:	Surface	
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating	B 1 915 X 2	135 Solid Core FRL	2 High Stor	eroom 🔽 🗌	Butt Hinge			Surrace	
HPC High Performance Coating	MILLWORK AND SPECIALTY CASEWORK	(	C	orage Requirements:				FINISHES	
PT Paint	5 <u>2</u> 23.777	UPPER UN	NITS	orage Requirements.			5 111 1110		
CEILING FINISHES LEGEND:		U1 U2	7 —				Full-height Ca		
ECC Epoxy Ceiling Coating  HPC High Performance Coating		U2 U3 U4 U5	5 U6 U7				Upper Mil Count		
PF Prefinished			U7 U8	SHELF			Lower Mil		
PT Paint	Angeles		7	+a 🗆				Shelf:	
WALL PROTECTION LEGEND:	Congression			T S1				5110111	
ESRP Extruded Semi-Rigid PVCu Panel	11						R	emarks:	
FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic				1					
PVW Protective Vinyl Wallcovering		15		1					
RHIS Rigid High Impact Sheet		-	7						
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering	Contract of the Contract of th		-						
FLOOR FINISHES LEGEND:	C1 C2	++	7	ON MA PERSONAL PROPERTY OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TO T	1				
CFS Concrete Floor Sealer	C2 C3 C4 C5					7	/		
EFC Epoxy Floor Coating		1 12		WW	- /	/ 4	1		
PFC Polyurethane Floor Coating  RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		16 17		.				
RSF Rubber Sheet Flooring	TOLE HEIGHT CASINETS		L6 L7 L8 L9	L10 L11	グ トーノア	7 / 1			
SCF Seamless Cushioned Flooring				L12	TC1 TC2		u   [		
SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring	Legend: Category 0 - None	Motorized	- Constate		TC1 TC2	Ų	UC1		
VSF Vinyl Sheet Flooring	Category 1 - Low (1% - 4%)	Min. Length Adjustable Standing Category (mm) Height Height	. ,	LOWER UNITS	CERTION /TRANSACTION				
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	Tright height			EPTION/TRANSACTION UNTER / CARE TEAM	UTILITY SINK AN	ID COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				TION DESK				
FCB Flash Cove Base RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS	•								
	Seamless Utility /	Other Fixtures:		MED / NON-MED GASES					
PLUMBING Hand (Quantity) Hygiene Sink: Lavatory: Kitchen Sink:	Kitchen Sink: Process Sink: Scrub Sink: Floor	Cinle.	Eyewash Station	(Quantity)	Medical Nitrous			Laboratory La	Utility aboratory Compressed
(Qualiticy)		L Snower L E	Eyewash/Shower Station	Oxygen: Medica		CO2:	AGSS: Nitroger	A * .	Vacuum: Compressed  Air:
Dhumbian			Emergency Shower	OAYBEIT. IVIEUICE			, 1000. INITIOGET	<u>-</u>	AII:
Plumbing Remarks:			Flush Rim Sink						
			Floor Drain	Gas Remarks:					
			Water Bottle Refill Station						
		Hot Water Oth	her						

Program 1. K3.11

7.

13.

19.

25.

31.

37.

43.

**Appendix 1B Minimum Room Requirements** 

			Number(s): 2.	8. 14.	20. 26.	32. 38.	44.
R	toom Name: Workroom - Planning - Br	rachytherapy	3.	9. 15.	21. 27.	33. 39.	45.
			5.	10. 16. 11. 17.	22. 28. 29.	34. 40. 35. 41.	46. 47.
			6.	12. 18.	24. 30.	36. 42.	48.
ARCHITEC	TURAL REQUIREMENTS					1	
WALL AND	·	WALL PROTECTION		GLAZING	FLOORING TYPES	ROOM ACCESSORIES	
	Il Material: ARGB 1.2m AFF, GB above		Hand Rails Bed Bumper / Locator	Interior Glazing	Material: Base:	Coat Hooks Ceiling Lift	✓ Magnetic Whiteboard
	Material: ACT		Chair Rail	interior Glazing	VSF RB	☐ Mirror ☐ Infant Change Table	Privacy Curtain
LEGEND:		DOORS				Door Remarks:	
WALL AND	CEILING LEGEND:	Types:					☐ Security Grille
AC ACT	Architectural Ceiling		1				Security drille
ACT-C	Acoustic Ceiling Tile Cleanroom				6577		☐ Anti-barricade
ARGB GB	Abuse-Resistant Gypsum Board Gypsum Board						strategy
IRGB	Impact-Resistant Gypsum Board	A A2 B B2 C C2	D D2 E E2 F	F2 G H	J		
KLCT	Kitchen Lay-in Ceiling Tile		Integral Door & Frame Privacy	Card Mag	Auto Hold		
MMRGB SACT	Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Type:Qty: Size (mm): Material: Finish:	Side Lt: Blinds: Protect.: Film:		Opener: Open: Hinges:	Accessory 1: Accessory 2: Accessory 3:	Closer:
WALL FINIS	HES LEGEND:	B 1 915 x 2135 Solid Core FRL	2 High St	oreroom 🗸 🗌	Butt Hinge	Sı	Surface
EWC	Epoxy Wall Coating						
HPC	High Performance Coating	MILLWORK AND SPECIALTY CASEWORK		Storage Requirements:		FINISHE	.s
PT	Paint	U1 U1	UPPER UNITS			Full-height Cabinet:	
ECC ECC	IISHES LEGEND:  Epoxy Ceiling Coating	U1 U2 U3	J			Upper Millwork:	
HPC	High Performance Coating		U5 U6 U7			Countertop:	
PF PT	Prefinished Paint		U8	SHELF		Lower Millwork:	
						Shelf:	
	TECTION LEGEND:			S1			
ESRP FRL	Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate	Service III				Remarks:	
FRP	Fibreglass Reinforced Plastic						
PVW RHIS	Protective Vinyl Wallcovering Rigid High Impact Sheet	20/2020	[ Towns	i			
WSSP	Wetwall Solid Surface Panel		No.	1			
WVW	Wetroom Vinyl Wallcovering			On the second second	76		
	SHES LEGEND:	C1 C2 C3 C4 C5 L4	===		-		
CFS EFC	Concrete Floor Sealer Epoxy Floor Coating					L 1	
PFC	Polyurethane Floor Coating		L4 L5				
RAF RSF	Rubber Athletic Flooring Rubber Sheet Flooring	FULL-HEIGHT CABINETS		110			
SCF	Seamless Cushioned Flooring			L10 L11 L12	TC1 TC2		
SDRF SDVF	Static-Dissipative Rubber Sheet Flooring Static-Dissipative Vinyl Sheet Flooring		torized		Π 1 τc2	UC1 UC1	
VSF	Vinyl Sheet Flooring	Trinit Zengur Au	ustable Standing Specialty eight Height Casework	LOWER UNITS	PTION/TRANSACTION		
WSVF	Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)			=	NK AND COUNTER UNIT	
FLOOR BAS		Category 3 - High (10% or Greater)		STATIO	ON DESK		
FCB RB	Flash Cove Base Rubber Base						
SCF	Seamless Cushioned Flooring						
MECHANI	CAL REQUIREMENTS						
PLUMBING	•	Seamless Utility / Other Fixtures:	Eyewash Station	MED / NON-MED GASES			
(Quantity)		k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:  Shower	Eyewash Station  Eyewash/Shower Station	(Quantity)	Medical Nitrous	Laboratory	Utility y Laboratory Compressed
,		□ Snower □ Tub	Emergency Shower	Oxygen: Medical A	0 11		y Laboratory Compressed Vacuum: Air:
Plumbing		☐ Iub	☐ Emergency Snower ☐ Flush Rim Sink				
Remarks:		☐ ICE Maker ☐ Water Closet	_				
		□ water closes □ Instantaneou	_	Gas Remarks:			
		Hot Water	5 Water bottle reilli station				
			Other				

Program 1. D2.09

13.

19.

**Appendix 1B Minimum Room Requirements** 

2023-09-01 NSHBCCC DBA Schedule 1 App 1B-Final

31.

37.

43.

25.

Appendix 1B Minimum Roor	n Requirements	Program Number(s):	1. N2.04 2.	7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Workroom - F	Respiratory Therapy		3.	9. 15.	21.	27.	33.	39.	45.
				<ul><li>10. 16.</li><li>11. 17.</li></ul>	22. 23.	28. 29.	34. 35.	40. 41.	46. 47.
			6.	12. 18.	24.	30.	36.	42.	48.
ARCHITECTURAL REQUIREMEN	TS								
WALL AND CEILING  Wall Material: ARGB 1.2m AFF,  Ceiling Material: ACT		rner Guards	nper / Locator	GLAZING  Interior Glazing	FLOORING TY Material: VSF		ROOM ACCESSORIES  Coat Hooks Ceiling Mirror Infant		Magnetic Whiteboard Privacy Curtain
LEGEND:	Finish: PF Height: 1350 mm Cra	STITIONS CHAIR NAM					Door Remarks:		Trivacy curtain
WALL AND CEILING LEGEND:									
AC Architectural Ceiling ACT Acoustic Ceiling Tile	Types:								Security Grille  Anti-barricade
ACT-C Cleanroom  ARGB Abuse-Resistant Gypsum Board  GB Gypsum Board	A A2 B B2	C C2 D D2 I	E E2 F	F2 G					strategy
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile			r & Frame Privacy	Card	Mag Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsu	m Board	DI: I D	rotect.: Film:		•	Hinges:	Accessory 1: Accessory 2:	Accessory 3: C	Closer:
SACT Security Acoustic Ceiling Tile	C 1 915 x 2135 Solid Cor	e FRL 2 Hig	gh Store	eroom		Butt Hinge		Surfac	ce
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating									
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	orage Requirements:				FINISHES	
CEILING FINISHES LEGEND:	U1						Full-height C		
ECC Epoxy Ceiling Coating HPC High Performance Coating		U3 U4	U6 U7				Upper Mi	Ilwork: tertop:	
PF Prefinished		727	U7 U8	SHELF			Lower Mi		
PT Paint			7	ם מל				Shelf:	
WALL PROTECTION LEGEND:				S1					
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate				1			F	emarks:	
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering									
RHIS Rigid High Impact Sheet				i					
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering	COLUMN TO THE PARTY OF THE PART		-			1			
FLOOR FINISHES LEGEND:	<u>a</u> <u>a</u> <u>a</u>		= 7	-	-	7_			
CFS Concrete Floor Sealer	☐ ☐ C4 C5 11	-		==		7			
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L3 L4		RAM					
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L7 L8 L9						
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring					,	1/			
SDRF Static-Dissipative Rubber Sheet Floor		Motorized				TC2			
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring	Category 0 - None M Category 1 - Low (1% - 4%) Category		cialty	LOWER UNITS					
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	, , , , , , , , , , , , , , , , , , , ,	ework		RECEPTION/TRANSACTION COUNTER / CARE TEAM		IK AND COUNTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				STATION DESK				
FCB Flash Cove Base RB Rubber Base									
SCF Seamless Cushioned Flooring									
MECHANICAL REQUIREMENTS									
PLUMBING Hand	Seamless Utility / O	her Fixtures:	Station	MED / NON-MED GA	ASES				114114
(Quantity) Hygiene Sink: Lavatory:	Kitchen Sink: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	_	/Shower Station	(Quantity)	Medical	Nitrous			Laboratory Compressed
		Tub Emergence		Oxygen: N	Medical Air: Vacuum:	Oxide: CO2	2: AGSS: Nitroge	n: Air:	Vacuum: Air:
Plumbing		Ice Maker Flush Rim							
Remarks:		☐ Water Closet ☐ Floor Dra	in	65	I		1		
		Instantaneous Water Bo	ottle Refill Station	Gas Remarks:					
		Hot Water Other							
		Other							

Appendix 1B	3 Minimum Room Requir	ements	Program Number(s):	1. M1.04 2.	7. 13. 8. 14.	19. 20.	25. 26.	31 32		37. 38.	43. 44.
Room	Name: Workroom - Staff			3.	9. 15. 10. 16.	21. 22.	27. 28.	33		39. 40.	45. 46.
					11. 17.	23.	29.	35		41.	47.
				6.	12. 18.	24.	30.	36	•	42.	48.
ARCHITECTUI	RAL REQUIREMENTS			1							
	ING  ARGB 1.2m AFF, GB above  aterial: ACT	WALL PROTECTION           Finish:         PT         Type:         PVW         Height:         1350 mm	✓ Corner Guards ☐ Hand Rails ☐ Bed Bi☐ Crash Rails ✓ Chair Rail	umper / Locator	GLAZING  Interior Glazing	FLOORING Mate VSF	G TYPES rial: Base:	ROOM ACCESS Coat Hook Mirror	SORIES  Is Ceiling Lift  Infant Cha		lagnetic Whiteboard
LEGEND:		DOORS						Door Rema			,
WALL AND CEIL	ING LEGEND:	Types:					_				Security Grille
	nitectural Ceiling ustic Ceiling Tile				AVIZE I						
ACT-C Clea	anroom Ise-Resistant Gypsum Board	AANAA									Anti-barricade strategy
GB Gyp	sum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G	Н ј					Strategy
KLCT Kitch	act-Resistant Gypsum Board hen Lay-in Ceiling Tile			or & Frame Privacy	Card	Mag Auto Ho	ld				
	isture and Mould-Resistant Gypsum Board urity Acoustic Ceiling Tile		viateriai. Tillisti. Side Et.	Protect.: Film:	Turiction.	Lock: Opener: Op	imiges.	Accessory 1: A	ccessory 2: Acc	cessory 3: Clos	er:
WALL FINISHES	LEGEND:	B 1 915 x 2135 So	lid Core FRL 1 L	ow Passa	ge		Butt Hinge			Surface	
	xy Wall Coating n Performance Coating										
PT Pain		MILLWORK AND SPECIALTY CASEWORK	UPPER UNITS	Sto	rage Requirements:					FINISHES	
CEILING FINISH			U2						Full-height Cabir Upper Millwo		
	xy Ceiling Coating n Performance Coating		U3 U4 U5	U6					Countert		
PF Pref PT Pain	finished		7 7 7	U7 U8	SHELF				Lower Millwo	ork:	
					ħ □				Sh	elf:	
ESRP Extr	ruded Semi-Rigid PVCu Panel				S1				Rem	arks:	
	e Reinforced Laminate								П	urks.	
	eglass Reinforced Plastic tective Vinyl Wallcovering		- Inches		8						
	d High Impact Sheet twall Solid Surface Panel										
WVW Wet	troom Vinyl Wallcovering			1	RECEIVED BY	17/					
FLOOR FINISHES		C1 C2 C3 C4		+=-1		-		-	43		
	crete Floor Sealer xy Floor Coating		12				2	6	1		
	rurethane Floor Coating ber Athletic Flooring	FULL-HEIGHT CABINETS	L3 L4 L5 L6	L7 18	ZXY-	-   /	1				
RSF Rub	ber Sheet Flooring	TOLE-HEIGHT CADINETS		L7 L8 L9	L10 L11		171	/			
	mless Cushioned Flooring ic-Dissipative Rubber Sheet Flooring	Legend:	Motorized			. 101	TC2	"	u		
SDVF Stat	cic-Dissipative Vinyl Sheet Flooring	Category 0 - None		ecialty	LOWER UNITS			UC1	Ш		
	/I Sheet Flooring troom Safety Vinyl Sheet Flooring	Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%)	'Y (mm) Height Height Ca	sework	LOWER UNITS	RECEPTION/TRANS		CINIC AND COUNTED	LINUT		
FLOOR BASE LEG	GEND:	Category 3 - High (10% or Greater)				COUNTER / CARE TE STATION DESK	:AM OTILIT	Y SINK AND COUNTER	UNII		
	h Cove Base ber Base										
	mless Cushioned Flooring										
MECHANICAL	REQUIREMENTS										
	Hand	Seamless Utility /	Other Fixtures: Evewas	h Station	MED / NON-MED GA	SES					Utility
(Quantity) Hyg	giene Sink: Lavatory: Kitchen Sink	k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:	☐ Shower ☐ Eyewas	h/Shower Station	(Quantity)	Medica					Compressed
				ncy Shower	Oxygen: N	1edical Air: Vacuun	n: Oxide:	CO2: AGSS:	Nitrogen:	Air: V	acuum: Air:
Plumbing Remarks:			☐ Ice Maker ☐ Flush Ri								
nemarks.			Water Closet Floor Di		Gas Remarks:						
			Instantaneous Water E	Bottle Refill Station							
			Other								

Appendix 1B Minimum Room Requirements			1. G3.01 2.	7. 13. 8. 14.	19. 20.	25. 26.	31. 32.	37. 38.	43. 44.
Room Name: Workroom - Telephone Triage/ Screening Support			3. 4.	9. 15. 10. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.
			5. 6.	11. 17. 12. 18.	23. 24.	29. 30.	35. 36.	41. 42.	47. 48.
ARCHITECTURAL REQUIREMENTS			0.	10.	24.	30.	30.	42.	40.
WALL AND CEILING  Wall Material: ARGB 1.2m AFF, GB above Fi	inish: PT	land Daile Dond D		GLAZING	FLOORING TYPES  Material: Base:		CCESSORIES : Hooks	· <b>c.</b> [	✓ Magnetic Whiteboard
		hair Rail	imper / Locator	✓ Interior Glazing	RSF RB	]			Privacy Curtain
LEGEND:	DOORS						Remarks:		•
WALL AND CEILING LEGEND:									
AC Architectural Ceiling	Types:				DELA				Security Grille
ACT Acoustic Ceiling Tile ACT-C Cleanroom									☐ Anti-barricade
ARGB Abuse-Resistant Gypsum Board									strategy
GB Gypsum Board  IRGB Impact-Resistant Gypsum Board	A A2 B B2 C C2	D D2	E E2 F	F2 G H	J				
KLCT Kitchen Lay-in Ceiling Tile			or & Frame Privacy	Card Mag	Auto Hold				
MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile		Side Lt: Blinds:	Protect.: Film:	Function: Reader: Lock:	Opener: Open: Hinge	s: Accessory 1	.: Accessory 2: Ac	ccessory 3:	Closer:
WALL FINISHES LEGEND:	B 1 915 x 2135 Solid Core FRL	1L	ow Stor	reroom 🗸 🗌	Butt Hinge			Surf	ace
EWC Epoxy Wall Coating									
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK		St	torage Requirements:				FINISHES	
CEILING FINISHES LEGEND:	U1 □	UPPER UNITS					Full-height Cab	inet:	
ECC Epoxy Ceiling Coating	U2 U3	U4 $\square$					Upper Millw	vork:	
HPC High Performance Coating		U5	U6 U7 U				Counter	rtop:	
PF Prefinished PT Paint		1	U8	SHELF			Lower Millw		
WALL PROTECTION LEGEND:		1     2		7 .			S	Shelf:	
ESRP Extruded Semi-Rigid PVCu Panel				S1			Ret	marks:	
FRL Fibre Reinforced Laminate							. [	Tarks.	
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering	100	1	. 1 1						
RHIS Rigid High Impact Sheet	1		111	1					
WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering		5	- V Taracan						
FLOOR FINISHES LEGEND:	C1 C2 C3	1 "		ON BY PERSONAL PROPERTY.	1				
CFS Concrete Floor Sealer	C4	=				7/	American I		
EFC Epoxy Floor Coating PFC Polyurethane Floor Coating		L4 L5		KM		-/ Time			
RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS	L4 L5 L6	L7 L8 L9			.]			
RSF Rubber Sheet Flooring SCF Seamless Cushioned Flooring			L/ L8 L9	L10 L11 L12					
SDRF Static-Dissipative Rubber Sheet Flooring	Legend: Motor	ized			TC1 TC2				
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring	Category 0 - None Min. Length Adjust Category 1 - Low (1% - 4%) Category (mm) Heig		ecialty	LOWER UNITS		UC1	u		
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)		sework		PTION/TRANSACTION NTER / CARE TEAM	JTILITY SINK AND COU	INTER UNIT		
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				ON DESK				
FCB Flash Cove Base RB Rubber Base									
SCF Seamless Cushioned Flooring									
							L		
MECHANICAL REQUIREMENTS									
	Seamless Utility / Other Fixtures:	☐ Eyewasl	Station	MED / NON-MED GASES					
(Quantity) Hygiene Sink: Lavatory: Kitchen Sink: K	itchen Sink: Process Sink: Scrub Sink: Floor Sink: Shower		/Shower Station	(Quantity)	Medical Nitrous				Laboratory Compressed
		☐ Emerge		Oxygen: Medical	Air: Vacuum: Oxide:	CO2: A	GSS: Nitrogen:	Air:	Vacuum: Air:
Plumbing	☐ Ice Maker	☐ Flush Ri							
Remarks:	☐ Water Closet	☐ Floor Dr			1 1				
	☐ Instantaneous	_	ottle Refill Station	Gas Remarks:					
	Hot Water	Other							
		Other							

Room Name: Workstation			5. G3.06	9. L2.13 15. 10. L3.04 16. 11. N1.03 17. 12. P3.02.01 18.	21. 22. 23. 24.	27.       33.         28.       34.         29.       35.         30.       36.	39. 40. 41. 42.	45. 46. 47. 48.
ARCHITECTURAL REQUIREMENTS								
WALL AND CEILING  Wall Material: GB F  Ceiling Material: ACT F	inish: PT Type: PVW Height: 1600 mm	☐ Corner Guards ☐ Hand Rails ☐ Bed B☐ Crash Rails ☑ Chair Rail	umper / Locator	GLAZING  Interior Glazing	FLOORING TYPES Material: Base: VSF RB	ROOM ACCESSORIES  Coat Hooks Mirror  Door Remarks:	Ceiling Lift	Magnetic Whiteboard Privacy Curtain
LEGEND:  WALL AND CEILING LEGEND:  AC Architectural Ceiling ACT Acoustic Ceiling Tile ACT-C Cleanroom ARGB Abuse-Resistant Gypsum Board GB Gypsum Board IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile MMRGB Moisture and Mould-Resistant Gypsum Board SACT Security Acoustic Ceiling Tile  WALL FINISHES LEGEND:	Types:  A A2 B  Type:Qty: Size (mm):	9	E E2 F or & Frame Privacy Protect.: Film:	F2 G H  Card Mag Reader: Lock:	Auto Hold Opener: Open: Hinges		ry 2: Accessory 3: Cl	Security Grille  Anti-barricade strategy  Closer:
EWC High Performance Coating HPC High Performance Coating PT Paint  CEILING FINISHES LEGEND:  ECC Epoxy Ceiling Coating HPC High Performance Coating PF Prefinished PT Paint  WALL PROTECTION LEGEND:  ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel WVW Wetroom Vinyl Wallcovering  FLOOR FINISHES LEGEND:  CFS Concrete Floor Sealer EFC Epoxy Floor Coating RAF Rubber Athletic Flooring RSF Rubber Sheet Flooring SDRF Static-Dissipative Rubber Sheet Flooring SDVF Static-Dissipative Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring WSVF Wetroom Safety Vinyl Sheet Flooring FLOOR BASE LEGEND: FCB Flash Cove Base RB Rubber Base SCF Seamless Cushioned Flooring	MILLWORK AND SPECIALTY CASEWORK  C1 C2 C3 C4 C5 L1  FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)		U6 U7 U8	LOWER UNITS  RECEI COUN	PTION/TRANSACTION NTER / CARE TEAM UNION DESK	Up	E4.01.06. Refer to S (Division 12) for Spe indicated are diagra specialty casework specific and special performed in the sp accommodate Equi	appropriate for the lized functions to be pace and to
	Seamless Utility / itchen Sink: Process Sink: Scrub Sink: Floor Sink:	Tub Emerge  Ice Maker Flush Ri Water Closet Floor D	h/Shower Station ncy Shower m Sink	MED / NON-MED GASES (Quantity) Oxygen: Medical A	Medical Nitrous Air: Vacuum: Oxide:	CO2: AGSS: N		Laboratory Compressed Vacuum: Air:

Program 1. E2.01.09

2. E4.01.06

Number(s):

7. J5.06

8. K1.11

13.

14.

19.

20.

25.

26.

31.

32.

37.

38.

43.

44.

Room Name: Workstation - Drop Dowr	1		3. F8.06 4. J4.01.03	9. 15. 10. 16.	21. 22.	27. 28.	33. 39. 34. 40.	45. 46.		
			5. L3.03 6. P2.03.06	11. 17. 18.	23. 24.	29. 30.	35. 41. 36. 42.	47. 48.		
ADCUITECTUDAL DECLUDEAGAITE			6. P2.03.06	12.	24.	30.	30. 42.	46.		
ARCHITECTURAL REQUIREMENTS	WALL PROTECTION			CLATING	FI CODING TYPES	20014.460	CCCODIEC			
WALL AND CEILING  Wall Material: GB	WALL PROTECTION  Finish: PT Type: PVW	Corner Guards Hand Rails B	ed Bumper / Locator	GLAZING  Interior Glazing	FLOORING TYPES  Material: Base:	ROOM ACC	Hooks Ceiling Lift	☐ Magnetic Whiteboard		
Ceiling Material: ACT	Finish: PF Height: 1350 mm	☐ Crash Rails ✓ Chair Rail	,,	interior Glazing	VSF RB	☐ Mirror				
LEGEND:	DOORS					Door R	Remarks:			
WALL AND CEILING LEGEND:	Types:							Security Grille		
AC Architectural Ceiling ACT Acoustic Ceiling Tile		an alalah ah						Security Grille		
ACT-C Cleanroom		MEMBERSERIE						Anti-barricade		
ARGB Abuse-Resistant Gypsum Board GB Gypsum Board	A A2 B	B2 C C2 D D2	E E2 F	F2 G H	J		strategy			
IRGB Impact-Resistant Gypsum Board KLCT Kitchen Lay-in Ceiling Tile		Integra	Door & Frame Privacy	Card Mag	g Auto Hold					
MMRGB Moisture and Mould-Resistant Gypsum Board	Гуре:Qty: Size (mm):	Material: Finish: Side Lt: Blinds:			k: Opener: Open: Hing	es: Accessory 1:	Accessory 2: Accessory 3:	Closer:		
SACT Security Acoustic Ceiling Tile										
WALL FINISHES LEGEND:  EWC Epoxy Wall Coating										
HPC High Performance Coating PT Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER UNIT	s.	torage Requirements:			FINISH	HES		
CEILING FINISHES LEGEND:			,				Full-height Cabinet:			
ECC Epoxy Ceiling Coating		U2 U3 U4 U5					Upper Millwork:			
HPC High Performance Coating PF Prefinished		72	U6 U7 U8	SHELF			Countertop: Lower Millwork:			
PT Paint				<b>⊒</b> a □			Shelf:			
WALL PROTECTION LEGEND:				S1						
ESRP Extruded Semi-Rigid PVCu Panel FRL Fibre Reinforced Laminate							Remarks:			
FRP Fibreglass Reinforced Plastic PVW Protective Vinyl Wallcovering			_					ecialty Casework for E2.01.07. hedule 1, Section 6.12 (Division		
RHIS Rigid High Impact Sheet WSSP Wetwall Solid Surface Panel			7	1			12) for Spec	cialty Casework. Items indicated		
WVW Wetroom Vinyl Wallcovering	-	, ,,, ,,,		282828282				nmatic, provide specialty ppropriate for the specific and		
FLOOR FINISHES LEGEND:	C1 C2 C3 C4				-			functions to be performed in nd to accommodate Equipment.		
CFS Concrete Floor Sealer EFC Epoxy Floor Coating						16		oratory casework, quantity (1)		
PFC Polyurethane Floor Coating RAF Rubber Athletic Flooring	FULL-HEIGHT CABINETS		L6 L7 18				per room.			
RSF Rubber Sheet Flooring	TOLE HEIGHT CASHETS			L10 L11	* - 7	7/ 11				
SCF Seamless Cushioned Flooring SDRF Static-Dissipative Rubber Sheet Flooring	Legend:	Motorized			TC1 TC2	V   "	L			
SDVF Static-Dissipative Vinyl Sheet Flooring VSF Vinyl Sheet Flooring	Category 0 - None	Min. Length Adjustable Standing	Specialty	LOWER UNITS		UC1	u II			
WSVF Wetroom Safety Vinyl Sheet Flooring	Category 2 - Med (5% - 9%)	egory (mm) Height Height	Casework	REC	CEPTION/TRANSACTION OUNTER / CARE TEAM	UTILITY SINK AND COUN	JTFR LINIT			
FLOOR BASE LEGEND:	Category 3 - High (10% or Greater)				ATION DESK	J.ILITT SHAK AND COOK				
FCB Flash Cove Base RB Rubber Base										
SCF Seamless Cushioned Flooring										
MECHANICAL REQUIREMENTS										
PLUMBING Hand	Seamless Utility /	Other Fixtures:	ewash Station	MED / NON-MED GASES						
	k: Kitchen Sink: Process Sink: Scrub Sink: Floor Sink:		ewash Station ewash/Shower Station	(Quantity)	Medical Nitrous		Laborato	· Compressed		
			ergency Shower	Oxygen: Medica	al Air: Vacuum: Oxide:	CO2: AG	SS: Nitrogen: Air:			
Plumbing		¬	sh Rim Sink							
Remarks:		Water Closet Flo		Gas Remarks:		, 1				
			ter Bottle Refill Station	200						
		Hot Water Other								

Program 1. C2.04

2. E2.01.07

Number(s):

7. R1.02.02

8.

13.

14.

19.

20.

25.

26.

31.

32.

37.

38.

43.

44.

R	oom Name: Workstation - Standing			3. 4.	9. 15. 10. 16.	21. 22.	27. 28.	33. 34.	39. 40.	45. 46.	
				5.	11. 17.	23.	29.	35.	41.	47.	
				6.	12. 18.	24.	30.	36.	42.	48.	
ARCHITECT	TURAL REQUIREMENTS										
WALL AND (	CEILING  Material: GB	Finish: PT WALL PROTECTION Type: FRP	✓ Corner Guards ☐ Hand Rails	☐ Bed Bumper / Locator	GLAZING  Interior Glazing	FLOORING TYPES Material: Base:		A ACCESSORIES  Coat Hooks Ceilin		☐ Magnetic Whiteboard	
Ceiling	Material: ACT	Finish: PF Height: 1350 m	m Crash Rails Chair Rail			VSF RB		Mirror Infan	Change Table	Privacy Curtain	
LEGEND:		DOORS						Door Remarks:			
AC ACT ACT-C ARGB GB IRGB KLCT MMRGB SACT	Architectural Ceiling Acoustic Ceiling Tile Cleanroom Abuse-Resistant Gypsum Board Gypsum Board Impact-Resistant Gypsum Board Kitchen Lay-in Ceiling Tile Moisture and Mould-Resistant Gypsum Board Security Acoustic Ceiling Tile	Types:  A A2  Type:Qty: Size (m		D2 E E2 F  Integral Door & Frame Privacy  Blinds: Protect.: Film:	F2 G H  Card Mag Reader: Lock:	Auto Hold Opener: Open: Hin	ges: Access	ory 1: Accessory 2:	Accessory 3:	Security Grille  Anti-barricade strategy  Closer:	
WALL FINIS	HES LEGEND:										
EWC HPC PT	Epoxy Wall Coating High Performance Coating Paint	MILLWORK AND SPECIALTY CASEWORK	UPPER		itorage Requirements:			Full-height	FINISHE	s	
ECC HPC PF PT  WALL PROT ESRP FRL FRP PVW RHIS WSSP WVW	ISHES LEGEND:  Epoxy Ceiling Coating High Performance Coating Prefinished Paint  ECTION LEGEND:  Extruded Semi-Rigid PVCu Panel Fibre Reinforced Laminate Fibreglass Reinforced Plastic Protective Vinyl Wallcovering Rigid High Impact Sheet Wetwall Solid Surface Panel Wetroom Vinyl Wallcovering SHES LEGEND: Concrete Floor Sealer Epoxy Floor Coating Polyurethane Floor Coating Rubber Athletic Flooring Rubber Sheet Flooring Static-Dissipative Rubber Sheet Flooring Vinyl Sheet Flooring Wetroom Safety Vinyl Sheet Flooring ELEGEND: Flash Cove Base Rubber Base Seamless Cushioned Flooring	FULL-HEIGHT CABINETS  Legend: Category 0 - None Category 1 - Low (1% - 4%) Category 2 - Med (5% - 9%) Category 3 - High (10% or Greater)	U2 U3 U4  L1 L2 L3 L4 L5  Motorized Min. Length Adjustable Star	U5 U6 U7 U8  L6 L7 L8 L9  Inding Specialty Casework	LOWER UNITS  RECE COU	PTION/TRANSACTION NTER / CARE TEAM ION DESK	UTILITY SINK AND	Upper N Cou Lower N	lillwork:		
MECHANIC	CAL REQUIREMENTS										_
PLUMBING (Quantity) Plumbing		Seamless Utility / Kitchen Sink: Process Sink: Scrub Sink: Floor	Sink: Shower Tub	Evewash Station Eyewash/Shower Station Emergency Shower Flush Rim Sink	MED / NON-MED GASES (Quantity) Oxygen: Medical	Medical Nitrous Air: Vacuum: Oxide:	CO2:	AGSS: Nitrogo	Laboratory en: Air:	/ Laboratory Compressed Vacuum: Air:	1
Remarks:			Water Closet Instantaneous Hot Water	Flush Rim Sink Floor Drain Water Bottle Refill Station Other	Gas Remarks:						

Program 1. D4.01.04

Number(s): 2. D4.02.03

7.

8.

13.

14.

19.

20.

25.

26.

31.

32.

37.

38.

43.

44.

**Appendix 1B Minimum Room Requirements**